




Identification cable tie transversal plate

Technical cable ties with transversal identification plate allow bundles and cabling to be easily marked and identified



TYPE 1



COLORS

● Natural

MATERIALS

Material: polyamide 6.6

Halogen free

Material flammability rating:

UL 94-V2

Excellent resistance to: aromatic solvents, oils, greases and derivatives

Good resistance to: bases

Limited resistance to: acids

Not resistant to: phenols and to chlorinated solvents

APPLICATION

Installation temperature:

-10°C ÷ 60°C

Working temperature:

-40°C ÷ 85°C

PRODUCTS CONFORMITY:

CE marking: our products comply with the Low Voltage Directive 2014/35/EU and the cable ties are tested in accordance with CEI EN IEC 62275 "Cable management system – Cable ties for electrical installations".

Type 1

REACH: the materials used to produce the cable ties comply with 1907/2006/CE (REACH)

Technical Data

CODE	NOMINAL DIMENSIONS										BUNDLE DIAMETER	
	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)
Natural	A	B	C	E	F	G	H	M	N	ø min	ø max	
52100-M	100	2,5	1,0	4,8	4,8	3,9	8,2	25,1	0,8	6	20	
52200-M	200	2,5	1,0	4,8	4,0	4,0	8,1	25,5	1,0	6	50	

Mechanical features and packaging

CODICE	MECHANICAL FEATURES Newton (N) Tensile strength	PACKAGING	
		(pcs) Bag	(pcs) Box
52100-M	80	100	10.000
52200-M	80	100	7.500