	<h1>Declaration of performance</h1>	<p style="text-align: center;">No.</p> <p style="text-align: center;">25-2018-07-25 According to regulation (EU) 305/2011</p>
EU- Construction Products Regulation		Page 1 of 3

1. Unique identification code of the product type:

**AC 8 surf 160/220, Viaplus 4.0
Asphalt concrete**

2. Type, batch or serial number or any other identification mark for the construction product referred to in Article 11 Paragraph 4:

AC 8 surf 160/220, Viaplus 4.0 **Tradename: Viacore**

3. Intended use of the construction product provided by the manufacturer, in accordance with the applicable harmonized technical specification:

**Asphalt concrete for the construction of roads, air traffic areas
and other traffic areas**

4. Name, registered tradename or registered trademark and contact address of the manufacturer in accordance with Article 11 Paragraph 5:

VIALIT Asphalt GmbH & Co. KG
Josef - Reiter - Straße 78
A - 5280 Braunau
Email: office@vialit.at

5. If applicable, name and contact address of the authorized representative responsible for the tasks referred to in Article 12 Paragraph 2.:

Österreichische VIALIT Gesellschaft m.b.H.
Josef - Reiter - Straße 78
A - 5280 Braunau
Email: office@vialit.at

6. System or systems for assessing and verifying the constancy of performance of the construction product in accordance with Annex V.:



System 2+

7. This is a declaration of performance concerning a construction product covered by the harmonized standard EN 13108-1:

The factory production control certification body No 0988 carried out the initial inspection of the factory and factory production control, the continuous monitoring, assessment and evaluation of factory production control and issued the factory production control conformity certificate.

8. In the case of the declaration of performance concerning a construction product for which a European Technical Assessment has been issued:

not applicable

	<h1>Declaration of performance</h1> <p>&</p> <p>EC Declaration of Conformity according to Annex ZA of EN 13108-1: 2008</p>	 0988 18 0988-CPR-1166 Page 2 of 3
	EU- Construction Products Regulation	

9. Declared performance

REQUIREMENT	Unit	AC 8 surf 160/220, Viaplus 4.0	
Binder content, soluble	M.-%	7,0 to 8,0 B min 3,0	
Void content Marshall specimen	V.-%	V min 4,0 to V max 8,0	
Stability Marshall specimens	kN	NR	
Flow value Marshall test specimen	mm	NR	
Marshall Quotient	kN / mm	NR	
Fictitious void content	V.-%	NR	
Void fill out-grade	%	NR	
Water sensitivity	%	NR	
Resistance to permanent deformation, small device, method B	%	NR	
Binder expiration	M.-%	NR	
Permanent deformation - penetration depth	mm	-	
Permanent deformation - max. increase	mm	-	
Permanent deformation - max. dynamic penetration depth	mm	-	
Affinity - coverage level	%	≥ 80	
Grain loss	M.-%	NR	
Fire behavior	-	A2 _{f1} – s1	
Resistance to abrasion by spike tires	%	NR	
Fuel resistance on airfields	-	NR	
Resistance to deicers	-	NR	
Stone - bitumen affinity on airfields	%	-	
Dangerous substances			
In the eluate	pH value	-	NR
	electric conductivity	mS/m	NR
	Chrome (total)	mg/kg TS	NR
	Copper	mg/kg TS	NR
	Ammonium N	mg/kg TS	NR
	Nitrite N	mg/kg TS	NR
	Sulphate SO ₄	mg/kg TS	NR
	Hydrocarbons Index	mg/kg TS	NR
Total content 16 polycyclic hydrocarbons	mg/kg TS	NR	
Temperature of the mix	°C	≤ 80	



Declaration of performance

&

EC Declaration of Conformity
according to Annex ZA of EN 13108-1: 2008



0988
18
0988-CPR-1166

Page 3 of 3

EU- Construction Products Regulation

Particle size distribution		
Quantity ≤ 45,0 mm	M.-%	NR
Quantity ≤ 31,5 mm	M.-%	NR
Quantity ≤ 22,4 mm	M.-%	NR
Quantity ≤ 16,0 mm	M.-%	NR
Quantity ≤ 11,2 mm	M.-%	100
Quantity ≤ 8,0 mm	M.-%	99
Quantity ≤ 5,6 mm	M.-%	NR
Quantity ≤ 4,0 mm	M.-%	NR
Quantity ≤ 2,0 mm	M.-%	46
Quantity ≤ 1,0 mm	M.-%	NR
Quantity ≤ 0,5 mm	M.-%	NR
Quantity ≤ 0,25 mm	M.-%	NR
Quantity ≤ 0,063 mm	M.-%	3,4

Observe processing instructions!

10. The performance of the product **AC 8 surf 160/220, Viaplus 4.0** according to the numbers 1 and 2 corresponds to the declared performance according to number 9. Responsible for the preparation of this declaration of performance is the manufacturer according to number 4.

Signed for the manufacturer VIALIT asphalt from:

Braunau, 12.01.2018

gez. Thomas Schinkinger e.h

Österreichische Vialit Gesellschaft m.b.H.
Josef-Reiter-Straße 78
A -5280 Braunau/Inn