



ACCURATE

LOCK & HARDWARE

AMERICAN CRAFTED SINCE 1972

Interior Mortise Locks

Quality and versatility to complement the most discerning design vision

3 New Reasons To Use Interior Mortise Locks

THAT COMPLEMENT THE MOST DISCERNING DESIGN VISION

1. For use on narrow stile doors – now available with 2” backset.
2. Achieve a quiet and seamless solution when ordered with the magnetic latch
3. Hub Adjust feature – the new standard that keeps levers perfectly level regardless of their design



9500/9800 SERIES WITH MAGNETIC LATCH BOLT

9500/9800 Series Interior Mortise Locks

- For interior doors
- Passage, privacy and bit key functions
- European style installation (Lever High) standard, available to order as "UPSIDE DOWN" (Lever Low)
- 2", 2 ½" or 2 ¾" backset (for door stiles starting at 3"*)
- Custom backsets, marine grade and/or non-ferrous options available (for most applications)
- Magnetic latch bolt option paired with a non-lipped strike for quiet operation and minimalistic design
- 9500 series features a 2 ¼" vertical spacing while on the 9800 series the vertical spacing is 2⁷/₈" (to allow the use of larger trim designs)
- Rabbeted kits also available

** With a 2" backset, lock body measures 2⁷/₈" overall*



9539ML PRIVACY LOCK WITH MAGNETIC LATCH BOLT

9500 Series: Technical Details

For use with Accurate's levers or knobs or prepared for use with other manufacturers' trim (for compatibility please verify vertical spacing as well as thru bolting locations or call for assistance)

Lever locks come standard with HUB ADJUST feature, to keep levers level regardless of their design (for more info see pg. 15).

CASE: Heavy Gauge Steel ($\frac{3}{4}$ " thick)


ARMOR FRONT: Adjustable bevel. Made from brass, bronze or stainless steel and finished as required

LATCH BOLT: $\frac{7}{16}$ " throw. Brass or stainless steel for standard locks or magnetic stainless steel for ML magnetic latch locks


DEADBOLT: Brass or stainless steel. $\frac{1}{2}$ " throw

HUBS: Available in different sizes to be compatible with various trims


THUMB TURN HUB: $\frac{3}{16}$ " (5mm) on the diamond and on the square
Specialty 5mm or 6mm square hub available as a special order



9525




9539




9524

9500 Series: Functions



9525 **INTERIOR PASSAGE & CLOSET LATCH**


Latch bolt by lever either side.



9539 **INTERIOR PRIVACY** **BEDROOM OR BATHROOM LOCK**

Latch bolt by knob or lever either side.

Deadbolt by turn piece inside and optional emergency key outside.




9524 **INTERIOR PRIVACY BIT KEY LOCK**

Latch bolt by knob or lever either side.


Deadbolt by bit key inside and outside.

One solid brass bit key furnished with each lock – extra keys available to order.
(P/N 09-BK)



9500ADL **ACTIVE DUMMY LOCK**

Active handles inside and outside.



9500ADLS **ACTIVE DUMMY LOCK** **PREPARED AS STRIKE**

Active handles inside and outside.

For use on “dummy door” (in double door applications where the active lock has a 9525 or 9539 lock, please specify.)

9500ML Series Lock with Magnetic Latch



Seamless Doorway



Non-lipped Strike

- Seamless, non-lipped strike is invisible when door is closed
- Non-handed for simple installation Quiet Operation: a powerful rare-earth magnet projects the latch bolt to secure the door.

9500ML FUNCTIONS

9525ML

Interior Passage and Closet Latch

Latch bolt by lever either side.

9539ML

Interior Privacy Bedroom or Bathroom Lock

Latch bolt by knob or lever either side.

Deadbolt by turn piece inside and optional emergency key outside.

9524ML

Interior Privacy Bit Key Lock

Latch bolt by knob or lever either side.

Deadbolt by bit key inside and outside.

One solid brass bit key furnished with each lock—extra keys available to order.

(P/N 09-BK).

9800 Series: Technical Details

For use with Accurate's levers or knobs or prepared for use with other manufacturers' trim (for compatibility please verify vertical spacing as well as thru bolting locations or call for assistance)

Lever locks come standard with HUB ADJUST feature, to keep levers level regardless of their design (see pg. 15).

CASE: Heavy Gauge Steel ($\frac{3}{4}$ " thick)

ARMOR FRONT: Adjustable bevel. Made from Brass, bronze or stainless steel and finished as required


LATCH BOLT: $\frac{7}{16}$ " throw. Brass or stainless steel for standard locks or magnetic stainless steel for ML magnetic latch locks

DEADBOLT: Brass or stainless steel. $\frac{1}{2}$ " throw


HUBS: Available in different sizes to be compatible with various trims

THUMB TURN HUB: $\frac{3}{16}$ " (5mm) on the diamond and on the square


Specialty 5mm or 6mm square hub available as a special order



9825




9839




9824

9800 Series: Functions



9825 **INTERIOR PASSAGE & CLOSET LATCH**


Latch bolt by lever either side.



9839 **INTERIOR PRIVACY** **BEDROOM OR BATHROOM LOCK**

Latch bolt by knob or lever either side.

Deadbolt by turn piece inside and optional emergency key outside.




9824 **INTERIOR PRIVACY BIT KEY LOCK**

Latch bolt by knob or lever either side.


Deadbolt by bit key inside and outside.

One solid brass bit key furnished with each lock – extra keys available to order.
(P/N 09-BK)



9800ADL **ACTIVE DUMMY LOCK**

Active handles inside and outside.



9800ADLS **ACTIVE DUMMY LOCK** **PREPARED AS STRIKE**

Active handles inside and outside.

For use on “dummy door” (in double door applications where the active lock has a 9825 or 9839 lock, please specify.)

9800ML Series Lock with Magnetic Latch



Seamless Doorway

- Seamless, non-lipped strike is invisible when door is closed
- Non-handed for simple installation. Quiet Operation: a powerful rare-earth magnet projects the latch bolt to secure the door.



Non-lipped Strike

9800ML FUNCTIONS

9825ML

Interior Passage and Closet Latch

Latch bolt by lever either side.

9839ML

Interior Privacy Bedroom or Bathroom Lock

Latch bolt by knob or lever either side.

Dead bolt by turn piece inside and optional emergency key outside.

9824ML

Interior Privacy Bit Key Lock


Latch bolt by knob or lever either side.

Dead bolt by bit key inside and outside.


One solid brass bit key furnished with each lock—extra keys available to order (P/N 09-BK).

Accurate Lever Trim


18L LEVER



19L LEVER




20L LEVER




Accurate Lever Trim


21L LEVER




29L LEVER



39L LEVER



72L LEVER




Accurate Rose Options

1R ROSE

Front



Side



SILENTPAC™ LEVER DAMPENING DISC CAN BE
SPECIFIED WITH THE 1R ROSE
VISIT SILENTPACSOLUTIONS.COM

2R ROSE


Side



Inside



Outside



4R ROSE


Side



Inside




Outside



HOW TO SPECIFY

HANDING



FINISHES

GROUP 1: US4, US4NL, US32D, US26D

GROUP 2: US3, US3NL, US26, US32, US9, US10, US10B, US14, US15, US19

GROUP 3: BN, BB, TN, TB, DURO, ESN, US15A, US5

To view examples of finishes visit: [Accurate Finishes](#)

HOW TO SPECIFY

FUNCTION.BACKSET.TRIM.FINISH.HAND.DOORTHICKNESS

FUNCTIONS

See available functions
(pg. 5-6, 8-9)

BACKSET

2", 2-1/2" , 2-3/4"

TRIM

- Accurate Lever Trim
- Other Manufacturers' Trim*

Configurations:

- LxL, KxK

Hub Size:

- Specify hub size or architectural hardware brand lever/knob

FINISHES

See available finishes
(pg.13)

Handing

No need to specify when
ordering ML locks

EXAMPLES

Accurate 9500 Interior Mortise | Other Manufacturers' Trim

E.g.: 9539.2.LxL.8mm.US3.RH.214

Accurate 9500 Magnetic Latch | Accurate Trim

E.g.: 9525ML.212.19L/1R.US26D.134

Accurate 9800 Interior Mortise | Other Manufacturers' Trim



E.g.: 9839.234.LxL.8mm.US3.RH.214

Accurate 9800 Magnetic Latch | Accurate Trim

E.g.: 9825ML.212.18L/1R.US26D.134


Note: For compatibility please verify vertical spacing as well as through-bolting locations or call for assistance.

HUB ADJUST FEATURE



How To:

1 Remove faceplate



2 Use a screwdriver to rotate hub-adjustment screw to straighten lever

ACCURATE LOCK & HARDWARE
MANUFACTURERS OF LOCKS AND
CUSTOM ARCHITECTURAL HARDWARE

1 Annie Place | Stamford, CT 06902

P: 203.348.8865

F: 203.348.5234

E: sales@accuratelockandhardware.com

www.accuratelockandhardware.com

AMERICAN CRAFTED
— SINCE 1972 —