



| Rev. | Date | Description |
|------|----------|----------------------------|
| A | 11-12-18 | Updated cuff / hook design |
| B | 11-12-18 | Updated strike size |



9100BDL-5i x 6" BS x 7200ERi x 7200ADA x 7200P Pulls (ADA Spec)



* The ADA Standard 404.2.3* is from the Dept of Justice ADA Publication of Sept 15, 2010. Accurate Lock and Hardware Co. LLC recommends verification of all State and Federal standards applicable for a particular project.

** The total opening has to be 8" (min.) greater than the Federal "Clear Width" dimension of 32" to work properly

*** The Bottom of the 7200P Pulls must be installed w/ 34" from the finished floor. This will give 48" from the finished floor to top of 7200ADA handle, thus meeting Code 404.2.7.

Made in USA

All Accurate products meet the requirements of the "Buy American" provisions included in the "American Recovery and Reinvestment Act" (ARRA Title XVI, Section 1605)

| Parts List | | | |
|-------------------------|-------------|--------|-----------------------------------|
| QTY | Part Number | Finish | Description |
| 1 | 9100BDL | | Sliding door lock 6" BS |
| 1 | 7200ERi | | Emergency coin release /Indicator |
| 1 | 7200ADA | | ADA Thumbturn |
| 1 | 910BDL.CUF | | Barn door cuff |
| 1 | 7200P | | Back to Back Pulls |
| 1 | 910BDL.STK | | 9100BDL Strike Plate |
| spec no. 9100BDL-5i-ADA | | | REV A |