



ACCURATE LOCK & HARDWARE

AMERICAN CRAFTED SINCE 1972

9100SDL Sliding Door Lock

MATL: BRASS	FINISH: US15	QTY: 22pc
DESCRIPTION: SLIDING DOOR LOCK	MODEL: FC3004	
FUNCTION: LOCK		
INSTALLATION: INTERIOR		
FINISH: BRASS		
WEIGHT: 1.5		

9100SDL Sliding Door Lock | Emergency Egress

BACKSETS: 2 1/2", 2 3/4", 3 3/4", 5", 6"

For door stiles 4" wide and up.

Custom narrow and large backsets also available.

OPERATION:

9100 SDL-3 Deadbolt by key outside, thumb turn inside. Inside handle will retract deadbolt.

9100 SDL-5 Deadbolt by emergency key outside, thumb turn inside. Inside handle will retract deadbolt.

9100 SDL-ST CLASSROOM DEADLOCK

Deadbolt by key outside. Inside handle will retract deadbolt.

CASE: Heavy gauge, wrought (15/16" thick)

DEADBOLT: 1/2" thick, 1" throw

HUBS: Available in various sizes to be compatible with various trims

THUMB TURN HUB: 3/16" (5mm) on the diamond



ARMOR FRONT: Brass, bronze, or stainless steel

STRIKE: 4 7/8" x 1 1/4" deadlock type. Custom strike for "barn doors"/wall mounted sliding doors available as a special order.

DUSTBOX: Brass, stainless steel, or US10B

CYLINDER: Available to order (3/4", 1", 1 1/8" length in limited Keyways).



Please contact one of our Sales Engineers for details.



9100SDL

HOW TO SPECIFY

HANDING



FINISHES

GROUP 1: US4, US4NL, US32D*, US26D

GROUP 2: US3, US3NL, US26, US32*, US9*, US10*, US10B, US14, US15, US19

GROUP 3: BN, BB, TN, TB, DURO, ESN, US15A, US5

* Trim options (including Accurate levers) may not be available in US32D, US32, US9, or US10 finish. Please call for assistance.

To view example of finishes visit: [Accurate Finishes](#)

**ACCURATE LOCK & HARDWARE
MANUFACTURERS OF LOCKS AND
CUSTOM ARCHITECTURAL HARDWARE**

1 Annie Place | Stamford, CT 06902

P: 203.348.8865

F: 203.348.5234

E: sales@accuratelockandhardware.com

www.accuratelockandhardware.com



**AMERICAN CRAFTED
— SINCE 1972 —**