ACCURATE LOCK & HARDWARE AMERICAN CRAFTED SINCE 1972 7200 SERIES DEADLOCKS

11 10

8

3

7200 Dimensions

3

4

1

7200 SERIES DEADLOCKS TECHNICAL DETAILS

UL Listed 3 Hour (R27779-20130718)

BACKSETS: 2 ½" or 2 ¾" For door stiles 3 7/8" wide and up.

OPERATION:

10

7201 By key, outside only
7202 By key, outside and inside
7203 By key outside, thumb turn inside
7204 By thumb turn, inside only
7205 By thumb turn inside, emergency key outside
7203ST CLASSROOM DEADLOCK

Key outside will project/retract deadbolt. Thumb turn inside can retract but not throw deadbolt

*Numbers are for specification and door preparation purposes – Inside and Outside trim must be specified separately

CASE: Heavy gauge steel (15/16")

DEADBOLT: 1" throw

THUMB TURN HUB: 3/16" (5mm) on the diamond

ARMOR FRONT: Brass, bronze, or stainless steel

STRIKE: 3 ½" x 1 1/8"

FINISH: As required

10

11


DUST BOX: Brass, stainless steel or US10B

9


8

7

6



5



2

1

ACCURATE LOCK & HARDWARE MANUFACTURERS OF CUSTOM LOCKS AND ARCHITECTURAL HARDWARE

1 Annie Place | Stamford, CT 06902

P: 203.348.8865F: 203.348.5234E: sales@accuratelockandhardware.com

www.accuratelockandhardware.com

AMERICAN CRAFTE