

Ligature Resistant Cylinder Collars


LRCC

For mortise type cylinders.

Diminish ligature risk by eliminating anchor points on the cylinder head.


Made to order in different thicknesses for various applications.

US32D finish standard, other architectural finishes available.









Cylinder Length	P/N (for CH Mortise Sets with Active Crescent Plates)*	P/N (for CH Mortise Sets with Dummy Crescent Plates) *
1 ¹ / ₈ "	LRCC.187	LRCC.312
1 ¹ / ₄ "	LRCC.312	LRCC.437
13/8"	LRCC.437	LRCC.562
1 ¹ / ₂ "	LRCC.562	LRCC.687
OTHER	LRCC.A Indicate required thickness OR specify cylinder length and lockset from list below	LRCC.A Indicate required thickness OR specify cylinder length and lockset from list below
	For CH9122, CH9124, CH9142, CH9143, CH9143i, CH9144, CH9144i, CH9145, CH9145S, CH9146, CH9148, CH9153, CH9156, CHM9158E, CHM9159E Sets	For CH9158, CH9159, CH9147i, CH9160 Sets

^{*}Part numbers/sizes are based on sets for 1 ¾" thick doors, using L-PC style Crescent plates

| 10 | 9 | 8 | 7 | 6 | 5 | 4 | 3 | 2 | 1

ACCURATE LOCK & HARDWARE MANUFACTURERS OF LOCKS AND CUSTOM ARCHITECTURAL HARDWARE

1 Annie Place | Stamford, CT 06902

P: 203.348.8865 **F:** 203.348.5234

E: sales@accuratelockandhardware.com

www.accuratelockandhardware.com

AMERICAN CRAFTE

11 | 10 | 9 | 8 | 7 | 6 | 5 | 4 | 3 | 2 |