



STILE INNOVATION

1700 SERIES

Accurate's lock innovation makes its debut to allow more flexibility for ultra narrow stile aluminum doors. Pair with a variety of decorative or commercial trim options to do more with less. Available in a range of finishes and functions, the 1700 Series opens the door to endless possibilities.

1756 FUNCTION SHOWN WITH 17L LEVERS AND 2R ROSE

11 | 1

9 | 8 | 7 | 6 | 5 | 4 | 3 | 2

STILE INNOVATION

1700 SERIES NARROW BACKSET LOCK

SLEEK AESTHETICS

- Maintain sleek lines where narrow stile doors are prominent
- Narrow backsets $(1^{1}/_{8})$ are ideal for aluminum storefront and glass wall partition systems with narrow stile framing (minimum 1 $^{7}/_{8}$ " stile recommended)

DESIGN VERSATILITY

Compatible with Accurate Lever Trim or custom fitted for most manufacturers' sectional lever trim (narrow roses/escutcheon)

FUNCTIONALITY

- Can be used with standard mortise cylinders
- Features latch holdback by cylinder option




STANDARD 29L LEVER/2R ROSE SET



1757 ENTRANCE OR OFFICE FUNCTION

11



*To accommodate through-bolting 1½ to 111/16 center to center

BACKSET: $1^1/8$ " (1", 1 1/4", 1 1/2" available as special order).

CASE: Heavy gauge, stainless steel

ARMOR FRONT: Brass, bronze, aluminum or stainless steel, finished as required. Faceplate options: flat (default), radius or beveled (see How to Specify pgs. 10-11)

LATCH BOLT: Brass or stainless steel, solid type $\frac{1}{2}$ " throw


STRIKE: $4^7/_8$ " ASA

HUBS: Set up to accept 8mm spindles. Other sizes can be accommodated.

DUST BOX: Brass, stainless steel or oil rubbed bronze


11

1700 Series: Functions



1700ADL **ACTIVE DUMMY LOCK**

Active handles inside and outside.




1725 **PASSAGE**

Latch bolt by lever either side.

Latch bolt can be held retracted by depressing, then turning key.*

*Optional, please specify 1725H




1745 **CLASSROOM**

Latch bolt by lever either side unless outside lever is locked by key.

Auxiliary latch deadlocks latch bolt.

Inside lever always free egress.




1750 **ENTRANCE**

Latch bolt by lever either side unless outside lever locked by thumb turn inside or key outside.

When outside lever is locked, operating the inside lever will NOT unlock outside lever.

Auxiliary latch deadlocks latch bolt. Inside lever always free egress.




1753 **ENTRANCE**

Latch bolt by lever either side unless locked by thumb turn inside or key outside (both levers become rigid).

Auxiliary latch deadlocks latch bolt.

No emergency egress.



1756 **ENTRANCE OR OFFICE**

Latch bolt by key outside and lever either side unless outside lever is locked by toggleaction stop.

Auxiliary latch deadlocks latch bolt.

Latch bolt can be held retracted by depressing, then turning key.*


*Optional, please specify 1756H

11

10

2

1700 Series: Functions



1757 ENTRANCE OR OFFICE


Latch by lever inside and key outside.

No outside lever.

Auxiliary latch deadlocks latch bolt.

Latch bolt can be held retracted by depressing, then turning key.*

*Optional, please specify 1757H



1758 INSTITUTION OR ASYLUM

Latch by key either side.


Inside and outside levers always rigid.*

Auxiliary latch deadlocks latch bolt.

Latch bolt can be held retracted by depressing, then turning key.**

*Verify code compliance before using this function

**Optional, please specify 1758H



1759 STOREROOM OR CLOSET

Latch by lever inside and key outside.

Outside lever always rigid.


Auxiliary latch deadlocks latch bolt.

*Optional, please specify 1759H

11 | 10 | 9 | 8 | 7 | 6 | 5 | 4 | 3 | 2 | 1


1 | 10 | 9 | 8 | 7 | 6 | 5 | 4 | 3 | 2 |

Accurate Lever Trim




| 10 | 9 | 8 | 7 | 6 | 5 | 4 | 3 | 2

Accurate Trim



HOW TO SPECIFY

HANDING



FINISHES

GROUP 1: US4, US4NL, US32D*, US26D


GROUP 2: US3, US3NL, US26, US32*, US9*, US10*, US10B, US14, US15, US19

GROUP 3: BN, BB, TN, TB, DURO, ESN, US15A, US5

* Trim options (including Accurate Levers) may not be available in US32D, US32, US9, or US10 finish. Please call for assistance.

To view example of finishes visit: <u>Accurate</u> Finishes.

CYLINDERS & KEYING



1700 Series locks accept any standard American mortise cylinder. For details on required cams and compatibility with other manufacturers' cylinders, please visit:

Accurate Support.


FACEPLATE

FLAT RADIUS

BEVEL

Flat Faceplate Edge furnished unless otherwise specified.
Bevel Faceplate determined by handing.

FACEPLATE CORNERS




Square Faceplate Corners furnished unless otherwise specified.

11 | 10 | 9 | 8 | 7 | 6 | 5 | 4 | 3 |

11

HOW TO SPECIFY

FUNCTION.FACEPLATE.BACKSET.TRIM.FINISH.HAND.DOORTHICKNESS



EXAMPLES

Office Lock | Radius Faceplate Round Corners | Accurate Trim

E.g.: 1756.RFRC.1.29L/1E-175.US26D.RH.134

Storeroom Lock | Flat Faceplate Round Corners | Accurate Trim

E.g.: 1759.RC.1.15L/2R.US26D.RH.134

Entry Lock | Beveled Faceplate Square Corners | Other Manufacturers' Trim*

E.g.: 1757.BF.1125.8mm.US26D.RH.138

Passage Lock with Hold Back | Flat Faceplate Round Corners | Other Manufacturers' Trim*

E.g.: 1725H.RC.1125.7mm.US3NL.RH.138

CUSTOM OPTIONS AVAILABLE

- Set up for levers by other manufacturers
- Sliding door functionality
- Glass Patch Narrow Backset Locks (G17)

Cylinders are not included. Please specify separately.

*Note: For compatibility with other manufacturers' trim please call for assistance.

10

ACCURATE LOCK & HARDWARE MANUFACTURERS OF LOCKS AND CUSTOM ARCHITECTURAL HARDWARE

Stamford, CT 06902 1 Annie Place

P: 203.348.8865 **F:** 203.348.5234

E: sales@accuratelockandhardware.com

www.accuratelockandhardware.com

AMERICAN CRAFTE — SINCE 1972 —