




ACCURATE LOCK & HARDWARE

AMERICAN CRAFTED SINCE 1972

MAGNETIC TOUCH LATCH

MAGNETIC TOUCH LATCH

The **MTL23 Magnetic Touch Latch** is designed for spaces where clean lines and intentional design take priority. Offering smooth push-to-open functionality, it allows doors to open effortlessly without the need for visible hardware—perfect for modern interiors, concealed doors, and minimalist cabinetry. A strong magnetic hold keeps doors securely closed, even in environments where movement is a factor, such as boats or RVs. When opened, the latch responds with ease and confidence, making it well-suited for larger or heavier doors where standard touch latches may fall short.




DOOR OPEN



DOOR CLOSED





Magnetic Touch Latch

- Strong magnetic holding force for a secure, positive door closure
- Large 1" travel allows smooth engagement and reliable release
- High spring force delivers greater ease when opening
- Engineered to perform on larger or heavier doors than standard touch latch mechanisms





Magnetic Touch Latch Specifications



NOTES:

1. SPRING FORCE: 10 Lbs
2. MAGNETIC PULL: 6 Lbs
3. TRAVEL REQUIRED TO UNLOCK: .08"
4. INSTALL STRIKE PLATE WITH #6 FLAT HEAD SCREW, USE 4X #6 PAN HEAD SCREWS TO SECURE LATCH
5. A STOP BLOCK OR DOOR STOP MUST BE USED. LOCATE $\frac{3}{16}$ " FORWARD OF LATCH, ADJUST LATCH LOCATION USING PROVIDED SLOTS.

HOW TO SPECIFY

MTL23.FINISH

FINISHES

US19 (standard)

US28

ESN

CVB

Other finishes may be available upon request.

To view example of finishes visit: [Accurate Finishes](#).

Note: Bolt will always be black plastic regardless of housing finish.

EXAMPLES

Magnetic Touch Latch | Satin Aluminum

E.g.: MTL23.US28

Magnetic Touch Latch | Electroless Nickel

E.g.: MTL23.ESN

Magnetic Touch Latch | Cerakote Vortex Bronze

E.g.: MTL23.CVB

**ACCURATE LOCK & HARDWARE
MANUFACTURERS OF LOCKS AND
CUSTOM ARCHITECTURAL HARDWARE**

1 Annie Place | Stamford, CT 06902

P: 203.348.8865

F: 203.348.5234

E: sales@accuratelockandhardware.com

www.accuratelockandhardware.com

