


50-S...

# Clés mixtes courtes en mm

CLÉS DE SERRAGE



## DESCRIPTION

### Clés mixtes courtes en mm

Permet d'accéder aux écrous difficiles d'accès.

## NORMES / DIRECTIVES

NF ISO 691  
 NF ISO 1711-1  
 NF ISO 3318  
 NF ISO 7738  
 ISO 691  
 ISO 3318  
 ISO 1711-1  
 DIN ISO 1711-1  
 ISO 7738  
 DIN ISO 691

## DONNÉES SPÉCIFIQUES

Référence	L (mm)	Poids (g)	H (mm)	d (mm)	e (mm)	D (mm)	A (mm)	Garantie
50-S7	80	25	5.8	10.3	5	15.8	7	O
50-S8	85	30	5.9	13.5	5.2	17.8	8	O
50-S9	90	30	6	14.2	5.2	18.9	9	O
50-S10	95	32	7.5	16.1	5.8	22.2	10	O
50-S11	100	38	7.8	17.9	6.1	23.9	11	O
50-S12	104	50	7.8	19.1	6.6	25.5	12	O
50-S13	109	55	9.1	19.9	7	27.1	13	O
50-S14	114	71	9.4	21.8	7.6	29.2	14	O
50-S15	120	71	9.6	22.5	7.8	30.1	15	O
50-S16	124	75	9.8	24.1	7.9	32.8	16	O
50-S17	129	109	10.8	26.1	8.7	35.8	17	O

50-S18	129	109	11	27	9.1	36.7	18	O
50-S19	141	150	11.9	28.6	9.9	38.1	19	O