

Chasse clou

640/6



Profils




[\(/fr/support/warranty\)](#)




Description produit

- matière : acier Chrome Vanadium Premium
- entièrement forgé et trempé
- extrémités traitées par induction
- finition : laquée
- conçue selon les normes DIN 6458

Normes

DIN 7255



|  | D | L |  |  |
|--|---|-----|---|---|
| 601702 | 1 | 120 | 10 | 64 |
| 601703 | 2 | 120 | 10 | 69 |
| 601704 | 3 | 120 | 10 | 70 |
| 601705 | 4 | 120 | 10 | 72 |
| 601706 | 5 | 120 | 10 | 73 |
| 601707 | 6 | 120 | 10 | 75 |
| 602665 | 7 | 120 | 12 | 104 |



D

L



601708

8

120

12

108


601709

10

120

12

139



Conditionnement de vente



MA

MB

MC



601702

195

44

20

71

601703

195

44

20

76

601704

195

44

20

77

601705

195

44

20

79

601706

195

44

20

80

601707

195

44

20

82

602665

195

44

20

111

601708

195

44

20

115


601709

195

44

20

146



Conditionnement de transport



TA

TB

TC



601702

4

99

218

45

409

601703

4

99

218

45

429

601704

4

99

218

45

433

601705

4

99

218

45

441

601706

4

99

218

45

445

601707




4

99

218

45

453

|  |  | TA | TB | TC |  |
|--|---|----|-----|----|---|
| 602665 | 4 | 99 | 218 | 45 | 569 |
| 601708 | 4 | 99 | 218 | 45 | 585 |
| 601709 | 4 | 99 | 218 | 45 | 709 |