

NORMAFIX® RSGU




Pipe retaining clips with rubber profile in accordance with DIN 3016

- ✓ Easy installation and secure fastening
- ✓ Reinforced band ends for extremely high mechanical loads
- ✓ Rubber profile protects against vibrations and creeping water, is sound-absorbent and protects against contact corrosion
- ✓ Suitable for all kinds of fastening and retaining

RETAINING CLIPS



NORMAFIX® RSGU



Applications

NORMAFIX® RSGU is well suited to applications that require a complete fixation, e.g., for:

- Machine building
- Railway industry
- White goods
- Agricultural machines
- Chemical industry
- Building machines
- Engine manufacturing
- Ship manufacturing

Material

Group	W1, W3*, W4*, W5
Rubber	EPDM

* On request

Band width (mm)	Description	Bolt recommended	Part number		Packaging quantity (pcs)
			W1	W5	
12	RSGU1. 6/12	M5	0941 8912 006	0941 7712 006	100
	RSGU1. 8/12		0941 8912 008	0941 7712 008	100
	RSGU1. 10/12		0941 8912 010	0941 7712 010	100
	RSGU1. 12/12		0941 8912 012	0941 7712 012	100
	RSGU1. 13/12		0941 8912 013	0941 7712 013	100
	RSGU1. 14/12		0941 8912 014	0941 7712 014	100
	RSGU1. 15/12		0941 8912 015	0941 7712 015	100
	RSGU1. 16/12		0941 8912 016	0941 7712 016	100
	RSGU1. 18/12		0941 8912 018	0941 7712 018	100
	RSGU1. 19/12		0941 8912 019	0941 7712 019	100
	RSGU1. 20/12		0941 8912 020	0941 7712 020	100
	RSGU1. 21/12		0941 8912 021	0941 7712 021	100
15	RSGU1. 22/12		0941 8912 022	0941 7712 022	100
	RSGU1. 6/15	M6	0941 8915 006	0941 7715 006	100
	RSGU1. 8/15		0941 8915 008	0941 7715 008	100
	RSGU1. 10/15		0941 8915 010	0941 7715 010	100
	RSGU1. 12/15		0941 8915 012	0941 7715 012	100
	RSGU1. 13/15		0941 8915 013	0941 7715 013	100
	RSGU1. 14/15		0941 8915 014	0941 7715 014	100
	RSGU1. 15/15		0941 8915 015	0941 7715 015	100
	RSGU1. 16/15		0941 8915 016	0941 7715 016	100
	RSGU1. 18/15		0941 8915 018	0941 7715 018	100
	RSGU1. 19/15		0941 8915 019	0941 7715 019	100
	RSGU1. 20/15		0941 8915 020	0941 7715 020	100
	RSGU1. 21/15		0941 8915 021	0941 7715 021	100
	RSGU1. 22/15		0941 8915 022	0941 7715 022	100
	RSGU1. 23/15		0941 8915 023	0941 7715 023	100
	RSGU1. 25/15		0941 8915 025	0941 7715 025	100
	RSGU1. 26/15		0941 8915 026	0941 7715 026	100
	RSGU1. 28/15		0941 8915 028	0941 7715 028	100
	RSGU1. 30/15		0941 8915 030	0941 7715 030	100
	RSGU1. 32/15		0941 8915 032	0941 7715 032	100
	RSGU1. 34/15		0941 8915 034	0941 7715 034	100
	RSGU1. 35/15		0941 8915 035	0941 7715 035	100

RETAINING CLIPS



Band width (mm)	Description	Bolt recommended	Part number		Packaging quantity (pcs)
			W1	W5	
20	RSGU1. 10/20	M8	0941 8920 010	0941 7720 010	50
	RSGU1. 12/20		0941 8920 012	0941 7720 012	50
	RSGU1. 13/20		0941 8920 013	0941 7720 013	50
	RSGU1. 14/20		0941 8920 014	0941 7720 014	50
	RSGU1. 15/20		0941 8920 015	0941 7720 015	50
	RSGU1. 16/20		0941 8920 016	0941 7720 016	50
	RSGU1. 18/20		0941 8920 018	0941 7720 018	50
	RSGU1. 19/20		0941 8920 019	0941 7720 019	50
	RSGU1. 20/20		0941 8920 020	0941 7720 020	50
	RSGU1. 22/20		0941 8920 022	0941 7720 022	50
	RSGU1. 23/20		0941 8920 023	0941 7720 023	50
	RSGU1. 24/20		0941 8920 024	0941 7720 024	50
	RSGU1. 25/20		0941 8920 025	0941 7720 025	50
	RSGU1. 28/20		0941 8920 028	0941 7720 028	50
	RSGU1. 30/20		0941 8920 030	0941 7720 030	50
	RSGU1. 32/20		0941 8920 032	0941 7720 032	50
	RSGU1. 34/20		0941 8920 034	0941 7720 034	50
	RSGU1. 35/20		0941 8920 035	0941 7720 035	50
	RSGU1. 36/20		0941 8920 036	0941 7720 036	50
	RSGU1. 38/20		0941 8920 038	0941 7720 038	50
	RSGU1. 40/20		0941 8920 040	0941 7720 040	50

Technical benefits

- ✓ Form fit, adjustable band
- ✓ Reinforced band ends
- ✓ The rubber give more stable damping

NORMAFIX® RSGU is part of a broad portfolio. Discover more!



NORMAFIX® RS



NORMAFIX® Cable Ties