

Inox A2

62 201


DIN 912 - (similar ISO 4762)

## VIS A METAUX TETE CYLINDRIQUE SIX PANS CREUX

HEXAGON SOCKET HEAD CAP SCREWS

ZYLINDERSCHRAUBEN MIT INNENSECHSKANT

TORNILLOS CABEZA CILINDRICA CON HUECO HEXAGONAL



d	M 1,6	M 2	M 2,5	M 3	M 4	M 5	M 6	M 8	M 10	M 12	M 14	M 16	M 18	M 20	M 24
dk (min)	2,86	3,62	4,32	5,32	6,78	8,28	9,78	12,73	15,73	17,73	20,67	23,67	26,67	29,67	35,61
dk (max)	3,00	3,80	4,50	5,50	7,00	8,50	10,00	13,00	16,00	18,00	21,00	24,00	27,00	30,00	36,00
k	1,6	2	2,5	3	4	5	6	8	10	12	14	16	18	20	24
s	1,5	1,5	2	2,5	3	4	5	6	8	10	12	14	14	17	19
b	15	16	17	18	20	22	24	28	32	36	40	44	48	52	60
t (min)	0,7	1	1,1	1,3	2	2,5	3	4	5	6	7	8	9	10	12
Pas	0,35	0,4	0,45	0,5	0,7	0,8	1	1,25	1,5	1,75	2	2	2,5	2,5	3

d x L	Code	Cond.	Sur-cond.	kg/100
1,6X3	622011,6X3	200	20000	0,100
1,6X4	622011,6X4	200	20000	0,012
1,6X5	622011,6X5	200	20000	0,013
1,6X6	622011,6X6	200	20000	0,014
1,6X8	622011,6X8	200	20000	0,016
1,6X10	622011,6X10	200	20000	0,018
1,6X12	622011,6X12	200	20000	0,020
1,6X16	622011,6X16	200	20000	0,025
2X3	622012X3	200	20000	0,020
2X4	622012X4	200	20000	0,022
2X5	622012X5	200	20000	0,024
2X6	622012X6	200	20000	0,026
2X8	622012X8	200	20000	0,029
2X10	622012X10	200	20000	0,033
2X12	622012X12	200	20000	0,036
2X14	622012X14	200	20000	0,040
2X16	622012X16	200	7600	0,043
2X20	622012X20	200	7600	0,051
2,5X4	622012,5X4	200	20000	0,038
2,5X5	622012,5X5	200	20000	0,041
2,5X6	622012,5X6	200	20000	0,044
2,5X8	622012,5X8	200	20000	0,050
2,5X10	622012,5X10	200	20000	0,055
2,5X12	622012,5X12	200	20000	0,061
2,5X14	622012,5X14	200	20000	0,067
2,5X16	622012,5X16	200	7600	0,073
2,5X20	622012,5X20	200	7600	0,084
3X4	622013X4	200	20000	0,065
3X5	622013X5	200	20000	0,069
3X6	622013X6	200	20000	0,074
3X8	622013X8	200	20000	0,082
3X10	622013X10	200	20000	0,091
3X12	622013X12	200	7600	0,099
3X14	622013X14	200	7600	0,108
3X16	622013X16	200	7600	0,116
3X18	622013X18	200	7600	0,125
3X20	622013X20	200	7600	0,133
3X25	622013X25	200	7600	0,161
3X30	622013X30	200	7600	0,187
3X35	622013X35	200	3600	0,214
3X40	622013X40	200	3600	0,240

d x L	Code	Cond.	Sur-cond.	kg/100
3X50	622013X50	200	3600	0,293
3X60	622013X60	200	1600	0,335
4X6	622014X6	200	20000	0,149
4X8	622014X8	200	7600	0,164
4X10	622014X10	200	7600	0,179
4X12	622014X12	200	7600	0,194
4X14	622014X14	200	7600	0,209
4X16	622014X16	200	7600	0,224
4X18	622014X18	200	7600	0,239
4X20	622014X20	200	3600	0,254
4X22	622014X22	200	3600	0,269
4X25	622014X25	200	3600	0,291
4X30	622014X30	200	3600	0,346
4X35	622014X35	200	3600	0,393
4X40	622014X40	200	1600	0,440
4X45	622014X45	200	1600	0,487
4X50	622014X50	200	1600	0,535
4X55	622014X55	200	1600	0,582
4X60	622014X60	200	1600	0,629
4X70	622014X70	200	1600	0,723
4X80	622014X80	200	800	0,817
5X6	622015X6	200	7600	0,261
5X8	622015X8	200	7600	0,285
5X10	622015X10	200	7600	0,310
5X12	622015X12	200	3600	0,334
5X14	622015X14	200	3600	0,358
5X16	622015X16	200	3600	0,382
5X18	622015X18	200	3600	0,406
5X20	622015X20	200	3600	0,430
5X22	622015X22	200	3600	0,454
5X25	622015X25	200	1600	0,490
5X30	622015X30	200	1600	0,569
5X30/30	622015X30/30	200	1600	0,569
5X35	622015X35	200	1600	0,643
5X35/35	622015X35/35	200	1600	0,643
5X40	622015X40	200	1600	0,718
5X40/40	622015X40/40	200	1600	0,718
5X45	622015X45	200	1600	0,792
5X45/45	622015X45/45	200	1600	0,792
5X50	622015X50	200	1600	0,866
5X50/50	622015X50/50	200	1600	0,866

## VIS A METAUX TETE CYLINDRIQUE SIX PANS CREUX

d x L	Code	Cond.	Sur-cond.	kg/100
5X55	622015X55	200	1600	0,941
5X55/55	622015X55/55	200	1600	0,941
5X60	622015X60	200	800	1,015
5X65	622015X65	100	800	1,050
5X70	622015X70	100	800	1,164
5X80	622015X80	100	800	1,312
5X90	622015X90	100	800	1,461
5X100	622015X100	100	800	1,610
6X8	622016X8	200	3600	0,446
6X10	622016X10	200	3600	0,480
6X12	622016X12	200	3600	0,515
6X14	622016X14	200	3600	0,549
6X16	622016X16	200	1600	0,583
6X18	622016X18	200	1600	0,618
6X20	622016X20	200	1600	0,652
6X22	622016X22	200	1600	0,686
6X25	622016X25	200	1600	0,738
6X30	622016X30	200	1600	0,824
6X35	622016X35	200	1600	0,949
6X35/35	622016X35/35	200	1600	0,949
6X40	622016X40	200	1600	1,057
6X40/40	622016X40/40	200	1600	1,057
6X45	622016X45	100	800	1,165
6X45/45	622016X45/45	100	800	1,165
6X50	622016X50	100	800	1,272
6X50/50	622016X50/50	100	800	1,272
6X55	622016X55	100	800	1,380
6X60	622016X60	100	800	1,488
6X60/60	622016X60/60	100	800	1,488
6X65	622016X65	100	800	1,596
6X70	622016X70	100	400	1,703
6X70/70	622016X70/70	100	400	1,760
6X75	622016X75	100	400	1,811
6X80	622016X80	100	400	1,919
6X90	622016X90	100	400	2,134
6X100	622016X100	100	400	2,350
6X110	622016X110	100	400	2,565
6X120	622016X120	100	400	2,780
6X130	622016X130	100	400	2,996
6X140	622016X140	100	400	3,211
6X150	622016X150	100	200	3,427
8X10	622018X10	100	1800	1,025
8X12	622018X12	100	1800	1,088
8X14	622018X14	100	1800	1,150
8X16	622018X16	100	1800	1,212
8X18	622018X18	100	1800	1,275
8X20	622018X20	100	800	1,337
8X22	622018X22	100	800	1,400
8X25	622018X25	100	800	1,493
8X30	622018X30	100	800	1,649
8X35	622018X35	100	800	1,805
8X40	622018X40	100	800	2,030
8X40/40	622018X40/40	100	800	2,030
8X45	622018X45	100	800	2,222
8X45/45	622018X45/45	100	800	2,222
8X50	622018X50	100	400	2,414
8X50/50	622018X50/50	100	400	2,414
8X55	622018X55	100	400	2,606
8X60	622018X60	100	400	2,798
8X65	622018X65	100	400	2,990
8X70	622018X70	100	400	3,182

d x L	Code	Cond.	Sur-cond.	kg/100
8X70/70	622018X70/70	100	400	3,182
8X75	622018X75	100	400	3,374
8X80	622018X80	100	400	3,566
8X80/80	622018X80/80	100	400	3,566
8X90	622018X90	50	200	3,950
8X100	622018X100	50	200	4,334
8X110	622018X110	50	200	4,717
8X120	622018X120	50	200	5,101
8X130	622018X130	50	200	5,485
8X140	622018X140	50	200	5,869
8X150	622018X150	50	100	6,253
10X12	6220110X12	100	800	1,890
10X16	6220110X16	100	800	2,120
10X20	6220110X20	100	800	2,318
10X25	6220110X25	100	800	2,564
10X30	6220110X30	100	400	2,811
10X35	6220110X35	100	400	3,058
10X40	6220110X40	100	400	3,304
10X45	6220110X45	50	400	3,661
10X50	6220110X50	50	200	3,962
10X55	6220110X55	50	200	4,264
10X60	6220110X60	50	200	4,565
10X65	6220110X65	50	200	4,867
10X70	6220110X70	50	200	5,169
10X75	6220110X75	50	200	5,470
10X80	6220110X80	50	200	5,772
10X90	6220110X90	50	200	6,375
10X100	6220110X100	50	200	6,978
10X110	6220110X110	50	200	7,581
10X120	6220110X120	50	200	8,184
10X130	6220110X130	50	200	8,788
10X140	6220110X140	50	100	9,391
10X150	6220110X150	50	100	9,994
10X160	6220110X160	50	100	10,598
10X170	6220110X170	50	100	11,201
10X180	6220110X180	50	100	11,804
10X200	6220110X200	25	50	13,011
10X220	6220110X220	25	50	14,217
12X16	6220112X16	100	400	3,000
12X20	6220112X20	100	400	3,384
12X25	6220112X25	100	400	3,742
12X30	6220112X30	100	400	4,100
12X35	6220112X35	100	400	4,458
12X40	6220112X40	50	200	4,815
12X45	6220112X45	50	200	5,173
12X50	6220112X50	50	200	5,531
12X55	6220112X55	50	200	6,126
12X60	6220112X60	50	200	6,560
12X65	6220112X65	50	200	6,994
12X70	6220112X70	50	200	7,428
12X75	6220112X75	50	200	7,862
12X80	6220112X80	50	200	8,296
12X90	6220112X90	50	100	9,164
12X100	6220112X100	50	100	10,032
12X110	6220112X110	25	100	10,900
12X120	6220112X120	25	100	11,769
12X130	6220112X130	25	100	12,637
12X140	6220112X140	25	100	13,505
12X150	6220112X150	25	50	14,373
12X160	6220112X160	25	50	15,243
12X170	6220112X170	25	50	16,111

Inox A2

62 201  
DIN 912 - (similar ISO 4762)

## VIS A METAUX TETE CYLINDRIQUE SIX PANS CREUX

d x L	Code	Cond.	Sur-cond.	kg/100
12X180	6220112X180	25	50	16,979
14X20	6220114X20	50	400	5,030
14X25	6220114X25	50	400	5,520
14X30	6220114X30	50	200	6,010
14X35	6220114X35	50	200	6,500
14X40	6220114X40	50	200	6,990
14X45	6220114X45	50	200	7,480
14X50	6220114X50	50	200	7,970
14X55	6220114X55	50	200	8,460
14X60	6220114X60	50	100	9,278
14X70	6220114X70	50	100	10,463
14X80	6220114X80	25	100	11,648
14X90	6220114X90	25	100	12,834
14X100	6220114X100	25	100	14,019
14X110	6220114X110	25	100	15,204
14X120	6220114X120	25	100	16,390
14X130	6220114X130	25	50	17,575
14X140	6220114X140	10	40	18,761
14X150	6220114X150	10	20	19,946
16X25	6220116X25	50	200	8,878
16X30	6220116X30	50	200	8,330
16X35	6220116X35	50	200	10,194
16X40	6220116X40	50	200	10,851
16X45	6220116X45	50	100	11,509
16X50	6220116X50	50	100	12,167
16X55	6220116X55	50	100	12,825
16X60	6220116X60	25	100	13,483
16X65	6220116X65	25	100	14,541
16X70	6220116X70	25	100	15,317
16X75	6220116X75	25	100	16,093
16X80	6220116X80	25	100	16,869
16X90	6220116X90	25	100	18,421
16X100	6220116X100	25	50	19,973
16X110	6220116X110	25	50	21,525
16X120	6220116X120	25	50	23,077
16X130	6220116X130	25	50	24,629
16X140	6220116X140	10	40	26,181
16X150	6220116X150	10	20	27,733
16X160	6220116X160	10	20	29,287
16X180	6220116X180	10	20	32,391

d x L	Code	Cond.	Sur-cond.	kg/100
18X40	6220118X40	10	80	14,537
18X50	6220118X50	10	80	16,170
18X60	6220118X60	10	80	17,804
18X65	6220118X65	10	80	18,621
18X70	6220118X70	10	80	19,999
18X80	6220118X80	10	40	21,966
18X90	6220118X90	10	40	23,935
18X100	6220118X100	10	40	25,902
18X110	6220118X110	10	40	27,870
18X120	6220118X120	10	40	29,838
18X130	6220118X130	10	20	31,806
18X140	6220118X140	10	20	33,774
18X150	6220118X150	10	20	35,742
20X40	6220120X40	25	100	17,260
20X45	6220120X45	25	100	18,289
20X50	6220120X50	25	100	19,319
20X55	6220120X55	25	50	20,350
20X60	6220120X60	25	50	21,379
20X70	6220120X70	25	50	23,438
20X80	6220120X80	25	50	26,337
20X90	6220120X90	25	50	28,763
20X100	6220120X100	25	50	31,189
20X110	6220120X110	10	40	33,615
20X120	6220120X120	10	40	36,040
20X130	6220120X130	10	40	38,467
20X140	6220120X140	10	20	40,892
20X150	6220120X150	10	20	43,318
20X160	6220120X160	10	20	45,747
24X50	6220124X50	10	40	30,921
24X60	6220124X60	10	40	33,890
24X70	6220124X70	10	40	36,858
24X80	6220124X80	10	40	39,825
24X90	6220124X90	10	40	44,063
24X100	6220124X100	10	20	47,566
24X110	6220124X110	10	40	51,069
24X120	6220124X120	10	20	54,572
24X130	6220124X130	10	20	58,075
24X140	6220124X140	10	20	61,578
24X150	6220124X150	10	20	65,080