



# PRIME BROILER GROWER

Registration No: V 17768 Act 36 of 1947

**Class:** Broiler Grower Feed

**Form:** Mash / Crumbles

## Description

The Prime Broiler range has been specially designed for small producers with performance as a benchmark, who market birds between 6 and 8 weeks of age. The rations in this range, except the post-finisher, include a coccidiostat and a growth enhancer.

## Benefits

The Prime feeding programme was formulated to optimise performance for a small to medium enterprise, considering environmental conditions and stocking density.

## Feeding Recommendations

The grower ration should be fed to broilers from 19–28 days of age. The approximate feed consumption should be 1 200 g per bird. The ration may be fed through to term, but this is not advisable.

## Expected Intakes

The approximate feed consumption is 1 200 g per bird.

## Composition

Nutrient	Quantity	Unit	Min/Max
Protein	180	g/kg	Min
Fat	25	g/kg	Min
Fibre	50	g/kg	Max
Moisture	120	g/kg	Max
Calcium	7	g/kg	Min
Calcium	12	g/kg	Max
Phosphorus	5.5	g/kg	Min
Total lysine	10	g/kg	Min

For further technical assistance, please contact a technical advisor in your area.

CENTRAL REGION Randfontein - +27 11 693 5120  
Standerton - +27 17 200 0272  
Delmas - +27 13 665 5011  
KWA-ZULU NATAL Pietermaritzburg - +27 33 387 2403

WESTERN CAPE Paarl - +27 21 807 8700  
Ladismith - +27 28 551 1950  
EASTERN CAPE Gqeberha - +27 41 402 5000  
AFRICA Zambia - +260 967 790 404

