# i-Pholate®

### NOTICE

Before using this product, read the entire label

**GROUP 2 FERTILIZER** 

REGISTRATION No. B3708 Act 36 of 1947

Mixture of trace elements boron, copper, iron, manganese, molybdenum and zinc

Guaranteed analysis - soluble in water: 20 g/kg boron (B), 20 g/kg copper (Cu) 25 g/kg iron (Fe), 70 g/kg manganese (Mn), 1 g/kg molybdenum (Mo), 50 g/kg zinc (Zn)

To be used only where there is a recognised need. Do not exceed the appropriate application rates.

Manufactured by Yara UK Ltd., Pocklington, York YO42 1DN, U.K. Registered by Yara Africa Fertilizers (PTY) Ltd., Reg.nr. 2011/003434/07

The Pivot @ Montecasino, No. 1 Montecasino Boulevard, Fourways, Johannesburg 2191.

### RECOMMENDED APPLICATION RATES AND TIMINGS

Alfalfa: Apply 1 to 2 kg/ha every second cut throughout the season. Not more than 8 kg/ha should be applied in any one season. Water rate: 200 l/ha minimum.

Carrot: 3 kg/ha when crop is 15 cm tall. Repeat 10 to 14 days later if necessary. Water rate: 200 to 500 l/ha. For application through irrigation system, use a water rate of 100,000 l/ha. through irrigation system, use a water rate of 100,000 l/ha.

Cereals: 3 kg/ha from 4 leaf stage to 1st node detectable (Craven 4 - 10/11). Repeat within this timing at an interval of not less than 10 days, if necessary. Water rate: Tractor driven sprayer: 200 l/ha. Application through irrigation system: 100,000 l/ha.

Maize: Apply 2-3 kg/ha at 4-6 leaf stage. Apply a further 1 kg/ha just prior to flowering. Water rate: 200 l/ha for tractor driven sprayer. 100,000 l/ha for application through irrigation system.

Onions: Apply 2-3 kg/ha at 10-15 cm plant height. Repeat application at bulb forming stage. Water rate: 200 l/ha for tractor driven sprayer. 100,000 l/ha for application through irrigation system.

Postages: Apply 2 kg/ha 1 week after 100% emergence. Apply a further 2 kg/ha at tuber initiation and a final 2 kg/ha at

Potatoes: Apply 2 kg/ha 1 week after 100% emergence. Apply a further 2 kg/ha at tuber initiation and a final 2 kg/ha at flowering. Water rate: 200 l/ha for tractor driven sprayer. 100,000 l/ha for application through irrigation system. Sugar Cane: 3 kg/ha when the cane is between 30 and 120 cm tall. Repeat applications at 10 to 14 day intervals if necessary. Water rate: Tractor Driven Sprayer - 200 l/ha. Application through Irrigation System - 100,000 l/ha. For further crop recommendations contact your Yara representative.

## **DIRECTIONS FOR USE**

# ALWAYS FOLLOW THESE LABEL INSTRUCTIONS

Mix the product thoroughly before use. Slowly add the product to the tank, via the induction hopper, whilst agitating. Top up with water and continue to agitate until spraying is completed.

TANK MIXING/CO-APPLICATION

Read ALL labels carefully and adhere strictly to the instructions for use. Co-application is entirely at the risk of the end-user. Before co-application of products you, or your advisor, must visit www.tankmix.com for important information. Alternatively, contact Yara for specific advice.

PRECAUTIONS

Only to be used on protected crops if specifically listed. Avoid application under extremes of climate, e.g. rapid drying conditions, extremely slow drying conditions, frost, rain, or when frost or rain are anticipated. Wear suitable gloves and face shield when handling this product. Clean all equipment before and after use.

Keep in a cool, dry chemical store, out of reach of children and livestock. Protect from frost and other climatic extremes (temperatures exceeding 40°C). Dispose of contents and container in accordance with all local, regional, national and

international regulations.

CONDITIONS OF SALE

This Product is sold subject to the seller's Terms and Conditions of Sale, which are available upon request. Use of the Product is acceptance by the buyer of the Terms and Conditions of Sale.

Hazardous ingredients: manganese sulphate, monohydrate, Reaction mass of ammonium iron(III) citrate and ammonium sulphate, zinc sulphate (monohydrate), disodium octaborate tetrahydrate, disodium

[[N,N'-ethylenebis[N-(carboxymethyl)glycinato]](4-)-N,N',O,O',ON',ON']cuprate(2-), tetrasodium ethylene diamine

tetraacetate, copper sulphate pentahydrate H302: Harmful if swallowed. H318: Causes serious eye damage. H315: Causes skin irritation. H360 : May damage fertility or the unborn child. H373: May cause damage to organs through prolonged or repeated exposure. H400: Very toxic to aquatic life. H411: Toxic to aquatic life with long lasting effects.

P202: Do not handle until all safety precautions have been read and understood.

P28Ö: Wear protective gloves/clothing and eye/face protection. P26O: Do not breathe dust. P305+P351+P338+P308+P313: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical attention. P391: Collect spillage.







