



STUD COMPLETE SHEEP FINISHER 14

Registration No: V 24302 Act 36 of 1947

Class: Complete Sheep Feed

Form: Pellets

Description

- A complete sheep diet of high-quality sources of protein and fibre.
- Maximum 10.6% of protein derived from NPN.

Benefits

- A well-formulated diet from high-quality raw materials.
- Drives frame and muscle growth.
- Ideal balance of degradable and by-pass proteins.
- Synchronised energy and protein utilisation in the rumen.
- Achieve well finished, but not overly fat animals on auction day that are ready to go to work.

Feeding Recommendations

- Start feeding 300 g/sheep/day plus additional roughage.
- Increase every second day with 200 g/sheep/day for two weeks, until the sheep is on ad-lib feeding.
- It is recommended that a limited amount of good quality roughage is made available daily to ensure gut health.

Composition

Nutrient	Quantity	Unit	Min/Max
*Protein	140	g/kg	Min
Fat	25	g/kg	Min
Fibre	127	g/kg	Min
Fibre	145	g/kg	Max
Moisture	120	g/kg	Max
Calcium	6	g/kg	Min
Calcium	12	g/kg	Max
Phosphorus	2.5	g/kg	Min
Monensin	125	mg/kg	
Zinc Bacitracin	50	mg/kg	

*10.6 % derived from NPN

This product contains NPN sources - see NPN warning

For further technical assistance, please contact a technical advisor in your area.

CENTRAL REGION	Randfontein - +27 11 693 5120	WESTERN CAPE	Paarl - +27 21 807 8700
	Standerton - +27 17 200 0272		Ladismith - +27 28 551 1950
	Delmas - +27 13 665 5011	EASTERN CAPE	Gqeberha - +27 41 402 5000
KWA-ZULU NATAL	Pietermaritzburg - +27 33 387 2403	AFRICA	Zambia - +260 967 790 404



More than just feed

NPN Warning

This feed may contain feed-grade urea / NPN sources and thus must be mixed and fed strictly according to recommendations:

1. Vinegar is an effective remedy against NPN (non-protein nitrogen) poisoning. Mix with equal amounts of water. Dose half a bottle per calf or large sheep or 2-4 bottles per head of cattle. (1 bottle = 750ml)
2. Protect these feeds against rain. NPN is soluble and animals drinking such a solution can be poisoned.
3. Do not feed these feeds indiscriminately with other feed containing NPN. Consult an animal scientist.
4. Mix concentrates thoroughly with the prescribed ingredients.
5. This is a supplement and not a feed. Sufficient grazing and/or roughage must be available at all times.
6. Ensure that feed troughs are always full and give animals free access to grazing.
7. A salt-phosphate lick must be fed for a minimum of seven days prior to feeding any animal a NPN containing lick.

For further technical assistance, please contact a technical advisor in your area.

CENTRAL REGION	Randfontein	- +27 11 693 5120	WESTERN CAPE	Paarl	- +27 21 807 8700
	Standerton	- +27 17 200 0272		Ladismith	- +27 28 551 1950
	Delmas	- +27 13 665 5011	EASTERN CAPE	Gqeberha	- +27 41 402 5000
KWA-ZULU NATAL	Pietermaritzburg	- +27 33 387 2403	AFRICA	Zambia	- +260 967 790 404



More than just feed