

ColorPro™

Stir-in Paint Colour



Simply stir *Duram ColorPro* stir-in paint colour into white Duram wall or enamel paints to create attractive, rich colours. Each of the 17 colours can produce 3 consistent shades.

PRODUCT USES

- Simply stir *Duram ColorPro* paint pigment into white Duram paints to provide rich colours.
- To achieve professional colour consistency, use with the following premium Duram paints: Wall&Ceiling, Flexiwall, Armatex, Enamel&Trim, Matt Acrylic, DuraSheen, Gloss Enamel, Step Enamel or any other white Duram wall or enamel paint.
- Can be used with water- or solvent-based paints.
- Attractive, long lasting colour for interior and exterior surfaces.


ADVANTAGES

- Quick and easy – simple stir into white paint
- Rich, long lasting colour quality
- Versatile – each colour produces 3 consistent shades
- UV- and weather- resistant
- Can be manually or mechanically mixed into paint.
- Economical, concentrated formula.
- For interior and exterior use

RATIO

1 x 80ml ColorPro bottle, mixed into a 5L white Duram paint, will produce the darker shade of the chosen colour.	+5L	
2 x 80ml ColorPro bottles, mixed into a 20L white Duram paint, will produce the medium shade of the chosen colour.	+20L	
1 x 80ml ColorPro bottle, mixed with a 20L of white Duram paint, will produce the lightest shade of the chosen colour.	+20L	

APPLICATION



Choose your Colour:

Choose your ColorPro colour. Refer to the above ratios to achieve your preferred shade.



Find your Product:

Select your white Duram wall or enamel paint including: Wall&Ceiling, WallSheen, Flexiwall, Armatex, Matt Acrylic, Gloss Enamel.



Pour and Stir:

Shake *Duram ColorPro* bottle well and remove cap. Slowly pour full contents of the bottle into the white Duram paint. Stir the colour into the paint thoroughly using a flat paddle for 3 - 4 minutes. Ready to paint when a full, even colour has developed.

CLEANING

- Water clean up.

COLOUR

- Almond, Atlantic, Camel, Forest, Harvest, Lagoon, Lilac, Rain, Ridge, Rose, Ruby, Shadow, Sky, Spring, Stone, Storm, Tuscan.
- Each colour can be mixed at different ratios to produce 3 different shades.

IMPORTANT

- For more information, please call our Technical Helpline or visit our website to view or download regularly updated instructional Datasheets and Material Safety Datasheets.
- Only use ratios provided to achieve a consistent colour. Recommended maximum addition to paint is 10%.
- While mixing avoid excessive foaming of paint.
- While Duram makes every effort to ensure that paint colours match those shown on this packaging, variations will occur due to a variety of factors. Always paint a test patch of the selected mixed colour on your wall. For consistency of sheen and colour, always check that paint containers carry the same batch number. For improved colour accuracy and long-term performance, only use white Duram paints together with *Duram ColorPro*.
- 36 month storage life from manufacture date printed on the cap. Store in sealed original packaging in a dry, cool and well-ventilated place. Noticeable separation is not a defect – simply shake bottle. Protect against freezing.

SAFETY PRECAUTIONS

- Keep out of reach of children.
- Wear protective gloves and clothing.
- If swallowed: Immediately call a poison centre / doctor.
- If on skin: Wash with plenty of soap and water.
- Use in a well-ventilated area. If experiencing respiratory symptoms: Move person to fresh air. Call a doctor.
- If in eyes: Rinse with water.

SUPPORTING PRODUCTS



Duram Wall & Ceiling



Duram WallSheen



Duram Flexiwall



Duram Armatex



Duram Enamel&Trim



Duram Matt Acrylic



Duram DuraSheen



Duram Gloss Enamel



Duram
Stoep Enamel



YOU MAY ALSO NEED

- Wall, ceiling or floor paint
- Enamel paint for trims, doors and windows
- Drop sheets
- Rags and paper towels
- Screwdriver or paint can opener
- Paint stirrer or flat paddle
- Paint tray (line with foil to save clean-up time)
- Protective gloves.
- Additional products may be required in the preparation of surfaces.



TECHNICAL DATA

Pack Size 80ml
pH 7 - 10

Mass solids 5 - 55%
Density (20°C) 30% to 31%
Viscosity Max. 3500 cP

Flash Point
Toxicity

Shelf life
Storage

N/A – product is non-flammable.
The product is not classified as hazardous to the environment.
36-month storage life from manufacture date
Store in sealed original packaging in a dry, cool and well-ventilated place. Protect against freezing.



Technical details above are provided in good faith. We believe in the quality of our products and will willingly replace any product in the unlikely event of a quality related performance failure. Whilst we are confident in guaranteeing the quality of our products, we cannot however accept any liability for performance failure due to the incorrect application of our products. Correct application is critical to the successful performance of our products and as this process falls outside of our control we are unable to cover the application under our product performance warranty. Where there are doubts, it is recommended that the user conduct their own suitability tests before use. To retain sheen and colour consistency of your paint, always make sure that the batch numbers are the same on all paint containers that you purchase.

Updated April 2021 (this supercedes all previous publications)