

IDEAONE 2023

fami

.04



INNOVATION
SINCE 1929.





CONSULTING

You have a special project you would like to create, or a new area to outfit? The Fami sales consultants are on hand to analyse all your needs and create the optimal furnishings for your company.



WARRANTY

The 10-year warranty on Fami products aptly reflects the premium-quality materials we use and the care and dedication that go into the production of our furnishings to make them reliable and durable.



ORDERS

Ordering Fami Ideaone has never been so easy! Choose among various furnishings and contact your area agent or dealer to complete your order.



COLOUR RANGE

Fami Ideaone furniture comes in standard colours, both single and two-tone, which vary depending on the selected product. Additional colours are available on request to customise individual work areas or adapt the furniture to corporate colours.



VALIDITY

The Fami Ideaone catalogue is valid from 27/04/2023 to 31/03/2024.



SUBSIDIARIES AND DEALERS

Fami is always close to you! Over the years we have set up four European subsidiaries besides an extensive network of dealers and distributors, both in Italy and abroad, to provide consulting and assistance wherever you are.



CUSTOMER CARE

For any queries, information or problem, our after-sales support service is always at your disposal. In the event of damaged or broken products, you will always receive Fami original spare parts as replacements.



SHIPPING

All Fami products are prepared and packaged with the utmost care, using materials that guarantee the highest degree of protection during the shipment. Most of the products are shipped unassembled for optimising space in the warehouse and during transport.



COLLECTION TANKS + PERFORM STEEL SHELVES AND TANKS

Suitable for flammable liquids under GHS categories 1 - 3 and water-polluting liquids under GHS categories 1 - 4. Corrosive substances are not allowed.



PE COLLECTION TANKS

Suitable for water-polluting liquids under GHS categories 1 - 4. Flammable substances are not allowed.

new

MASTER



PIKPAD



THE BLOCK



BIN CART



ECOLOGY



contents

WORKBENCHES

2

• WORK MASTER BR	2
preconfigured	3
components	12
dividing material	20
preconfigured	22
• WORK-WORK UP	24
preconfigured	25
components	34
dividing material	40
preconfigured	42
• DYNAMIC	44
preconfigured	45
components	48



TOOL WALLS

52

• WORK LOOK	52
preconfigured	53
components	58
shutters	64
wall units	65
• COMPONENTS	66
table	67
chairs	68
• ERGO WORK	70
preconfigured	71
components	78
preconfigured	82
• TOOL ORGANIZER	84
Unipok	85
The Block	86
Pikpad	88
• IRON TEAM	90
Iron Team	91
Iron Team Electric	96
Iron Team Light	98



CABINETS WITH DRAWERS

100

START SERIES

• FLEXA	100
36x27 EH 717x600 mm	102
dividing material	103
54x27 EH 1023x600 mm	104
dividing material	105



PRO SERIES

• MASTER DE	106
36x36 EH 714x726 mm	110
dividing material	111
54x36 EH 1020x726 mm	112
dividing material	113
54x36 EH 1020x726 mm	114
accessories	115



PRO+ SERIES

• MASTER	116
18x27 EH 408x573 mm	122
27x27 EH 561x573 mm	124
36x27 EH 714x573 mm	128
54x27 EH 1020x573 mm	136
27x36 EH 561x726 mm	140
36x36 EH 714x726 mm	148
45x36 EH 867x726 mm	160
54x36 EH 1020x726 mm	162
64x36 EH 1190x726 mm	168
78x36 EH 1428x726 mm	170
accessories	172
dividing material:	
18x27 EH 408x573 mm	176
27x27 EH 561x573 mm	178
36x27 EH 714x573 mm	180
54x27 EH 1020x573 mm	182
27x36 EH 561x726 mm	184
36x36 EH 714x726 mm	186
45x36 EH 867x726 mm	188
54x36 EH 1020x726 mm	190
64x36 EH 1190x726 mm	192
78x36 EH 1428x726 mm	193



COMPUTER
CABINET

194

- MASTER CS 196
- STANDARD CS 198



CABINETS
WITH DOORS

200

- PERFORM
HINGED DOORS 200
 - 64x27 EH 1193x555x1000 mm 201
 - 64x27 EH 1193x555x2000 mm 202
 - 24x27 EH 512x555x1000 mm 203
 - 54x27 EH 1023x555x1000 mm 204
 - 54x27 EH 1023x555x2000 mm 206
 - components 214
 - dividing material 226
- PERFORM
SLIDING DOORS 228
 - 54x27 EH 1020x600x2000 mm 230
 - 54x27 EH 1020x600x946 mm 231
 - 78x27 EH 1428x600x2000 mm 232
 - 54+54x27 EH 2040x600x2000 mm 234
 - 54+54x27 EH 2040x600x946 mm 236
 - components 237
 - dividing material 245
- PERFORM
CHANGING LOCKERS 246



NC

252

- NC components 253 254



ECOLOGY

256

- BIG BAG HOLDER 257
- TIPPABLE BUCKETS 258
- COLLECTION TRAYS 260
- SAFETY CABINETS 267



TROLLEYS

270

- CLEVER 270
 - Clever Small preconfigured 271
 - Clever Large preconfigured 272
 - components 277
- COMBI 281
- BIN CART 282
 - preconfigured 283
 - components 296



SHELVES

302

- SYSTEM ST 302
- STORAGE DOMINO 304



METAL BOXES AND CONTAINERS

308

- BOXES AND CONTAINERS 309
- CONTAINERS WITH OPENABLE BOTTOM 312
- CONTAINERS WITH HOPPER-TYPE OPENING 313



PLASTIC BOXES AND CONTAINERS

314

- EURO BOX 315
- NESTABLE BOX LIGHT 319
- PICKING BOX 319
- VISUAL BOX 322
- MAT 323



WORKSHOP FURNISHINGS

324

GEAR GARAGE

- preconfigured 333
- MODULES 345
 - corner modules 345
 - W= 714 mm 346
 - W= 1020 mm 348
 - W= 1428 mm 350
 - W= 1734 mm 353
 - W= 2040 mm 356
- PERFORM HINGED DOORS 361
 - W= 512 mm 361
 - W= 1023 mm 362
- PERFORM SLIDING DOORS 364
 - W= 1020 mm 364
 - W= 1427 mm 365
 - W= 2040 mm 366
- accessories 369
- dividing material 370



- GENERAL CONDITIONS OF THE CONTRACTUAL WARRANTY 377
- GENERAL CONDITIONS OF SALE 378


WORK MASTER BR

WORKBENCHES




1. Perforated side panel
2. Support for intermediate half-shelf
3. Rear panel
4. Multiplex worktop
5. Adjustable legs

6. Modular unit
7. Cabinet with drawers
8. Cabinet with door
9. Technical cabinet with door




**Full-extension
drawers**




**Perforated drawer
bottom**



Dividing material



**Key-operated
closure**



**Height-adjustable
legs**

WORK MASTER BR



ART.	W mm	D mm	H mm		RAL	
MASTERBR2007	2206	750	1805/2180	1000	7035+7016	

Made up of:

qty.	description
1	Unassembled workbench with 40 mm multiplex worktop
1	Cabinet W=560 mm with 4 drawers 1x75 2x150 1x200
4	Top/bottom shelf W=560 mm
1	Right full door H=600 mm with Dark Grey handle
1	Left full door H=600 mm with Dark Grey handle
2	Support for intermediate half-shelf
2	Internal shelf W=558 mm
2	Perforated side panel
1	Perforated panel/shelf with box-stop edge
1	Kit with 3 dual-slotted uprights
1	Kit with 2 perforated panels/shelves with 1 box-stop edge
1	Electric perforated panel

qty.	description
2	Wall unit with vasistas flip up opening without lock
2	Pair of brackets for fastening wall unit to dual-slotted uprights
2	LED strip
2	Schuko 2-socket power strip
1	Schuko 4-socket power strip
1	Differential magnetic-thermal circuit breaker
1	Wieland Schuko/FR connection cable
1	A4 document-holder pocket
1	Roll holder kit with roll Ø=240 mm
2	Angled 2-space spray-can holder
5	Unipok tool hook - 30-piece pack
1	Bin with 30 l capacity



RAL 7035 + RAL 7016 LOAD CAPACITY

**1000 kg**

**height-adjustable**

**Multiplex worktop thickness 40 mm**

**Supplied unassembled**

**Leg hole pitch 25 mm**



ART.	W mm	D mm	H mm	RAL	
MASTERBR1505	1500	750	740/1115	7035+7016	

Made up of:

qty.	description
1	Unassembled workbench with 40 mm multiplex worktop
1	Cabinet W=560 mm with 3 drawers 1x75 2x100
1	Pair of reinforcement corner elements

ART.	W mm	D mm	H mm	RAL	
MASTERBR1506	1500	750	740/1115	7035+7016	

Made up of:

qty.	description
1	Unassembled workbench with 40 mm multiplex worktop
1	Cabinet W=560 mm with 4 drawers 1x75 2x150 1x200
1	Pair of reinforcement corner elements

ART.	W mm	D mm	H mm	RAL	
MASTERBR1501	1500	750	740/1115	7035+7016	

Made up of:

qty.	description
1	Unassembled workbench with 40 mm multiplex worktop
1	Cabinet W=560 mm with 4 drawers 1x75 2x150 1x200
2	Additional half-shelf W=560 mm
1	Support for intermediate half-shelf
2	Perforated side panel

WORK MASTER BR

1500

Configuration examples



Tools excluded



Tools excluded



Tools excluded



ART.	W mm	D mm	H mm	RAL	
MASTERBR1514	1500	750	1683/2058	7035+7016	

Made up of:

qty.	description
1	Unassembled workbench with 40 mm multiplex worktop
1	Cabinet W=560 mm with 3 drawers 1x75 2x100
1	Pair of reinforcement corner elements
1	Kit with 2 dual-slotted uprights for workbenches
1	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
2	Bar mount with 4 Picking Box containers size 1

ART.	W mm	D mm	H mm	RAL	
MASTERBR1515	1500	750	1683/2058	7035+7016	

Made up of:

qty.	description
1	Unassembled workbench with 40 mm multiplex worktop
1	Cabinet W=560 mm with 4 drawers 1x75 2x150 1x200
1	Pair of reinforcement corner elements
1	Kit with 2 dual-slotted uprights for workbenches
1	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
2	Bar mount with 4 Picking Box containers size 1

ART.	W mm	D mm	H mm	RAL	
MASTERBR1510	1500	750	1683/2058	7035+7016	

Made up of:

qty.	description
1	Unassembled workbench with 40 mm multiplex worktop
2	Perforated side panel
1	Cabinet W=560 mm with 4 drawers 1x75 2x150 1x200
2	Additional half-shelf W=560 mm
1	Support for intermediate half-shelf
1	Kit with 2 dual-slotted uprights for workbenches
1	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
2	Bar mount with 4 Picking Box containers size 1



RAL 7035 + RAL 7016 LOAD CAPACITY

 1000 kg	 height-adjustable	 Multiplex worktop thickness 40 mm
 Supplied unassembled	 Leg hole pitch 25 mm	



ART.	W mm	D mm	H mm	RAL	
MASTERBR1502	1500	750	740/1115	7035+7016	

Made up of:

qty.	description
1	Unassembled workbench with 40 mm multiplex worktop
1	Cabinet W=560 mm with 4 drawers 1x75 2x150 1x200
2	Top/bottom shelf W=560 mm
1	Left full door H=600 mm with Dark Grey handle
1	Support for intermediate half-shelf
1	Internal shelf W=558 mm
2	Perforated side panel



ART.	W mm	D mm	H mm	RAL	
MASTERBR1503	1500	750	740/1115	7035+7016	

Made up of:

qty.	description
1	Unassembled workbench with 40 mm multiplex worktop
1	Cabinet W=560 mm with 4 drawers 1x75 2x150 1x200
1	Cabinet W=560 mm with 5 drawers 1x75 3x100 1x200



ART.	W mm	D mm	H mm	RAL	
MASTERBR1504	1500	750	740/1115	7035+7016	

Made up of:

qty.	description
1	Unassembled workbench with 40 mm multiplex worktop
2	Cabinet W=560 mm configured for door with 1 drawer H=150 mm
1	Left partial door H=435 mm with Dark Grey handle
1	Right partial door H=435 mm with Dark Grey handle



WORK MASTER BR

1500

Configuration examples



Tools excluded



Tools excluded



Tools excluded



ART.	W mm	D mm	H mm	RAL	
MASTERBR1511	1500	750	1683/2058	7035+7016	

Made up of:

qty.	description
1	Unassembled workbench with 40 mm multiplex worktop
2	Perforated side panel
1	Cabinet W=560 mm with 4 drawers 1x75 2x150 1x200
2	Top/bottom shelf W=560 mm
1	Left full door H=600 mm with Dark Grey handle
1	Internal shelf W=558 mm
1	Support for intermediate half-shelf
1	Kit with 2 dual-slotted uprights for workbenches
1	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
2	Bar mount with 4 Picking Box containers size 1

ART.	W mm	D mm	H mm	RAL	
MASTERBR1512	1500	750	1683/2058	7035+7016	

Made up of:

qty.	description
1	Unassembled workbench with 40 mm multiplex worktop
1	Cabinet W=560 mm with 4 drawers 1x75 2x150 1x200
1	Cabinet W=560 mm with 5 drawers 1x75 3x100 1x200
1	Kit with 2 dual-slotted uprights for workbenches
1	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
2	Bar mount with 4 Picking Box containers size 1

ART.	W mm	D mm	H mm	RAL	
MASTERBR1513	1500	750	1683/2058	7035+7016	

Made up of:

qty.	description
1	Unassembled workbench with 40 mm multiplex worktop
2	Cabinet W=560 mm configured for door with 1 drawer H=150 mm
1	Left partial door H=435 mm with Dark Grey handle
1	Right partial door H=435 mm with Dark Grey handle
1	Kit with 2 dual-slotted uprights for workbenches
1	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
2	Bar mount with 4 Picking Box containers size 1



RAL 7035 + RAL 7016 LOAD CAPACITY

**1000 kg**

**height-adjustable**

**Multiplex worktop thickness 40 mm**

**Supplied unassembled**

**Leg hole pitch 25 mm**



ART.	W mm	D mm	H mm	RAL	
MASTERBR2005	2000	750	740/1115	7035+7016	

Made up of:

qty.	description
1	Unassembled workbench with 40 mm multiplex worktop
1	Cabinet W=560 mm with 3 drawers 1x75 2x100
1	Pair of reinforcement corner elements



ART.	W mm	D mm	H mm	RAL	
MASTERBR2006	2000	750	740/1115	7035+7016	

Made up of:

qty.	description
1	Unassembled workbench with 40 mm multiplex worktop
1	Cabinet W=560 mm with 4 drawers 1x75 2x150 1x200
1	Pair of reinforcement corner elements




ART.	W mm	D mm	H mm	RAL	
MASTERBR2001	2000	750	740/1115	7035+7016	

Made up of:

qty.	description
1	Unassembled workbench with 40 mm multiplex worktop
1	Cabinet W=560 mm with 4 drawers 1x75 2x150 1x200
1	Cabinet W=560 mm configured for door with 1 adjustable shelf
1	Left full door H=600 mm with Dark Grey handle
2	Additional half-shelf W=560 mm



Configuration examples



Tools excluded



Tools excluded



Tools excluded



ART.	W mm	D mm	H mm	RAL	
MASTERBR2013	2000	750	1683/2058	7035+7016	

Made up of:

qty.	description
1	Unassembled workbench with 40 mm multiplex worktop
1	Cabinet W=560 mm with 3 drawers 1x75 2x100
1	Pair of reinforcement corner elements
1	Kit with 3 dual-slotted uprights
2	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
4	Bar mount with 4 Picking Box containers size 1

ART.	W mm	D mm	H mm	RAL	
MASTERBR2014	2000	750	1683/2058	7035+7016	

Made up of:

qty.	description
1	Unassembled workbench with 40 mm multiplex worktop
1	Cabinet W=560 mm with 4 drawers 1x75 2x150 1x200
1	Pair of reinforcement corner elements
1	Kit with 3 dual-slotted uprights
2	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
4	Bar mount with 4 Picking Box containers size 1

ART.	W mm	D mm	H mm	RAL	
MASTERBR2009	2000	750	1683/2058	7035+7016	

Made up of:

qty.	description
1	Unassembled workbench with 40 mm multiplex worktop
1	Cabinet W=560 mm configured for door with 1 adjustable shelf
1	Left full door H=600 mm with Dark Grey handle
1	Cabinet W=560 mm with 4 drawers 1x75 2x150 1x200
2	Additional half-shelf W=560 mm
1	Kit with 3 dual-slotted uprights
2	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
4	Bar mount with 4 Picking Box containers size 1



**1000 kg**

**height-adjustable**

**Multiplex worktop thickness 40 mm**

**Supplied unassembled**

**Leg hole pitch 25 mm**



ART.	W mm	D mm	H mm	RAL	
MASTERBR2002	2000	750	740/1115	7035+7016	

Made up of:

qty.	description
1	Unassembled workbench with 40 mm multiplex worktop
1	Cabinet W=560 mm with 4 drawers 1x75 2x150 1x200
1	Cabinet W=560 mm with 5 drawers 1x75 3x100 1x200
2	Additional half-shelf W=560 mm



ART.	W mm	D mm	H mm	RAL	
MASTERBR2003	2000	750	740/1115	7035+7016	

Made up of:

qty.	description
1	Unassembled workbench with 40 mm multiplex worktop
1	Cabinet W=560 mm with 5 drawers 1x75 3x100 1x200
4	Top/bottom shelf W=560 mm
1	Right full door H=600 mm with Dark Grey handle
1	Left full door H=600 mm with Dark Grey handle
2	Support for intermediate half-shelf
2	Internal shelf W=558 mm
2	Perforated side panel




ART.	W mm	D mm	H mm	RAL	
MASTERBR2004	2000	750	740/1115	7035+7016	

Made up of:

qty.	description
1	Unassembled workbench with 40 mm multiplex worktop
3	Cabinet W=560 mm configured for door with 1 drawer H=150 mm
1	Right partial door H=435 mm with Dark Grey handle
2	Left partial door H=435 mm with Dark Grey handle



Configuration examples



Tools excluded



Tools excluded



Tools excluded



ART.	W mm	D mm	H mm	RAL	
MASTERBR2010	2000	750	1683/2058	7035+7016	

Made up of:

qty.	description
1	Unassembled workbench with 40 mm multiplex worktop
1	Cabinet W=560 mm with 5 drawers 1x75 3x100 1x200
1	Cabinet W=560 mm with 4 drawers 1x75 2x150 1x200
2	Additional half-shelf W=560 mm
1	Kit with 3 dual-slotted uprights
2	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
4	Bar mount with 4 Picking Box containers size 1

ART.	W mm	D mm	H mm	RAL	
MASTERBR2011	2000	750	1683/2058	7035+7016	

Made up of:

qty.	description
1	Unassembled workbench with 40 mm multiplex worktop
4	Top/bottom shelf W=560 mm
1	Left full door H=600 mm with Dark Grey handle
1	Right full door H=600 mm with Dark Grey handle
2	Internal shelf W=558 mm
2	Support for intermediate half-shelf
1	Cabinet W=560 mm with 5 drawers 1x75 3x100 1x200
2	Perforated side panel
1	Kit with 3 dual-slotted uprights
2	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
4	Bar mount with 4 Picking Box containers size 1

ART.	W mm	D mm	H mm	RAL	
MASTERBR2012	2000	750	1683/2058	7035+7016	

Made up of:

qty.	description
1	Unassembled workbench with 40 mm multiplex worktop
3	Cabinet W=560 mm configured for door with 1 drawer H=150 mm
2	Left partial door H=435 mm with Dark Grey handle
1	Right partial door H=435 mm with Dark Grey handle
1	Kit with 3 dual-slotted uprights
2	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
4	Bar mount with 4 Picking Box containers size 1



RAL 7035 + RAL 7016 LOAD CAPACITY

 1000 kg	 height-adjustable	 Multiplex worktop thickness 40 mm
 Supplied unassembled	 Leg hole pitch 25 mm	



ART.	W mm	D mm	H mm	worktop		RAL	
				material	 mm		
MBR01S0V0V001PD	1024	750	740/1115	Multiplex	40	7035+7016	



ART.	W mm	D mm	H mm	worktop		RAL	
				material	 mm		
MBR02S0V0V001PD	1500	750	740/1115	Multiplex	40	7035+7016	



ART.	W mm	D mm	H mm	worktop		RAL	
				material	 mm		
MBR03S0V0V001PD	2000	750	740/1115	Multiplex	40	7035+7016	



ART.	W mm	D mm	H mm	worktop		RAL	
				material	 mm		
MBR04S0V0V001PD	3000	750	740/1115	Multiplex	40	7035+7016	



Unassembled workbench package



Pair of reinforcement corner elements

ART.	W mm	D mm	H mm	RAL	
FBGKITS0008	145	39	145	7035	

 Use one corner element for each leg if the drawer unit or shelf is not present (one pair for 1024/1500/2000 mm workbenches, two pairs for 3000 mm workbenches)



Cover for multiplex worktop



ART.	W mm	D mm	H mm	suitable for	colour	
FBL22300007	1028	754	22	Multiplex worktop	Black	
FBL22600007	1504	754	22	Multiplex worktop	Black	
FBL22900007	2004	754	22	Multiplex worktop	Black	
FBL23200007	3004	754	22	Multiplex worktop	Black	

Technical diagram



W → 1000 mm



W → 1500 mm



W → 2000 mm



W → 3000 mm



RAL 7035 + RAL 7016



RAL 7035



LOAD CAPACITY



THICKNESS

Cabinets with drawers

W  560 mm

27x27 EH

Cabinet with 3 drawers



ART.	W mm	D mm	H mm	drawers					RAL	
				no.	h 75 mm	h 100 mm				
MBR05SC010203PD	560	610	369	3	1	2	100-75-50	92-96-100%	7035+7016	



Cabinet with 4 drawers



ART.	W mm	D mm	H mm	drawers						RAL	
				no.	h 75 mm	h 150 mm	h 200 mm				
MBR05SC010204PD	560	610	669	4	1	2	1	100-75-50	92-96-100%	7035+7016	



Cabinet with 5 drawers



ART.	W mm	D mm	H mm	drawers						RAL	
				no.	h 75 mm	h 100 mm	h 200 mm				
MBR05SC010205PD	560	610	669	5	1	3	1	100-75-50	92-96-100%	7035+7016	



Cabinet with middle shelf configured for doors



ART.	W mm	D mm	H mm	adjustable shelf	RAL	
MBR05SX00020708	560	610	669	1	7035	

Left full door H=600 mm with Dark Grey handle



ART.	W mm	D mm	H mm	opening	RAL	
MBR06SC01020239	504	34	600	LH	7016	

Right full door H=600 mm with Dark Grey handle



ART.	W mm	D mm	H mm	opening	RAL	
MBR06SC01020139	504	34	600	RH	7016	

Cabinets with drawers

W  560 mm

27x27 EH



Technical cabinet W=560 mm configured for door
Suitable for Art. MBR06SC01020339 and Art. MBR06SC01020439

ART.	W mm	D mm	H mm	RAL	
MBR05SX000208PD	560	610	669	7035+7016	



Electrical winder with Schuko socket

ART.	Cable length (m)	Type of socket	Volt	Watt	
MBR13S0V0V00100	20	Schuko	230	1600	



Winder for compressed air

ART.	Cable length (m)	Max MPa pressure	Ø mm	
MBR13S0V0V00200	14	1,5	10	



Roll for winder

ART.	
MBR13S0V0V00339	



Plate for winder
To be fastened to the back of the cabinet

ART.	
MBR13S0V0V00499	



- 1. Technical cabinet W=560 mm configured for door
- 2. Module: Roll for winder



- 3. Module: 4-socket power strip
- 4. Module: 2-socket power strip



RAL 7035 + RAL 7016



RAL 7016



RAL 7035



EXTRACTION



LOAD CAPACITY

Cabinets with drawers

W  560 mm

27x27 EH



Cabinet W=560 mm configured for door with 1 drawer H=150 mm

ART.	W mm	D mm	H mm	drawers			RAL	
				h 150 mm				
MBR05SC010206PD	560	610	669	1	100-75-50	92-96-100%	7035+7016	



Left partial door H=435 mm with Dark Grey handle

ART.	W mm	D mm	H mm	opening	RAL	
MBR06SC01020439	504	34	435	LH	7016	



Right partial door H=435 mm with Dark Grey handle

ART.	W mm	D mm	H mm	opening	RAL	
MBR06SC01020339	504	34	435	RH	7016	

Cabinets with drawers

W  713 mm

36x27 EH



Cabinet W=713 mm with 4 drawers 1x75 2x150 1x200

ART.	W mm	D mm	H mm	drawers						RAL	
				no.	h 75 mm	h 150 mm	h 200 mm				
MBR05SC010304PD	713	610	669	4	1	2	1	100-75-50	92-96-100%	7035+7016	



Cabinet W=713 mm with 5 drawers 1x75 3x100 1x200

ART.	W mm	D mm	H mm	drawers						RAL	
				no.	h 75 mm	h 100 mm	h 200 mm				
MBR05SC010305PD	713	610	669	5	1	3	1	100-75-50	92-96-100%	7035+7016	



Cabinets with drawers

W  713 mm

36x27 EH



Cabinet W=713 mm configured for door with 1 adjustable shelf

ART.	W mm	D mm	H mm	RAL	
MBR05SX00030708	713	610	669	7035	



Left full door H=600 mm with Dark Grey handle

ART.	W mm	D mm	H mm	opening	RAL	
MBR06SC01030239	657	34	600	LH	7016	



Right full door H=600 mm with Dark Grey handle

ART.	W mm	D mm	H mm	opening	RAL	
MBR06SC01030139	657	34	600	RH	7016	



Cabinet W=713 mm configured for door with 1 drawer H=150 mm

ART.	W mm	D mm	H mm	drawers			RAL	
				h 150 mm	 KG			
MBR05SC010306PD	713	610	669	1	100-75-50	92-96-100%	7035+7016	



Left partial door H=435 mm with Dark Grey handle

ART.	W mm	D mm	H mm	opening	RAL	
MBR06SC01030439	657	34	435	LH	7016	



Right partial door H=435 mm with Dark Grey handle

ART.	W mm	D mm	H mm	opening	RAL	
MBR06SC01030339	657	34	435	RH	7016	



RAL 7035 + RAL 7016



RAL 7016



RAL 7035



EXTRACTION



LOAD CAPACITY



Perforated side panel

ART.	W mm	D mm	H mm	Hole dim. mm	RAL	
FBG15S00V0V00008	610	75	669	10x10	7035	

Additional middle shelf

ART.	W mm	D mm	H mm	KG	RAL	
MBR08S0706000008	713	605	35	250	7035	
MBR08S0906000008	967	605	35	250	7035	
MBR08S1106000008	1120	605	35	250	7035	
MBR08S1206000008	1273	605	35	250	7035	
MBR08S1606000008	1680	605	35	200	7035	

Additional half-shelf

ART.	W mm	D mm	H mm	KG	RAL	
MBR09S0503000008	560	305	35	100	7035	
MBR09S0703000008	713	305	35	100	7035	
MBR09S0903000008	967	305	35	100	7035	
MBR09S1103000008	1120	305	35	100	7035	
MBR09S1203000008	1273	305	35	100	7035	
MBR09S1603000008	1680	305	35	100	7035	

Support for intermediate half-shelf

ART.	W mm	D mm	H mm	RAL	
FBG13S605V000008	605	77	35	7035	

Modular unit



- 1. Internal shelf 27x27 EH
- 2. Top or bottom shelf 27x27 EH
- 3. Support for intermediate half-shelf
- 4. Right full door H=600 mm with Dark Grey handle
- 5. Left full door H=600 mm with Dark Grey handle

Internal shelf 27x27 EH

ART.	W mm	D mm	H mm	KG	RAL	
MBR11S0V0020008	558	466	60	100	7035	



Top or bottom shelf 27x27 EH

ART.	W mm	D mm	H mm	KG	RAL	
MBR10S050600008	560	610	32	100	7035	



Right full door H=600 mm with Dark Grey handle

ART.	W mm	D mm	H mm	opening	RAL	
MBR06SC01020539	554	34	600	RH	7016	



Support for intermediate half-shelf

ART.	W mm	Dmm	H mm	RAL	
FBG13S605V00008	605	77	35	7035	



Left full door H=600 mm with Dark Grey handle

ART.	W mm	D mm	H mm	opening	RAL	
MBR06SC01020639	554	34	600	LH	7016	

WORK MASTER BR DIVIDING MATERIAL

W= 560 MM 27X27 EH



ART.	Suitable for drawer H mm	components	
FFH84050200	50/300	16 x Transversal divider W=36 mm 7 x Transversal divider W=47 mm 6 x 3-channel divider 3 x 4-channel divider	



ART.	Suitable for drawer H mm	components	
FFH84050300	50/300	15 x Transversal divider W=47 mm 8 x Transversal divider W=73 mm 6 x 2-channel divider 3 x 3-channel divider	



ART.	Suitable for drawer H mm	components	
FFH84050400	50/300	18 x Transversal divider W=73 mm 9 x 2-channel divider	



ART.	Suitable for drawer H mm	components	
FFH84071800	75	6 x 150x75 mm Divider box	
FFH84101800	100/125	6 x 150x150 mm Divider box	



ART.	Suitable for drawer H mm	components	
FFH84070800	75	2 x Longitudinal slotted divider W=457 mm 3 x Transversal divider W=151 mm	
FFH84100800	100/125		
FFH84150800	150/175		
FFH84200800	200/250		

WORK MASTER BR DIVIDING MATERIAL

W= 713 MM 36X27 EH



ART.	Suitable for drawer H mm	components	
FFH10051000	50/300	3 x 3-channel divider 9 x 4-channel divider 12 x Transversal divider W=47 mm 36 x Transversal divider W=36 mm	



ART.	Suitable for drawer H mm	components	
FFH10051300	50/300	18 x Transversal divider W=47 mm 12 x Transversal divider W=73 mm 6 x 2-channel divider 6 x 3-channel divider	




ART.	Suitable for drawer H mm	components	
FFH10051500	50/300	20 x Transversal divider W=36 mm 20 x Transversal divider W=47 mm 6 x 3-channel divider 5 x 4-channel divider 1 x Allen key holder	



ART.	Suitable for drawer H mm	components	
FFH10071800	75	16 x 75x75 mm Divider box 8 x 150x75 mm Divider box 4 x 150x150 mm Divider box	



ART.	Suitable for drawer H mm	components	
FFH10071600	75	12 x 150x75 mm Divider box	
FFH10101600	100/125	6 x 150x150 mm Divider box	



ART.	Suitable for drawer H mm	components	
FFH10070500	75		
FFH10100500	100/125	2 x Longitudinal slotted divider W=457 mm 3 x Transversal divider w=202 mm	
FFH10150500	150/175		
FFH10200500	200/250		

WORK MASTER BR



ART.	W mm	D mm	H mm		RAL	
MASTERBR3001	3206	750	1985/2360	1000	7035+7016	

Made up of:

qty.	description	qty.	description
1	Unassembled workbench with 40 mm multiplex worktop	1	A4 document-holder pocket
1	Cabinet W=560 mm configured for door with 1 adjustable shelf	1	Roll holder kit with roll Ø=240 mm
2	Cabinet W=713 mm with 4 drawers 1x75 2x150 1x200	4	Angled 2-space spray-can holder
1	Technical cabinet W=560 mm configured for door	6	Unipok tool hook - 30-piece pack
1	Right partial door H=435 mm with Dark Grey handle	1	Bar mount with 4 Picking Box containers size 1
1	Left full door H=600 mm with Dark Grey handle	2	Large reversible shelf
2	Perforated side panel	1	Bin with 30 l capacity
1	Kit with 3 dual-slotted uprights	3	Kit with 2 Picking Box containers size 3A2
2	Kit with 3 perforated panels/shelves with 2 box-stop edges	1	Plate for winder
2	Double lamp	2	Roll for winder
2	Wall unit with door	1	Winder for compressed air
1	Schuko 2-socket power strip	1	Electrical winder with Schuko socket
1	Wieland Schuko/FR connection cable	1	Kit with 3 inclined supports with 2 tracks



WORK MASTER BR



ART.	W mm	D mm	H mm		RAL	
MASTERBR1508	1706	750	1985/2360	1000	7035+7016	

Made up of:

qty.	description
1	Unassembled workbench with 40 mm multiplex worktop
1	Cabinet W=560 mm with 5 drawers 1x75 3x100 1x200
2	Top/bottom shelf W=560 mm
1	Left full door H=600 mm with Dark Grey handle
1	Support for intermediate half-shelf
1	Internal shelf W=558 mm
2	Perforated side panel
1	Support for 2-socket power strip
1	Support for 4-socket power strip
1	Schuko 2-socket power strip
1	Schuko 4-socket power strip

qty.	description
1	Wieland Schuko/FR connection cable
1	A4 document-holder pocket
1	Roll holder kit with roll Ø=240 mm
2	Angled 2-space spray-can holder
4	Unipok tool hook - 30-piece pack
1	Bin with 30 l capacity
2	Wall unit with door
1	Double lamp
1	Kit with 3 perforated panels/shelves with 2 box-stop edges
1	Kit with 2 inclined supports with track
1	Kit with 2 dual-slotted uprights for workbenches



RAL 7035 + RAL 7016 LOAD CAPACITY


WORK-WORK UP

WORKBENCHES




- 1. Perforated side panel
- 2. Rear panel
- 3. Adjustable legs
- 4. Additional half-shelf

- 5. Cabinet with door
- 6. Cabinet with 4 drawers
- 7. Multiplex worktop




**Simple-extension
drawers**




**Solid drawer
bottom**



Dividing material



**Key-operated
closure**



**Height-adjustable
legs**

Alternative configurations



Tools excluded



ART.	W mm	D mm	H mm		RAL	
WORK2043	2307	750	1977/2352	1000	7035+7016	

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
2	Cabinet W=629 mm with 1 door and 1 adjustable shelf
1	Cabinet W=500 mm with 3 drawers H=150 mm
1	Non-perforated half-shelf W=1760 mm
2	Perforated side panel
1	Bin with 30 l capacity
2	Angled 2-space silicone holder
1	A4 document-holder pocket
1	Kit with 3 dual-slotted uprights
1	Kit with 3 inclined supports with 2 tracks

qty.	description
2	Kit with 3 perforated panels/shelves with 2 box-stop edges
1	Double lamp
2	Angled 2-space spray-can holder
1	Roll holder kit with roll Ø=240 mm
7	Unipok tool hook - 30-piece pack
1	Support for 4-socket power strip
1	Schuko 4-socket power strip
1	Wieland Schuko/FR connection cable
1	Large reversible shelf



RAL 7035 + RAL 7016 LOAD CAPACITY

WORK UP 1500

 1000 kg	 height-adjustable	 Multiplex worktop thickness 30 mm
 Supplied unassembled	 Leg hole pitch 25 mm	



ART.	W mm	D mm	H mm	RAL	
WORK1501	1500	750	732/1107	7035+7016	
WORK1502	1500	750	732/1107	5012	

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
1	Cabinet W=500 mm with 1 drawer H=150 mm



ART.	W mm	D mm	H mm	RAL	
WORK1503	1500	750	732/1107	7035+7016	
WORK1504	1500	750	732/1107	5012	

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
1	Cabinet W=500 mm with 4 drawers H=105 mm
1	Non-slotted half-shelf W=1260 mm



ART.	W mm	D mm	H mm	RAL	
WORK1507	1500	750	732/1107	7035+7016	
WORK1508	1500	750	732/1107	5012	

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
1	Cabinet W=500 mm with 4 drawers H=105 mm
1	Rear panel
1	Non-slotted half-shelf W=760 mm
1	Support for intermediate half-shelf

WORK UP 1500

Configuration examples



Tools excluded



Tools excluded



Tools excluded



ART.	W mm	D mm	H mm	RAL	
WORK1528	1500	750	1675/2050	7035+7016	
WORK1534	1500	750	1675/2050	5012	

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
1	Cabinet W=500 mm with 1 drawer H=150 mm
1	Kit with 2 dual-slotted uprights for workbenches
1	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
2	Bar mount with 4 Picking Box containers size 1

ART.	W mm	D mm	H mm	RAL	
WORK1529	1500	750	1675/2050	7035+7016	
WORK1535	1500	750	1675/2050	5012	

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
1	Cabinet W=500 mm with 4 drawers H=105 mm
1	Non-slotted half-shelf W=1260 mm
1	Kit with 2 dual-slotted uprights for workbenches
1	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
2	Bar mount with 4 Picking Box containers size 1

ART.	W mm	D mm	H mm	RAL	
WORK1530	1500	750	1675/2050	7035+7016	
WORK1536	1500	750	1675/2050	5012	

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
1	Rear panel
1	Cabinet W=500 mm with 4 drawers H=105 mm
1	Non-slotted half-shelf W=760 mm
1	Support for intermediate half-shelf
1	Kit with 2 dual-slotted uprights for workbenches
1	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
2	Bar mount with 4 Picking Box containers size 1

RAL 5012

RAL 7035 + RAL 7016

-  **1000 kg**
-  **height-adjustable**
-  **Multiplex worktop thickness 30 mm**
-  **Supplied unassembled**
-  **Leg hole pitch 25 mm**



ART.	W mm	D mm	H mm	RAL	
WORK1505	1500	750	732/1107	7035+7016	
WORK1506	1500	750	732/1107	5012	

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
1	Cabinet W=500 mm with 4 drawers H=105 mm
1	Cabinet W=500 mm with 1 door and 1 adjustable shelf
1	Bottom panel for cabinet W=500 mm



ART.	W mm	D mm	H mm	RAL	
WORK1511	1500	750	732/1107	7035+7016	
WORK1512	1500	750	732/1107	5012	

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
2	Cabinet W=629 mm with 1 drawer H=150 mm and 1 door
1	Non-slotted half-shelf W=1260 mm



ART.	W mm	D mm	H mm	RAL	
WORK1509	1500	750	732/1107	7035+7016	
WORK1510	1500	750	732/1107	5012	

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
1	Cabinet W=629 mm with 4 drawers H=105 mm
1	Cabinet W=629 mm with 1 door and 1 adjustable shelf
1	Non-slotted half-shelf W=1260 mm

WORK UP 1500

Configuration examples



Tools excluded



Tools excluded



Tools excluded



ART.	W mm	D mm	H mm	RAL	
WORK1531	1500	750	1675/2050	7035+7016	
WORK1537	1500	750	1675/2050	5012	

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
1	Cabinet W=500 mm with 1 door and 1 adjustable shelf
1	Bottom panel for cabinet W=500 mm
1	Cabinet W=500 mm with 4 drawers H=105 mm
1	Kit with 2 dual-slotted uprights for workbenches
1	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
2	Bar mount with 4 Picking Box containers size 1

ART.	W mm	D mm	H mm	RAL	
WORK1532	1500	750	1675/2050	7035+7016	
WORK1538	1500	750	1675/2050	5012	

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
2	Cabinet W=629 mm with 1 drawer H=150 mm and 1 door
1	Non-slotted half-shelf W=1260 mm
1	Kit with 2 dual-slotted uprights for workbenches
1	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
2	Bar mount with 4 Picking Box containers size 1

ART.	W mm	D mm	H mm	RAL	
WORK1533	1500	750	1675/2050	7035+7016	
WORK1539	1500	750	1675/2050	5012	

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
1	Cabinet W=629 mm with 1 door and 1 adjustable shelf
1	Cabinet W=629 mm with 4 drawers H=105 mm
1	Non-slotted half-shelf W=1260 mm
1	Kit with 2 dual-slotted uprights for workbenches
1	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
2	Bar mount with 4 Picking Box containers size 1

RAL 5012

RAL 7035 + RAL 7016

WORK UP 2000

-  **1000 kg**
-  **height-adjustable**
-  **Multiplex worktop thickness 30 mm**
-  **Supplied unassembled**
-  **Leg hole pitch 25 mm**



ART.	W mm	D mm	H mm	RAL	
WORK2001	2000	750	732/1107	7035+7016	
WORK2002	2000	750	732/1107	5012	

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
1	Cabinet W=500 mm with 1 drawer H=150 mm



ART.	W mm	D mm	H mm	RAL	
WORK2003	2000	750	732/1107	7035+7016	
WORK2004	2000	750	732/1107	5012	

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
1	Cabinet W=500 mm with 4 drawers H=105 mm
1	Non-perforated half-shelf W=1760 mm




ART.	W mm	D mm	H mm	RAL	
WORK2005	2000	750	732/1107	7035+7016	
WORK2006	2000	750	732/1107	5012	

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
1	Cabinet W=500 mm with 4 drawers H=105 mm
1	Cabinet W=500 mm with 1 door and 1 adjustable shelf
1	Non-perforated half-shelf W=1760 mm

WORK UP 2000

Configuration examples



Tools excluded



Tools excluded



Tools excluded



ART.	W mm	D mm	H mm	RAL	
WORK2030	2000	750	1675/2050	7035+7016	
WORK2036	2000	750	1675/2050	5012	

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
1	Cabinet W=500 mm with 1 drawer H=150 mm
1	Kit with 3 dual-slotted uprights
2	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
4	Bar mount with 4 Picking Box containers size 1

ART.	W mm	D mm	H mm	RAL	
WORK2031	2000	750	1675/2050	7035+7016	
WORK2037	2000	750	1675/2050	5012	

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
1	Cabinet W=500 mm with 4 drawers H=105 mm
1	Non-perforated half-shelf W=1760 mm
1	Kit with 3 dual-slotted uprights
2	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
4	Bar mount with 4 Picking Box containers size 1

ART.	W mm	D mm	H mm	RAL	
WORK2032	2000	750	1675/2050	7035+7016	
WORK2038	2000	750	1675/2050	5012	

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
1	Cabinet W=500 mm with 1 door and 1 adjustable shelf
1	Cabinet W=500 mm with 4 drawers H=105 mm
1	Non-perforated half-shelf W=1760 mm
1	Kit with 3 dual-slotted uprights
2	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
4	Bar mount with 4 Picking Box containers size 1

RAL 5012

RAL 7035 + RAL 7016

-  **1000 kg**
-  **height-adjustable**
-  **Multiplex worktop thickness 30 mm**
-  **Supplied unassembled**
-  **Leg hole pitch 25 mm**



ART.	W mm	D mm	H mm	RAL	
WORK2007	2000	750	732/1107	7035+7016	
WORK2008	2000	750	732/1107	5012	

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
1	Cabinet W=500 mm with 4 drawers H=105 mm
1	Cabinet W=500 mm with 1 door and 1 adjustable shelf
1	Rear panel
1	Non-slotted half-shelf W=760 mm
1	Bottom panel for cabinet W=500 mm



ART.	W mm	D mm	H mm	RAL	
WORK2011	2000	750	732/1107	7035+7016	
WORK2012	2000	750	732/1107	5012	

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
1	Cabinet W=500 mm with 1 drawer H=150 mm and 1 door
2	Cabinet W=629 mm with 1 drawer H=150 mm and 1 door
1	Non-perforated half-shelf W=1760 mm




ART.	W mm	D mm	H mm	RAL	
WORK2009	2000	750	732/1107	7035+7016	
WORK2010	2000	750	732/1107	5012	

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
1	Cabinet W=500 mm with 4 drawers H=105 mm
2	Cabinet W=629 mm with 1 door and 1 adjustable shelf
1	Non-perforated half-shelf W=1760 mm

WORK UP 2000

Configuration examples



Tools excluded



Tools excluded



Tools excluded



ART.	W mm	D mm	H mm	RAL	
WORK2033	2000	750	1675/2050	7035+7016	
WORK2039	2000	750	1675/2050	5012	

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
1	Rear panel
1	Cabinet W=500 mm with 1 door and 1 adjustable shelf
1	Bottom panel for cabinet W=500 mm
1	Cabinet W=500 mm with 4 drawers H=105 mm
1	Non-slotted half-shelf W=760 mm
1	Kit with 3 dual-slotted uprights
2	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
4	Bar mount with 4 Picking Box containers size 1

ART.	W mm	D mm	H mm	RAL	
WORK2034	2000	750	1675/2050	7035+7016	
WORK2040	2000	750	1675/2050	5012	

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
2	Cabinet W=629 mm with 1 drawer H=150 mm and 1 door
1	Cabinet W=500 mm with 1 drawer H=150 mm and 1 door
1	Non-perforated half-shelf W=1760 mm
1	Kit with 3 dual-slotted uprights
2	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
4	Bar mount with 4 Picking Box containers size 1

ART.	W mm	D mm	H mm	RAL	
WORK2035	2000	750	1675/2050	7035+7016	
WORK2041	2000	750	1675/2050	5012	

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
2	Cabinet W=629 mm with 1 door and 1 adjustable shelf
1	Cabinet W=500 mm with 4 drawers H=105 mm
1	Non-perforated half-shelf W=1760 mm
1	Kit with 3 dual-slotted uprights
2	Kit with 3 perforated panels/shelves with 2 box-stop edges
6	Unipok tool hook - 30-piece pack
4	Bar mount with 4 Picking Box containers size 1

RAL 5012

RAL 7035 + RAL 7016

 1000 kg	 height-adjustable	 Multiplex worktop thickness 30 mm
 Supplied unassembled	 Leg hole pitch 25 mm	 steel worktop thickness 3 mm



Work Up workbench with steel worktop

ART.	W mm	D mm	H mm	worktop		RAL	
				material	mm		
FBG01S1000R00PD	1031	704	737/1112	Steel	3	7035+7016	
FBG01S1000R0004	1031	704	737/1112	Steel	3	5012	
FBG01S1500R00PD	1507	704	737/1112	Steel	3	7035+7016	
FBG01S1500R0004	1507	704	737/1112	Steel	3	5012	
FBG01S2000R00PD	2007	704	737/1112	Steel	3	7035+7016	
FBG01S2000R0004	2007	704	737/1112	Steel	3	5012	



Work Up workbench with wooden worktop

ART.	W mm	D mm	H mm	worktop		RAL	
				material	mm		
FBG02S1000R00PD	1024	750	732/1107	Multiplex	30	7035+7016	
FBG02S1000R0004	1024	750	732/1107	Multiplex	30	5012	
FBG02S1500R00PD	1500	750	732/1107	Multiplex	30	7035+7016	
FBG02S1500R0004	1500	750	732/1107	Multiplex	30	5012	
FBG02S2000R00PD	2000	750	732/1107	Multiplex	30	7035+7016	
FBG02S2000R0004	2000	750	732/1107	Multiplex	30	5012	



Unassembled workbench package

Kit with wheels

Suitable only for Work Up workbenches



ART.	Ø mm	 kg	H mm	material			
FKRU1252101	125	300	155	Non-marking synthetic rubber	2	2	
FKRS1252101	125	750	155	Elastic rubber	2	2	



SWIVEL WHEEL WITH BRAKE



FIXED WHEEL



Pair of reinforcement corner elements

ART.	W mm	D mm	H mm	RAL	
FBGKITS0008	145	39	145	7035	
FBGKITS0004	145	39	145	5012	



Use one pair of corner elements for each leg if there is no drawer unit



1000 kg

— Multiplex worktop thickness 30 mm



Supplied
unassembled

— steel worktop thickness 3 mm



Work workbench with steel worktop

ART.	W mm	D mm	H mm	worktop		RAL	
				material	mm		
FBG01S1000F00PD	1031	704	887	Steel	3	7035+7016	
FBG01S1000F0004	1031	704	887	Steel	3	5012	
FBG01S1500F00PD	1507	704	887	Steel	3	7035+7016	
FBG01S1500F0004	1507	704	887	Steel	3	5012	
FBG01S2000F00PD	2007	704	887	Steel	3	7035+7016	
FBG01S2000F0004	2007	704	887	Steel	3	5012	



Work workbench with wooden worktop

ART.	W mm	D mm	H mm	worktop		RAL	
				material	mm		
FBG02S1000F0008	1024	750	882	Multiplex	30	7035	
FBG02S1000F0004	1024	750	882	Multiplex	30	5012	
FBG02S1500F0008	1500	750	882	Multiplex	30	7035	
FBG02S1500F0004	1500	750	882	Multiplex	30	5012	
FBG02S2000F0008	2000	750	882	Multiplex	30	7035	
FBG02S2000F0004	2000	750	882	Multiplex	30	5012	



Unassembled workbench package



Cover for steel worktop

ART.	W mm	D mm	H mm	colour	
FBG32100007	1024	702	27	Black	
FBG32150007	1500	702	27	Black	
FBG32200007	2000	702	27	Black	



Cover for multiplex worktop

ART.	W mm	D mm	H mm	colour	
FBL22300007	1028	754	22	Black	
FBL22600007	1504	754	22	Black	
FBL22900007	2004	754	22	Black	
FBL23200007	3004	754	22	Black	



RAL 5012



RAL 7035



RAL 7035 + RAL 7016



THICKNESS




LOAD CAPACITY

1000



1500



Cabinets with drawers

W → 500 mm

Cabinet with 1 drawer



ART.	W mm	D mm	H mm	drawers				door		RAL	
				no.	KG	h mm	h mm	no.	Entry H mm		
FBG03S50C0001PD	500	630	210	1	80	86%	150	-	-	7035+7016	
FBG03S50C000104	500	630	210	1	80	86%	150	-	-	5012	

Cabinet with 3 drawers



ART.	W mm	D mm	H mm	drawers				door		RAL	
				no.	KG	h mm	h mm	no.	Entry H mm		
FBG03S50C0002PD	500	630	570	3	80	86%	150	-	-	7035+7016	
FBG03S50C000204	500	630	570	3	80	86%	150	-	-	5012	

Cabinet with 4 drawers



ART.	W mm	D mm	H mm	drawers				door		RAL	
				no.	KG	h mm	h mm	no.	Entry H mm		
FBG03S50C0003PD	500	630	570	4	80	86%	105	-	-	7035+7016	
FBG03S50C000304	500	630	570	4	80	86%	105	-	-	5012	

Cabinet with 1 drawer and 1 door



ART.	W mm	D mm	H mm	drawers				door		RAL	
				no.	KG	h mm	h mm	no.	Entry H mm		
FBG03S50C0004PD	500	630	570	1	80	86%	150	1	310	7035+7016	
FBG03S50C000404	500	630	570	1	80	86%	150	1	310	5012	

⚠ Without bottom panel

Cabinet with 1 door and 1 shelf



ART.	W mm	D mm	H mm	drawers				door		RAL	
				no.	KG	h mm	h mm	no.	Entry H mm		
FBG03S50C0005PD	500	612	570	-	-	-%	-	1	491	7035+7016	
FBG03S50C000504	500	612	570	-	-	-%	-	1	491	5012	

⚠ Without bottom panel

Bottom panel



Bottom panel for cabinets W= 500 mm

ART.	W mm	D mm	H mm	RAL	
FBG16S50V0V0008	494	572	4	7035	
FBG16S50V0V0004	494	572	4	5012	

⚠ To be used on cabinets with door when the half-shelf is present



Bottom panel for cabinets W= 629 mm

ART.	W mm	D mm	H mm	RAL	
FBG16S63V0V0008	623	572	4	7035	
FBG16S63V0V0004	623	572	4	5012	

⚠ To be used on cabinets with door when the half-shelf is present



Cabinets with drawers

W → 629 mm



Cabinet with 3 drawers

ART.	W mm	D mm	H mm	drawers				door		RAL	
				no.	KG		h mm	no.	Entry H mm		
FBG03S63C0002PD	629	630	570	3	80	86%	150	-	-	7035+7016	
FBG03S63C000204	629	630	570	3	80	86%	150	-	-	5012	



Cabinet with 4 drawers

ART.	W mm	D mm	H mm	drawers				door		RAL	
				no.	KG		h mm	no.	Entry H mm		
FBG03S63C0003PD	629	630	570	4	80	86%	105	-	-	7035+7016	
FBG03S63C000304	629	630	570	4	80	86%	105	-	-	5012	



Cabinet with 1 drawer and 1 door

ART.	W mm	D mm	H mm	drawers				door		RAL	
				no.	KG		h mm	no.	Entry H mm		
FBG03S63C0004PD	629	630	570	1	80	86%	150	1	310	7035+7016	
FBG03S63C000404	629	630	570	1	80	86%	150	1	310	5012	

⚠ Without bottom panel



Cabinet with 1 door and 1 shelf

ART.	W mm	D mm	H mm	drawers				door		RAL	
				no.	KG		h mm	no.	Entry H mm		
FBG03S63C0005PD	629	612	570	-	-	-%	-	1	491	7035+7016	
FBG03S63C000504	629	612	570	-	-	-%	-	1	491	5012	

⚠ Without bottom panel

RAL 5012

RAL 7035

RAL 7035 + RAL 7016

LOAD CAPACITY

EXTRACTION



Rear panel

ART.	W mm	H mm	suitable for workbench W mm	RAL	
FBG12S080000008	825	665	1024-1031	7035	
FBG12S080000004	825	665	1024-1031	5012	
FBG12S130000008	1325	665	1500-1507	7035	
FBG12S130000004	1325	665	1500-1507	5012	
FBG12S180000008	1825	665	2000-2007	7035	
FBG12S180000004	1825	665	2000-2007	5012	



Pair of side filler strips

For workbench W=1024-1031 mm with cabinet W=629 mm

ART.	W mm	D mm	H mm	RAL	
FBG14S130V00008	65	35	568	7035	
FBG14S130V00004	65	35	568	5012	



Perforated side panel

ART.	W mm	D mm	H mm	Hole dim. mm	RAL	
FBG15S00V0V0008	610	75	669	10x10	7035	
FBG15S00V0V0004	610	75	669	10x10	5012	

Additional non-perforated middle shelf

ART.	W mm	D mm	H mm	KG	RAL	
FBG08S070600108	760	600	35	250	7035	
FBG08S070600104	760	600	35	250	5012	
FBG08S120600108	1260	600	35	250	7035	
FBG08S120600104	1260	600	35	250	5012	
FBG08S170600108	1760	600	35	200	7035	
FBG08S170600104	1760	600	35	200	5012	



WORK-WORK UP

COMPONENTS



Additional non-perforated half-shelf

ART.	W mm	D mm	H mm	 KG	RAL	
FBG09S070300108	760	300	35	100	7035	
FBG09S070300104	760	300	35	100	5012	
FBG09S120300108	1260	300	35	100	7035	
FBG09S120300104	1260	300	35	100	5012	
FBG09S170300108	1760	300	35	100	7035	
FBG09S170300104	1760	300	35	100	5012	



Support only for additional half-shelf

ART.	W mm	D mm	H mm	RAL	
FBG13S605V00008	605	77	35	7035	
FBG13S605V00004	605	77	35	5012	



ART.	W mm	D mm	H mm	 KG	RAL	
WORK2014	2007	704	737/1112	1000	7035+7016	

Made up of:

qty.	description
1	Unassembled adjustable workbench with 3 mm steel worktop
1	Cabinet W=500 mm with 4 drawers H=105 mm
1	Cabinet W=500 mm with 1 door and 1 adjustable shelf
1	Rear panel
1	Non-slotted half-shelf W=760 mm
1	Bottom panel for cabinet W=500 mm
2	Perforated side panel

W= 500 MM 27X27 EH



ART.	Suitable for drawer H mm	No. of transversal dividers	
FBG18S50DV00199	105/150	3	



ART.	Suitable for drawer H mm	No. of transversal dividers	No. of longitudinal dividers	
FBG18S50DV00299	105/150	1	1	



ART.	Suitable for drawer H mm	components	
FBG18S50CD00103	105/150	4 x 100x50 mm Divider box	



ART.	Suitable for drawer H mm	components	
FBG18S50CD00203	105/150	3 x 100x50 mm Divider box 2 x 150x75 mm Divider box 1 x 150x150 mm Divider box	



ART.	Suitable for drawer H mm	components	
MATSEP001	105/150	1 x FBG18S50CD00103 1 x FBG18S50CD00203 1 x FBG18S50DV00299	



ART.	Suitable for drawer H mm	components	
MATSEP002	105/150	1 x FBG18S50CD00103 2 x FBG18S50CD00203 1 x FBG18S50DV00299	



Rug for chest of drawers L=500 mm

ART.	material	
FBG18S50TP00107	Polyester	

WORK-WORK UP

DIVIDING MATERIAL

W= 629 MM 36X27 EH



ART.	Suitable for drawer H mm	No. of transversal dividers	
FBG18S63DV00199	105/150	3	



ART.	Suitable for drawer H mm	No. of transversal dividers	No. of longitudinal dividers	
FBG18S63DV00299	105/150	1	1	



ART.	Suitable for drawer H mm	components	
FBG18S63CD00103	105/150	5 x 100x50 mm Divider box	



ART.	Suitable for drawer H mm	components	
FBG18S63CD00203	105/150	2 x 75x75 mm Divider box 2 x 150x75 mm Divider box 2 x 150x150 mm Divider box	



ART.	Suitable for drawer H mm	components	
MATSEP003	105/150	1 x FBG18S63CD00103 1 x FBG18S63CD00203 1 x FBG18S63DV00299	



ART.	Suitable for drawer H mm	components	
MATSEP004	105/150	1 x FBG18S63CD00103 2 x FBG18S63CD00203 1 x FBG18S63DV00299	



Rug for chest of drawers L=629 mm

ART.	material	
FBG18S63TP00107	Polyester	

Alternative configurations



Tools excluded



ART.	W mm	D mm	H mm	 KG	RAL	
WORK2042	2260	704	2098	1000	7035+7016	

Made up of:

qty.	description	qty.	description
1	Unassembled workbench with 3 mm steel worktop	7	Unipok tool hook - 30-piece pack
2	Cabinet W=629 mm with 1 drawer H=150 mm and 1 door	1	Roll holder kit with roll Ø=240 mm
1	Cabinet W=500 mm with 1 drawer H=150 mm and 1 door	2	Angled 2-space spray-can holder
2	Perforated side panel	1	Large reversible shelf
1	Bin with 30 l capacity	1	Support for 4-socket power strip
1	Kit with 3 dual-slotted uprights	1	Schuko 4-socket power strip
1	Kit with 3 inclined supports with 2 tracks	1	Wieland Schuko/FR connection cable
2	Kit with 3 perforated panels/shelves with 2 box-stop edges	2	Bar mount with 4 Picking Box containers size 1
1	Double lamp		

Alternative configurations



Tools excluded



ART.	W mm	D mm	H mm	 KG	RAL	
WORK1540	2052	750	1977/2352	1000	7035+7016	

Made up of:

qty.	description
1	Unassembled adjustable workbench with 30 mm multiplex worktop
1	Cabinet W=629 mm with 1 door and 1 adjustable shelf
1	Bottom panel for cabinet W=629 mm
1	Cabinet W=629 mm with 3 drawers H=150 mm
2	Perforated side panel
1	Bin with 30 l capacity
1	Large reversible shelf
2	Angled 2-space spray-can holder
1	Kit with 2 dual-slotted uprights for workbenches
1	Kit with 2 inclined supports with track

qty.	description
1	Kit with 3 perforated panels/shelves with 2 box-stop edges
1	Double lamp
1	Single lamp
1	Roll holder kit with Ø 130 mm roll
1	Support for 4-socket power strip
1	Schuko 4-socket power strip
1	Wieland Schuko/FR connection cable
4	Unipok tool hook - 30-piece pack
2	Bar mount with 4 Picking Box containers size 1



RAL 7035 + RAL 7016 LOAD CAPACITY

DYNAMIC


WORKBENCHES




- | | |
|--|--------------------------|
| 1. End cap | 7. Laminate worktop |
| 2. USB data port | 8. Corner element |
| 3. Frame | 9. Support |
| 4. Differential magnetic-thermal circuit breaker | 10. Cabinet with drawers |
| 5. Power strips | 11. Keypad |
| 6. USB charger | |




Workbench load-bearing capacity 400 kg



Laminate worktop



Keypad with 3 memories



Electronically adjustable height

DYNAMIC



ART.	W mm	D mm	H mm		RAL	
DYNAMIC1504	1497	780	740/1140	400	7035+7016	

Made up of:

qty.	description
1	Electrically adjustable unassembled workbench
1	Cabinet W=560 mm with 3 drawers 1x75 2x100
1	Additional power strip frame with end caps and corner elements
1	Pair of supports for cabinet
2	Schuko 2-socket power strip

qty.	description
1	Schuko 4-socket power strip
1	Differential magnetic-thermal circuit breaker
1	Wieland connection cable with in/out plugs
1	Wieland Schuko/FR connection cable
1	USB data port
1	USB charging port



RAL 7035 + RAL 7016 LOAD CAPACITY



ART.	W mm	D mm	H mm	 KG	RAL	
DYNAMIC1501	1497	780	1983/2383	400	7035+7016	

Made up of:

qty.	description	qty.	description
1	Electrically adjustable unassembled workbench	2	Single lamp
1	Cabinet W=560 mm with 3 drawers 1x75 2x100	1	Supplementary track with fittings
2	Perforated panel/shelf with box-stop edge	1	USB charging port
1	Kit with 2 dual-slotted uprights for workbenches	1	USB data port
1	Kit with 2 inclined supports with track	1	Wieland Schuko/FR connection cable
1	Electric perforated panel	1	Differential magnetic-thermal circuit breaker
1	Double lamp	1	Schuko 4-socket power strip
1	Pair of supports for cabinet	2	Schuko 2-socket power strip
1	Additional power strip frame with end caps and corner elements	36	Picking Box polypropylene container size 2

DYNAMIC



ART.	W mm	D mm	H mm	KG	RAL	
DYNAMIC1503	1497	780	1983/2383	400	7035+7016	

Made up of:

qty.	description
1	Electrically adjustable unassembled workbench
1	Cabinet W=500 mm with 1 drawer H=150 mm
1	Supplementary track with fittings
1	Perforated panel/shelf
2	Perforated panel/shelf with box-stop edge
1	Kit with 2 dual-slotted uprights for workbenches
1	Kit with 2 inclined supports with track
1	Reversible tray shelf
1	Unipok tool hook - 30-piece pack
1	Cover for cabinet W=500 mm
2	Schuko 2-socket power strip
1	Schuko 4-socket power strip
1	Differential magnetic-thermal circuit breaker
1	Wieland Schuko/FR connection cable
1	USB data port
1	USB charging port
1	Electric perforated panel
1	Double lamp
3	Single lamp
1	Additional power strip frame with end caps and corner elements
1	Pair of supports for cabinet
36	Picking Box polypropylene container size 2



ART.	W mm	D mm	H mm	KG	RAL	
DYNAMIC1502	1497	780	1983/2383	400	7035+7016	

Made up of:

qty.	description
1	Electrically adjustable unassembled workbench
2	Wall unit with door
1	Supplementary track with fittings
2	Perforated panel/shelf with box-stop edge
1	Kit with 2 dual-slotted uprights for workbenches
1	Kit with 2 inclined supports with track
1	Electric perforated panel
1	Schuko 4-socket power strip
1	Differential magnetic-thermal circuit breaker
1	Wieland Schuko/FR connection cable
1	USB data port
1	USB charging port
1	Reversible tray shelf
1	Double lamp
1	Single lamp
1	Additional power strip frame with end caps and corner elements
2	Schuko 2-socket power strip
18	Picking Box polypropylene container size 2



RAL 7035 + RAL 7016 LOAD CAPACITY

DYNAMIC

COMPONENTS

 400 kg

 height-adjustable

 Supplied unassembled





Base workbench with reversible crosspiece

ART.	W mm	D mm	H mm	RAL	
FLE0970E0PD	985	700	740/1140	7035+7016	
FLE1470E0PD	1470	700	740/1140	7035+7016	

1. Reversible crosspiece



The workbench is equipped with legs with electronic height adjustment. The height can vary from minimum 740 mm to maximum 1140 mm.



The numerical keypad allows for controlling the workbench adjustment mechanism. It addition to modifying the worktop's height, it also has 3 positioning memories for rapidly modifying the height of the workbench to the user's requirements.

front view of the crosspiece




rear view of the crosspiece



The workbench's crosspiece has incisions for fitting the power sockets and the Iron Team Electric residual current devices. The number of incisions varies in relation to the chosen size. The various components can be installed both on the rear and on the front side of the crosspiece. The Iron Team Electric devices are not included with the crosspiece.

Crosspiece sockets diagram

1000



1500



1

2

3

5

1

1

2

3

4

5

1

1

2

3

4

5

hole for cables

magnetic-thermal circuit breaker

2-socket power strip

4-socket power strip

control unit

48

www.famispa.com

Valid from 27/04/2023 to 31/03/2024

DYNAMIC COMPONENTS



1. Reversible crosspiece
2. Frame
3. Corner elements
4. End caps

Additional power strip frame with end caps and corner elements

ART.	W mm	D mm	H mm	RAL	
FBL46600008	1014	130	208	7035	
FBL46650008	1499	130	208	7035	



top view of the frame





bottom view of the frame

To assemble the Work Look upright, it is necessary to install the additional frame.



The reversible frame for the workbench has incisions for fitting the power sockets and the Iron Team Electric residual current devices. The number of incisions varies in relation to the chosen size. The various components can be installed both on the top and on the bottom side of the reversible frame. The Iron Team Electric devices are not included with the additional frame.

frame sockets diagram



- 1 USB data
- 2 magnetic-thermal circuit breaker
- 3 2-socket power strip
- 4 4-socket power strip
- 5 USB charging port



Cabinet with 3 drawers



ART.	W mm	D mm	H mm	drawers					RAL	
				no.	h 75 mm	h 100 mm				
MBR05SC010203PD	560	610	369	3	1	2	100-75-50	92-96-100%	7035+7016	

Cabinet with 1 drawer



ART.	W mm	D mm	H mm	drawers				RAL	
				no.			h mm		
FBG03S50C0001PD	500	630	210	1	80	86%	150	7035+7016	



Cover for cabinet W=500 mm
For cabinet with 1 drawer

ART.	W mm	D mm	H mm	RAL	
FBL66900008	496	601	2	7035	



Pair of supports for cabinet

ART.	W mm	D mm	H mm	RAL	
FBL46010008	2	648	181	7035	

IRON

TEAM

Electric



FBLET012007



FBLET004007



FBLET005007



FBLET016007



FBLET013007



FBLET020007



FBLET019007

see page 96

DYNAMIC COMPONENTS



The Dynamic workbench with electronically adjustable height can be used to create a dynamic and ergonomic industrial workstation suited to applications in a variety of sectors. To maximise the user's comfort, Dynamic offers several solutions: cabinets with drawers, additional frames or crossbeams for electrical components, Work Look perforated panels. The legs with adjustable height are controlled through a practical numerical keypad. The height of the workbench can be varied to the millimetre between minimum 740 mm to maximum 1140 mm. The keypad can memorise three different heights to rapidly and easily adjust the worktop with a few steps.



1. 2-layer ESD mat
2. ESD schuko plug
3. Adjustable strap with button and cable
4. Cable with button

2-layer ESD mat

ART.	W mm	D mm	H mm	
FAXTAPPIER120XB	900	600	2	

Adjustable strap with button and cable

ART.	Cable length (m)	
FAXITE780419304	2,5	

ESD schuko plug

ART.	W mm	D mm	H mm	
FAXSCHUKOESD005	52	52	72	

Cable with button

ART.	W mm	
FAXITE7804885XB	2500	



RAL 7035



RAL 7035 + RAL 7016





EXTRACTION




LOAD CAPACITY

WORK LOOK


TOOL WALLS




Wall-mounted




**10x10 square
holes**



**Suitable for
wood and steel
worktops**



Modular



38 mm pitch

WORK LOOK



ART.	W mm	D mm	H mm	 KG	RAL	
MASTERBR1507	1706	750	1985/2360	1000	7035+7016	

Made up of:

qty.	description
1	Unassembled workbench with 40 mm multiplex worktop
1	Cabinet W=560 mm with 5 drawers 1x75 3x100 1x200
2	Top/bottom shelf W=560 mm
1	Left full door H=600 mm with Dark Grey handle
1	Internal shelf W=558 mm
1	Support for intermediate half-shelf
2	Perforated side panel
1	LED strip
1	Pair of brackets for fastening wall unit to dual-slotted uprights
1	Wall unit with vasistas flip up opening without lock
1	Double lamp
1	Kit with 2 perforated panels/shelves with 1 box-stop edge
1	Kit with 2 inclined supports with track

qty.	description
1	Kit with 2 dual-slotted uprights for workbenches
1	Bin with 30 l capacity
1	Large reversible shelf
1	Bar mount with 4 Picking Box containers size 1
3	Unipok tool hook - 30-piece pack
2	Angled 2-space spray-can holder
1	Roll holder kit with Ø 130 mm roll
1	A4 document-holder pocket
1	Wieland Schuko/FR connection cable
1	Schuko 4-socket power strip
1	Schuko 2-socket power strip
1	Support for 4-socket power strip
1	Support for 2-socket power strip
1	Kit with 2 Picking Box containers size 3A2



LOAD CAPACITY RAL 7035+RAL 7016

WORK LOOK



Change the appearance of your workbench and make it suitable for various uses with Work Look!

Depending on how you install it, you can use it as:

a perforated panel, a horizontal shelf, an inclined shelf with box-stop edge.



ART.	W mm	D mm	H mm	 uprights	RAL	
WORKLOOK1001	1015	80	639	50	7035+7016	
WORKLOOK1002	1015	80	639	50	5012	

Made up of:

qty.	description
1	Kit with 2 dual-slotted uprights for workbenches
1	Kit with 2 perforated panels/shelves with 1 box-stop edge



ART.	W mm	D mm	H mm	 uprights	RAL	
WORKLOOK1003	1015	80	943	50	7035+7016	
WORKLOOK1004	1015	80	943	50	5012	

Made up of:

qty.	description
1	Kit with 2 dual-slotted uprights for workbenches
1	Kit with 3 perforated panels/shelves with 2 box-stop edges



ART.	W mm	D mm	H mm	 uprights	RAL	
WORKLOOK1501	1500	80	639	50	7035+7016	
WORKLOOK1502	1500	80	639	50	5012	

Made up of:

qty.	description
1	Kit with 2 dual-slotted uprights for workbenches
1	Kit with 2 perforated panels/shelves with 1 box-stop edge



ART.	W mm	D mm	H mm	 uprights	RAL	
WORKLOOK1503	1500	80	943	50	7035+7016	
WORKLOOK1504	1500	80	943	50	5012	

Made up of:

qty.	description
1	Kit with 2 dual-slotted uprights for workbenches
1	Kit with 3 perforated panels/shelves with 2 box-stop edges

WORK LOOK



ART.	W mm	D mm	H mm	 uprights	RAL	
WORKLOOK2001	2000	80	639	50	7035+7016	
WORKLOOK2002	2000	80	639	50	5012	

Made up of:

qty.	description
1	Kit with 3 dual-slotted uprights
2	Kit with 2 perforated panels/shelves with 1 box-stop edge



ART.	W mm	D mm	H mm	 uprights	RAL	
WORKLOOK2003	2000	80	943	50	7035+7016	
WORKLOOK2004	2000	80	943	50	5012	

Made up of:

qty.	description
1	Kit with 3 dual-slotted uprights
2	Kit with 3 perforated panels/shelves with 2 box-stop edges



ART.	W mm	D mm	H mm	 uprights	RAL	
WORKLOOK3001	2970	80	639	50	7035+7016	
WORKLOOK3002	2970	80	639	50	5012	

Made up of:

qty.	description
1	Kit with 3 dual-slotted uprights
2	Kit with 2 perforated panels/shelves with 1 box-stop edge



ART.	W mm	D mm	H mm	 uprights	RAL	
WORKLOOK3003	2970	80	943	50	7035+7016	
WORKLOOK3004	2970	80	943	50	5012	

Made up of:

qty.	description
1	Kit with 3 dual-slotted uprights
2	Kit with 3 perforated panels/shelves with 2 box-stop edges

Configuration examples



LOAD CAPACITY RAL 7035 + RAL 7016 RAL 5012

WORK LOOK



ART.	W mm	D mm	H mm	 uprights	RAL	
WORKLOOK1005	1015	373	1063	50	7035+7016	
WORKLOOK1006	1015	373	1063	50	5012	

Made up of:

qty.	description
1	Kit with 2 dual-slotted uprights for workbenches
1	Kit with 2 perforated panels/shelves with 1 box-stop edge
1	Wall unit with vasistas flip up opening without lock
1	Pair of brackets for fastening wall unit to dual-slotted uprights



ART.	W mm	D mm	H mm	 uprights	RAL	
WORKLOOK1007	1015	373	1063	50	7035+7016	
WORKLOOK1008	1015	373	1063	50	5012	

Made up of:

qty.	description
1	Kit with 2 dual-slotted uprights for workbenches
1	Perforated panel/shelf with box-stop edge
1	Electric perforated panel
1	Wall unit with vasistas flip up opening without lock
1	Pair of brackets for fastening wall unit to dual-slotted uprights
1	Schuko 4-socket power strip
1	Wieland Schuko/FR connection cable



ART.	W mm	D mm	H mm	 uprights	RAL	
WORKLOOK1505	1500	373	1063	50	7035+7016	
WORKLOOK1506	1500	373	1063	50	5012	

Made up of:

qty.	description
1	Kit with 2 dual-slotted uprights for workbenches
1	Kit with 2 perforated panels/shelves with 1 box-stop edge
1	Wall unit with vasistas flip up opening without lock
1	Pair of brackets for fastening wall unit to dual-slotted uprights



ART.	W mm	D mm	H mm	 uprights	RAL	
WORKLOOK1507	1500	373	1063	50	7035+7016	
WORKLOOK1508	1500	373	1063	50	5012	

Made up of:

qty.	description
1	Kit with 2 dual-slotted uprights for workbenches
1	Perforated panel/shelf with box-stop edge
1	Electric perforated panel
1	Wall unit with vasistas flip up opening without lock
1	Pair of brackets for fastening wall unit to dual-slotted uprights
1	Schuko 4-socket power strip
1	Wieland Schuko/FR connection cable



WORK LOOK



ART.	W mm	D mm	H mm	 uprights	RAL	
WORKLOOK2005	2000	373	1063	50	7035+7016	
WORKLOOK2006	2000	373	1063	50	5012	

Made up of:

qty.	description
1	Kit with 3 dual-slotted uprights
2	Kit with 2 perforated panels/shelves with 1 box-stop edge
2	Wall unit with vasistas flip up opening without lock
2	Pair of brackets for fastening wall unit to dual-slotted uprights

ART.	W mm	D mm	H mm	 uprights	RAL	
WORKLOOK2007	2000	373	1063	50	7035+7016	
WORKLOOK2008	2000	373	1063	50	5012	

Made up of:

qty.	description
1	Kit with 3 dual-slotted uprights
2	Perforated panel/shelf with box-stop edge
2	Electric perforated panel
2	Wall unit with vasistas flip up opening without lock
2	Pair of brackets for fastening wall unit to dual-slotted uprights
2	Schuko 4-socket power strip
1	Wieland connection cable with in/out plugs
1	Wieland Schuko/FR connection cable



ART.	W mm	D mm	H mm	 uprights	RAL	
WORKLOOK3005	2970	373	1063	50	7035+7016	
WORKLOOK3006	2970	373	1063	50	5012	

Made up of:

qty.	description
1	Kit with 3 dual-slotted uprights
2	Kit with 2 perforated panels/shelves with 1 box-stop edge
2	Wall unit with vasistas flip up opening without lock
2	Pair of brackets for fastening wall unit to dual-slotted uprights

ART.	W mm	D mm	H mm	 uprights	RAL	
WORKLOOK3007	2970	373	1063	50	7035+7016	
WORKLOOK3008	2970	373	1063	50	5012	

Made up of:

qty.	description
1	Kit with 3 dual-slotted uprights
2	Perforated panel/shelf with box-stop edge
2	Electric perforated panel
2	Wall unit with vasistas flip up opening without lock
2	Pair of brackets for fastening wall unit to dual-slotted uprights
2	Schuko 4-socket power strip
1	Wieland connection cable with in/out plugs
1	Wieland Schuko/FR connection cable



Configuration examples



LOAD CAPACITY RAL 7035 + RAL 7016

RAL 5012

WORK LOOK

Uprights



Kit with 2 dual-slotted uprights for workbenches

ART.	W mm	D mm	H mm	 KG	suitable for workbench W mm	RAL	
FBL75301604	30	80	639	50	1000-1500	5012	
FBL75301639	30	80	639	50	1000-1500	7016	
FBL75351604	30	80	943	50	1000-1500	5012	
FBL75351639	30	80	943	50	1000-1500	7016	

Kit with 3 dual-slotted uprights

ART.	W mm	D mm	H mm	 KG	suitable for workbench W mm	RAL	
FBL75302104	30	80	639	50	2000-3000	5012	
FBL75302139	30	80	639	50	2000-3000	7016	
FBL75352104	30	80	943	50	2000-3000	5012	
FBL75352139	30	80	943	50	2000-3000	7016	

WORK LOOK

Inclined supports with base track



Kit with 2 inclined supports with track

ART.	W mm	D mm	H mm	RAL	
FBL98102039	1015	686	307	7016	
FBL98102004	1015	686	307	5012	



Kit with 2 inclined supports with track

ART.	W mm	D mm	H mm	RAL	
FBL98152039	1500	686	307	7016	
FBL98152004	1500	686	307	5012	



Kit with 3 inclined supports with 2 tracks

ART.	W mm	D mm	H mm	RAL	
FBL98202039	2000	686	307	7016	
FBL98202004	2000	686	307	5012	



Kit with 3 inclined supports with 2 tracks

ART.	W mm	D mm	H mm	RAL	
FBL98302039	2970	686	307	7016	
FBL98302004	2970	686	307	5012	



Supplementary track with fittings

ART.	W mm	D mm	H mm	material	
FBL98101000	1015	60	67	Aluminium	
FBL98151000	1500	60	67	Aluminium	



Compressed air set with flow balancing device and filter

ART.	
FBL97200300	

Complete with:

- 1 Ø 10 mm flexible cable
- 1 T connector (1/4") with cap (B)
- 2 slide fittings
- 1 carabiner
- 1 balancing device with 1600 mm-long steel cable with a 1/2 kg load-bearing capacity
- 1 universal fitting (1/4") for tools (A)
- 1 spiralled pipe with 5,5 mm internal diameter
- 1 pipe with 5,5 mm internal diameter for purging the filter
- 1 regulator filter unit with pressure gauge – which can be used with a maximum pressure of 10 bar, its flow rate is roughly 9 litres per second (on point A) and 11 litres per second (on point B) with a 6.3 bar operating pressure (the flow rate can vary in relation to the technical features of the compressed air line to which the Fami plant is connected)
- 1/4" couplings



LOAD CAPACITY



RAL 7016



RAL 5012

WORK LOOK

Perforated panels/shelf 953 mm



Perforated panel/shelf

ART.	W mm	D mm	H mm	Hole dim. mm	Pitch mm	RAL	
FBL76160008	953	31	304	10x10	38	7035	
FBL76160004	953	31	304	10x10	38	5012	



Kit with 2 perforated panels/shelves with 1 box-stop edge

ART.	W mm	D mm	H mm	Hole dim. mm	Pitch mm	RAL	
FBL76160208	953	60	304	10x10	38	7035	
FBL76160204	953	60	304	10x10	38	5012	



Kit with 3 perforated panels/shelves with 2 box-stop edges

ART.	W mm	D mm	H mm	Hole dim. mm	Pitch mm	RAL	
FBL76160308	953	60	304	10x10	38	7035	
FBL76160304	953	60	304	10x10	38	5012	



Perforated panel/shelf with box-stop edge

ART.	W mm	D mm	H mm	Hole dim. mm	Pitch mm	RAL	
FBL76170108	953	60	456	10x10	38	7035	
FBL76170104	953	60	456	10x10	38	5012	



Electric perforated panel

ART.	W mm	D mm	H mm	Hole dim. mm	Pitch mm	RAL	
FBL76180008	953	31	152	10x10	38	7035	
FBL76180004	953	31	152	10x10	38	5012	



1. USB data port
2. Differential magnetic-thermal circuit breaker
3. 4-socket power strip
4. 2-socket power strip
5. USB charger

WORK LOOK

Perforated panels/shelf 1438 mm



Perforated panel/shelf

ART.	W mm	D mm	H mm	Hole dim. mm	Pitch mm	RAL	
FBL76310008	1438	31	304	10x10	38	7035	
FBL76310004	1438	31	304	10x10	38	5012	



Kit with 2 perforated panels/shelves with 1 box-stop edge

ART.	W mm	D mm	H mm	Hole dim. mm	Pitch mm	RAL	
FBL76310208	1438	60	304	10x10	38	7035	
FBL76310204	1438	60	304	10x10	38	5012	



Kit with 3 perforated panels/shelves with 2 box-stop edges

ART.	W mm	D mm	H mm	Hole dim. mm	Pitch mm	RAL	
FBL76310308	1438	60	304	10x10	38	7035	
FBL76310304	1438	60	304	10x10	38	5012	



Perforated panel/shelf with box-stop edge

ART.	W mm	D mm	H mm	Hole dim. mm	Pitch mm	RAL	
FBL76320108	1438	60	456	10x10	38	7035	
FBL76320104	1438	60	456	10x10	38	5012	



Electric perforated panel

ART.	W mm	D mm	H mm	Hole dim. mm	Pitch mm	RAL	
FBL76330008	1438	31	152	10x10	38	7035	
FBL76330004	1438	31	152	10x10	38	5012	



Pair of supports for perforated panel/shelf

ART.	W mm	D mm	H mm	RAL	
FVT01010039	12	237	99	7016	



WORK LOOK



ART.	RAL	
WORKLOOK9001	7035	



Made up of:

qty.	description
2	Perforated panel/shelf with box-stop edge
3	Perforated panel/shelf
5	Kit with panel wall-mounting brackets
1	Reversible tray shelf
1	Reversible sanitiser-bottle holder
1	Roll holder kit with roll Ø=240 mm
1	Glove dispenser
1	A4 document-holder pocket
2	Large reversible shelf

qty.	description
1	Bin with 30 l capacity
5	Unipok tool hook - 30-piece pack
1	Schuko 2-socket power strip
1	Schuko 4-socket power strip
1	Differential magnetic-thermal circuit breaker
1	Wieland Schuko/FR connection cable
1	Support for 2-socket power strip
1	Support for 4-socket power strip
1	Support for residual current device
2	Double lamp

Kit with panel wall-mounting brackets

ART.	Finish	
FBL76000099	Galvanised	



WORK LOOK



Perforated panels, see p. 60
 Wall fixing of perforated panels, see p. 62
 Unipok hooks, see p. 85
 The Block hooks, see p. 86
 Iron Team accessories, see p. 90


 RAL 7035


 RAL 5012

WORK LOOK

Shutters



Cabinet with shutter

ART.	W mm	D mm	H mm	RAL	
FBL8050C00008	943	220	912	7035	
FBL8050C00004	943	220	912	5012	
FBL8054C00008	1428	220	912	7035	
FBL8054C00004	1428	220	912	5012	
FBL8056C00008	1928	220	912	7035	
FBL8056C00004	1928	220	912	5012	



Pair of brackets for fixing cabinet with shutter on uprights

ART.	W mm	D mm	H mm	RAL	
FBL8060000008	33	21	904	7035	
FBL8060000004	33	21	904	5012	

 To be used for fixing the cabinet with shutter on the double-slotted uprights



LED strip

Without on/off button

ART.	W mm	Colour temperature K	Watt	Hz	Lumen	
FBL99400213	873	4000	15	50/60	1500	
FBL99450213	1173	4000	20	50/60	2000	

WORK LOOK

Wall units



Wall unit with vasistas flip up opening without lock

ART.	W mm	D mm	H mm		RAL	
FBL8005X000PD	943	350	456	50	7035+7016	
FBL8005X00004	943	350	456	50	5012	
FBL8010X000PD	1428	350	456	50	7035+7016	
FBL8010X00004	1428	350	456	50	5012	

Lockset for wall unit

ART.	
FBL8020C00000	

Pair of brackets for fastening wall unit to dual-slotted uprights

ART.	W mm	D mm	H mm	RAL	
FBL8025000008	33	21	455	7035	
FBL8025000004	33	21	455	5012	

 To be used for fastening the wall unit to the dual-slotted uprights

LED strip

Without on/off button

ART.	W mm	Colour temperature K	Watt	Hz	Lumen	
FBL99350213	573	4000	10	50/60	1000	
FBL99400213	873	4000	15	50/60	1500	
FBL99450213	1173	4000	20	50/60	2000	



LOAD CAPACITY



RAL 7035 + RAL 7016



RAL 5012



RAL 7035

COMPONENTS



COMPONENTS



Table with folding legs

ART.	Overall dimensions when open			Overall dimensions when closed			Worktop material	 KG	RAL	
	W mm	D mm	H mm	W mm	D mm	H mm				
F22WWTABLE00039	1184	590	896	1100	590	60	Multiplex	400	7016	



Kit with 3 hooks for fastening the table vertically

ART.	W mm	D mm	H mm	 KG	RAL	
F22WWTABLEFIS39	152	81	92	25	7016	

COMPONENTS

Work chairs



Adjustable chair with pneumatic cylinder equipped with wheels

ART.	W mm	D mm	material	Seat H mm	No. of wheels	
FAX1100RG000000	630	630	Beech	510/690	5	



Adjustable chair with pneumatic cylinder equipped with feet

ART.	W mm	D mm	material	Seat H mm	No. of feet	colour	
FAX120000000007	630	630	Polyurethane	580/840	5	Black	



Adjustable chair with pneumatic cylinder equipped with wheels

ART.	W mm	D mm	material	Seat H mm	No. of wheels	colour	
FAX125000000007	630	630	Polyurethane	540/730	5	Black	

COMPONENTS

Work chairs



Adjustable chair with pneumatic cylinder equipped with wheels

ART.	W mm	D mm	material	Seat H mm	No. of wheels	colour	
FAXCATY50000007	630	630	Polyurethane	435/565	5	Black	



Adjustable chair with pneumatic cylinder equipped with wheels

ART.	W mm	D mm	material	Seat H mm	No. of wheels	colour	
FAXCATY80000007	630	630	Polyurethane	525/710	5	Black	



Adjustable antistatic chair with gas pump with wheels


ART.	W mm	D mm	material	Seat H mm	No. of wheels	colour	
FAXGREF21200001	640	640	Antistatic fabric	470/600	5	Dark grey	

ERGO WORK


SWIVEL ARMS



Configurable




**Mounting on
uprights**



**Mounting on
worktop**



**Load-bearing
capacity 20 kg**



**Rotation angle
240–260°**

ERGO WORK



ART.	W mm	D mm	H mm		RAL	
DYNAMIC1506	1497/3139	780	1983/2383	400	7035+7016	

Made up of:

qty.	description
1	Electrically adjustable unassembled workbench
1	Cabinet W=500 mm with 1 drawer H=150 mm
1	Cover for cabinet W=500 mm
1	Pair of supports for cabinet
1	Additional power strip frame with end caps and corner elements
1	Kit with 2 dual-slotted uprights for workbenches
1	Kit with 2 inclined supports with track
1	Double lamp
1	Supplementary track with fittings
1	Compressed air set with flow balancing device and filter
2	Perforated panel/shelf with box-stop edge
3	Single lamp
1	Perforated panel/shelf
1	Electric perforated panel
2	Unipok tool hook - 30-piece pack
1	Differential magnetic-thermal circuit breaker

qty.	description
1	Schuko 4-socket power strip
2	Schuko 2-socket power strip
1	USB charging port
1	USB data port
1	Wieland Schuko/FR connection cable
1	Glove dispenser
1	Reversible sanitiser-bottle holder
36	Picking Box polypropylene container size 2
4	Swivel arm for upright
1	Joint for plate
3	Monitor support plate with VESA standard
1	Panel for Picking Box
3	Bar mount with 4 Picking Box containers size 1
1	Panel for Visual Box
2	Visual Box cabinet with 6 drawers H=112 mm
1	Visual Box cabinet with 5 drawers H=164 mm
1	Inclined tray



LOAD CAPACITY RAL 7035 + RAL 7016



Swivel arm with Picking Box

ART.	W mm	D mm	H mm	RAL	
ERGOWORK002	760/515	470/283	356	7016	

Made up of:

qty.	description
1	Swivel arm for upright
1	Monitor support plate with VESA standard
1	Panel for Picking Box
3	Bar mount with 4 Picking Box containers size 1



Swivel arm with Picking Box

ART.	W mm	D mm	H mm	RAL	
ERGOWORK003	826/515	470/348	356	7016	

Made up of:

qty.	description
1	Swivel arm for upright
1	Monitor support plate with VESA standard
1	Panel for Picking Box
1	Bar mount with 3 Picking Box containers size 2
1	Bar mount with 4 Picking Box containers size 1



Swivel arm with Visual Box

ART.	W mm	D mm	H mm	RAL	
ERGOWORK004	738/612	601/294	390	7016	

Made up of:

qty.	description
1	Swivel arm for upright
1	Monitor support plate with VESA standard
1	Panel for Visual Box
1	Visual Box cabinet with 5 drawers H=164 mm
2	Visual Box cabinet with 6 drawers H=112 mm



Monitor support plate with brackets

ART.	W mm	D mm	H mm	RAL	
ERGOWORK014	225/129	119/225	225	7016	

Made up of:

qty.	description
1	Pair of L-shaped brackets
1	Joint for plate
1	Monitor support plate with VESA standard

ERGO WORK



Perforated panel with hinges

ART.	W mm	D mm	H mm	RAL	
ERGOWORK007	647	50	479	7035	

Made up of:

qty.	description
1	Perforated panel/shelf with box-stop edge
1	Hinge kit for perforated panel



Swivel arm with inclined tray

ART.	W mm	D mm	H mm	RAL	
ERGOWORK005	674/522	425/470	194	7016	

Made up of:

qty.	description
1	Swivel arm for upright
1	Inclined tray



Swivel arm with monitor support plate

ART.	W mm	D mm	H mm	RAL	
ERGOWORK001	652/330	225/225	225	7016	

Made up of:

qty.	description
1	Swivel arm for upright
1	Joint for plate
1	Monitor support plate with VESA standard



RAL 7035



RAL 7016



ART.	W mm	D mm	H mm	 without wheels	 wheel set	RAL	
CLEVER1031	1036	672	1428	300	300	7035	

Made up of:

qty.	description	qty.	description
1	Unassembled trolley without wheels	1	Profile with base for worktop
1	Wooden worktop with supports	1	Pair of L-shaped brackets
2	Perforated side panel	1	Joint for plate
1	Perforated rear panel	1	Monitor support plate with VESA standard
1	Pair of hinged doors	1	Non-marking synthetic rubber wheels kit Ø 125 mm




Swivel arm with inclined tray

ART.	W mm	D mm	H mm	RAL	
ERGOWORK013	745/521	425/480	552	7016	

Made up of:

qty.	description
1	Profile with base for worktop
1	Swivel arm for profile
1	Inclined tray



Swivel arm with monitor support plate

ART.	W mm	D mm	H mm	RAL	
ERGOWORK009	724/402	225/192	550	7016	

Made up of:

qty.	description
1	Profile with base for worktop
1	Swivel arm for profile
1	Joint for plate
1	Monitor support plate with VESA standard



Profile with monitor support plate

ART.	W mm	D mm	H mm	RAL	
ERGOWORK008	225/199	151/225	560	7016	

Made up of:

qty.	description
1	Profile with base for worktop
1	Pair of L-shaped brackets
1	Joint for plate
1	Monitor support plate with VESA standard



LOAD CAPACITY



RAL 7016



RAL 7035



Swivel arm with Picking Box

ART.	W mm	D mm	H mm	RAL	
ERGOWORK010	832/515	470/300	628	7016	

Made up of:

qty.	description
1	Profile with base for worktop
1	Swivel arm for profile
1	Monitor support plate with VESA standard
1	Panel for Picking Box
3	Bar mount with 4 Picking Box containers size 1



Swivel arm with Picking Box

ART.	W mm	D mm	H mm	RAL	
ERGOWORK011	898/515	470/365	628	7016	

Made up of:

qty.	description
1	Profile with base for worktop
1	Swivel arm for profile
1	Monitor support plate with VESA standard
1	Panel for Picking Box
1	Bar mount with 3 Picking Box containers size 2
1	Bar mount with 4 Picking Box containers size 1



Swivel arm with Visual Box

ART.	W mm	D mm	H mm	RAL	
ERGOWORK012	808/601	601/275	668	7016	

Made up of:

qty.	description
1	Profile with base for worktop
1	Swivel arm for profile
1	Monitor support plate with VESA standard
1	Panel for Visual Box
1	Visual Box cabinet with 5 drawers H=164 mm
2	Visual Box cabinet with 6 drawers H=112 mm



ART.	W mm	D mm	H mm		RAL	
MASTERBR2008	3347	750	1985/2360	1000	7035+7016	

Made up of:

qty.	description
1	Unassembled workbench with 40 mm multiplex worktop
1	Cover for multiplex worktop
1	Cabinet W=560 mm with 4 drawers 1x75 2x150 1x200
1	Cabinet W=560 mm configured for door with 1 adjustable shelf
1	Left full door H=600 mm with Dark Grey handle
2	Additional half-shelf W=560 mm
1	Kit with 2 dual-slotted uprights for workbenches
1	Kit with 2 inclined supports with track
1	Supplementary track with fittings
1	Double lamp
1	Kit with 3 perforated panels/shelves with 2 box-stop edges
1	Electric perforated panel
2	Schuko 2-socket power strip
1	Schuko 4-socket power strip

qty.	description
1	Differential magnetic-thermal circuit breaker
1	Wieland Schuko/FR connection cable
1	Reversible sanitiser-bottle holder
1	Glove dispenser
1	Roll holder kit with roll Ø=240 mm
4	Kit with 2 Picking Box containers size 3A2
2	Perforated panel/shelf with box-stop edge
2	Hinge kit for perforated panel
4	Bar mount with 4 Picking Box containers size 1
4	Bar mount with 3 Picking Box containers size 2
2	Profile with base for worktop
2	Swivel arm for profile
1	Inclined tray
1	Joint for plate
1	Monitor support plate with VESA standard



LOAD CAPACITY



RAL 7035 + RAL 7016



RAL 7016



1. Monitor support plate with VESA standard
2. Joint for plate
3. Swivel arm for profile
4. Profile with base for worktop



1. Monitor support plate with VESA standard
2. Panel for Visual Box
3. Visual Box cabinet with 6 drawers H=112 mm
4. Swivel arm for upright


Swivel arm for upright

ART.	W mm	D mm	H mm	Rotation angle °	material	 KG	RAL	
FBL74100039	580/330	72/97	158	240	Aluminium	20	7016	


Swivel arm for profile

To be used on profile with base for worktop

ART.	W mm	D mm	H mm	Rotation angle °	material	 KG	RAL	
FBL74180039	621/371	57/90	158	260	Aluminium	20	7016	


Profile with base for worktop

ART.	W mm	D mm	H mm	suitable for	material	 KG	RAL	
FBL74160039	100	100	504	Multiplex worktop-MDF worktop with rubber coating	Aluminium	20	7016	


Panel for Visual Box

To be used with monitor support plate

ART.	W mm	D mm	H mm	Hole dim. mm	Pitch mm	 KG	RAL	
FBL74150039	601	31	313	10x10	38	20	7016	

See Visual Box page 322



Monitor support plate with VESA standard
Can be oriented on one axis

ART.	W mm	D mm	H mm	RAL	
FBL74120039	225	50	225	7016	



Joint for plate
To be used with a monitor support plate to be oriented on two axes

ART.	W mm	D mm	H mm	RAL	
FBL74110039	91	67	51	7016	



Pair of L-shaped brackets
To be used with monitor support plate

ART.	W mm	D mm	H mm	RAL	
FBL74170039	38	36	32	7016	



Inclined tray

ART.	W mm	D mm	H mm	RAL	
FBL74130039	425	308	135	7016	



- 1. Inclined tray
- 2. Swivel arm for profile
- 3. Profile with base for worktop



Panel for Picking Box

To be used with monitor support plate

ART.	W mm	D mm	H mm	suitable for	 kg	RAL	
FBL74140039	470	12	356	Picking Box container size 1/2	20	7016	




Bar mount with 4 Picking Box containers size 1

ART.	W mm	D mm	H mm	colour of containers	
FBLIT011000	445	168	85	Dark grey	
FBLIT012000	445	168	85	Black	



Bar mount with 3 Picking Box containers size 2

ART.	W mm	D mm	H mm	colour of containers	
FBLIT013000	447	233	123	Dark grey	
FBLIT014000	447	233	123	Black	



- 1. Bar mount with 4 Picking Box containers size 1
- 2. Panel for Picking Box
- 3. Monitor support plate with VESA standard
- 4. Swivel arm for upright



Perforated panel/shelf

ART.	W mm	D mm	H mm	Hole dim. mm	Pitch mm	RAL	
FBL76070008	647	31	304	10x10	38	7035	
FBL76070004	647	31	304	10x10	38	5012	



Perforated panel/shelf with box-stop edge

ART.	W mm	D mm	H mm	Hole dim. mm	Pitch mm	RAL	
FBL76080108	647	60	456	10x10	38	7035	
FBL76080104	647	60	456	10x10	38	5012	



Hinge kit for perforated panel

ART.	W mm	D mm	H mm	
FBL7600011F	64	54	21	



- 1. Perforated panel/shelf with box-stop edge
- 2. Hinge kit for perforated panel



LOAD CAPACITY



RAL 5012



RAL 7016



RAL 7035



ART.	W mm	D mm	H mm	 KG	RAL	
MASTERBR1509	1706/3016	750	1985/2360	1000	7035+7016	

Made up of:

qty.	description	qty.	description
1	Unassembled workbench with 40 mm multiplex worktop	3	Swivel arm for upright
1	Cabinet W=560 mm with 5 drawers 1x75 3x100 1x200	1	Joint for plate
2	Top/bottom shelf W=560 mm	2	Monitor support plate with VESA standard
1	Left full door H=600 mm with Dark Grey handle	1	Inclined tray
1	Internal shelf W=558 mm	1	Panel for Visual Box
1	Support for intermediate half-shelf	1	Visual Box cabinet with 5 drawers H=164 mm
2	Perforated side panel	2	Visual Box cabinet with 6 drawers H=112 mm
1	Kit with 2 dual-slotted uprights for workbenches	1	Bin with 30 l capacity
1	Kit with 2 perforated panels/shelves with 1 box-stop edge	2	Angled 2-space spray-can holder
1	Kit with 2 inclined supports with track	1	A4 document-holder pocket
1	Double lamp	1	Roll holder kit with Ø 130 mm roll
1	Wall unit with vasistas flip up opening without lock	3	Unipok tool hook - 30-piece pack
1	LED strip	1	Bar mount with 4 Picking Box containers size 1
1	Pair of brackets for fastening wall unit to dual-slotted uprights	1	Bar mount with 3 Picking Box containers size 2





ART.	W mm	D mm	H mm	 KG	RAL	
DYNAMIC1505	1497/1672	780	1983/2383	400	7035+7016	

Made up of:

qty.	description
1	Electrically adjustable unassembled workbench
1	Cabinet W=500 mm with 1 drawer H=150 mm
1	Cover for cabinet W=500 mm
1	Pair of supports for cabinet
1	Additional power strip frame with end caps and corner elements
1	Kit with 2 dual-slotted uprights for workbenches
1	Pair of supports for perforated panel W=1000 mm
1	Kit with 2 inclined supports with track
1	Double lamp
1	Kit with 3 perforated panels/shelves with 2 box-stop edges
1	Electric perforated panel
4	Kit with 2 Picking Box containers size 3A2

qty.	description
1	Differential magnetic-thermal circuit breaker
1	Schuko 4-socket power strip
2	Schuko 2-socket power strip
1	Wieland Schuko/FR connection cable
1	Pair of L-shaped brackets
1	Joint for plate
1	Monitor support plate with VESA standard
2	Perforated panel/shelf with box-stop edge
2	Hinge kit for perforated panel
2	Bar mount with 4 Picking Box containers size 1
4	Bar mount with 3 Picking Box containers size 2
2	Angled 2-space spray-can holder



LOAD CAPACITY RAL 7035+RAL 7016

TOOL ORGANIZER





Unipok tool hook - 30-piece pack
Up to 30 tools can be mounted with 1 pack

ART.	pcs per pack	colour	
FBLIT009007	30	Black	



Unipok is the name of the new **universal hooks** from Fami, which use a screw-in system to allow positioning on perforated boards or wooden panels. Each Unipok hook can be positioned a different angle to mount tools with different shapes and dimensions. Free your imagination and optimise organisation of your wall or workbench-mounted perforated board and wooden board, making sure that everything is always close to hand!

Unipok makes organisation child's play!



Mounting on wood



Mounting on perforated panel



With 4 positions for endless combinations!






Hook with tip

ART.	W mm	D mm	H mm	multiple order qty	
FBLIT030000	36	78	42	10	
FBLIT031000	36	128	42	10	
FBLIT032000	36	178	42	10	



The safety lock stops the hook in a horizontal position and prevents it from moving during tool recovery/storage operations.





Perforated panels, see p. 60
Wall fixing of perforated panels, see p. 62
Unipok hooks, see p. 85
The Block hooks, see p. 86
Iron Team accessories, see p. 90



CREATE THE PERFECT 5S SHADOW TOOL BOX WITH PIKPAD!


With **Pikpad** it is possible to set up a **5S shadow tool box** organised down to the smallest details. The 10x10 square hole bottom of the tray allows for the installation of **Unipok** to create **customised kits** for each job to be performed and, thanks to the practical **tool labels**, it will be possible to identify the type of tool to be housed in each space created.

Pikpad comes complete with a set of 5 sticker sheets:

- 4 sheets with more than 250 tool labels (tool shape + size)
- 1 sheet not pre-cut to make your own stickers



Unipok must be purchased separately



Pikpad 5S shadow tool box tray

ART.	width EH	depth EH	W mm	D mm	H mm	RAL	
FBLIT033039	18	18	284	287	50	7016	
FBLIT034039	27	18	437	287	50	7016	
FBLIT035039	36	18	590	287	50	7016	

Unipok and tools not included



Table stand for Pikpad 5S tray shadow tool box

ART.	W mm	D mm	H mm	RAL	
PIKPAD001	653	255	198	7016	
PIKPAD002	959	255	198	7016	
PIKPAD003	1444	255	198	7016	

3 ADJUSTMENT POSITIONS

The **patented profile** built into the back of Pikpad allows for the tray to be **adjusted in 3 different positions**. It is therefore possible to adapt the inclination of Pikpad based on the user's height and posture, in order to have everything at hand and work according to the principles of **ergonomics**.



MOBILE ORGANISATION

5S shadow tool boxes make tool organisation mobile because they can be installed on different supports and be moved easily thanks to the side handles. They can be placed on worktops using the special table stand, on the uprights of fitted walls using aluminium bars and inside drawers. In the latter case, it is possible to exponentially increase the internal organisation of drawer units by integrating Pikpad with traditional separation items such as divider boxes and metal dividers.



IRONTEAM

UNIVERSAL ACCESSORIES




Mounting on wood



**Mounting on
perforated panel**



Wall-mounted



**Fastening set for
wood and perforated
panel included**



Angled 2-space silicone holder

ART.	W mm	D mm	H mm	Hole Ø mm	RAL	
FBLIT008039	150	71	96	61	7016	



Angled 2-space spray-can holder

ART.	W mm	D mm	H mm	Hole Ø mm	RAL	
FBLIT007039	188	111	172	70	7016	



6-space spray-can holder

ART.	W mm	D mm	H mm	RAL	
FBLIT010039	455	75	167	7016	



Container holder kit with hand-wipe container

ART.	RAL	
FBLIT006039	7016	



Roll holder kit with roll Ø=240 mm

ART.	W mm	D mm	H mm	RAL	
FBLIT004039	297	275	270	7016	



Roll holder kit with Ø 130 mm roll

ART.	W mm	D mm	H mm	RAL	
FBLIT003039	257	135	168	7016	



Reversible sanitiser-bottle holder

ART.	W mm	D mm	H mm	RAL	
FBLIT002039	113	100	62	7016	



Glove dispenser

ART.	W mm	D mm	H mm	RAL	
FBLIT005039	247	81	132	7016	



Magnet complete with clip and screw – 10-piece pack



ART.	pcs per pack	Ø mm	Finish	
FBL95410000	10	20	Galvanised	



Wall unit with door

ART.	W mm	D mm	H mm	KG	RAL	
FBL8015C000PD	460	250	456	25	7035+7016	
FBL8015C00004	460	250	456	25	5012	





Bar mount with 4 Picking Box containers size 1

ART.	W mm	D mm	H mm	colour of containers	
FBLIT011000	445	168	85	Dark grey	
FBLIT012000	445	168	85	Black	



Bar mount with 3 Picking Box containers size 2

ART.	W mm	D mm	H mm	colour of containers	
FBLIT013000	447	233	123	Dark grey	
FBLIT014000	447	233	123	Black	



Bar mount for Picking Box containers size 1/2

ART.	W mm	D mm	H mm	Finish	
FBLIT020099	445	9	85	Galvanised	



Kit for container holder

ART.	Strap L mm	RAL	
FBLIT018039	910	7016	



A4 document-holder pocket

ART.	W mm	D mm	H mm	RAL	
FBLIT001039	365	68	187	7016	



First-aid kit

ART.	W mm	D mm	H mm	
FBLIT024000	256	90	190	



Mount for extinguisher with 2 kg fire extinguisher

ART.	W mm	D mm	H mm	
FBLIT023000	115	115	400	



Mount for cables

ART.	W mm	D mm	H mm	RAL	
FBLIT019039	220	95	101	7016	



GALVANISED



RAL 5012



RAL 7035 + RAL 7016



RAL 7016



Monitor support plate with brackets

ART.	W mm	D mm	H mm	RAL	
ERGOWORK014	225/129	119/225	225	7016	

Made up of:

qty.	description
1	Pair of L-shaped brackets
1	Joint for plate
1	Monitor support plate with VESA standard



Bin with 30 l capacity

ART.	W mm	D mm	H mm	L	RAL	
FBLIT025039	387	277	394	30	7016	



Case with containers

ART.	W mm	D mm	H mm	
FBLIT022001	440	350	80	

Tool case holder kit

ART.	RAL	
FBLIT021039	7016	



Small reversible shelf

ART.	W mm	D mm	H mm	RAL	
FBLIT017039	303	317	144	7016	



Large reversible shelf

ART.	W mm	D mm	H mm	RAL	
FBLIT016039	455	317	144	7016	



Kit with 2 Picking Box containers size 3A2

ART.	W mm	D mm	H mm	colour	
FBLIT027001	200	350	145	Dark grey	



Kit with 10 containers

ART.	
FBLIT028000	



Reversible tray shelf

ART.	W mm	D mm	H mm	RAL	
FBLIT015039	455	160	40	7016	



Drill-bit holder

ART.	W mm	D mm	H mm	Finish	
FBLIT0260ZZ	155	84	39	Stainless steel	

The tool-head block can be used inside the reversible tray shelf



CAPACITY



STAINLESS STEEL



RAL 7016



Support for residual current device

ART.	W mm	D mm	H mm	RAL	
FBLET003039	159	32	92	7016	



Differential magnetic-thermal circuit breaker
2P+E 16A, 30mA TYPE A

ART.	W mm	D mm	H mm	colour	
FBLET012007	159	59	90	Black	



Support for 2-socket power strip

ART.	W mm	D mm	H mm	RAL	
FBLET001039	148	32	92	7016	



2-socket power strip

ART.	W mm	D mm	H mm	Type of socket	colour	
FBLET004007	148	59	46	Schuko	Black	
FBLET006007	148	59	46	CH	Black	
FBLET008007	148	59	46	GB	Black	
FBLET010007	148	59	46	FR	Black	



Support for 4-socket power strip

ART.	W mm	D mm	H mm	RAL	
FBLET002039	249	32	92	7016	



4-socket power strip

ART.	W mm	D mm	H mm	Type of socket	colour	
FBLET005007	248	59	46	Schuko	Black	
FBLET007007	248	59	46	CH	Black	
FBLET009007	248	59	46	GB	Black	
FBLET011007	248	59	46	FR	Black	



Wieland connection cable with in/out plugs

ART.	W mm	D mm	H mm	colour	
FBLET013007	200	28	13	Black	



Wieland H-shaped distribution block with 2 outputs

ART.	W mm	D mm	H mm	colour	
FBLET015007	60	35	35	Black	



Wieland connection cable

ART.	W mm	D mm	H mm	Plug type	colour	
FBLET016007	3000	50	50	Schuko/French	Black	
FBLET017007	3000	50	50	British	Black	
FBLET018007	3000	50	50	Swiss	Black	



Wieland connection cable with in/out plugs

ART.	W mm	D mm	H mm	colour	
FBLET014007	1500	28	13	Black	





USB data port

ART.	Ø mm	W mm	H mm	colour	
FBLET019007	59	70	54	Black	



USB charging port

ART.	Ø mm	W mm	H mm	colour	
FBLET020007	59	70	54	Black	



Lamp W=988 mm with brackets for fastening

ART.	W mm	Colour temperature K	Watt	Hz	Lumen	RAL	
IRONTEAM001	988	4000	27	50	5058	7016	



Lamp W=1473 mm with brackets for fastening

ART.	W mm	Colour temperature K	Watt	Hz	Lumen	RAL	
IRONTEAM002	1473	4000	41	50	7588	7016	



Single lamp

Without on/off button

ART.	W mm	Colour temperature K	Watt	Hz	Lumen	RAL	
FBL99400008	955	4000	15	50/60	1500	7035	
FBL99450008	1440	4000	20	50/60	2000	7035	



Double lamp

Without on/off button

ART.	W mm	Colour temperature K	Watt	Hz	Lumen	RAL	
FBL99400108	955	4000	15	50/60	3000	7035	
FBL99450108	1440	4000	20	50/60	4000	7035	



Example of mounting on overhead rails



Example of mounting on perforated panel using brackets



Example of mounting with magnets




FLEXA


CABINETS WITH DRAWERS START SERIES




**Drawer load-bearing
capacity from 50 to 70
kg**



Perforated drawers



Ball bearings



Key-operated closure

FLEXA



LOCK

The cylinder lock is connected via a square rod to the rear locking unit consisting of a rotating element in plastic material and a locking rod in sheet steel. Turning the key activates the cam system of the locking unit which rotates the rear rod (A).



3-EDGE TOP SHELF COATED WITH PVC

The PVC-coated 3-edge top protects the upper part of the cabinet and, thanks to the raised edges, prevents the material placed on it from falling off.



FREELY ORGANISABLE

The drawer can be internally divided by means of **partition drawers for small parts and longitudinal and transversal metal dividers**. The latter are fixed to the perforated base of the drawer by means of screws to prevent spillage of the stored material.



PERFORATED DRAWERS



ORGANISATION DOWN TO THE MILLIMETRE
Holes and slots on the drawers make it easier to add internal dividers for optimally arranging tools and materials.



FULL EXTENSION
100%



LOAD CAPACITY
50 / 70 kg

COLOURS

The Flexa cabinet is available in 3 colour combinations.

CABINET



7016
7035



7035



5012

KEY

EH		36X27 EH		54X27 EH
	Cabinet dimensions	W=	717	1023
		D=	600	600
	Drawer internal dimensions	W=	602	908
		D=	449	449

Drawer unit W=717 mm - Full-extension drawers



ART.	W mm	D mm	H mm	drawers							RAL	
				no.	h 75 mm	h 100 mm	h 150 mm	h 200 mm	KG	100%		
FDF109054PD	717	600	1002	7	2	1	3	1	70	100%	7035+7016	
FDF10905408	717	600	1002	7	2	1	3	1	70	100%	7035	
FDF10905404	717	600	1002	7	2	1	3	1	70	100%	5012	
FDF109056PD	717	600	1002	9	-	9	-	-	70	100%	7035+7016	
FDF10905608	717	600	1002	9	-	9	-	-	70	100%	7035	
FDF10905604	717	600	1002	9	-	9	-	-	70	100%	5012	



ART.	W mm	D mm	H mm	KG	drawers					Wheels						RAL	
					no.	h 100 mm	h 200 mm	KG	100%	Ø mm	H mm	material	1	1	2		
FDGD56001PD	794	600	853	225	5	4	1	70	100%	100	128	Standard rubber	1	1	2	7035+7016	
FDGD5600108	794	600	853	225	5	4	1	70	100%	100	128	Standard rubber	1	1	2	7035	
FDGD5600104	794	600	853	225	5	4	1	70	100%	100	128	Standard rubber	1	1	2	5012	



SWIVEL WHEEL



SWIVEL WHEEL WITH BRAKE



FIXED WHEEL



4-edge top shelf coated with PVC

ART.	W mm	D mm	H mm	colour	
FDF99400107	717	602	22	Black	



ART.	Suitable for drawer H mm	components	
FFH10051000	50/300	3 x 3-channel divider 9 x 4-channel divider 12 x Transversal divider W=47 mm 36 x Transversal divider W=36 mm	



ART.	Suitable for drawer H mm	components	
FFH10051300	50/300	18 x Transversal divider W=47 mm 12 x Transversal divider W=73 mm 6 x 2-channel divider 6 x 3-channel divider	



ART.	Suitable for drawer H mm	components	
FFH10051500	50/300	20 x Transversal divider W=36 mm 20 x Transversal divider W=47 mm 6 x 3-channel divider 5 x 4-channel divider 1 x Allen key holder	



ART.	Suitable for drawer H mm	components	
FFH10071800	75	16 x 75x75 mm Divider box 8 x 150x75 mm Divider box 4 x 150x150 mm Divider box	



ART.	Suitable for drawer H mm	components	
FFH10071600	75	12 x 150x75 mm Divider box	
FFH10101600	100/125	6 x 150x150 mm Divider box	



ART.	Suitable for drawer H mm	components	
FFH10070500	75	2 x Longitudinal slotted divider W=457 mm 3 x Transversal divider w=202 mm	
FFH10100500	100/125		
FFH10150500	150/175		
FFH10200500	200/250		



Drawer unit W=1020 mm - Full-extension drawers



ART.	W mm	D mm	H mm	drawers							RAL	
				no.	h 75 mm	h 100 mm	h 150 mm	h 200 mm				
FDL109054PD	1023	600	1002	7	2	1	3	1	50	100%	7035+7016	
FDL10905408	1023	600	1002	7	2	1	3	1	50	100%	7035	
FDL10905404	1023	600	1002	7	2	1	3	1	50	100%	5012	
FDL109056PD	1023	600	1002	9	-	9	-	-	50	100%	7035+7016	
FDL10905608	1023	600	1002	9	-	9	-	-	50	100%	7035	
FDL10905604	1023	600	1002	9	-	9	-	-	50	100%	5012	



W= 1023 MM 54X27 EH



3-edge top shelf coated with PVC

ART.	W mm	D mm	H mm	colour	
FDL91500107	1024	601	30	Black	



ART.	Suitable for drawer H mm	components	
FFH40051200	50/300	15 x Transversal divider W=36 mm 10 x Transversal divider W=47 mm 6 x Transversal divider W=73 mm 6 x 2-channel divider 6 x 3-channel divider 6 x 4-channel divider	



ART.	Suitable for drawer H mm	components	
FFH40051500	50/300	30 x Transversal divider W=36 mm 10 x Transversal divider W=47 mm 6 x 3-channel divider 12 x 4-channel divider	




ART.	Suitable for drawer H mm	components	
FFH40071100	75	18 x 150x150 mm Divider box	
FFH40101100	100/125		



ART.	Suitable for drawer H mm	components	
FFH40071300	75	12 x 150x75 mm Divider box 12 x 150x150 mm Divider box	
FFH40101300	100/125		



ART.	Suitable for drawer H mm	components	
FFH40071600	75	20 x 75x75 mm Divider box 14 x 150x75 mm Divider box 6 x 150x150 mm Divider box	



ART.	Suitable for drawer H mm	components	
FFH40070500	75	4 x Longitudinal slotted divider W=457 mm 2 x Transversal divider W=151 mm 3 x Transversal divider W=202 mm	
FFH40100500	100/125		
FFH40150500	150/175		
FFH40200500	200/250		



EXTRACTION



LOAD CAPACITY



RAL 7035 + RAL 7016



RAL 5012




RAL 7035

MASTER DE

CABINETS WITH DRAWERS PRO SERIES




**Drawer load-bearing
capacity from 50 to
100 kg**



Perforated drawers



Ball bearings



Key-operated closure

MASTER DE



TOP IN SATIN STAINLESS STEEL

The satin stainless steel top allows work and interventions to be performed without damaging the cabinet. It features a high level of corrosion and heat resistance.



MULTIPLEX TOP

The multiplex top transforms the upper part of the cabinet into a solid and robust work surface. It is resistant to shocks and scratches and is suitable for heavy-duty operations.



RUBBER LINED STEEL TOP

The top is made of galvanised steel and coated with oil-resistant rubber. It is particularly suitable for the use of oils or for interventions that involve cutting tools.




3-EDGE TOP SHELF COATED WITH PVC

The PVC-coated 3-edge top protects the upper part of the cabinet and, thanks to the raised edges, prevents the material placed on it from falling off.



BASES

The bases have a dual function: they raise the drawer cabinet off the floor and allow it to be moved using forklift trucks or transpallets.



LOCK

The cylinder lock is connected via a square rod to the rear locking unit consisting of a rotating element in plastic material and a locking rod in sheet steel. Turning the key activates the cam system of the locking unit which rotates the rear rod (A).



FULL EXTENSION



FREE TO CONFIGURE

Change the drawer's extension quickly and easily to increase the load-bearing capacity up to 100 kg.



HIGH-PERFORMANCE RUNNERS



QUICK MOVEMENT WITHOUT PROBLEMS

The runners allow the bearing to be moved to the front of the cabinet, thus increasing the visibility, load-bearing capacity and extension.



PERFORATED DRAWERS



ORGANISATION DOWN TO THE MILLIMETRE

Holes and slots on the drawers make it easier to add internal dividers for optimally arranging tools and materials.

MASTER DE


DRAWER EXTRACTION AND MANAGEMENT

The **Master DE** drawer represents a revolution in the world of **industrial furnishing** as it was designed and developed to be customised independently in terms of extraction/capacity and internal division.

FREELY CONFIGURABLE

The new **flexible extension guide** allows mechanical adjustment of the rear stop of the drawer/retractable shelf in **3 different positions**, thus obtaining **3 different capacities: 50, 75 and 100 kg**. A label indicates the maximum capacity of the drawer depending on its extraction and the type of guide.

FLEXIBLE GUIDE CONFIGURED FOR FULL EXTRACTION 50 KG



FLEXIBLE GUIDE CONFIGURED FOR FULL EXTRACTION 75 KG



FLEXIBLE GUIDE CONFIGURED FOR PARTIAL EXTRACTION 100 KG



FREELY ORGANISABLE

The drawer can be internally divided by means of **partition drawers for small parts and longitudinal and transversal metal dividers**. The latter are fixed to the perforated base of the drawer by means of screws to prevent spillage of the stored material.



MASTER DE



The innovations that simplify identification of the contents of the drawers.

With Sylogik® Syfront technology, the drawer front is no longer just a closing element but becomes an actual visual interface.

- Customisation with aesthetic and decorative elements
- User input: labels to describe and catalogue the contents
- User output: ability to insert visual or descriptive messages on the handle

CUSTOMISABLE HANDLES

A WEALTH OF INFORMATION
Add barcodes, labels or images to handles for quick identification of the contents of each individual drawer.



COLOURS

The Master DE cabinet is available in 3 colour combinations for the cabinet body while the handle is only available in Dark Grey.

CABINET



7016
7035



7035



5012

FRONT HANDLE



Dark Grey

KEY

EH		36X36 EH	54X36 EH
	Cabinet dimensions	W=	714
		D=	726
	Drawer internal dimensions	W=	602
		D=	602

PR
Adjustable shelf



MASTER DE 36X36 EH

Drawer unit W=714 mm - Full-extension drawers



ART.	W mm	D mm	H mm	drawers									RAL	
				no.	h 50 mm	h 75 mm	h 100 mm	h 150 mm	h 200 mm	h 300 mm				
D33A100C0100104	714	726	1000	6	-	-	-	6	-	-	100-75-50	92-96-100%	5012	
D33A100C0100108	714	726	1000	6	-	-	-	6	-	-	100-75-50	92-96-100%	7035	
D33A100C01001PD	714	726	1000	6	-	-	-	6	-	-	100-75-50	92-96-100%	7035+7016	
D33A100C0100204	714	726	1000	7	1	2	2	-	1	1	100-75-50	92-96-100%	5012	
D33A100C0100208	714	726	1000	7	1	2	2	-	1	1	100-75-50	92-96-100%	7035	
D33A100C01002PD	714	726	1000	7	1	2	2	-	1	1	100-75-50	92-96-100%	7035+7016	



ART.	W mm	D mm	H mm	drawers								RAL	
				no.	h 50 mm	h 75 mm	h 100 mm	h 150 mm	h 200 mm				
D33A100C0100304	714	726	1000	8	1	2	2	2	1	100-75-50	92-96-100%	5012	
D33A100C0100308	714	726	1000	8	1	2	2	2	1	100-75-50	92-96-100%	7035	
D33A100C01003PD	714	726	1000	8	1	2	2	2	1	100-75-50	92-96-100%	7035+7016	
D33A100C0100404	714	726	1000	9	-	-	9	-	-	100-75-50	92-96-100%	5012	
D33A100C0100408	714	726	1000	9	-	-	9	-	-	100-75-50	92-96-100%	7035	
D33A100C01004PD	714	726	1000	9	-	-	9	-	-	100-75-50	92-96-100%	7035+7016	

MASTER DE DIVIDING MATERIAL

W= 714 MM 36X36 EH



ART.	Suitable for drawer H mm	components	
FFH20051500	50/300	35 x Transversal divider W=73 mm 16 x 2-channel divider	



ART.	Suitable for drawer H mm	components	
FFH20051600	50/300	50 x Transversal divider W=47 mm 16 x 3-channel divider	



ART.	Suitable for drawer H mm	components	
FFH20051700	50/300	65 x Transversal divider W=36 mm 16 x 4-channel divider	



ART.	Suitable for drawer H mm	components	
FFH20051200	50	16 x 75x75 mm Divider box 16 x 150x75 mm Divider box 4 x 150x150 mm Divider box	
FFH20071200	75		



ART.	Suitable for drawer H mm	components	
FFH20051300	50	16 x 150x75 mm Divider box 8 x 150x150 mm Divider box	
FFH20071300	75		
FFH20101300	100/125		



ART.	Suitable for drawer H mm	components	
FFH20050600	50	2 x Longitudinal slotted divider W=610 mm 3 x Transversal divider W=202 mm	
FFH20070600	75		
FFH20100600	100/125		
FFH20150600	150/175		
FFH20200600	200/250		
FFH20300600	300		



EXTRACTION



LOAD CAPACITY



RAL 7035 + RAL 7016



RAL 5012



RAL 7035

MASTER DE 54X36 EH

Drawer unit W=1020 mm - Full-extension drawers



ART.	W mm	D mm	H mm	drawers				RAL	
				no.	h 150 mm				
D53A100C0100104	1020	726	1000	6	6	100-75-50	92-96-100%	5012	
D53A100C0100108	1020	726	1000	6	6	100-75-50	92-96-100%	7035	
D53A100C01001PD	1020	726	1000	6	6	100-75-50	92-96-100%	7035+7016	



ART.	W mm	Dmm	Hmm	drawers									RAL	
				no.	h 50 mm	h 75 mm	h 100 mm	h 150 mm	h 200 mm	h 300 mm				
D53A100C0100204	1020	726	1000	7	1	2	2	-	1	1	100-75-50	92-96-100%	5012	
D53A100C0100208	1020	726	1000	7	1	2	2	-	1	1	100-75-50	92-96-100%	7035	
D53A100C01002PD	1020	726	1000	7	1	2	2	-	1	1	100-75-50	92-96-100%	7035+7016	
D53A100C0100304	1020	726	1000	8	1	2	2	2	1	-	100-75-50	92-96-100%	5012	
D53A100C0100308	1020	726	1000	8	1	2	2	2	1	-	100-75-50	92-96-100%	7035	
D53A100C01003PD	1020	726	1000	8	1	2	2	2	1	-	100-75-50	92-96-100%	7035+7016	

MASTER DE DIVIDING MATERIAL

W= 1020 MM 54X36 EH



ART.	Suitable for drawer H mm	components	
FFH50051900	50/300	30 x Transversal divider W=36 mm 10 x Transversal divider W=47 mm 8 x 3-channel divider 16 x 4-channel divider	



ART.	Suitable for drawer H mm	components	
FFH50050800	50	12 x 150x75 mm Divider box 18 x 150x150 mm Divider box	
FFH50070800	75		
FFH50100800	100/125		



ART.	Suitable for drawer H mm	components	
FFH50051700	50	20 x 75x75 mm Divider box 14 x 150x75 mm Divider box 12 x 150x150 mm Divider box	
FFH50071700	75		



ART.	Suitable for drawer H mm	components	
FFH50051800	50	24 x 150x150 mm Divider box	
FFH50071800	75		
FFH50101800	100/125		



ART.	Suitable for drawer H mm	components	
FFH50051300	50	5 x Longitudinal slotted divider W=610 mm 12 x Transversal divider W=151 mm	
FFH50071300	75		
FFH50101300	100/125		
FFH50151300	150/175		
FFH50201300	200/250		
FFH50301300	300		



ART.	Suitable for drawer H mm	components	
FFH50050700	50	4 x Longitudinal slotted divider W=610 mm 2 x Transversal divider W=151 mm 3 x Transversal divider W=202 mm	
FFH50070700	75		
FFH50100700	100/125		
FFH50150700	150/175		
FFH50200700	200/250		
FFH50300700	300		



EXTRACTION



LOAD CAPACITY



RAL 7035 + RAL 7016



RAL 5012



RAL 7035

MASTER DE 54X36 EH

Cabinet W=1020 mm



ART.	W mm	D mm	H mm	No. of door pairs	RAL	
D53A100C0100504	1020	726	1000	1	5012	
D53A100C0100508	1020	726	1000	1	7035	
D53A100C01005PD	1020	726	1000	1	7035+7016	



ART.	W mm	D mm	H mm	No. of door pairs	Door material	No. of adjustable shelves	RAL	
D53A100C0100604	1020	726	1000	1	Polycarbonate	1	5012	
D53A100C0100608	1020	726	1000	1	Polycarbonate	1	7035	
D53A100C01006PD	1020	726	1000	1	Polycarbonate	1	7035+7016	

MASTER DE ACCESSORIES



3-edge top shelf coated with PVC

ART.	suitable for cabinet EH	W mm	D mm	H mm	colour	
M33T023AG003107	36x36	715	729	23	Black	
M53T023AG003107	54x36	1021	729	23	Black	



Stainless steel top

ART.	suitable for cabinet EH	W mm	D mm	H mm		
M33T030MDNX710A	36x36	714	726	31		
M53T030MDNX710A	54x36	1020	726	31		



Rubber lined steel top

ART.	suitable for cabinet EH	W mm	D mm	H mm	colour	
M33T030MDGM7107	36x36	714	726	32	Black	
M53T030MDGM7107	54x36	1020	726	32	Black	



Multiplex top

ART.	suitable for cabinet EH	W mm	D mm	H mm		
M33T030MU000100	36x36	714	726	30		
M53T030MU000100	54x36	1020	726	30		



Base for forklift and pallet truck

ART.	suitable for cabinet EH	W mm	D mm	H mm	RAL	
M33Z10010000007	36x36	712	722	100	9005	



Base closure

ART.	suitable for cabinet W EH	W mm	D mm	H mm	RAL	
M30Z10011000007	36	708	46	95	9005	



Pair of bases for forklift and pallet truck

ART.	suitable for cabinet EH	W mm	D mm	H mm	RAL	
M03Z10020000007	54x36	200	722	100	9005	



Base closure

ART.	suitable for cabinet W EH	W mm	D mm	H mm	RAL	
M50Z10021000007	54	1014	46	95	9005	



RAL 7035 + RAL 7016



RAL 5012



RAL 7035




RAL 9005

MASTER


CABINETS WITH DRAWERS PRO+ SERIES




**Drawer load-bearing
capacity from 50 to
200 kg**




Perforated drawers



Ball bearings



Key-operated closure



VERTEBRATE ANTI-TIPPING ROD

The rod is in aluminium profile and always remains fixed, without rotating.

The closing movement is obtained by means of **anchors that move vertically** exploiting one of the elementary forces of physics: **gravity**. **The simpler the movement, the less likely the risk of breakages.**

The rod is drilled with a 25 mm pitch and allows the application of several closing heads. This means being able to divide access to the drawers into several groups. The division of the groups is configurable in height.

MECHANICAL SYSTEM

The mechanical control system of the locking unit uses Sylogik® technology. **The differences are decisive.**

The system of transmission from the lock cylinder to the rod head consists of steel wires with an elastic sheath and linear movement.

Compared to the common fixed square rod systems with rotary movement, it allows releasing of the parallelism of the lock cylinder position with respect to the rod head. This allows the designer to apply the cylinder in the most suitable point of the cabinet.

The lock cylinder rests on a guide drum so that it is possible to choose from a variety of cylinder manufacturers*. In this way the cabinet can be integrated with other pre-existing ones, keeping the same type of key.



* Option on request with extra charge



FULL EXTENSION



FREE TO CONFIGURE

Change the drawer's extension quickly and easily to increase the load-bearing capacity up to 100 kg.



HIGH-PERFORMANCE RUNNERS



QUICK MOVEMENT WITHOUT PROBLEMS

The runners as long as the drawers allow the bearing to be moved to the front of the cabinet, thus increasing the visibility, load-bearing capacity and extension.



PERFORATED DRAWERS



ORGANISATION DOWN TO THE MILLIMETRE

Holes and slots on the drawers make it easier to add internal dividers for optimally arranging tools and materials.

MASTER


DRAWER EXTRACTION AND MANAGEMENT

The **Master drawer** represents a **revolution in the world of industrial furnishing** as it was designed and developed to be customised independently in terms of extraction/capacity and internal division.

FREELY CONFIGURABLE

The new **flexible extension guide** allows mechanical adjustment of the rear stop of the drawer/retractable shelf in **3 different positions**, thus obtaining **3 different capacities: 50, 75 and 100 kg**. The installation of the innovative **telescopic guide** increases the capacity of the **pull-out drawer/shelf up to 200 kg**. A label indicates the maximum capacity of the drawer depending on its extraction and the type of guide.

FLEXIBLE GUIDE CONFIGURED FOR FULL EXTRACTION 50 KG




FLEXIBLE GUIDE CONFIGURED FOR FULL EXTRACTION 75 KG



FLEXIBLE GUIDE CONFIGURED FOR PARTIAL EXTRACTION 100 KG



TELESCOPIC GUIDE CONFIGURED FOR FULL EXTRACTION 200 KG



FREELY ORGANISABLE

The drawer can be internally divided by means of **partition drawers for small parts** and **longitudinal and transversal metal dividers**. The latter are fixed to the perforated base of the drawer by means of screws to prevent spillage of the stored material.



MASTER



The innovations that simplify identification of the contents of the drawers.

With Sylogik® Syfront technology, the drawer front is no longer just a closing element but becomes an actual visual interface.

- Customisation with aesthetic and decorative elements
- User input: labels to describe and catalogue the contents
- User output: ability to insert visual or descriptive messages on the handle

CUSTOMISABLE HANDLES

A WEALTH OF INFORMATION
Add barcodes, labels or images to handles for quick identification of the contents of each individual drawer.



MODULARITY

The various elements that compose the Master series can be easily **integrated with each other to create complete furnishing compositions ready for anything**. It is thus possible to create, for example, counters with drawers and doors equipped with 4 edges to perform maintenance and tasks or to be used as customer reception points in shops or warehouses.

Courtesy of Fridle Group



MASTER



TOP IN SATIN STAINLESS STEEL

The satin stainless steel top allows work and interventions to be performed without damaging the cabinet. It features a high level of corrosion and heat resistance.



MULTIPLEX TOP

The multiplex top transforms the upper part of the cabinet into a solid and robust work surface. It is resistant to shocks and scratches and is suitable for heavy-duty operations.



RUBBER LINED STEEL TOP

The top is made of galvanised steel and coated with oil-resistant rubber. It is particularly suitable for the use of oils or for interventions that involve cutting tools.



3-EDGE TOP SHELF COATED WITH PVC

The PVC-coated 3-edge top protects the upper part of the cabinet and, thanks to the raised edges, prevents the material placed on it from falling off.



BASES

The bases have a dual function: they raise the drawer cabinet off the floor and allow it to be moved using forklift trucks or transpallets.



WHEELS

The cabinets can be supplied with wheels to transform them into practical tool trolleys. As standard they are equipped with 2 swivel wheels with brakes and 2 fixed wheels.



ANTI-TAMPERING SYSTEM

SAFETY FIRST OF ALL

Unlike other cabinets currently on the market, the patented closure system prevents thieves from by-passing the closure. Any forced opening will always be visible.



ADJUSTABLE ERGONOMIC HANDLE

The cabinets with wheels are supplied with a practical adjustable ergonomic handle which can be installed in two different positions. The height of the handle can therefore be set according to the height of the user to allow agile and easy handling of the cabinet while maintaining an ergonomic posture in order to reduce strain during work which could lead to possible injuries.



MASTER

COLOURS

The Master cabinet is available in 12 colour combinations which can be associated with 8 different colours for the handles to create customised solutions down to the smallest detail. It is therefore possible to assign specific colours to particular work areas or projects or to implement the corporate colour even in the furnishings installed in the company.

10 RAL colours for the metal part
8 colours for the plastic accessories
Infinite combinations

FRONT HANDLE



Dark Grey



Mediterranean Blue



Sky Blue



Glamour Red



Red Carpet



Juicy Orange



Sunny Yellow



Forest Green

CABINET



7016
7035



7035



5012



9002



7016



7000



5019



9010



6011



3003



5010



5012
7035

KEY

EH			18X27 EH	27X27 EH	36X27 EH	54X27 EH	27X36 EH	36X36 EH	45X36 EH	54X36 EH	64X36 EH	78X36 EH
	Cabinet dimensions	W=	408	561	714	1020	561	714	867	1020	1190	1428
		D=	573	573	573	573	726	726	726	726	726	726
	Drawer internal dimensions	W=	296	449	602	908	449	602	755	908	1078	1316
		D=	449	449	449	449	602	602	602	602	602	602

PE

Pull-out shelf with flexible extraction



PE

Telescopic pull-out shelf



PR

Adjustable shelf



PF

Adjustable slotted shelf




Cabinet with 3 drawers 1x50 1x100 1x150

ART.	drawers		RAL	
M12A040C01001PD	100-75-50	92-96-100%	7035+7016	
M12A040C0100108	100-75-50	92-96-100%	7035	
M12A040C0100104	100-75-50	92-96-100%	5012	

H=400 mm

Cabinet with 3 drawers 2x75 1x150

ART.	drawers		RAL	
M12A040C01002PD	100-75-50	92-96-100%	7035+7016	
M12A040C0100208	100-75-50	92-96-100%	7035	
M12A040C0100204	100-75-50	92-96-100%	5012	

H=400 mm

Cabinet with 4 drawers 1x50 2x75 1x100

ART.	drawers		RAL	
M12A040C01003PD	100-75-50	92-96-100%	7035+7016	
M12A040C0100308	100-75-50	92-96-100%	7035	
M12A040C0100304	100-75-50	92-96-100%	5012	

H=400 mm

Cabinet with 4 drawers 2x75 1x150 1x200

ART.	drawers		RAL	
M12A060C01020PD	100-75-50	92-96-100%	7035+7016	
M12A060C0102008	100-75-50	92-96-100%	7035	
M12A060C0102004	100-75-50	92-96-100%	5012	

H=600 mm

Cabinet with 3 drawers 1x100 1x200 1x300

ART.	drawers		RAL	
M12A070C01029PD	100-75-50	92-96-100%	7035+7016	
M12A070C0102908	100-75-50	92-96-100%	7035	
M12A070C0102904	100-75-50	92-96-100%	5012	

H=700 mm



Cabinet with 5 drawers 2x75 3x150

ART.	drawers		RAL	
M12A070C01035PD	100-75-50	92-96-100%	7035+7016	
M12A070C0103508	100-75-50	92-96-100%	7035	
M12A070C0103504	100-75-50	92-96-100%	5012	

H=700 mm



Cabinet with wheels with 4 drawers 2x75 1x150 1x200

ART.	drawers		RAL	
M12R060C01020PD	100-75-50	92-96-100%	7035+7016	
M12R060C0102008	100-75-50	92-96-100%	7035	
M12R060C0102004	100-75-50	92-96-100%	5012	

H=822 mm

Wheels: Standard rubber Ø 125 mm
Cabinet capacity: 300 kg



Cabinet with wheels with 5 drawers 1x50 2x75 1x100 1x200

ART.	drawers		RAL	
M12R060C01021PD	100-75-50	92-96-100%	7035+7016	
M12R060C0102108	100-75-50	92-96-100%	7035	
M12R060C0102104	100-75-50	92-96-100%	5012	

H=822 mm

Wheels: Standard rubber Ø 125 mm
Cabinet capacity: 300 kg



Cabinet with wheels with 6 drawers 2x50 2x75 1x150 1x200

ART.	drawers		RAL	
M12R070C010SSPD	100-75-50	92-96-100%	7035+7016	
M12R070C010SS08	100-75-50	92-96-100%	7035	
M12R070C010SS04	100-75-50	92-96-100%	5012	

H=922 mm

Wheels: Standard rubber Ø 125 mm
Cabinet capacity: 300 kg





Cabinet with 2 drawers 1x100 1x200

ART.	drawers		RAL	
M22A040C01004PD	100-75-50	92-96-100%	7035+7016	
M22A040C0100408	100-75-50	92-96-100%	7035	
M22A040C0100404	100-75-50	92-96-100%	5012	

H=400 mm



Cabinet with 3 drawers 1x50 1x100 1x150

ART.	drawers		RAL	
M22A040C01001PD	100-75-50	92-96-100%	7035+7016	
M22A040C0100108	100-75-50	92-96-100%	7035	
M22A040C0100104	100-75-50	92-96-100%	5012	

H=400 mm



Cabinet with 4 drawers 1x50 2x75 1x100

ART.	drawers		RAL	
M22A040C01003PD	100-75-50	92-96-100%	7035+7016	
M22A040C0100308	100-75-50	92-96-100%	7035	
M22A040C0100304	100-75-50	92-96-100%	5012	

H=400 mm



Cabinet with 6 drawers 1x50 2x75 2x100 1x200

ART.	drawers		RAL	
M22A070C01032PD	100-75-50	92-96-100%	7035+7016	
M22A070C0103208	100-75-50	92-96-100%	7035	
M22A070C0103204	100-75-50	92-96-100%	5012	

H=700 mm



Cabinet with 4 drawers 2x100 1x200 1x300

ART.	drawers		RAL	
M22A080C01055PD	100-75-50	92-96-100%	7035+7016	
M22A080C0105508	100-75-50	92-96-100%	7035	
M22A080C0105504	100-75-50	92-96-100%	5012	

H=800 mm



Cabinet with 5 drawers 1x50 2x100 1x150 1x300

ART.	drawers		RAL	
M22A080C01054PD	100-75-50	92-96-100%	7035+7016	
M22A080C0105408	100-75-50	92-96-100%	7035	
M22A080C0105404	100-75-50	92-96-100%	5012	

H=800 mm



Cabinet with 4 drawers 1x100 1x150 1x200 1x300

ART.	drawers		RAL	
M22A085C01092PD	100-75-50	92-96-100%	7035+7016	
M22A085C0109208	100-75-50	92-96-100%	7035	
M22A085C0109204	100-75-50	92-96-100%	5012	

H=850 mm



Cabinet with 5 drawers 1x100 3x150 1x200

ART.	drawers		RAL	
M22A085C01088PD	100-75-50	92-96-100%	7035+7016	
M22A085C0108808	100-75-50	92-96-100%	7035	
M22A085C0108804	100-75-50	92-96-100%	5012	

H=850 mm



Cabinet with 6 drawers 2x75 2x100 2x200

ART.	drawers		RAL	
M22A085C01089PD	100-75-50	92-96-100%	7035+7016	
M22A085C0108908	100-75-50	92-96-100%	7035	
M22A085C0108904	100-75-50	92-96-100%	5012	

H=850 mm



Cabinet with 6 drawers 1x50 2x100 2x150 1x200

ART.	drawers		RAL	
M22A085C01091PD	100-75-50	92-96-100%	7035+7016	
M22A085C0109108	100-75-50	92-96-100%	7035	
M22A085C0109104	100-75-50	92-96-100%	5012	

H=850 mm



INTERNAL DIM. W x D



EXTRACTION



LOAD CAPACITY



RAL 7035 + RAL 7016



RAL 5012



RAL 7035



Cabinet with 7 drawers 2x75 3x100 2x150

ART.	drawers		RAL	
M22A085C01095PD	100-75-50	92-96-100%	7035+7016	
M22A085C0109508	100-75-50	92-96-100%	7035	
M22A085C0109504	100-75-50	92-96-100%	5012	

H=850 mm



Cabinet with 8 drawers 1x50 2x75 4x100 1x150

ART.	drawers		RAL	
M22A085C01087PD	100-75-50	92-96-100%	7035+7016	
M22A085C0108708	100-75-50	92-96-100%	7035	
M22A085C0108704	100-75-50	92-96-100%	5012	

H=850 mm



Cabinet with wheels with 4 drawers 2x75 1x150 1x200

ART.	drawers		RAL	
M22R060C01020PD	100-75-50	92-96-100%	7035+7016	
M22R060C0102008	100-75-50	92-96-100%	7035	
M22R060C0102004	100-75-50	92-96-100%	5012	

H=822 mm

Wheels: Standard rubber Ø 125 mm
Cabinet capacity: 300 kg



Cabinet with wheels with 5 drawers 1x50 2x75 1x100 1x200

ART.	drawers		RAL	
M22R060C01021PD	100-75-50	92-96-100%	7035+7016	
M22R060C0102108	100-75-50	92-96-100%	7035	
M22R060C0102104	100-75-50	92-96-100%	5012	

H=822 mm

Wheels: Standard rubber Ø 125 mm
Cabinet capacity: 300 kg



Cabinet with wheels with 6 drawers 2x50 2x75 1x150 1x200

ART.	drawers		RAL	
M22R070C010SSPD	100-75-50	92-96-100%	7035+7016	
M22R070C010SS08	100-75-50	92-96-100%	7035	
M22R070C010SS04	100-75-50	92-96-100%	5012	

H=922 mm

Wheels: Standard rubber Ø 125 mm
Cabinet capacity: 300 kg



Cabinet with wheels with 5 drawers 4x100 1x200

ART.	drawers		RAL	
M22R070C010GFPD	100-75-50	92-96-100%	7035+7016	
M22R070C010GF08	100-75-50	92-96-100%	7035	
M22R070C010GF04	100-75-50	92-96-100%	5012	

H=922 mm

Wheels: Standard rubber Ø 125 mm

Cabinet capacity: 300 kg



Cabinet with wheels with 6 drawers 1x50 2x75 2x100 1x200

ART.	drawers		RAL	
M22R070C01032PD	100-75-50	92-96-100%	7035+7016	
M22R070C0103208	100-75-50	92-96-100%	7035	
M22R070C0103204	100-75-50	92-96-100%	5012	

H=922 mm

Wheels: Standard rubber Ø 125 mm

Cabinet capacity: 300 kg



Cabinet with wheels with 6 drawers 2x75 3x100 1x150

ART.	drawers		RAL	
M22R070C01044PD	100-75-50	92-96-100%	7035+7016	
M22R070C0104408	100-75-50	92-96-100%	7035	
M22R070C0104404	100-75-50	92-96-100%	5012	

H=922 mm

Wheels: Standard rubber Ø 125 mm

Cabinet capacity: 300 kg



INTERNAL DIM. W x D



EXTRACTION



LOAD CAPACITY



RAL 7035 + RAL 7016



RAL 5012



RAL 7035



Cabinet with 5 drawers 1x50 2x100 1x150 1x200

ART.	drawers		RAL	
M32A070C01040PD	100-75-50	92-96-100%	7035+7016	
M32A070C0104008	100-75-50	92-96-100%	7035	
M32A070C0104004	100-75-50	92-96-100%	5012	

H=700 mm



Cabinet with 5 drawers 2x75 2x100 1x250

ART.	drawers		RAL	
M32A070C01042PD	100-75-50	92-96-100%	7035+7016	
M32A070C0104208	100-75-50	92-96-100%	7035	
M32A070C0104204	100-75-50	92-96-100%	5012	

H=700 mm



Cabinet with 6 drawers 2x75 3x100 1x150

ART.	drawers		RAL	
M32A070C01044PD	100-75-50	92-96-100%	7035+7016	
M32A070C0104408	100-75-50	92-96-100%	7035	
M32A070C0104404	100-75-50	92-96-100%	5012	

H=700 mm



Cabinet with 7 drawers 1x50 2x75 2x100 1x150 1x200

ART.	drawers		RAL	
M32A085C010AEPD	100-75-50	92-96-100%	7035+7016	
M32A085C010AE08	100-75-50	92-96-100%	7035	
M32A085C010AE04	100-75-50	92-96-100%	5012	

H=850 mm



Cabinet with 7 drawers 2x75 2x100 2x125 1x150

ART.	drawers		RAL	
M32A085C010ACPD	100-75-50	92-96-100%	7035+7016	
M32A085C010AC08	100-75-50	92-96-100%	7035	
M32A085C010AC04	100-75-50	92-96-100%	5012	

H=850 mm



Cabinet with 8 drawers 4x75 3x100 1x150

ART.	drawers		RAL	
M32A085C010AGPD	100-75-50	92-96-100%	7035+7016	
M32A085C010AG08	100-75-50	92-96-100%	7035	
M32A085C010AG04	100-75-50	92-96-100%	5012	

H=850 mm



Cabinet with 7 drawers 1x50 2x75 2x100 1x200 1x300

ART.	drawers		RAL	
M32A100C010BNPD	100-75-50	92-96-100%	7035+7016	
M32A100C010BN08	100-75-50	92-96-100%	7035	
M32A100C010BN04	100-75-50	92-96-100%	5012	

H=1000 mm



Cabinet with 7 drawers 2x75 1x100 3x150 1x200

ART.	drawers		RAL	
M32A100C010AWPD	100-75-50	92-96-100%	7035+7016	
M32A100C010AW08	100-75-50	92-96-100%	7035	
M32A100C010AW04	100-75-50	92-96-100%	5012	

H=1000 mm



Cabinet with 8 drawers 1x50 2x75 3x100 1x150 1x250

ART.	drawers		RAL	
M32A100C010BQPD	100-75-50	92-96-100%	7035+7016	
M32A100C010BQ08	100-75-50	92-96-100%	7035	
M32A100C010BQ04	100-75-50	92-96-100%	5012	

H=1000 mm



INTERNAL DIM. W x D



EXTRACTION



LOAD CAPACITY



RAL 7035 + RAL 7016



RAL 5012



RAL 7035



Cabinet with doors with 1 drawer 1x75 2xPE

ART.	drawers / retractable shelves		RAL	
	KG	KG		
M32A100C010BUPD	100-75-50	92-96-100%	7035+7016	
M32A100C010BU08	100-75-50	92-96-100%	7035	
M32A100C010BU04	100-75-50	92-96-100%	5012	
M32A100C010BVPD	200	100%	7035+7016	
M32A100C010BV08	200	100%	7035	
M32A100C010BV04	200	100%	5012	

H=1022 mm

Cabinet with doors with 2 drawers 2x75 1xPE

ART.	drawers / retractable shelves		RAL	
	KG	KG		
M32A100C010BWPD	100-75-50	92-96-100%	7035+7016	
M32A100C010BW08	100-75-50	92-96-100%	7035	
M32A100C010BW04	100-75-50	92-96-100%	5012	
M32A100C010BXPDP	200	100%	7035+7016	
M32A100C010BX08	200	100%	7035	
M32A100C010BX04	200	100%	5012	

H=1022 mm

Cabinet with doors with 3 drawers 3x75 1xPE

ART.	drawers / retractable shelves		RAL	
	KG	KG		
M32A100C010BYPD	100-75-50	92-96-100%	7035+7016	
M32A100C010BY08	100-75-50	92-96-100%	7035	
M32A100C010BY04	100-75-50	92-96-100%	5012	
M32A100C010BZPD	200	100%	7035+7016	
M32A100C010BZ08	200	100%	7035	
M32A100C010BZ04	200	100%	5012	

H=1022 mm

Cabinet with doors with 3 drawers 3x75 2xPE

ART.	drawers / retractable shelves		RAL	
	KG	KG		
M32A100C010CAPD	100-75-50	92-96-100%	7035+7016	
M32A100C010CA08	100-75-50	92-96-100%	7035	
M32A100C010CA04	100-75-50	92-96-100%	5012	
M32A100C010CBPD	200	100%	7035+7016	
M32A100C010CB08	200	100%	7035	
M32A100C010CB04	200	100%	5012	

H=1022 mm


Cabinet with doors with 4 drawers 4x75

ART.	drawers		RAL	
M32A100C010CCPD	100-75-50	92-96-100%	7035+7016	
M32A100C010CC08	100-75-50	92-96-100%	7035	
M32A100C010CC04	100-75-50	92-96-100%	5012	
M32A100C010CDPD	200	100%	7035+7016	
M32A100C010CD08	200	100%	7035	
M32A100C010CD04	200	100%	5012	

H=1022 mm

Cabinet with doors with 5 drawers 5x75

ART.	drawers		RAL	
M32A100C010CEPD	100-75-50	92-96-100%	7035+7016	
M32A100C010CE08	100-75-50	92-96-100%	7035	
M32A100C010CE04	100-75-50	92-96-100%	5012	
M32A100C010CFPD	200	100%	7035+7016	
M32A100C010CF08	200	100%	7035	
M32A100C010CF04	200	100%	5012	

H=1022 mm

Cabinet with sliding doors with 2 drawers 2x75 6xPE

ART.	drawers / retractable shelves		RAL	
M32D100C010GWPDP	100-75-50	92-96-100%	7035+7016	
M32D100C010GW08	100-75-50	92-96-100%	7035	
M32D100C010GW04	100-75-50	92-96-100%	5012	
M32D100C010GXPD	200	100%	7035+7016	
M32D100C010GX08	200	100%	7035	
M32D100C010GX04	200	100%	5012	

H=1022 mm

Cabinet with sliding doors with 4 drawers 4x75 2xPE

ART.	drawers / retractable shelves		RAL	
M32D100C010GYPD	100-75-50	92-96-100%	7035+7016	
M32D100C010GY08	100-75-50	92-96-100%	7035	
M32D100C010GY04	100-75-50	92-96-100%	5012	
M32D100C010GZPD	200	100%	7035+7016	
M32D100C010GZ08	200	100%	7035	
M32D100C010GZ04	200	100%	5012	

H=1022 mm




Cabinet with sliding doors with 6 drawers 6x75 2xPE

ART.	drawers / retractable shelves		RAL	
M32D100C010HAPD	100-75-50	92-96-100%	7035+7016	
M32D100C010HA08	100-75-50	92-96-100%	7035	
M32D100C010HA04	100-75-50	92-96-100%	5012	
M32D100C010HBPD	200	100%	7035+7016	
M32D100C010HB08	200	100%	7035	
M32D100C010HB04	200	100%	5012	

H=1022 mm

Cabinet with sliding doors with 8 drawers 8x75

ART.	drawers		RAL	
M32D100C010HNPD	100-75-50	92-96-100%	7035+7016	
M32D100C010HN08	100-75-50	92-96-100%	7035	
M32D100C010HN04	100-75-50	92-96-100%	5012	
M32D100C010HPPD	200	100%	7035+7016	
M32D100C010HP08	200	100%	7035	
M32D100C010HP04	200	100%	5012	

H=1022 mm

Cabinet with sliding doors with 4 drawers 4x75 4xPE

ART.	drawers / retractable shelves		RAL	
M32D100C010HEPD	100-75-50	92-96-100%	7035+7016	
M32D100C010HE08	100-75-50	92-96-100%	7035	
M32D100C010HE04	100-75-50	92-96-100%	5012	
M32D100C010HFDP	200	100%	7035+7016	
M32D100C010HF08	200	100%	7035	
M32D100C010HF04	200	100%	5012	

H=1022 mm

Cabinet with sliding doors with 10 drawers 10x75

ART.	drawers		RAL	
M32D100C010HJPD	100-75-50	92-96-100%	7035+7016	
M32D100C010HJ08	100-75-50	92-96-100%	7035	
M32D100C010HJ04	100-75-50	92-96-100%	5012	
M32D100C010HKPD	200	100%	7035+7016	
M32D100C010HK08	200	100%	7035	
M32D100C010HK04	200	100%	5012	

H=1022 mm



Cabinet with 7 drawers 2xPR 2x75 1x100 3x150 1x200

ART.	drawers		RAL	
M32A200C010FSPD	100-75-50	92-96-100%	7035+7016	
M32A200C010FS08	100-75-50	92-96-100%	7035	
M32A200C010FS04	100-75-50	92-96-100%	5012	
M32A200C010FTPD	200	100%	7035+7016	
M32A200C010FT08	200	100%	7035	
M32A200C010FT04	200	100%	5012	

H=2000 mm



Cabinet with doors with 3 drawers 2xPR 2x100 1x150 2xPE

ART.	drawers / retractable shelves		RAL	
M32A200C010FWPD	100-75-50	92-96-100%	7035+7016	
M32A200C010FW08	100-75-50	92-96-100%	7035	
M32A200C010FW04	100-75-50	92-96-100%	5012	
M32A200C010FXPD	200	100%	7035+7016	
M32A200C010FX08	200	100%	7035	
M32A200C010FX04	200	100%	5012	

H=2000 mm



Cabinet with doors with 7 drawers 3xPR 2x75 1x100 3x150 1x200

ART.	drawers		RAL	
M32A200C010FYPD	100-75-50	92-96-100%	7035+7016	
M32A200C010FY08	100-75-50	92-96-100%	7035	
M32A200C010FY04	100-75-50	92-96-100%	5012	
M32A200C010FZPD	200	100%	7035+7016	
M32A200C010FZ08	200	100%	7035	
M32A200C010FZ04	200	100%	5012	

H=2000 mm





Cabinet with wheels with 5 drawers 1x50 2x100 1x150 1x200

ART.	drawers		RAL	
	KG			
M32R070C01040PD	100-75-50	92-96-100%	7035+7016	
M32R070C0104008	100-75-50	92-96-100%	7035	
M32R070C0104004	100-75-50	92-96-100%	5012	

H=922 mm

Wheels: Standard rubber Ø 125 mm

Cabinet capacity: 300 kg



Cabinet with wheels with 5 drawers 2x75 2x100 1x250

ART.	drawers		RAL	
	KG			
M32R070C01042PD	100-75-50	92-96-100%	7035+7016	
M32R070C0104208	100-75-50	92-96-100%	7035	
M32R070C0104204	100-75-50	92-96-100%	5012	

H=922 mm

Wheels: Standard rubber Ø 125 mm

Cabinet capacity: 300 kg




Cabinet with wheels with 6 drawers 2x75 3x100 1x150

ART.	drawers		RAL	
	KG			
M32R070C01044PD	100-75-50	92-96-100%	7035+7016	
M32R070C0104408	100-75-50	92-96-100%	7035	
M32R070C0104404	100-75-50	92-96-100%	5012	

H=922 mm

Wheels: Standard rubber Ø 125 mm

Cabinet capacity: 300 kg



Drawer H 50 mm

Set consisting of 12 x 36 mm 4-channel dividers and 65 transversal dividers



Drawer H 75 mm

Set for thermoformed items



Drawer H 200 mm

Set consisting of 2 x 455 mm longitudinal slotted dividers and 3 x 200 mm transversal dividers



Drawer H 300 mm

Set consisting of 1 x 455 mm longitudinal slotted divider

Tools and thermoformed items not included



INTERNAL DIM. WxD



EXTRACTION



LOAD CAPACITY



RAL 7035+RAL 7016



RAL 5012



RAL 7035



Cabinet with 5 drawers 3x100 1x150 1x300

ART.	drawers		RAL	
M52A085C010AKPD	100-75-50	92-96-100%	7035+7016	
M52A085C010AK08	100-75-50	92-96-100%	7035	
M52A085C010AK04	100-75-50	92-96-100%	5012	
M52A085C010ALPD	200	100%	7035+7016	
M52A085C010AL08	200	100%	7035	
M52A085C010AL04	200	100%	5012	

H=850 mm

Cabinet with 6 drawers 2x75 2x100 1x150 1x250

ART.	drawers		RAL	
M52A085C010AMPD	100-75-50	92-96-100%	7035+7016	
M52A085C010AM08	100-75-50	92-96-100%	7035	
M52A085C010AM04	100-75-50	92-96-100%	5012	
M52A085C010ANPD	200	100%	7035+7016	
M52A085C010AN08	200	100%	7035	
M52A085C010AN04	200	100%	5012	

H=850 mm

Cabinet with 7 drawers 1x50 2x75 2x100 1x150 1x200

ART.	drawers		RAL	
M52A085C010AEPD	100-75-50	92-96-100%	7035+7016	
M52A085C010AE08	100-75-50	92-96-100%	7035	
M52A085C010AE04	100-75-50	92-96-100%	5012	
M52A085C010AFPD	200	100%	7035+7016	
M52A085C010AF08	200	100%	7035	
M52A085C010AF04	200	100%	5012	

H=850 mm Drawers with H=50 mm are all with flexible extraction

Cabinet with 6 drawers 3x100 2x150 1x300

ART.	drawers		RAL	
M52A100C010CQPD	100-75-50	92-96-100%	7035+7016	
M52A100C010CQ08	100-75-50	92-96-100%	7035	
M52A100C010CQ04	100-75-50	92-96-100%	5012	
M52A100C010CRPD	200	100%	7035+7016	
M52A100C010CR08	200	100%	7035	
M52A100C010CR04	200	100%	5012	

H=1000 mm



Cabinet with 7 drawers 2x75 1x100 3x150 1x200

ART.	drawers		RAL	
M52A100C010AWPD	100-75-50	92-96-100%	7035+7016	
M52A100C010AW08	100-75-50	92-96-100%	7035	
M52A100C010AW04	100-75-50	92-96-100%	5012	
M52A100C010BHPD	200	100%	7035+7016	
M52A100C010BH08	200	100%	7035	
M52A100C010BH04	200	100%	5012	

H=1000 mm



Cabinet with 8 drawers 2x75 4x100 1x150 1x200

ART.	drawers		RAL	
M52A100C010CNP	100-75-50	92-96-100%	7035+7016	
M52A100C010CN08	100-75-50	92-96-100%	7035	
M52A100C010CN04	100-75-50	92-96-100%	5012	
M52A100C010CPPD	200	100%	7035+7016	
M52A100C010CP08	200	100%	7035	
M52A100C010CP04	200	100%	5012	

H=1000 mm



Cabinet with 9 drawers 2x75 2x100 1x150 3x200 1x300

ART.	drawers		RAL	
M52A150C010FLPD	100-75-50	92-96-100%	7035+7016	
M52A150C010FL08	100-75-50	92-96-100%	7035	
M52A150C010FL04	100-75-50	92-96-100%	5012	
M52A150C010FMPD	200	100%	7035+7016	
M52A150C010FM08	200	100%	7035	
M52A150C010FM04	200	100%	5012	

H=1500 mm



Cabinet with 10 drawers 2x75 3x100 1x150 4x200

ART.	drawers		RAL	
M52A150C010FNPD	100-75-50	92-96-100%	7035+7016	
M52A150C010FN08	100-75-50	92-96-100%	7035	
M52A150C010FN04	100-75-50	92-96-100%	5012	
M52A150C010FPPD	200	100%	7035+7016	
M52A150C010FP08	200	100%	7035	
M52A150C010FP04	200	100%	5012	

H=1500 mm




Cabinet with 11 drawers 2x75 4x100 3x150 2x200

ART.	drawers		RAL	
M52A150C010FQPD	100-75-50	92-96-100%	7035+7016	
M52A150C010FQ08	100-75-50	92-96-100%	7035	
M52A150C010FQ04	100-75-50	92-96-100%	5012	
M52A150C010FRPD	200	100%	7035+7016	
M52A150C010FR08	200	100%	7035	
M52A150C010FR04	200	100%	5012	

H=1500 mm

Cabinet with 7 drawers 2xPR 2x75 1x100 3x150 1x200

ART.	drawers		RAL	
M52A200C010FSPD	100-75-50	92-96-100%	7035+7016	
M52A200C010FS08	100-75-50	92-96-100%	7035	
M52A200C010FS04	100-75-50	92-96-100%	5012	
M52A200C010FTPD	200	100%	7035+7016	
M52A200C010FT08	200	100%	7035	
M52A200C010FT04	200	100%	5012	

H=2000 mm

Cabinet with doors with 3 drawers 2xPR 2x100 1x150 2xPE

ART.	drawers / retractable shelves		RAL	
M52A200C010FWPD	100-75-50	92-96-100%	7035+7016	
M52A200C010FW08	100-75-50	92-96-100%	7035	
M52A200C010FW04	100-75-50	92-96-100%	5012	
M52A200C010FXPD	200	100%	7035+7016	
M52A200C010FX08	200	100%	7035	
M52A200C010FX04	200	100%	5012	

H=2000 mm



Cabinet with doors with 7 drawers 3xPR 2x75 1x100 3x150 1x200

ART.	drawers		RAL	
M52A200C010FYPD	100-75-50	92-96-100%	7035+7016	
M52A200C010FY08	100-75-50	92-96-100%	7035	
M52A200C010FY04	100-75-50	92-96-100%	5012	
M52A200C010FZPD	200	100%	7035+7016	
M52A200C010FZ08	200	100%	7035	
M52A200C010FZ04	200	100%	5012	

H=2000 mm



Cabinet with wheels with 4 drawers 1x100 2x150 1x200

ART.	drawers		RAL	
M52R070C01049PD	100-75-50	92-96-100%	7035+7016	
M52R070C0104908	100-75-50	92-96-100%	7035	
M52R070C0104904	100-75-50	92-96-100%	5012	

H=922 mm

Wheels: Elastic rubber Ø 125 mm
Cabinet capacity: 750 kg



Cabinet with wheels with 5 drawers 2x75 1x100 1x150 1x200

ART.	drawers		RAL	
M52R070C01031PD	100-75-50	92-96-100%	7035+7016	
M52R070C0103108	100-75-50	92-96-100%	7035	
M52R070C0103104	100-75-50	92-96-100%	5012	

H=922 mm

Wheels: Elastic rubber Ø 125 mm
Cabinet capacity: 750 kg



Cabinet with wheels with 6 drawers 2x75 3x100 1x150

ART.	drawers		RAL	
M52R070C01044PD	100-75-50	92-96-100%	7035+7016	
M52R070C0104408	100-75-50	92-96-100%	7035	
M52R070C0104404	100-75-50	92-96-100%	5012	

H=922 mm

Wheels: Elastic rubber Ø 125 mm
Cabinet capacity: 750 kg





Cabinet with 1 drawer 1x100

ART.	drawers		RAL	
	KG			
M23A020C01005PD	100-75-50	92-96-100%	7035+7016	
M23A020C0100508	100-75-50	92-96-100%	7035	
M23A020C0100504	100-75-50	92-96-100%	5012	

H=200 mm



Cabinet with 1 drawer 1x200

ART.	drawers		RAL	
	KG			
M23A030C01006PD	100-75-50	92-96-100%	7035+7016	
M23A030C0100608	100-75-50	92-96-100%	7035	
M23A030C0100604	100-75-50	92-96-100%	5012	

H=300 mm



Cabinet with 3 drawers 1x50 1x100 1x150

ART.	drawers		RAL	
	KG			
M23A040C01001PD	100-75-50	92-96-100%	7035+7016	
M23A040C0100108	100-75-50	92-96-100%	7035	
M23A040C0100104	100-75-50	92-96-100%	5012	

H=400 mm



Cabinet with 3 drawers 2x75 1x150

ART.	drawers		RAL	
	KG			
M23A040C01002PD	100-75-50	92-96-100%	7035+7016	
M23A040C0100208	100-75-50	92-96-100%	7035	
M23A040C0100204	100-75-50	92-96-100%	5012	

H=400 mm



Cabinet with 4 drawers 2x75 1x150 1x200

ART.	drawers		RAL	
	KG			
M23A060C01020PD	100-75-50	92-96-100%	7035+7016	
M23A060C0102008	100-75-50	92-96-100%	7035	
M23A060C0102004	100-75-50	92-96-100%	5012	

H=600 mm



Cabinet with 5 drawers 1x50 2x75 1x100 1x200

ART.	drawers		RAL	
M23A060C01021PD	100-75-50	92-96-100%	7035+7016	
M23A060C0102108	100-75-50	92-96-100%	7035	
M23A060C0102104	100-75-50	92-96-100%	5012	

H=600 mm



Cabinet with 5 drawers 2x75 1x100 1x150 1x200

ART.	drawers		RAL	
M23A070C01031PD	100-75-50	92-96-100%	7035+7016	
M23A070C0103108	100-75-50	92-96-100%	7035	
M23A070C0103104	100-75-50	92-96-100%	5012	

H=700 mm



Cabinet with 4 drawers 1x100 2x150 1x200

ART.	drawers		RAL	
M23A070C01049PD	100-75-50	92-96-100%	7035+7016	
M23A070C0104908	100-75-50	92-96-100%	7035	
M23A070C0104904	100-75-50	92-96-100%	5012	

H=700 mm



Cabinet with 6 drawers 1x50 2x75 2x100 1x200

ART.	drawers		RAL	
M23A070C01032PD	100-75-50	92-96-100%	7035+7016	
M23A070C0103208	100-75-50	92-96-100%	7035	
M23A070C0103204	100-75-50	92-96-100%	5012	

H=700 mm



Cabinet with 4 drawers 2x100 1x200 1x300

ART.	drawers		RAL	
M23A080C01055PD	100-75-50	92-96-100%	7035+7016	
M23A080C0105508	100-75-50	92-96-100%	7035	
M23A080C0105504	100-75-50	92-96-100%	5012	

H=800 mm



INTERNAL DIM. W x D



EXTRACTION



LOAD CAPACITY



RAL 7035 + RAL 7016



RAL 5012



RAL 7035



Cabinet with 5 drawers 1x50 2x100 1x150 1x300

ART.	drawers		RAL	
	KG			
M23A080C01054PD	100-75-50	92-96-100%	7035+7016	
M23A080C0105408	100-75-50	92-96-100%	7035	
M23A080C0105404	100-75-50	92-96-100%	5012	

H=800 mm



Cabinet with 6 drawers 2x75 2x100 1x150 1x200

ART.	drawers		RAL	
	KG			
M23A080C01056PD	100-75-50	92-96-100%	7035+7016	
M23A080C0105608	100-75-50	92-96-100%	7035	
M23A080C0105604	100-75-50	92-96-100%	5012	

H=800 mm



Cabinet with 7 drawers 1x50 2x75 2x100 2x150

ART.	drawers		RAL	
	KG			
M23A080C01066PD	100-75-50	92-96-100%	7035+7016	
M23A080C0106608	100-75-50	92-96-100%	7035	
M23A080C0106604	100-75-50	92-96-100%	5012	

H=800 mm



Cabinet with 7 drawers 2x75 4x100 1x150

ART.	drawers		RAL	
	KG			
M23A080C01065PD	100-75-50	92-96-100%	7035+7016	
M23A080C0106508	100-75-50	92-96-100%	7035	
M23A080C0106504	100-75-50	92-96-100%	5012	

H=800 mm



Cabinet with door with 1 drawer 1x75 1xPR 1xPE

ART.	drawers / retractable shelves		RAL	
	KG			
M23A080C01069PD	100-75-50	92-96-100%	7035+7016	
M23A080C0106908	100-75-50	92-96-100%	7035	
M23A080C0106904	100-75-50	92-96-100%	5012	

H=800 mm



Cabinet with 4 drawers 3x150 1x300

ART.	drawers		RAL	
M23A085C010AQP	100-75-50	92-96-100%	7035+7016	
M23A085C010AQ8	100-75-50	92-96-100%	7035	
M23A085C010AQ4	100-75-50	92-96-100%	5012	

H=850 mm



Cabinet with 5 drawers 1x50 2x100 1x200 1x300

ART.	drawers		RAL	
M23A085C01093PD	100-75-50	92-96-100%	7035+7016	
M23A085C0109308	100-75-50	92-96-100%	7035	
M23A085C0109304	100-75-50	92-96-100%	5012	

H=850 mm



Cabinet with 5 drawers 2x100 1x150 2x200

ART.	drawers		RAL	
M23A085C01090PD	100-75-50	92-96-100%	7035+7016	
M23A085C0109008	100-75-50	92-96-100%	7035	
M23A085C0109004	100-75-50	92-96-100%	5012	

H=850 mm



Cabinet with 6 drawers 1x75 3x100 1x125 1x250

ART.	drawers		RAL	
M23A085C01094PD	100-75-50	92-96-100%	7035+7016	
M23A085C0109408	100-75-50	92-96-100%	7035	
M23A085C0109404	100-75-50	92-96-100%	5012	

H=850 mm



Cabinet with 6 drawers 1x50 2x100 2x150 1x200

ART.	drawers		RAL	
M23A085C01091PD	100-75-50	92-96-100%	7035+7016	
M23A085C0109108	100-75-50	92-96-100%	7035	
M23A085C0109104	100-75-50	92-96-100%	5012	

H=850 mm





Cabinet with 7 drawers 1x50 2x75 2x100 1x150 1x200

ART.	drawers		RAL	
	KG			
M23A085C010AEPD	100-75-50	92-96-100%	7035+7016	
M23A085C010AE08	100-75-50	92-96-100%	7035	
M23A085C010AE04	100-75-50	92-96-100%	5012	

H=850 mm



Cabinet with 7 drawers 2x75 3x100 2x150

ART.	drawers		RAL	
	KG			
M23A085C01095PD	100-75-50	92-96-100%	7035+7016	
M23A085C0109508	100-75-50	92-96-100%	7035	
M23A085C0109504	100-75-50	92-96-100%	5012	

H=850 mm



Cabinet with 8 drawers 1x50 2x75 4x100 1x150

ART.	drawers		RAL	
	KG			
M23A085C01087PD	100-75-50	92-96-100%	7035+7016	
M23A085C0108708	100-75-50	92-96-100%	7035	
M23A085C0108704	100-75-50	92-96-100%	5012	

H=850 mm



Cabinet with wheels with 4 drawers 2x75 1x150 1x200

ART.	drawers		RAL	
	KG			
M23R060C01020PD	100-75-50	92-96-100%	7035+7016	
M23R060C0102008	100-75-50	92-96-100%	7035	
M23R060C0102004	100-75-50	92-96-100%	5012	

H=822 mm

Wheels: Standard rubber Ø 125 mm
Cabinet capacity: 300 kg



Cabinet with wheels with 5 drawers 1x50 2x75 1x100 1x200

ART.	drawers		RAL	
	KG			
M23R060C01021PD	100-75-50	92-96-100%	7035+7016	
M23R060C0102108	100-75-50	92-96-100%	7035	
M23R060C0102104	100-75-50	92-96-100%	5012	

H=822 mm

Wheels: Standard rubber Ø 125 mm
Cabinet capacity: 300 kg



Cabinet with wheels with 6 drawers 4x75 2x100

ART.	drawers		RAL	
M23R060C01022PD	100-75-50	92-96-100%	7035+7016	
M23R060C0102208	100-75-50	92-96-100%	7035	
M23R060C0102204	100-75-50	92-96-100%	5012	

H=822 mm

Wheels: Standard rubber Ø 125 mm
Cabinet capacity: 300 kg



Cabinet with wheels with 5 drawers 2x75 1x100 1x150 1x200

ART.	drawers		RAL	
M23R070C01031PD	100-75-50	92-96-100%	7035+7016	
M23R070C0103108	100-75-50	92-96-100%	7035	
M23R070C0103104	100-75-50	92-96-100%	5012	

H=922 mm

Wheels: Standard rubber Ø 125 mm
Cabinet capacity: 300 kg



Cabinet with wheels with 6 drawers 1x50 2x75 2x100 1x200

ART.	drawers		RAL	
M23R070C01032PD	100-75-50	92-96-100%	7035+7016	
M23R070C0103208	100-75-50	92-96-100%	7035	
M23R070C0103204	100-75-50	92-96-100%	5012	

H=922 mm

Wheels: Standard rubber Ø 125 mm
Cabinet capacity: 300 kg



Cabinet with wheels with 5 drawers 1x50 2x100 1x150 1x300

ART.	drawers		RAL	
M23R080C01054PD	100-75-50	92-96-100%	7035+7016	
M23R080C0105408	100-75-50	92-96-100%	7035	
M23R080C0105404	100-75-50	92-96-100%	5012	

H=1022 mm

Wheels: Standard rubber Ø 125 mm
Cabinet capacity: 300 kg



Cabinet with wheels with 5 drawers 3x100 2x200

ART.	drawers		RAL	
M23R080C01063PD	100-75-50	92-96-100%	7035+7016	
M23R080C0106308	100-75-50	92-96-100%	7035	
M23R080C0106304	100-75-50	92-96-100%	5012	

H=1022 mm

Wheels: Standard rubber Ø 125 mm
Cabinet capacity: 300 kg



INTERNAL DIM. W x D



EXTRACTION



LOAD CAPACITY



RAL 7035 + RAL 7016



RAL 5012



RAL 7035



Cabinet with wheels with 7 drawers 2x75 4x100 1x150

ART.	drawers		RAL	
M23R080C01065PD	100-75-50	92-96-100%	7035+7016	
M23R080C0106508	100-75-50	92-96-100%	7035	
M23R080C0106504	100-75-50	92-96-100%	5012	

H=1022 mm

Wheels: Standard rubber Ø 125 mm
Cabinet capacity: 300 kg



Cabinet with wheels with 7 drawers 1x50 2x75 2x100 2x150

ART.	drawers		RAL	
M23R080C01066PD	100-75-50	92-96-100%	7035+7016	
M23R080C0106608	100-75-50	92-96-100%	7035	
M23R080C0106604	100-75-50	92-96-100%	5012	

H=1022 mm

Wheels: Standard rubber Ø 125 mm
Cabinet capacity: 300 kg





Tools and thermoformed items not included



Drawer H 50 mm
Set consisting of 12 x 36 mm 4-channel dividers and 65 transversal dividers



Drawer H 75 mm
Set for thermoformed items



Drawer H 150 mm
Set consisting of 2 x 610 mm longitudinal slotted dividers and 3 x 149 mm transversal dividers



INTERNAL DIM. W x D



EXTRACTION



LOAD CAPACITY



RAL 7035 + RAL 7016



RAL 5012



RAL 7035



Cabinet with 4 drawers 1x100 2x150 1x300

ART.	drawers		RAL	
M33A080C01072PD	100-75-50	92-96-100%	7035+7016	
M33A080C0107208	100-75-50	92-96-100%	7035	
M33A080C0107204	100-75-50	92-96-100%	5012	

H=800 mm

Cabinet with 6 drawers 2x75 2x100 1x150 1x200

ART.	drawers		RAL	
M33A080C01056PD	100-75-50	92-96-100%	7035+7016	
M33A080C0105608	100-75-50	92-96-100%	7035	
M33A080C0105604	100-75-50	92-96-100%	5012	

H=800 mm

Cabinet with 4 drawers 1x100 1x150 1x200 1x300

ART.	drawers		RAL	
M33A085C01092PD	100-75-50	92-96-100%	7035+7016	
M33A085C0109208	100-75-50	92-96-100%	7035	
M33A085C0109204	100-75-50	92-96-100%	5012	
M33A085C010ASPD	200	100%	7035+7016	
M33A085C010AS08	200	100%	7035	
M33A085C010AS04	200	100%	5012	

H=850 mm

Cabinet with 5 drawers 1x50 2x100 1x200 1x300

ART.	drawers		RAL	
M33A085C01093PD	100-75-50	92-96-100%	7035+7016	
M33A085C0109308	100-75-50	92-96-100%	7035	
M33A085C0109304	100-75-50	92-96-100%	5012	
M33A085C010ATPD	200	100%	7035+7016	
M33A085C010AT08	200	100%	7035	
M33A085C010AT04	200	100%	5012	

H=850 mm Drawers with H=50 mm are all with flexible extraction



Cabinet with 5 drawers 1x100 3x150 1x200

ART.	drawers		RAL	
M33A085C01088PD	100-75-50	92-96-100%	7035+7016	
M33A085C0108808	100-75-50	92-96-100%	7035	
M33A085C0108804	100-75-50	92-96-100%	5012	
M33A085C010APPD	200	100%	7035+7016	
M33A085C010AP08	200	100%	7035	
M33A085C010AP04	200	100%	5012	

H=850 mm



Cabinet with 7 drawers 1x50 2x75 2x100 1x150 1x200

ART.	drawers		RAL	
M33A085C010AEPD	100-75-50	92-96-100%	7035+7016	
M33A085C010AE08	100-75-50	92-96-100%	7035	
M33A085C010AE04	100-75-50	92-96-100%	5012	
M33A085C010AFPD	200	100%	7035+7016	
M33A085C010AF08	200	100%	7035	
M33A085C010AF04	200	100%	5012	

H=850 mm Drawers with H=50 mm are all with flexible extraction



Cabinet with 7 drawers 2x75 3x100 2x150

ART.	drawers		RAL	
M33A085C01095PD	100-75-50	92-96-100%	7035+7016	
M33A085C0109508	100-75-50	92-96-100%	7035	
M33A085C0109504	100-75-50	92-96-100%	5012	
M33A085C010AUPD	200	100%	7035+7016	
M33A085C010AU08	200	100%	7035	
M33A085C010AU04	200	100%	5012	

H=850 mm



Cabinet with 8 drawers 1x50 2x75 4x100 1x150

ART.	drawers		RAL	
M33A085C01087PD	100-75-50	92-96-100%	7035+7016	
M33A085C0108708	100-75-50	92-96-100%	7035	
M33A085C0108704	100-75-50	92-96-100%	5012	
M33A085C010AVPD	200	100%	7035+7016	
M33A085C010AV08	200	100%	7035	
M33A085C010AV04	200	100%	5012	

H=850 mm Drawers with H=50 mm are all with flexible extraction





Cabinet with 6 drawers 1x50 3x150 2x200

ART.	drawers		RAL	
M33A100C010CZPD	100-75-50	92-96-100%	7035+7016	
M33A100C010CZ08	100-75-50	92-96-100%	7035	
M33A100C010CZ04	100-75-50	92-96-100%	5012	
M33A100C010DAPD	200	100%	7035+7016	
M33A100C010DA08	200	100%	7035	
M33A100C010DA04	200	100%	5012	

H=1000 mm Drawers with H=50 mm are all with flexible extraction

Cabinet with 6 drawers 1x100 4x150 1x200

ART.	drawers		RAL	
M33A100C010DBPD	100-75-50	92-96-100%	7035+7016	
M33A100C010DB08	100-75-50	92-96-100%	7035	
M33A100C010DB04	100-75-50	92-96-100%	5012	
M33A100C010DCPD	200	100%	7035+7016	
M33A100C010DC08	200	100%	7035	
M33A100C010DC04	200	100%	5012	

H=1000 mm

Cabinet with 7 drawers 1x50 2x75 2x100 1x200 1x300

ART.	drawers		RAL	
M33A100C010BNPD	100-75-50	92-96-100%	7035+7016	
M33A100C010BN08	100-75-50	92-96-100%	7035	
M33A100C010BN04	100-75-50	92-96-100%	5012	
M33A100C010BPPD	200	100%	7035+7016	
M33A100C010BP08	200	100%	7035	
M33A100C010BP04	200	100%	5012	

H=1000 mm Drawers with H=50 mm are all with flexible extraction

Cabinet with 7 drawers 2x75 1x100 3x150 1x200

ART.	drawers		RAL	
M33A100C010AWPD	100-75-50	92-96-100%	7035+7016	
M33A100C010AW08	100-75-50	92-96-100%	7035	
M33A100C010AW04	100-75-50	92-96-100%	5012	
M33A100C010BHPD	200	100%	7035+7016	
M33A100C010BH08	200	100%	7035	
M33A100C010BH04	200	100%	5012	

H=1000 mm



Cabinet with 8 drawers 1x50 2x75 2x100 2x150 1x200

ART.	drawers		RAL	
M33A100C010CUPD	100-75-50	92-96-100%	7035+7016	
M33A100C010CU08	100-75-50	92-96-100%	7035	
M33A100C010CU04	100-75-50	92-96-100%	5012	
M33A100C010CVPD	200	100%	7035+7016	
M33A100C010CV08	200	100%	7035	
M33A100C010CV04	200	100%	5012	

H=1000 mm Drawers with H=50 mm are all with flexible extraction



Cabinet with 8 drawers 2x75 3x100 3x150

ART.	drawers		RAL	
M33A100C010DDPD	100-75-50	92-96-100%	7035+7016	
M33A100C010DD08	100-75-50	92-96-100%	7035	
M33A100C010DD04	100-75-50	92-96-100%	5012	
M33A100C010DEPD	200	100%	7035+7016	
M33A100C010DE08	200	100%	7035	
M33A100C010DE04	200	100%	5012	

H=1000 mm



Cabinet with 9 drawers 9x100

ART.	drawers		RAL	
M33A100C010BLPD	100-75-50	92-96-100%	7035+7016	
M33A100C010BL08	100-75-50	92-96-100%	7035	
M33A100C010BL04	100-75-50	92-96-100%	5012	
M33A100C010BMPD	200	100%	7035+7016	
M33A100C010BM08	200	100%	7035	
M33A100C010BM04	200	100%	5012	

H=1000 mm



Cabinet with 10 drawers 1x50 2x75 7x100

ART.	drawers		RAL	
M33A100C010DFPD	100-75-50	92-96-100%	7035+7016	
M33A100C010DF08	100-75-50	92-96-100%	7035	
M33A100C010DF04	100-75-50	92-96-100%	5012	
M33A100C010DGPD	200	100%	7035+7016	
M33A100C010DG08	200	100%	7035	
M33A100C010DG04	200	100%	5012	

H=1000 mm Drawers with H=50 mm are all with flexible extraction



INTERNAL DIM. W x D



EXTRACTION



LOAD CAPACITY



RAL 7035 + RAL 7016



RAL 5012



RAL 7035





Drawer H 50 mm
Set consisting of 16 x 36 mm 4-channel dividers and 65 transversal dividers



Drawer H 75 mm
Set for thermoformed items



Drawer H 75 mm
Set for thermoformed items



Drawer H 100 mm
Set for thermoformed items



Drawer H 100 mm
Set consisting of 3 x 610 mm longitudinal slotted dividers and 15 x 149 mm transversal dividers



Drawer H 200 mm
Set consisting of 2 x 610 mm longitudinal slotted dividers and 3 x 200 mm transversal dividers



Drawer H 300 mm
Set consisting of 1 x 610 mm longitudinal slotted divider



Tools and thermoformed items not included

Available in various sizes



INTERNAL DIM. W x D



EXTRACTION



LOAD CAPACITY



RAL 7035 + RAL 7016



RAL 5012



RAL 7035



Cabinet with doors with 2 drawers 2x75 2xPE

ART.	drawers / retractable shelves		RAL	
M33A100C010LJPD	100-75-50	92-96-100%	7035+7016	
M33A100C010LJ08	100-75-50	92-96-100%	7035	
M33A100C010LJ04	100-75-50	92-96-100%	5012	
M33A100C010LKPD	200	100%	7035+7016	
M33A100C010LK08	200	100%	7035	
M33A100C010LK04	200	100%	5012	

H=1022 mm

Cabinet with doors 2xPR 2xPE

ART.	retractable shelves		RAL	
M33A100C010LMPD	100-75-50	92-96-100%	7035+7016	
M33A100C010LM08	100-75-50	92-96-100%	7035	
M33A100C010LM04	100-75-50	92-96-100%	5012	
M33A100C010LNPD	200	100%	7035+7016	
M33A100C010LN08	200	100%	7035	
M33A100C010LN04	200	100%	5012	

H=1022 mm

Cabinet with doors with 4 drawers 4x75

ART.	drawers		RAL	
M33A100C010CCPD	100-75-50	92-96-100%	7035+7016	
M33A100C010CC08	100-75-50	92-96-100%	7035	
M33A100C010CC04	100-75-50	92-96-100%	5012	
M33A100C010CDPD	200	100%	7035+7016	
M33A100C010CD08	200	100%	7035	
M33A100C010CD04	200	100%	5012	

H=1022 mm

Cabinet with doors with 3 drawers 1x125 2x75 2xPE

ART.	drawers / retractable shelves		RAL	
M33A100C010LRPD	100-75-50	92-96-100%	7035+7016	
M33A100C010LR08	100-75-50	92-96-100%	7035	
M33A100C010LR04	100-75-50	92-96-100%	5012	
M33A100C010LSPD	200	100%	7035+7016	
M33A100C010LS08	200	100%	7035	
M33A100C010LS04	200	100%	5012	

H=1022 mm



Cabinet with doors with 5 drawers 1x50 2x75 2x100 1xPE

ART.	drawers / retractable shelves		RAL	
M33A100C010LTPD	100-75-50	92-96-100%	7035+7016	
M33A100C010LT08	100-75-50	92-96-100%	7035	
M33A100C010LT04	100-75-50	92-96-100%	5012	
M33A100C010LUPD	200	100%	7035+7016	
M33A100C010LU08	200	100%	7035	
M33A100C010LU04	200	100%	5012	

H=1022 mm Drawers with H=50 mm are all with flexible extraction



Cabinet with doors with 5 drawers 1x50 4x75 1xPE

ART.	drawers / retractable shelves		RAL	
M33A100C010LVDP	100-75-50	92-96-100%	7035+7016	
M33A100C010LV08	100-75-50	92-96-100%	7035	
M33A100C010LV04	100-75-50	92-96-100%	5012	
M33A100C010LWPD	200	100%	7035+7016	
M33A100C010LW08	200	100%	7035	
M33A100C010LW04	200	100%	5012	

H=1022 mm Drawers with H=50 mm are all with flexible extraction



Cabinet with sliding doors with 4 drawers 4x75 2xPE

ART.	drawers / retractable shelves		RAL	
M33D100C010GYPD	100-75-50	92-96-100%	7035+7016	
M33D100C010GY08	100-75-50	92-96-100%	7035	
M33D100C010GY04	100-75-50	92-96-100%	5012	
M33D100C010GZPD	200	100%	7035+7016	
M33D100C010GZ08	200	100%	7035	
M33D100C010GZ04	200	100%	5012	

H=1022 mm



Cabinet with sliding doors 4xPR 2xPE

ART.	retractable shelves		RAL	
M33D100C010JAPD	100-75-50	92-96-100%	7035+7016	
M33D100C010JA08	100-75-50	92-96-100%	7035	
M33D100C010JA04	100-75-50	92-96-100%	5012	
M33D100C010JBPD	200	100%	7035+7016	
M33D100C010JB08	200	100%	7035	
M33D100C010JB04	200	100%	5012	

H=1022 mm





Cabinet with sliding doors with 4 drawers 4x75 4xPE



ART.	drawers / retractable shelves		RAL	
M33D100C010HEPD	100-75-50	92-96-100%	7035+7016	
M33D100C010HE08	100-75-50	92-96-100%	7035	
M33D100C010HE04	100-75-50	92-96-100%	5012	
M33D100C010HFPD	200	100%	7035+7016	
M33D100C010HF08	200	100%	7035	
M33D100C010HF04	200	100%	5012	

H=1022 mm

Cabinet with 9 drawers 2x75 2x100 1x150 3x200 1x300



ART.	drawers		RAL	
M33A150C010LXPD	100-75-50	92-96-100%	7035+7016	
M33A150C010LX08	100-75-50	92-96-100%	7035	
M33A150C010LX04	100-75-50	92-96-100%	5012	
M33A150C010LYPD	200	100%	7035+7016	
M33A150C010LY08	200	100%	7035	
M33A150C010LY04	200	100%	5012	

H=1500 mm

Cabinet with 9 drawers 2x100 6x150 1x300



ART.	drawers		RAL	
M33A150C010FJPD	100-75-50	92-96-100%	7035+7016	
M33A150C010FJ08	100-75-50	92-96-100%	7035	
M33A150C010FJ04	100-75-50	92-96-100%	5012	
M33A150C010FKPD	200	100%	7035+7016	
M33A150C010FK08	200	100%	7035	
M33A150C010FK04	200	100%	5012	

H=1500 mm

Cabinet with 10 drawers 1x50 4x100 1x150 4x200



ART.	drawers		RAL	
M33A150C010LZPD	100-75-50	92-96-100%	7035+7016	
M33A150C010LZ08	100-75-50	92-96-100%	7035	
M33A150C010LZ04	100-75-50	92-96-100%	5012	
M33A150C010MAPD	200	100%	7035+7016	
M33A150C010MA08	200	100%	7035	
M33A150C010MA04	200	100%	5012	

H=1500 mm Drawers with H=50 mm are all with flexible extraction



Cabinet with doors with 3 drawers 2x75 1x150 2xPE

ART.	drawers / retractable shelves		RAL	
	KG	KG		
M33A150C010LAPD	100-75-50	92-96-100%	7035+7016	
M33A150C010LA08	100-75-50	92-96-100%	7035	
M33A150C010LA04	100-75-50	92-96-100%	5012	
M33A150C010LBPD	200	100%	7035+7016	
M33A150C010LB08	200	100%	7035	
M33A150C010LB04	200	100%	5012	

H=1500 mm



Cabinet with doors 3xPR 2xPE

ART.	retractable shelves		RAL	
	KG	KG		
M33A150C010LCPD	100-75-50	92-96-100%	7035+7016	
M33A150C010LC08	100-75-50	92-96-100%	7035	
M33A150C010LC04	100-75-50	92-96-100%	5012	
M33A150C010LDPD	200	100%	7035+7016	
M33A150C010LD08	200	100%	7035	
M33A150C010LD04	200	100%	5012	

H=1500 mm



Cabinet with doors with 5 drawers 2x75 3x150

ART.	drawers		RAL	
	KG	KG		
M33A150C010LEPD	100-75-50	92-96-100%	7035+7016	
M33A150C010LE08	100-75-50	92-96-100%	7035	
M33A150C010LE04	100-75-50	92-96-100%	5012	
M33A150C010LFPD	200	100%	7035+7016	
M33A150C010LF08	200	100%	7035	
M33A150C010LF04	200	100%	5012	

H=1500 mm



PE: RETRACTABLE SHELF
PR: ADJUSTABLE SHELF



INTERNAL DIM. W x D



EXTRACTION



LOAD CAPACITY



RAL 7035 + RAL 7016



RAL 5012



RAL 7035


Cabinet with 7 drawers 2xPR 2x75 1x100 3x150 1x200

ART.	drawers		RAL	
M33A200C010FSPD	100-75-50	92-96-100%	7035+7016	
M33A200C010FS08	100-75-50	92-96-100%	7035	
M33A200C010FS04	100-75-50	92-96-100%	5012	
M33A200C010FTPD	200	100%	7035+7016	
M33A200C010FT08	200	100%	7035	
M33A200C010FT04	200	100%	5012	

H=2000 mm

Cabinet with doors with 3 drawers 2xPR 2x100 1x150 2xPE

ART.	drawers / retractable shelves		RAL	
M33A200C010FWPD	100-75-50	92-96-100%	7035+7016	
M33A200C010FW08	100-75-50	92-96-100%	7035	
M33A200C010FW04	100-75-50	92-96-100%	5012	
M33A200C010FXPD	200	100%	7035+7016	
M33A200C010FX08	200	100%	7035	
M33A200C010FX04	200	100%	5012	

H=2000 mm

Cabinet with doors with 7 drawers 3xPR 2x75 1x100 3x150 1x200

ART.	drawers		RAL	
M33A200C010FYPD	100-75-50	92-96-100%	7035+7016	
M33A200C010FY08	100-75-50	92-96-100%	7035	
M33A200C010FY04	100-75-50	92-96-100%	5012	
M33A200C010FZPD	200	100%	7035+7016	
M33A200C010FZ08	200	100%	7035	
M33A200C010FZ04	200	100%	5012	

H=2000 mm



Cabinet with wheels with 3 drawers 1x100 1x200 1x300

ART.	drawers		RAL	
M33R070C01029PD	100-75-50	92-96-100%	7035+7016	
M33R070C0102908	100-75-50	92-96-100%	7035	
M33R070C0102904	100-75-50	92-96-100%	5012	

H=922 mm

Wheels: Elastic rubber Ø 125 mm
Cabinet capacity: 750 kg



Cabinet with wheels with 5 drawers 1x50 2x100 1x150 1x200

ART.	drawers		RAL	
M33R070C01040PD	100-75-50	92-96-100%	7035+7016	
M33R070C0104008	100-75-50	92-96-100%	7035	
M33R070C0104004	100-75-50	92-96-100%	5012	

H=922 mm

Wheels: Elastic rubber Ø 125 mm
Cabinet capacity: 750 kg



Cabinet with wheels with 6 drawers 2x75 3x100 1x150

ART.	drawers		RAL	
M33R070C01044PD	100-75-50	92-96-100%	7035+7016	
M33R070C0104408	100-75-50	92-96-100%	7035	
M33R070C0104404	100-75-50	92-96-100%	5012	

H=922 mm

Wheels: Elastic rubber Ø 125 mm
Cabinet capacity: 750 kg



Cabinet with wheels with 7 drawers 2x75 2x100 2x125 1x150

ART.	drawers		RAL	
M33R085C010ACPD	100-75-50	92-96-100%	7035+7016	
M33R085C010AC08	100-75-50	92-96-100%	7035	
M33R085C010AC04	100-75-50	92-96-100%	5012	

H=1072 mm

Wheels: Elastic rubber Ø 125 mm
Cabinet capacity: 750 kg



Cabinet with wheels with 8 drawers 4x75 3x100 1x150

ART.	drawers		RAL	
M33R085C010AGPD	100-75-50	92-96-100%	7035+7016	
M33R085C010AG08	100-75-50	92-96-100%	7035	
M33R085C010AG04	100-75-50	92-96-100%	5012	

H=1072 mm

Wheels: Elastic rubber Ø 125 mm
Cabinet capacity: 750 kg





Cabinet with 7 drawers 1x50 2x75 2x100 1x150 1x200

ART.	drawers		RAL	
M43A085C010AEPD	100-75-50	92-96-100%	7035+7016	
M43A085C010AE08	100-75-50	92-96-100%	7035	
M43A085C010AE04	100-75-50	92-96-100%	5012	
M43A085C010AFPD	200	100%	7035+7016	
M43A085C010AF08	200	100%	7035	
M43A085C010AF04	200	100%	5012	

H=850 mm Drawers with H=50 mm are all with flexible extraction

Cabinet with 7 drawers 2x75 2x100 2x125 1x150

ART.	drawers		RAL	
M43A085C010ACPD	100-75-50	92-96-100%	7035+7016	
M43A085C010AC08	100-75-50	92-96-100%	7035	
M43A085C010AC04	100-75-50	92-96-100%	5012	
M43A085C010ADPD	200	100%	7035+7016	
M43A085C010AD08	200	100%	7035	
M43A085C010AD04	200	100%	5012	

H=850 mm

Cabinet with 8 drawers 4x75 3x100 1x150

ART.	drawers		RAL	
M43A085C010AGPD	100-75-50	92-96-100%	7035+7016	
M43A085C010AG08	100-75-50	92-96-100%	7035	
M43A085C010AG04	100-75-50	92-96-100%	5012	
M43A085C010AHPD	200	100%	7035+7016	
M43A085C010AH08	200	100%	7035	
M43A085C010AH04	200	100%	5012	

H=850 mm

Cabinet with 7 drawers 1x50 2x75 2x100 1x200 1x300

ART.	drawers		RAL	
M43A100C010BNPD	100-75-50	92-96-100%	7035+7016	
M43A100C010BN08	100-75-50	92-96-100%	7035	
M43A100C010BN04	100-75-50	92-96-100%	5012	
M43A100C010BPPD	200	100%	7035+7016	
M43A100C010BP08	200	100%	7035	
M43A100C010BP04	200	100%	5012	

H=1000 mm Drawers with H=50 mm are all with flexible extraction



Cabinet with 8 drawers 1x50 2x75 3x100 1x150 1x250

ART.	drawers		RAL	
M43A100C010BQPD	100-75-50	92-96-100%	7035+7016	
M43A100C010BQ08	100-75-50	92-96-100%	7035	
M43A100C010BQ04	100-75-50	92-96-100%	5012	
M43A100C010BRPD	200	100%	7035+7016	
M43A100C010BR08	200	100%	7035	
M43A100C010BR04	200	100%	5012	

H=1000 mm Drawers with H=50 mm are all with flexible extraction



Cabinet with 9 drawers 3x50 2x75 2x100 1x150 1x250

ART.	drawers		RAL	
M43A100C010CSPD	100-75-50	92-96-100%	7035+7016	
M43A100C010CS08	100-75-50	92-96-100%	7035	
M43A100C010CS04	100-75-50	92-96-100%	5012	
M43A100C010CTPD	200	100%	7035+7016	
M43A100C010CT08	200	100%	7035	
M43A100C010CT04	200	100%	5012	

H=1000 mm Drawers with H=50 mm are all with flexible extraction



Cabinet with 9 drawers 3x100 4x150 1x200 1x300

ART.	drawers		RAL	
M43A150C010FAPD	100-75-50	92-96-100%	7035+7016	
M43A150C010FA08	100-75-50	92-96-100%	7035	
M43A150C010FA04	100-75-50	92-96-100%	5012	
M43A150C010FBPD	200	100%	7035+7016	
M43A150C010FB08	200	100%	7035	
M43A150C010FB04	200	100%	5012	

H=1500 mm



Cabinet with 9 drawers 8x150 1x200

ART.	drawers		RAL	
M43A150C010EYPD	100-75-50	92-96-100%	7035+7016	
M43A150C010EY08	100-75-50	92-96-100%	7035	
M43A150C010EY04	100-75-50	92-96-100%	5012	
M43A150C010EZPD	200	100%	7035+7016	
M43A150C010EZ08	200	100%	7035	
M43A150C010EZ04	200	100%	5012	

H=1500 mm





Cabinet with 5 drawers 3x100 1x150 1x300

ART.	drawers		RAL	
M53A085C010AKPD	100-75-50	92-96-100%	7035+7016	
M53A085C010AK08	100-75-50	92-96-100%	7035	
M53A085C010AK04	100-75-50	92-96-100%	5012	
M53A085C010ALPD	200	100%	7035+7016	
M53A085C010AL08	200	100%	7035	
M53A085C010AL04	200	100%	5012	

H=850 mm

Cabinet with 6 drawers 2x75 2x100 1x150 1x250

ART.	drawers		RAL	
M53A085C010AMPD	100-75-50	92-96-100%	7035+7016	
M53A085C010AM08	100-75-50	92-96-100%	7035	
M53A085C010AM04	100-75-50	92-96-100%	5012	
M53A085C010ANPD	200	100%	7035+7016	
M53A085C010AN08	200	100%	7035	
M53A085C010AN04	200	100%	5012	

H=850 mm

Cabinet with 7 drawers 1x50 2x75 2x100 1x150 1x200

ART.	drawers		RAL	
M53A085C010AEPD	100-75-50	92-96-100%	7035+7016	
M53A085C010AE08	100-75-50	92-96-100%	7035	
M53A085C010AE04	100-75-50	92-96-100%	5012	
M53A085C010AFPD	200	100%	7035+7016	
M53A085C010AF08	200	100%	7035	
M53A085C010AF04	200	100%	5012	

H=850 mm Drawers with H=50 mm are all with flexible extraction

Cabinet with 5 drawers 2x100 2x200 1x300

ART.	drawers		RAL	
M53A100C010EAPD	100-75-50	92-96-100%	7035+7016	
M53A100C010EA08	100-75-50	92-96-100%	7035	
M53A100C010EA04	100-75-50	92-96-100%	5012	
M53A100C010EBPD	200	100%	7035+7016	
M53A100C010EB08	200	100%	7035	
M53A100C010EB04	200	100%	5012	

H=1000 mm



Cabinet with 6 drawers 1x100 4x150 1x200

ART.	drawers		RAL	
M53A100C010DBPD	100-75-50	92-96-100%	7035+7016	
M53A100C010DB08	100-75-50	92-96-100%	7035	
M53A100C010DB04	100-75-50	92-96-100%	5012	
M53A100C010DCPD	200	100%	7035+7016	
M53A100C010DC08	200	100%	7035	
M53A100C010DC04	200	100%	5012	

H=1000 mm



Cabinet with 7 drawers 1x50 2x75 2x100 1x200 1x300

ART.	drawers		RAL	
M53A100C010BNPD	100-75-50	92-96-100%	7035+7016	
M53A100C010BN08	100-75-50	92-96-100%	7035	
M53A100C010BN04	100-75-50	92-96-100%	5012	
M53A100C010BPPD	200	100%	7035+7016	
M53A100C010BP08	200	100%	7035	
M53A100C010BP04	200	100%	5012	

H=1000 mm Drawers with H=50 mm are all with flexible extraction



Cabinet with 7 drawers 2x75 1x100 3x150 1x200

ART.	drawers		RAL	
M53A100C010AWPD	100-75-50	92-96-100%	7035+7016	
M53A100C010AW08	100-75-50	92-96-100%	7035	
M53A100C010AW04	100-75-50	92-96-100%	5012	
M53A100C010BHPD	200	100%	7035+7016	
M53A100C010BH08	200	100%	7035	
M53A100C010BH04	200	100%	5012	

H=1000 mm



Cabinet with 8 drawers 1x50 2x75 2x100 2x150 1x200

ART.	drawers		RAL	
M53A100C010CUPD	100-75-50	92-96-100%	7035+7016	
M53A100C010CU08	100-75-50	92-96-100%	7035	
M53A100C010CU04	100-75-50	92-96-100%	5012	
M53A100C010CVPD	200	100%	7035+7016	
M53A100C010CV08	200	100%	7035	
M53A100C010CV04	200	100%	5012	

H=1000 mm Drawers with H=50 mm are all with flexible extraction





Cabinet with 8 drawers 2x75 3x100 3x150

ART.	drawers		RAL	
M53A100C010DDPD	100-75-50	92-96-100%	7035+7016	
M53A100C010DD08	100-75-50	92-96-100%	7035	
M53A100C010DD04	100-75-50	92-96-100%	5012	
M53A100C010DEPD	200	100%	7035+7016	
M53A100C010DE08	200	100%	7035	
M53A100C010DE04	200	100%	5012	

H=1000 mm

Cabinet with 10 drawers 1x50 2x75 7x100

ART.	drawers		RAL	
M53A100C010DFPD	100-75-50	92-96-100%	7035+7016	
M53A100C010DF08	100-75-50	92-96-100%	7035	
M53A100C010DF04	100-75-50	92-96-100%	5012	
M53A100C010DGPD	200	100%	7035+7016	
M53A100C010DG08	200	100%	7035	
M53A100C010DG04	200	100%	5012	

H=1000 mm Drawers with H=50 mm are all with flexible extraction

Cabinet with 9 drawers 2x75 2x100 1x150 3x200 1x300

ART.	drawers		RAL	
M53A150C010LXPD	100-75-50	92-96-100%	7035+7016	
M53A150C010LX08	100-75-50	92-96-100%	7035	
M53A150C010LX04	100-75-50	92-96-100%	5012	
M53A150C010LYPD	200	100%	7035+7016	
M53A150C010LY08	200	100%	7035	
M53A150C010LY04	200	100%	5012	

H=1500 mm

Cabinet with 9 drawers 2x100 6x150 1x300

ART.	drawers		RAL	
M53A150C010FJPD	100-75-50	92-96-100%	7035+7016	
M53A150C010FJ08	100-75-50	92-96-100%	7035	
M53A150C010FJ04	100-75-50	92-96-100%	5012	
M53A150C010FKPD	200	100%	7035+7016	
M53A150C010FK08	200	100%	7035	
M53A150C010FK04	200	100%	5012	

H=1500 mm



Cabinet with 10 drawers 1x50 4x100 1x150 4x200

ART.	drawers		RAL	
M53A150C010LZPD	100-75-50	92-96-100%	7035+7016	
M53A150C010LZ08	100-75-50	92-96-100%	7035	
M53A150C010LZ04	100-75-50	92-96-100%	5012	
M53A150C010MAPD	200	100%	7035+7016	
M53A150C010MA08	200	100%	7035	
M53A150C010MA04	200	100%	5012	

H=1500 mm Drawers with H=50 mm are all with flexible extraction



Cabinet 2xPF 2xPE

ART.	retractable shelves		RAL	
M53A200C010SVPD	200	100%	7035+7016	
M53A200C010SV08	200	100%	7035	
M53A200C010SV04	200	100%	5012	

H=2000 mm



Cabinet with 4 drawers 2xPF 1x150 1x200 1x250 1x300

ART.	drawers		RAL	
M53A200C010SXPDP	200	100%	7035+7016	
M53A200C010SX08	200	100%	7035	
M53A200C010SX04	200	100%	5012	

H=2000 mm





Cabinet with 7 drawers 2xPF 1x50 1x75 1x100 1x125 1x150 2x200

ART.	drawers		RAL	
	KG			
M53A200C010SWPD	200	100%	7035+7016	
M53A200C010SW08	200	100%	7035	
M53A200C010SW04	200	100%	5012	

H=2000 mm Drawers with H=50 mm are all with flexible extraction



Cabinet with doors 2xPF 2xPE

ART.	retractable shelves		RAL	
	KG			
M53A200C010SUPD	100-75-50	92-96-100%	7035+7016	
M53A200C010SU08	100-75-50	92-96-100%	7035	
M53A200C010SU04	100-75-50	92-96-100%	5012	

H=2000 mm



Cabinet with doors with 7 drawers 3xPR 2x75 1x100 3x150 1x200

ART.	drawers		RAL	
	KG			
M53A200C010FYPD	100-75-50	92-96-100%	7035+7016	
M53A200C010FY08	100-75-50	92-96-100%	7035	
M53A200C010FY04	100-75-50	92-96-100%	5012	
M53A200C010FZPD	200	100%	7035+7016	
M53A200C010FZ08	200	100%	7035	
M53A200C010FZ04	200	100%	5012	

H=2000 mm





Cabinet with doors with 3 drawers 2xPR 2x100 1x150 2xPE

ART.	drawers / retractable shelves		RAL	
	KG			
M53A200C010FWPD	100-75-50	92-96-100%	7035+7016	
M53A200C010FW08	100-75-50	92-96-100%	7035	
M53A200C010FW04	100-75-50	92-96-100%	5012	
M53A200C010FXPD	200	100%	7035+7016	
M53A200C010FX08	200	100%	7035	
M53A200C010FX04	200	100%	5012	

H=2000 mm



Cabinet with wheels with 7 drawers 2x75 3x100 2x150

ART.	drawers		RAL	
	KG			
M53R085C01095PD	100-75-50	92-96-100%	7035+7016	
M53R085C0109508	100-75-50	92-96-100%	7035	
M53R085C0109504	100-75-50	92-96-100%	5012	

H=1072 mm

Wheels: Elastic rubber Ø 160 mm
Cabinet capacity: 900 kg



PE: RETRACTABLE SHELF
PR: ADJUSTABLE SHELF
PF: SLOTTED SHELF



INTERNAL DIM. W x D



EXTRACTION



LOAD CAPACITY



RAL 7035 + RAL 7016



RAL 5012



RAL 7035



Cabinet with 7 drawers 2x75 2x100 1x150 2x200

ART.	drawers		RAL	
	KG			
M63A100C010DYPD	100-75-50	92-96-100%	7035+7016	
M63A100C010DY08	100-75-50	92-96-100%	7035	
M63A100C010DY04	100-75-50	92-96-100%	5012	
M63A100C010DZPD	200	100%	7035+7016	
M63A100C010DZ08	200	100%	7035	
M63A100C010DZ04	200	100%	5012	

H=1000 mm

Cabinet with 8 drawers 2x75 4x100 1x150 1x200

ART.	drawers		RAL	
	KG			
M63A100C010CNPDP	100-75-50	92-96-100%	7035+7016	
M63A100C010CN08	100-75-50	92-96-100%	7035	
M63A100C010CN04	100-75-50	92-96-100%	5012	
M63A100C010CPPDP	200	100%	7035+7016	
M63A100C010CP08	200	100%	7035	
M63A100C010CP04	200	100%	5012	

H=1000 mm

Cabinet with 8 drawers 2x75 3x100 3x150

ART.	drawers		RAL	
	KG			
M63A100C010DDPD	100-75-50	92-96-100%	7035+7016	
M63A100C010DD08	100-75-50	92-96-100%	7035	
M63A100C010DD04	100-75-50	92-96-100%	5012	
M63A100C010DEPD	200	100%	7035+7016	
M63A100C010DE08	200	100%	7035	
M63A100C010DE04	200	100%	5012	

H=1000 mm

Cabinet with 10 drawers 2x150 1x125 1x75 2x100 2x150 2x200

ART.	drawers		RAL	
	KG			
M63A150C010MCPDP	200	100%	7035+7016	
M63A150C010MC08	200	100%	7035	
M63A150C010MC04	200	100%	5012	

H=1500 mm



Cabinet with 11 drawers 1x150 1x125 1x75 4x100 3x150 1x200

ART.	drawers		RAL	
M63A150C010MEPD	200	100%	7035+7016	
M63A150C010ME08	200	100%	7035	
M63A150C010ME04	200	100%	5012	

H=1500 mm



Cabinet with 7 drawers 2xPR 2x75 1x100 3x150 1x200

ART.	drawers		RAL	
M63A200C010FTPD	200	100%	7035+7016	
M63A200C010FT08	200	100%	7035	
M63A200C010FT04	200	100%	5012	

H=2000 mm



Cabinet with doors with 7 drawers 3xPR 2x75 1x100 3x150 1x200

ART.	drawers		RAL	
M63A200C010FZPD	200	100%	7035+7016	
M63A200C010FZ08	200	100%	7035	
M63A200C010FZ04	200	100%	5012	

H=2000 mm


Cabinet with 5 drawers 2x100 2x200 1x300

ART.	drawers		RAL	
M73A100C010EAPD	100-75-50	92-96-100%	7035+7016	
M73A100C010EA08	100-75-50	92-96-100%	7035	
M73A100C010EA04	100-75-50	92-96-100%	5012	
M73A100C010EBPD	200	100%	7035+7016	
M73A100C010EB08	200	100%	7035	
M73A100C010EB04	200	100%	5012	

H=1000 mm
Cabinet with 7 drawers 2x75 2x100 1x150 2x200

ART.	drawers		RAL	
M73A100C010DYPD	100-75-50	92-96-100%	7035+7016	
M73A100C010DY08	100-75-50	92-96-100%	7035	
M73A100C010DY04	100-75-50	92-96-100%	5012	
M73A100C010DZPD	200	100%	7035+7016	
M73A100C010DZ08	200	100%	7035	
M73A100C010DZ04	200	100%	5012	

H=1000 mm
Cabinet with 8 drawers 2x75 4x100 1x150 1x200

ART.	drawers		RAL	
M73A100C010CNP	100-75-50	92-96-100%	7035+7016	
M73A100C010CN08	100-75-50	92-96-100%	7035	
M73A100C010CN04	100-75-50	92-96-100%	5012	
M73A100C010CPPD	200	100%	7035+7016	
M73A100C010CP08	200	100%	7035	
M73A100C010CP04	200	100%	5012	

H=1000 mm
Cabinet with 10 drawers 2x150 1x125 1x75 2x100 2x150 2x200

ART.	drawers		RAL	
M73A150C010MCPD	200	100%	7035+7016	
M73A150C010MC08	200	100%	7035	
M73A150C010MC04	200	100%	5012	

H=1500 mm



Cabinet with 11 drawers 1x150 1x125 1x75 4x100 3x150 1x200

ART.	drawers		RAL	
	KG			
M73A150C010MEPD	200	100%	7035+7016	
M73A150C010ME08	200	100%	7035	
M73A150C010ME04	200	100%	5012	

H=1500 mm



Cabinet with 7 drawers 2xPR 2x75 1x100 3x150 1x200

ART.	drawers		RAL	
	KG			
M73A200C010FTPD	200	100%	7035+7016	
M73A200C010FT08	200	100%	7035	
M73A200C010FT04	200	100%	5012	

H=2000 mm



Cabinet with doors with 7 drawers 3xPR 2x75 1x100 3x150 1x200

ART.	drawers		RAL	
	KG			
M73A200C010FZPD	200	100%	7035+7016	
M73A200C010FZ08	200	100%	7035	
M73A200C010FZ04	200	100%	5012	

H=2000 mm





Accessories



Stainless steel top

ART.	suitable for cabinet EH	W mm	D mm	H mm	
M12T030MDNX710A	18x27	408	573	31	
M22T030MDNX710A	27x27	561	573	31	
M32T030MDNX710A	36x27	714	573	31	
M52T030MDNX710A	54x27	1020	573	31	
M23T030MDNX710A	27x36	561	726	31	
M33T030MDNX710A	36x36	714	726	31	
M43T030MDNX710A	45x36	867	726	31	
M53T030MDNX710A	54x36	1020	726	31	
M63T030MDNX710A	64x36	1190	726	31	
M73T030MDNX710A	78x36	1428	726	31	



Rubber lined steel top

ART.	suitable for cabinet EH	W mm	D mm	H mm	colour	
M12T030MDGM7107	18x27	408	573	32	Black	
M22T030MDGM7107	27x27	561	573	32	Black	
M32T030MDGM7107	36x27	714	573	32	Black	
M52T030MDGM7107	54x27	1020	573	32	Black	
M23T030MDGM7107	27x36	561	726	32	Black	
M33T030MDGM7107	36x36	714	726	32	Black	
M43T030MDGM7107	45x36	867	726	32	Black	
M53T030MDGM7107	54x36	1020	726	32	Black	
M63T030MDGM7107	64x36	1190	726	32	Black	
M73T030MDGM7107	78x36	1428	726	32	Black	



Multiplex top

ART.	suitable for cabinet EH	W mm	D mm	H mm	
M12T030MU000100	18x27	408	573	30	
M22T030MU000100	27x27	561	573	30	
M32T030MU000100	36x27	714	573	30	
M52T030MU000100	54x27	1020	573	30	
M23T030MU000100	27x36	561	726	30	
M33T030MU000100	36x36	714	726	30	
M43T030MU000100	45x36	867	726	30	
M53T030MU000100	54x36	1020	726	30	
M63T030MU000100	64x36	1190	726	30	
M73T030MU000100	78x36	1428	726	30	



Accessories



3-edge top shelf coated with PVC

ART.	suitable for cabinet EH	W mm	D mm	H mm	colour	
M12T023AG003107	18x27	409	576	23	Black	
M22T023AG003107	27x27	562	576	23	Black	
M32T023AG003107	36x27	715	576	23	Black	
M52T023AG003107	54x27	1021	576	23	Black	
M23T023AG003107	27x36	562	729	23	Black	
M33T023AG003107	36x36	715	729	23	Black	
M43T023AG003107	45x36	868	729	23	Black	
M53T023AG003107	54x36	1021	729	23	Black	
M63T023AG003107	64x36	1191	729	23	Black	
M73T023AG003107	78x36	1429	729	23	Black	



Riser base H=50 mm

ART.	suitable for cabinet EH	W mm	D mm	H mm	RAL	
M12Z05000000008	18x27	406	572	50	7035	
M12Z05000000004	18x27	406	572	50	5012	
M22Z05000000008	27x27	559	572	50	7035	
M22Z05000000004	27x27	559	572	50	5012	
M32Z05000000008	36x27	712	572	50	7035	
M32Z05000000004	36x27	712	572	50	5012	
M52Z05000000008	54x27	1018	572	50	7035	
M52Z05000000004	54x27	1018	572	50	5012	
M23Z05000000008	27x36	559	725	50	7035	
M23Z05000000004	27x36	559	725	50	5012	
M33Z05000000008	36x36	712	725	50	7035	
M33Z05000000004	36x36	712	725	50	5012	
M43Z05000000008	45x36	865	725	50	7035	
M43Z05000000004	45x36	865	725	50	5012	
M53Z05000000008	54x36	1018	725	50	7035	
M53Z05000000004	54x36	1018	725	50	5012	
M63Z05000000008	64x36	1188	725	50	7035	
M63Z05000000004	64x36	1188	725	50	5012	
M73Z05000000008	78x36	1426	725	50	7035	
M73Z05000000004	78x36	1426	725	50	5012	



RAL 5012



RAL 7035



Accessories



Riser base H=100 mm

ART.	suitable for cabinet EH	W mm	D mm	H mm	RAL	
M12Z10000000008	18x27	406	572	100	7035	
M12Z10000000004	18x27	406	572	100	5012	
M22Z10000000008	27x27	559	572	100	7035	
M22Z10000000004	27x27	559	572	100	5012	
M32Z10000000008	36x27	712	572	100	7035	
M32Z10000000004	36x27	712	572	100	5012	
M52Z10000000008	54x27	1018	572	100	7035	
M52Z10000000004	54x27	1018	572	100	5012	
M23Z10000000008	27x36	559	725	100	7035	
M23Z10000000004	27x36	559	725	100	5012	
M33Z10000000008	36x36	712	725	100	7035	
M33Z10000000004	36x36	712	725	100	5012	
M43Z10000000008	45x36	865	725	100	7035	
M43Z10000000004	45x36	865	725	100	5012	
M53Z10000000008	54x36	1018	725	100	7035	
M53Z10000000004	54x36	1018	725	100	5012	
M63Z10000000008	64x36	1188	725	100	7035	
M63Z10000000004	64x36	1188	725	100	5012	
M73Z10000000008	78x36	1426	725	100	7035	
M73Z10000000004	78x36	1426	725	100	5012	





Accessories



Base for forklift and pallet truck

ART.	suitable for cabinet EH	W mm	D mm	H mm	RAL	
M32Z10010000007	36x27	712	569	100	9005	
M23Z10010000007	27x36	559	722	100	9005	
M33Z10010000007	36x36	712	722	100	9005	
M43Z10010000007	45x36	865	722	100	9005	

Base closure

ART.	suitable for cabinet W EH	W mm	D mm	H mm	RAL	
M20Z100110000007	27	555	46	95	9005	
M30Z100110000007	36	708	46	95	9005	
M40Z100110000007	45	861	46	95	9005	



Pair of bases for forklift and pallet truck

ART.	suitable for cabinet EH	W mm	D mm	H mm	RAL	
M02Z10020000007	54x27	200	569	100	9005	
M03Z10020000007	54x36 64x36 78x36	200	722	100	9005	



Base closure

ART.	suitable for cabinet W EH	W mm	D mm	H mm	RAL	
M50Z100210000007	54	1014	46	95	9005	
M60Z100210000007	64	1184	46	95	9005	
M70Z100210000007	78	1422	46	95	9005	





Dividing material



ART.	Suitable for drawer H mm	components	
FFH82050200	50/300	16 x Transversal divider W=36 mm 7 x Transversal divider W=47 mm 3 x 3-channel divider 3 x 4-channel divider	



ART.	Suitable for drawer H mm	components	
FFH82050300	50/300	15 x Transversal divider W=47 mm 8 x Transversal divider W=73 mm 3 x 2-channel divider 3 x 3-channel divider	



ART.	Suitable for drawer H mm	components	
FFH82050400	50/300	18 x Transversal divider W=73 mm 6 x 2-channel divider	



ART.	Suitable for drawer H mm	components	
FFH80050800	50	2 x Transversal divider W=151 mm 1 x Longitudinal slotted divider W=457 mm	
FFH80070800	75		
FFH80100800	100/125		
FFH80150800	150/175		
FFH80200800	200/250		
FFH80300800	300		



ART.	Suitable for drawer H mm	components	
FFH80050900	50	2 x Longitudinal slotted divider W=457 mm 6 x Transversal divider W=100 mm	
FFH80070900	75		
FFH80100900	100/125		
FFH80150900	150/175		



ART.	Suitable for drawer H mm	components	
FFH84051300	50	2 x Longitudinal divider without slots W=457 mm	
FFH84071300	75		
FFH84101300	100/125		
FFH84151300	150/175		
FFH84201300	200/250		

Dividing material



ART.	Suitable for drawer H mm	components	
FFH82051800	50	4 x 150x75 mm Divider box 4 x 150x150 mm Divider box	
FFH82071800	75		
FFH82101800	100/125		



ART.	Suitable for drawer H mm	components	
FFH82051700	50	4 x 75x75 mm Divider box 6 x 150x75 mm Divider box 2 x 150x150 mm Divider box	
FFH82071700	75		



ART.	Suitable for drawer H mm	components	
FFH86051900	50/300	2 x Multi-purpose tool holder	





Dividing material



ART.	Suitable for drawer H mm	components	
FFH84050200	50/300	16 x Transversal divider W=36 mm 7 x Transversal divider W=47 mm 6 x 3-channel divider 3 x 4-channel divider	



ART.	Suitable for drawer H mm	components	
FFH84050300	50/300	15 x Transversal divider W=47 mm 8 x Transversal divider W=73 mm 6 x 2-channel divider 3 x 3-channel divider	



ART.	Suitable for drawer H mm	components	
FFH84050400	50/300	18 x Transversal divider W=73 mm 9 x 2-channel divider	



ART.	Suitable for drawer H mm	components	
FFH84050800	50	2 x Longitudinal slotted divider W=457 mm 3 x Transversal divider W=151 mm	
FFH84070800	75		
FFH84100800	100/125		
FFH84150800	150/175		
FFH84200800	200/250		
FFH84300800	300		



ART.	Suitable for drawer H mm	components	
FFH84050900	50	2 x Longitudinal slotted divider W=457 mm 7 x Transversal divider W=151 mm	
FFH84070900	75		
FFH84100900	100/125		
FFH84150900	150/175		
FFH84200900	200/250		



ART.	Suitable for drawer H mm	components	
FFH84051300	50	2 x Longitudinal divider without slots W=457 mm	
FFH84071300	75		
FFH84101300	100/125		
FFH84151300	150/175		
FFH84201300	200/250		


Dividing material



ART.	Suitable for drawer H mm	components	
FFH84051700	50	8 x 75x75 mm Divider box 6 x 150x75 mm Divider box 4 x 150x150 mm Divider box	
FFH84071700	75		



ART.	Suitable for drawer H mm	components	
FFH84051800	50	6 x 150x75 mm Divider box 6 x 150x150 mm Divider box	
FFH84071800	75		
FFH84101800	100/125		



ART.	Suitable for drawer H mm	components	
FFH86051900	50/300	2 x Multi-purpose tool holder	





Dividing material



ART.	Suitable for drawer H mm	components	
FFH10051500	50/300	20 x Transversal divider W=36 mm 20 x Transversal divider W=47 mm 6 x 3-channel divider 5 x 4-channel divider 1 x Allen key holder	



ART.	Suitable for drawer H mm	components	
FFH10051000	50/300	3 x 3-channel divider 9 x 4-channel divider 12 x Transversal divider W=47 mm 36 x Transversal divider W=36 mm	



ART.	Suitable for drawer H mm	components	
FFH10051300	50/300	18 x Transversal divider W=47 mm 12 x Transversal divider W=73 mm 6 x 2-channel divider 6 x 3-channel divider	



ART.	Suitable for drawer H mm	components	
FFH10052100	50/300	12 x 4-channel divider 65 x Transversal divider W=36 mm	



ART.	Suitable for drawer H mm	components	
FFH10051600	50	12 x 150x75 mm Divider box 6 x 150x150 mm Divider box	
FFH10071600	75		
FFH10101600	100/125		



ART.	Suitable for drawer H mm	components	
FFH10051800	50	16 x 75x75 mm Divider box 8 x 150x75 mm Divider box 4 x 150x150 mm Divider box	
FFH10071800	75		



Dividing material



ART.	Suitable for drawer H mm	components	
FFH10050500	50	2 x Longitudinal slotted divider W=457 mm 3 x Transversal divider w=202 mm	
FFH10070500	75		
FFH10100500	100/125		
FFH10150500	150/175		
FFH10200500	200/250		
FFH10300500	300		



ART.	Suitable for drawer H mm	components	
FFH10050300	50	3 x Longitudinal slotted divider W=457 mm 8 x Transversal divider W=151 mm	
FFH10070300	75		
FFH10100300	100/125		
FFH10150300	150/175		
FFH10200300	200/250		



ART.	Suitable for drawer H mm	components	
FFH10052200	50	5 x Longitudinal slotted divider W=457 mm 18 x Transversal divider W=100 mm	
FFH10072200	75		
FFH10102200	100/125		
FFH10152200	150/175		



ART.	Suitable for drawer H mm	components	
FFH84051300	50	2 x Longitudinal divider without slots W=457 mm	
FFH84071300	75		
FFH84101300	100/125		
FFH84151300	150/175		
FFH84201300	200/250		





Dividing material



ART.	Suitable for drawer H mm	components	
FFH40051200	50/300	15 x Transversal divider W=36 mm 10 x Transversal divider W=47 mm 6 x Transversal divider W=73 mm 6 x 2-channel divider 6 x 3-channel divider 6 x 4-channel divider	



ART.	Suitable for drawer H mm	components	
FFH40051500	50/300	30 x Transversal divider W=36 mm 10 x Transversal divider W=47 mm 6 x 3-channel divider 12 x 4-channel divider	



ART.	Suitable for drawer H mm	components	
FFH40051100	50	18 x 150x150 mm Divider box	
FFH40071100	75		
FFH40101100	100/125		



ART.	Suitable for drawer H mm	components	
FFH40051300	50	12 x 150x75 mm Divider box 12 x 150x150 mm Divider box	
FFH40071300	75		
FFH40101300	100/125		



ART.	Suitable for drawer H mm	components	
FFH40051600	50	20 x 75x75 mm Divider box 14 x 150x75 mm Divider box 6 x 150x150 mm Divider box	
FFH40071600	75		



ART.	Suitable for drawer H mm	components	
FFH40050300	50	5 x Longitudinal slotted divider W=457 mm 12 x Transversal divider W=151 mm	
FFH40070300	75		
FFH40100300	100/125		
FFH40150300	150/175		
FFH40200300	200/250		



Dividing material



ART.	Suitable for drawer H mm	components	
FFH40050500	50	4 x Longitudinal slotted divider W=457 mm 2 x Transversal divider W=151 mm 3 x Transversal divider W=202 mm	
FFH40070500	75		
FFH40100500	100/125		
FFH40150500	150/175		
FFH40200500	200/250		



ART.	Suitable for drawer H mm	components	
FFH40052000	50	2 x Longitudinal slotted divider W=457 mm 2 x Transversal divider W=304 mm	
FFH40072000	75		
FFH40102000	100/125		
FFH40152000	150/175		
FFH40202000	200/250		
FFH40302000	300		



ART.	Suitable for drawer H mm	components	
FFH40050600	50	7 x Longitudinal slotted divider W=457 mm 12 x Transversal divider W=100 mm 2 x Transversal divider W=151 mm	
FFH40070600	75		
FFH40100600	100/125		





Dividing material



ART.	Suitable for drawer H mm	components	
FFH86050100	50/300	50 x Transversal divider W=36 mm 12 x 4-channel divider	



ART.	Suitable for drawer H mm	components	
FFH86050200	50/300	4 x 4-channel divider 8 x 3-channel divider 20 x Transversal divider W=36 mm 10 x Transversal divider W=47 mm	



ART.	Suitable for drawer H mm	components	
FFH86050300	50/300	4 x 3-channel divider 8 x 2-channel divider 20 x Transversal divider W=47 mm 10 x Transversal divider W=73 mm	



ART.	Suitable for drawer H mm	components	
FFH86051600	50	16 x 75x75 mm Divider box with fixed partition	
FFH86071600	75	16 x 75x75 mm Divider box 4 x 150x75 mm Divider box	



ART.	Suitable for drawer H mm	components	
FFH86051700	50	16 x 75x75 mm Divider box 8 x 150x75 mm Divider box	
FFH86071700	75	4 x 150x150 mm Divider box	



ART.	Suitable for drawer H mm	components	
FFH86051800	50	12 x 150x75 mm Divider box	
FFH86071800	75	6 x 150x150 mm Divider box	
FFH86101800	100/125		



Dividing material



ART.	Suitable for drawer H mm	components	
FFH86050700	50	1 x Longitudinal slotted divider W=610 mm 1 x Transversal divider W=202 mm 1 x Transversal divider W=253 mm	
FFH86070700	75		
FFH86100700	100/125		
FFH86150700	150/175		
FFH86200700	200/250		
FFH86300700	300		



ART.	Suitable for drawer H mm	components	
FFH86050800	50	2 x Longitudinal slotted divider W=610 mm 3 x Transversal divider W=151 mm	
FFH86070800	75		
FFH86100800	100/125		
FFH86150800	150/175		
FFH86200800	200/250		
FFH86300800	300		




ART.	Suitable for drawer H mm	components	
FFH86050900	50	2 x Longitudinal slotted divider W=610 mm 10 x Transversal divider W=151 mm	
FFH86070900	75		
FFH86100900	100/125		
FFH86150900	150/175		
FFH86200900	200/250		



ART.	Suitable for drawer H mm	components	
FFH86051000	50	3 x Longitudinal slotted divider W=610 mm 6 x Transversal divider W=100 mm 2 x Transversal divider W=151 mm	
FFH86071000	75		
FFH86101000	100/125		
FFH86151000	150/175		



ART.	Suitable for drawer H mm	components	
FFH86051300	50	2 x Longitudinal divider without slots W=610 mm	
FFH86071300	75		
FFH86101300	100/125		
FFH86151300	150/175		
FFH86201300	200/250		
FFH86301300	300		



ART.	Suitable for drawer H mm	components	
FFH86051900	50/300	2 x Multi-purpose tool holder	



Dividing material



ART.	Suitable for drawer H mm	components	
FFH20051500	50/300	35 x Transversal divider W=73 mm 16 x 2-channel divider	



ART.	Suitable for drawer H mm	components	
FFH20051600	50/300	50 x Transversal divider W=47 mm 16 x 3-channel divider	



ART.	Suitable for drawer H mm	components	
FFH20051700	50/300	65 x Transversal divider W=36 mm 16 x 4-channel divider	



ART.	Suitable for drawer H mm	components	
FFH20052000	50/300	30 x Transversal divider W=36 mm 20 x Transversal divider W=47 mm 10 x Transversal divider W=73 mm 4 x 2-channel divider 8 x 3-channel divider 4 x 4-channel divider	



ART.	Suitable for drawer H mm	components	
FFH20052100	50/300	8 x 3-channel divider 8 x 4-channel divider 16 x Transversal divider W=47 mm 24 x Transversal divider W=36 mm	



ART.	Suitable for drawer H mm	components	
FFH20051200	50	16 x 75x75 mm Divider box 16 x 150x75 mm Divider box	
FFH20071200	75	4 x 150x150 mm Divider box	



Dividing material



ART.	Suitable for drawer H mm	components	
FFH20051300	50	16 x 150x75 mm Divider box 8 x 150x150 mm Divider box	
FFH20071300	75		
FFH20101300	100/125		



ART.	Suitable for drawer H mm	components	
FFH20050500	50	1 x Longitudinal slotted divider W=610 mm 2 x Transversal divider W=304 mm	
FFH20070500	75		
FFH20100500	100/125		
FFH20150500	150/175		
FFH20200500	200/250		
FFH20300500	300		



ART.	Suitable for drawer H mm	components	
FFH20050600	50	2 x Longitudinal slotted divider W=610 mm 3 x Transversal divider W=202 mm	
FFH20070600	75		
FFH20100600	100/125		
FFH20150600	150/175		
FFH20200600	200/250		
FFH20300600	300		



ART.	Suitable for drawer H mm	components	
FFH20050700	50	3 x Longitudinal slotted divider W=610 mm 15 x Transversal divider W=151 mm	
FFH20070700	75		
FFH20100700	100/125		
FFH20150700	150/175		
FFH20200700	200/250		



ART.	Suitable for drawer H mm	components	
FFH20050800	50	4 x Longitudinal slotted divider W=610 mm 9 x Transversal divider W=151 mm 12 x Transversal divider W=100 mm	
FFH20070800	75		
FFH20100800	100/125		



ART.	Suitable for drawer H mm	components	
FFH20050900	50	5 x Longitudinal slotted divider W=610 mm 20 x Transversal divider W=100 mm	
FFH20070900	75		
FFH20100900	100/125		
FFH20150900	150/175		



Dividing material



ART.	Suitable for drawer H mm	components	
FFH30051000	50/300	130 x Transversal divider W=36 mm 20 x 4-channel divider	



ART.	Suitable for drawer H mm	components	
FFH30051200	50/300	100 x Transversal divider W=47 mm 20 x 3-channel divider	



ART.	Suitable for drawer H mm	components	
FFH30050700	50	20 x 75x75 mm Divider box	
FFH30070700	75	20 x 150x75 mm Divider box 5 x 150x150 mm Divider box	



ART.	Suitable for drawer H mm	components	
FFH30050800	50	20 x 150x75 mm Divider box 10 x 150x150 mm Divider box	
FFH30070800	75		
FFH30100800	100/125		



ART.	Suitable for drawer H mm	components	
FFH30050900	50	20 x 150x150 mm Divider box	
FFH30070900	75		
FFH30100900	100/125		



ART.	Suitable for drawer H mm	components	
FFH30100200	100/125	2 x Longitudinal slotted divider W=610 mm 8 x Transversal divider W=253 mm	
FFH30150200	150/175		
FFH30200200	200/250		
FFH30300200	300		



Dividing material



ART.	Suitable for drawer H mm	components	
FFH30070300	75	4 x Longitudinal slotted divider W=610 mm 21 x Transversal divider W=151 mm	
FFH30100300	100/125		
FFH30150300	150/175		
FFH30200300	200/250		
FFH30300300	300		

ART.	Suitable for drawer H mm	components	
FFH30070400	75	3 x Longitudinal slotted divider W=610 mm 5 x Transversal divider W=151 mm 10 x Transversal divider W=202 mm	
FFH30100400	100/125		
FFH30150400	150/175		
FFH30200400	200/250		
FFH30300400	300		





Dividing material



ART.	Suitable for drawer H mm	components	
FFH50050900	50/300	15 x Transversal divider W=36 mm 10 x Transversal divider W=47 mm 6 x Transversal divider W=73 mm 8 x 2-channel divider 8 x 3-channel divider 8 x 4-channel divider	



ART.	Suitable for drawer H mm	components	
FFH50051900	50/300	30 x Transversal divider W=36 mm 10 x Transversal divider W=47 mm 8 x 3-channel divider 16 x 4-channel divider	



ART.	Suitable for drawer H mm	components	
FFH50050800	50	12 x 150x75 mm Divider box 18 x 150x150 mm Divider box	
FFH50070800	75		
FFH50100800	100/125		



ART.	Suitable for drawer H mm	components	
FFH50051700	50	20 x 75x75 mm Divider box 14 x 150x75 mm Divider box 12 x 150x150 mm Divider box	
FFH50071700	75		



ART.	Suitable for drawer H mm	components	
FFH50051800	50	24 x 150x150 mm Divider box	
FFH50071800	75		
FFH50101800	100/125		



ART.	Suitable for drawer H mm	components	
FFH50050700	50	4 x Longitudinal slotted divider W=610 mm 2 x Transversal divider W=151 mm 3 x Transversal divider W=202 mm	
FFH50070700	75		
FFH50100700	100/125		
FFH50150700	150/175		
FFH50200700	200/250		
FFH50300700	300		



Dividing material



ART.	Suitable for drawer H mm	components	
FFH50051000	50	2 x Longitudinal slotted divider W=610 mm 2 x Transversal divider W=304 mm	
FFH50071000	75		
FFH50101000	100/125		
FFH50151000	150/175		
FFH50201000	200/250		
FFH50301000	300		



ART.	Suitable for drawer H mm	components	
FFH50051300	50	5 x Longitudinal slotted divider W=610 mm 12 x Transversal divider W=151 mm	
FFH50071300	75		
FFH50101300	100/125		
FFH50151300	150/175		
FFH50201300	200/250		
FFH50301300	300		



ART.	Suitable for drawer H mm	components	
FFH50051500	50	7 x Longitudinal slotted divider W=610 mm 12 x Transversal divider W=100 mm 2 x Transversal divider W=151 mm	
FFH50071500	75		
FFH50101500	100/125		





Dividing material



ART.	Suitable for drawer H mm	components	
FFH60070200	75	4 x Longitudinal slotted divider W=610 mm 3 x Transversal divider W=151 mm 3 x Transversal divider W=168 mm 9 x Transversal divider W=253 mm	
FFH60100200	100/125		
FFH60150200	150/175		
FFH60200200	200/250		



ART.	Suitable for drawer H mm	components	
FFH60070500	75	5 x Longitudinal slotted divider W=610 mm 6 x Transversal divider W=134 mm 9 x Transversal divider W=202 mm	
FFH60100500	100/125		
FFH60150500	150/175		



ART.	Suitable for drawer H mm	components	
FFH60070800	75	5 x Longitudinal slotted divider W=610 mm 2 x Transversal divider W=151 mm 1 x Transversal divider W=168 mm 3 x Transversal divider W=202 mm	
FFH60100800	100/125		
FFH60150800	150/175		
FFH60200800	200/250		
FFH60300800	300		



ART.	Suitable for drawer H mm	components	
FFH60071100	75	6 x Longitudinal slotted divider W=610 mm 6 x Transversal divider W=151 mm 1 x Transversal divider W=168 mm	
FFH60101100	100/125		
FFH60151100	150/175		
FFH60201100	200/250		
FFH60301100	300		





Dividing material



ART.	Suitable for drawer H mm	components	
FFH70070200	75	5 x Longitudinal slotted divider W=610 mm 6 x Transversal divider W=151 mm 9 x Transversal divider W=253 mm	
FFH70100200	100/125		
FFH70150200	150/175		
FFH70200200	200/250		



ART.	Suitable for drawer H mm	components	
FFH70070300	75	6 x Longitudinal slotted divider W=610 mm 3 x Transversal divider W=134 mm 3 x Transversal divider W=168 mm 14 x Transversal divider W=202 mm	
FFH70100300	100/125		
FFH70150300	150/175		



ART.	Suitable for drawer H mm	components	
FFH70070700	75	6 x Longitudinal slotted divider W=610 mm 4 x Transversal divider W=151 mm 2 x Transversal divider W=202 mm 1 x Transversal divider W=304 mm	
FFH70100700	100/125		
FFH70150700	150/175		
FFH70200700	200/250		
FFH70300700	300		



ART.	Suitable for drawer H mm	components	
FFH70070800	75	5 x Longitudinal slotted divider W=610 mm 2 x Transversal divider W=151 mm 2 x Transversal divider W=202 mm 2 x Transversal divider W=304 mm	
FFH70100800	100/125		
FFH70150800	150/175		
FFH70200800	200/250		
FFH70300800	300		




MASTER CS


PC WORKSTATION

STANDARD CS


PC WORKSTATION




Forced ventilation



**Electrical system with
DE CH GB FR sockets**



**Pull-out shelf for
keyboard**



Cable tray

COMPUTER CABINETS

MASTER CS

1. Door with safety lock and polycarbonate glass. Useful dimensions: 655x215x465 mm H.
2. Possibility of inserting screens up to 21". Internal dimensions of the top compartment: 710x215x530 mm H.
3. Pull-out drawer with keyboard shelf and 2 locking positions; when open, rear space for objects. Useful dimensions: 655x465 mm H.
4. Compartment with the possibility of inserting pull-out shelves and height-adjustable shelves, to house hardware systems and printers. Usable insertion width: 663 mm. Usable height: 754 mm.
5. Hole for network cables and cable outlet hole for electrical system.
6. Air inlet hole with dust filter.
7. Electrical system with 4 Schuko sockets.
8. 4-lane cable trays.
9. Cooling fan with dust filter.
10. Retractable shelf. Dimensions: 602x449 mm.
11. Adjustable shelf. Dimensions 663x560x52 mm H.



Cabinet purchasable without the top module.
Excellent for solutions with laptops and touch screens.



STANDARD CS

12. Door with safety lock and polycarbonate glass. Useful dimensions: 661x525 mm H.
13. Possibility of inserting screens up to 21". Internal dimensions of the top compartment: 690x600x580 mm H.
14. Keyboard shelf. Useful dimensions: 620x510 mm H.
15. Lower compartment with the possibility of inserting pull-out shelves and height-adjustable shelves, to house hardware systems and printers. Internal dimensions: 690x600x720 mm H.
16. Hole for network cables and cable outlet hole for electrical system.
17. Air inlet hole with dust filter.
18. Electrical system with 4 Schuko sockets.
19. 4-lane cable trays.
20. Cooling fan with dust filter.
21. Retractable shelf. Dimensions: 650x582x36 mm H.
22. Adjustable shelf. Dimensions 688x591x38 mm H.





Wheeled computer cabinet

ART.	W mm	D mm	H mm	wheel set	RAL	
MASTERC01	792	617	1731	450	7035	

Made up of:

qty.	description
1	Lower cabinet with 1 drawer
1	Upper cabinet with polycarbonate door
1	Tubular handle
1	Flexible extractable shelf with Dark Grey handle
1	Socket support
1	Schuko 4-socket power strip
1	Wieland Schuko/FR connection cable
1	230 V fan without grille with Schuko plug
1	Nylon wheels kit Ø 100 mm



Upper cabinet with polycarbonate door

ART.	W mm	D mm	H mm	RAL	
FAS1450C01008	714	247	650	7035	

Equipped for inserting a monitor measuring up to 24"



Upper cabinet with shutter

ART.	W mm	D mm	H mm	RAL	
FAS1450C02008	714	247	650	7035	

Equipped for inserting a monitor measuring up to 24"



Lower cabinet with 1 drawer

ART.	W mm	D mm	H mm		No. of drawers	No. of keyboard trays	No. of adjustable shelves	RAL	
FAS1400C00508	714	598	950	200	1	1	1	7035	



keyboard tray

Kit with wheels



ART.	Ø mm	KG	KG	H mm	material			
FKRU1252101	125	100	300	155	Non-marking synthetic rubber	-	2	2
FKRV1001107	100	150	450	128	Nylon	1	1	2



SWIVEL WHEEL



SWIVEL WHEEL WITH BRAKE



FIXED WHEEL



Flexible extractable shelf with Dark Grey handle 36x27 EH

ART.	useful dimensions		RAL	
	W mm	D mm		
M32C05701101F39	602	449	7016	



Adjustable shelf with supports 36x27 EH

ART.	W mm	D mm	H mm	RAL	
M32PR2500001139	663	560	52	7016	



Tubular handle

ART.	W mm	D mm	H mm	RAL	
M02R000000000007	484	80	46	9005	



230 V fan without grille with Schuko plug

ART.	W mm	D mm	H mm	colour	
FAS32200100	125	44	125	Black	



3-edge top shelf coated with PVC with cable hole 36x27 EH

ART.	W mm	D mm	H mm	colour	
M32T023AG007107	715	576	31	Black	



Socket support

ART.	W mm	D mm	H mm	Finish	
FAS30210099	542	10	77	Galvanised	

Examples of power strip arrangements on Socket support



With 4-socket power strip



With 2-socket power strip + 4-socket power strip



With differential magnetic-thermal circuit breaker + 4-socket power strip

IRONTEAM

see page 96



FBLET012007



FBLET004007



FBLET005007



FBLET016007

GALVANISED

RAL 7035

RAL 7016

RAL 9005

LOAD CAPACITY



Wheeled computer cabinet

ART.	W mm	D mm	H mm	 wheel set	RAL	
STANDARDCS01	807	654	1688	450	7035	

Made up of:

qty.	description
1	Computer cabinet
1	Tubular handle
1	Socket support
1	Simple-extension extractable tray
1	Schuko 4-socket power strip
1	Wieland Schuko/FR connection cable
1	230 V fan without grille with Schuko plug
1	Nylon wheels kit Ø 100 mm



Computer cabinet

ART.	W mm	D mm	H mm		No. of keyboard trays	No. of adjustable shelves	RAL	
FAS1600C00208	717	635	1560	400	1	2	7035	
FAS1600C00204	717	635	1560	400	1	2	5012	

STANDARD CS COMPONENTS



Kit with wheels

ART.	Ø mm	 KG	 KG	H mm	material				
FKRU1252101	125	100	300	155	Non-marking synthetic rubber	-	2	2	
FKRV1001107	100	150	450	128	Nylon	1	1	2	



SWIVEL WHEEL



SWIVEL WHEEL WITH BRAKE



FIXED WHEEL



Simple-extension extractable tray

ART.	W mm	D mm	H mm	RAL	
FAS2360S039	650	582	36	7016	



Adjustable shelf with hooks

ART.	W mm	D mm	H mm	RAL	
FAS2040S139	688	591	38	7016	



Tubular handle

ART.	W mm	D mm	H mm	RAL	
FCL09950007	502	80	46	9005	



230 V fan without grille with Schuko plug

ART.	W mm	D mm	H mm	colour	
FAS32200100	125	44	125	Black	



Pair of plinths

ART.	W mm	D mm	H mm	RAL	
FRR16250007	59	608	100	9005	



Socket support

ART.	W mm	D mm	H mm	Finish	
FAS30210099	542	10	77	Galvanised	

Examples of power strip arrangements on Socket support



With 4-socket power strip



With 2-socket power strip + 4-socket power strip



With differential magnetic-thermal circuit breaker + 4-socket power strip

IRONTEAM

see page 96



FBLET012007



FBLET004007



FBLET005007



FBLET016007

PERFOM

HINGED DOOR CABINETS



Configurable




**Load capacity
800/1200 kg**



Dividing material



**Key-operated
closure**



**Mounted cabinet +
accessories packed
inside the cabinet**



ART.	W mm	D mm	H mm	KG	RAL	
PERFOM15001	1193	555	1000	800	7035+7016	
PERFOM15002	1193	555	1000	800	7035	
PERFOM15003	1193	555	1000	800	5012	

Made up of:

qty.	description
1	Cabinet with hinged doors
1	Kit with 2 slotted shelves



ART.	W mm	D mm	H mm	KG	RAL	
PERFOM15004	1193	555	1000	800	7035+7016	
PERFOM15005	1193	555	1000	800	7035	
PERFOM15006	1193	555	1000	800	5012	

Made up of:

qty.	description
1	Cabinet with hinged doors
1	Telescopic-extension drawer H=100 mm
1	Kit with 2 slotted shelves



ART.	W mm	D mm	H mm	KG	RAL	
PERFOM15007	1193	555	1000	800	7035+7016	
PERFOM15008	1193	555	1000	800	7035	
PERFOM15009	1193	555	1000	800	5012	

Made up of:

qty.	description
1	Cabinet with hinged doors
2	Telescopic-extension drawer H=100 mm
1	Kit with 2 slotted shelves



ART.	W mm	D mm	H mm	KG	RAL	
PERFOM15010	1193	555	1000	800	7035+7016	
PERFOM15011	1193	555	1000	800	7035	
PERFOM15012	1193	555	1000	800	5012	

Made up of:

qty.	description
1	Cabinet with hinged doors
3	Telescopic-extension drawer H=100 mm
1	Slotted shelf



RAL 5012



RAL 7035



RAL 7035 + RAL 7016



LOAD CAPACITY



ART.	W mm	D mm	H mm		RAL	
PERFOM17001	1193	555	2000	1200	7035+7016	
PERFOM17002	1193	555	2000	1200	7035	
PERFOM17003	1193	555	2000	1200	5012	

Made up of:

qty.	description
1	Cabinet with hinged doors
2	Kit with 2 slotted shelves



ART.	W mm	D mm	H mm		RAL	
PERFOM17004	1193	555	2000	1200	7035+7016	
PERFOM17005	1193	555	2000	1200	7035	
PERFOM17006	1193	555	2000	1200	5012	

Made up of:

qty.	description
1	Cabinet with hinged doors
3	Telescopic-extension drawer H=100 mm
2	Kit with 2 slotted shelves



ART.	W mm	D mm	H mm		RAL	
PERFOM17007	1193	555	2000	1200	7035+7016	
PERFOM17008	1193	555	2000	1200	7035	
PERFOM17009	1193	555	2000	1200	5012	

Made up of:

qty.	description
1	Cabinet with hinged doors
9	Telescopic-extension drawer H=100 mm
1	Kit with 2 slotted shelves



ART.	W mm	D mm	H mm	KG	RAL	
PERFOM11001	512	555	1000	800	7035+7016	
FAA1120C00108	512	555	1000	800	7035	
FAA1120C00104	512	555	1000	800	5012	

Made up of:

qty.	description
1	Cabinet with hinged doors
1	Kit with 2 slotted shelves



ART.	W mm	D mm	H mm	KG	RAL	
PERFOM11004	512	555	1000	800	7035+7016	
PERFOM11005	512	555	1000	800	7035	
PERFOM11006	512	555	1000	800	5012	

Made up of:

qty.	description
1	Cabinet with hinged doors
1	Simple-extension drawer H=100 mm
1	Kit with 2 slotted shelves



ART.	W mm	D mm	H mm	KG	RAL	
PERFOM11010	512	555	1000	800	1004	
PERFOM11011	512	555	1000	800	7035+7016	
PERFOM11012	512	555	1000	800	7035	
PERFOM11013	512	555	1000	800	5012	

Made up of:

qty.	description
1	Cabinet with slotted hinged doors
1	Kit with 2 sealed internal liquid collection tanks capacity 9 L



see page 256



ART.	W mm	D mm	H mm	KG wheel set	RAL	
PERFOM11017	519	555	1409	225	7035+7016	
PERFOM11018	519	555	1409	225	7035	
PERFOM11019	519	555	1409	225	5012	

Made up of:

qty.	description
1	Cabinet with hinged doors
1	Stand
1	Simple-extension drawer H=100 mm
1	Kit with 2 slotted shelves
1	Pair of wheel holder plates
1	Kit with standard rubber wheels Ø 100 mm



RAL 1004



RAL 5012



RAL 7035



RAL 7035 + RAL 7016



LOAD CAPACITY



ART.	W mm	D mm	H mm		RAL	
PERFOM12001	1023	555	1000	800	7035+7016	
FAA1220C00108	1023	555	1000	800	7035	
FAA1220C00104	1023	555	1000	800	5012	

Made up of:

qty.	description
1	Cabinet with hinged doors
1	Kit with 2 slotted shelves



ART.	W mm	D mm	H mm		RAL	
PERFOM12004	1023	555	1000	800	7035+7016	
PERFOM12005	1023	555	1000	800	7035	
PERFOM12006	1023	555	1000	800	5012	

Made up of:

qty.	description
1	Cabinet with hinged doors
1	Simple-extension drawer H=100 mm
1	Kit with 2 slotted shelves



ART.	W mm	D mm	H mm		RAL	
PERFOM12007	1023	555	1000	800	7035+7016	
PERFOM12008	1023	555	1000	800	7035	
PERFOM12009	1023	555	1000	800	5012	

Made up of:

qty.	description
1	Cabinet with hinged doors
3	Simple-extension drawer H=100 mm
1	Slotted shelf



ART.	W mm	D mm	H mm		RAL	
PERFOM12010	1023	555	1000	800	7035+7016	
PERFOM12011	1023	555	1000	800	7035	
PERFOM12012	1023	555	1000	800	5012	

Made up of:

qty.	description
1	Cabinet with slotted hinged doors
1	Kit with 2 perforated shelves/panels
1	Raceway for power strips
2	Schuko 2-socket power strip
1	Schuko 4-socket power strip
1	Differential magnetic-thermal circuit breaker
1	Wieland Schuko/FR connection cable





ART.	W mm	D mm	H mm	KG	RAL	
PERFOM12013	1048	600	1027	800	1004	
PERFOM12014	1048	600	1027	800	7035+7016	
PERFOM12015	1048	600	1027	800	7035	
PERFOM12016	1048	600	1027	800	5012	

Made up of:

qty.	description
1	Cabinet with slotted hinged doors
1	Slotted shelf
1	Sealed external liquid collection tray capacity 59 L



see page 256



ART.	W mm	D mm	H mm	KG	RAL	
PERFOM12017	1023	555	1000	800	1004	
PERFOM12018	1023	555	1000	800	7035+7016	
PERFOM12019	1023	555	1000	800	7035	
PERFOM12020	1023	555	1000	800	5012	

Made up of:

qty.	description
1	Cabinet with slotted hinged doors
1	Kit with 2 sealed internal liquid collection tanks capacity 19 L



see page 256



ART.	W mm	D mm	H mm	KG	RAL	
PERFOM12025	1048	600	1027	800	6011	

Made up of:

qty.	description
1	Cabinet with slotted hinged doors
1	Slotted shelf
1	Sealed external liquid collection tray capacity 59 L



see page 256



ART.	W mm	D mm	H mm	KG	RAL	
PERFOM12021	1023	555	1000	800	3020	
PERFOM12022	1023	555	1000	800	7035+7016	
PERFOM12023	1023	555	1000	800	7035	
PERFOM12024	1023	555	1000	800	5012	

Made up of:

qty.	description
1	Cabinet with slotted hinged doors
1	Kit with 2 slotted shelves



RAL 6011



RAL 1004



RAL 3020



RAL 5012



RAL 7035



RAL 7035 + RAL 7016



LOAD CAPACITY



ART.	W mm	D mm	H mm	KG	RAL	
PERFOM14001	1023	555	2000	1200	7035+7016	
FAA1420C00108	1023	555	2000	1200	7035	
FAA1420C00104	1023	555	2000	1200	5012	

Made up of:

qty.	description
1	Cabinet with hinged doors
1	Kit with 4 slotted shelves



ART.	W mm	D mm	H mm	KG	RAL	
PERFOM14004	1023	555	2000	1200	7035+7016	
PERFOM14005	1023	555	2000	1200	7035	
PERFOM14006	1023	555	2000	1200	5012	

Made up of:

qty.	description
1	Cabinet with hinged doors
3	Simple-extension drawer H=100 mm
1	Kit with 4 slotted shelves



ART.	W mm	D mm	H mm	KG	RAL	
PERFOM14007	1023	555	2000	1200	7035+7016	
PERFOM14008	1023	555	2000	1200	7035	
PERFOM14009	1023	555	2000	1200	5012	

Made up of:

qty.	description
1	Polycarbonate slotted hinged door cabinet
1	Kit with 4 slotted shelves



ART.	W mm	D mm	H mm	 KG	RAL	
PERFOM14019	1023	555	2000	1200	7035+7016	
PERFOM14020	1023	555	2000	1200	7035	
PERFOM14021	1023	555	2000	1200	5012	

Made up of:

qty.	description
1	Cabinet with slotted hinged doors
1	Sealed inner liquid collection tray with 19 l capacity
1	Kit with slotted shelf with 2 dividers and 6 tanks with ball valve
1	Kit with 2 slotted shelves



ART.	W mm	D mm	H mm	 KG	RAL	
PERFOM14022	1048	600	2027	1200	7035+7016	
PERFOM14023	1048	600	2027	1200	7035	
PERFOM14024	1048	600	2027	1200	5012	

Made up of:

qty.	description
1	Cabinet with slotted hinged doors
1	Sealed inner liquid collection tray with 19 l capacity
3	Kit with slotted shelf with 2 dividers and 6 tanks with ball valve
1	Slotted shelf
1	Sealed external liquid collection tray capacity 59 L





ART.	W mm	D mm	H mm	KG	RAL	
PERFOM14056	1048	600	2027	1200	6011	

Made up of:

qty.	description
1	Cabinet with slotted hinged doors
1	Kit with 3 slotted shelves
1	Sealed external liquid collection tray capacity 59 L



see page 256



ART.	W mm	D mm	H mm	KG	RAL	
PERFOM14057	1023	555	2000	1200	6011	

Made up of:

qty.	description
1	Cabinet with slotted hinged doors
2	Kit with 2 sealed internal liquid collection tanks capacity 19 L



see page 256



ART.	W mm	D mm	H mm	KG	RAL	
PERFOM14058	1023	555	2000	1200	7035	

Made up of:

qty.	description
1	Polycarbonate slotted hinged door cabinet
2	Kit with 2 sealed internal liquid collection tanks capacity 19 L



see page 256



ART.	W mm	D mm	H mm	KG	RAL	
PERFOM14025	1048	600	2027	1200	1004	
PERFOM14026	1048	600	2027	1200	7035+7016	
PERFOM14027	1048	600	2027	1200	7035	
PERFOM14028	1048	600	2027	1200	5012	

Made up of:

qty.	description
1	Cabinet with slotted hinged doors
1	Kit with 3 slotted shelves
1	Sealed external liquid collection tray capacity 59 L



see page 256



ART.	W mm	D mm	H mm	KG	RAL	
PERFOM14029	1023	555	2000	1200	1004	
PERFOM14030	1023	555	2000	1200	7035+7016	
PERFOM14031	1023	555	2000	1200	7035	
PERFOM14032	1023	555	2000	1200	5012	

Made up of:

qty.	description
1	Cabinet with slotted hinged doors
2	Kit with 2 sealed internal liquid collection tanks capacity 19 L



see page 256



ART.	W mm	D mm	H mm	RAL	
PERFOM14033	1023	555	2000	3020	

Made up of:

qty.	description
1	Cabinet with safe-crash slotted hinged doors
1	Kit with 3 slotted shelves
1	Perforated shelf-panel
1	Partition
1	Kit with hanging rail



RAL 6011



RAL 1004



RAL 3020



RAL 5012



RAL 7035



RAL 7035 + RAL 7016



LOAD CAPACITY



ART.	W mm	D mm	H mm	 KG	RAL	
PERFOM14034	1023	555	2000	1200	7035+7016	
PERFOM14035	1023	555	2000	1200	7035	
PERFOM14036	1023	555	2000	1200	5012	

Made up of:

qty.	description	qty.	description
1	Cabinet with slotted hinged doors	1	Differential magnetic-thermal circuit breaker
2	Kit with 2 perforated shelves/panels	1	Wieland connection cable with in/out plugs
2	Raceway for power strips	2	Wieland Schuko/FR connection cable
1	Grille for fans	1	Roll holder kit with roll Ø=240 mm
2	230 V fan without grille with Schuko plug	1	Unipok tool hook - 30-piece pack
4	Schuko 2-socket power strip	2	Large reversible shelf
3	Schuko 4-socket power strip		



ART.	W mm	D mm	H mm	KG	RAL	
PERFOM14037	1023	555	2000	1200	7035+7016	
PERFOM14038	1023	555	2000	1200	7035	
PERFOM14039	1023	555	2000	1200	5012	

Made up of:

qty.	description
1	Polycarbonate slotted hinged door cabinet
2	Kit with 2 perforated shelves/panels
3	Raceway for power strips
6	Schuko 2-socket power strip
3	Schuko 4-socket power strip
1	Differential magnetic-thermal circuit breaker
2	Wieland connection cable with in/out plugs
1	Wieland Schuko/FR connection cable



ART.	W mm	D mm	H mm	KG	RAL	
PERFOM14040	1023	555	2000	1200	7035+7016	
PERFOM14041	1023	555	2000	1200	7035	
PERFOM14042	1023	555	2000	1200	5012	

Made up of:

qty.	description
1	Cabinet with slotted hinged doors
2	Kit with 2 perforated shelves/panels
2	Raceway for power strips
2	Bar mount for Picking Box containers size 1/2
6	Picking Box polypropylene container size 2
4	Schuko 2-socket power strip
2	Schuko 4-socket power strip
1	Differential magnetic-thermal circuit breaker
1	Wieland connection cable with in/out plugs
1	Wieland Schuko/FR connection cable
1	Roll holder kit with roll Ø=240 mm
2	Unipok tool hook - 30-piece pack
2	Large reversible shelf



ART.	W mm	D mm	H mm	KG	RAL	
PERFOM14043	1023	555	2000	1200	7035+7016	
PERFOM14044	1023	555	2000	1200	7035	
PERFOM14045	1023	555	2000	1200	5012	

Made up of:

qty.	description
1	Cabinet with slotted hinged doors
2	Kit with 2 perforated shelves/panels
2	Raceway for power strips
2	Schuko 2-socket power strip
2	Schuko 4-socket power strip
1	Wieland connection cable with in/out plugs
1	Wieland Schuko/FR connection cable





ART.	W mm	D mm	H mm	KG	RAL	
PERFOM14046	1023	555	2000	1200	7035+7016	
PERFOM14047	1023	555	2000	1200	7035	
PERFOM14048	1023	555	2000	1200	5012	

Made up of:

qty.	description
1	Cabinet with hinged doors
3	Simple-extension drawer H=100 mm
2	Pair of perforated panels for hinged doors
2	Kit with 2 perforated shelves/panels
14	Bar mount for Picking Box containers size 1/2
40	Picking Box polypropylene container size 1
12	Picking Box polypropylene container size 2
1	Roll holder kit with roll Ø=240 mm
4	Unipok tool hook - 30-piece pack
2	Large reversible shelf



ART.	W mm	D mm	H mm	KG	RAL	
PERFOM14049	1023	555	2000	1200	7035+7016	
PERFOM14050	1023	555	2000	1200	7035	
PERFOM14051	1023	555	2000	1200	5012	

Made up of:

qty.	description
1	Cabinet with hinged doors
3	Simple-extension drawer H=100 mm
2	Kit with 2 perforated shelves/panels
4	Bar mount for Picking Box containers size 1/2
12	Picking Box polypropylene container size 2
4	Unipok tool hook - 30-piece pack



ART.	W mm	D mm	H mm	KG	RAL	
PERFOM14052	1023	555	2000	1200	7035+7016	
PERFOM14053	1023	555	2000	1200	7035	
PERFOM14054	1023	555	2000	1200	5012	

Made up of:

qty.	description
1	Cabinet with hinged doors
3	Simple-extension drawer H=100 mm
4	Telescopic-extension drawer H=150 mm
1	Kit with 2 slotted shelves



ART.	W mm	D mm	H mm	KG	RAL	
PERFOM14010	1023	555	2000	1200	7035+7016	
PERFOM14011	1023	555	2000	1200	7035	
PERFOM14012	1023	555	2000	1200	5012	

Made up of:

qty.	description
1	Cabinet with slotted hinged doors
1	Kit with 3 slotted shelves
1	Perforated shelf-panel
1	Partition
1	Kit with hanging rail



ART.	W mm	D mm	H mm	KG	RAL	
PERFOM14013	1023	555	2000	1200	7035+7016	
PERFOM14014	1023	555	2000	1200	7035	
PERFOM14015	1023	555	2000	1200	5012	

Made up of:

qty.	description
1	Cabinet with hinged doors
1	Kit with 2 slotted shelves with guides
1	Kit with 3 slotted shelves with guides
1	Pair of perforated panels for hinged doors
1	Kit with 3 slotted shelves
10	Bar mount for Picking Box containers size 1/2
40	Picking Box polypropylene container size 1
5	Picking Box polypropylene container size 2
6	Picking Box polypropylene container size 4
20	Picking Box polypropylene container size 3A2
6	Picking Box polypropylene container size 4A2



ART.	W mm	D mm	H mm	KG	RAL	
PERFOM14016	1023	555	2000	1200	7035+7016	
PERFOM14017	1023	555	2000	1200	7035	
PERFOM14018	1023	555	2000	1200	5012	

Made up of:

qty.	description
1	Cabinet with hinged doors
3	Simple-extension drawer H=100 mm
2	Kit with 2 slotted shelves with guides
1	Pair of perforated panels for hinged doors
1	Slotted shelf
1	Perforated shelf-panel
16	Bar mount for Picking Box containers size 1/2
40	Picking Box polypropylene container size 1
23	Picking Box polypropylene container size 2
20	Picking Box polypropylene container size 3A2

Hinged door cabinets

Hinged door cabinet 64x27 EH

ART.	W mm	D mm	H mm	KG	RAL	
FAA1520C000PD	1193	555	1000	800	7035+7016	
FAA1520C00008	1193	555	1000	800	7035	
FAA1520C00004	1193	555	1000	800	5012	


Hinged door cabinet 64x27 EH

ART.	W mm	D mm	H mm	KG	RAL	
FAA1720C000PD	1193	555	2000	1200	7035+7016	
FAA1720C00008	1193	555	2000	1200	7035	
FAA1720C00004	1193	555	2000	1200	5012	

PERFOM COMPONENTS

Hinged door cabinets



Hinged door cabinet 24x27 EH

ART.	W mm	D mm	H mm	KG	RAL	
FAA1120C000PD	512	555	1000	800	7035+7016	
FAA1120C00008	512	555	1000	800	7035	
FAA1120C00004	512	555	1000	800	5012	



Slotted hinged door cabinet 24x27 EH

ART.	W mm	D mm	H mm	KG	RAL	
FAA1130C00030	512	555	1000	800	1004	
FAA1130C000PD	512	555	1000	800	7035+7016	
FAA1130C00008	512	555	1000	800	7035	
FAA1130C00004	512	555	1000	800	5012	



Hinged door cabinet 54x27 EH

ART.	W mm	D mm	H mm	KG	RAL	
FAA1220C000PD	1023	555	1000	800	7035+7016	
FAA1220C00008	1023	555	1000	800	7035	
FAA1220C00004	1023	555	1000	800	5012	



Slotted hinged door cabinet 54x27 EH

ART.	W mm	D mm	H mm	KG	RAL	
FAA1230C00030	1023	555	1000	800	1004	
FAA1230C0002Y	1023	555	1000	800	3020	
FAA1230C000PD	1023	555	1000	800	7035+7016	
FAA1230C00008	1023	555	1000	800	7035	
FAA1230C00004	1023	555	1000	800	5012	
FAA1230C00002	1023	555	1000	800	6011	



RAL 6011



RAL 1004



RAL 3020



RAL 5012



RAL 7035



RAL 7035 + RAL 7016



LOAD CAPACITY

Hinged door cabinets



Hinged door cabinet 54x27 EH

ART.	W mm	D mm	H mm	 KG	RAL	
FAA1420C000PD	1023	555	2000	1200	7035+7016	
FAA1420C00008	1023	555	2000	1200	7035	
FAA1420C00004	1023	555	2000	1200	5012	



Slotted hinged door cabinet 54x27 EH

ART.	W mm	D mm	H mm	 KG	RAL	
FAA1430C00030	1023	555	2000	1200	1004	
FAA1430C000PD	1023	555	2000	1200	7035+7016	
FAA1430C00008	1023	555	2000	1200	7035	
FAA1430C00004	1023	555	2000	1200	5012	
FAA1430C00002	1023	555	2000	1200	6011	



PERFOM

COMPONENTS

Hinged door cabinets



Polycarbonate slotted hinged door cabinet 54x27 EH

ART.	W mm	D mm	H mm	 KG	RAL	
FAA1440C000PD	1023	555	2000	1200	7035+7016	
FAA1440C00008	1023	555	2000	1200	7035	
FAA1440C00004	1023	555	2000	1200	5012	



Cabinet with safe-crash slotted hinged doors 54x27 EH

ART.	W mm	D mm	H mm	 KG	RAL	
FAA1440C0SC2Y	1023	555	2000	1200	3020	



Hinged door cabinets

3-edge top shelf coated with pvc

ART.	W mm	D mm	H mm	colour	
FAC9911290007	514	558	31	Black	
FAC9912290007	1024	558	31	Black	
FAC9915290007	1194	558	31	Black	


Rubber lined steel top

ART.	W mm	D mm	H mm	colour	
FAC9911360007	512	555	32	Black	
FAC9912360007	1023	555	32	Black	
FAC9915360007	1193	555	32	Black	

Slotted shelf D=500 mm

ART.	W mm	D mm	H mm		Finish	
FAC9911010099	484	500	35	120	Galvanised	
FAC9912010099	995	500	35	120	Galvanised	
FAC9915010099	1165	500	35	120	Galvanised	


Kit with slotted shelves D=500 mm

ART.	W mm	D mm	H mm	no. of shelves		Finish	
FAC9911020099	484	500	35	2	120	Galvanised	
FAC9911030099	484	500	35	3	120	Galvanised	
FAC9912020099	995	500	35	2	120	Galvanised	
FAC9912030099	995	500	35	3	120	Galvanised	
FAC9912040099	995	500	35	4	120	Galvanised	
FAC9915020099	1165	500	35	2	120	Galvanised	
FAC9915030099	1165	500	35	3	120	Galvanised	


Kit with slotted shelves D=345 mm

ART.	W mm	D mm	H mm	no. of shelves		Finish	
FAC9912050099	995	345	35	2	100	Galvanised	
FAC9912060099	995	345	35	3	100	Galvanised	



Hinged door cabinets

Perforated shelf-panel

Applicable in 3 different positions:

Vertical perforated panel



Horizontal shelf



4-edge perforated shelf



Perforated shelf-panel

ART.	W mm	D mm	H mm	KG	Hole dim. mm	Pitch mm	RAL	
FAC9912070039	995	500	30	120-50	10x10	38	7016	
FAC9912070008	995	500	30	120-50	10x10	38	7035	
FAC9912070004	995	500	30	120-50	10x10	38	5012	

Kit with perforated shelves-panels

ART.	W mm	D mm	H mm	no. of shelves	KG	Hole dim. mm	Pitch mm	RAL	
FAC9912080008	995	500	30	2	120-50	10x10	38	7035	
FAC9912080004	995	500	30	2	120-50	10x10	38	5012	
FAC9912080039	995	500	30	2	120-50	10x10	38	7016	



Bar mount with 4 Picking Box containers size 1

ART.	W mm	D mm	H mm	colour of containers	
FBLIT011000	445	168	85	Dark grey	
FBLIT029000	445	168	85	Blue	



Pair of perforated panels for hinged doors

It is possible to apply up to one pair of panels per door

ART.	W mm	D mm	H mm	Hole dim. mm	Pitch mm	RAL	
FAC9912250039	381	20	824	10x10	38	7016	



GALVANISED



RAL 5012



RAL 7035



RAL 7016



LOAD CAPACITY

Hinged door cabinets

Simple-extension drawers 24x27 EH

ART.	useful dimensions			KG		drawer front h mm	RAL	
	W mm	D mm	H mm					
FAC9911180008	398	449	85	50	88%	100	7035	
FAC9911180004	398	449	85	50	88%	100	5012	
FAC9911180039	398	449	85	50	88%	100	7016	


Simple-extension drawers 54x27 EH

ART.	useful dimensions			KG		drawer front h mm	RAL	
	W mm	D mm	H mm					
FAC9912180008	908	449	85	50	88%	100	7035	
FAC9912180004	908	449	85	50	88%	100	5012	
FAC9912180039	908	449	85	50	88%	100	7016	


Telescopic-extension drawers 54x27 EH

ART.	useful dimensions			KG		drawer front h mm	RAL	
	W mm	D mm	H mm					
FAC9912190008	908	449	85	100	100%	100	7035	
FAC9912190004	908	449	85	100	100%	100	5012	
FAC9912190039	908	449	85	100	100%	100	7016	
FAC9912210008	908	449	135	100	100%	150	7035	
FAC9912210004	908	449	135	100	100%	150	5012	
FAC9912210039	908	449	135	100	100%	150	7016	


Telescopic-extension drawers 64x27 EH

ART.	useful dimensions			KG		drawer front h mm	RAL	
	W mm	D mm	H mm					
FAC9915190008	1078	449	85	100	100%	100	7035	
FAC9915190004	1078	449	85	100	100%	100	5012	
FAC9915190039	1078	449	85	100	100%	100	7016	

Hinged door cabinets



Plinth for pallet truck complete with closing element

ART.	W mm	D mm	H mm	KG	RAL	
FAC9912170039	1018	550	100	1200	7016	
FAC9915170039	1188	550	100	1200	7016	



Sealed external liquid collection tray capacity 59 L

ART.	W mm	D mm	H mm	KG	L	RAL	
FAC9912130039	1048	600	167	1200	59	7016	



see page 256



Sealed inner liquid collection trays

ART.	W mm	D mm	H mm	KG	L	Finish	
FAC9911090099	484	500	42	50	9	Galvanised	
FAC9912090099	995	500	42	50	19	Galvanised	

Kit with sealed internal liquid collection trays

ART.	W mm	D mm	H mm	KG	L	No. of trays	Finish	
FAC9911100099	484	500	42	50	9	2	Galvanised	
FAC9912100099	995	500	42	50	19	2	Galvanised	



Kit with slotted shelf with 2 dividers and 6 tanks with ball valve

ART.	W mm	D mm	H mm	No. of tanks	L tanks	Shelf finish	
FAC9912280099	995	495	315	6	10	Galvanised	



Hinged door cabinets




Raceway for power strips

ART.	W mm	D mm	H mm	RAL	
FAC9912220039	1008	64	140	7016	



Power strip arrangement for raceway



- 1 magnetic-thermal circuit breaker
- 2 4-socket power strip
- 3 2-socket power strip
- 4 USB charging port



Raceway applied on the **top part** of the **perforated shelf-panel**



Raceway applied on the **bottom part** of the **perforated shelf-panel**




Raceway which can be **combined** with the **perforated shelf-panel** in the vertical position



Side support for power strip

ART.	W mm	D mm	H mm	RAL	
FAC9912240039	10	463	77	7016	

Power strip arrangement for lateral support



4-socket power strip



Application example with:
1 support art. FAC9912240039
1 power strip art. FBLET005007
1 connection cable art. FBLET016007

PERFOM

COMPONENTS

Hinged door cabinets



Grille for fans

ART.	W mm	D mm	H mm	RAL	
FAC9912230039	994	123	136	7016	



Application example with:
1 grille art. FAC9912230039
2 fans art. FAS32200100
1 power strip art. FBLET005007
1 connection cable art. FBLET016007



Grille applied on the **top part** of the cabinet **without** the aid of the **perforated shelf-panel**



Grille applied on the **top part** of the cabinet **with** the aid of the perforated shelf-panel



Grille applied on the **bottom part** of the cabinet **with** the aid of the **perforated shelf-panel**



230 V fan without grille with Schuko plug

ART.	W mm	D mm	H mm	colour	
FAS32200100	125	44	125	Black	



see page 96



FBLET012007



FBLET004007



FBLET005007



FBLET016007



FBLET014007



FBLET020007



FBL99400008

Lamp applied under the perforated shelf-panel



RAL 7016

Hinged door cabinets


1. Stand
2. Simple-extension drawer H=100 mm
3. Pair of wheel holder plates
4. Kit with standard rubber wheels Ø 100 mm


Stand

ART.	W mm	D mm	H mm	RAL	
FAC9911340004	516	564	316	5012	
FAC9911340008	516	564	316	7035	
FAC9911340039	516	564	316	7016	


Simple-extension drawers 24x27 EH

ART.	useful dimensions					drawer front h mm	RAL	
	W mm	D mm	H mm					
FAC9911180008	398	449	85	50	88%	100	7035	
FAC9911180004	398	449	85	50	88%	100	5012	
FAC9911180039	398	449	85	50	88%	100	7016	


Front closing wall for stand

ART.	W mm	D mm	H mm	RAL	
FAC9911350004	454	60	101	5012	
FAC9911350008	454	60	101	7035	
FAC9911350039	454	60	101	7016	


Pair of wheel holder plates

ART.	W mm	D mm	H mm	
FAC9911330099	114	550	13	


Kit with wheels

ART.	Ø mm			H mm	material			
FKRD1002107	100	75	225	128	Standard rubber	2	2	
FKRB1252107	125	100	300	155	Standard rubber	2	2	
FKRU1252101	125	100	300	155	Non-marking synthetic rubber	2	2	
FKRS1252101	125	250	750	155	Elastic rubber	2	2	




SWIVEL WHEEL WITH BRAKE



FIXED WHEEL

Hinged door cabinets

1. Partition
2. Kit with hanging rail
3. Perforated shelf-panel
4. Slotted shelf
5. Simple-extension drawer H=100 mm



Partition

ART.	W mm	D mm	H mm	Pitch mm	RAL	
FAC9912260039	44	500	1616	25	7016	

Kit with hanging rail

ART.	W mm	D mm	H mm	KG	Finish	
FAC9912270099	458	23	56	15	Galvanised	

Perforated shelf-panel

ART.	W mm	D mm	H mm	KG	RAL	
FAC9912070039	995	500	30	120-50	7016	

Slotted shelf D=500 mm

ART.	W mm	D mm	H mm	KG	Finish	
FAC9911010099	484	500	35	120	Galvanised	

Kit with slotted shelves D=500 mm

ART.	W mm	D mm	H mm	no. of shelves	KG	Finish	
FAC9911020099	484	500	35	2	120	Galvanised	
FAC9911030099	484	500	35	3	120	Galvanised	

Simple-extension drawers 24x27 EH

ART.	useful dimensions			KG		drawer front h mm	RAL	
	W mm	D mm	H mm					
FAC9911180008	398	449	85	50	88%	100	7035	
FAC9911180004	398	449	85	50	88%	100	5012	
FAC9911180039	398	449	85	50	88%	100	7016	

W= 512 MM
24X27 EH



ART.	Suitable for drawer H mm	components	
FFH00500100	100	2 x Transversal divider W=202 mm 1 x Longitudinal slotted divider W=457 mm	




ART.	Suitable for drawer H mm	components	
FFH00500800	100/125	3 x 150x75 mm Divider box 6 x 150x150 mm Divider box	



ART.	Suitable for drawer H mm	components	
FFH00500900	100/125	15 x 150x75 mm Divider box	

W= 1023 MM
54X27 EH


ART.	Suitable for drawer H mm	components	
FFH02000100	100	4 x Longitudinal slotted divider W=457 mm 4 x Transversal divider W=151 mm	



ART.	Suitable for drawer H mm	components	
FFH02000200	100	5 x Longitudinal slotted divider W=457 mm 10 x Transversal divider W=151 mm	



ART.	Suitable for drawer H mm	components	
FFH02000600	100/125	12 x 150x75 mm Divider box 12 x 150x150 mm Divider box	

W= 1193 MM 64X27 EH



ART.	Suitable for drawer H mm	components	
FFH02500300	100	3 x Longitudinal slotted divider W=457 mm 1 x Longitudinal slotted divider W=610 mm 3 x Transversal divider W=151 mm 2 x Transversal divider W=168 mm 2 x Transversal divider W=304 mm	



ART.	Suitable for drawer H mm	components	
FFH02500400	100	3 x Longitudinal slotted divider W=457 mm 1 x Transversal divider W=168 mm 3 x Transversal divider W=304 mm	



ART.	Suitable for drawer H mm	components	
FFH02500600	100	10 x 150x75 mm Divider box 10 x 150x150 mm Divider box 2 x Longitudinal slotted divider W=457 mm 2 x Transversal divider W=134 mm 2 x Transversal divider W=202 mm	

PERFOM


CABINETS WITH SLIDING DOORS




**Load capacity 800/1200
kg**



Door warranty



Key-operated closure



**Mounted cabinet +
accessories packed
inside the cabinet**





ART.	W mm	D mm	H mm		RAL	
PERFOM21001	1020	600	2000	1200	7035+7016	
PERFOM21002	1020	600	2000	1200	7035	
PERFOM21003	1020	600	2000	1200	5012	

Made up of:

qty.	description
1	Cabinet with sliding doors
1	Kit with 4 slotted shelves



ART.	W mm	D mm	H mm		RAL	
PERFOM23001	1020	600	2000	1200	7035+7016	

Made up of:

qty.	description
1	Cabinet with slotted sliding doors
2	Kit with 2 sealed internal liquid collection tanks capacity 19 L



see page 256



ART.	W mm	D mm	H mm		RAL	
PERFOM25001	1020	600	2000	1200	7035+7016	

Made up of:

qty.	description
1	Cabinet with polycarbonate slotted sliding doors
1	Kit with 4 slotted shelves



ART.	W mm	D mm	H mm		RAL	
PERFOM20001	1020	600	915	800	7035+7016	
PERFOM20002	1020	600	915	800	7035	
PERFOM20003	1020	600	915	800	5012	

Made up of:

qty.	description
1	Cabinet with sliding doors
1	Slotted shelf



ART.	W mm	D mm	H mm		RAL	
PERFOM22001	1020	600	915	800	7035+7016	

Made up of:

qty.	description
1	Cabinet with slotted sliding doors
1	Kit with 2 sealed internal liquid collection tanks capacity 19 L



see page 256



ART.	W mm	D mm	H mm		RAL	
PERFOM24001	1020	600	915	800	7035+7016	

Made up of:

qty.	description
1	Cabinet with polycarbonate slotted sliding doors
1	Slotted shelf



ART.	W mm	D mm	H mm		RAL	
PERFOM21004	1428	600	2000	1200	7035+7016	
PERFOM21005	1428	600	2000	1200	7035	
PERFOM21006	1428	600	2000	1200	5012	

Made up of:

qty.	description
1	Cabinet with sliding doors
2	Kit with 2 slotted shelves



ART.	W mm	D mm	H mm		RAL	
PERFOM25002	1428	600	2000	1200	7035+7016	

Made up of:

qty.	description
1	Cabinet with polycarbonate slotted sliding doors
2	Kit with 2 slotted shelves





ART.	W mm	D mm	H mm		RAL	
PERFOM20004	1428	600	915	800	7035+7016	
PERFOM20005	1428	600	915	800	7035	
PERFOM20006	1428	600	915	800	5012	

Made up of:

qty.	description
1	Cabinet with sliding doors
1	Slotted shelf



ART.	W mm	D mm	H mm		RAL	
PERFOM24002	1428	600	915	800	7035+7016	

Made up of:

qty.	description
1	Cabinet with polycarbonate slotted sliding doors
1	Slotted shelf





ART.	W mm	D mm	H mm	 per section	RAL	
PERFOM21010	2040	600	2000	1200	7035+7016	
PERFOM21011	2040	600	2000	1200	7035	
PERFOM21012	2040	600	2000	1200	5012	

Made up of:

qty.	description
1	Cabinet with sliding doors
6	Simple-extension drawer H=100 mm
2	Kit with 4 slotted shelves



ART.	W mm	D mm	H mm	 per section	RAL	
PERFOM23004	2040	600	2000	1200	7035+7016	

Made up of:

qty.	description
1	Cabinet with slotted sliding doors
3	Kit with 2 perforated shelves/panels
1	Slotted shelf
1	Internal shelf in multiplex
1	Simple-extension drawer H=100 mm
2	Raceway for power strips
1	Side support for power strip
3	Schuko 4-socket power strip
4	Schuko 2-socket power strip
2	Wieland Schuko/FR connection cable
1	Wieland connection cable with in/out plugs
1	Pair of L-shaped brackets
1	Joint for plate
1	Monitor support plate with VESA standard
1	Reversible tray shelf



ART.	W mm	D mm	H mm	 per section	RAL	
PERFOM25004	2040	600	2000	1200	7035+7016	

Made up of:

qty.	description
1	Cabinet with polycarbonate slotted sliding doors
4	Kit with 2 sealed internal liquid collection tanks capacity 19 L



see page 256



ART.	W mm	D mm	H mm	 per section	RAL	
PERFOM21007	2040	600	2000	1200	7035+7016	
PERFOM21008	2040	600	2000	1200	7035	
PERFOM21009	2040	600	2000	1200	5012	

Made up of:

qty.	description
1	Cabinet with sliding doors
2	Kit with 4 slotted shelves



ART.	W mm	D mm	H mm	 per section	RAL	
PERFOM23003	2040	600	2000	1200	7035+7016	

Made up of:

qty.	description
1	Cabinet with slotted sliding doors
4	Kit with 2 sealed internal liquid collection tanks capacity 19 L



ART.	W mm	D mm	H mm	 per section	RAL	
PERFOM25003	2040	600	2000	1200	7035+7016	

Made up of:

qty.	description
1	Cabinet with polycarbonate slotted sliding doors
2	Kit with 4 slotted shelves



ART.	W mm	D mm	H mm	 per section	RAL	
PERFOM20007	2040	600	915	800	7035+7016	
PERFOM20008	2040	600	915	800	7035	
PERFOM20009	2040	600	915	800	5012	

Made up of:

qty.	description
1	Cabinet with sliding doors
2	Slotted shelf



ART.	W mm	D mm	H mm	 per section	RAL	
PERFOM22002	2040	600	915	800	7035+7016	

Made up of:

qty.	description
1	Cabinet with slotted sliding doors
2	Kit with 2 sealed internal liquid collection tanks capacity 19 L



ART.	W mm	D mm	H mm	 per section	RAL	
PERFOM24003	2040	600	915	800	7035+7016	

Made up of:

qty.	description
1	Cabinet with polycarbonate slotted sliding doors
2	Slotted shelf

Cabinets with sliding doors



Cabinet with sliding doors 54x27 EH

ART.	W mm	D mm	H mm	KG	RAL	
FAA2010C000PD	1020	600	915	800	7035+7016	
FAA2010C00008	1020	600	915	800	7035	
FAA2010C00004	1020	600	915	800	5012	



Cabinet with sliding doors 78x27 EH

ART.	W mm	D mm	H mm	KG	RAL	
FAA2014C000PD	1428	600	915	800	7035+7016	
FAA2014C00008	1428	600	915	800	7035	
FAA2014C00004	1428	600	915	800	5012	



Cabinet with sliding doors 54+54x27 EH

ART.	W mm	D mm	H mm	KG per section	RAL	
FAA2020C000PD	2040	600	915	800	7035+7016	
FAA2020C00008	2040	600	915	800	7035	
FAA2020C00004	2040	600	915	800	5012	



Cabinet with sliding doors 54x27 EH

ART.	W mm	D mm	H mm	KG	RAL	
FAA2110C000PD	1020	600	2000	1200	7035+7016	
FAA2110C00008	1020	600	2000	1200	7035	
FAA2110C00004	1020	600	2000	1200	5012	



Cabinet with sliding doors 78x27 EH

ART.	W mm	D mm	H mm	KG	RAL	
FAA2114C000PD	1428	600	2000	1200	7035+7016	
FAA2114C00008	1428	600	2000	1200	7035	
FAA2114C00004	1428	600	2000	1200	5012	



Cabinet with sliding doors 54+54x27 EH

ART.	W mm	D mm	H mm	KG per section	RAL	
FAA2120C000PD	2040	600	2000	1200	7035+7016	
FAA2120C00008	2040	600	2000	1200	7035	
FAA2120C00004	2040	600	2000	1200	5012	



RAL 5012



RAL 7035



RAL 7035 + RAL 7016



LOAD CAPACITY

Cabinets with sliding doors



Cabinet with slotted sliding doors 54x27 EH

ART.	W mm	D mm	H mm	 KG	RAL	
FAA2210C000PD	1020	600	915	800	7035+7016	



Cabinet with slotted sliding doors 78x27 EH

ART.	W mm	D mm	H mm	 KG	RAL	
FAA2214C000PD	1428	600	915	800	7035+7016	



Cabinet with slotted sliding doors 54+54x27 EH

ART.	W mm	D mm	H mm	 KG per section	RAL	
FAA2220C000PD	2040	600	915	800	7035+7016	



Cabinet with slotted sliding doors 54x27 EH

ART.	W mm	D mm	H mm	 KG	RAL	
FAA2310C000PD	1020	600	2000	1200	7035+7016	



Cabinet with slotted sliding doors 78x27 EH

ART.	W mm	D mm	H mm	 KG	RAL	
FAA2314C000PD	1428	600	2000	1200	7035+7016	



Cabinet with slotted sliding doors 54+54x27 EH

ART.	W mm	D mm	H mm	 KG per section	RAL	
FAA2320C000PD	2040	600	2000	1200	7035+7016	

Cabinets with sliding doors



Cabinet with polycarbonate slotted sliding doors 54x27 EH

ART.	W mm	D mm	H mm		RAL	
FAA2410C000PD	1020	600	915	800	7035+7016	



Cabinet with polycarbonate slotted sliding doors 78x27 EH

ART.	W mm	D mm	H mm		RAL	
FAA2414C000PD	1428	600	915	800	7035+7016	



Cabinet with polycarbonate slotted sliding doors 54+54x27 EH

ART.	W mm	D mm	H mm	 per section	RAL	
FAA2420C000PD	2040	600	915	800	7035+7016	



Cabinet with polycarbonate slotted sliding doors 54x27 EH

ART.	W mm	D mm	H mm		RAL	
FAA2510C000PD	1020	600	2000	1200	7035+7016	



Cabinet with polycarbonate slotted sliding doors 54x27 EH

ART.	W mm	D mm	H mm		RAL	
FAA2514C000PD	1428	600	2000	1200	7035+7016	



Cabinet with polycarbonate slotted sliding doors 54+54x27 EH

ART.	W mm	D mm	H mm	 per section	RAL	
FAA2520C000PD	2040	600	2000	1200	7035+7016	



Cabinets with sliding doors

Top in satin stainless steel

ART.	W mm	D mm	H mm	material	Finish	
FGG601006AX000A	1020	600	32	MDF	Satin stainless steel	
FGG601406AX000A	1428	600	32	MDF	Satin stainless steel	
FGG602006AX000A	2040	600	32	MDF	Satin stainless steel	


Rubber lined steel top

ART.	W mm	D mm	H mm	material	Finish	
FGG601006AG0007	1020	600	32	MDF	Rubberised steel	
FGG601406AG0007	1428	600	32	MDF	Rubberised steel	
FGG602006AG0007	2040	600	32	MDF	Rubberised steel	


Multiplex top

ART.	W mm	D mm	H mm	material	
FGG601006BE0000	1020	600	30	Multiplex	
FGG601406BE0000	1428	600	30	Multiplex	
FGG602006BE0000	2040	600	30	Multiplex	


Slotted shelf D=500 mm

ART.	W mm	D mm	H mm	KG	Finish	
FAC9912010099	995	500	35	120	Galvanised	
FAC9814010099	1403	500	35	100	Galvanised	

Kit with slotted shelves D=500 mm

ART.	W mm	D mm	H mm	no. of shelves	KG	Finish	
FAC9912020099	995	500	35	2	120	Galvanised	
FAC9912030099	995	500	35	3	120	Galvanised	
FAC9912040099	995	500	35	4	120	Galvanised	
FAC9814020099	1403	500	35	2	100	Galvanised	


PERFOM COMPONENTS

Cabinets with sliding doors

Perforated shelf-panel

Applicable in 3 different positions:

Vertical perforated panel



Horizontal shelf



4-edge perforated shelf



Perforated shelf-panel

ART.	W mm	D mm	H mm		Hole dim. mm	Pitch mm	RAL	
FAC9912070039	995	500	30	120-50	10x10	38	7016	
FAC9912070008	995	500	30	120-50	10x10	38	7035	
FAC9912070004	995	500	30	120-50	10x10	38	5012	

Kit with perforated shelves-panels

ART.	W mm	D mm	H mm	no. of shelves		Hole dim. mm	Pitch mm	RAL	
FAC9912080008	995	500	30	2	120-50	10x10	38	7035	
FAC9912080004	995	500	30	2	120-50	10x10	38	5012	
FAC9912080039	995	500	30	2	120-50	10x10	38	7016	

Simple-extension drawers 54x27 EH



ART.	useful dimensions					drawer front h mm	RAL	
	W mm	D mm	H mm					
FAC9912180008	908	449	85	50	88%	100	7035	
FAC9912180004	908	449	85	50	88%	100	5012	
FAC9912180039	908	449	85	50	88%	100	7016	

Telescopic-extension drawers 54x27 EH



ART.	useful dimensions					drawer front h mm	RAL	
	W mm	D mm	H mm					
FAC9912190008	908	449	85	100	100%	100	7035	
FAC9912190004	908	449	85	100	100%	100	5012	
FAC9912190039	908	449	85	100	100%	100	7016	
FAC9912210008	908	449	135	100	100%	150	7035	
FAC9912210004	908	449	135	100	100%	150	5012	
FAC9912210039	908	449	135	100	100%	150	7016	

 GALVANISED
  RAL 5012
  RAL 7035
  RAL 7016
  LOAD CAPACITY
  EXTRACTION

PERFOM

COMPONENTS

Cabinets with sliding doors



Sealed inner liquid collection trays

ART.	W mm	D mm	H mm			Finish	
FAC9911090099	484	500	42	50	9	Galvanised	
FAC9912090099	995	500	42	50	19	Galvanised	

Kit with sealed internal liquid collection trays

ART.	W mm	D mm	H mm			No. of trays	Finish	
FAC9911100099	484	500	42	50	9	2	Galvanised	
FAC9912100099	995	500	42	50	19	2	Galvanised	




Raceway for power strips

ART.	W mm	D mm	H mm	RAL	
FAC9912220039	1008	64	140	7016	



Power strip arrangement for raceway



- 1 magnetic-thermal circuit breaker
- 2 4-socket power strip
- 3 2-socket power strip
- 4 USB charging port



Raceway applied on the **top part** of the **perforated shelf-panel**



Raceway applied on the **bottom part** of the **perforated shelf-panel**




Raceway which can be **combined** with the **perforated shelf-panel** in the vertical position



Side support for power strip

ART.	W mm	D mm	H mm	RAL	
FAC9912240039	10	463	77	7016	

Power strip arrangement for lateral support



4-socket power strip



Application example with:
1 support art. FAC9912240039
1 power strip art. FBLET005007
1 connection cable art. FBLET016007

PERFOM COMPONENTS

Cabinets with sliding doors



Grille for fans

ART.	W mm	D mm	H mm	RAL	
FAC9912230039	994	123	136	7016	



Application example with:
1 grille art. FAC9912230039
2 fans art. FAS32200100
1 power strip art. FBLET005007
1 connection cable art. FBLET016007



Grille applied on the **top part** of the cabinet **without** the aid of the **perforated shelf-panel**



Grille applied on the **top part** of the cabinet **with** the aid of the **perforated shelf-panel**



Grille applied on the **bottom part** of the cabinet **with** the aid of the **perforated shelf-panel**



230 V fan without grille with Schuko plug

ART.	W mm	D mm	H mm	colour	
FAS32200100	125	44	125	Black	



see page 96



FBLET012007



FBLET004007



FBLET005007



FBLET016007



FBLET014007



FBLET020007



FBL99400008

Lamp applied under the perforated shelf-panel



GALVANISED



RAL 7016




LOAD CAPACITY



CAPACITY

Cabinets with sliding doors

1. Partition
2. Kit with hanging rail
3. Perforated shelf-panel
4. Slotted shelf
5. Simple-extension drawer H=100 mm


Partition

ART.	W mm	D mm	H mm	Pitch mm	RAL	
FAC9912260039	44	500	1616	25	7016	

Kit with hanging rail

ART.	W mm	D mm	H mm	KG	Finish	
FAC9912270099	458	23	56	15	Galvanised	

Perforated shelf-panel

ART.	W mm	D mm	H mm	KG	RAL	
FAC9912070039	995	500	30	120-50	7016	

Slotted shelf D=500 mm

ART.	W mm	D mm	H mm	KG	Finish	
FAC9911010099	484	500	35	120	Galvanised	

Kit with slotted shelves D=500 mm

ART.	W mm	D mm	H mm	no. of shelves	KG	Finish	
FAC9911020099	484	500	35	2	120	Galvanised	
FAC9911030099	484	500	35	3	120	Galvanised	

Simple-extension drawers 24x27 EH

ART.	useful dimensions			KG		drawer front h mm	RAL	
	W mm	D mm	H mm					
FAC9911180008	398	449	85	50	88%	100	7035	
FAC9911180004	398	449	85	50	88%	100	5012	
FAC9911180039	398	449	85	50	88%	100	7016	

PERFOM

DIVIDING MATERIAL

W= 512 MM

24X27 EH



ART.	Suitable for drawer H mm	components	
FFH00500100	100	2 x Transversal divider W=202 mm 1 x Longitudinal slotted divider W=457 mm	




ART.	Suitable for drawer H mm	components	
FFH00500800	100/125	3 x 150x75 mm Divider box 6 x 150x150 mm Divider box	




ART.	Suitable for drawer H mm	components	
FFH00500900	100/125	15 x 150x75 mm Divider box	

W= 1023 MM

54X27 EH



ART.	Suitable for drawer H mm	components	
FFH02000100	100	4 x Longitudinal slotted divider W=457 mm 4 x Transversal divider W=151 mm	



ART.	Suitable for drawer H mm	components	
FFH02000200	100	5 x Longitudinal slotted divider W=457 mm 10 x Transversal divider W=151 mm	




ART.	Suitable for drawer H mm	components	
FFH02000600	100/125	12 x 150x75 mm Divider box 12 x 150x150 mm Divider box	

PERFOM

CHANGING-ROOM LOCKERS



Polypropylene feet
- easy to clean



Electrophoretic coating



Version with helmet
compartment



Key-operated closure



ART.	W mm	D mm	H mm	No. of compartments	RAL	
PERFOMAN01	1195	502	1950	4	7035	

Made up of:

qty.	description
1	Changing room locker with horizontal roof and 4 compartments
1	Pair of feet for changing room locker



ART.	W mm	D mm	H mm	No. of compartments	RAL	
PERFOMAN02	1195	502	1950	3	7035	

Made up of:

qty.	description
1	Changing room locker with horizontal roof and 3 compartments
1	Pair of feet for changing room locker



ART.	W mm	D mm	H mm	No. of compartments	RAL	
PERFOMAN03	1195	502	2170	4	7035	

Made up of:

qty.	description
1	Changing room locker with horizontal roof and 4 compartments
1	Additional slanted top
1	Pair of feet for changing room locker



RAL 7035



ART.	W mm	D mm	H mm	No. of compartments	RAL	
PERFOMAN04	1195	502	2170	3	7035	

Made up of:

qty.	description
1	Changing room locker with horizontal roof and 3 compartments
1	Additional slanted top
1	Pair of feet for changing room locker

Single bench



ART.	W mm	D mm	H mm		RAL	
FAN95400001	1000	360	385/400	200	7000	



ART.	W mm	D mm	H mm		RAL	
FAN95500001	1494	360	385/400	200	7000	



ART.	W mm	D mm	H mm		RAL	
FAN95600001	2000	360	385/400	300	7000	



ART.	W mm	D mm	H mm	No. of compartments	RAL	
FAN1302C00108	608	502	1750	2	7035	



Additional slanted top

ART.	W mm	D mm	H mm	RAL	
FAN51400008	607	502	220	7035	



ART.	W mm	D mm	H mm	No. of compartments	RAL	
FAN1303C00108	900	502	1750	3	7035	



Additional slanted top

ART.	W mm	D mm	H mm	RAL	
FAN51600008	899	502	220	7035	



ART.	W mm	D mm	H mm	No. of compartments	RAL	
FAN1304C00108	1192	502	1750	4	7035	



Additional slanted top

ART.	W mm	D mm	H mm	RAL	
FAN51800008	1191	502	220	7035	



Pair of feet for changing room locker

ART.	W mm	D mm	H mm	colour	
FRR23100001	135	500	180/200	Dark grey	



ART.	W mm	D mm	H mm	No. of compartments	RAL	
FAN1502C03108	802	502	1750	2	7035	



Additional slanted top

ART.	W mm	D mm	H mm	RAL	
FAN51500008	801	502	220	7035	



ART.	W mm	D mm	H mm	No. of compartments	RAL	
FAN1503C03108	1192	502	1750	3	7035	



Additional slanted top


ART.	W mm	D mm	H mm	RAL	
FAN51800008	1191	502	220	7035	



RAL 7035

NC


TOOL CABINET




**Full-extension
drawers**



**Cabinet load capacity
1200 kg**



**Wide range of tool
holders**



Configurable



ART.	W mm	D mm	H mm	KG	No. of pairs of frames for cabinet	No. of pairs of frames for drawer	No. of drawers	No. of tool holders	type of tool holders	RAL	
PERFOMNC01	1023	555	2000	1200	2	-	-	84	ISO 40	7035	
PERFOMNC02	1023	555	2000	1200	2	-	-	84	ISO 40	5012	
PERFOMNC03	1023	555	2000	1200	2	-	-	50	ISO 50	7035	
PERFOMNC04	1023	555	2000	1200	2	-	-	50	ISO 50	5012	
PERFOMNC05	1023	555	2000	1200	2	-	-	60	HSKA63-B80	7035	
PERFOMNC06	1023	555	2000	1200	2	-	-	60	HSKA63-B80	5012	
PERFOMNC07	1023	555	2000	1200	1	1	2	84	ISO 40	7035	
PERFOMNC08	1023	555	2000	1200	1	1	2	84	ISO 40	5012	
PERFOMNC09	1023	555	2000	1200	1	1	2	50	ISO 50	7035	
PERFOMNC10	1023	555	2000	1200	1	1	2	50	ISO 50	5012	
PERFOMNC11	1023	555	2000	1200	1	1	2	60	HSKA63-B80	7035	
PERFOMNC12	1023	555	2000	1200	1	1	2	60	HSKA63-B80	5012	



ART.	W mm	D mm	H mm	KG without wheels	KG wheel set	No. of frames	No. of tool holders	type of tool holders	RAL	
COMBINC01	1064	512	892	500	825	3	35	ISO 40	7035+7000	
COMBINC02	1064	512	892	500	825	3	35	ISO 40	5012+7000	
COMBINC03	1064	512	892	500	825	3	25	ISO 50	7035+7000	
COMBINC04	1064	512	892	500	825	3	25	ISO 50	5012+7000	
COMBINC05	1064	512	892	500	825	3	25	HSKA63-B80	7035+7000	
COMBINC06	1064	512	892	500	825	3	25	HSKA63-B80	5012+7000	



RAL 7035



RAL 5012



RAL 5012 + RAL 7000



RAL 7035 + RAL 7000



LOAD CAPACITY



Worktop tool-holder frame

ART.	W mm	D mm	H mm	RAL	
FNC20100008	565	450	351	7035	
FNC20100004	565	450	351	5012	

Tool holder

ART.	type	Multiple of order	max. qty.					
								
FNC95100003	ISO 30	7	7	21	42	35	21	
FNC95300003	ISO 40	7	7	21	42	35	21	
FNC95400003	ISO 45	6	6	18	30	30	18	
FNC95500003	ISO 50	5	5	15	25	20	15	
FNC95600003	VDI 30	7	7	21	42	35	21	
FNC95700003	VDI 40	5	5	15	30	30	15	
FNC95800003	VDI 50	5	5	15	30	30	15	
FNC95900003	VDI 60	5	5	15	25	20	15	
FNC97200003	MORSE TAPER 2	7	7	21	42	35	21	
FNC97300003	MORSE TAPER 3	7	7	21	42	35	21	
FNC97400003	MORSE TAPER 4	7	7	21	42	35	21	
FNC97500003	MORSE TAPER 5	5	5	15	30	30	15	
FNC92700003	CAPTO C3	7	7	21	42	35	21	
FNC92750003	CAPTO C4	5	5	15	30	30	15	
FNC92800003	CAPTO C5	5	5	15	30	30	15	
FNC92850003	CAPTO C6	5	5	15	30	30	15	
FNC92900003	CAPTO C8	5	5	15	20	20	15	
FNC92100003	HSK A32-B40	7	7	21	42	35	21	
FNC92200003	HSK A40-B50	7	7	21	42	35	21	
FNC92300003	HSK A50-B63	5	5	15	30	30	15	
FNC92400003	HSK A63-B80	5	5	15	30	30	15	
FNC92500003	HSK A80-B100	5	5	15	20	20	15	
FNC92600003	HSK A100-B125	5	5	15	20	20	15	
FNC96400003	2"	6	6	18	30	30	18	
FNC96500003	2" 1/4	5	5	15	25	20	15	



Hinged door cabinet 54x27 EH

ART.	W mm	D mm	H mm		RAL	
FAA1420C000PD	1023	555	2000	1200	7035+7016	
FAA1420C00008	1023	555	2000	1200	7035	
FAA1420C00004	1023	555	2000	1200	5012	



Telescopic-extension drawers 54x27 EH

ART.	useful dimensions					drawer front h mm	RAL	
	W mm	D mm	H mm					
FAC9912190008	908	449	85	100	100%	100	7035	
FAC9912190004	908	449	85	100	100%	100	5012	
FAC9912190039	908	449	85	100	100%	100	7016	
FAC9912210008	908	449	135	100	100%	150	7035	
FAC9912210004	908	449	135	100	100%	150	5012	
FAC9912210039	908	449	135	100	100%	150	7016	



Tool-holder frame with 3 rows for drawers complete with supports - 2-pc pack

Tool holders excluded

ART.	W mm	D mm	H mm	RAL	
FNC5140S101	894	446	142/180	7000	



Worktop tool-holder frame with 3 rows for cabinet - 2-piece pack

ART.	W mm	D mm	H mm		RAL	
FNC5160S101	965	444	68	150	7000	



SWIVEL WHEEL



SWIVEL WHEEL WITH BRAKE



FIXED WHEEL

Wheeled tool-holder trolley

ART.	W mm	D mm	H mm	 without wheels	Wheels						RAL	
					Ø mm	material	 wheel set					
FCNF1001056	1064	512	892	500	125	Nylon	825	1	1	2	7035+7000	
FCNF1001051	1064	512	892	500	125	Nylon	825	1	1	2	5012+7000	



RAL 7000



RAL 7035



RAL 5012



RAL 7016



RAL 5012 + RAL 7000



RAL 7035 + RAL 7000



RAL 7035 + RAL 7016



LOAD CAPACITY



EXTRACTION

ECOLOGY

The collection trays prevent accidental spills of hazardous substances in accordance with (Italian) Legislative Decrees no. 152/2006 and no. 81/2008. Warning! Remember not to store in the same tray chemical substances that can react with one another when they come into contact and to check the compatibility of the hazardous substances stored with the material used to manufacture the tray and the grille. The capacity of the containers that can be stacked above each tray and the information provided, which are not exhaustive nor binding, are valid for the Italian territory. For other countries, always comply with the specific provisions in force in the country of use and contact the competent local authorities for further information.



COLLECTION TANKS + PERFORM STEEL SHELVES AND TANKS
Suitable for flammable liquids under GHS categories 1–3 and water-polluting liquids under GHS categories 1–4. Corrosive substances are not allowed.



PE COLLECTION TANKS
Suitable for water-polluting liquids under GHS categories 1–4. Flammable substances are not allowed.



Frame supplied disassembled on pallet

Height-adjustable big bag holder

ART.	W mm	D mm	H mm	 KG	RAL	
FAXEBB1002H0004	1090	1084	1205/1395	1000	5012	



- Height-adjustable legs (1205 - 1395 mm) to accommodate big bags of two different sizes
- Smooth lower shelves for greater bag support
- Tested capacity: 1000 kg
- Stacking: 1+2 frames
- Possibility of inserting and removing big bags even in the case of stacked frames
- Cardboard box on non-fumigated pallet




RAL 5012



LOAD CAPACITY

ECOLOGY

TIPPABLE BUCKETS



300 L capacity tilting scrap bucket configured for grille and tap

ART.	W mm	D mm	H mm	L	KG	Wheels						RAL	
						Ø mm	h mm	material	KG wheel set				
FAXEPR030060004	1307	800	953	300	600	125	155	Nylon	825	2	2	5012	

! Bucket supplied disassembled



500 L capacity tilting scrap bucket configured for grille and tap

ART.	W mm	D mm	H mm	L	KG	Wheels						RAL	
						Ø mm	h mm	material	KG wheel set				
FAXEPR050060004	1412	800	970	500	1000	160	200	Nylon	1050	2	2	5012	

! Bucket supplied disassembled

Front tap for discharging residual liquids


Kit with tap + grille

ART.	W mm	D mm	H mm	suitable for	
FAXEAC001000099	700	388	25	FAXEPR0300600	
FAXEAC003000099	685	388	25	FAXEPR0500600	
FAXEAC002000099	1028	388	25	FAXEPR0750600	



ECOLOGY

TIPPABLE BUCKETS



750 L capacity tilting scrap bucket configured for grille and tap

ART.	W mm	D mm	H mm			Wheels						RAL	
						Ø mm	h mm	material	wheel set				
FAXEPR075060004	1400	1152	970	750	1350	160	200	Nylon	1050	2	2	5012	

Bucket supplied disassembled

Hydraulic cylinder for braked bucket tipping



Hydraulic cylinder for bucket

ART.	W mm	D mm	H mm	
FAXEAC004000007	401/671	42	42	



SWIVEL WHEEL WITH BRAKE



FIXED WHEEL



RAL 5012



LOAD CAPACITY



CAPACITY



200 L capacity conical collection tank

ART.	W mm	D mm	H mm	RAL	
ECO1302	1310	800	351	5012	

Made up of:

qty.	description
1	200 L capacity conical collection tank
2	Kit with 2 slats
1	Kit with 2 combs for conical tank



see page 256



200 L capacity collection tank

ART.	W mm	D mm	H mm	RAL	
ECO1303	1300	805	400	5012	

Made up of:

qty.	description
1	200 L capacity collection tank
2	Kit with 2 slats
1	Kit with 2 combs W=800 mm



see page 256



300 L capacity collection tank

ART.	W mm	D mm	H mm	RAL	
ECO1304	1300	1205	400	5012	

Made up of:

qty.	description
1	300 L capacity collection tank
3	Kit with 2 slats
1	Kit with 2 combs W=1200 mm



see page 256



400 L capacity collection tank

ART.	W mm	D mm	H mm	RAL	
ECO1306	1300	1222	400	5012	

Made up of:

qty.	description
1	300 L capacity collection tank
3	Kit with 2 slats
1	Kit with 2 combs W=1200 mm
1	Kit with 2 caps with gaskets

Thanks to the use of the cap kit, the capacity of the 300-litre tank increases to 400 litres



see page 256



800 L capacity collection tank

ART.	W mm	D mm	H mm	RAL	
ECO1307	1300	2422	400	5012	

Made up of:

qty.	description
2	300 L capacity collection tank
6	Kit with 2 slats
2	Kit with 2 combs W=1200 mm
1	Tank coupling kit
1	Kit with 2 caps with gaskets



see page 256



- Example of tank coupling:
- 1. Tank coupling kit (made up of a drip-catcher galvanised steel profile and a manifold with two gaskets)
 - 2. Kit with 2 caps with gaskets

ECOLOGY

COLLECTION TRAYS



Drums not included

300 L capacity collection tank with drum holder

ART.	W mm	D mm	H mm	RAL	
ECO1311	1300	1205	787	5012	

Made up of:

qty.	description
1	300 L capacity collection tank
2	Kit with 2 slats
1	Drum holder for 2 drums



200 L capacity collection tank with wheels

ART.	W mm	D mm	H mm	RAL	
ECO1308	1491	800	1018	5012+7016	

Made up of:

qty.	description
1	200 L capacity collection tank
2	Kit with 2 slats
1	Kit with 2 combs W=800 mm
1	Handle for tank
1	Nylon wheels kit Ø 125 mm





1000 L capacity collection tank

ART.	W mm	D mm	H mm	RAL	
ECO1305	1600	1300	640	5012	

Made up of:

qty.	description
1	1000 L capacity collection tank
4	Kit with 2 slats
2	Kit with 2 combs W=800 mm



see page 256



1000 L capacity collection tank with frame

ART.	W mm	D mm	H mm	RAL	
ECO1309	1600	1306	1065	5012	

Made up of:

qty.	description
1	1000 L capacity collection tank
4	Kit with 2 slats
1	Frame for collection tank



see page 256

Tank excluded



SWIVEL WHEEL WITH BRAKE



FIXED WHEEL



RAL 5012

ECOLOGY

COLLECTION TRAYS



Cisterns not included

1100 L capacity collection tank with frames

ART.	W mm	D mm	H mm	RAL	
ECO1313	1306	3222	825	5012	

Made up of:

qty.	description
2	300 L capacity collection tank
1	200 L capacity collection tank
8	Kit with 2 slats
2	Frame for collection tank
1	Kit with 2 caps with gaskets
2	Tank coupling kit

Thanks to the use of the cap kit, the capacity of the 300-litre tank increases to 400 litres, while the containment volume of the 200-litre tank increases to 300 litres.



Example of tank coupling:

- 1. 300 L capacity collection tank
- 2. 200 L capacity collection tank
- 3. Kit with 2 caps with gaskets
- 4. Tank coupling kit (made up of a drip-catcher galvanised steel profile and a manifold with two gaskets)



Cisterns and drums not included

1100 L capacity collection tank with frame and drum holder

ART.	W mm	D mm	H mm	RAL	
ECO1312	1306	3222	825	5012	

Made up of:

qty.	description
2	300 L capacity collection tank
1	200 L capacity collection tank
7	Kit with 2 slats
1	Drum holder for 2 drums
1	Frame for collection tank
2	Tank coupling kit
1	Kit with 2 caps with gaskets



ECOLOGY

COLLECTION TRAYS



Polyethylene support for riser

ART.	W mm	D mm	H mm	for barrels		colour	
				no.			
FAX002068000005	465	610	410	1	200	Yellow	
FAX002070000005	1200	780	255	2	200	Yellow	



Polyethylene collection tray with grille for barrels

ART.	W mm	D mm	H mm		for barrels		colour	
					no.			
FAX002064000005	925	800	420	225	1	200	Yellow	
FAX002065000005	1350	800	420	305	2	200	Yellow	
FAX002066000005	1350	1350	490	500	4	200	Yellow	



see page 256



Polyethylene collection tray with grille for tank

ART.	W mm	D mm	H mm		fortank		colour	
					no.			
FAX002067000005	1350	1350	970	1050	1	1000	Yellow	



see page 256





ART.	W mm	D mm	H mm	KG	RAL	
PERFOM12013	1048	600	1027	800	1004	
PERFOM12014	1048	600	1027	800	7035+7016	
PERFOM12015	1048	600	1027	800	7035	
PERFOM12016	1048	600	1027	800	5012	

Made up of:

qty.	description
1	Cabinet with slotted hinged doors
1	Slotted shelf
1	Sealed external liquid collection tray capacity 59 L



see page 256



ART.	W mm	D mm	H mm	KG	RAL	
PERFOM12017	1023	555	1000	800	1004	
PERFOM12018	1023	555	1000	800	7035+7016	
PERFOM12019	1023	555	1000	800	7035	
PERFOM12020	1023	555	1000	800	5012	

Made up of:

qty.	description
1	Cabinet with slotted hinged doors
1	Kit with 2 sealed internal liquid collection tanks capacity 19 L



see page 256



ART.	W mm	D mm	H mm	KG	RAL	
PERFOM12025	1048	600	1027	800	6011	

Made up of:

qty.	description
1	Cabinet with slotted hinged doors
1	Slotted shelf
1	Sealed external liquid collection tray capacity 59 L



see page 256





ART.	W mm	D mm	H mm	KG	RAL	
PERFOM14056	1048	600	2027	1200	6011	

Made up of:

qty.	description
1	Cabinet with slotted hinged doors
1	Kit with 3 slotted shelves
1	Sealed external liquid collection tray capacity 59 L



see page 256



ART.	W mm	D mm	H mm	KG	RAL	
PERFOM14057	1023	555	2000	1200	6011	

Made up of:

qty.	description
1	Cabinet with slotted hinged doors
2	Kit with 2 sealed internal liquid collection tanks capacity 19 L



see page 256



ART.	W mm	D mm	H mm	KG	RAL	
PERFOM14058	1023	555	2000	1200	7035	

Made up of:

qty.	description
1	Polycarbonate slotted hinged door cabinet
2	Kit with 2 sealed internal liquid collection tanks capacity 19 L



see page 256

ECOLOGY

SAFETY CABINETS



ART.	W mm	D mm	H mm		RAL	
PERFOM14025	1048	600	2027	1200	1004	
PERFOM14026	1048	600	2027	1200	7035+7016	
PERFOM14027	1048	600	2027	1200	7035	
PERFOM14028	1048	600	2027	1200	5012	

Made up of:

qty.	description
1	Cabinet with slotted hinged doors
1	Kit with 3 slotted shelves
1	Sealed external liquid collection tray capacity 59 L



see page 256



ART.	W mm	D mm	H mm		RAL	
PERFOM14029	1023	555	2000	1200	1004	
PERFOM14030	1023	555	2000	1200	7035+7016	
PERFOM14031	1023	555	2000	1200	7035	
PERFOM14032	1023	555	2000	1200	5012	

Made up of:

qty.	description
1	Cabinet with slotted hinged doors
2	Kit with 2 sealed internal liquid collection tanks capacity 19 L



see page 256



CLEVER-COMBI

TROLLEYS




Easy to assemble




**Shelf load-
bearing capacity
100 kg**



Configurable



**10x10 square
holes**



Modular

CLEVER SMALL



ART.	W mm	D mm	H mm	 without wheels	 wheel set	RAL	
CLEVER0903	908	515	819	300	225	7035	
CLEVER0904	908	515	819	300	225	5012	

Made up of:

qty.	description
1	Unassembled trolley without wheels
1	Kit with standard rubber wheels Ø 100 mm



ART.	W mm	D mm	H mm	 without wheels	 wheel set	RAL	
CLEVER0905	908	515	819	300	225	7035	
CLEVER0906	908	515	819	300	225	5012	

Made up of:

qty.	description
1	Unassembled trolley without wheels
1	Additional middle shelf
1	Kit with standard rubber wheels Ø 100 mm



ART.	W mm	D mm	H mm	 without wheels	 wheel set	RAL	
CLEVER0907	908	515	846	300	300	7035	
CLEVER0908	908	515	846	300	300	5012	

Made up of:

qty.	description
1	Unassembled trolley without wheels
1	Additional middle shelf
1	Non-marking synthetic rubber wheels kit Ø 125 mm



ART.	W mm	D mm	H mm	 without wheels	 wheel set	RAL	
CLEVER1003	1028	615	819	300	225	7035	
CLEVER1004	1028	615	819	300	225	5012	

Made up of:

qty.	description
1	Unassembled trolley without wheels
1	Kit with standard rubber wheels Ø 100 mm



ART.	W mm	D mm	H mm	 without wheels	 wheel set	RAL	
CLEVER1005	1028	615	846	300	300	7035	
CLEVER1006	1028	615	846	300	300	5012	

Made up of:

qty.	description
1	Unassembled trolley without wheels
1	Additional middle shelf
1	Kit with standard rubber wheels Ø 125 mm



ART.	W mm	D mm	H mm	 without wheels	 wheel set	RAL	
CLEVER1007	1028	615	846	300	300	7035	
CLEVER1008	1028	615	846	300	300	5012	

Made up of:

qty.	description
1	Unassembled trolley without wheels
1	Additional middle shelf
1	Non-marking synthetic rubber wheels kit Ø 125 mm

CLEVER LARGE



ART.	W mm	D mm	H mm	 without wheels	 wheel set	RAL	
CLEVER1009	1028	615	868	300	300	7035	
CLEVER1010	1028	615	868	300	300	5012	

Made up of:

qty.	description
1	Unassembled trolley without wheels
1	Wooden worktop with supports
1	Non-marking synthetic rubber wheels kit Ø 125 mm



ART.	W mm	D mm	H mm	 without wheels	 wheel set	RAL	
CLEVER1011	1030	615	846	300	300	7035	
CLEVER1012	1030	615	846	300	300	5012	

Made up of:

qty.	description
1	Unassembled trolley without wheels
1	Additional middle shelf
2	Perforated side panel
1	Non-marking synthetic rubber wheels kit Ø 125 mm



ART.	W mm	D mm	H mm	 without wheels	 wheel set	RAL	
CLEVER1013	1030	615	868	300	300	7035	
CLEVER1014	1030	615	868	300	300	5012	

Made up of:

qty.	description
1	Unassembled trolley without wheels
1	Wooden worktop with supports
2	Perforated side panel
1	Non-marking synthetic rubber wheels kit Ø 125 mm



ART.	W mm	D mm	H mm	 without wheels	 wheel set	RAL	
CLEVER1015	1030	630	868	300	300	7035	
CLEVER1016	1030	630	868	300	300	5012	

Made up of:

qty.	description
1	Unassembled trolley without wheels
1	Wooden worktop with supports
2	Perforated side panel
1	Perforated rear panel
1	Non-marking synthetic rubber wheels kit Ø 125 mm



ART.	W mm	D mm	H mm	 without wheels	 wheel set	RAL	
CLEVER1017	1030	655	868	300	300	7035	
CLEVER1018	1030	655	868	300	300	5012	

Made up of:

qty.	description
1	Unassembled trolley without wheels
1	Wooden worktop with supports
2	Perforated side panel
1	Perforated rear panel
1	Pair of hinged doors
1	Non-marking synthetic rubber wheels kit Ø 125 mm



ART.	W mm	D mm	H mm	 without wheels	 wheel set	RAL	
CLEVER1019	1028	615	846	300	300	7035+7016	
CLEVER1020	1028	615	846	300	300	5012	

Made up of:

qty.	description
1	Unassembled trolley without wheels
1	Additional middle shelf
1	Cabinet W=500 mm with 1 drawer H=150 mm
1	Non-marking synthetic rubber wheels kit Ø 125 mm

CLEVER LARGE



ART.	W mm	D mm	H mm	 without wheels	 wheel set	RAL	
CLEVER1021	1030	633	1538	300	300	7035	
CLEVER1022	1030	633	1538	300	300	5012	

Made up of:

qty.	description
1	Unassembled trolley without wheels
1	Wooden worktop with supports
2	Perforated side panel
1	Perforated rear panel
1	Pair of uprights for fastening the panel
1	Non-marking synthetic rubber wheels kit Ø 125 mm



ART.	W mm	D mm	H mm	 without wheels	 wheel set	RAL	
CLEVER1023	1030	658	1538	300	300	7035	
CLEVER1024	1030	658	1538	300	300	5012	

Made up of:

qty.	description
1	Unassembled trolley without wheels
1	Wooden worktop with supports
2	Perforated side panel
2	Perforated rear panel
1	Pair of uprights for fastening the panel
1	Pair of hinged doors
1	Non-marking synthetic rubber wheels kit Ø 125 mm



ART.	W mm	D mm	H mm	 without wheels	 wheel set	RAL	
CLEVER1025	1028	654	1538	300	300	7035+7016	
CLEVER1026	1028	654	1538	300	300	5012	

Made up of:

qty.	description
1	Unassembled trolley without wheels
1	Wooden worktop with supports
1	Perforated rear panel
1	Pair of uprights for fastening the panel
1	Cabinet W=500 mm with 1 drawer H=150 mm
1	Non-marking synthetic rubber wheels kit Ø 125 mm



RAL 7035 + RAL 7016



RAL 7035



RAL 5012



LOAD CAPACITY



ART.	W mm	D mm	H mm	 without wheels	 wheel set	RAL	
CLEVER1027	1347	633	1538	300	300	7035	
CLEVER1028	1347	633	1538	300	300	5012	

Made up of:

qty.	description
1	Unassembled trolley without wheels
1	Wooden worktop with supports
2	Perforated side panel
1	Perforated rear panel
1	Pair of uprights for fastening the panel
1	Large reversible shelf
1	Bar mount with 3 Picking Box containers size 2
1	6-space spray-can holder
2	Angled 2-space silicone holder
1	Roll holder kit with roll Ø=240 mm
2	Magnet complete with clip and screw – 10-piece pack
1	Non-marking synthetic rubber wheels kit Ø 125 mm

CLEVER

SMALL

LARGE

COMPONENTS



Unassembled trolley without wheels

ART.	W mm	D mm	H mm		RAL	
FCR10S0X208	908	515	691	300	7035	
FCR10S0X204	908	515	691	300	5012	
FCR11S0X208	1028	615	691	300	7035	
FCR11S0X204	1028	615	691	300	5012	



Kit with wheels

ART.	Ø mm			H mm	material			
FKRD1002107	100	75	225	128	Standard rubber	2	2	
FKRB1252107	125	100	300	155	Standard rubber	2	2	
FKRU1252101	125	100	300	155	Non-marking synthetic rubber	2	2	
FKRS1252101	125	250	750	155	Elastic rubber	2	2	



Additional middle shelf

ART.	W mm	D mm	H mm	suitable for		RAL	
FCR10120108	810	510	35	Trolley Clever Small	100	7035	
FCR10120104	810	510	35		100	5012	
FCR11120108	930	610	35	Trolley Clever Large	100	7035	
FCR11120104	930	610	35		100	5012	



SWIVEL WHEEL WITH BRAKE



FIXED WHEEL



LOAD CAPACITY



RAL 7035



RAL 5012



Perforated rear panel

ART.	W mm	D mm	H mm	suitable for	Hole dim. mm	Pitch mm	RAL	
FCR11150108	895	22	690	Trolley Clever Large	10x10	38	7035	
FCR11150104	895	22	690		10x10	38	5012	

! To install the panel on the upper part of the trolley it is necessary to order the pair of uprights



Pair of uprights for fastening the panel

ART.	W mm	D mm	H mm	RAL	
FCR10170139	45	35	650	7016	

! To install the panel on the upper part of the trolley it is necessary to order the pair of uprights



Pair of hinged doors

ART.	W mm	D mm	H mm	suitable for	Hole dim. mm	Pitch mm	RAL	
FCR11160108	936	44	690	Trolley Clever Large	10x10	38	7035	
FCR11160104	936	44	690		10x10	38	5012	



Perforated side panel

ART.	W mm	D mm	H mm	suitable for	Hole dim. mm	Pitch mm	RAL	
FCR11140108	573	7	688	Trolley Clever Large	10x10	38	7035	
FCR11140104	573	7	688		10x10	38	5012	

CLEVER

LARGE

COMPONENTS



Wooden worktop with supports

ART.	W mm	D mm	H mm	suitable for	 KG	
FCR11130100	930	610	51	Trolley Clever Large	100	



Cabinet W=500 mm with 1 drawer H=150 mm

ART.	W mm	D mm	H mm	 KG	RAL	
FBG03S50C0001PD	500	630	210	80	7035+7016	
FBG03S50C000104	500	630	210	80	5012	


IRON

TEAM

see page 90



FBL95410000



FBLIT008039



FBLIT004039



FBLIT010039



FBLIT013000



FBLIT017039



FBLET012007



FBLET004007



FBLET005007



FBLET016007



RAL 7016



RAL 7035 + RAL 7016



RAL 7035



RAL 5012



LOAD CAPACITY

CLEVER

LARGE



ART.	W mm	D mm	H mm	KG without wheels	KG wheel set	RAL	
CLEVER1029	1347	658	1538	300	300	7035	
CLEVER1030	1347	658	1538	300	300	5012	

Made up of:

qty.	description
1	Unassembled trolley without wheels
1	Wooden worktop with supports
2	Perforated side panel
2	Perforated rear panel
1	Pair of uprights for fastening the panel
1	Pair of hinged doors
1	Roll holder kit with roll Ø=240 mm
1	6-space spray-can holder
2	Large reversible shelf
1	Bin with 30 l capacity
1	Wieland Schuko/FR connection cable
1	Schuko 4-socket power strip
1	Schuko 2-socket power strip
1	Support for 4-socket power strip
1	Support for 2-socket power strip
2	Magnet complete with clip and screw – 10-piece pack
1	Non-marking synthetic rubber wheels kit Ø 125 mm



Wheeled trolley with steel base

ART.	W mm	D mm	H mm	 without wheels	Wheels						RAL	
					Ø mm	material	 wheel set					
FCEP1052004	1095	700	1000	500	200	Standard rubber	615	1	1	2	5012	



Wheeled trolley with steel base

ART.	W mm	D mm	H mm	 without wheels	Wheels						RAL	
					Ø mm	material	 wheel set					
FCEB1050308	1135	700	915	500	125	Standard rubber	300	1	1	2	7035	
FCEB1050304	1135	700	915	500	125	Standard rubber	300	1	1	2	5012	



Wheeled trolley with steel base

ART.	W mm	D mm	H mm		Wheels		RAL	
					Ø mm			
FCR00210008	555	445	845	150	100	4	7035	
FCR00210004	555	445	845	150	100	4	5012	



SWIVEL WHEEL WITH BRAKE



SWIVEL WHEEL



FIXED WHEEL



RAL 7035



RAL 5012



LOAD CAPACITY

BIN CART


MULTIPURPOSE MODULAR TROLLEYS




Easy to assemble



**Trolley load capacity
300 kg**



**Perforated upright
pitch 38 mm**



Modular

BIN CART



ART.	W mm	D mm	H mm	 without wheels	 wheel set	RAL	
BINCART1001	1067	668	1357	300	300	7016	

Made up of:

qty.	description
1	Unassembled trolley without wheels
2	Set of 5 profiles with 90 Picking Box containers size 1
1	Non-marking synthetic rubber wheels kit Ø 125 mm



ART.	W mm	D mm	H mm	 without wheels	 wheel set	RAL	
BINCART1002	1067	668	1357	300	300	7016	

Made up of:

qty.	description
1	Unassembled trolley without wheels
1	Set of 5 profiles with 90 Picking Box containers size 1
1	Set of 4 profiles with 48 Picking Box containers size 2
1	Non-marking synthetic rubber wheels kit Ø 125 mm



ART.	W mm	D mm	H mm	 without wheels	 wheel set	RAL	
BINCART1003	1067	668	1357	300	300	7016	

Made up of:

qty.	description
1	Unassembled trolley without wheels
2	Set of 4 profiles with 48 Picking Box containers size 2
1	Non-marking synthetic rubber wheels kit Ø 125 mm



RAL 7016



LOAD CAPACITY

BIN CART



ART.	W mm	D mm	H mm	 without wheels	 wheel set	RAL	
BINCART0701	761	668	1357	300	300	7016	

Made up of:

qty.	description
1	Unassembled trolley without wheels
2	Pair of full supports for Visual Box
2	Aluminium profile for Picking Box
2	Visual Box cabinet with 3 drawers H=240 mm
2	Visual Box cabinet with 4 drawers H=206 mm
4	Visual Box cabinet with 5 drawers H=164 mm

qty.	description
6	Visual Box cabinet with 6 drawers H=112 mm
2	Stop for Visual Box box cabinet with 3 drawers
2	Stop for Visual Box box cabinet with 4 drawers
4	Stop for Visual Box box cabinet with 5 drawers
6	Stop for Visual Box box cabinet with 6 drawers
1	Non-marking synthetic rubber wheels kit Ø 125 mm



BIN CART



ART.	W mm	D mm	H mm	 without wheels	 wheel set	RAL	
BINCART1007	1067	668	1543	300	300	7016	

Made up of:

qty.	description
1	Unassembled trolley without wheels
1	Pair of support plates for aluminium profiles
3	Aluminium profile for Picking Box
1	Perforated panel/shelf with box-stop edge
1	Wall unit with door
3	Bar mount with 4 Picking Box containers size 1
1	Non-marking synthetic rubber wheels kit Ø 125 mm



ART.	W mm	D mm	H mm	 without wheels	 wheel set	RAL	
BINCART1006	1067	668	1965	300	300	7016	

Made up of:

qty.	description
1	Unassembled trolley without wheels
2	Pair of support plates for aluminium profiles
6	Aluminium profile for Picking Box
1	Non-marking synthetic rubber wheels kit Ø 125 mm



RAL 7016



LOAD CAPACITY

BIN CART



ART.	W mm	D mm	H mm	 without wheels	 wheel set	RAL	
BINCART0704	761	668	1357	300	300	7016	

Made up of:

qty.	description
1	Unassembled trolley without wheels
4	Perforated panel/shelf with box-stop edge
1	Non-marking synthetic rubber wheels kit Ø 125 mm



ART.	W mm	D mm	H mm	 without wheels	 wheel set	RAL	
BINCART1008	1067	668	1357	300	300	7016	

Made up of:

qty.	description
1	Unassembled trolley without wheels
4	Perforated panel/shelf with box-stop edge
1	Non-marking synthetic rubber wheels kit Ø 125 mm



ART.	W mm	D mm	H mm	 without wheels	 wheel set	RAL	
BINCART1501	1552	668	1357	300	300	7016	

Made up of:

qty.	description
1	Unassembled trolley without wheels
4	Perforated panel/shelf with box-stop edge
1	Non-marking synthetic rubber wheels kit Ø 125 mm

BIN CART



ART.	W mm	D mm	H mm	 without wheels	 wheel set	RAL	
BINCART0705	761	668	1965	300	300	7016	

Made up of:

qty.	description
1	Unassembled trolley without wheels
6	Perforated panel/shelf with box-stop edge
1	Non-marking synthetic rubber wheels kit Ø 125 mm



ART.	W mm	D mm	H mm	 without wheels	 wheel set	RAL	
BINCART1009	1067	668	1965	300	300	7016	

Made up of:

qty.	description
1	Unassembled trolley without wheels
6	Perforated panel/shelf with box-stop edge
1	Non-marking synthetic rubber wheels kit Ø 125 mm



ART.	W mm	D mm	H mm	 without wheels	 wheel set	RAL	
BINCART1502	1552	668	1965	300	300	7016	

Made up of:

qty.	description
1	Unassembled trolley without wheels
6	Perforated panel/shelf with box-stop edge
1	Non-marking synthetic rubber wheels kit Ø 125 mm



RAL 7016



LOAD CAPACITY

BIN CART



ART.	W mm	D mm	H mm	 without wheels	 wheel set	RAL	
BINCART0706	761	668	1965	300	300	7016	

Made up of:

qty.	description
1	Unassembled trolley without wheels
2	Perforated panel/shelf with box-stop edge
1	Aluminium profile for Picking Box
10	Cable hook D=171 mm
1	Non-marking synthetic rubber wheels kit Ø 125 mm



ART.	W mm	D mm	H mm	 without wheels	 wheel set	RAL	
BINCART1010	1067	668	1965	300	300	7016	

Made up of:

qty.	description
1	Unassembled trolley without wheels
2	Perforated panel/shelf with box-stop edge
1	Aluminium profile for Picking Box
10	Cable hook D=171 mm
1	Non-marking synthetic rubber wheels kit Ø 125 mm



ART.	W mm	D mm	H mm	 without wheels	 wheel set	RAL	
BINCART1503	1552	668	1965	300	300	7016	

Made up of:

qty.	description
1	Unassembled trolley without wheels
2	Perforated panel/shelf with box-stop edge
1	Aluminium profile for Picking Box
10	Cable hook D=171 mm
1	Non-marking synthetic rubber wheels kit Ø 125 mm



BIN CART



ART.	W mm	D mm	H mm	 without wheels	 wheel set	RAL	
BINCART0707	761	668	1357	300	300	7016	

Made up of:

qty.	description
1	Unassembled trolley without wheels
1	Aluminium profile for Picking Box
10	Cable hook D=171 mm
1	Non-marking synthetic rubber wheels kit Ø 125 mm



ART.	W mm	D mm	H mm	 without wheels	 wheel set	RAL	
BINCART1011	1067	668	1357	300	300	7016	

Made up of:

qty.	description
1	Unassembled trolley without wheels
1	Aluminium profile for Picking Box
10	Cable hook D=171 mm
1	Non-marking synthetic rubber wheels kit Ø 125 mm

Equipment not included



ART.	W mm	D mm	H mm	 without wheels	 wheel set	RAL	
BINCART1504	1552	668	1357	300	300	7016	

Made up of:

qty.	description
1	Unassembled trolley without wheels
1	Aluminium profile for Picking Box
10	Cable hook D=171 mm
1	Non-marking synthetic rubber wheels kit Ø 125 mm



RAL 7016



LOAD CAPACITY

BIN CART



ART.	W mm	D mm	H mm	 without wheels	 wheel set	RAL	
BINCART0708	761	668	1357	300	300	7016	

Made up of:

qty.	description
1	Unassembled trolley without wheels
2	Aluminium profile for Picking Box
6	Pair of supports D=266 mm
1	Non-marking synthetic rubber wheels kit Ø 125 mm



ART.	W mm	D mm	H mm	 without wheels	 wheel set	RAL	
BINCART1012	1067	668	1357	300	300	7016	

Made up of:

qty.	description
1	Unassembled trolley without wheels
2	Aluminium profile for Picking Box
6	Pair of supports D=266 mm
1	Non-marking synthetic rubber wheels kit Ø 125 mm

Equipment not included



ART.	W mm	D mm	H mm	 without wheels	 wheel set	RAL	
BINCART1505	1552	668	1357	300	300	7016	

Made up of:

qty.	description
1	Unassembled trolley without wheels
2	Aluminium profile for Picking Box
6	Pair of supports D=266 mm
1	Non-marking synthetic rubber wheels kit Ø 125 mm



BIN CART



ART.	W mm	D mm	H mm	 without wheels	 wheel set	RAL	
BINCART0709	761	668	1965	300	300	7016	

Made up of:

qty.	description
1	Unassembled trolley without wheels
1	Perforated panel/shelf with box-stop edge
1	Roll holder kit with roll Ø=240 mm
1	Small reversible shelf
2	Aluminium profile for Picking Box
3	Pair of supports D=421 mm
1	Non-marking synthetic rubber wheels kit Ø 125 mm



ART.	W mm	D mm	H mm	 without wheels	 wheel set	RAL	
BINCART1013	1067	668	1965	300	300	7016	

Made up of:

qty.	description
1	Unassembled trolley without wheels
1	Perforated panel/shelf with box-stop edge
2	Wall unit with door
2	Aluminium profile for Picking Box
3	Pair of supports D=421 mm
1	Non-marking synthetic rubber wheels kit Ø 125 mm



ART.	W mm	D mm	H mm	 without wheels	 wheel set	RAL	
BINCART1506	1552	668	1965	300	300	7016	

Made up of:

qty.	description
1	Unassembled trolley without wheels
1	Perforated panel/shelf with box-stop edge
1	Wall unit with door
2	Large reversible shelf
2	Aluminium profile for Picking Box
3	Pair of supports D=421 mm
1	Non-marking synthetic rubber wheels kit Ø 125 mm



RAL 7016



LOAD CAPACITY

BIN CART



ART.	W mm	D mm	H mm	 without wheels	 wheel set	RAL	
BINCART1005	1067	668	1677	300	300	7016	

Made up of:

qty.	description
1	Unassembled trolley without wheels
3	Non-perforated panel/shelf
1	Perforated panel/shelf with box-stop edge
1	Pair of L-shaped brackets
1	Joint for plate

qty.	description
1	Monitor support plate with VESA standard
1	Support for 4-socket power strip
1	Schuko 4-socket power strip
1	Wieland Schuko/FR connection cable
1	Non-marking synthetic rubber wheels kit Ø 125 mm

BIN CART



Containers excluded



ART.	W mm	D mm	H mm	 without wheels	 wheel set	RAL	
BINCART1004	1067	668	1357	300	300	7016	

Made up of:

qty.	description
1	Unassembled trolley without wheels
3	Perforated panel/shelf with box-stop edge
1	Aluminium profile for Picking Box
1	Non-marking synthetic rubber wheels kit Ø 125 mm



RAL 7016



LOAD CAPACITY

BIN CART



Workbench excluded

ART.	W mm	D mm	H mm	 without wheels	 wheel set	RAL	
BINCART1014	2513	850	2267	300	300	7016	

Made up of:

qty.	description
1	Unassembled trolley without wheels
1	Kit with 2 inclined supports with track
1	Double lamp
3	Perforated panel/shelf with box-stop edge
4	Kit with 2 Picking Box containers size 3A2
2	Swivel arm for upright

qty.	description
2	Monitor support plate with VESA standard
1	Panel for Picking Box
5	Bar mount with 4 Picking Box containers size 1
1	Panel for Visual Box
2	Visual Box cabinet with 6 drawers H=112 mm
1	Visual Box cabinet with 5 drawers H=164 mm
1	Non-marking synthetic rubber wheels kit Ø 125 mm

BIN CART



Workbench excluded

ART.	W mm	D mm	H mm	 without wheels	 wheel set	RAL	
BINCART1507	2998	850	2267	300	300	7016	

Made up of:

qty.	description
1	Unassembled trolley without wheels
3	Perforated panel/shelf with box-stop edge
1	Kit with 2 inclined supports with track
1	Double lamp
2	Swivel arm for upright
2	Monitor support plate with VESA standard
1	Panel for Picking Box

qty.	description
4	Bar mount with 4 Picking Box containers size 1
1	Panel for Visual Box
2	Visual Box cabinet with 6 drawers H=112 mm
1	Visual Box cabinet with 5 drawers H=164 mm
18	Picking Box polypropylene container size 2
3	Kit with 2 Picking Box containers size 3A2
1	Non-marking synthetic rubber wheels kit Ø 125 mm



RAL 7016



LOAD CAPACITY



Unassembled trolley without wheels

ART.	W mm	D mm	H mm	 KG	 KG per side	RAL	
FBC10070039	709	668	1201	300	150	7016	
FBC15070039	709	668	1809	300	150	7016	



Aluminium profile for Picking Box

ART.	W mm	D mm	H mm	material	 KG	
FBC25070000	705	35	60	Aluminium	40	



Pair of partial supports for Visual Box

ART.	W mm	D mm	H mm	 KG	RAL	
FBC30070139	649	50	319	75	7016	



Pair of full supports for Visual Box

ART.	W mm	D mm	H mm	 KG	RAL	
FBC30070239	649	50	1153	150	7016	






Non-perforated panel/shelf

Can be used to close the base of the trolley

ART.	W mm	D mm	H mm	KG	RAL	
FBL76580008	647	31	494	50	7035	



Perforated panel/shelf with box-stop edge

ART.	W mm	D mm	H mm	Hole dim. mm	Pitch mm	RAL	
FBL76080108	647	60	456	10x10	38	7035	
FBL76080104	647	60	456	10x10	38	5012	

Visual Box



Visual Box cabinet

ART.	multiple order qty	overall dimensions			drawers				colour	
		W mm	D mm	H mm	no.	W mm	D mm	H mm		
FAXVBCH00900001	2	600	69	77	9	59	44	49	Dark grey	
FAXVBCH00600001	2	600	98	112	6	87	66	72	Dark grey	
FAXVBCH00500001	1	600	141	164	5	113	100	110	Dark grey	
FAXVBCH00400001	1	600	174	206	4	142	130	135	Dark grey	
FAXVBCH00300001	1	600	209	240	3	190	146	164	Dark grey	



Stop for Visual Box box cabinet

ART.	suitable for	
FAXVBCHL0900099	FAXVBCH0090000	
FAXVBCHL0600099	FAXVBCH0060000	
FAXVBCHL0500099	FAXVBCH0050000	
FAXVBCHL0400099	FAXVBCH0040000	
FAXVBCHL0300099	FAXVBCH0030000	



RAL 7016



RAL 7035



RAL 5012



LOAD CAPACITY


Unassembled trolley without wheels

ART.	W mm	D mm	H mm	 KG	 KG per side	RAL	
FBC10100039	1015	668	1201	300	150	7016	
FBC15100039	1015	668	1809	300	150	7016	


Aluminium profile for Picking Box

ART.	W mm	D mm	H mm	material	 KG	
FBC25100000	1011	35	60	Aluminium	40	


Non-perforated panel/shelf

Can be used to close the base of the trolley

ART.	W mm	D mm	H mm	 KG	RAL	
FBL76680008	953	31	494	50	7035	


Perforated panel/shelf with box-stop edge

ART.	W mm	D mm	H mm	Hole dim. mm	Pitch mm	RAL	
FBL76170108	953	60	456	10x10	38	7035	
FBL76170104	953	60	456	10x10	38	5012	

BIN CART

W= 1000 MM COMPONENTS



Set of 4 profiles with 48 Picking Box containers size 2

ART.	For trolley W mm	containers size	colour	
FBC25100201	1015	2	Dark grey	



Set of 5 profiles with 90 Picking Box containers size 1

ART.	For trolley W mm	containers size	colour	
FBC25100101	1015	1	Dark grey	



Pair of support plates for aluminium profiles

ART.	W mm	D mm	H mm	 KG	RAL	
FBC40100039	524	104	3	80	7016	



1.

Aluminium profile for Picking Box
2.

Pair of support plates for aluminium profiles
3.

Cable hook D=221 mm

BIN CART

W= 1500 MM COMPONENTS



Unassembled trolley without wheels

ART.	W mm	D mm	H mm		 per side	RAL	
FBC10150039	1500	668	1201	300	150	7016	
FBC15150039	1500	668	1809	300	150	7016	



Aluminium profile for Picking Box

ART.	W mm	D mm	H mm	For trolley W mm		For containers size	material	
FBC25150000	1496	35	60	1500	40	1/2	Aluminium	



Perforated panel/shelf with box-stop edge

ART.	W mm	D mm	H mm	Hole dim. mm	Pitch mm	RAL	
FBL76320108	1438	60	456	10x10	38	7035	
FBL76320104	1438	60	456	10x10	38	5012	

W= 700 MM

W= 1000 MM

W= 1500 MM



Cable hook

ART.	W mm	D mm	H mm	KG	
FBC35100099	28	171	84	10	
FBC35150099	28	221	84	10	
FBC35200099	28	271	84	10	



Pair of supports

ART.	overall dimensions			useful dimensions	KG	RAL	
	W mm	D mm	H mm	D mm			
FBC45030008	36	300	136	266	70	7035	
FBC45040008	36	455	136	421	50	7035	



Kit with wheels

ART.	Ø mm	KG	KG	H mm	material	↺	↻	
FKRD1002107	100	75	225	128	Standard rubber	2	2	
FKRB1252107	125	100	300	155	Standard rubber	2	2	
FKRU1252101	125	100	300	155	Non-marking synthetic rubber	2	2	
FKRS1252101	125	250	750	155	Elastic rubber	2	2	

IRONTEAM

see page 90



FBL95410000



FBLIT008039



FBLIT004039



FBLIT010039



FBLIT013000



FBLIT017039



FBLET012007



FBLET004007



FBLET005007



FBLET016007



SWIVEL WHEEL WITH BRAKE



FIXED WHEEL



RAL 7016



RAL 7035



RAL 5012




LOAD CAPACITY

ST


SHELVING



Easy to assemble



Modular



**Shelf load capacity up
to 300 kg**



**Bay load capacity
2300 kg**

SYSTEM ST



ART.	W mm	D mm	H mm	Finish	
ST2001	2115	523	2003	Galvanised	

qty.	description
3	Side with 3 crosspieces
2	Kit with 5 slotted shelves

ART.	W mm	D mm	H mm	Finish	
ST2601	2715	423	2003	Galvanised	

qty.	description
3	Side with 3 crosspieces
2	Kit with 3 pairs of tyre-holder supports

Kit with 5 reinforcements for slotted shelves

ART.	W mm	D mm	H mm	Finish	
FUF20000199	993	50	33	Galvanised	

Kit with 3 pairs of tyre-holder supports

ART.	W mm	D mm	H mm	 KG	Finish	
FST95900199	1300	32	100	50	Galvanised	

Kit with 5 slotted shelves

ART.	W mm	D mm	H mm	 KG	Finish	
FST10402099	1000	400	35	120	Galvanised	
FST10502099	1000	500	35	120	Galvanised	

Side with crosspieces


ART.	D mm	H mm	Finish	
FST02034099	423	2003	Galvanised	
FST02035099	523	2003	Galvanised	

 GALVANISED

 LOAD CAPACITY

STORAGE DOMINO

SHELVING



Stackable



Welded structure



**Unit load capacity up
to 1600 kg**



Anti-tip stop

STORAGE DOMINO




ART.	W mm	D mm	H mm	RAL	
FED30440101	1025	355	885	7000	

Made up of:

qty.	description
1	Shelf with 16 places for size 3 containers
16	Picking Box polypropylene container size 3

Stackability



No. of stacked frames	 for each frame	 for each box
2	960	60
3	640	40




ART.	W mm	D mm	H mm	RAL	
FED40540101	1765	500	885	7000	

Made up of:

qty.	description
1	Shelf with 20 places for size 4 containers
20	Picking Box polypropylene container size 4

Stackability



No. of stacked frames	 for each frame	 for each box
3	1600	80



RAL 7000



LOAD CAPACITY

STORAGE DOMINO




ART.	W mm	D mm	H mm	RAL	
FED30440201	1025	355	885	7000	

Made up of:

qty.	description
1	Shelf with 16 places for size 3 containers
16	Size 3 metal container

Stackability



No. of stacked frames	 for each frame	 for each box
2	960	60
3	640	40




ART.	W mm	D mm	H mm	RAL	
FED40540201	1765	500	885	7000	

Made up of:

qty.	description
1	Shelf with 20 places for size 4 containers
20	Size 4 metal container

Stackability



No. of stacked frames	 for each frame	 for each box
3	1600	80

STORAGE DOMINO

COMPONENTS



Empty rack

ART.	W mm	D mm	H mm	RAL	
FED30440A01	1025	310	885	7000	



Empty rack

ART.	W mm	D mm	H mm	RAL	
FED40540A01	1765	460	885	7000	



Dust cover

ART.	W mm	D mm	H mm	RAL	
FED90340001	1020	315	20	7000	



Dust cover

ART.	W mm	D mm	H mm	RAL	
FED90450001	1765	465	20	7000	



Base

ART.	W mm	D mm	H mm	RAL	
FED92340001	1020	313	85	7000	



Base

ART.	W mm	D mm	H mm	RAL	
FED92450001	1765	463	85	7000	




RAL 7000




LOAD CAPACITY

STEEL


BOXES, CONTAINERS AND METAL CONTAINERS



Stackable



90° locking handle



Lifting crosspiece



Sturdy

STEEL

BOXES AND CONTAINERS



272-3A2



272-3



272-4



272-4A5



272-5

ART.	multiple order qty	size	overall dimensions			useful dimensions				RAL	
			W mm	D mm	H mm	W mm	D mm	H mm			
FLA33200A01	10	272-3A2	325	210	145	300	200	130	8,7	7000	
FLA41200A01	8	272-3	325	210	200	300	200	185	12	7000	
FLA65200A01	6	272-4	480	315	200	450	300	185	27	7000	
FLA73200A01	4	272-4A5	480	315	300	450	300	280	40,5	7000	
FLA89200A01	6	272-5	660	480	300	630	450	280	85	7000	





1



2



3A2



3

ART.	multiple order qty	size	overall dimensions			useful dimensions			L	RAL	
			W mm	D mm	H mm	W mm	D mm	H mm			
FLS17000A01	20	1	105	165	75	95	140	65	1	7000	
FLS25000A01	20	2	150	235	125	140	195	115	3,8	7000	
FLS33000A01	10	3A2	210	350	145	195	300	135	9,4	7000	
FLS41000A01	8	3	210	350	200	200	300	185	12,5	7000	



3P4



4A2



4



4A5

ART.	multiple order qty	size	overall dimensions			useful dimensions			L	RAL	
			W mm	D mm	H mm	W mm	D mm	H mm			
FLS49000A01	9	3P4	210	550	200	200	450	185	18	7000	
FLS57000A01	8	4A2	310	500	145	300	450	135	20	7000	
FLS65000A01	6	4	310	510	200	300	450	185	28	7000	
FLS73000A01	4	4A5	310	525	315	300	450	280	42	7000	

LIFTING CROSSPIECE COMBINED WITH 90° LOCKING HANDLE





5P4



5



5P4



5

ART.	multiple order qty	size	overall dimensions			useful dimensions			No. of slides	L	RAL	
			W mm	D mm	H mm	W mm	D mm	H mm				
FLS81000A01	6	5P4	480	540	300	450	450	280	-	63	7000	
FLS89000A01	6	5	480	725	295	450	630	280	-	88	7000	
FLS81100A01	4	5P4	480	540	385	450	450	280	2	63	7000	
FLS89100A01	4	5	480	725	385	450	630	280	2	88	7000	



4



4A5



5P4



5

ART.	multiple order qty	size	overall dimensions			useful dimensions			L	RAL	
			W mm	D mm	H mm	W mm	D mm	H mm			
FLS65010A01	6	4	310	510	200	300	450	185	28	7000	
FLS73010A01	4	4A5	310	525	315	300	450	280	42	7000	
FLS81010A01	6	5P4	480	540	300	450	450	280	63	7000	
FLS89010A01	6	5	480	725	295	450	630	280	88	7000	

Special Applications

CONTAINERS WITH DOUBLE CROSSPIECE



picking system with forklift truck

CONTAINERS WITH SLIDE



picking system with forklift truck

STEEL

CONTAINERS WITH OPENABLE BOTTOM



Container with openable bottom with rollers

ART.	W mm	D mm	H mm	 KG	RAL	
FML01210001	1095	865	1265	2000	7000	



Container with openable bottom with rollers

ART.	W mm	D mm	H mm	 KG	RAL	
FML01110001	1095	865	915	2000	7000	

CONTAINERS WITH OPENABLE BOTTOM WITH ROLLERS

Lifted with a forklift truck through the four handles welded onto the top edge, they can be used to dump material through the openable bottom with rollers (87% opening). They can be opened easily and safely through the lever placed on the 800 mm side, while they can be closed by means of a special device consisting of levers and steel rollers.



STEEL

CONTAINERS WITH HOPPER-TYPE OPENING



Container with hopper-type front opening

ART.	multiple order qty	W mm	D mm	H mm	 KG	RAL	
FML05100A01	3	830	680	600	1000	7000	



RAL 7000




LOAD CAPACITY

EURO BOX

NESTABLE BOX LIGHT

PICKING BOX-VISUAL BOX

PLASTIC BOXES AND CONTAINERS



Polypropylene



Ecogreen



ABS



Polystyrene



Polyethylene

**300 x 200 mm**

ART.	overall dimensions			useful dimensions			L	colour	
	W mm	D mm	H mm	W mm	D mm	H mm			
FAXEB3212A05101	298	200	120	259	160	116	5	Dark grey	
FAXEB3217A05101	298	198	170	259	160	166	7	Dark grey	
FAXEB32HG005101	298	192	15	-	-	-	-	Dark grey	

**400 x 300 mm**

ART.	overall dimensions			useful dimensions			L	colour	
	W mm	D mm	H mm	W mm	D mm	H mm			
FAXEB4312A05101	400	300	120	355	255	116	10	Dark grey	
FAXEB4317A05101	400	300	170	355	255	166	15	Dark grey	
FAXEB4322A05101	400	300	220	355	255	216	20	Dark grey	
FAXEB4332A05101	400	300	325	355	255	321	30	Dark grey	
FAXEB43HG005101	400	300	-	-	-	-	-	Dark grey	



600 x 400 mm

ART.	overall dimensions			useful dimensions			L	colour	
	W mm	D mm	H mm	W mm	D mm	H mm			
FAXEB6412A05101	600	400	120	555	355	116	20	Dark grey	
FAXEB6417A05101	600	400	170	555	355	166	30	Dark grey	
FAXEB6422A05101	600	400	220	555	355	216	40	Dark grey	
FAXEB6428A05101	600	400	280	555	355	276	53	Dark grey	



600 x 400 mm

ART.	overall dimensions			useful dimensions			L	colour	
	W mm	D mm	H mm	W mm	D mm	H mm			
FAXEB6432A05101	600	400	325	555	355	321	60	Dark grey	
FAXEB6443B05101	600	400	430	555	355	426	90	Dark grey	
FAXEB64HG005101	600	400	-	-	-	-	-	Dark grey	



Trolley for Euro Box containers with steel base and wheels

ART.	W mm	D mm	H mm	KG	Wheels				Finish	
							Ø	material		
FCP20110299	698	415	870	150	1	3	100	Standard rubber	Galvanised	



Trolley for Euro Box containers with steel base and wheels

ART.	W mm	D mm	H mm	KG	Wheels				Finish	
							Ø	material		
FCP20110199	615	415	165	150	1	3	100	Standard rubber	Galvanised	



800 x 600 mm

ART.	overall dimensions			useful dimensions				colour	
	W mm	D mm	H mm	W mm	D mm	H mm			
FAXEB8612C05101	800	600	120	755	555	101	49	Dark grey	
FAXEB8617C05101	800	600	170	755	555	151	69	Dark grey	
FAXEB8622C05101	800	600	220	755	555	201	90	Dark grey	



800 x 600 mm

ART.	overall dimensions			useful dimensions				colour	
	W mm	D mm	H mm	W mm	D mm	H mm			
FAXEB8632C05101	800	600	325	755	555	306	130	Dark grey	
FAXEB8643C05101	800	600	430	755	555	411	175	Dark grey	
FAXEB86SE005101	800	600	-	-	-	-	-	Dark grey	



Kit with wheels

ART.	Ø mm			H mm	material			
FKRD1002107	100	75	225	128	Standard rubber	2	2	



Set of screws for fastening wheels onto Euro Box

ART.	pcs per pack	
FVT01380000	16	



SWIVEL WHEEL



SWIVEL WHEEL WITH BRAKE



FIXED WHEEL



GALVANISED



LOAD CAPACITY



CAPACITY



400 x 300 mm

ART.	overall dimensions			useful dimensions			L	colour	
	W mm	D mm	H mm	W mm	D mm	H mm			
FAXEB4312A05401	400	300	120	355	255	116	10	Dark grey	
FAXEB4317A05401	400	300	170	355	255	166	15	Dark grey	
FAXEB4322A05401	400	300	220	355	255	216	20	Dark grey	
FAXEB4332A05401	400	300	325	355	255	321	30	Dark grey	
FAXEB43HG005401	400	300	-	-	-	-	-	Dark grey	



600 x 400 mm

ART.	overall dimensions			useful dimensions			L	colour	
	W mm	D mm	H mm	W mm	D mm	H mm			
FAXEB6412A05401	600	400	120	555	355	116	20	Dark grey	
FAXEB6417A05401	600	400	170	555	355	166	30	Dark grey	
FAXEB6422A05401	600	400	220	555	355	216	40	Dark grey	
FAXEB6432A05401	600	400	325	555	355	321	60	Dark grey	
FAXEB64HG005401	600	400	-	-	-	-	-	Dark grey	

NESTABLE BOX LIGHT POLYPROPYLENE



600 x 400 mm

ART.	overall dimensions			useful dimensions			L	colour	
	W mm	D mm	H mm	W mm	D mm	H mm			
FAXNL6420B05101	600	400	200	453	336	197	32	Dark grey	
FAXNL6430B05101	600	400	300	453	336	297	50	Dark grey	
FAXNL6440B05101	600	400	400	453	336	397	70	Dark grey	
FAXNL64SE005101	600	400	-	-	-	-	-	Dark grey	

PICKING BOX ECOGREEN



ART.	multiple order qty	size	overall dimensions			useful dimensions			L	colour	
			W mm	D mm	H mm	W mm	D mm	H mm			
FAXPBC001A05401	50	1	100	170	75	88	133	65	1	Dark grey	
FAXPBC002A05401	54	2	150	230	125	127	191	110	3,8	Dark grey	
FAXPBC3A2B05401	21	3A2	210	350	145	180	270	130	9,4	Dark grey	
FAXPBC003B05401	15	3	210	350	200	180	270	183	12,5	Dark grey	
FAXPBC004B05401	10	4	310	500	200	282	425	183	28	Dark grey	



1



2



3A2



3



4A2

ART.	multiple order qty	size	overall dimensions			useful dimensions				colour	
			W mm	D mm	H mm	W mm	D mm	H mm			
FAXPBC001A05101	50	1	100	170	75	88	133	65	1	Dark grey	
FAXPBC001A05102	50	1	100	170	75	88	133	65	1	Green	
FAXPBC001A05103	50	1	100	170	75	88	133	65	1	Red	
FAXPBC001A05104	50	1	100	170	75	88	133	65	1	Blue	
FAXPBC001A05105	50	1	100	170	75	88	133	65	1	Yellow	
FAXPBC002A05101	54	2	150	230	125	127	191	110	3,8	Dark grey	
FAXPBC002A05102	54	2	150	230	125	127	191	110	3,8	Green	
FAXPBC002A05103	54	2	150	230	125	127	191	110	3,8	Red	
FAXPBC002A05104	54	2	150	230	125	127	191	110	3,8	Blue	
FAXPBC002A05105	54	2	150	230	125	127	191	110	3,8	Yellow	
FAXPBC3A2B05101	21	3A2	210	350	145	180	270	130	9,4	Dark grey	
FAXPBC3A2B05102	21	3A2	210	350	145	180	270	130	9,4	Green	
FAXPBC3A2B05103	21	3A2	210	350	145	180	270	130	9,4	Red	
FAXPBC3A2B05104	21	3A2	210	350	145	180	270	130	9,4	Blue	
FAXPBC3A2B05105	21	3A2	210	350	145	180	270	130	9,4	Yellow	
FAXPBC003B05101	15	3	210	350	200	180	270	183	12,5	Dark grey	
FAXPBC003B05102	15	3	210	350	200	180	270	183	12,5	Green	
FAXPBC003B05103	15	3	210	350	200	180	270	183	12,5	Red	
FAXPBC003B05104	15	3	210	350	200	180	270	183	12,5	Blue	
FAXPBC003B05105	15	3	210	350	200	180	270	183	12,5	Yellow	
FAXPBC4A2B05101	14	4A2	310	500	145	282	425	134	20	Dark grey	
FAXPBC4A2B05102	14	4A2	310	500	145	282	425	134	20	Green	
FAXPBC4A2B05103	14	4A2	310	500	145	282	425	134	20	Red	
FAXPBC4A2B05104	14	4A2	310	500	145	282	425	134	20	Blue	
FAXPBC4A2B05105	14	4A2	310	500	145	282	425	134	20	Yellow	



4



4A5



5P4



5

ART.	multiple order qty	size	overall dimensions			useful dimensions			L	colour	
			W mm	D mm	H mm	W mm	D mm	H mm			
FAXPBC004B05101	10	4	310	500	200	282	425	183	28	Dark grey	
FAXPBC004B05102	10	4	310	500	200	282	425	183	28	Green	
FAXPBC004B05103	10	4	310	500	200	282	425	183	28	Red	
FAXPBC004B05104	10	4	310	500	200	282	425	183	28	Blue	
FAXPBC004B05105	10	4	310	500	200	282	425	183	28	Yellow	
FAXPBC4A5B05101	6	4A5	310	500	300	282	425	285	42	Dark grey	
FAXPBC4A5B05102	6	4A5	310	500	300	282	425	285	42	Green	
FAXPBC4A5B05103	6	4A5	310	500	300	282	425	285	42	Red	
FAXPBC4A5B05104	6	4A5	310	500	300	282	425	285	42	Blue	
FAXPBC4A5B05105	6	4A5	310	500	300	282	425	285	42	Yellow	
FAXPBZ5P4E05101	1	5P4	472	535	300	432	435	281	63	Dark grey	
FAXPBZ5P4E05102	1	5P4	472	535	300	432	435	281	63	Green	
FAXPBZ5P4E05103	1	5P4	472	535	300	432	435	281	63	Red	
FAXPBZ5P4E05104	1	5P4	472	535	300	432	435	281	63	Blue	
FAXPBZ5P4E05105	1	5P4	472	535	300	432	435	281	63	Yellow	
FAXPBZ005E05101	1	5	472	720	300	434	615	275	88	Dark grey	
FAXPBZ005E05102	1	5	472	720	300	434	615	275	88	Green	
FAXPBZ005E05103	1	5	472	720	300	434	615	275	88	Red	
FAXPBZ005E05104	1	5	472	720	300	434	615	275	88	Blue	
FAXPBZ005E05105	1	5	472	720	300	434	615	275	88	Yellow	



Longitudinal plastic divider

ART.	multiple order qty	for containers size	W mm	H mm	colour	
FAXPBDC3A207107	10	3A2	300	105	Black	
FAXPBDC00307107	10	3	305	160	Black	
FAXPBDC00407107	10	4	460	160	Black	



ART.	multiple order qty	overall dimensions			drawers				colour	
		W mm	D mm	H mm	no.	W mm	D mm	H mm		
FAXVBCH00900001	2	600	69	77	9	59	44	49	Dark grey	
FAXVBCH00600001	2	600	98	112	6	87	66	72	Dark grey	
FAXVBCH00500001	1	600	141	164	5	113	100	110	Dark grey	
FAXVBCH00400001	1	600	174	206	4	142	130	135	Dark grey	
FAXVBCH00300001	1	600	209	240	3	190	146	164	Dark grey	
FAXVBCH00200001	1	600	311	353	2	285	219	246	Dark grey	

Stop for Visual Box box cabinet

ART.	suitable for	
FAXVBCHL0900099	FAXVBCH009000	
FAXVBCHL0600099	FAXVBCH006000	
FAXVBCHL0500099	FAXVBCH005000	
FAXVBCHL0400099	FAXVBCH004000	
FAXVBCHL0300099	FAXVBCH003000	
FAXVBCHL0200099	FAXVBCH002000	



Empty wall-mounted rack for Visual Box drawer units

ART.	W mm	D mm	H mm	RAL	
FVBSW1500000001	604	41	1502	7000	
FVBSW1950000001	604	41	1952	7000	



Base for rack Visual Box

ART.	W mm	D mm	H mm	RAL	
FVBSBASE0000001	600	300	100	7000	





Non-slip polyethylene mat

ART.	W mm	D mm	H mm	colour	
FAXSMTC08004001	800	400	25	Dark grey	
FAXSMTC08004006	800	400	25	Brick red	



Non-slip perforated polyethylene mat

ART.	W mm	D mm	H mm	colour	
FAXSMTA08004001	800	400	25	Dark grey	
FAXSMTA08004006	800	400	25	Brick red	



Joining piece for polyethylene mat

ART.	W mm	D mm	H mm	colour	
FAXSMRC04001205	400	120	25	Yellow	



Corner element for polyethylene mat

ART.	W mm	D mm	H mm	colour	
FAXSMAN01201205	120	120	25	Yellow	



Clips for attaching the mat

ART.	D mm	H mm	Finish	
FAXSMCL00000099	10	14	Galvanised	









Features

It all starts at the top

The lower modules have a 630 mm deep worktop, providing ample space to work in comfort.

The sliding door

Cabinets with sliding doors increase the storage capacity of the workstation by reducing the clutter and obstacles that would result from using cabinets with hinged doors.





A secret cabinet

The technical cabinet is designed to conceal cable reels and electrical cables, so that only those items required for the job are readily visible.



Garage flip-up opening

Flip-up openings can be inserted in the lower modules to utilise space that would otherwise be wasted. They facilitate the sorting of waste, and help to keep the workplace clean and tidy.



Around the corner

The corner module can be upgraded with up to 4 electrical sockets and 2 cable reels. It allows for optimal use of space and a large worktop surface.





A drawer full of surprises

100% extension and 70 kg load capacity make these drawers the ideal storage solution for work equipment and tools. Full pull-out provides a complete view of the interior and facilitates removal of the stored items.



Free-standing

All Gear Garage solutions require no masonry anchoring. The various structures such as modules and wall units are free-standing.



Suspended storage

The wall unit, with soft touch vasistas opening, can be mounted on walls or perforated walls and provides an additional space for work equipment organisation.



Modules

The modular Gear Garage system permits integration of several modules to create structures that can be easily adapted to the size of the space where they are to be installed. The modules are available in 7 different widths, from a minimum of 512 mm to a maximum of 2040 mm, and are subdivided into base modules, worktops, wall units, cabinets, chests of drawers and corner units.



Tops in various designs



Satin **Stainless** steel

Rubberised Steel

Multiplex Wood

Warranty



The 10-year warranty on Fami products aptly reflects the premium-quality materials we use and the care and dedication that go into the production of our furnishings to make them reliable and durable.



Courtesy of Trident Motorsport


All the colours and then some!

Depending on the environment where it is installed or on the corporate colours, Gear Garage can be in a single-colour or twotone. Up to 12 RAL colours are available to customise the frame and façades.

Frame



Façades



*Frame and façades in **Ideaone** colours RAL 7035 + RAL 7016 are available from stock.





ART.	W mm	D mm	H mm	Top	RAL	
GARAGE086	3297	2684	2000	Satin stainless steel	7035+7016	
GARAGE087	3297	2684	2000	Rubberised steel	7035+7016	

Made up of:

qty.	description
2	Cabinet with hinged doors
4	Kit with 2 slotted shelves
2	Pair of filler strips for cabinet
2	Cabinet with 6 drawers 1x75 2x100 2x150 1x200
1	Cabinet with 5 drawers 2x75 1x100 1x150 1x200
1	Tubular handle
1	Non-marking synthetic rubber wheels kit Ø 125 mm
1	Damper kit for cabinet with wheels
1	Cabinet with waste compartment and hinged door
1	Roll holder with roll
1	Waste hatch
1	Corner leg
1	Schuko 4-socket power strip
1	Wieland Schuko/FR connection cable

qty.	description
1	Cabinet with hinged doors
1	Adjustable shelf with supports
5	Set of 4 adjustable feet
1	Top in satin stainless steel L=2040 mm
1	Top in satin stainless steel for corner L=714 mm
1	Top in satin stainless steel L=1428 mm
2	Fastening screw kit
4	Pair of uprights
2	Centre upright
2	Perforated panel/shelf with box-stop edge
4	Perforated panel/shelf with box-stop edge
2	Wall unit with vasistas flip up opening without lock
1	Corner vasistas wall unit without lock
1	Wall unit with vasistas flip up opening without lock



ART.	W mm	D mm	H mm	Top	RAL	
GARAGE088	8976	630	2000	Satin stainless steel	7035+7016	
GARAGE089	8976	630	2000	Rubberised steel	7035+7016	

Made up of:

qty.	description	qty.	description
2	Cabinet with sliding doors	2	Top in satin stainless steel L=1428 mm
4	Kit with 4 slotted shelves	1	Top in satin stainless steel L=2040 mm
2	Cabinet with 6 drawers 1x75 2x100 2x150 1x200	3	Fastening screw kit
1	Cabinet with 5 drawers 2x75 1x100 1x150 1x200	5	Pair of uprights
1	Damper kit for cabinet with wheels	3	Centre upright
1	Tubular handle	4	Perforated panel/shelf with box-stop edge
1	Non-marking synthetic rubber wheels kit Ø 125 mm	2	Electric perforated panel
1	Reversible leg	2	Perforated panel/shelf with box-stop edge
1	Cabinet with sliding doors	2	Schuko 4-socket power strip
2	Slotted shelf	2	Schuko 2-socket power strip
1	Cabinet with waste compartment and hinged door	1	Wieland connection cable with in/out plugs
1	Waste hatch	1	Wieland Schuko/FR connection cable
1	Roll holder with roll	2	Wall unit with vasistas flip up opening without lock
9	Set of 4 adjustable feet	2	Wall unit with vasistas flip up opening without lock





ART.	W mm	D mm	H mm	Top	RAL	
GARAGE090	3063	630	2000	Satin stainless steel	7035+7016	
GARAGE091	3063	630	2000	Rubberised steel	7035+7016	

Made up of:

qty.	description	qty.	description
1	Cabinet with hinged doors	1	Roll holder with roll
1	Kit with 4 slotted shelves	1	Waste hatch
1	Pair of filler strips for cabinet	2	Set of 4 adjustable feet
1	Cabinet with 6 drawers 1x75 2x100 2x150 1x200	1	Top in satin stainless steel L=2040 mm
1	Cabinet with 5 drawers 2x75 1x100 1x150 1x200	1	Fastening screw kit
1	Tubular handle	1	Pair of uprights
1	Non-marking synthetic rubber wheels kit Ø 125 mm	1	Centre upright
1	Damper kit for cabinet with wheels	2	Perforated panel/shelf with box-stop edge
1	Cabinet with waste compartment and hinged door	2	Wall unit with vasistas flip up opening without lock



ART.	W mm	D mm	H mm	Top	RAL	
GARAGE092	2142	630	2000	Satin stainless steel	7035+7016	
GARAGE093	2142	630	2000	Rubberised steel	7035+7016	

Made up of:

qty.	description
1	Cabinet with waste compartment and hinged door
1	Waste hatch
1	Roll holder with roll
1	Cabinet with 6 drawers 1x75 2x100 2x150 1x200
1	Cabinet with hinged doors
1	Adjustable shelf with supports
3	Set of 4 adjustable feet
1	Top in satin stainless steel L=714 mm
1	Top in satin stainless steel L=1428 mm
2	Fastening screw kit
2	Pair of uprights
1	Centre upright
3	Perforated panel/shelf with box-stop edge
1	Wall unit with vasistas flip up opening without lock
1	Wall unit with vasistas flip up opening without lock



ART.	W mm	D mm	H mm	Top	RAL	
GARAGE094	1940	630	2000	Satin stainless steel	7035+7016	
GARAGE095	1940	630	2000	Rubberised steel	7035+7016	

Made up of:

qty.	description
1	Cabinet with hinged doors
2	Kit with 2 slotted shelves
1	Pair of filler strips for cabinet
1	Cabinet with 6 drawers 1x75 2x100 2x150 1x200
1	Cabinet with hinged doors
1	Adjustable shelf with supports
2	Set of 4 adjustable feet
1	Top in satin stainless steel L=1428 mm
1	Fastening screw kit
1	Pair of uprights
1	Centre upright
2	Perforated panel/shelf with box-stop edge
1	Wall unit with vasistas flip up opening without lock

GEAR GARAGE

BEST SELLER



ART.	W mm	D mm	H mm	Top	RAL	
GARAGE104	2757	630	2000	Satin stainless steel	7035+7016	
GARAGE105	2757	630	2000	Rubberised steel	7035+7016	

Made up of:

qty.	description	qty.	description
1	Cabinet with hinged doors	1	Top in satin stainless steel L=1734 mm
1	Kit with 4 slotted shelves	1	Fastening screw kit
1	Pair of filler strips for cabinet	1	Pair of uprights
1	Cabinet with 6 drawers 1x75 2x100 2x150 1x200	1	Centre upright
1	Technical cabinet with hinged door	1	Perforated panel/shelf with box-stop edge
1	Schuko 4-socket power strip	1	Perforated panel/shelf with box-stop edge
1	Wieland Schuko/FR connection cable	1	Wall unit with vasistas flip up opening without lock
2	Set of 4 adjustable feet	1	Wall unit with vasistas flip up opening without lock



ART.	W mm	D mm	H mm	Top	RAL	
GARAGE096	1940	630	2000	Satin stainless steel	7035+7016	
GARAGE097	1940	630	2000	Rubberised steel	7035+7016	

Made up of:

qty.	description
1	Cabinet with hinged doors
2	Kit with 2 slotted shelves
1	Pair of filler strips for cabinet
1	Cabinet with 6 drawers 1x75 2x100 2x150 1x200
1	Cabinet with waste compartment and hinged door
1	Waste hatch
1	Roll holder with roll
2	Set of 4 adjustable feet
1	Top in satin stainless steel L=1428 mm
1	Fastening screw kit
1	Pair of uprights
1	Centre upright
2	Perforated panel/shelf with box-stop edge
1	Wall unit with vasistas flip up opening without lock



ART.	W mm	D mm	H mm	Top	RAL	
GARAGE098	1428	630	2000	Satin stainless steel	7035+7016	
GARAGE099	1428	630	2000	Rubberised steel	7035+7016	

Made up of:

qty.	description
1	Cabinet with 7 drawers 1x75 4x100 2x150
1	Cabinet with 5 drawers 1x75 2x150 2x200
2	Set of 4 adjustable feet
1	Top in satin stainless steel L=1428 mm
1	Fastening screw kit
1	Centre upright
1	Pair of uprights
2	Perforated panel/shelf with box-stop edge
2	Perforated panel/shelf with box-stop edge



ART.	W mm	D mm	H mm	Top	RAL	
GARAGE106	5515	630	2000	Satin stainless steel	7035+7016	
GARAGE107	5515	630	2000	Rubberised steel	7035+7016	

Made up of:

qty.	description
2	Cabinet with slotted hinged doors
4	Kit with 2 sealed internal liquid collection tanks capacity 9 L
3	Pair of filler strips for cabinet
2	Cabinet with 6 drawers 1x75 2x100 2x150 1x200
2	Cabinet with 5 drawers 2x75 1x100 1x150 1x200
2	Damper kit for cabinet with wheels
2	Tubular handle
2	Non-marking synthetic rubber wheels kit Ø 125 mm
2	Reversible leg
1	Cabinet with hinged doors
1	Kit with 4 slotted shelves
2	Set of 4 adjustable feet

qty.	description
2	Top in satin stainless steel L=1734 mm
2	Fastening screw kit
2	Pair of uprights
2	Centre upright
2	Electric perforated panel
2	Schuko 4-socket power strip
2	Schuko 2-socket power strip
2	Wieland Schuko/FR connection cable
2	Perforated panel/shelf with box-stop edge
2	Perforated panel/shelf with box-stop edge
2	Wall unit with vasistas flip up opening without lock
2	Wall unit with vasistas flip up opening without lock



ART.	W mm	D mm	H mm	Top	RAL	
GARAGE100	2041	630	2000	Satin stainless steel	7035+7016	
GARAGE101	2041	630	2000	Rubberised steel	7035+7016	

Made up of:

qty.	description
1	Cabinet with 7 drawers 1x75 4x100 2x150
1	Cabinet with 5 drawers 1x75 2x150 2x200
2	Set of 4 adjustable feet
3	Crosspiece
1	Schuko 4-socket power strip
1	Wieland Schuko/FR connection cable
1	Top in satin stainless steel L=2040 mm
1	Fastening screw kit
1	Centre upright
1	Pair of uprights
2	Perforated panel/shelf with box-stop edge
2	Perforated panel/shelf with box-stop edge



ART.	W mm	D mm	H mm	Top	RAL	
GARAGE102	2041	630	2000	Satin stainless steel	7035+7016	
GARAGE103	2041	630	2000	Rubberised steel	7035+7016	

Made up of:

qty.	description
1	Cabinet with hinged doors
1	Cabinet with 5 drawers 2x75 1x100 1x150 1x200
1	Tubular handle
1	Non-marking synthetic rubber wheels kit Ø 125 mm
1	Damper kit for cabinet with wheels
1	Cabinet with 6 drawers 1x75 2x100 2x150 1x200
2	Set of 4 adjustable feet
1	Top in satin stainless steel L=2040 mm
1	Fastening screw kit
1	Pair of uprights
1	Centre upright
2	Perforated panel/shelf with box-stop edge
2	Perforated panel/shelf with box-stop edge

GEAR GARAGE

BEST SELLER



ART.	W mm	D mm	H mm	Top	RAL	
GARAGE110	5712	630	2000	Satin stainless steel	7035+7016	
GARAGE111	5712	630	2000	Rubberised steel	7035+7016	

Made up of:

qty.	description	qty.	description
2	Cabinet with sliding doors	1	Damper kit for cabinet with wheels
2	Slotted shelf	1	Tubular handle
2	Cabinet with 6 drawers 1x75 2x100 2x150 1x200	1	Non-marking synthetic rubber wheels kit Ø 125 mm
1	Cabinet with waste compartment and hinged door	5	Set of 4 adjustable feet
1	Waste hatch	4	Top in satin stainless steel L=1428 mm
1	Roll holder with roll	4	Fastening screw kit
1	Reversible leg	4	Centre upright
1	Schuko 4-socket power strip	4	Pair of uprights
1	Wieland Schuko/FR connection cable	8	Perforated panel/shelf with box-stop edge
1	Cabinet with 5 drawers 2x75 1x100 1x150 1x200	4	Wall unit with vasistas flip up opening without lock





ART.	W mm	D mm	H mm	Top	RAL	
GARAGE108	5508	630	2000	Satin stainless steel	7035+7016	
GARAGE109	5508	630	2000	Rubberised steel	7035+7016	

Made up of:

qty.	description	qty.	description
2	Cabinet with 6 drawers 1x75 2x100 2x150 1x200	2	Top in satin stainless steel L=1734 mm
1	Cabinet with 5 drawers 2x75 1x100 1x150 1x200	2	Fastening screw kit
1	Damper kit for cabinet with wheels	3	Pair of uprights
1	Tubular handle	2	Centre upright
1	Non-marking synthetic rubber wheels kit Ø 125 mm	2	Electric perforated panel
1	Reversible leg	2	Schuko 4-socket power strip
1	Cabinet with sliding doors	2	Schuko 2-socket power strip
2	Kit with 4 slotted shelves	2	Wieland Schuko/FR connection cable
1	Cabinet with waste compartment and hinged door	2	Perforated panel/shelf with box-stop edge
1	Waste hatch	2	Perforated panel/shelf with box-stop edge
1	Roll holder with roll	2	Wall unit with vasistas flip up opening without lock
5	Set of 4 adjustable feet	2	Wall unit with vasistas flip up opening without lock



ART.	W mm	D mm	H mm	Top	RAL	
GARAGE112	744	744	2000	Satin stainless steel	7035+7016	
GARAGE113	744	744	2000	Rubberised steel	7035+7016	

Made up of:

qty.	description
1	Corner leg
1	Set of 4 adjustable feet
1	Top in satin stainless steel for corner L=714 mm
2	Pair of uprights
2	Perforated panel/shelf with box-stop edge
1	Corner vasistas wall unit without lock



ART.	W mm	D mm	H mm	Top	RAL	
GARAGE114	744	714	2000	Satin stainless steel	7035+7016	
GARAGE115	744	714	2000	Rubberised steel	7035+7016	

Made up of:

qty.	description
1	Corner leg
1	Set of 4 adjustable feet
1	Top in satin stainless steel for corner L=714 mm
1	Pair of uprights
1	Perforated panel/shelf with box-stop edge
1	Wall unit with vasistas flip up opening without lock



ART.	W mm	D mm	H mm	RAL	
GARAGE116	583	600	921	7035+7016	

Made up of:

qty.	description
1	Cabinet with 5 drawers 2x75 1x100 1x150 1x200
1	Tubular handle
1	Non-marking synthetic rubber wheels kit Ø 125 mm
1	Damper kit for cabinet with wheels



ART.	W mm	D mm	H mm	Top	RAL	
GARAGE001	714	630	2000	Satin stainless steel	7035+7016	
GARAGE002	714	630	2000	Rubberised steel	7035+7016	

Made up of:

qty.	description
1	Cabinet with 6 drawers 1x75 2x100 2x150 1x200
1	Set of 4 adjustable feet
1	Top in satin stainless steel L=714 mm
1	Fastening screw kit
1	Pair of uprights
1	Perforated panel/shelf with box-stop edge
1	Wall unit with vasistas flip up opening without lock



ART.	W mm	D mm	H mm	Top	RAL	
GARAGE003	714	630	2000	Satin stainless steel	7035+7016	
GARAGE004	714	630	2000	Rubberised steel	7035+7016	

Made up of:

qty.	description
1	Cabinet with hinged doors
1	Adjustable shelf with supports
1	Set of 4 adjustable feet
1	Top in satin stainless steel L=714 mm
1	Fastening screw kit
1	Pair of uprights
1	Perforated panel/shelf with box-stop edge
1	Wall unit with vasistas flip up opening without lock



ART.	W mm	D mm	H mm	Top	RAL	
GARAGE005	714	630	2000	Satin stainless steel	7035+7016	
GARAGE006	714	630	2000	Rubberised steel	7035+7016	

Made up of:

qty.	description
1	Technical cabinet with hinged door
1	Schuko 4-socket power strip
1	Wieland Schuko/FR connection cable
1	Set of 4 adjustable feet
1	Top in satin stainless steel L=714 mm
1	Fastening screw kit
1	Pair of uprights
1	Perforated panel/shelf with box-stop edge
1	Wall unit with vasistas flip up opening without lock



ART.	W mm	D mm	H mm	RAL	
GARAGE007	714	630	2000	7035+7016	

Made up of:

qty.	description
1	Cabinet with hinged doors
1	Set of 4 adjustable feet
1	Top in satin stainless steel for washbasin L=714 mm
1	Fastening screw kit
1	Washbasin
1	Mixer
1	Pair of uprights
1	Perforated panel/shelf with box-stop edge
1	Wall unit with vasistas flip up opening without lock



ART.	W mm	D mm	H mm	Top	RAL	
GARAGE008	714	630	2000	Satin stainless steel	7035+7016	
GARAGE009	714	630	2000	Rubberised steel	7035+7016	

Made up of:

qty.	description
1	Cabinet with waste compartment and hinged door
2	Waste hatch
1	Set of 4 adjustable feet
1	Top in satin stainless steel L=714 mm
1	Fastening screw kit
1	Pair of uprights
1	Perforated panel/shelf with box-stop edge
1	Wall unit with vasistas flip up opening without lock



ART.	W mm	D mm	H mm	Top	RAL	
GARAGE010	714	630	2000	Satin stainless steel	7035+7016	
GARAGE011	714	630	2000	Rubberised steel	7035+7016	

Made up of:

qty.	description
1	Cabinet with waste compartment and hinged door
1	Waste hatch
1	Roll holder with roll
1	Set of 4 adjustable feet
1	Top in satin stainless steel L=714 mm
1	Fastening screw kit
1	Pair of uprights
1	Perforated panel/shelf with box-stop edge
1	Wall unit with vasistas flip up opening without lock



ART.	W mm	D mm	H mm	Top	RAL	
GARAGE012	1020	630	2000	Satin stainless steel	7035+7016	
GARAGE013	1020	630	2000	Rubberised steel	7035+7016	

Made up of:

qty.	description
1	Cabinet with 6 drawers 1x75 2x100 2x150 1x200
1	Set of 4 adjustable feet
1	Top in satin stainless steel L=1020 mm
1	Fastening screw kit
1	Pair of uprights
1	Perforated panel/shelf with box-stop edge
1	Wall unit with vasistas flip up opening without lock



ART.	W mm	D mm	H mm	Top	RAL	
GARAGE014	1020	630	2000	Satin stainless steel	7035+7016	
GARAGE015	1020	630	2000	Rubberised steel	7035+7016	

Made up of:

qty.	description
1	Cabinet with 5 drawers 1x75 2x150 2x200
1	Set of 4 adjustable feet
1	Top in satin stainless steel L=1020 mm
1	Fastening screw kit
1	Pair of uprights
1	Perforated panel/shelf with box-stop edge
1	Wall unit with vasistas flip up opening without lock



ART.	W mm	D mm	H mm	Top	RAL	
GARAGE016	1020	630	2000	Satin stainless steel	7035+7016	
GARAGE017	1020	630	2000	Rubberised steel	7035+7016	

Made up of:

qty.	description
1	Cabinet with hinged doors
1	Adjustable shelf with supports
1	Set of 4 adjustable feet
1	Top in satin stainless steel L=1020 mm
1	Fastening screw kit
1	Pair of uprights
1	Perforated panel/shelf with box-stop edge
1	Wall unit with vasistas flip up opening without lock



ART.	W mm	D mm	H mm	Top	RAL	
GARAGE018	1020	630	2000	Satin stainless steel	7035+7016	
GARAGE019	1020	630	2000	Rubberised steel	7035+7016	

Made up of:

qty.	description
1	Cabinet with sliding doors
1	Slotted shelf
1	Set of 4 adjustable feet
1	Top in satin stainless steel L=1020 mm
1	Fastening screw kit
1	Pair of uprights
1	Perforated panel/shelf with box-stop edge
1	Wall unit with vasistas flip up opening without lock



ART.	W mm	D mm	H mm	Top	RAL	
GARAGE020	1020	630	2000	Satin stainless steel	7035+7016	
GARAGE021	1020	630	2000	Rubberised steel	7035+7016	

Made up of:

qty.	description
1	Cabinet with slotted sliding doors
1	Kit with 2 sealed internal liquid collection tanks capacity 19 L
1	Set of 4 adjustable feet
1	Top in satin stainless steel L=1020 mm
1	Fastening screw kit
1	Pair of uprights
1	Perforated panel/shelf with box-stop edge
1	Wall unit with vasistas flip up opening without lock



ART.	W mm	D mm	H mm	Top	RAL	
GARAGE022	1020	630	2000	Satin stainless steel	7035+7016	
GARAGE023	1020	630	2000	Rubberised steel	7035+7016	

Made up of:

qty.	description
1	Cabinet with polycarbonate slotted sliding doors
1	Slotted shelf
1	Set of 4 adjustable feet
1	Top in satin stainless steel L=1020 mm
1	Fastening screw kit
1	Pair of uprights
1	Perforated panel/shelf with box-stop edge
1	Wall unit with vasistas flip up opening without lock



ART.	W mm	D mm	H mm	Top	RAL	
GARAGE024	1428	630	2000	Satin stainless steel	7035+7016	
GARAGE025	1428	630	2000	Rubberised steel	7035+7016	

Made up of:

qty.	description
1	Cabinet with 6 drawers 1x75 2x100 2x150 1x200
1	Cabinet with hinged doors
1	Adjustable shelf with supports
2	Set of 4 adjustable feet
1	Top in satin stainless steel L=1428 mm
1	Fastening screw kit
1	Pair of uprights
1	Centre upright
2	Perforated panel/shelf with box-stop edge
1	Wall unit with vasistas flip up opening without lock



ART.	W mm	D mm	H mm	Top	RAL	
GARAGE026	1428	630	2000	Satin stainless steel	7035+7016	
GARAGE027	1428	630	2000	Rubberised steel	7035+7016	

Made up of:

qty.	description
1	Cabinet with 6 drawers 1x75 2x100 2x150 1x200
1	Set of 4 adjustable feet
1	Cabinet with 5 drawers 2x75 1x100 1x150 1x200
1	Damper kit for cabinet with wheels
1	Tubular handle
1	Non-marking synthetic rubber wheels kit Ø 125 mm
1	Reversible leg
1	Top in satin stainless steel L=1428 mm
1	Fastening screw kit
1	Centre upright
1	Pair of uprights
2	Perforated panel/shelf with box-stop edge
1	Wall unit with vasistas flip up opening without lock



ART.	W mm	D mm	H mm	Top	RAL	
GARAGE028	1428	630	2000	Satin stainless steel	7035+7016	
GARAGE029	1428	630	2000	Rubberised steel	7035+7016	

Made up of:

qty.	description
1	Cabinet with 6 drawers 1x75 2x100 2x150 1x200
1	Cabinet with waste compartment and hinged door
1	Waste hatch
1	Roll holder with roll
2	Set of 4 adjustable feet
1	Top in satin stainless steel L=1428 mm
1	Fastening screw kit
1	Pair of uprights
1	Centre upright
2	Perforated panel/shelf with box-stop edge
1	Wall unit with vasistas flip up opening without lock



ART.	W mm	D mm	H mm	Top	RAL	
GARAGE030	1428	630	2000	Satin stainless steel	7035+7016	
GARAGE031	1428	630	2000	Rubberised steel	7035+7016	

Made up of:

qty.	description
1	Cabinet with sliding doors
1	Slotted shelf
1	Set of 4 adjustable feet
1	Top in satin stainless steel L=1428 mm
1	Fastening screw kit
1	Pair of uprights
1	Centre upright
2	Perforated panel/shelf with box-stop edge
1	Wall unit with vasistas flip up opening without lock



ART.	W mm	D mm	H mm	Top	RAL	
GARAGE032	1428	630	2000	Satin stainless steel	7035+7016	
GARAGE033	1428	630	2000	Rubberised steel	7035+7016	

Made up of:

qty.	description
1	Cabinet with polycarbonate slotted sliding doors
1	Slotted shelf
1	Set of 4 adjustable feet
1	Top in satin stainless steel L=1428 mm
1	Fastening screw kit
1	Pair of uprights
1	Centre upright
2	Perforated panel/shelf with box-stop edge
1	Wall unit with vasistas flip up opening without lock



ART.	W mm	D mm	H mm	Top	RAL	
GARAGE034	1428	630	2000	Satin stainless steel	7035+7016	
GARAGE035	1428	630	2000	Rubberised steel	7035+7016	

Made up of:

qty.	description
1	Cabinet with 6 drawers 1x75 2x100 2x150 1x200
1	Technical cabinet with hinged door
1	Schuko 4-socket power strip
1	Wieland Schuko/FR connection cable
2	Set of 4 adjustable feet
1	Top in satin stainless steel L=1428 mm
1	Fastening screw kit
1	Pair of uprights
1	Centre upright
2	Perforated panel/shelf with box-stop edge
1	Wall unit with vasistas flip up opening without lock



ART.	W mm	D mm	H mm	Top	RAL	
GARAGE036	1734	630	2000	Satin stainless steel	7035+7016	
GARAGE037	1734	630	2000	Rubberised steel	7035+7016	

Made up of:

qty.	description
1	Cabinet with 6 drawers 1x75 2x100 2x150 1x200
1	Set of 4 adjustable feet
1	Cabinet with 5 drawers 2x75 1x100 1x150 1x200
1	Damper kit for cabinet with wheels
1	Tubular handle
1	Non-marking synthetic rubber wheels kit Ø 125 mm
1	Reversible leg
1	Top in satin stainless steel L=1734 mm
1	Fastening screw kit
1	Pair of uprights
1	Centre upright
1	Perforated panel/shelf with box-stop edge
1	Perforated panel/shelf with box-stop edge
1	Wall unit with vasistas flip up opening without lock
1	Wall unit with vasistas flip up opening without lock



ART.	W mm	D mm	H mm	Top	RAL	
GARAGE038	1734	630	2000	Satin stainless steel	7035+7016	

Made up of:

qty.	description
1	Cabinet with hinged doors
1	Adjustable shelf with supports
1	Cabinet with waste compartment and hinged door
2	Waste hatch
2	Set of 4 adjustable feet
1	Top in satin stainless steel L=1020 mm
1	Top in satin stainless steel for washbasin L=714 mm
2	Fastening screw kit
1	Washbasin
1	Mixer
1	Pair of uprights
1	Centre upright
1	Perforated panel/shelf with box-stop edge
1	Perforated panel/shelf with box-stop edge
1	Wall unit with vasistas flip up opening without lock
1	Wall unit with vasistas flip up opening without lock



ART.	W mm	D mm	H mm	Top	RAL	
GARAGE039	1734	630	2000	Satin stainless steel	7035+7016	
GARAGE040	1734	630	2000	Rubberised steel	7035+7016	

Made up of:

qty.	description
1	Cabinet with 6 drawers 1x75 2x100 2x150 1x200
1	Cabinet with waste compartment and hinged door
1	Waste hatch
1	Roll holder with roll
2	Set of 4 adjustable feet
1	Top in satin stainless steel L=1734 mm
1	Fastening screw kit
1	Pair of uprights
1	Centre upright
1	Perforated panel/shelf with box-stop edge
1	Perforated panel/shelf with box-stop edge
1	Wall unit with vasistas flip up opening without lock
1	Wall unit with vasistas flip up opening without lock



ART.	W mm	D mm	H mm	Top	RAL	
GARAGE041	1734	630	2000	Satin stainless steel	7035+7016	
GARAGE042	1734	630	2000	Rubberised steel	7035+7016	

Made up of:

qty.	description
1	Cabinet with sliding doors
1	Slotted shelf
1	Cabinet with 6 drawers 1x75 2x100 2x150 1x200
2	Set of 4 adjustable feet
1	Top in satin stainless steel L=1734 mm
1	Fastening screw kit
1	Pair of uprights
1	Centre upright
1	Perforated panel/shelf with box-stop edge
1	Perforated panel/shelf with box-stop edge
1	Wall unit with vasistas flip up opening without lock
1	Wall unit with vasistas flip up opening without lock



ART.	W mm	D mm	H mm	Top	RAL	
GARAGE043	1734	630	2000	Satin stainless steel	7035+7016	
GARAGE044	1734	630	2000	Rubberised steel	7035+7016	

Made up of:

qty.	description
1	Cabinet with polycarbonate slotted sliding doors
1	Slotted shelf
1	Cabinet with 6 drawers 1x75 2x100 2x150 1x200
2	Set of 4 adjustable feet
1	Top in satin stainless steel L=1734 mm
1	Fastening screw kit
1	Pair of uprights
1	Centre upright
1	Perforated panel/shelf with box-stop edge
1	Perforated panel/shelf with box-stop edge
1	Wall unit with vasistas flip up opening without lock
1	Wall unit with vasistas flip up opening without lock



ART.	W mm	D mm	H mm	Top	RAL	
GARAGE045	1734	630	2000	Satin stainless steel	7035+7016	
GARAGE046	1734	630	2000	Rubberised steel	7035+7016	

Made up of:

qty.	description
1	Cabinet with 6 drawers 1x75 2x100 2x150 1x200
1	Technical cabinet with hinged door
1	Schuko 4-socket power strip
1	Wieland Schuko/FR connection cable
2	Set of 4 adjustable feet
1	Top in satin stainless steel L=1734 mm
1	Fastening screw kit
1	Pair of uprights
1	Centre upright
1	Perforated panel/shelf with box-stop edge
1	Perforated panel/shelf with box-stop edge
1	Wall unit with vasistas flip up opening without lock
1	Wall unit with vasistas flip up opening without lock



ART.	W mm	D mm	H mm	Top	RAL	
GARAGE047	2040	630	2000	Satin stainless steel	7035+7016	
GARAGE048	2040	630	2000	Rubberised steel	7035+7016	

Made up of:

qty.	description
1	Cabinet with 6 drawers 1x75 2x100 2x150 1x200
1	Cabinet with hinged doors
1	Adjustable shelf with supports
2	Set of 4 adjustable feet
1	Top in satin stainless steel L=2040 mm
1	Fastening screw kit
1	Pair of uprights
1	Centre upright
2	Perforated panel/shelf with box-stop edge
2	Wall unit with vasistas flip up opening without lock



ART.	W mm	D mm	H mm	Top	RAL	
GARAGE049	2040	630	2000	Satin stainless steel	7035+7016	
GARAGE050	2040	630	2000	Rubberised steel	7035+7016	

Made up of:

qty.	description
1	Cabinet with 6 drawers 1x75 2x100 2x150 1x200
1	Cabinet with 5 drawers 2x75 1x100 1x150 1x200
1	Tubular handle
1	Non-marking synthetic rubber wheels kit Ø 125 mm
1	Damper kit for cabinet with wheels
1	Cabinet with waste compartment and hinged door
1	Roll holder with roll
1	Waste hatch
2	Set of 4 adjustable feet
1	Top in satin stainless steel L=2040 mm
1	Fastening screw kit
1	Pair of uprights
1	Centre upright
2	Perforated panel/shelf with box-stop edge
2	Wall unit with vasistas flip up opening without lock



ART.	W mm	D mm	H mm	Top	RAL	
GARAGE051	2040	630	2000	Satin stainless steel	7035+7016	
GARAGE052	2040	630	2000	Rubberised steel	7035+7016	

Made up of:

qty.	description
1	Cabinet with 6 drawers 1x75 2x100 2x150 1x200
1	Cabinet with sliding doors
1	Slotted shelf
2	Set of 4 adjustable feet
1	Top in satin stainless steel L=2040 mm
1	Fastening screw kit
1	Pair of uprights
1	Centre upright
2	Perforated panel/shelf with box-stop edge
2	Wall unit with vasistas flip up opening without lock



ART.	W mm	D mm	H mm	Top	RAL	
GARAGE053	2040	630	2000	Satin stainless steel	7035+7016	
GARAGE054	2040	630	2000	Rubberised steel	7035+7016	

Made up of:

qty.	description
1	Cabinet with sliding doors
2	Slotted shelf
2	Set of 4 adjustable feet
1	Top in satin stainless steel L=2040 mm
1	Fastening screw kit
1	Pair of uprights
1	Centre upright
2	Perforated panel/shelf with box-stop edge
2	Wall unit with vasistas flip up opening without lock



ART.	W mm	D mm	H mm	Top	RAL	
GARAGE055	2040	630	2000	Satin stainless steel	7035+7016	
GARAGE056	2040	630	2000	Rubberised steel	7035+7016	

Made up of:

qty.	description
1	Cabinet with polycarbonate slotted sliding doors
2	Slotted shelf
2	Set of 4 adjustable feet
1	Top in satin stainless steel L=2040 mm
1	Fastening screw kit
1	Pair of uprights
1	Centre upright
2	Perforated panel/shelf with box-stop edge
2	Wall unit with vasistas flip up opening without lock



ART.	W mm	D mm	H mm	Top	RAL	
GARAGE057	2040	630	2000	Satin stainless steel	7035+7016	
GARAGE058	2040	630	2000	Rubberised steel	7035+7016	

Made up of:

qty.	description
1	Cabinet with 6 drawers 1x75 2x100 2x150 1x200
1	Cabinet with polycarbonate slotted sliding doors
1	Kit with 2 perforated shelves/panels
1	Raceway for power strips
1	Schuko 2-socket power strip
1	Schuko 4-socket power strip
1	Wieland Schuko/FR connection cable
2	Set of 4 adjustable feet
1	Top in satin stainless steel L=2040 mm
1	Fastening screw kit
1	Pair of uprights
1	Centre upright
2	Perforated panel/shelf with box-stop edge
2	Wall unit with vasistas flip up opening without lock



ART.	W mm	D mm	H mm	Top	RAL	
GARAGE059	2040	630	2000	Satin stainless steel	7035+7016	
GARAGE060	2040	630	2000	Rubberised steel	7035+7016	

Made up of:

qty.	description
2	Reversible leg
3	Crosspiece
2	Schuko 4-socket power strip
2	Wieland Schuko/FR connection cable
1	Top in satin stainless steel L=2040 mm
1	Fastening screw kit
1	Pair of uprights
1	Centre upright
2	Perforated panel/shelf with box-stop edge
2	Wall unit with vasistas flip up opening without lock



ART.	W mm	D mm	H mm	Top	RAL	
GARAGE061	2040	630	2000	Satin stainless steel	7035+7016	
GARAGE062	2040	630	2000	Rubberised steel	7035+7016	

Made up of:

qty.	description
1	Reversible leg
3	Crosspiece
2	Schuko 4-socket power strip
2	Wieland Schuko/FR connection cable
1	Cabinet with 6 drawers 1x75 2x100 2x150 1x200
1	Set of 4 adjustable feet
1	Top in satin stainless steel L=2040 mm
1	Fastening screw kit
1	Pair of uprights
1	Centre upright
2	Perforated panel/shelf with box-stop edge
2	Wall unit with vasistas flip up opening without lock

GEAR GARAGE

MODULES W= 2040



ART.	W mm	D mm	H mm	Top	RAL	
GARAGE063	2040	630	2000	Satin stainless steel	7035+7016	
GARAGE064	2040	630	2000	Rubberised steel	7035+7016	

Made up of:

qty.	description
2	Cabinet with 6 drawers 1x75 2x100 2x150 1x200
2	Set of 4 adjustable feet
3	Crosspiece
1	Schuko 4-socket power strip
1	Wieland Schuko/FR connection cable
1	Top in satin stainless steel L=2040 mm
1	Fastening screw kit
1	Pair of uprights
1	Centre upright
2	Perforated panel/shelf with box-stop edge
2	Wall unit with vasistas flip up opening without lock



Courtesy of Trident Motorsport



Cabinet with hinged doors



Pair of filler strips for cabinet



ART.	W mm	D mm	H mm	RAL	
GARAGE065	512	630	2000	7035+7016	

Made up of:

qty.	description
1	Cabinet with hinged doors
2	Kit with 2 slotted shelves
1	Pair of filler strips for cabinet



ART.	W mm	D mm	H mm	RAL	
GARAGE066	512	630	2000	7035+7016	

Made up of:

qty.	description
1	Cabinet with slotted hinged doors
2	Kit with 2 sealed internal liquid collection tanks capacity 9L
1	Pair of filler strips for cabinet



see page 256



ART.	W mm	D mm	H mm	RAL	
GARAGE067	512	630	2000	7035+7016	

Made up of:

qty.	description
1	Cabinet with hinged doors
2	Kit with 2 slotted shelves
3	Simple-extension drawer H=100 mm
1	Pair of filler strips for cabinet



GEAR GARAGE

PERFOM W= 1023

Cabinet with hinged doors



Pair of filler strips for cabinet



ART.	W mm	D mm	H mm	RAL	
GARAGE068	1023	630	2000	7035+7016	

Made up of:

qty.	description
1	Cabinet with hinged doors
1	Kit with 4 slotted shelves
1	Pair of filler strips for cabinet



ART.	W mm	D mm	H mm	RAL	
GARAGE069	1023	630	2000	7035+7016	

Made up of:

qty.	description
1	Cabinet with hinged doors
1	Kit with 4 slotted shelves
3	Simple-extension drawer H=100 mm
1	Pair of filler strips for cabinet



ART.	W mm	D mm	H mm	RAL	
GARAGE070	1023	630	2000	7035+7016	

Made up of:

qty.	description
1	Cabinet with hinged doors
1	Kit with 3 slotted shelves
1	Kit with 2 slotted shelves with guides
1	Kit with 3 slotted shelves with guides
5	Picking Box polypropylene container size 2
6	Picking Box polypropylene container size 4
20	Picking Box polypropylene container size 3A2
6	Picking Box polypropylene container size 4A2
1	Pair of filler strips for cabinet



Pair of filler strips for cabinet



ART.	W mm	D mm	H mm	RAL	
GARAGE071	1023	630	2000	7035+7016	

Made up of:

qty.	description
1	Cabinet with hinged doors
3	Simple-extension drawer H=100 mm
2	Kit with 2 perforated shelves/panels
1	Pair of filler strips for cabinet



ART.	W mm	D mm	H mm	RAL	
GARAGE072	1023	630	2000	7035+7016	

Made up of:

qty.	description
1	Polycarbonate slotted hinged door cabinet
1	Kit with 4 slotted shelves
1	Pair of filler strips for cabinet



ART.	W mm	D mm	H mm	RAL	
GARAGE073	1023	630	2000	7035+7016	

Made up of:

qty.	description
1	Cabinet with slotted hinged doors
2	Kit with 2 perforated shelves/panels
2	Raceway for power strips
2	Schuko 2-socket power strip
2	Schuko 4-socket power strip
1	Wieland connection cable with in/out plugs
1	Wieland Schuko/FR connection cable
1	Pair of filler strips for cabinet



GEAR GARAGE

PERFOM W= 1020

Cabinet with sliding doors



Pair of uprights



ART.	W mm	D mm	H mm	RAL	
GARAGE074	1020	630	2000	7035+7016	

Made up of:

qty.	description
1	Cabinet with sliding doors
1	Kit with 4 slotted shelves
1	Set of 4 adjustable feet
1	Pair of uprights



ART.	W mm	D mm	H mm	RAL	
GARAGE075	1020	630	2000	7035+7016	

Made up of:

qty.	description
1	Cabinet with slotted sliding doors
1	Kit with 4 slotted shelves
1	Set of 4 adjustable feet
1	Pair of uprights



ART.	W mm	D mm	H mm	RAL	
GARAGE076	1020	630	2000	7035+7016	

Made up of:

qty.	description
1	Cabinet with polycarbonate slotted sliding doors
1	Kit with 4 slotted shelves
1	Set of 4 adjustable feet
1	Pair of uprights

Cabinet with sliding doors



Pair of uprights



ART.	W mm	D mm	H mm	RAL	
GARAGE077	1427	630	2000	7035+7016	

Made up of:

qty.	description
1	Cabinet with sliding doors
2	Kit with 2 slotted shelves
1	Set of 4 adjustable feet
1	Pair of uprights



ART.	W mm	D mm	H mm	RAL	
GARAGE078	1427	630	2000	7035+7016	

Made up of:

qty.	description
1	Cabinet with slotted sliding doors
2	Kit with 2 slotted shelves
1	Set of 4 adjustable feet
1	Pair of uprights



ART.	W mm	D mm	H mm	RAL	
GARAGE079	1427	630	2000	7035+7016	

Made up of:

qty.	description
1	Cabinet with polycarbonate slotted sliding doors
2	Kit with 2 slotted shelves
1	Set of 4 adjustable feet
1	Pair of uprights

GEAR GARAGE

PERFOM W= 2040

Cabinet with sliding doors



Pair of uprights



ART.	W mm	D mm	H mm	RAL	
GARAGE080	2040	630	2000	7035+7016	

Made up of:

qty.	description
1	Cabinet with sliding doors
2	Kit with 4 slotted shelves
2	Set of 4 adjustable feet
1	Pair of uprights



ART.	W mm	D mm	H mm	RAL	
GARAGE081	2040	630	2000	7035+7016	

Made up of:

qty.	description
1	Cabinet with slotted sliding doors
1	Kit with 4 slotted shelves
2	Kit with 2 sealed internal liquid collection tanks capacity 19 L
2	Set of 4 adjustable feet
1	Pair of uprights



ART.	W mm	D mm	H mm	RAL	
GARAGE082	2040	630	2000	7035+7016	

Made up of:

qty.	description
1	Cabinet with polycarbonate slotted sliding doors
2	Kit with 4 slotted shelves
2	Set of 4 adjustable feet
1	Pair of uprights

Cabinet with sliding doors



Pair of uprights



ART.	W mm	D mm	H mm	RAL	
GARAGE083	2040	630	2000	7035+7016	

Made up of:

qty.	description
1	Cabinet with slotted sliding doors
2	Kit with 2 perforated shelves/panels
2	Raceway for power strips
2	Schuko 4-socket power strip
2	Schuko 2-socket power strip
1	Wieland connection cable with in/out plugs
1	Wieland Schuko/FR connection cable
1	Kit with 4 slotted shelves
2	Set of 4 adjustable feet
1	Pair of uprights



ART.	W mm	D mm	H mm	RAL	
GARAGE084	2040	630	2000	7035+7016	

Made up of:

qty.	description
1	Cabinet with slotted sliding doors
1	Perforated shelf-panel
1	Kit with 3 slotted shelves
1	Partition
1	Kit with hanging rail
1	Kit with 4 slotted shelves
2	Set of 4 adjustable feet
1	Pair of uprights



ART.	W mm	D mm	H mm	RAL	
GARAGE085	2040	630	2000	7035+7016	

Made up of:

qty.	description
1	Cabinet with sliding doors
4	Kit with 2 perforated shelves/panels
2	Set of 4 adjustable feet
1	Pair of uprights



**Electrical winder with Schuko socket**

ART.	Cable length (m)	Type of socket	Volt	Watt	
MBR13S0V0V00100	20	Schuko	230	1600	

**Winder for compressed air**

ART.	Cable length (m)	Max MPa pressure	Ø mm	
MBR13S0V0V00200	14	1,5	10	

**Roll for winder**

ART.	
MBR13S0V0V00339	

**Plate for winder**

To be fastened to the back of the cabinet

ART.	
MBR13S0V0V00499	



1. Technical cabinet W=560 mm configured for door
2. Module: Roll for winder



3. Module: 4-socket power strip
4. Module: 2-socket power strip

W= 717 MM

36X27 EH



ART.	Suitable for drawer H mm	components	
FFH10051000	50/300	3 x 3-channel divider 9 x 4-channel divider 12 x Transversal divider W=47 mm 36 x Transversal divider W=36 mm	



ART.	Suitable for drawer H mm	components	
FFH10051300	50/300	18 x Transversal divider W=47 mm 12 x Transversal divider W=73 mm 6 x 2-channel divider 6 x 3-channel divider	



ART.	Suitable for drawer H mm	components	
FFH10051500	50/300	20 x Transversal divider W=36 mm 20 x Transversal divider W=47 mm 6 x 3-channel divider 5 x 4-channel divider 1 x Allen key holder	



ART.	Suitable for drawer H mm	components	
FFH10071800	75	16 x 75x75 mm Divider box 8 x 150x75 mm Divider box 4 x 150x150 mm Divider box	



ART.	Suitable for drawer H mm	components	
FFH10071600	75	12 x 150x75 mm Divider box	
FFH10101600	100/125	6 x 150x150 mm Divider box	



ART.	Suitable for drawer H mm	components	
FFH10070500	75	2 x Longitudinal slotted divider W=457 mm 3 x Transversal divider w=202 mm	
FFH10100500	100/125		
FFH10150500	150/175		
FFH10200500	200/250		

W= 1023 MM 54X27 EH



ART.	Suitable for drawer H mm	components	
FFH40051200	50/300	15 x Transversal divider W=36 mm 10 x Transversal divider W=47 mm 6 x Transversal divider W=73 mm 6 x 2-channel divider 6 x 3-channel divider 6 x 4-channel divider	



ART.	Suitable for drawer H mm	components	
FFH40051500	50/300	30 x Transversal divider W=36 mm 10 x Transversal divider W=47 mm 6 x 3-channel divider 12 x 4-channel divider	




ART.	Suitable for drawer H mm	components	
FFH40071100	75	18 x 150x150 mm Divider box	
FFH40101100	100/125		



ART.	Suitable for drawer H mm	components	
FFH40071300	75	12 x 150x75 mm Divider box 12 x 150x150 mm Divider box	
FFH40101300	100/125		



ART.	Suitable for drawer H mm	components	
FFH40071600	75	20 x 75x75 mm Divider box 14 x 150x75 mm Divider box 6 x 150x150 mm Divider box	



ART.	Suitable for drawer H mm	components	
FFH40070500	75	4 x Longitudinal slotted divider W=457 mm 2 x Transversal divider W=151 mm 3 x Transversal divider W=202 mm	
FFH40100500	100/125		
FFH40150500	150/175		
FFH40200500	200/250		



UNPOK
MIX AND MATCH





Fammi







A series of horizontal lines for writing, starting from the top of the page and extending to the bottom, providing a template for text entry.

GENERAL CONDITIONS OF THE CONTRACTUAL WARRANTY OFFERED BY FAMI

Dear Customer,

Every Fami Srl product that you purchase is accompanied by a contractual warranty (the "Warranty") that is regulated in accordance with the terms and procedures specified below.

1. RECITALS

1.1 In the Conditions that follow, the terms specified below shall have the following meaning:

a) Seller: Fami Srl;

b) Customer: any party (physical person, company, body or legal entity) that purchases the Seller's Products;

c) Product(s): the goods manufactured, assembled and/or marketed by the Seller, excluding Products under the Store Van brand.

2. SCOPE OF THE WARRANTY

2.1 Fami Srl guarantees that the Products are free from faults and conform to the technical specifications declared by the Seller.

2.2 It is agreed that the dimensions of Products are to be understood as taking into account the margins of operating tolerances existing on the market, with reference to the type, quantity and quality of the Products. The Seller, therefore, does not guarantee the Products' compliance with particular specifications or technical characteristics or their suitability for particular uses other than those indicated in the technical specifications stated by Fami Srl and provided in the user and maintenance manual, unless such characteristics have been expressly agreed in the sales contract.

2.3 If Product defects are reported by the Customer and subsequently confirmed, the Customer will be entitled to have the Product repaired free of charge or, if repair is impossible or prohibitively expensive, the free replacement of the Product, at the sole discretion of the Seller and with the exclusion of any further or different obligation on the part of Fami Srl.

2.4 The Warranty does not affect the rights provided by Legislative Decree No. 206 06/09/2005, as amended and supplemented (the "Consumer Code"), if the Customer qualifies as a "consumer". Such rights therefore remain intact.

3 WARRANTY APPLICATION CONDITIONS

3.1 To activate the Warranty, the Customer must inform Fami Srl, within the time limits stated in articles 4 and 5 below, of any defects found, by submitting a Complaint (the "Complaint") containing the information specified in art. 5 below.

3.2 Once the Complaint has been made, the Customer must immediately refrain from using the defective Product(s).

3.3 Upon receipt of the Complaint, the Seller shall make every effort to ascertain the existence, nature and extent of the defects and to verify the timeliness of the Complaint pursuant to art 5 below. For these purposes, the Customer must make the defective Product(s) available for inspection, including through sending photographic documentation or the use of videoconferencing systems. The Product will be repaired by the Seller at its own premises or branch, or at the premises of an authorised dealer. The Seller reserves the right to repair the Product at the Customer's premises. If necessary, the Customer will be required to send, at its expense, the defective Product to one of the above locations, as indicated by the Seller, notwithstanding the provisions of the Consumer Code. The Seller shall send the new Product or the repaired Product to the Buyer and shall bear the shipping costs.

3.4 The repair of a defective Product shall be carried out within a reasonable time in relation to the extent of the defect.

4. DURATION – COVERAGE PERIOD

4.1 The Product Warranty will have a duration of 10 years starting from the Product delivery date, except in the case of marketed products, electronic components, software and wear parts, which have a warranty of 12 months starting from the delivery date of the parts. Please note that "delivery date" is understood as the date on which the Products leave the Fami Srl warehouses for delivery to the Customer, unless otherwise provided for in the sales contract.

4.2 For repaired or replaced Products, the warranty begins again for 12 months from repair or replacement. Overall, therefore, the duration of the Warranty for Products repaired or replaced by the Seller is a maximum of 11 years or, in the case of marketed products, electronic components, software and wear parts, a maximum of 24 months from the beginning of the duration of the Warranty referred to in article 4.1 above.

4.3 Upon expiry of the term referred to in article 4.1 above, the right of recourse provided for by art. 131 of the Italian Consumer Code, when applicable, shall be considered as time-barred and inadmissible.

5. SUBMISSION TIME LIMITS AND PROCEDURES

5.1 During the period of validity of the Warranty, any complaints relating to the state of the packaging, quantities, number or external features of the Products (faults and defects not hidden and visible from the outside) must be specified by the Buyer on the delivery note, and the Transport Document must be signed, indicating the words "reserving all specific rights". No later than 2 (two) working days from receipt of the Products, the Customer must send the Seller, in an email to: assistance@famispas.it, a copy of the delivery note and related photographic evidence, providing detailed information on the condition of the Products and the nature of the defects found.

5.2. Any complaints relating to defects not detectable by careful inspection at the time of receipt of the Products (faults and hidden defects) must be submitted to the Seller, under penalty of forfeiture, within and no later than 7 (seven) days from the date of discovery of the defect, via certified email to: pec@pec.famispas.it, specifying the precise product code, the batch (if available), the date of delivery and nature of the defect.

6. EXCLUSIONS AND LIMITATION OF LIABILITY

6.1 The warranty does not apply to products whose defects are due to: a) transport operations; b) non-compliance with measures that are part of normal maintenance practices; negligent and careless use; c) failure to follow the Seller's instructions for the use and/or storage of the product; d) failure to comply with the installation norms, and/or any other indications or instructions shown on the technical notes supplied with the product if the Seller has not already directly performed the installation; e) tampering, maintenance in general, adjustments attempted by the Customer or by persons not authorised by the Seller; f) abnormal use and/or misuse of the Product, placement of the Product in damp, excessively hot, cold, dusty or harmful environments (with chlorine, lacquers, paints or other chemicals and/or toxic agents present) or in any environments not suitable for the proper storage of the Products, insofar as such circumstances have not been reported to the Seller before the purchase of the Products and the Seller has guaranteed the Products' tolerability of such environments; g) worsening of the damage caused by the Customer's use of the Products after the defects have been detected; h) use of spare parts, components and accessories that are not original or not recommended by the Seller (replacement or repair of non-original parts cannot be requested) and damage caused to the Product by the use of such parts; i) anomalies or defective functioning of the power supply; l) corrosion, incrustations or breakages caused by stray current loads, condensation, aggression or acidity of water, improperly performed descaling treatments, sludge or lime deposits; m) unforeseeable circumstances, force majeure circumstances such as, by way of non-exhaustive example, frost, overheating, fire, theft, natural events (such as, for example, hail, tornadoes, lightning, floods, earthquakes), vandalism, accidents and other similar events.

6.2 The Warranty shall not be applicable if the selling price of the Products has not been fully paid, with the proviso that, if the payment is to be made by instalments, the Warranty shall be immediately applicable and shall remain so as long as the instalments are paid on time.

6.3 The Seller shall not be liable for any damage that may, directly or indirectly, be caused to persons, things or animals as a consequence of non-compliance with all the instructions in the installation, use and maintenance booklet.

6.4 The Seller declines all responsibility for indirect damage caused by the defectiveness of a Product such as, by way of non-exhaustive example, production stoppages or failure to ship or transfer the Product to third parties.

6.5 In any case, the Seller's liability may not exceed the amount paid by the Customer for the individual sales contract, the content of which has given rise to the circumstances regarding a possible claim for damages and/or compensation.

6.6 The Products must be used only for the purposes specified and in compliance with safety regulations, in accordance with the instructions shown in the installation, use and maintenance manual provided by the Seller; if the Customer uses or resells the Products purchased and/or the Products from the Seller for any other purposes, they do so at their own risk and peril, with all consequent liability. In this case, the Seller's contractual and/or extra-contractual liability is excluded both for any direct or indirect damage also suffered by third parties and is excluded also in the case of poor maintenance, improper use, failure to observe safety rules and other conditions; the Customer shall also hold the Seller harmless from costs and/or liabilities that may arise against him.

7. COMPETENT COURT AND APPLICABLE LAW

7.1 Any disputes arising from or related to these General Conditions of Warranty and/or individual Contracts such as, by way of non-exhaustive example, disputes relating to their existence, validity, interpretation, effectiveness or execution, shall be resolved exclusively by the Court of Vicenza, even if the Contract contains international elements, without prejudice to the mandatory regulations of the Consumer Code.

7.2 These General Conditions of Warranty are entirely governed by and shall be interpreted under Italian law, even if the Contract has international elements, with the express exclusion of the 1980 Vienna Convention.

GENERAL CONDITIONS OF SALE

1. DEFINITIONS

1.1 Pursuant to the Conditions herein, the terms specified below shall have the following meaning:

- a) Seller: Fami Srl;
- b) Buyer: any company, body or legal entity that purchases the Seller's products;
- c) Products: the goods manufactured, assembled and/or marketed by the Seller;
- d) Order: each proposal for the purchase of Products submitted by the Buyer to the Seller;
- e) Order Confirmation: the Seller's written acceptance of the Order;
- f) Contract: the sale concluded between the Seller and the Buyer at the time of the Buyer's receipt of the Order Confirmation;
- g) Parties: the Seller and Buyer jointly;
- h) Trademarks: all the trademarks of which the Seller is the owner or licensee;
- i) Intellectual property rights: all intellectual and/or industrial property rights of Fami Srl, including, without limitation, the rights relating to patents for inventions, designs or models, utility models, trademarks, know-how, technical specifications, data and software, regardless of whether or not such rights are recorded, as well as any application or registration relating to those rights and to any other right or form of protection of a similar nature or having equivalent effect.

2. GENERAL PROVISIONS

- 2.1 These General Conditions of Sale (hereinafter the "Conditions") form an integral part of the Contracts concluded between the Seller and the Buyer for the supply of Products.
- 2.2 The Conditions have effect between Fami Srl (hereinafter "Fami") and the Buyer without the need for an express reference thereto or a specific agreement to that effect. Any different condition or term applies only if confirmed in writing by the Seller.
- 2.3 The Seller reserves the right to amend, supplement or delete any provision of these General Conditions of Sale at any time and to give notification of the changes through the dedicated page of the company website, provided that such additions, amendments or deletions apply to all Sales concluded from the 15th day after the communication (via publication on the web site or via the newsletter or any correspondence sent in writing) of the new Conditions of Sale to the Purchaser.
- 2.4 Any reference to commercial terms (such as EXW, DPA, DPU, DDP, etc.) is to be understood as referring to the Incoterms® of the International Chamber of Commerce, included in the text in force on the date of conclusion of the Contract.

3. FIELD OF APPLICATION

- 3.1 These General Conditions of Sale (hereinafter the "Conditions") apply to all contracts (whether concluded by phone, fax, email or website), unless otherwise expressly agreed in writing by the Parties, and form an integral and substantial part of every Order and Order Confirmation, even if not expressly mentioned.
- 3.2 The Buyer may not invoke or object to Conditions other than the Conditions herein. Therefore, any conditions specified in writing by the Buyer in the Order, or in any other phase of the contractual negotiation including after the Order Confirmation, as well as any general conditions of purchase of the Buyer, shall not be valid. Any written or verbal condition sent by collaborators, employees, agents or representatives of the Seller has no effect unless reproduced in the text of the Order Confirmation or unless confirmed in writing by the Seller. In this regard, the partial or complete execution of the Order by Fami or any other fulfilment thereof in respect of the Buyer shall not be valid and cannot be interpreted as tacit or implicit acceptance of any general condition of contract that has not been explicitly signed by Fami.
- 3.3 The Conditions are valid only for contractual relations between Fami and professional operators, so Legislative Decree No. 206 of 6 September 2005 (Consumer Code), as amended, is not applicable.

4. OFFERS AND ORDERS

- 4.1 The offers made by the Seller are not to be considered binding. The information in catalogues, brochures and price lists are not binding for the Seller, who reserves the right to make any changes to the Products and their prices. Therefore, the Seller shall be considered solely bound by the information in the Order Confirmation.
- 4.2 Each Order sent by the Buyer, either directly to Fami or through the agents or representatives of the Seller, is understood as an irrevocable purchase offer that will remain effective for 30 (thirty) days from the date of its regular receipt by the Seller, unless waived by explicit declaration from time to time.
- 4.3 The Buyer's submission of the Order implies that he or she has fully read and acknowledged all the Conditions herein, which shall therefore be understood as fully accepted by the Purchaser without limitations or reservations.
- 4.4 Orders and/or changes to Orders made verbally or by phone must be confirmed in writing by the Buyer. Otherwise, the Seller shall not be responsible for any errors or misunderstandings.
- 4.5 The Seller expressly reserves the right to evaluate any Order without being bound accept it.
- 4.6 Orders duly accepted by the Seller via the Order Confirmation cannot be cancelled by the Buyer without the written consent of the Seller.

5. CONCLUSION OF THE CONTRACT

- 5.1 The Contract may be considered concluded only after the sending of an Order Confirmation by Fami (via email, fax or other equivalent electronic means) for each individual Order. In any case, the issue of the invoice by the Seller or the execution of the order by the Seller will be considered as confirmation.
- 5.2 If the Order Confirmation contains additions, limitations or other changes to the Order, the Buyer's assent to these changes will be deemed tacitly given unless written notification is sent to the Seller within two working days of their receipt of the Order.
- 5.3 Changes and additions requested by the Buyer after the conclusion of the Contract will have no value and effect unless the Seller accepts them in writing, with possible clarification of the new delivery time, price and payment method.
- 5.4 All Contracts are always considered concluded at the registered offices of Fami Srl in Italy, 36027 Rosà (VI), Via Stazione Rossano 13.

6. PRICES

- 6.1. The prices of the Products shall be those specified in the Seller's price list in force at the time the Order is finalised or, if the Product is not included in the price list or the price list is not available, those specified in the Order Confirmation.
- 6.2 The prices of the products will be those indicated in the Order Confirmation and, unless otherwise agreed, are understood as applicable to goods delivered ex works (EXW). These prices, unless stated otherwise in the Order Confirmation, do not include the costs and expenses of special packaging, shipping, insurance and transportation from the Seller's premises, any expenses, taxes or duties relating to the sale of the Products, including the costs of all customs formalities (by way of non-exhaustive example: customs duties, taxes and other charges for the exportation of the Products), which shall be borne by the Buyer.
- 6.3 The Seller reserves the right to make a price adjustment in the event of a change in (a) the Contract, requested by the Buyer after the conclusion thereof and accepted by the Seller, and in (b) the type of delivery, material or execution of the Products due to the incompleteness or inaccuracy of the information and/or documentation provided by the Buyer.

7. TERMS OF PAYMENT

- 7.1. At the time of conclusion of the Contract, the Seller may ask the Buyer to pay a deposit of 30% of the value of the supply order. The Parties may agree in any case the payment of a different confirmation deposit, subject to prior written agreement in the Contract.
- 7.2 In the event of non-payment of the deposit, the Contract, where applicable, shall be considered terminated ipso jure and the Seller may demand payment of any amounts accrued as at that time, in addition to compensation for any financial and non-financial damages and costs, including legal costs where incurred.
- 7.3 Where the terms of payment are not specified in the Contract, the payment must be made by bank transfer within 30 days from the end of month invoice date. The payment shall be considered effected when the amount becomes available to the Seller at its bank in Italy. If the Parties have agreed on advance payment without further specifications, it is assumed that the advance payment refers to the entire price of the Products included in the supply order. In the case of delivery in instalments, the Buyer shall pay the appropriate amount for each delivery batch, unless otherwise agreed in writing in the Contract.
- 7.4 Payments must be made in the agreed currency and any banking fees or commissions owed in connection with the payment will be fully borne by the Buyer.
- 7.5 In the case of partial non-payment or delayed payment by the Buyer, the Seller shall have, without prejudice to all other rights, the right to suspend further deliveries even if they were due under separate contracts and to demand immediate and full payment of all the goods ordered and to postpone its deliveries for a period equivalent to the delay in payment, whatever the amount may be, until the payment and related interest on arrears has been settled.
- 7.6 Such non-payments and late payments shall give the Seller the right to recognition and payment, in its favour, of the interest on arrears pursuant to Legislative Decree No. 231/2002, in addition to costs, including legal costs, which may be considered necessary for the recovery of the sums due to the Seller for any reason.
- 7.7 Failure to pay even a single invoice will result in the Seller having the right to terminate any Contract concluded with the Buyer pursuant to art. 1456 of the Italian Civil Code and to suspend the processing or delivery of any other order supply in progress, without prejudice, in any case, to full compensation for any damage resulting from the Buyer's non-fulfilment or delay. Any delays in the processing of orders or in deliveries, caused by previous suspensions of production due to non-payments by the Buyer do not constitute non-fulfilment by the Seller.
- 7.8 Any claims or disputes shall not give the Buyer the right to suspend or delay payments.

8. DELIVERY TERMS

- 8.1. The delivery time shall be that indicated in the Order Confirmation and, unless otherwise agreed, shall be understood as ex-works (EXW) from the Seller's plant. If requested and expressly agreed in writing in the Contract, Fami shall take care of the transportation of the Products, at the risk, cost and expense of the Buyer. Any transport costs shall be borne by the Buyer and shall not affect shipment risks, which shall continue to be borne by the Buyer at the latest upon delivery of the Products to the first carrier.
- 8.2. The delivery of the Products must take place within the time specified in the Contract, calculated in working days, with the specification that delivery times are purely indicative and are not essential terms and, in any case, do not include transport times. The Seller shall, therefore, not be responsible for any delay in delivery for any reason.
- 8.3. If the Buyer asks the Seller for a change in the delivery time, the request must be made in writing and the Buyer must in any case settle the payment for the order supply within the terms indicated in article 7 of these Conditions. The only costs excluded are those for storage, delivery, assembly, disassembly and installation, which must be paid within the new agreed delivery date.
- 8.4. Upon receipt of the notice of goods ready for shipment, the Buyer must collect the goods within 10 (ten) days. Otherwise, the Products may be stored outdoors, with the Seller being released from any liability and all guarantees being forfeited in favour of the Seller; the Buyer shall bear any handling and storage costs incurred by the Seller, which may also, at its discretion, have the Products placed in storage at the Buyer's expense.
- 8.5 The Seller shall be entitled to issue a regular invoice within 10 (ten) days from the notice of goods ready for shipment.
- 8.6 In the case of delayed pick-up of the prepared goods for any reason not dependent on the will of the Seller, the delivery shall be deemed to have been made ten days after the

communication of the notice of goods ready for shipment. In this case the Seller shall have the right to issue an invoice and to claim fulfilment of the agreed terms of payment and may carry out the packaging, transport or storage of the goods at the Buyer's expense, without prejudice to compensation for any damage suffered, including for warehousing, safekeeping and storage of goods.

9. WARRANTY AND COMPLAINTS

9.1 The rules for the Warranty offered by the Seller are set out in the General Conditions of Warranty document viewable at www.famispaspa.com on the site and, with regard solely to Products under the Store Van brand, in the General Conditions of Warranty document viewable at www.storevan.com.

9.2 At the time of receipt of the Products, the Buyer must inspect the Products in the presence of the carrier entrusted with delivery, in order to check for any defects visible from the outside (such as, by way of non-exhaustive example, the quantities and packaging of the Products or the Products' conformity with the indications of the Order Confirmation).

9.3 Any complaints relating to packaging, quantities, number or external features of the Products (faults and defects not hidden and visible from the outside) must be specified by the Buyer on the delivery note and the Transport Document must be signed, indicating the words "reserving all specific rights". No later than 2 (two) working days from receipt of the Products, the Buyer shall send the Seller, in an email to: assistenza@famispaspa.it, a copy of the delivery note and related photographic evidence, providing detailed information on the condition of the Products and the nature of the defects found.

9.4 Without prejudice to the duration of the Warranty offered by the Seller, any claims for defects not detectable by careful inspection at the time of receipt of the Products (faults and hidden defects) must be submitted to the Seller, under penalty of forfeiture, within and no later than 7 (seven) days from the date of discovery of the defect, via certified email to: pec@famispaspa.it, specifying the product code, the batch (if available), the date of delivery and nature of the defect.

9.5 Any Product for which no objection has been raised in accordance with the procedures and terms indicated above shall be considered approved and accepted by the Buyer.

9.6 In no case shall the Seller's agents, customers or intermediaries have the power to represent and commit the Seller to any binding obligations to the Buyer or other third parties. To this end, any communication relating to faults or defects of the Products shall be invalid and ineffective if made to the agents, customers or intermediaries of the Seller, or in any form or manner other than those indicated above.

10. RETENTION OF TITLE

10.1 The Products remain the property of the Seller until the date on which the Purchaser has paid the full price of the Products and all sums due to the Seller.

10.2 If in the Buyer's country of domicile it is necessary, for the validity of the Seller's retention of title, to ensure the completion of administrative or legal formalities, including, without any limitation, the registration of the Products in public registers or the affixing of special seals on the Products, the Purchaser hereby agrees to cooperate with the Seller to carry out all the necessary acts to obtain the valid right, including with respect to third parties, to the retention of title.

11. FORCE MAJEURE

11.1 Both the Buyer and Fami may suspend the performance of their contractual obligations when said performance becomes impossible or unreasonably burdensome due to an unforeseeable impediment that is not under their control, such as, by way of non-exhaustive example, strikes, epidemics and/or pandemics, boycotts, lockouts, fires, wars, riots and revolutions, requisitions, embargoes or power cuts.

11.2 The Party wishing to invoke this clause must immediately inform the other Party in writing, by certified email, of the occurrence and cessation of the of force majeure circumstances.

11.3 If the suspension due to force majeure lasts more than eight weeks, each Party shall have the right to terminate the Order, subject to 10 days' notice, to be conveyed to the other in writing, by registered letter with return receipt or by certified email.

11.4 In any case, it is understood that the Seller will be entitled to receive payment for any Products already delivered, in addition to reimbursement of any expenses already incurred.

12. CHANGE IN THE BUYER'S FINANCIAL SITUATION

12.1 Fami shall be entitled to suspend the fulfilment of the obligations arising from the supply of the Products in the event that the Buyer's financial situation becomes such as to seriously endanger the Buyer's ability to pay, unless a suitable guarantee is given. It is understood that the Seller will be entitled to receive payment for any Products already delivered, in addition to the reimbursement of any expenses already incurred.

13. INTELLECTUAL PROPERTY RIGHTS

13.1 Intellectual Property Rights are the total and exclusive property of the Seller and their communication or use within the scope of these Conditions does not constitute, in relation to them, any right or claim on the part of the Buyer. The latter undertakes not to perform any act incompatible with the ownership of the Intellectual Property Rights.

13.2 The Buyer declares that: a) the Seller is the exclusive owner of the Trademarks; b) it shall refrain from using and registering marks that are similar to and/or confusable with the Trademarks; c) it shall use the Trademarks only in accordance with the Seller's instructions and only for the purposes set out in these Conditions.

14. COMPETENT COURT AND APPLICABLE LAW

14.1 Any disputes arising from or related to these General Conditions of Sale and/or individual Contracts such as, by way of non-exhaustive example, disputes relating to their existence, validity, interpretation, effectiveness or execution, shall be resolved exclusively by the Court of Vicenza, even if the Contract contains international elements.

14.2 Notwithstanding the above, the Seller in any case has the right to bring the dispute before the competent court at the place of the Buyer's registered offices.

14.3 These General Conditions of Sale and/or each individual Contract are entirely governed by and shall be interpreted under Italian law, even if the Contract has international elements, with the express exclusion of the 1980 Vienna Convention.

15. PRIVACY POLICY

15.1 The Buyer declares that it has have received all the information provided in accordance with art. 13 of EU Regulation No. 2016/679 (GDPR) and gives its consent to the processing of personal data for the purposes referred to in these general conditions of sale and to be aware that in relation to the data supplied, it is may exercise the rights provided by Legislative Decree 196/2003 and by Regulation EU No. 2016/679 (GDPR). The Seller declares that the controller of the data collected is Fami Srl, with registered offices in Rosà (VI), Via Stazione Rossano 13, VAT No. and tax code 03498610249.

16. COMPLIANCE WITH LAW 231/2001

16.1 The Buyer acknowledges that Fami Srl has adopted and implements an Organisation, Management and Control Model pursuant to Legislative Decree 231/01, along with the related Code of Ethics and Disciplinary System, details of which can be viewed on the company website www.famispaspa.com. The Buyer endorses the principles of the aforementioned Organisation, Management and Control Model and its annexes, and undertakes to comply with its contents, principles and procedures and, in general, to refrain from any conduct that may constitute any of the offences specified in Legislative Decree 231/01, as amended, and included in the aforementioned Organisation, Management and Control Model. The Buyer also undertakes to comply with, and to ensure its employees' compliance with, all the principles stated in said documentation and the behavioural protocols provided by our organisation, pursuant to Legislative Decree 231/2001 and the annexes to this contract. Any breach of the rules provided by the aforementioned documents shall constitute a serious breach of contract.

17. FINAL PROVISIONS

17.1 Should one of the Parties fail to take legal action or exercise their rights under these Conditions, such acquiescent conduct cannot be interpreted as a final waiver of such legal action or the exercising of such rights in the future.

17.2 The sale of Products by Fami to the Buyer does not give the latter any exclusive territorial right nor does it allow the Buyer to take on the status of distributor or dealer for Fami.

17.3 The partial or total invalidity of individual provisions of these Conditions shall not affect the validity of the remaining provisions.

PATENTS

Some of the components are protected by a European design model and/or an industrial invention patent.



WWW.FAMISPA.COM

VIA STAZIONE ROSSANO 13
36027 ROSÀ (VICENZA) ITALIA

TEL. +39 0424 58 54 55
FAX +39 0424 58 54 70

E-MAIL: INFO@FAMISPA.IT

RESELLER STAMP