





9300 SLIDE SERIES

The 9300E slide family has been enhanced to deliver a payload of up to 600 lbs., reduced migration, and smoother, quieter travel. These enhancements not only make this slide better than before, it's the best in its class.


9300E Shared Features

- Full extension
- Accommodates drawers up to 42" wide
- .75" [19.1 mm] side space
- Non-disconnect
- Even lengths 10"-36", 40", 42", 44", 48", 54", 60" [254-914, 1016, 1067, 1118, 1219, 1372, 1524 mm]
- · Clear zinc finish





Model 9301E is designed for use in storage applications such as large pantry pull-outs, and applications that require wide drawer support. Optional platform bracket kits provide installers six additional mounting configurations.




Model 9307E

Lock-out



Heavy-Duty slide with stronger lock-out functionality to keep drawers secured safely in an open position for extended use.





Load Ratings

- Moderate usage: 600 lbs./pair Drawers up to 24" wide*
- Frequent usage: 480 lbs./pair Drawers up to 42" wide**
- Mobile applications: 360 lbs./pair
 Drawers up to 32" wide*
- Flat mount: 180 lbs./pair
 Drawers up to 32" wide*
- Bracket-mount applications: Drawers up to 22" wide: 600 lbs./pair Drawers up to 42" wide: 420 lbs./pair
 - * Lengths 10"-36". For load ratings on longer lengths, consult product technical sheet. Load ratings based on 10,000 cycle test.
 - ** Lengths 10"-36". For load ratings on longer lengths, consult product technical sheet. Load ratings based on 75,000 cycle test.

9300 SLIDE SERIES




Model 9308E

Lock-in & Lock-out



Stronger lock-in & lock-out feature to ensure drawer stays closed while in use. Lock-out feature holds drawers and trays open securely for an extended period of time.





Model 9308-E5

Special Packaging



Combination includes one standard 9301E and one right-handed 9308E

Authorized Distributor















Accuride