2025 EDCO PRODUCTS PRODUCT GUIDE

Siding | Roofing | Rainware | Soffit | Fascia | Trim

GENERAL TERMS AND CONDITIONS

I. SPECIAL ORDERS A "Special Order" is defined as a product not stocked by EDCO or any product that is custom-made by EDCO to the customer's specifications. These orders are non-returnable, and all sales are final. The customer's signature is required on the order confirmation, and will not be made or ordered until EDCO has received the signed confirmation. Product must be picked up (or delivered) within 30 days of the order being ready at EDCO. Failure to do so will result in a 5% storage fee for every month the product remains in our facility.

II. DELIVERY - F.O.B. HOPKINS, MN.

Upon due tender of goods all risk or damage and incidents of ownership pass to the Purchaser but EDCO retains a security interest in the goods until purchase price is paid. Weights shown are approximate.

III. TAXES Prices do not include any state or local sales, use, operational or license taxes or any tax imposed on the use or sale of the material involved.

IV. RETURNS All sales are final. Returned goods will not be accepted without first providing a list of material(s) as well as one of the following: (1) Original invoice, (2) Original order number, (3) Original purchase order number. Once this information has been received, and the requested material return is within the policy outlined below, EDCO will issue a Return Material Authorization (RMA) form. After the material(s) have been returned, they will be inspected for count accuracy and integrity. If materials or packaging are deemed unsalable, or they were not included on the material list provided, Edco Products, Inc. reserves the right to dispose of this material.

V. OFFERING EDCO price lists do not constitute an offer to sell and all orders are subject to final acceptance by the Treasurer of EDCO Products, Incorporated.

Hopkins Sales Office:



800 Second Street NE
Hopkins, MN 55343

952.945.2680 Phone
952.479.9012 Fax
800.593.2680 Toll-Free

Otsego Sales Office:



15851 85th Street NE
Otsego, MN 55330

763.241.4131 Phone
952.479.3881 Fax
866.270.4131 Toll-Free

Eagan Sales Office:



2975 Lone Oak Drive, STE 120
Eagan, MN 55121

651.460.6680 Phone
952.479.3881 Fax
866.301.4354 Toll-Free

TABLE OF CONTENTS

PERSPECTIVES 2
- STEEL SIDING & SOFFIT 2
- ACCESSORIES 3
- PAINT ACCESSORIES 5

ENDURA 6
- STEEL SIDING 6

SIDING ACCESSORIES 7
- TRIM COIL 10
- CASING, SILLS, & OTHER TRIMS 11
- PAINT 13
- NAILS, STAPLES, & FASTENERS 14
- ADHESIVES & SEALANTS 16
- SEALANT CROSS-REFERENCE GUIDE 17
- INSULATION & HOUSEWRAPS 18
- MOUNTING BLOCKS & VENTS 20
- MID-AMERICA CROSS-REFERENCE GUIDE 21
- SHUTTERS 22
- VINYL WALL VENTS & LOUVERS 23
- POLYURETHANE LOUVERS & TRIM 24
- STAPLES & TOOLS 25

SIDING CHECKLIST 26

ARROWLINE 28
- STEEL SLATE ROOFING 28
- STEEL SHAKE ROOFING 29
- ROOFING ACCESSORIES 30
- SCREWS, NAILS & TOOLS 37

ROOFING ESTIMATION GUIDE 38

RAINWARE 39
- STEEL 39
- ALUMINUM 40
- RAINWARE ACCESSORIES 41
- GUTTER COIL 46
- SCREWS/NAILS 47
- ADHESIVES/SEALANTS 48
- TOOLS & ACCESSORIES 49

SOFFIT 51
- ACCESSORIES 52

FASCIA 54
- STEEL 54
- ALUMINUM, SMOOTH 55
- ALUMINUM, WOODGRAIN 56
- ACCESSORIES 57

SPECIFICATIONS 58

PERSPECTIVES

STEEL SIDING & SOFFIT

PRODUCT CODE

SHIPLAP SL4 — 1041-___



Length:	12'
Thickness:	26 Ga.
Pieces/Ctn:	12
lbs/Ctn:	86
Sq.Ft/Ctn:	48
Ctns/Skid:	42
lbs/Skid:	3,612

SHIPLAP SL6 — 1043-___



Length:	12'
Thickness:	26 Ga.
Pieces/Ctn:	8
lbs/Ctn:	70
Sq.Ft/Ctn:	48
Ctns/Skid:	40
lbs/Skid:	2,808

	Product Code	1041	1043	
	Custom Color	●	●	
REALGRAIN®	Hickory (1898)	●	●	
REALGRAIN®	Walnut (1897)	●	●	
REALGRAIN®	Washed Maple (1899)	●	●	
ENTEX®	Deep Ocean (724)	●	●	
ENTEX®	Glacier White (714)	●	●	
ENTEX®	Iron Gray (719)	●	●	
ENTEX®	Sandtone (712)	●	●	

* All Perspectives Steel profiles are 48 sq.ft per carton.

PERSPECTIVES

STEEL ACCESSORIES

	PRODUCT CODE
7/8" J-CHANNEL	**1059-___**



Length: 12'
Thickness: 28 Ga.
Pieces/Ctn: 25
lbs/Ctn: 57
Ctns/Skid: 56
lbs/Skid: 3,192

2 PC 7/8" J-TRIM **1039-___**



Length: 10'
Thickness: 28 Ga.
lbs/Ctn: 37

PERSPECTIVES STARTER STRIP **1064-___**



Length: 10'
Thickness: 28 Ga.
Pieces/Ctn: 20
lbs/Ctn: 45
Ctns/Skid: 81
lbs/Skid: 3,645

UNDERSILL TRIM **1062-___**



Length: 12'
Thickness: 28 Ga.
Pieces/Ctn: 25
lbs/Ctn: 37

	Product Code	1039	1059	1062	1064	
	Custom Color	●	●	●	●	
	No Color (000)			●	●	
REALGRAIN®	Hickory (1898)	●	●	●	●	
REALGRAIN®	Walnut (1897)	●	●	●	●	
REALGRAIN®	Washed Maple (1899)	●	●	●	●	
ENTEX®	Deep Ocean (724)	●	●	●	●	
ENTEX®	Glacier White (714)	●	●	●	●	
ENTEX®	Iron Gray (719)	●	●	●	●	
ENTEX®	Sandtone (712)	●	●	●	●	

PERSPECTIVES

STEEL ACCESSORIES

	PRODUCT CODE
SNAP-ON CORNER	**1068-___**



Length: 12'
Thickness: 28 Ga.
Pieces/Ctn: 10
lbs/Ctn: 57

Z-FLASHING **1071-___**



Length: 10'
Thickness: 28 Ga.
Pieces/Ctn: 25
lbs/Ctn: 61

CORNER BASE **5/8"** **1069-000**

1-1/8" **1070-000**



Length: 12'
Thickness: 28 Ga.
Pieces/Ctn: 10
lbs/Ctn: 51
Ctns/Skid: 49
lbs/Skid: 2,499

	Product Code	1068	1069, 1070	1071	
	Custom Color	●		●	
	No Color (000)		●		
REALGRAIN®	Hickory (1898)	●		●	
REALGRAIN®	Walnut (1897)	●		●	
REALGRAIN®	Washed Maple (1899)	●		●	
ENTEX®	Deep Ocean (724)	●		●	
ENTEX®	Glacier White (714)	●		●	
ENTEX®	Iron Gray (719)	●		●	
ENTEX®	Sandtone (712)	●		●	

EDCO®

PERSPECTIVES

PAINT ACCESSORIES

	PRODUCT CODE
TOUCH-UP PENS	**3400-___**

Pen (oz): 0.3

Pen/Ctn: 25

	Product Code	3400	
	Custom Color	●	
REALGRAIN®	Hickory (1898)	735	
REALGRAIN®	Walnut (1897)	703	
REALGRAIN®	Washed Maple (1899)	726	
ENTEX®	Deep Ocean (724)	●	
ENTEX®	Glacier White (714)	●	
ENTEX®	Iron Gray (719)	●	
ENTEX®	Sandtone (712)	●	

*RealGrain product codes above are the closest match available. Please see additional paint options on Page 13.

ENDURA

STEEL SIDING

	PRODUCT CODE
DOUBLE 4"	**1056-____**



Length:	12'6"
Thickness:	28 Ga.
Pieces/Ctn:	12
lbs/Ctn:	96
Ctns/Skid:	40
lbs/Skid:	3,840

DOUBLE 5" DUTCHLAP — **1049-____**



Length:	12'
Thickness:	28 Ga.
Pieces/Ctn:	10
lbs/Ctn:	94
Ctns/Skid:	40
lbs/Skid:	3,760

SINGLE 6" — **1045-____**

Length:	12'6"
Thickness:	28 Ga.
Pieces/Ctn:	16
lbs/Ctn:	96
Ctns/Skid:	40
lbs/Skid:	3,840

SINGLE 8" — **1051-____**



Length:	12'6"
Thickness:	28 Ga.
Pieces/Ctn:	12
lbs/Ctn:	97
Ctns/Skid:	40
lbs/Skid:	3,880

VERTICAL 12" BOARD & BATTEN



	10'	**1052-____**
Pieces/Ctn:	10	
	12'6"	**1058-____**
Pieces/Ctn:	8	
Thickness:	28 Ga.	
lbs/Ctn:	91	
Ctns/Skid:	30	
lbs/Skid:	2,730	

	Product Code	1045	1049	1051	1052, 1058	1056
	Custom Color	●	●	●	●	●
ENTEX®	Canyon (786)	●	●	●	●	●
ENTEX®	Cedarwood (735)	●	●	●	●	●
ENTEX®	Charcoal Gray (728)	●	●	●	●	●
ENTEX®	Classic Blue (707)	●	●	●	●	●
ENTEX®	Classic Red (727)	●	●	●	●	●
ENTEX®	Claytone (709)	●	●	●	●	●
ENTEX®	Colonial White (720)	●	●	●	●	●
ENTEX®	Deep Ocean (724)	●	●	●	●	●
ENTEX®	Desert Tone (718)	●	●	●	●	●
ENTEX®	Driftwood Gray (726)	●	●	●	●	●
ENTEX®	Glacier White (714)	●	●	●	●	●
ENTEX®	Iron Gray (719)	●	●	●	●	●
ENTEX®	Mahogany (785)	●	●	●	●	●
ENTEX®	Midnight* (1111)	●	●	●	●	●
ENTEX®	Rustic Brown (722)	●	●	●	●	●
ENTEX®	Sage (790)	●	●	●	●	●
ENTEX®	Sand Beige (721)	●	●	●	●	●
ENTEX®	Sandtone (712)	●	●	●	●	●
ENTEX®	Timber (736)	●	●	●	●	●
ENTEX®	T-Tone (708)	●	●	●	●	●
ENTEX®	Wickertone (717)	●	●	●	●	●
ENTEX®	Willow (792)	●	●	●	●	●
PRISM	Bordeaux (842)	●			●	
PRISM	Guinness (846)	●			●	
PRISM	Onyx (843)	●			●	
PRISM	Sapphire (844)	●			●	
PRISM	Sedona (845)	●			●	
PRISM	Tuscan (841)	●			●	
HD	Canyon HD (886)	●	●	●	●	●
HD	Cedarwood HD (835)	●	●	●	●	●
HD	Mahogany HD (885)	●		●	●	●

*Midnight is SMP (ENTEX® without the texture).

*All ENDURA Steel Siding Profiles include 100 sq.ft per carton.

ENDURA

STEEL SIDING ACCESSORIES

PRODUCT CODE

5/8" J-CHANNEL — 1061-____

Length: 12'
Thickness: 28 Ga.
Pieces/Ctn: 25
lbs/Ctn: 57
Ctns/Skid: 56
lbs/Skid: 3,192

7/8" J-CHANNEL — 1059-____



Length: 12'
Thickness: 28 Ga.
Pieces/Ctn: 25
lbs/Ctn: 57
Ctns/Skid: 56
lbs/Skid: 3,192

1-1/4" J-CHANNEL — 1060-____



Length: 12'
Thickness: 28 Ga.
Pieces/Ctn: 25
lbs/Ctn: 57
Ctns/Skid: 56
lbs/Skid: 3,192

UNDERSILL TRIM — 1062-____



Length: 12'
Thickness: 28 Ga.
Pieces/Ctn: 25
lbs/Ctn: 37

Z FLASHING FOR VERTICAL SIDING — 1071-___



Length: 10'
Thickness: 28 Ga.
Pieces/Ctn: 25
lbs/Ctn: 61

	Product Code	1059	1060	1061	1062	1071
	No Color (000)					●
ENTEX®	Black (711)	●	●	●	●	
ENTEX®	Canyon (786)	●	●	●	●	●
ENTEX®	Cedarwood (735)	●	●	●	●	●
ENTEX®	Charcoal Gray (728)	●	●	●	●	●
ENTEX®	Classic Blue (707)	●	●	●	●	●
ENTEX®	Classic Red (727)	●	●	●	●	●
ENTEX®	Claytone (709)	●	●	●	●	●
ENTEX®	Colonial White (720)	●	●	●	●	●
ENTEX®	Deep Ocean (724)	●	●	●	●	●
ENTEX®	Desert Tone (718)	●	●	●	●	●
ENTEX®	Driftwood Gray (726)	●	●	●	●	●
ENTEX®	Glacier White (714)	●	●	●	●	●
ENTEX®	Iron Gray (719)	●	●	●	●	●
ENTEX®	Mahogany (785)	●	●	●	●	●
ENTEX®	Midnight* (1111)	●	●	●	●	●
ENTEX®	Royal Brown (703)	●	●	●	●	
ENTEX®	Rustic Brown (722)	●	●	●	●	●
ENTEX®	Sage (790)	●	●	●	●	●
ENTEX®	Sandtone (712)	●	●	●	●	●
ENTEX®	Sand Beige (721)	●	●	●	●	●
ENTEX®	Timber (786)	●	●	●	●	●
ENTEX®	T-Tone (708)	●	●	●	●	●
ENTEX®	Wickertone (717)	●	●	●	●	●
ENTEX®	Willow (792)	●	●	●	●	●
PRISM	Bordeaux (842)	●		●	●	●
PRISM	Guinness (846)	●		●	●	●
PRISM	Onyx (843)	●		●	●	●
PRISM	Sapphire (844)	●		●	●	●
PRISM	Sedona (845)	●		●	●	●
PRISM	Tuscan (841)	●		●	●	●

*Midnight is SMP (ENTEX® without the texture).

ENDURA

STEEL SIDING ACCESSORIES

	PRODUCT CODE
3-1/2" SPRING-LOK STARTER STRIP	**1065-000**



Length: 10'
Thickness: 28 Ga.
Pieces/Ctn: 20
lbs/Ctn: 45
Ctns/Skid: 81
lbs/Skid: 3,645

2-1/2" SPRING-LOK STARTER STRIP **1066-000**



Length: 10'
Thickness: 28 Ga.
Pieces/Ctn: 20
lbs/Ctn: 26
Ctns/Skid: 108
lbs/Skid: 2,808

2-1/2" STARTER STRIP **1063-000**



Length: 10'
Thickness: 28 Ga.
Pieces/Ctn: 20
lbs/Ctn: 42
Ctns/Skid: 72
lbs/Skid: 3,024

SNAP-ON CORNER POST **1068-___**



Length: 12'
Thickness: 28 Ga.
Pieces/Ctn: 10
lbs/Ctn: 57

CORNER BASE **5/8"** **1069-000**
1-1/8" **1070-000**



Length: 12'
Thickness: 28 Ga.
Pieces/Ctn: 10
lbs/Ctn: 51
Ctns/Skid: 49
lbs/Skid: 2,499

	Product Code	1063	1065	1066	1068	1069 1070
	No Color (000)	●	●	●		●
	Black (711)				●	
	Canyon (786)				●	
	Cedarwood (735)				●	
	Charcoal Gray (728)				●	
	Classic Blue (707)				●	
	Classic Red (727)				●	
	Claytone (709)				●	
	Colonial White (720)				●	
	Deep Ocean (724)				●	
	Desert Tone (718)				●	
	Driftwood Gray (726)				●	
	Glacier White (714)				●	
	Iron Gray (719)				●	
	Mahogany (785)				●	
	Midnight (1111)				●	
	Rustic Brown (722)				●	
	Sage (790)				●	
	Sand Beige (721)				●	
	Sandtone (712)				●	
	Timber (736)				●	
	T-Tone (708)				●	
	Wickertone (717)				●	
	Willow (792)				●	
PRISM	Bordeaux (842)				●	
PRISM	Guinness (846)				●	
PRISM	Onyx (843)				●	
PRISM	Sapphire (844)				●	
PRISM	Sedona (845)				●	
PRISM	Tuscan (841)				●	
HD	Canyon HD (886)				●	
HD	Cedarwood HD (835)				●	
HD	Mahogany HD (885)				●	

*Midnight is SMP (ENTEX® without the texture).

EDCO®

ENDURA

STEEL SIDING ACCESSORIES

	PRODUCT CODE
SNAP-ON FRIEZE TRIM	**1072-___**



Length: 12'
Thickness: 28 Ga.
Pieces/Ctn: 25
lbs/Ctn: 73

6" FOAM DROP-IN BACKER BOARD — **3010-000**



Sq Ft/Ctn: 200
lbs/Ctn: 10

8" FOAM DROP-IN BACKER BOARD — **3006-000**



Sq Ft/Ctn: 200
lbs/Ctn: 10

D4 FOAM DROP-IN BACKER BOARD — **3005-000**



Sq Ft/Ctn: 200
lbs/Ctn: 10

D5 DUTCHLAP FOAM DROP-IN BACKER BOARD — **3004-000**

Sq Ft/Ctn: 200
lbs/Ctn: 10

	Product Code	1072
	Polar White (001)	●
ENTEX®	Antique Parchment (715)	●
	Black (711)	●
	Canyon (786)	●
	Cedarwood (735)	●
	Charcoal Gray (728)	●
	Classic Red (727)	●
	Claytone (709)	●
	Colonial White (720)	●
	Deep Ocean (724)	●
	Desert Tone (718)	●
	Driftwood Gray (726)	●
	Glacier White (714)	●
	Iron Gray (719)	●
	Mahogany (785)	●
	Midnight* (1111)	●
	Royal Brown (703)	●
	Rustic Brown (722)	●
	Sand Beige (721)	●
	Sandtone (712)	●
	Statuary Bronze (713)	●
	Timber (736)	●
	T-Tone (708)	●
	Wickertone (717)	●

*Midnight is SMP (ENTEX® without the texture).

TRIM COIL

	PRODUCT CODE
ALUMINUM, SMOOTH	**1373-___**

24"



Length:	50'
Thickness:	.019"
Pieces/Ctn:	1
lbs/Ctn:	27
Ctns/Skid:	32
lbs/Skid:	864

STEEL, SMOOTH	**1363-___**

24"



Length:	50'
Thickness:	30 Ga.
Pieces/Ctn:	1
lbs/Ctn:	56
Ctns/Skid:	32
lbs/Skid:	1,792

STEEL, SMOOTH, PRISM	**1374-___**

15"



Length:	50'
Thickness:	28 Ga.
Pieces/Ctn:	1
lbs/Ctn:	45
Ctns/Skid:	32
lbs/Skid:	1,440

STEEL, SMOOTH, REALGRAIN	**1369-___**

24"

Length:	50'
Thickness:	28 Ga.
Pieces/Ctn:	1
lbs/Ctn:	45
Ctns/Skid:	32
lbs/Skid:	1,440

	Product Code	1363	1369	1373	1374	
	Polar White (001)	●		●		
PVC	Glacier White (114)	●		●		
PVC	Colonial White (120)	●		●		
ENTEX®	Almond Cream (702)	●		●		
ENTEX®	Antique Parchment (715)	●		●		
ENTEX®	Black (711)	●		●		
ENTEX®	Canyon (786)	●		●		
ENTEX®	Cedarwood (735)	●		●		
ENTEX®	Charcoal Gray (728)	●		●		
ENTEX®	Classic Blue (707)	●		●		
ENTEX®	Classic Red (727)	●		●		
ENTEX®	Claytone (709)	●		●		
ENTEX®	Colonial White (720)	●		●		
ENTEX®	Deep Ocean (724)	●	●	●		
ENTEX®	Desert Tone (718)	●		●		
ENTEX®	Driftwood Gray (726)	●		●		
ENTEX®	Glacier White (714)	●	●	●		
ENTEX®	Hartford Green (706)	●		●		
ENTEX®	Iron Gray (719)	●	●	●		
ENTEX®	Mahogany (785)	●		●		
ENTEX®	Midnight (1111)	●		●		
ENTEX®	Royal Brown (703)	●		●		
ENTEX®	Rustic Brown (722)	●		●		
ENTEX®	Sage (790)	●		●		
ENTEX®	Sand Beige (721)	●		●		
ENTEX®	Sandtone (712)	●	●	●		
ENTEX®	Statuary Bronze (713)	●		●		
ENTEX®	Timber (736)	●		●		
ENTEX®	T-Tone (708)	●		●		
ENTEX®	Wickertone (717)	●		●		
ENTEX®	Willow (792)	●		●		
PRISM	Bordeaux (842)				●	
PRISM	Guinness (846)				●	
PRISM	Onyx (843)				●	
PRISM	Sapphire (844)				●	
PRISM	Sedona (845)				●	
PRISM	Tuscan (841)				●	
REALGRAIN	Hickory (1898)		●			
REALGRAIN	Walnut (1897)		●			
REALGRAIN	Washed Maple (1899)		●			

*Midnight is SMP (ENTEX® without the texture).

CASING, SILLS, & OTHER TRIMS

ALUMINUM

	PRODUCT CODE

7' ALUMINUM BRICK CASING COVER

1353-___



Length: 7'
Thickness: .019"
Pieces/Ctn: 25
lbs/Ctn: 19

12' ALUMINUM BRICK CASING COVER

1352-___



Length: 12'
Thickness: .019"
Pieces/Ctn: 25
lbs/Ctn: 33

ALUMINUM SILL COVER

1357-___



Length: 10'
Thickness: .019"
Pieces/Ctn: 25
lbs/Ctn: 12

ALUMINUM FLAT CASING COVER

1365-___



Length: 10'
Thickness: .019"
Pieces/Ctn: 25
lbs/Ctn: 34

ALUMINUM DRIP CAP

1359-___



Length: 12'
Thickness: .019"
Pieces/Ctn: 25
lbs/Ctn: 23

Product Code	1352	1353	1357	1359	1365
Polar White (001)	●	●	●	●	●
Black (711)				●	
Colonial White (720)	●			●	
Deep Ocean (724)				●	
Glacier White (714)	●		●	●	●
Hartford Green (706)	●				
Iron Gray (719)				●	
Royal Brown (703)	●				
Sandtone (712)	●			●	
Statuary Bronze (713)	●				
T-Tone (708)	●				

CASING, SILLS, & OTHER TRIMS

STEEL

	PRODUCT CODE
STEEL ADJUSTABLE DRIP CAP	**1360-___**



Length: 10'
Thickness: 28 Ga.
Pieces/Ctn: 25
lbs/Ctn: 45

	Product Code	1360	
ENTEX®	Canyon (786)	●	
	Cedarwood (735)	●	
	Charcoal Gray (728)	●	
	Classic Blue (707)	●	
	Classic Red (727)	●	
	Claytone (709)	●	
	Colonial White (720)	●	
	Deep Ocean (724)	●	
	Desert Tone (718)	●	
	Driftwood Gray (726)	●	
	Glacier White (714)	●	
	Iron Gray (719)	●	
	Mahogany (785)	●	
	Midnight (1111)	●	
	Royal Brown (703)	●	
	Rustic Brown (722)	●	
	Sage (790)	●	
	Sand Beige (721)	●	
	Sandtone (712)	●	
	Timber (786)	●	
	T-Tone (708)	●	
	Wickertone (717)	●	
	Willow (792)	●	

*Midnight is SMP (ENTEX® without the texture).

PAINT

SIDING ACCESSORIES

	PRODUCT CODE
TOUCH-UP PENS	**3400-___**

Pen (oz): 0.3
Pen/Ctn: 25

SPRAY PAINT **3401-___**

Bottle (oz): 12
Bottle/Ctn: 12

PRISM SPRAY PAINT **3409-___**

Bottle (oz): 11
Bottle/Ctn: 12

	Product Code	3400	3401	3409	
	Almond Cream (702)	●	●		
	Antique Parchment (715)	●	●		
	Black (011)	●	●		
	Canyon (786)	●	●		
	Cedarwood (735)	●	●		
	Charcoal Gray (728)	●	●		
	Classic Blue (707)	●	●		
	Classic Red (727)	●	●		
	Claytone (709)	●	●		
	Colonial White (720)	●	●		
	Deep Ocean (724)	●	●		
	Desert Tone (718)	●	●		
	Driftwood Gray (726)	●	●		
	Glacier White (714)	●	●		
	Hartford Green (706)	●	●		
	Iron Gray (719)	●	●		
	Mahogany (785)	●	●		
	Midnight (1111)	●	●		
	Polar White (001)	●	●		
	Royal Brown (703)	●	●		
	Rustic Brown (722)	●	●		
	Sage (790)	●	●		
	Sand Beige (121)	●	●		
	Sandtone (712)	●	●		
	Sherwood Green (134)	●			
	Stat Bronze (713)	●	●		
	Timber (736)	●	●		
	T-Tone (708)	●	●		
	Wickertone (717)	●	●		
	Willow (792)	●	●		
PRISM	Bordeaux (842)	●		●	
PRISM	Guinness (846)	●			
PRISM	Onyx (843)	●		●	
PRISM	Sapphire (844)	●		●	
PRISM	Sedona (845)	●		●	
PRISM	Tuscan (841)	●		●	

NAILS, STAPLES, & FASTENERS

SIDING ACCESSORIES

	PRODUCT CODE
MAZE PAINTED STAINLESS STEEL TRIM NAILS	**3279-___**
Length:	1-1/2"
lbs/Ctn:	1

MAZE DOUBLE HOT-DIPPED GALVANIZED TRIM NAILS	**3278-___**
Length:	1-1/2"
lbs/Ctn:	1

PLEX-CAP ANN-GROOVE GALVANIZED NAIL	**3469-000**
Length:	1-3/4"
Pieces/Ctn:	2000
lbs/Ctn:	9.74

Works with 3200-S16P and IM200-S16P.

STAINLESS STEEL PIN NAILS	1-3/4"	**3412-000**
	2-1/2"	**3413-000**
lbs/Ctn:	5	

COIL NAILS (GALVANIZED RING SHANK)	**3737-000**
Length:	2-1/2"
Pieces/Ctn:	3,200
Coils/Ctn:	16
lbs/Ctn:	17



Product Code	3278	3279	3412, 3413	3469	3737
No Color (000)		●	●	●	●
Antique Parchment (015)	●	●			
Black (011)	●	●			
Canyon (786)	●	●			
Cedarwood (735)	●	●			
Charcoal Gray (128)	●	●			
Classic Blue (007)	●	●			
Classic Red (127)	●	●			
Claytone (109)	●	●			
Deep Ocean (724)	●	●			
Desert Tone (118)	●	●			
Driftwood Gray (126)	●	●			
Glacier White (014)	●	●			
Heritage Gray (010)	●	●			
Iron Gray (719)	●	●			
Mahogany (785)	●	●			
Polar White (001)	●	●			
Royal Brown (003)	●	●			
Sage (790)	●	●			
Sand Beige (121)	●	●			
Sherwood Green (134)	●	●			
Stat Bronze (113)	●	●			
Timber (736)	●	●			
T-Tone (008)	●	●			
Wickertone (117)	●	●			
Willow (792)	●	●			

NAILS, STAPLES, & FASTENERS

SIDING ACCESSORIES

		PRODUCT CODE
GRIP-RITE ELECTRO-GALVANIZED NAILS	**50 lbs/Ctn:**	**3427-000**
	30 lbs/Ctn:	**3467-000**
	Length:	2"
2" Mill Finish		
PASLODE STAPLES OT-2550/OT-2558	**1-3/4"**	**3424-000**
	lbs/Ctn:	27
	**2"**	**3425-000**
	Length:	2"
	lbs/Ctn:	26
Works with 3200-S16P and IM200-S16P.		
5/16" HAND TACKER GALVANIZED STAPLES		**3422-000**
	Length:	5/16"
	Pieces/Ctn:	5000
	lbs/Ctn:	2
MAZE DOUBLE HOT-DIP GALVANIZED STEEL NAILS	**2"**	**3417-000**
	lbs/Ctn:	5
	2"	**3418-000**
	lbs/Ctn:	50
	2-1/2"	**3419-000**
	lbs/Ctn:	5
	2-1/2"	**3420-000**
	lbs/Ctn:	50
	3"	**3421-000**
	lbs/Ctn:	5

ADHESIVES & SEALANTS

SIDING ACCESSORIES

***Please reference the Sealant Cross Reference Guide on the next page for these products.**

		PRODUCT CODE
OSI QUAD WINDOW, DOOR & SIDING SEALANT	**Quad**	**3399-___**
	Quad Max	**3394-___**

Capacity: 1/10 Gal.
Pieces/Ctn: 12
lbs/Ctn: 14

NPC SOLAR SEAL WINDOW, DOOR & SIDING SEALANT — **3244-___**

Capacity: 1/10 Gal.
Pieces/Ctn: 1
lbs/Ctn: 7.8

OSI VP275

Clear	**3241-000**
White	**3241-001**

Capacity: 10 Oz.
Pieces/Ctn: 12
lbs/Ctn: 14

Multi-purpose silicone sealant.

OSI QUAD FOAM — **3404-000**

Capacity: 16 Oz.
Pieces/Ctn: 12
lbs/Ctn: 12

Window/Door Closed cell, low expansion foam, non rigid.

OSI FOAM CLEAN — **3405-___**

Pieces/Ctn: 12
lbs/Ctn: 14

APPLICATOR GUN FOR QUAD FOAM — **3406-000**

Pieces/Ctn: 24
lbs/Ctn: 19

Use with 16oz. Quad cans.

SEALANT CROSS-REFERENCE GUIDE

EDCO PVDF	EDCO	OSI	NPC
Black	511	003	31
Cedar	261	412	
Charcoal Gray	228	501	60
Classic Blue	207	861	272
Classic Red	227	907	36
Copper	260	000	
Hartford Green	206	736	245
Pewter	216	000	
Royal Brown	203	205	33
Sandtone	212	301	
Statuary Bronze	213	201	87
Stone	257	889	
T-Tone	208	219	318

EDCO Prism	EDCO	OSI	NPC
Tuscan	841	587	21
Bordeaux	842	966	
Onyx	843	296	264
Sapphire	844	855	128
Sedona	845	297	130
Guinness	846	201	

EDCO RealGrain	EDCO	OSI	NPC
Hickory	1898		
Walnut	1897	233	286
Washed Maple	1899	525	NS

EDCO ENTEX®	EDCO	OSI	NPC
Almond Cream	702	429	52
Antique Parchment	715	457	145
Black	711	003	31
Canyon	786	255	140
Cedarwood	732	223	159
Charcoal Gray	728	501	60
Classic Blue	707	861	272
Classic Red	727	907	36
Claytone	709	301	74
Colonial White	720	004	118
Deep Ocean	724	NS	242
Desert Tone	718	450	124
Driftwood Gray	716	513	202
Glacier White	714	001	227
Hartford Green	706	736	245
Heritage Gray	710	525	
Iron Gray	719	NS	95
Mahogany	785	233	
Midnight	1111	003	31
Polar White (Enamel)	001	004	118
Royal Brown	703	205	33
Rustic Brown	722	211	46
Sage	790	767	263
Sand Beige	721	441	36
Sandtone	712	301	74
Statuary Bronze	713	201	87
Timber	736	293	235
T-Tone	708	219	318
Wickertone	717	455	
Willow	792	761	237

***NS= Nonstock**

INSULATION & HOUSEWRAPS

SIDING ACCESSORIES

		PRODUCT CODE
GREENGUARD® BY KINGSPAN® FANFOLD UNDERLAYMENT	**Plastic/ Plastic**	**3636-000**
	Width:	1/4"
	lbs/Ctn:	11
	Plastic/Foil	**3630-000**
	Width:	1/4"
	lbs/Ctn:	11
	Plastic/ Plastic	**3634-000**
	Width:	3/8"
	lbs/Ctn:	14
	Plastic/Foil	**3632-000**
	Width:	3/8"
	lbs/Ctn:	14

Covers 192 sq ft.

GREENGUARD® BY KINGSPAN® MAX CLASSIC BUILDING WRAP	**9' x 150'**	**3646-000**
	Sq.Ft/Roll:	1,350
	lbs/Ctn:	20
	Width:	9'
	10' x 150'	**3645-000**
	Sq.Ft/Roll	1,500
	lbs/Ctn:	43
	Width:	10'

GREENGUARD® TAPE		**3658-000**
	Width:	3"
	Length:	55 yd.
	Rolls/Ctn:	12

GREENGUARD® BY KINGSPAN® RAINDROP 3D WRAP	**9' x 125'**	**3649-000**
	Sq.Ft/Roll:	1,125
	lbs/Ctn:	28
	Width:	7.8

		PRODUCT CODE
GREENGUARD® BY KINGSPAN® VALUE WRAP	**9' x 150'**	**3644-000**
	Sq.Ft/Roll:	1,350
	lbs/Ctn:	19
	Width:	9'



DUPONT FLASHING TAPE	**4" x 75'**	**3654-000**
	Rolls/Ctn:	4
	Width:	4"
	9" x 75'	**3655-000**
	Rolls/Ctn:	4
	Width:	9"

75' length per roll.

DUPONT FLASHING FLEXWRAP	**9" x 75'**	**3656-000**
	Rolls/Ctn:	4
	Width:	9"

RED HOUSEWRAP TAPE		**3641-000**
	Yds/Roll:	55
	Width:	1 7/8"
	Rolls/Ctn:	24

TYVEK HOUSEWRAP TAPE	**2"**	**3657-000**
	Rolls/Ctn:	36
	3"	**3653-000**
	Rolls/Ctn:	24

INSULATION & HOUSEWRAPS

SIDING ACCESSORIES

		PRODUCT CODE
PS x 20 WINDOW TAPE	**4" x 100'**	**3660-000**
	Rolls/Ctn:	9
	9" x 100'	**3661-000**
	Rolls/Ctn:	4
WOOD LATH		**3411-000**
	Bundle/Ctn:	1
	lbs/Ctn:	8
TYVEK HOUSEWRAP	**9' x 150'**	**3642-000**
	Sq.Ft/Roll:	1,350
	lbs/Ctn:	19
	9' x 100'	**3647-000**
	Sq.Ft/Roll:	900
	lbs/Ctn:	13
	10' x 150'	**3648-000**
	Sq.Ft/Roll:	1,500
	lbs/Ctn:	19
PROTECTO-WRAP SUPER STICK TAPE	**4" x 75'**	**3651-000**
	Rolls/Ctn:	12
	9" x 75'	**3652-000**
	Rolls/Ctn:	4

MOUNTING BLOCKS & VENTS

SIDING ACCESSORIES

	PRODUCT CODE
STANDARD MOUNT MASTER	**3445-___**

Pieces/Ctn: 10
lbs/Ctn: 6

JUMBO MOUNT MASTER **3447-___**



Pieces/Ctn: 10
lbs/Ctn: 12

MINI MOUNT MASTER **3446-___**

Pieces/Ctn: 10
lbs/Ctn: 3

White, Paintable, Clay, Pewter, Wicker, & Herringbone.

SPLIT-BLOCK MINI **3439-___**

Pieces/Ctn: 10
lbs/Ctn: 4

RECESSED MINI-MOUNT MASTER **3444-___**



Pieces/Ctn: 10
lbs/Ctn: 3

White & Paintable.

	PRODUCT CODE
CLASSIC HOODED DRYER VENT	**4" 3443-___**



Pieces/Ctn: 1
lbs/Ctn: 1.6

6" 3448-___
Pieces/Ctn: 1
lbs/Ctn: 2.2

CLASSIC HOODED DRYER VENT REPLACEMENT FLAP **3389-___**



Width: 4"
Pieces/Ctn: 1
lbs/Ctn: 1.6

White or Paintable.

UL - ELECTRIC BLOCK **10 Pieces 3388-___**



lbs/Ctn: 7.5

2 Pieces **3388-___**
lbs/Ctn: 1.5

INTAKE EXHAUST VENT **3387-___**



Pieces/Ctn: 10
lbs/Ctn: 6

Accomodates 2" x 6" wall construction and virtually all soffit situations. Comes complete with snap-in modular vent tube system and 4" x 3" reducer.

***Please reference the Mid-America Cross-Reference Guide on the next page for these products.**

MID-AMERICA CROSS-REFERENCE GUIDE

	EDCO ENTEX	EDCO	MID-AMERICA
EDCO ENTEX®	Canyon	486	403
	Cedarwood	132	210
	Charcoal Gray	128	018
	Claytone	309	008
	Classic Blue	707	127
	Colonial White	301	001
	Deep Ocean	724	913
	Desert Tone	018/318	071
	Driftwood Gray	316	016
	Glacier White	114	117
	Iron Gray	719	918
	Mahogany	785	204
	Sand Beige	302	012
	Sandtone	712	170
	Sage	490	120
	Timber	736	222
	T-Tone	708	118
	Wickertone	317	069
	Willow	792	405

	EDCO Prism	EDCO	MID-AMERICA
EDCO Prism	Bordeaux	842	425
	Guinness	846	010
	Onyx	843	327
	Sapphire	844	428
	Sedona	845	338
	Tuscan	841	231

	EDCO RealGrain	EDCO	MID-AMERICA
REALGRAIN	Hickory	1898	210
	Walnut	1897	032
	Washed Maple	1899	16

SHUTTERS

SIDING ACCESSORIES

		PRODUCT CODE
CATHEDRAL OPEN LOUVER SHUTTER (STYLE L1)	**36"**	**3325-___**
	39"	**3326-___**
	43"	**3327-___**
	48"	**3328-___**
	52"	**3329-___**
	55"	**3330-___**
	60"	**3331-___**
	64"	**3332-___**
	67"	**3333-___**
	72"	**3334-___**



Width: 14-1/2" per shutter

WILLIAMSBURG RAISED-PANEL SHUTTERS (STYLE P2)	**39"**	**3308-___**
	43"	**3309-___**
	47"	**3310-___**
	55"	**3312-___**
	59"	**3313-___**



Width: 14-3/4" per shutter

SHUTTER-LOKS **3346-___**

Pieces/Ctn: 12
lbs/Ctn: 0.06



SCREWS **3347-___**

lbs/Ctn: 0.14

Product Code	3308-3313	3325-3334	3346	3347	
Primed (000)	●	●	●	●	
Black (011)	●	●	●	●	
Polar White (001)	●	●	●	●	

VINYL WALL VENTS & LOUVERS

SIDING ACCESSORIES

	PRODUCT CODE
22" ROUND SCREENED LOUVER	**3374-___**
Pieces/Ctn:	1
lbs/Ctn:	3.9



Exclusive "J" Ring.

22" x 34" HALF MOON SCREENED LOUVER	**3375-___**
Pieces/Ctn:	1
lbs/Ctn:	6



Exclusive "J" Ring.

22" OCTAGON SCREENED LOUVER	**3384-___**
Pieces/Ctn:	1
lbs/Ctn:	3.6



Exclusive "J" Ring.

RECTANGULAR SCREENED LOUVER	**12" x 12"**	**3381-___**
Pieces/Ctn:	5	
lbs/Ctn:	2.5	
	12" x 18"	**3382-___**
Pieces/Ctn:	5	
lbs/Ctn:	1.7	
	18" x 24"	**3383-___**
Pieces/Ctn:	5	
lbs/Ctn:	2.6	



Exclusive "J" Ring.

Product Code	3374	3375	3381 3382	3383	3384
Primed (000)	●	●	●	●	●
Claytone (009)			●	●	
Pewter (016)			●	●	
Polar White (001)	●	●	●	●	●
Wickertone (017)			●	●	

POLYURETHANE LOUVERS & TRIM

SIDING ACCESSORIES

		PRODUCT CODE
RECTANGULAR LOUVER-LV	**18" x 30"**	**3578-___**
	16" x 24"	**3581-___**
	24" x 36"	**3582-___**
	12" x 30"	**3677-___**
	12" x 36"	**3678-___**
	18" x 36"	**3679-___**



BRACKETS, FYPON	**BKT 11" x 20"**	**3670-___**
	BKT 15" x 18"	**3671-___**
	BKT 17" x 17"	**3672-___**
	BKT 19" x 24"	**3673-___**
	BKT 8" x 13"	**3674-___**
	Pieces/Ctn:	20

DENTIL BLOCKS	**6" x 4"**	**3675-___**
	Depth:	6"
	6" x 5"	**3676-___**
	Depth:	6"

Product Code	3578	3581-3582	3670-3674	3675-3676	3677-3679
Primed White (001)	●	●	●	●	●

STAPLES & TOOLS

SIDING ACCESSORIES

		PRODUCT CODE
PASLODE 3200-S16P	**Sheathing/ Siding Stapler**	**3500-000**
	Siding Application Tip	**3501-000**

5/16" HAND TACKER GALVANIZED STAPLES		**3422-000**
	Pieces/Ctn:	5000
	lbs/Ctn:	2



PASLODE STAPLES OT-2550/OT-2558	**1-3/4"**	**3424-000**
	lbs/Ctn:	27
	2"	**3425-000**
	lbs/Ctn:	26



TENRYU STEEL PLUS X	**5-3/8"**	**3057-000**
	6-1/2"	**3056-000**
	7-1/4"	**3058-000**
	10"	**3054-000**
	12"	**3055-000**

For ferrous metal only.

		PRODUCT CODE
ZIP REMOVAL TOOL SRT-2		**3115-000**

TRIM NAIL PUNCH TNPZR		**3261-000**

LEFT, RIGHT, OFFSET & COMBINATION CREWLINE AVIATION SNIPS	**AV1**	**3127-000**
	AV2	**3128-000**
	AV3	**3129-000**
	AV6	**3130-000**
	AV7	**3131-000**

DUCKBILL SNIPS MD-12		**3122-000**

ANDY™ SNIPS MC14		**3133-000**

SIDING CHECKLIST

PERSPECTIVES
1 CTN = 48 SQ FT

SL4	**1041-**	**QTY:**_____	**COLOR:**_____
SL6	**1043-**	**QTY:**_____	**COLOR:**_____

ENDURA STEEL SIDING
1 CTN = 100 SQ FT

D4	**1056-**	**QTY:**_____	**COLOR:**_____
D5DL	**1049-**	**QTY:**_____	**COLOR:**_____
S6	**1045-**	**QTY:**_____	**COLOR:**_____
S8	**1051-**	**QTY:**_____	**COLOR:**_____
V12	**1052-**	**QTY:**_____	**COLOR:**_____

J-CHANNEL
12'/PC, 300 LF/CTN

5/8"	**1061-**	**QTY:**_____	**COLOR:**_____
7/8"	**1059-**	**QTY:**_____	**COLOR:**_____
1-1/4"	**1060-**	**QTY:**_____	**COLOR:**_____

UNDERSILL TRIM (PERSPECTIVES STARTER)
12'/PC, 300 LF/CTN

28 Ga.	**1062-**	**QTY:**_____	**COLOR:**_____

CORNER BASE
12'/PC, 120 LF/CTN

5/8"	**1069-000**	**QTY:**_____	**COLOR:** BARE
1-1/8"	**1070-000**	**QTY:**_____	**COLOR:** BARE

SNAP-ON CORNER POST
12'/PC, 120 LF/CTN

28 Ga.	**1068-**	**QTY:**_____	**COLOR:**_____

ENDURA STARTER STRIP
10'/PC, 200 LF/CTN

EDCO STEEL	**1063-000**	**QTY:**_____	**COLOR:** BARE
2-1/2" SPRING-LOK	**1066-000**	**QTY:**_____	**COLOR:** BARE
3-1/2" SPRING-LOK	**1065-000**	**QTY:**_____	**COLOR:** BARE

**** USE UNDERSILL TRIM FOR PERSPECTIVES (SEE ABOVE)**

TRIM COIL

STEEL, SMOOTH	**1363-**	**QTY:**_____	**COLOR:**_____
ALUM, SMOOTH	**1373-**	**QTY:**_____	**COLOR:**_____
STEEL, SMOOTH, PRISM	**1374-**	**QTY:**_____	**COLOR:**_____
STEEL, SMOOTH, REALGRAIN	**1369-**	**QTY:**_____	**COLOR:**_____

MOUNTING BLOCKS
10 PCS/CTN

MOUNT STANDARD	**3445-**	**QTY:**_____	**COLOR:**_____
MOUNT JUMBO	**3447-**	**QTY:**_____	**COLOR:**_____
MOUNT MINI	**3446-**	**QTY:**_____	**COLOR:**_____
SPLIT BLOCK MINI	**3439-**	**QTY:**_____	**COLOR:**_____
RECESSED MINI	**3444-**	**QTY:**_____	**COLOR:**_____
ELECTRIC BLOCK	**3388-**	**QTY:**_____	**COLOR:**_____

VENTS
1 PC/CTN (INTAKE EXHAUST VENT 10 PC/CTN)

4" DRYER VENT	**3443-**	**QTY:**_____	**COLOR:**_____
6" DRYER VENT	**3448-**	**QTY:**_____	**COLOR:**_____
INTAKE EXHAUST VENT	**3387-**	**QTY:**_____	**COLOR:**_____

CAULK
12 TUBES/CTN

OSI QUAD	**3399-**	**QTY:**_____	**COLOR:**_____

TOUCH-UP PENS
12 PCS/CTN

PENS	**3400-**	**QTY:**_____	**COLOR:** BARE

NAILS

MAZE 2" HDG 5#	**3417-000**	**QTY:**_____
MAZE 2" HDG 50#	**3418-000**	**QTY:**_____
MAZE 2-1/2" HDG 5#	**3419-000**	**QTY:**_____
MAZE 2-1/2" HDG 50#	**3420-000**	**QTY:**_____
MAZE 3" HDG 5#	**3421-000**	**QTY:**_____
GRIP RITE ELECTRO-GALV 30#	**3467-000**	**QTY:**_____
GRIP RITE ELECTRO-GALV 50#	**3427-000**	**QTY:**_____

NOTES

ARROWLINE

STEEL SLATE ROOFING

		PRODUCT CODE
SLATE SOLID AND BLEND	**Solid**	**1748-___**
	Blend	**1755-___**



PVDF Finish Rough Slate.

Coverage:	50"x12"
Thickness:	28 Ga.
Pieces/Ctn:	12
lbs/Ctn:	47
Ctns/Skid:	30
lbs/Skid:	1,410

	Product Code	1748	1755	
PVDF SOLID	Black (511)	●		
	Charcoal Gray (228)	●		
	Classic Red (227)	●		
	Hartford Green (206)	●		
	Royal Brown (203)	●		
	Statuary Bronze (213)	●		
	Stone (257)	●		
PVDF BLEND	Charcoal Gray Blend (294)		●	
	Classic Red Blend (298)		●	
	Royal Brown Blend (296)		●	
	Statuary Bronze Blend (292)		●	
	Stone Blend (299)		●	
	T-Tone Blend (293)		●	

ARROWLINE

STEEL SHAKE ROOFING

	PRODUCT CODE	
SHAKE SOLID AND BLEND	**Solid**	**1751-___**
	Blend	**1758-___**

PVDF Finish Cedar-Grain.

Coverage: 50"x12"
Thickness: 28 Ga.
Pieces/Ctn: 12
lbs/Ctn: 47
Ctns/Skid: 30
lbs/Skid: 1,410

INFINITI **1766-___**

Textured PVDF Finish Cedar-Grain.

Coverage: 50" x 12"
Thickness: 28 Ga.
Pieces/Ctn: 12
lbs/Ctn: 47
Ctns/Skid: 30
lbs/Skid: 1,410

GENERATIONS **1763-___**



PVDF Finish Cedar-Grain.

Coverage: 50"x12"
Thickness: 28 Ga.
Pieces/Ctn: 12
lbs/Ctn: 47
Ctns/Skid: 30
lbs/Skid: 1,410

	Product Code	1751	1758	1763	1766	
PVDF SOLID	Black (511)	●				
	Cedar (261)	●				
	Charcoal Gray (228)	●				
	Classic Blue (207)	●				
	Classic Red (227)	●				
	Copper (260)	●				
	Hartford Green (206)	●				
	Pewter (216)	●				
	Royal Brown (203)	●				
	Sandtone (212)	●				
	Statuary Bronze (213)	●				
	T-Tone (208)	●				
PVDF BLEND	Charcoal Gray Blend (294)		●			
	Classic Red Blend (298)		●			
	Hartford Green Blend (295)		●			
	Royal Brown Blend (296)		●			
	Statuary Bronze Blend (292)		●			
	T-Tone Blend (293)		●			
INFINITI	Aged Bronze Enhanced (558)				●	
	Chestnut Brown Enhanced (556)				●	
	Granite Gray Enhanced (557)				●	
	Obsidian (599)				●	
	Weathered Wood Enhanced (555)				●	
GENERATIONS	Cedar HD (281)			●		
	Charcoal Gray HD (278)			●		
	Classic Red HD (277)			●		
	Copper HD (280)			●		
	Hartford Green HD (266)			●		
	Royal Brown HD (263)			●		
	T-Tone HD (268)			●		

ARROWLINE

ROOFING ACCESSORIES

	PRODUCT CODE
EAVE STARTER	**1721-___**



Length: 10'
Thickness: 28 Ga.
Pieces/Ctn: 10
lbs/Ctn: 38

Velvet Embossed.

7/8" J-TRIM **1723-___**



Length: 10'
Thickness: 28 Ga.
Pieces/Ctn: 10
lbs/Ctn: 29

Velvet Embossed.

HEAD WALL FLASHING **1746-___**



Length: 10'
Thickness: 28 Ga.
Pieces/Ctn: 5
lbs/Ctn: 28

Velvet Embossed.

STARTER BASE WITHOUT FOAM **1725-000**



Length: 10'
Thickness: 28 Ga.
Pieces/Ctn: 5
lbs/Ctn: 28

For vented systems.

RAKE STARTER **1722-___**



Length: 10'
Thickness: 28 Ga.
Pieces/Ctn: 10
lbs/Ctn: 29

Velvet Embossed.

	Product Code	1721	1722	1723	1725	1746
	No Color (000)				●	
PVDF SOLID	Aged Bronze (537)	●	●	●		●
	Black - Obsidian (511)	●	●	●		●
	Cedar (261)	●	●	●		●
	Charcoal Gray (228)	●	●	●		●
	Chestnut Brown (539)	●	●	●		●
	Classic Blue (207)	●	●	●		●
	Classic Red (227)	●	●	●		●
	Copper (260)	●	●	●		●
	Granite Gray (538)	●	●	●		●
	Hartford Green (206)	●	●	●		●
	Pewter (216)	●	●	●		●
	Royal Brown (203)	●	●	●		●
	Sandtone (212)	●	●	●		●
	Statuary Bronze (213)	●	●	●		●
	Stone (257)	●	●	●		●
	T-Tone (208)	●	●	●		●
	Weathered Wood (540)	●	●	●		●

ARROWLINE

ROOFING ACCESSORIES

	PRODUCT CODE

SIDE WALL FLASHING — 1747-___



Velvet Embossed.

Length:	10'
Thickness:	28 Ga.
Pieces/Ctn:	5
lbs/Ctn:	43

QUARRIX® RIDGE VENT WITH FOAM SEAL — 1733-000



Length:	10'
Pieces/Ctn:	5
lbs/Ctn:	25

STARTER BASE



	With Foam	**1724-000**
lbs/Ctn:		31
	No Foam	**1725-000**
lbs/Ctn:		28
Length:		10'
Thickness:		28 Ga.
Pieces/Ctn:		5

With Foam for non-vented systems.

STEEL TRIM COIL, EMBOSSED — 1730-___

14-1/4"



Velvet Embossed.

Length:	50'
Thickness:	28 Ga.
Pieces/Ctn:	1
lbs/Ctn:	42
Ctns/Skid:	32
lbs/Skid:	1,344

ARROWLINE ROOFING CLIPS

	Shingle	**1731-000**
	Valley	**1732-000**



Length:	1-1/2"
Thickness:	24 Ga.
Pieces/Ctn:	600
lbs/Ctn:	16
Ctns/Skid:	150
lbs/Skid:	2,400

	Product Code	1730	1747	
PVDF SOLID	Aged Bronze (537)	●	●	
	Black- Obsidian (511)	●	●	
	Cedar (261)	●	●	
	Charcoal Gray (228)	●	●	
	Chestnut Brown (539)	●	●	
	Classic Blue (207)	●	●	
	Classic Red (227)	●	●	
	Copper (260)	●	●	
	Granite Gray (538)	●	●	
	Hartford Green (206)	●	●	
	Pewter (216)	●	●	
	Royal Brown (203)	●	●	
	Sandtone (212)	●	●	
	Statuary Bronze (213)	●	●	
	Stone (257)	●	●	
	T-Tone (208)	●	●	
	Weathered Wood (540)	●	●	

ARROWLINE

ROOFING ACCESSORIES

		PRODUCT CODE
RIDGE/HIP CAP, SOLID COLORS	**Slate**	**1750-___**
	Shake	**1752-___**



Length:	12"
Thickness:	28 Ga.
Pieces/Ctn:	20
lbs/Ctn:	14
Ctns/Skid:	
lbs/Skid:	

VALLEY CAP BLACK FILTER FOAM	**3725-000**



Length:	6'-6"
Pieces/Ctn:	30
lbs/Ctn:	13

VALLEY FLASHING	**1727-___**



Length:	10'
Thickness:	28 Ga.
Pieces/Ctn:	5
lbs/Ctn:	59

	Product Code	1727	1750	1752		
PVDF SOLID	Aged Bronze (537)	●				
	Black- Obsidian (511)	●	●	●		
	Cedar (261)	●		●		
	Charcoal Gray (228)	●	●	●		
	Chestnut Brown (539)	●				
	Classic Blue (207)	●		●		
	Classic Red (227)	●	●	●		
	Copper (260)	●		●		
	Granite Gray (538)	●				
	Hartford Green (206)	●	●	●		
	Pewter (216)	●		●		
	Royal Brown (203)	●	●	●		
	Sandtone (212)	●		●		
	Statuary Bronze (213)	●	●	●		
	Stone (257)	●	●			
	T-Tone (208)	●		●		
	Weathered Wood (540)	●				

ARROWLINE

ROOFING ACCESSORIES

		PRODUCT CODE
RIDGE/HIP CAP, ENHANCED COLORS	**Slate**	**1757-___**
	Shake	**1768-___**
	Infiniti	**1767-___**
	Generations	**1764-___**



Length: 12"
Thickness: 28 Ga.
Pieces/Ctn: 20
lbs/Ctn: 18

	Product Code	1757	1764	1767	1768	
PVDF BLEND	Charcoal Gray Blend (294)	●			●	
	Classic Red Blend (298)	●			●	
	Hartford Green Blend (295)				●	
	Royal Brown Blend (296)	●			●	
	Statuary Bronze Blend (292)	●			●	
	Stone Blend (299)	●				
	T-Tone Blend (293)	●			●	
INFINITI	Aged Bronze Enhanced (558)			●		
	Chestnut Brown Enhanced (556)			●		
	Granite Gray Enhanced (557)			●		
	Obsidian (599)			●		
	Weathered Wood Enhanced (555)			●		
GENERATIONS	Cedar HD (281)		●			
	Charcoal Gray HD (278)		●			
	Classic Red HD (277)		●			
	Copper HD (280)		●			
	Hartford Green HD (266)		●			
	Royal Brown HD (263)		●			
	T-Tone HD (268)		●			

ARROWLINE

ROOFING ACCESSORIES

	PRODUCT CODE
VALLEY CAP	**1734-___**



Length: 10'
Thickness: 28 Ga.
Pieces/Ctn: 5
lbs/Ctn: 20

Use with Valley Flashing #1727-___.

OPEN VALLEY STARTER **1728-000**



Length: 10'
Thickness: 28 Ga.
Pieces/Ctn: 10
lbs/Ctn: 27

Use with Valley Flashing #1727-___. Need 2 pieces of starter for 1 piece of Valley Flashing.

LT2000 ROLL OVER TOOL **3751-000**



FOAM SEAL **3734-000**

Length: 20'
Pieces/Ctn: 1
lbs/Ctn: 1

5/8" X 1-3/16".

	Product Code	1734	
PVDF SOLID	Cedar (261)	●	
	Charcoal Gray (228)	●	
	Classic Blue (207)	●	
	Classic Red (227)	●	
	Copper (260)	●	
	Hartford Green (206)	●	
	Pewter (216)	●	
	Royal Brown (203)	●	
	Sandtone (212)	●	
	Statuary Bronze (213)	●	
	Stone (257)	●	
	T-Tone (208)	●	
PVDF BLEND	Charcoal Gray Blend (294)	●	
	Classic Red Blend (298)	●	
	Hartford Green Blend (295)	●	
	Royal Brown Blend (296)	●	
	Statuary Bronze Blend (292)	●	
	Stone Blend (299)	●	
	T-Tone Blend (293)	●	
INFINITI	Aged Bronze Enhanced (558)	●	
	Chestnut Brown Enhanced (556)	●	
	Granite Gray Enhanced (557)	●	
	Weathered Wood Enhanced (555)	●	
GENERATIONS	Cedar HD (281)	●	
	Charcoal Gray HD (278)	●	
	Classic Red HD (277)	●	
	Copper HD (280)	●	
	Hartford Green HD (266)	●	
	Royal Brown HD (263)	●	
	T-Tone HD (268)	●	

ARROWLINE

ROOFING ACCESSORIES

		PRODUCT CODE
TITANIUM UNDERLAYMENT	**36" Wind & Water Seal**	**3720-000**
	Length:	67'
	6" Wind & Water Seal	**3726-000**
	Length:	75'
	2" Wind & Water Seal	**3727-000**
	Length:	75'
	PSU 30	**3724-000**
	Width:	36"
	Length:	72'
	Sq.Ft/Roll:	200
	lbs/Roll:	48
	UDL 30	**3722-000**
	UDL 50	**3723-000**
	Width:	48"
	Length:	250'
	Sq.Ft/Roll:	1,000
	lbs/Roll:	40
SOLAR MOUNTING NEW CONSTRUCTION BRACKET		**3754-000**
	lbs:	1
	Pieces/Ctn:	50
	lbs/Ctn:	46
Includes fasteners.		
SOLAR MOUNTING RETROFIT BRACKET		**3755-000**
	lbs:	1.2
	Pieces/Ctn:	36
	lbs/Ctn:	42
Includes fasteners.		

ARROWLINE

ROOFING ACCESSORIES

	PRODUCT CODE
SNO GEM® SNOW RETENTION PENNANT	**1765-___**



Thickness: 28 Ga.
Pieces/Ctn: 100
lbs/Ctn: 23

2 pieces.

TOUCH-UP PENS **3400-___**

Pen (oz): 0.3
Pen/Ctn: 12

TOUCH-UP PAINT **3408-___**

Oz/Bottle: 2
Pieces/Ctn: 12
lbs/Ctn: 1

SNO GEM® SCREWS **1-1/2"** **3288-000**

Pieces/Ctn: 250
lbs/Ctn: 2

	Product Code	1765	3400	3408	
PVDF SOLID	Aged Bronze (537)	●	●	●	
	Black- Obsidian (511)	●		●	
	Cedar (261)	●	●	●	
	Charcoal Gray (228)	●		●	
	Chestnut Brown (539)	●	●	●	
	Classic Blue (207)	●		●	
	Classic Red (227)	●		●	
	Copper (260)	●	●	●	
	Granite Gray (538)	●	●	●	
	Hartford Green (206)	●		●	
	Pewter (216)	●	●	●	
	Royal Brown (203)	●		●	
	Sandtone (212)	●		●	
	Statuary Bronze (213)	●		●	
	Stone (257)	●	●	●	
	T-Tone (208)	●		●	
	Weathered Wood (540)	●	●	●	

ARROWLINE

SCREWS, NAILS & TOOLS

		PRODUCT CODE
#10 MILL FINISH ZINC-PLATED ZIP SCREW	**1"**	**3283-000**
	Pieces/Jar:	500
	Qty/Ctn:	8000
	lbs/Ctn:	24
	Jars/Ctn:	16
	1-1/2"	**3284-000**
	Pieces/Jar:	250
	Qty/Ctn:	8000
	lbs/Ctn:	24
	Jars/Ctn:	16
	2"	**3285-000**
	Pieces/Jar:	250
	Qty/Ctn:	8000
	lbs/Ctn:	24
	Jars/Ctn:	16

TRUSS TORX HEAD SCREW	**1"**	**3287-000**
	Pieces/Ctn:	500
	lbs/Ctn:	3
	1-1/2"	**3288-000**
	Pieces/Ctn:	250
	lbs/Ctn:	2

		PRODUCT CODE
LEFT, RIGHT, OFFSET & COMBINATION CREWLINE AVIATION SNIPS	**Left AV1 Cut**	**3127-000**
	Right AV2 Cut	**3128-000**
	Combo AV3 Cut	**3129-000**
	Left AV6 Offset	**3130-000**
	Right AV7 Offset	**3131-000**

MALCO HAND SEAMER 6"	**S6R**	**3142-000**

MALCO HAND SEAMER OFFSET 3"	**S3R**	**3143-000**

TENRYU STEEL PLUS X	**5-3/8" 56t**	**3057-000**
	6-1/2" 64t	**3056-000**
	7-1/4" 72t	**3058-000**
	10"	**3054-000**
	12"	**3055-000**

For ferrous metal only.

ARROWLINE

ROOFING ESTIMATION GUIDE

FIELD AREA

TOTAL SQ FT + 15% (+/-) FOR WASTE **TOTAL SQ FT: ___**

1/2 SQUARE CARTONS **CARTONS: _____**

SHAKE **SLATE** **INFINITI** **GENERATIONS**

COLOR:_____

Calculate total area as normal, factor in an additional 15% for waste. With excessive Hip and Valley, it may be necessary to increase waste percentage to as much as 17%. If you are calculating a material list from a blueprint, it is necessary to factor the roof pitch. NOTE: Minimum pitch requirement is 4/12.

4/12 = 1.054	7/12 = 1.158	10/12 = 1.302
5/12 = 1.083	8/12 = 1.202	12/12 = 1.414
6/12 = 1.118	9/12 = 1.250	

HIP/RIDGE ASSEMBLY: Calculate total linear footage. Add 5%, and divide by 10 for number of pieces. Vented Ridge will require three components: Trimline Venting, Ridge Starter Base and Hip/Ridge Caps. Fasten with 2" Hex Head screws. Non-Vented Ridge/Hips require two components: Starter Base with Foam and Hip/Ridge Caps. Fasten with 1-1/2" Hex Head screws.

RIDGE ASSEMBLY
10' LENGTHS, 5 PCS/CTN

RIDGE STARTER BASE (WITHOUT FOAM)	**1725-000**	**QTY:_____**
TRIMLINE VENTING	**1733-000**	**QTY:_____**
	TOTAL LINEAR FT: _____	

HIP ASSEMBLY
10' LENGTHS, 5 PCS/CTN

STARTER BASE (WITH FOAM)	**1724-000**	**QTY:_____**
	TOTAL LINEAR FT: _____	

HIP & RIDGE CAPS
1' PIECES, 20 PCS/CTN

QTY:_____ **TOTAL LINEAR FT: _____**

RAKE STARTER
10' LENGTHS, 10 PCS/CTN,

28 GA.	**1722-**	**QTY:_____**
	TOTAL LINEAR FT: _____	

7/8" J-TRIM
10' LENGTHS, 10 PCS/CTN,

28 GA.	**1723-**	**QTY:_____**
	TOTAL LINEAR FT: _____	

UNDERLAYMENTS

PSU ICE/WATER 36" X 72"	**3724-000**	**QTY:_____**
UDL 30-YEAR 48" X 250'	**3722-000**	**QTY:_____**
UDL 50-YEAR 48" X 250'	**3723-000**	**QTY:_____**

EAVE STARTER
10' LENGTHS, 10 PCS/CTN

28 GA.	**1721-**	**QTY:_____**
	TOTAL LINEAR FT: _____	

ROLL-OVER: Calculate entire perimeter of roof area, add 5%, and divide by 10 for number of pieces. No Rake starter & J-Channel will be used.

RAKE STARTER & J-CHANNEL: Calculate total linear footage of gable roof edge, add 5% and divide by 10 for number of pieces. Always use equal number of pieces of Rake Starter and J-Channel. (NOTE: This application requires the combination use of Eave Starter, Rake Starter and J-Channel.)

VALLEY ASSEMBLY Calculate the total linear footage of valley and divide by 10 for number of pieces. Consider overlap and overhang in your measurements. Open Valley requires 2 pcs Valley Starter Strip per Valley Flashing. Measure length of valley and divide by 10'. Add enough waste for cuts and laps. Closed Valley requires three components: Valley Flashing, Valley Cap, and Filter Foam. Measure length of valley and divide by 10'. Add enough waste for cuts and laps.

CLOSED VALLEY ASSEMBLY

VALLEY CAP 10' LENGTHS, 5 PCS/CTN	**1734-**	**QTY:_____**
FILTER FOAM 6'-6" LENGTHS, 30 PCS/CTN	**3725-000**	**QTY:_____**
	TOTAL LINEAR FT: _____	

VALLEY FLASHING
10' LENGTHS, 5 PCS/CTN,

28 GA.	**1727-**	**QTY:_____**
	TOTAL LINEAR FT: _____	

OPEN VALLEY STARTER
10' LENGTHS (NEED 2 PCS. VALLEY FLASHING), 10 PCS/CTN

28 GA.	**1728-000**	**QTY:_____**
	TOTAL LINEAR FT: _____	

ENDWALL FLASHINGS
10' PIECES, 5 PCS/CTN

HEAD WALL	**1746-**	**QTY:_____**
SIDE WALL	**1747-**	**QTY:_____**
	TOTAL LINEAR FT: _____	

SHINGLE CLIPS
FIGURE 120/SQUARE (100/BAG)

SHINGLE CLIP	**1731-000**	**QTY:_____**
VALLEY CLIP	**1732-000**	**QTY:_____**
	TOTAL LINEAR FT: _____	

SCREWS
HEX HEAD

#10 x 1" (500/JAR)	**1731-000**	**QTY:_____**
#10 X 1-1/2" (500/JAR)	**1732-000**	**QTY:_____**
#10 X 2" (250/JAR)	**1732-000**	**QTY:_____**
	TOTAL LINEAR FT: _____	

RAINWARE

STEEL

		PRODUCT CODE
STEEL ELBOWS 2" x 3"	**Style A**	**1290-___**
	Style B	**1291-___**
	Style 45° A	**1287-___**
	Thickness:	28 Ga.
	Pieces/Ctn:	30
	lbs/Ctn:	18
	Ctns/Skid:	30
	lbs/Skid:	540



STEEL ELBOWS 3" x 4"	**Style A**	**1296-___**
	Style B	**1297-___**
	Style 45° A	**1298-___**
	Thickness:	28 Ga.
	Pieces/Ctn:	20
	lbs/Ctn:	22
	Ctns/Skid:	24
	lbs/Skid:	528



STEEL DOWNSPOUTS 2" x 3"		**1289-___**
	Length:	10'
	Thickness:	28 Ga.
	Pieces/Ctn:	10
	lbs/Ctn:	64
	Ctns/Skid:	32
	lbs/Skid:	2,048



STEEL DOWNSPOUTS 3" x 4"		**1295-___**
	Length:	10'
	Thickness:	28 Ga.
	Pieces/Ctn:	10
	lbs/Ctn:	82
	Ctns/Skid:	21
	lbs/Skid:	1,722



	Product Code	1287, 1290, 1291	1289	1295	1296, 1297	1298
ENTEX®	Black (711)	●	●	●	●	●
	Canyon (786)	●	●	●	●	●
	Cedarwood (735)	●	●	●	●	●
	Charcoal Gray (728)	●	●	●	●	●
	Classic Blue (707)	●	●	●	●	●
	Classic Red (727)	●	●	●	●	●
	Claytone (709)	●	●	●	●	●
	Colonial White (720)	●	●	●	●	●
	Deep Ocean (724)			●	●	●
	Desert Tone (718)	●	●	●	●	●
	Driftwood Gray (726)	●	●	●	●	●
	Glacier White (714)	●	●	●	●	●
	Hartford Green (706)			●	●	●
	Iron Gray (719)			●	●	●
	Mahogany (785)	●	●	●	●	●
	Midnight* (1111)	●	●	●	●	●
	Royal Brown (703)		●	●	●	
	Rustic Brown (722)	●	●	●	●	●
	Sage (790)	●	●	●	●	●
	Sand Beige (721)	●	●	●	●	●
	Sandtone (712)	●	●	●	●	●
	Statuary Bronze (713)			●	●	
	Timber (736)	●	●	●	●	●
	T-Tone (708)	●	●	●	●	●
	Wickertone (717)	●	●	●	●	●
	Willow (792)	●	●	●	●	●
PRISM	Bordeaux (842)			●	●	
	Guinness (846)			●	●	
	Onyx (843)			●	●	
	Sapphire (844)			●	●	
	Sedona (845)			●	●	
	Tuscan (841)			●	●	
HD	Canyon HD (886)			●	●	●
	Cedarwood HD (835)			●	●	●
	Mahogany HD (885)			●	●	●

*Midnight is SMP (ENTEX® without the texture).

RAINWARE

ALUMINUM

		PRODUCT CODE
ALUMINUM ELBOWS 2" x 3"	**Style A**	**1258-___**
	Style B	**1259-___**
	Style 45° A	**1262-___**
	Thickness:	.019"
	Pieces/Ctn:	30
	lbs/Ctn:	8
	Ctns/Skid:	32
	lbs/Skid:	800



ALUMINUM ELBOWS 3" x 4"	**Style A**	**1246-___**
	Style B	**1247-___**
	Style 45° A	**1248-___**
	Thickness:	.019"
	Pieces/Ctn:	20
	lbs/Ctn:	9
	Ctns/Skid:	24
	lbs/Skid:	216



ALUMINUM DOWNSPOUTS 2" x 3"		**1257-___**
	Length:	10'
	Thickness:	.019"
	Pieces/Ctn:	10
	lbs/Ctn:	25
	Ctns/Skid:	32
	lbs/Skid:	800



ALUMINUM DOWNSPOUTS 3" x 4"		**1245-___**
	Length:	10'
	Thickness:	.019"
	Pieces/Ctn:	10
	lbs/Ctn:	33
	Ctns/Skid:	24
	lbs/Skid:	600



Product Code	1245	1246-1248	1257	1258, 1259	1262
Polar White (001)	●	●	●	●	●
Almond Cream (702)	●	●	●	●	●
Antique Parchment (715)	●	●	●	●	●
Black (711)	●	●	●	●	●
Canyon (786)	●	●			
Charcoal Gray (728)	●	●	●	●	●
Claytone (709)	●	●	●	●	●
Colonial White (720)	●	●	●	●	●
Deep Ocean (724)	●	●			
Desert Tone (718)	●	●	●	●	●
Driftwood Gray (726)	●	●	●	●	
Glacier White (714)	●	●	●	●	●
Hartford Green (706)	●	●			
Heritage Gray (710)	●	●			
Iron Gray (719)	●	●	●	●	●
Midnight* (1111)	●	●	●	●	
Royal Brown (703)	●	●	●	●	●
Rustic Brown (722)	●	●	●	●	●
Sand Beige (721)	●	●	●	●	●
Sandtone (712)	●	●	●	●	●
Statuary Bronze (713)	●	●	●	●	●
Timber (736)	●	●			
T-Tone (708)	●	●	●	●	●
Wickertone (717)	●	●	●	●	●

*Midnight is SMP (ENTEX® without the texture).

ACCESSORIES

		PRODUCT CODE
ALUMINUM DOWNSPOUT U-BAND	**2" x 3"**	**1263-___**
	3" x 4"	**1264-___**
	Thickness:	.032"
	Pieces/Ctn:	100
	lbs/Ctn:	3



ALUMINUM DOWNSPOUT PIPE BAND		**1260-___**
	Thickness:	.019"
	Pieces/Ctn:	100
	lbs/Ctn:	4
	Ctns/Skid:	24
	lbs/Skid:	528

For use with 2" x 3" Downspots & Elbows.

ALUMINUM FORMED K-STYLE GUTTER		**1149-___**
	Length:	40' Max
	Thickness:	.032"



Maximum Delivery Length is 34'.

GUTTERWORKS HINGES	**2" x 3" Style A**	**3215-001**
	2" x 3" Style B	**3216-001**
	3" x 4" Style A	**3217-001**
	3" x 4" Style B	**3218-001**

ZIP-HINGE DOWNSPOUT, WHITE (2 PAIR)		**3219-001**
	Pieces/Ctn:	24
	lbs/Ctn:	8.16

Each bag is packed with white zip screws and downspout retainers.

	Product Code	1149	1260	1263	1264	
	Polar White (001)	●	●	●	●	
ENTEX®	Almond Cream (702)	●		●	●	
	Antique Parchment (715)	●		●	●	
	Black (711)	●		●	●	
	Canyon (786)	●		●	●	
	Cedarwood (735)	●		●	●	
	Charcoal Gray (728)	●		●	●	
	Classic Blue (707)	●		●	●	
	Classic Red (727)	●		●	●	
	Claytone (709)	●		●	●	
	Colonial White (720)	●		●	●	
	Deep Ocean (724)	●		●	●	
	Desert Tone (718)	●		●	●	
	Driftwood Gray (726)	●		●	●	
	Glacier White (714)	●	●	●	●	
	Hartford Green (706)	●			●	
	Iron Gray (719)	●		●	●	
	Mahogany (785)	●		●	●	
	Royal Brown (703)	●		●	●	
	Rustic Brown (722)	●		●	●	
	Sage (790)	●		●	●	
	Sand Beige (721)	●		●	●	
	Sandtone (712)	●		●	●	
	Statuary Bronze (713)	●		●	●	
	Timber (736)	●		●	●	
	T-Tone (708)	●		●	●	
	Wickertone (717)	●		●	●	
	Willow (792)	●		●	●	

RAINWARE

ACCESSORIES

	PRODUCT CODE
6" E-Z DROP GUTTER GUARD ALUMINUM	**3220-000**



Length: 4'
Pieces/Ctn: 25
lbs/Ctn: 20

	PRODUCT CODE
6" GUTTER GUARD	**3221-011**

Length: 4'
Pieces/Ctn: 25
lbs/Ctn: 26

5" LEAF RELIEF BY PLYGEM



	Retrofit	**3265-000**
	Pieces/Ctn:	32
	IS Corner	**3267-000**
	OS Corner	**3268-000**
	Length:	10'
	Pieces/Ctn:	20

EXTREME FLATBACK MOUNT **3232-000**



Pieces/Ctn: 20
lbs/Piece: 1.05
lbs/Ctn: 21

5" x 5' Mill.

EXTREME FASCIA MOUNT **3233-000**

Pieces/Ctn: 20
lbs/Piece: 1
lbs/Ctn: 20

5" x 5' Mill.

5" GUTTER GUARD **3222-011**

Length: 4'
Pieces/Ctn: 25
lbs/Ctn: 22

EXTREME 5" GUTTER GUARD FASCIA MOUNT MITERS



	OS Miter	**3234-001**
	IS Miter	**3235-001**
	Pieces/Ctn:	5

EXTREME 5" GUTTER GUARD FLAT BACK MITERS



	IS Miter	**3237-001**
	Pieces/Ctn:	5

E-Z SMOOTH FLOW GUTTER GUARD 5" x 6'

	Polar White	**3228-001**
	Black	**3228-011**
	Pieces/Ctn:	40
	lbs/Piece:	0.7
	lbs/Ctn:	28

E-Z SMOOTH FLOW GUTTER GUARD 6" x 6'

	Polar White	**3227-001**
	Black	**3227-011**
	Pieces/Ctn:	40
	lbs/Piece:	0.7
	lbs/Ctn:	28

RAINWARE

ACCESSORIES

	PRODUCT CODE
ALUMINUM SLIP JOINT GUTTER CONNECTOR	**3201-001**



Thickness: .019"
Pieces/Ctn: 50
lbs/Ctn: 5

ALUMINUM END CAPS



5" Right	**1266-___**
5" Left	**1265-___**
6" Right	**1271-___**
6" Left	**1270-___**

Thickness: .019"
Pieces/Ctn: 50
lbs/Ctn: 3

ALUMINUM OUTSIDE BOX MITER **1252-___**



Thickness: .019"
Pieces/Ctn: 20
lbs/Ctn: 7

ALUMINUM INSIDE BOX MITER **1253-___**



Length: .019"
Pieces/Ctn: 20
lbs/Ctn: 7

	Product Code	1252	1253	1265, 1266	1270, 1271	
	Polar White (001)	●	●	●	●	
ENTEX®	Almond Cream (702)	●	●	●	●	
	Antique Parchment (715)	●	●	●	●	
	Black (711)	●	●	●	●	
	Canyon (786)			●		
	Cedarwood (735)			●	●	
	Charcoal Gray (728)			●	●	
	Classic Blue (707)			●		
	Classic Red (727)			●		
	Claytone (709)	●	●	●	●	
	Colonial White (720)	●	●	●	●	
	Deep Ocean (724)	●	●	●	●	
	Desert Tone (718)	●	●	●	●	
	Driftwood Gray (726)			●	●	
	Glacier White (714)	●	●	●	●	
	Hartford Green (706)	●	●	●	●	
	Iron Gray (719)	●	●	●	●	
	Mahogany (785)			●		
	Royal Brown (703)	●	●	●	●	
	Rustic Brown (722)			●	●	
	Sage (790)			●		
	Sand Beige (721)	●	●	●		
	Sandtone (712)	●	●	●	●	
	Statuary Bronze (713)	●	●	●	●	
	Timber (736)			●	●	
	T-Tone (708)	●	●	●	●	
	Wickertone (717)	●	●	●	●	
	Willow (792)			●		

RAINWARE

ACCESSORIES

		PRODUCT CODE
5" OUTSIDE STRIP MITER ALUMINUM	**90° Outside**	**1255-___**
	45° Outside	**3250-001**



Thickness: .032"
Pieces/Ctn: 20
lbs/Ctn: 3

5" INSIDE STRIP MITER ALUMINUM	**90° Inside**	**1256-___**
	45° Inside	**3251-001**



Thickness: .032"
Pieces/Ctn: 20
lbs/Ctn: 3

6" OUTSIDE STRIP MITER ALUMINUM	**90° Outside**	**1272-___**
	45° Outside	**3238-001**



Thickness: .032"
Pieces/Ctn: 20
lbs/Ctn: 3

6" INSIDE STRIP MITER ALUMINUM	**90° Inside**	**1273-___**
	45° Inside	**3239-001**



Thickness: .032"
Pieces/Ctn: 20
lbs/Ctn: 3

GUTTER APRON ALUMINUM		**1267-___**



Thickness: .019"
Length: 10'
Pieces/Ctn: 25
lbs/Ctn: 26

	Product Code	1255, 1256	1267	1272, 1273	3250, 3251	
	Polar White (001)	●	●	●	●	
ENTEX®	Almond Cream (702)	●	●	●	●	
	Antique Parchment (715)	●	●	●	●	
	Black (711)	●	●	●	●	
	Canyon (786)	●	●	●		
	Cedarwood (735)	●	●	●	●	
	Charcoal Gray (728)	●	●	●	●	
	Classic Blue (707)	●	●	●		
	Classic Red (727)	●	●	●		
	Claytone (709)	●	●	●	●	
	Colonial White (720)	●	●	●	●	
	Deep Ocean (724)	●	●	●	●	
	Desert Tone (718)	●	●	●	●	
	Driftwood Gray (726)	●	●	●	●	
	Glacier White (714)	●	●	●	●	
	Hartford Green (706)	●	●		●	
	Iron Gray (719)	●	●	●	●	
	Mahogany (785)	●	●	●		
	Royal Brown (703)	●	●	●	●	
	Rustic Brown (722)	●	●	●	●	
	Sage (790)	●	●	●		
	Sand Beige (721)	●		●		
	Sandtone (712)	●	●	●	●	
	Statuary Bronze (713)	●	●	●	●	
	Timber (736)	●	●	●	●	
	T-Tone (708)	●	●	●	●	
	Wickertone (717)	●	●	●	●	
	Willow (792)	●	●	●		

ACCESSORIES

		PRODUCT CODE
HEMMED GUTTER APRON	**Steel**	**1269-___**
	Thickness:	30 Ga.
	lbs/Ctn:	58
	Aluminum	**1277-___**
	Thickness:	.019"
	lbs/Ctn:	25
	Length:	10'
	Pieces/Ctn:	20



DROP OUTLET TUBE, ROUND, ALUMINUM	**2-3/8"**	**3245-000**
	lbs/Ctn:	11
	2-3/4"	**3247-000**
	Thickness:	.019"
	Pieces/Ctn:	250
	lbs/Ctn:	12



DROP OUTLET TUBE, RECTANGLE, ALUMINUM	**2" x 3"**	**3246-000**
	Pieces/Ctn:	200
	3" x 4"	**3248-000**
	Thickness:	.019"
	Pieces/Ctn:	50
	lbs/Ctn:	6



ENTEX® Product Code	1269	1277	
Polar White (001)	●	●	
Almond Cream (702)		●	
Antique Parchment (715)		●	
Black (711)	●	●	
Canyon (786)		●	
Charcoal Gray (728)	●	●	
Claytone (709)		●	
Desert Tone (718)		●	
Hartford Green (706)		●	
Iron Gray (719)	●	●	
Royal Brown (703)	●	●	
Rustic Brown (722)		●	
Sandtone (712)	●	●	
Statuary Bronze (713)	●	●	
T-Tone (708)	●	●	
Wickertone (717)		●	

GUTTER COIL

RAINWARE ACCESSORIES

	PRODUCT CODE
11-7/8" GUTTER COIL & ROLL OFF, ALUMINUM	**1284-___**



Width: 11-7/8"
Thickness: .032"
Ft/lb: 2.25
lbs/Roll: 300-400

15" GUTTER COIL & ROLL OFF, ALUMINUM	**1283-___**



Width: 15"
Thickness: .032"
Ft/lb: 1.8
lbs/Roll: 300-400

	Product Code	1283	1284	
	Polar White (001)	●	●	
ENTEX®	Almond Cream (702)	●	●	
ENTEX®	Antique Parchment (715)	●	●	
ENTEX®	Black (711)	●	●	
ENTEX®	Canyon (786)		●	
ENTEX®	Cedarwood (735)		●	
ENTEX®	Charcoal Gray (728)	●	●	
ENTEX®	Classic Blue (707)		●	
ENTEX®	Classic Red (727)		●	
ENTEX®	Claytone (709)	●	●	
ENTEX®	Colonial White (720)	●	●	
ENTEX®	Deep Ocean (724)		●	
ENTEX®	Desert Tone (718)	●	●	
ENTEX®	Driftwood Gray (726)	●	●	
ENTEX®	Glacier White (714)	●	●	
ENTEX®	Hartford Green (706)		●	
ENTEX®	Iron Gray (719)	●	●	
ENTEX®	Mahogany (785)		●	
ENTEX®	Royal Brown (703)	●	●	
ENTEX®	Rustic Brown (722)	●	●	
ENTEX®	Sage (790)		●	
ENTEX®	Sand Beige (721)		●	
ENTEX®	Sandtone (712)	●	●	
ENTEX®	Statuary Bronze (713)	●	●	
ENTEX®	Timber (736)		●	
ENTEX®	T-Tone (708)	●	●	
ENTEX®	Wickertone (717)	●	●	
ENTEX®	Willow (792)		●	

SCREWS/NAILS

RAINWARE ACCESSORIES

		PRODUCT CODE
GUTTER HANGER ZINC-PLATED SCREWS	**#10 x 1-1/2"**	**3286-000**
	Pieces/Jar:	250
	Jars/Ctn:	16
	lbs/Ctn:	48
PAINTED ZIP SCREWS	**#8 x 1/2"**	**3280-___**
	Pieces/Bag:	100
	Bags/Ctn:	100
	lbs/Ctn:	30
1/2" ALUMINUM POP-RIVET	**#8 x 1/2"**	**3261-___**
	Length:	1/2"
	Pieces/Pkg:	100
	lbs/Pkg:	1
#8 MILL FINISH ZINC-PLATED ZIP SCREW	**1/2"**	**3281-000**
	1"	**3282-000**
	Pieces/Bag:	100
	Pieces/Jar:	500
	Jars/Ctn:	16
	lbs/Jar:	3

Product Code	3261	3280			
No Color (000)	●				
Polar White (001)	●	●			
Almond Cream (702)	●	●			
Antique Parchment (715)		●			
Black (711)	●	●			
Canyon (786)		●			
Cedarwood (735)		●			
Charcoal Gray (728)		●			
Classic Blue (707)		●			
Classic Red (727)		●			
Claytone (709)		●			
Colonial White (720)		●			
Copper (260)		●			
Deep Ocean (724)		●			
Desert Tone (718)		●			
Driftwood Gray (726)	●	●			
Glacier White (714)		●			
Heritage Gray (010)		●			
Iron Gray (719)		●			
Mahogany (785)		●			
Pewter (216)		●			
Royal Brown (703)	●	●			
Sage (790)		●			
Sandtone (712)	●	●			
Sherwood Green (134)		●			
Statuary Bronze (713)		●			
Stone (257)		●			
Timber (736)		●			
T-Tone (708)	●	●			
Wickertone (717)		●			
Willow (792)		●			

ADHESIVES/SEALANTS

RAINWARE ACCESSORIES

	PRODUCT CODE
RUSCOE GUTTER MASTIC 12-1	**3242-000**

Capacity: 1/10 gal
Pieces/Ctn: 24
lbs/Ctn: 30

Aluminum Fortified Adhesive.

RUSCOE GUTTER PERMAMENT SEALANT	**3240-000**

Capacity: 4 oz
Pieces/Ctn: 12
lbs/Ctn: 6

RUSCOE GUTTER MASTIC 12-3	**3249-000**

Capacity: 10 oz
Pieces/Ctn: 24
lbs/Ctn: 30

Self-Leveling Sealant.

GEOCEL 2300 TRIPOLYMER SEALANT	**Clear**	**3390-000**
	White	**3390-001**

Capacity: 10 oz
Pieces/Ctn: 24
lbs/Ctn: 30

Paintable, dries clear and will not crack.

ACCESSORIES

		PRODUCT CODE
COMBO STEEL FASCIA HANGER	**5"**	**3294-000**
	Pieces/Ctn:	500
	lbs/Ctn:	67
	6"	**3295-000**
	Pieces/Ctn:	500
	lbs/Ctn:	76



RAYTEC HANGTITE ALUMINUM FASCIA HANGER	**5" 100 ct**	**3204-000**
	5" 1000 ct	**3205-000**
	6" 100 ct	**3299-000**
	6" 1000 ct	**3200-000**



HEAVY-DUTY ALUMINUM ROOF HANGER		**3212-000**
	Pieces/Ctn:	50
	lbs/Ctn:	5



ALUMINUM COMBO STRAP		**3211-000**
	Pieces/Ctn:	100
	lbs/Ctn:	8

STEEL COMBO STRAP		**3296-000**
	Pieces/Ctn:	100
	lbs/Ctn:	3

		PRODUCT CODE
GUTTER WEDGE	**5"**	**3202-001**
	Pieces/Box:	100
	lbs/Box:	2.5



VAMPIRE GUTTER HANGER		**3206-000**
	Pieces/Ctn:	100
	lbs/Ctn:	8



VAMPIRE GUTTER HANGER TOOL		**3270-000**
	lbs/Ctn:	1



RAYTEC HANGFASTER GUTTER HANGER WITH CLIP	**5"**	**3203-000**
	Pieces/Ctn:	100
	lbs/Ctn:	8

Aluminum. Comes with 3.5" screw.

NHP NAIL HOLE PUNCH		**3113-000**

Punches 5/32" x3/4" horizontal slot.

ACCESSORIES

		PRODUCT CODE
MALCO GUTTER PUNCH	**Tool Frame**	**3254-000**
	2" x 3" Rectangular	**3255-000**
	2" x 3" X-Style	**3256-000**
	3" x 4" Rectangular	**3257-000**
	3" x 4" X-Style	**3264-000**

Use a ratcheting punch to knockout 2" x 3", 2" x 3" X-Out & 3" x 4".

HEX DRIVER	**1/4" x 1-3/4"**	**3258-000**
	1/4" x 4"	**3259-000**
	5/16" x 2-9/16"	**3275-000**

REVERSABLE 6" HEX DRIVER	**1/4" x 5/16"**	**3155-000**

		PRODUCT CODE
LEFT, RIGHT, OFFSET & COMBINATION CREWLINE AVIATION SNIPS	Left AV1 Cut	**3127-000**
	Right AV2 Cut	**3128-000**
	Combo AV3 Cut	**3129-000**
	Left AV6 Offset	**3130-000**
	Right AV7 Offset	**3131-000**

MALCO HAND SEAMER 6"	S6R	**3142-000**

MALCO HAND SEAMER OFFSET 3"	S3R	**3143-000**

SL-2 SNAP LOCK (END CAP) PUNCH		**3110-000**

Slide adjustment for throat depth allows setting from 1/4" to 5/8" depth.

SOFFIT

	PRODUCT CODE
PLAIN QUAD SOFFIT ALUMINUM	**1470-___**



Length:	12'
Thickness:	.019"
Width:	16"
Pieces/Ctn:	12
Sq.Ft./Ctn:	192
lbs/Ctn:	58
Ctns/Skid:	30
lbs/Skid:	1,740

CENTER-VENT QUAD SOFFIT ALUMINUM **1474-___**



Length:	12'
Thickness:	.019"
Width:	16"
Pieces/Ctn:	12
Sq.Ft./Ctn:	192
lbs/Ctn:	58
Ctns/Skid:	30
lbs/Skid:	1,740

CENTER-VENT TRI SOFFIT ALUMINUM **1484-___**



Length:	12'
Thickness:	.019"
Width:	12"
Pieces/Ctn:	16
Sq.Ft./Ctn:	192
lbs/Ctn:	57
Ctns/Skid:	30
lbs/Skid:	1,710

PLAIN TRI SOFFIT ALUMINUM **1480-___**

Length:	12'
Thickness:	.019"
Width:	12"
Pieces/Ctn:	16
Sq.Ft./Ctn:	192
lbs/Ctn:	57
Ctns/Skid:	30
lbs/Skid:	1,710

	Product Code	1470	1474	1480	1484	
	Polar White (001)	●	●	●	●	
ENTEX®	Almond Cream (702)	●	●	●	●	
	Antique Parchment (715)	●	●	●	●	
	Black (711)	●	●	●	●	
	Canyon (786)	●	●	●	●	
	Cedarwood (735)	●	●			
	Charcoal Gray (728)	●	●	●	●	
	Classic Red (727)	●	●			
	Claytone (709)	●	●	●	●	
	Colonial White (720)	●	●			
	Desert Tone (718)	●	●	●	●	
	Driftwood Gray (726)	●	●			
	Glacier White (714)	●	●			
	Hartford Green (706)	●	●	●	●	
	Iron Gray (719)	●	●			
	Mahogany (785)	●	●			
	Midnight* (1111)	●	●	●	●	
	Royal Brown (703)	●	●	●	●	
	Rustic Brown (722)	●	●	●	●	
	Sand Beige (721)	●	●			
	Sandtone (712)	●	●	●	●	
	Stat Bronze (713)	●	●	●	●	
	Timber (736)	●	●			
	T-Tone (708)	●	●	●	●	
	Wickertone (717)	●	●	●	●	

*Midnight is SMP (ENTEX® without the texture).

SOFFIT

ACCESSORIES

	PRODUCT CODE
SNAP-ON FRIEZE TRIM	**1072-___**



Length: 12'
Thickness: 28 Ga.
Pieces/Ctn: 25
lbs/Ctn: 72

J-CHANNEL - 7/16" **1028-___**



Length: 12'
Thickness: .019"
Pieces/Ctn: 25
lbs/Ctn: 19
Ctns/Skid: 56
lbs/Skid: 1,064

MITRE MOULDING **1200-___**



Length: 12'
Thickness: .019"
Pieces/Ctn: 15
lbs/Ctn: 15

F-CHANNEL (REVERSIBLE) **1191-___**



Length: 12'
Thickness: .019"
Pieces/Ctn: 25
lbs/Ctn: 32
Ctns/Skid: 56
lbs/Skid: 1,792

	Product Code	1028	1072	1191	1200	
	Polar White (001)	●	●	●	●	
ENTEX®	Almond Cream (702)	●		●	●	
	Antique Parchment (715)	●	●	●	●	
	Black (711)	●	●	●	●	
	Canyon (786)	●	●	●	●	
	Cedarwood (735)	●	●	●		
	Charcoal Gray (728)	●	●	●	●	
	Classic Red (727)	●	●	●		
	Claytone (709)	●	●	●	●	
	Colonial White (720)	●	●	●	●	
	Deep Ocean (724)		●			
	Desert Tone (718)	●	●	●	●	
	Driftwood Gray (726)	●	●	●		
	Glacier White (714)	●	●	●	●	
	Hartford Green (706)	●		●	●	
	Iron Gray (719)	●	●	●	●	
	Mahogany (785)	●	●	●		
	Midnight* (1111)	●	●	●	●	
	Royal Brown (703)	●	●	●	●	
	Rustic Brown (722)	●	●	●	●	
	Sand Beige (721)	●	●	●		
	Sandtone (712)	●	●	●	●	
	Stat Bronze (713)	●	●	●	●	
	Timber (736)	●	●	●		
	T-Tone (708)	●	●	●	●	
	Wickertone (717)	●	●	●	●	

*Midnight is SMP (ENTEX® without the texture).

SOFFIT

ACCESSORIES

	PRODUCT CODE
DRIP EDGE: QUICK START STEEL	**1178-___**
Polar White	**1179-001**



Length: 12'
Thickness: 28 Ga.
Pieces/Ctn: 25
lbs/Ctn: 64

DRIP EDGE: STYLE D STEEL **1177-___**



Length: 10'
Thickness: 28 Ga.
Pieces/Ctn: 25
lbs/Ctn: 70
Ctns/Skid: 40
lbs/Skid: 2,800

DRIP EDGE: STYLE D ALUMINUM **1171-___**



Length: 12'
Thickness: .019"
Pieces/Ctn: 25
lbs/Ctn: 30

PASLODE LITE LINE SOFFIT STAPLER **N18-125** **3502-000**

	Product Code	1171	1177	1178		
	Polar White (001)	●	●			
ENTEX®	Almond Cream (702)	●	●	●		
	Antique Parchment (715)	●	●	●		
	Black (711)	●	●	●		
	Canyon (786)	●	●	●		
	Cedarwood (735)		●	●		
	Charcoal Gray (728)	●	●	●		
	Classic Red (727)		●	●		
	Claytone (709)	●	●	●		
	Colonial White (720)		●	●		
	Desert Tone (718)	●	●	●		
	Driftwood Gray (726)		●	●		
	Glacier White (714)		●	●		
	Hartford Green (706)	●	●	●		
	Iron Gray (719)	●	●	●		
	Mahogany (785)		●	●		
	Midnight* (1111)	●	●	●		
	Royal Brown (703)	●	●	●		
	Rustic Brown (722)	●	●	●		
	Sand Beige (721)		●	●		
	Sandtone (712)	●	●	●		
	Stat Bronze (713)	●	●	●		
	Timber (736)		●	●		
	T-Tone (708)	●	●	●		
	Wickertone (717)	●	●	●		

*Midnight is SMP (ENTEX® without the texture).

FASCIA

STEEL

	PRODUCT CODE
4" FASCIA	**1194-___**



Length:	10'
Thickness:	28 Ga.
Pieces/Ctn:	20
lbs/Ctn:	60
Ctns/Skid:	25
lbs/Skid:	1,500

Woodgrain with ribs.

6" - 10' FASCIA **1192-___**



Length:	10'
Thickness:	28 Ga.
Pieces/Ctn:	20
lbs/Ctn:	85
Ctns/Skid:	60
lbs/Skid:	5,100

Woodgrain with ribs.

6" - 12' FASCIA **1193-___**



Length:	12'
Thickness:	28 Ga.
Pieces/Ctn:	20
lbs/Ctn:	102

Woodgrain with ribs.

8" FASCIA **1198-___**



Length:	10'
Thickness:	28 Ga.
Pieces/Ctn:	20
lbs/Ctn:	106
Ctns/Skid:	40
lbs/Skid:	4,240

Woodgrain with ribs.

10" FASCIA **1195-___**



Length:	10'
Thickness:	28 Ga.
Pieces/Ctn:	12
lbs/Ctn:	80

Woodgrain with ribs.

	Product Code	1192	1193	1194	1195	1198
	Polar White (001)	●	●	●	●	●
ENTEX®	Almond Cream (702)	●			●	●
	Antique Parchment (715)	●			●	●
	Black (711)	●			●	●
	Canyon (786)	●			●	●
	Cedarwood (735)	●			●	●
	Charcoal Gray (728)	●			●	●
	Classic Red (727)	●			●	●
	Claytone (709)	●			●	●
	Colonial White (720)	●				●
	Desert Tone (718)	●			●	●
	Driftwood Gray (726)	●			●	●
	Glacier White (714)	●			●	●
	Hartford Green (706)	●			●	●
	Iron Gray (719)	●			●	●
	Mahogany (785)	●			●	●
	Midnight* (1111)	●	●	●	●	●
	Royal Brown (703)	●			●	●
	Rustic Brown (722)	●			●	●
	Sand Beige (721)	●				●
	Sandtone (712)	●	●		●	●
	Statuary Bronze (713)	●			●	●
	Timber (736)	●			●	●
	T-Tone (708)	●			●	●
	Wickertone (717)	●			●	●

*Midnight is SMP (ENTEX® without the texture).

FASCIA

ALUMINUM, SMOOTH

	PRODUCT CODE
4" FASCIA	**1140-001**

Length: 12'
Thickness: .024"
Pieces/Ctn: 25
lbs/Ctn: 50

Smooth with ribs.

6" FASCIA	**1141-___**

Length: 12'
Thickness: .024"
Pieces/Ctn: 25
lbs/Ctn: 67

Smooth with ribs.

8" FASCIA	**1142-___**

Length: 12'
Thickness: .024"
Pieces/Ctn: 25
lbs/Ctn: 83

Smooth with ribs.

10" FASCIA	**1143-___**

Length: 12'
Thickness: .024"
Pieces/Ctn: 25
lbs/Ctn: 100

Smooth with ribs.

	Product Code	1140	1141	1142	1143	
	Polar White (001)	●	●	●	●	
ENTEX®	Almond Cream (702)		●	●	●	
ENTEX®	Antique Parchment (715)		●	●	●	
ENTEX®	Black (711)		●	●	●	
ENTEX®	Canyon (786)		●	●	●	
ENTEX®	Charcoal Gray (728)		●	●	●	
ENTEX®	Claytone (709)		●	●	●	
ENTEX®	Desert Tone (718)		●	●	●	
ENTEX®	Hartford Green (706)		●	●	●	
ENTEX®	Iron Gray (719)		●			
ENTEX®	Midnight* (1111)		●	●	●	
ENTEX®	Royal Brown (703)		●	●	●	
ENTEX®	Rustic Brown (722)		●	●	●	
ENTEX®	Sandtone (712)		●	●	●	
ENTEX®	Statuary Bronze (713)		●	●	●	
ENTEX®	T-Tone (708)		●	●	●	
ENTEX®	Wickertone (717)		●	●	●	

*Midnight is SMP (ENTEX® without the texture).

FASCIA

ALUMINUM, WOODGRAIN

PRODUCT CODE

4" FASCIA — 1130-___

Length: 12'
Thickness: .024"
Pieces/Ctn: 25
lbs/Ctn: 50

Woodgrain with no ribs.

6" FASCIA — 1131-___

Length: 12'
Thickness: .024"
Pieces/Ctn: 25
lbs/Ctn: 67

Woodgrain with no ribs.

8" FASCIA — 1132-___

Length: 12'
Thickness: .024"
Pieces/Ctn: 25
lbs/Ctn: 83

Woodgrain with no ribs.

10" FASCIA — 1133-___

Length: 12'
Thickness: .024"
Pieces/Ctn: 25
lbs/Ctn: 100

Woodgrain with no ribs.

	Product Code	1130	1131	1132	1133	
	Polar White (001)	●	●	●	●	
ENTEX®	Almond Cream (702)		●	●	●	
	Antique Parchment (715)		●	●	●	
	Black (711)		●	●	●	
	Canyon (786)		●	●	●	
	Charcoal Gray (728)		●	●	●	
	Claytone (709)		●	●	●	
	Desert Tone (718)		●	●	●	
	Hartford Green (706)		●	●	●	
	Iron Gray (719)		●	●	●	
	Midnight* (1111)		●	●	●	
	Royal Brown (703)		●	●	●	
	Rustic Brown (722)		●	●	●	
	Sandtone (712)		●	●	●	
	Statuary Bronze (713)		●	●	●	
	T-Tone (708)		●	●	●	
	Wickertone (717)		●	●	●	

*Midnight is SMP (ENTEX® without the texture).

FASCIA

ACCESSORIES

	PRODUCT CODE
MAZE DOUBLE HOT-DIPPED GALVANIZED TRIM NAILS	**3278-___**
	Length: 1-1/2"
	lbs/Ctn: 1

MAZE PAINTED STAINLESS STEEL TRIM NAILS	**3279-___**
	Length: 1-1/2"
	lbs/Ctn: 1

	Product Code	3278	3279	
	No Color (000)	●	●	
	Polar White (001)	●	●	
ENTEX®	Almond Cream (702)	●	●	
	Antique Parchment (715)	●	●	
	Black (711)	●	●	
	Canyon (786)	●	●	
	Cedarwood (735)	●	●	
	Charcoal Gray (728)	●	●	
	Classic Blue (707)	●	●	
	Classic Red (727)	●	●	
	Claytone (709)	●	●	
	Colonial White (001)	●	●	
	Deep Ocean (724)	●	●	
	Desert Tone (718)	●	●	
	Driftwood Gray (726)	●	●	
	Glacier White (714)	●	●	
	Heritage Gray (010)	●	●	
	Hartford Green (706)	●	●	
	Iron Gray (719)	●	●	
	Mahogany (785)	●	●	
	Midnight* (711)	●	●	
	Royal Brown (703)	●	●	
	Rustic Brown (722)	●	●	
	Sage (790)	●	●	
	Sandtone (712)	●	●	
	Sand Beige (721)	●	●	
	Sherwood Green (134)	●	●	
	Statuary Bronze (713)	●	●	
	Timber (736)	●	●	
	T-Tone (708)	●	●	
	Wickertone (717)	●	●	
	Willow (792)	●	●	

*Midnight is SMP (ENTEX® without the texture).

PERSPECTIVES SPECIFICATIONS

TECHNICAL DATA

Substrate: Roll-formed, CS Type B - 0.02" (nominal) thick G90 hot-dipped galvanized steel complying with ASTM A653

Application: Wall, soffit

Minimum Ultimate Tensile Strength: Complies with ASTM A653

Minimum Ultimate Yield Strength: 33,000–55,000 psi

Minimum Elongation: >20%

Modulus of Elasticity: 30

Coefficient of Linear Expansion: 6.7 u-in/in/°F

Melting Range: 2600°F

Thickness: 0.02", 26ga

Coating:

Woodgrain Finish: Electron-beam-cured proprietary inkjet print at 400dpi

Solid Color Finish: Silicone Modified Polyester

Fastening System: Concealed

Warranty: 20-year limited warranty

MATERIAL DATA

100% Recyclable

Recycled Content: Up to 80%

VOC Free

Lead Free

DIMENSIONS

Panel Length: 12'

Panel Coverage: 4", 6"

Panel Depth: 0.75"

Ventilation Openings: 0.156 x 0.375

Ventilation Intervals: 1.375"

Ventilation Maximum:

- 4" panel: 4.07 sq.in/Lft
- 6" panel: 3.05 sq.in/Lft

Course Spacing:

- 0.1" (flush/tight)
- 0.3" (slight/nickel gap)

WARRANTY

Please refer to our Warranty page on our website. Visit www.edcoproducts.com/support/warranty.html.

ENDURA SPECIFICATIONS

GENERAL CHARACTERISTICS

EDCO Steel-Kore® steel siding is intended for sidewall installation on residential or commercial exterior applications in new construction or remodeling with or without sheathing type or drop in insulation or underlayment. Siding to be manufactured with an embossed finish. The ENTEX® finish has Cool Chemistry pigments in it so it meets EnergyStar® requirements.

MATERIAL SPECIFICATIONS - METAL

EDCO Steel-Kore® steel siding and steel siding accessories shall be coated with an ENTEX® finish and made with CS Type B steel of the specified color and texture fabricated from nominal 28 gauge galvanized steel coil, with both sides zinc-coated by the continuous hot dipped galvanizing method.

Tensile Strength (PSI). . . . . 50,000 Yield Strength (PSI). . . . 35,000

All material conforms to ASTM A653/A653M-05.

A.) Clapboards shall provide 6", 8", Double 4" and Double 5" Dutchlap exposure and shall be furnished in lengths calculated to total 100 square feet exposed area per carton. The product shall be formed at the factory with a nailing flange to interlock securely with successive courses.

B.) Vertical siding to be formed at the factory with a board and batten appearance having a batten width of approximately 2" and standard widths of 12" calculated to a total 100 square feet of exposure area per carton.

MATERIAL SPECIFICATIONS - PAINT

EDCO Steel-Kore® steel siding shall be in accordance with EDCO manufacturing specifications including:

Paint preparation: Both sides chemically cleaned with an alkaline "Henkel 8686" cleaner.
Dry in place chrome conversion coating with Henkel "Bonderite 1402W" applied to both sides.

ENTEX® Paint System: Prime Coat – AkzoNobel's 60000 Universal corrosion-resistant Primer.
Top Coat – AkzoNobel's CERAM-A-STAR® 1050 with Akzo's Cool Chemistry pigments, average film thickness 1.0 mil.
HD Imaging – AkzoNobel's specialty formulated top coat finish.
Back Coat – Kel Coatings waterbase or a polyester composition corrosion-resisting backer.

MANUFACTURING

Panel:
A. 8" exposure x 12'6" long, 9/16" butt
B. Double 4" exposure x 12'6" long, 1/2" butt
C. Double 5" Dutchlap exposure 12'0" long, 9/16" butt
D. 6" exposure x 12'6" long, 1/2" butt
E. Vertical 12" exposure x 10'0" long, 9/16" batten butt

Packed:
D4" and 8" - 12 pcs. (100 sq. ft.) per carton
D5" Dutchlap - 10 pcs. (100 sq. ft.) per carton
6" - 16 pcs. (100 sq. ft.) per carton
Vertical - 10 pcs. (100 sq. ft.) per carton

All accessories shall be color matched to be visually similar in all respects to the color of the steel siding or panel unless otherwise specified. Manufacturer's warranty is not valid unless EDCO Steel-Kore® siding accessories, where applicable to the job, are used.

WARRANTY

Please refer to our Warranty page on our website. Visit www.edcoproducts.com/support/warranty.html.

ARROWLINE SPECIFICATIONS

RATING	RESULTS
FM-4470 Foot Traffic/Hail Resistance	Is resistant to severe hail and foot traffic
UL – 1897 Uplift Resistance	Up to 160 mph rating with 5 clips and screws
UL – 2218 Hail / Impact Resistance	Class 4 rating (Highest possible rating)
TX Department of Insurance	RC-170 (Shake)
Canadian Construction Materials Centre	CCMC 13380-R (Both)
ICC-ES Evaluation Report	ESR-3564
ICBO AC07 Penetration Resistance	200 lbs pressure, minimum deformation
ASTM A653	Galvanization by hot-dip process
UL – 790 Fire Resistance	Class A over Densdeck or Versashield Class C over 30# felt paper
Florida Building Code # FL 4077	Hurricane Testing
Coating Performance (Testing performed by AkzoNobel)	
ASTM D – 3361 Accelerated Weathering	Hours: 1000 Chalk: Rating 8 Color: 5ΔE Hunter units maximum
ASTM B – 117 Salt Spray	Hours: 1000 hours Scribe Rating: 7, 1/16" Field: Rating 10, no adhesion loss or blisters
ASTM D – 2247 Humidity	Hours: 1500 hours Rating: 10, no blisters, cracking, or softening
ASTM D – 4145 Formability	0T to 1T
ASTM D – 3363 Pencil Hardness	F to H
ASTM D – 2794 Reverse Impact	80 lbs with no loss of adhesion
ASTM D – 523 Specular Gloss	8 – 12% at 60°
ASTM D-522	No loss of adhesion (Elongation over 1/8" Cylindrical mandrel)
ASTM E – 84 Flame hazard test	Class A / Class 1 coating
ASTM D – 5402 Cure test	100 rubs
Material Specifications	
Gauge: Shake	28 & 30 Gauge Painted Galvanized Steel
Gauge: Slate	28 Gauge Painted Galvanized Steel
Minimum Slope:	4" in 12"
Panel Exposure Area:	12" x 50"
Panel Coverage:	4.17 sq. ft. / panel
Panels Per Box:	12 panels (50 sq. ft. / box)
Weight: Shingle - Shake	37 lbs / box (74 lbs/sq. approx.)
Weight: Slate	47 lbs / box (94 lbs/sq. approx.)
Clip Material:	.0024" Galvanized Steel
Shingle Material:	Nominal 0.0135" thickness, including G90 galvanization and paint coating. Exterior finish is TRINAR 70% PVDF Fluoropolymer, 1 mil thickness, with anti-corrosive primer. Interior finish is a wash coat.
Slate Material:	Nominal 0.0160" thickness, including G90 galvanization and paint coating. Exterior finish is TRINAR 70% PVDF Fluoropolymer, 1 mil thickness, with anti-corrosive primer. Interior finish is a wash coat.

SOFFIT & FASCIA SPECIFICATIONS

GENERAL CHARACTERISTICS

EDCO Aluma-Kore® Aluminum Quad soffit system is intended for exterior overhang installations on residential or commercial buildings. Available in Enamel, ENTEX® and PVC Finishes.

MATERIAL SPECIFICATIONS

Soffit – Metal Nominal .019" thick aluminum, alloy 3105, hardness/temper H-15.

Fascia – Steel Nominal 28 gauge galvanized steel, Zinc coated by the continuous hot dipped galvanizing method. Conforms to ASTM A653/A653M-05.

Aluminum Tensile Strength (PSI): 26,000[1]	Aluminum Yield Strength (PSI): 25,000[1]
Aluminum Ult Sheer Strength (PSI): 15,000	Aluminum Endurance Limit (PSI): 10,000[1]
Steel Tensile Strength (PSI): 50,000	Steel Yield Strength (PSI): 35,000[1]

MATERIAL PAINT SPECIFICATIONS

Paint Preparation: Both sides of substrate chemically cleaned with an alkaline "Henkel 8686" cleaner.

Dry in place chrome conversion coating with Henkel "1402W Bonderite" applied to both sides of substrate.

Enamel Paint System: Prime Coat – AkzoNobel's 60000 Universal corrosion-resistant primer (no primer is used on aluminum.)

Top Coat – Kel Coatings or AkzoNobel polyester enamel.

Back Coat – Kel Coatings waterbase or a polyester composition corrosion-resisting backer.

PVC Paint System: Prime Coat – Valspar Plastisol corrosion resistant primer.

Top Coat – Valspar striated vinyl Plastisol, average film thickness 4.0 mil.

Back Coat – Kel Coatings waterbase or a polyester composition corrosion-resisting backer.

ENTEX Paint System: Prime Coat – AkzoNobel's 60000 Universal corrosion-resistant Primer

Top Coat – AkzoNobel's CERAM-A-STAR® 1050 with Akzo's Cool Chemistry pigments, average film thickness 1.0 mil.

Back Coat – Kel Coatings waterbase or a polyester composition corrosion-resisting backer.

MANUFACTURING SPECIFICATIONS

Soffit Panel:

A. Quad Soffit (16" width x 12'0" length)
   1) Packed 12 pcs./carton, 192 sq. ft.
   2) Net Free Airflow
      Center Vent: 6.48 sq. in./Lft. of panel

B. Tri Soffit (12" width x 12'0" length)
   1) Packed 16 pcs./carton, 192 sq. ft.
   2) Net Free Airflow
      Center Vent: 3.2 sq. in./Lft. of panel

Steel Fascia Panel:

A. 4", 6", 8" and 10" wide x 10'0" long with stiffening ribs & woodgrain texture.
   1) 4", 6", and 8" packed 20 pcs./carton, 200 lineal feet
      Polyester Enamel, ENTEX & PVC Finishes
   2) 10" packed 12 pcs./carton, 120 lineal feet
      Polyester Enamel, ENTEX & PVC Finishes

All materials conform to QQ-A-250/2

All procedures, operations and specifications shall meet or exceed EDCO Quality Control Standard Procedures, including ICBO, BOCA and SBCC.

GUTTER & RAINWARE SPECIFICATIONS

GENERAL CHARACTERISTICS

Aluma-Kore® Aluminum Gutter system is intended for exterior overhang installations on residential or commercial buildings. Available in Enamel and ENTEX® Finishes.

MATERIAL SPECIFICATIONS

Gutter – Metal Nominal .032" thick aluminum (All finishes), alloy 3105, hardness/temper H-15

Aluminum Tensile Strength (PSI): 26,000[1] Aluminum Yield Strength (PSI): 25,000[1]

Aluminum Ult Sheer Strength (PSI): 15,000[1] Aluminum Endurance Limit (PSI): 10,000[1]

MATERIAL PAINT SPECIFICATIONS

Paint Preparation: Both sides of substrate chemically cleaned with an alkaline "Henkel 8686" cleaner.

Dry in place chrome conversion coating with Henkel "1402W Bonderite" applied to both sides of substrate.

Enamel Paint System: Prime Coat – AkzoNobel's 60000 Universal corrosion-resistant primer. (No primer is used on aluminum.)

Top Coat – Kel Coatings or AkzoNobel polyester enamel.

Back Coat – Kel Coatings waterbase or a polyester composition corrosion-resisting backer.

ENTEX Paint System: Prime Coat – AkzoNobel's 60000 Universal corrosion-resistant Primer or Valspar.

Top Coat – AkzoNobel's CERAM-A-STAR® 1050 with Akzo's Cool Chemistry pigments, average film thickness or Weather XL.

Back Coat – Kel Coatings .07 waterbase or a polyester composition corrosion-resisting backer.

MANUFACTURING SPECIFICATIONS

Gutter: A) Standard K style, 5" width, custom lengths

All materials conform to QQ-A-250/2.

All procedures, operations and specifications shall meet or exceed EDCO® Quality Control Standard Procedures, including ICBO, BOCA and SBCC.

NOTES

NOTES

EDCO

SAVE TIME!

PLACE ALL YOUR ORDERS ON THE EDCO PORTAL.

edcoportal.com

Your online resource for all of your EDCO business needs.



Here are some of the things you can access through the portal:

- Place Orders 24/7/365
- Find Real-time Pricing
- Track Shipments
- Check Inventory
- View Invoices
- So Much More

Don't have an account yet?
Give us a call and we can get you started!

ABOUT EDCO With over 75 years of trusted expertise and an unwavering commitment to excellence, EDCO Products combines elevated design and exceptional craftsmanship, delivering premium Siding, Roofing, Soffit, Fascia, Trim, and Rainware products that are as beautiful as they are durable.

EDCO®

800.593.2680 | edcoproducts.com | © EDCO Products Inc.