

EDGEBANDS FOR CREATIVE INTERIOR DESIGN RAUKANTEX edgeband materials

RAUKANTEX EDGEBAND MATERIALS

Product overview


Turn your modern furniture design ideas into a reality with edgebands from REHAU. Take advantage of our extensive range, including more than 1,800 colours and decorative designs available from stock, even in small quantities. With over 500 new additions every year, we've always got our finger on the pulse. See the quality of REHAU's Basic Collection and Premium Selection creative interior design edgebands for yourself!

Basic Collection



Universal and decorative design edgebands

Premium Selection



Flat matt edgebands



Mirror gloss edgebands




Real glass effect edgebands



3D effect edgebands



Metal effect edgebands



Translucent edgebands



Design edgebands

CONTENTS

KAUKANTEX edgeband materials	2
Key features at a glance	5
Online Services	7
The edgeband range for every requirement	8
RAUKANTEX colour and decor – universal and decorative design	
edgebands	10
RAUKANTEX flat matt edgebands	12
RAUKANTEX mirror gloss – mirror-gloss edgebands	18
RAUKANTEX visions – real glass effect edgebands	26
RAUKANTEX magic 3D – 3D effect edgebands	30
RAUKANTEX magic II – metal effect edgebands	32
RAUKANTEX lite – translucent edgebands	34
RAUKANTEX inspiration – accent edgebands	36
Lacquer types and embossing	38
Overview of edgeband materials	39
Tools for working with edgebands	42

The decorative designs shown in this document are for indicative purposes only. The colours used here may differ from the original material depending on finishing method. Colours/decorative designs sometimes deviate from the original size.

RAUKANTEX EDGEBAND MATERIALS

The perfect design every time



As a well-established player in the international furniture industry with a proud tradition of quality and reliability, we use our edging know-how every day to make sure you get exactly the product you need. REHAU draws on high-quality polymers and its years of expertise with materials to meet even the most stringent quality standards. We have been leading the way in premium quality polymer products for over 60 years.

And those products are absolutely key. Why? Because it is only if our products, ranges, delivery and service continue to meet your requirements that we remain relevant to you as a customer. Only then can we truly live up to your demands and the challenges of the market, day-in, day-out. Whatever your requirement, we are sure to find the ideal edgeband for you.

Our range of delivery options has set new standards for customer service: express delivery for all lengths and quantities gives you a decisive edge over the competition. And there is no need to compromise on your specific requirements either. With a range of up to 100,000 unique designs, you are 100% guaranteed to find the right edging for the job.

Head of Product Management Interior

RAUKANTEX EDGEBAND MATERIALS

Key features










1,800 different colours / decorative designs available in all commonly-used materials and dimensions.



Any quantity, any length:
RAUKANTEX pure
+ plus minimum order from 1 m,
RAUKANTEX pro, minimum order
from 1 roll.



Short delivery times





RAUKANTEX pure, plus, pro. REHAU offers a comprehensive range of edgebands: from the primed edgeband, to edgebands with an adhesive layer, right through to edgebands with a polymer functional layer.






Edgeband search and free sample service: Find the perfect combination of board and edgeband in just a few clicks.





Regular customer and joiner training sessions provide an opportunity to share expertise



TURNING AN IDEA INTO A PROJECT

Online Services

Are you looking for an edgeband to match your board?

It only takes a few clicks to find the perfect combination of edgeband and board! Choose from all our decorative designs, sizes and materials to match more than 15,000 board and laminate samples from all leading manufacturers worldwide. All combinations are matched with the surface. This means there is no need to coordinate embossing and lacquer separately.

Not sure about your choice of decorative design?

Don't worry! With the free RAUKANTEX sample service you can order just the edging sample you need!







www.rehau.com/collection



Collaboration:

Partnerships are the key to mutual success for REHAU. Alongside our existing collaborations with Fundermax, Sonae Arauco and Polyrey, Kronospan has also recently entered into a collaboration agreement with us, demonstrating their trust in us as a partner.



www.rehau.com/webshop

THE EDGEBAND RANGE FOR EVERY REQUIREMENT

REHAU edgeband solutions

Invisible joint edgebands

The perfect invisible joint

RAUKANTEX pro

RAUKANTEX pro's
100% polymer
functional layer gives a perfect,
lasting invisible joint – no adhesive,
no compromises.

 Suitable for all zero joint processing methods
 Minimum order 1 roll The edging for the zero-gap-look

RAUKANTEX plus

Thanks to its pigmented, pre-coated adhesive in standard colours, RAUKANTEX plus makes it easy to create the appearance invisible joint.

- Suitable for all production methods
- Minimum order 1 m

The classic primed edging

RAUKANTEX pure

As you would expect, RAUKANTEX pure, REHAU's tried-and-tested adhesion primed edgeband, is available in all sizes and decorative designs.

- Machine-applied adhesive
 Minimum order 1 m
 - Primed edgeband

The process used for laser bonding of edgebands has been patented in Germany by bulthaup.
REHAU has reached an agreement with bulthaup to ensure that customers can make full use of the laser-bondable edges, which are manufactured by REHAU and marketed under the RAUKANTEX pro name, without any risk of litigation.

Three technologies for Invisible joints:



Laser technology

In laser processing, a laser activates the edgeband's functional layer.



Near-Infra-Red (NIR) technology

Thermal energy can be transmitted rapidly and with pin-point accuracy using NIR technology.



Hot-air technology


In this procedure, compressed hot air is used to melt the functional layer.

Whatever your requirements, REHAU is guaranteed to find the perfect edging solution for you:





Basic Collection: Universal and decorative design edgebands



Material: ABS

Gloss level: <6 - 75 points

Lacquer type: from super matt to high gloss

Dimensions: 22 x 0.4 mm

 $23 \times 0.8 \ / \ 2.0$ mm, $28 \times 0.8 \ / \ 2.0$ mm, $33 \times 0.8 \ / \ 2.0$ mm, $43 \times 0.8 \ / \ 2.0$ mm, $54 \times 0.8 \ / \ 2.0$ mm, $64 \times 0.8 \ / \ 2.0$ mm,

104 x 0.8 / 2.0 mm







Available for RAUKANTEX pure, plus and pro






78997	91532	140683
140349	140348	140342
140673	140657	71262
140367	140548	71223
78828	140590	140243
76367	140684	140679
76873	77003	140455
91470	140022	140588
140038	140454	140341
78919	140338	140456

140353	76989	140614
140351	98473	140347
140336	71407	140244
140352	140591	140350
140682	140546	140458
140612	140547	71431
140337	140613	140730
140457	140469	71436
71350	140343	140554
140452	140728	140354









RAUKANTEX mirror gloss

76911	78087	77465
78997	71475	94564
76264	76173	140022
78083	78417	64083
78919	65661	78266
91470	78153	77346
76557	140252	62287
62693	78162	76795
V0745	62414	13228
72885	73099	V1785


OVERVIEW OF DECORATIVE DESIGNS RAUKANTEX mirror gloss

76564	78279	61753
V0957	78377	76610
78245	77347	140235
62524	78281	V1784
140029	77024	140245
62936	78978	78280
62902	78972	78973
76393	77147	140246
76474	V1589	77283
76656	74290	140242

OVERVIEW OF DECORATIVE DESIGNS RAUKANTEX mirror gloss

140197	77284	76375
79037	71038	71352
76657	76367	72467
67967	67302	71256
140501	76989	78906
78114	63376	95860
V1272	76985	78208
140680	71419	140244
79014	140260	71238
140241	140243	77204

RAUKANTEX mirror gloss



OVERVIEW OF DECORATIVE DESIGNS RAUKANTEX mirror gloss





RAUKANTEX visions

1392E				
1312E				



Premium Selection: Real glass effect edgebands with V groove

Available for RAUKANTEX pure, plus and pro



RAUKANTEX visions with a V groove



^{*} decorative gloss

^{**} super high gloss

RAUKANTEX VISIONS

Premium Selection: Duo-Design real glass effect edgebands



The RAUKANTEX visions Duo-Design edgeband range provides a seamless look from the front, giving the impression that a glass pane has been mounted flush on top of the edging.

Material: PMMA Gloss level: >85 points


Lacquer type: Mirror gloss, high-gloss

Embossing: Smooth/223 Dimensions: 23 x 1.5 mm



Available for RAUKANTEX pro

RAUKANTEX visions Duo-Design







OVERVIEW OF DECORATIVE DESIGNS RAUKANTEX magic 3D

1861E	1322E	3575E
751E	2765E	3573E
2773E	8830	3571E
		《一个大人 》
1368E	592E	3578E
		語音語
591E	3580E	3577E
1323E	3570E	3537E
1325E	3536E	741E
1324E	3574E	
	1 1	
1320E	3572E	
1321E	3576E	



LIST OF DECORATIVE DESIGNS RAUKANTEX magic II





RAUKANTEX lite



2231E



2235E



2238E




OVERVIEW OF DECORATIVE DESIGNS RAUKANTEX inspiration



823U



1421U





1423U

RAUKANTEX EDGEBAND MATERIALS

Embossing and lacquer types

Lacquer types		Embossing	
Flat matt lacquer <6	01	134	300
Super matt lacquer <6	05	414/14	31
Matt lacquer 8	06	142	33
Unlacquered 10	08/408	147	34
Special lacquer 15	09	170	35
Special lacquer 20	101	172	36
Special lacquer 25	105	18	37
Standard lacquer 29	117	20	LPE05 lacquer embossing
Special lacquer 40	120	228	
High-gloss lacquer 75	125	23/423	
Super high- >85 gloss lacquer	13	282	
Mirror gloss >85	131	288	PMMA embossing styles 221 and 223 are applied from the back.

EDGEBAND MATERIALS

Overview





Acrylonitrile-butadiene-styrene Impact-resistant and recyclable

PVC Polyvinyl chloride
Easy to work

PMMA Polymeth Transparer

Polymethyl methacrylate

Transparent depth effect similar to real glass

You can find more information about the properties of the various materials in our processing instructions, at:



www.rehau.com/ti

Recycling

As you would expect, all our edgebands can be recycled. To find out more about our returns system, please contact your customer adviser at your REHAU Sales Office.





TOOLS FOR WORKING WITH EDGEBANDS

Hand tools

Trimming

Cutting flush



KP 65/2 trimming tool

Mat.No. 13201091001

For quick and easy guillotining of plastic edges 18-65 mm wide and 0.5-2.0 mm thick (depending on material)



RAUKANTEX cutter

Mat.No. 12478271001

The RAUKANTEX cutter can be used to cut the upper and lower edgeband overhangs so they are flush on straight and curved panel contours.

Technical data

Edgeband width: 19-45 mm Edgeband thickness: Up to 2 mm

Set solution

Mat.-No. 12469231001 with cutter, external and internal planes and a 2 mm scraper

Radius

Sanding & polishing

Removing protective foil



RAUKANTEX internal plane

Mat.No. 12883191001

The REHAU internal plane is suitable for radiusing on the inner radii of a panel contour.

Technical data

Edgeband width: Unlimited Edgeband thickness: 2 mm or 3 mm (depending the scraper used)

Set solution

Mat.-No. 12469231001 with cutting pliers, external and internal planes and 2 mm scraper



RAUKANTEX finisher

Mat.-No. 12300791001

Due to its special sisal/textile combination, the RAUKANTEX finisher is suitable for smoothing edges and removing any tooling marks.



RAUKANTEX Foliex and RAUKANTEX Foliex mini

mat. no. 12135621001 and mat. no. 13201351001

Remove protective foil faster and more accurately using the RAUKANTEX Foliex.



RAUKANTEX external plane

Mat.No. 12883181001

The REHAU external plane is suitable for radiusing on straight lines and the external-radii of a panel contour.

Technical data

Edgeband width: Unlimited Edgeband thickness: 2 mm or 3 mm (depending on the scraper used)

Set solution

Mat.-No. 12469231001 with cutter, external and internal planes and 2 mm scraper $\,$



RAUKANTEX flap wheel


Mat.-No. 12780461001

The RAUKANTEX flap wheel can be used wherever sharp edges have to be flattened out or rounded off.

The flap wheel can be attached to and operated using any standard drill.

FURNITURE COMPONENTS PLATFORM

Your address online



Dealer stamp:		

www.rehau.com

This document is protected by copyright. All rights based on this are reserved. No part of this publication may be translated, reproduced or transmitted in any form or by any similar means, electronic or mechanical, photocopying, recording or otherwise, or stored in a data retrieval system.

Our verbal and written advice with regard to usage is based on years of experience and standardised assumptions and is provided to the best of our knowledge. The intended use of REHAU products is described comprehensively in the technical product information. The latest version can be viewed at www.rehau.com/Ti. We have no control over the application, use or processing of the products. Responsibility for these activities therefore remains entirely with the respective user/processor. Where claims for liability nonetheless arise, they shall be governed exclusively according to our terms and conditions, available at www.rehau.com/conditions, insofar as nothing else has been agreed upon with REHAU in writing. This shall also apply for all warranty claims, with the warranty applying to the consistent quality of our products in accordance with our specifications. Subject to technical changes.

© REHAU AG + Co Rheniumhaus 95111 Rehau www.rehau.de

M01709 EN 12.2018