

AENOR

Certificate of constancy of performance

CE

0099

0099/CPR/A65/0052

In compliance with Construction Products Regulation 305/2011/EU of the European Parliament and of the Council, of 9 March 2011, the notified body AENOR (n. 0099) has issued this certificate to

GARNICA PLYWOOD BAÑOS DE RIO TOBIA, S.A.U.

registered office	CM DE BERCEO, S/N 26320 BAÑOS DE RIO TOBIA (La Rioja - España)
Construction Product	Wood-based panels for use in construction defined by technical class
Harmonised Standard	EN 13986:2004+A1:2015
References	Specified in Annex to the Certificate
Production site	CR DE LERMA KM. 376 26320 BAÑOS DE RIO TOBIA (La Rioja - España)
Certification scheme	This certificate attests that all provisions under system 1 concerning the assessment and verification of constancy of performance and the performances described in Annex ZA of the aforementioned harmonised standard are applied and that the product fulfils all the prescribed requirements set out above.

This certificate will remain valid until its validity date, provided that the test methods and/or factory production control requirements included in the harmonised standard, used to assess the performance of the declared characteristics, do not change, and the product, and the manufacturing conditions in the plant are not modified significantly.

First issued on	2019-03-20
Last issued on	2022-03-20
Validity date	2023-03-20



Rafael GARCÍA MEIRO
Chief Executive Officer

Original Electronic Certificate

AENOR INTERNACIONAL S.A.U.
Génova, 6. 28004 Madrid. España
Tel. 91 432 60 00.- www.aenor.com

Control body accredited by ENAC. Accreditation number: 1/C-PR356

AENOR

Certificate of constancy of performance

0099/CPR/A65/0052

Annex to Certificate

Application	Trade Mark	Thickness range (mm)	Facing	Technical class	Reaction to fire class	Formaldehyde class	Content of pentachlorophenol
Internal use as structural components in humid conditions	Fireshield Building	4 a 7	Unfaced	EN 636-2	B-s2, d0	E1	< 5 ppm
Internal use as structural components in humid conditions	Fireshield Building	> 7 a 45	Unfaced	EN 636-2	B-s1, d0	E1	< 5 ppm

Original Electronic Certificate

First issued on 2019-03-20
Last issued on 2022-03-20
Validity date 2023-03-20

AENOR INTERNACIONAL S.A.U.
Génova, 6. 28004 Madrid. España
Tel. 91 432 60 00.- www.aenor.com

Control body accredited by ENAC. Accreditation number: 1/C-PR356

AENOR

Certificate of constancy of performance

CE
0099

0099/CPR/A65/0049

In compliance with Construction Products Regulation 305/2011/EU of the European Parliament and of the Council, of 9 March 2011, the notified body AENOR (n. 0099) has issued this certificate to

GARNICA PLYWOOD VALENCIA DE DON JUAN, S.L.

registered office	CR DE VILLAFER, KM 2 24200 VALENCIA DE DON JUAN (Leon - España)
Construction Product	Wood-based panels for use in construction defined by technical class
Harmonised Standard	EN 13986:2004+A1:2015
References	Specified in Annex to the Certificate
Production site	CR DE VILLAFER KM 2 24200 VALENCIA DE DON JUAN (Leon - España)
Certification scheme	This certificate attests that all provisions under system 1 concerning the assessment and verification of constancy of performance and the performances described in Annex ZA of the aforementioned harmonised standard are applied and that the product fulfils all the prescribed requirements set out above.

This certificate will remain valid until its validity date, provided that the test methods and/or factory production control requirements included in the harmonised standard, used to assess the performance of the declared characteristics, do not change, and the product, and the manufacturing conditions in the plant are not modified significantly.

First issued on	2018-03-27
Last issued on	2022-03-27
Validity date	2023-03-27



Rafael GARCÍA MEIRO
Chief Executive Officer

Original Electronic Certificate

AENOR INTERNACIONAL S.A.U.
Génova, 6. 28004 Madrid. España
Tel. 91 432 60 00.- www.aenor.com

Control body accredited by ENAC. Accreditation number: 1/C-PR356

AENOR

Certificate of constancy of performance

0099/CPR/A65/0049

Annex to Certificate

Application	Trade Mark	Thickness range (mm)	Technical class	Reaction to fire class	Formaldehyde class	Content of pentachlorophenol
Internal use as structural components in dry conditions	Fireshield Building	$\geq 4 \text{ y } < 7$	EN 636-1 (raw poplar panel)	B-s2, d0	E1	$\leq 5 \text{ ppm}$
Internal use as structural components in dry conditions	Fireshield Building	$\geq 7 \text{ y } \leq 45$	EN 636-1 (raw poplar panel)	B-s1, d0	E1	$\leq 5 \text{ ppm}$

Original Electronic Certificate

First issued on 2018-03-27
Last issued on 2022-03-27
Validity date 2023-03-27

AENOR INTERNACIONAL S.A.U.
Génova, 6. 28004 Madrid. España
Tel. 91 432 60 00.- www.aenor.com

Control body accredited by ENAC. Accreditation number: 1/C-PR356