



DESIGN FOR FURNITURE

PROGRAM GUIDE

TREND-SETTING DESIGN


NOW MORE ACCESSIBLE THAN EVER

Furniture has evolved into more than functionality.

Design is now a driving force of this industry.

Move forward with us. Set yourself apart.

REHAU is your source of polymer solutions for all living and working environments.





Surface Solutions

As one of the top innovators of edging, REHAU is constantly pushing the boundaries in materials, design and process development. Our edging range includes a broad spectrum of patterns and solid colors matched to collections of laminate and melamine manufacturers. Our collection also has many original REHAU designs, which can be used as contrast to work surfaces and furniture frame-works. T-molding, lightweight panel technology and sealing profiles complete our edging line.

System Solutions

Our tambour door systems range from solid colors to wood patterns to cool aluminum for steel or wood cabinets. The award-winning Acoustic Line sound-absorbing tambour door systems paired with RAUWORKS™ adjustable screens significantly improve the acoustics in open office environments.

REHAU's expertise in materials, processes and surface finishes comes together in our "Design for Furniture" concept. Let yourself be inspired!

Designer Collection	6
Lite-edge™ Translucent Edgeband	8
Magic™ Metallic Edgeband	12
Magic™ 3D Edgeband	16
Visions™ Real Glass-Effect Edgeband	20
Visions V-edge™	24
Inspirations™ Design Element Edgeband	28
Mirror Gloss Edgeband	32
 Custom and Specialty	 38
LaserEdge™ Seamless Edging Technology	40
REHAU T-edge™ Barbed Edgeband	42
SupportEdge™ Lightweight Panel Solutions	44
SoftEdge™ Soft Sealing Edgeband	46
Super-High Gloss Edgeband	48
Impressions™ Structured Embossed Edgeband	50
ECOSTYLE™ Green Design	52
 Standard	 54
Thin Edgeband	56
FlexEdge®	57
SpectraEdge	58
T-molding and Bullnose	59
Tools and Accessories	60
Hot Melt and Adhesives	61
 Tambour Door Systems	 62
 Acoustic Solutions	 66
Acoustic Line™ Tambour Doors	68
RAUWORKS™ Acoustic Adjustable Screens	69
 Services	 70
Online Color Search	72
Packaging Information	74
 Customer Commitment	 76





DESIGNER COLLECTION

TAKE IT TO THE EDGE





REHAU once again proves our innovative strength with a growing selection of designer edgebands. These fashionable, high-quality edgebands, developed to impress furniture manufacturers, architects and interior designers, combine creative patterns, textures and colors to open new perspectives in modern furniture design.


All designer edgebands are available within two to three weeks of ordering, and in quantities as small as one coil.

LITE-EDGE

MAKE YOUR EDGE GLOW

Every counter and shelf base is transformed into a unique gem with Lite-edge translucent edgeband, providing cozy, indirect lighting.

A 2 cm cavity is routed into a 38 or 50 mm thick board allowing for an LED strip to be inserted. A minimum 8 mm surface layer is required on each side for adhesive bonding, then the edgeband (with translucent central section) is applied to the board. When the LEDs are switched on, light is transmitted through the translucent areas of the edgeband. The application can also be adapted to suit honeycomb boards.






LITE-EDGE

MAKE YOUR EDGE GLOW


Material PMMA
Embossing Smooth/223
Lacquer type Mirror Gloss
Dimension 45 x 2 mm / 54 x 2 mm
Box contents 50 meters per 1 roll

Production runs to match custom colors available





2235E Lines white-black



2231E Stripe white-stainless steel



2236E Lines blue-black



2232E Stripe blue-stainless steel



2237E Lines mint-black



2233E Stripe mint-stainless steel



2238E Zabrano black-white

MAGIC METALLIC

EXPERIENCE THE LOOK OF METAL

As a perfect complement to recent trends in the kitchen and store fixture markets, REHAU has developed a range of metallic edgebands using actual metal. Our unique, proprietary process effectively combines metals and polymers to achieve a true metallic look without the processing difficulties of traditional metal banding.

Magic Translucent (Magic I)

REHAU has found the perfect synthesis of translucency and metallics. The transparent material with a real aluminum insert creates a stylish, exclusive and particularly eye-catching design.

Magic Metallic (Magic II)

The real metal foil print is ideal for thick countertops. This combination of premium metallic look and creative design creates completely new design perspectives.





© Ballerina

MAGIC METALLIC

EXPERIENCE THE LOOK OF METAL

Magic Translucent (Magic I)

Material PET
Embossing Smooth
Lacquer type Standard
Dimension 22 x 1.5 / 22 x 2 / 28 x 1.5 / 43 x 1.5 / 83 x 1.5
Box contents 150 / 100 meters per 1 roll



90806 Aluminum



90806 Stainless steel



99123 Green aluminum



2817 Silver multiplex



5919 Poggenpohl



5995 Silver multiplex




Magic Metallic (Magic II)

Material PP
Embossing Smooth
Lacquer type Standard
Dimension 23 x 1.3 / 23 x 1.4 / 43 x 1.5 / 45 x 1.3 / 54 x 1.5
Box contents 150 meters per 1 roll



72236 Aluminum



72675 Stainless steel



98473 Aluminum



98473 Stainless steel

MAGIC 3D

A NEW DIMENSION IN EDGEBOARD

Magic 3D edgeband creates an illusion of depth and embossed texture using a decorative print that shows through a transparent PMMA surface. Using two different lacquer types, we have successfully created the illusion of 3D. With excellent processing capabilities, Magic 3D can handle tight radii, trim easily and be polished or beveled without damaging the underlying print.







MAGIC 3D

A NEW DIMENSION IN EDGEBOARD


Material PMMA
Embossing Smooth/223, *Smooth/221
Lacquer type Standard, **2-gloss (Super high-gloss–Satin)
Dimension 23 x 2 mm / 45 x 2 mm / 54 x 2 mm
Box contents 100 meters per 1 roll



751E White



1368E Beige



752E Beige



741E Black



592E Multiplex



8830 Fine line



1711E Rain black



1273E Multiplex



1320E* Brushed bronze



1272E Multiplex



1321E* Brushed copper




1271E Multiplex



1322E* Brushed gold




591E Aluminum



1988E* Brushed titanium



1323E* Brushed aluminum



1990E Foamed metal



1325E* Brushed stainless steel



072Z** Black-bubbles



1324E* Brushed champagne



073Z** Black-grid

VISIONS

ILLUSIONS OF GLASS

Glass is synonymous with clarity, light and openness. With Visions edgeband, REHAU achieves the unique appearance of real glass using a lightweight, robust polymer.

We create the illusion of depth by applying a decorative print to the underside of transparent PMMA material. When this material is radiused or beveled, it diffuses light in the same way as real glass. The combination of Visions edgeband with matching boards or laminates achieves the appearance of a real sheet of glass.






VISIONS

ILLUSIONS OF GLASS

Material PMMA
Embossing Smooth/223
Lacquer type Standard
Dimension 23 x 2 mm / 45 x 2 mm / 54 x 2 mm
Box contents 100 meters per 1 roll







1392E White




1395E Ice blue




1391E Cream



1389E Lime green



1315E Sky blue



1312E Mint green

VISIONS V-EDGE

TWO-TONE EDGEBOARD

V-edge edgeband, a particular highlight within the Visions range, simulates the look of aluminum or stainless steel beneath a thin sheet of glass. When combined with a matching high-gloss laminate, V-edge creates the appearance of a real glass surface. The split design feature allows high-gloss and matte finishes to be incorporated within one edgeband, resulting in the impression that the surface and the top section of the edgeband is one solid piece. The new super high-gloss design is ideally matched to the glossy surfaces of board manufacturers.





VISIONS V-EDGE

TWO-TONE EDGEBAND

Material PMMA
Embossing Smooth/223
Lacquer type Super high-gloss—Super high-gloss,
*Super high-gloss—Matte
Dimension 23 x 1.3 mm / 45 x 1.3 mm
Box contents 100 meters per 1 roll

Production runs to match custom colors available



1636E Beige-brushed stainless steel



1985E Vanilla-aluminum




1522E White-brushed stainless steel




2224E Cappuccino-brushed stainless steel



1984E Magnolia-aluminum



1983E Orange-aluminum



1638E Red-brushed stainless steel



1982E Bordeaux-aluminum



2225E Red-brushed stainless steel




1578E Beige metallic-aluminum



1639E Red-brushed stainless steel



1577E Blue metallic-brushed stainless steel




1641E Sky blue-brushed stainless steel




1637E Silver metallic-brushed stainless steel




1640E Mint-brushed stainless steel




029Z* White-white



1986E Green-aluminum



032Z* Black-black



1521E Black-brushed stainless steel

INSPIRATIONS

DESIGN REDEFINED

Consider the edge a new frontier in design. Ever increasing panel and frame thickness expands the potential for creativity on the edge. REHAU's dazzling array of Inspirations decors ranging from fancy florals to striking black-and-white designs are emerging as a key market trend.





INSPIRATIONS

DESIGN REDEFINED

Material PP
Embossing Smooth/223
Lacquer type Mirror gloss
Dimension 43 x 1.5 mm / 54 x 1.5 mm
Box contents 100 meters per 1 roll



1425E Pink rose



1424E Brown rose



1423E Green rose



1422E Asia light brown



1421E Asia dark brown





1420E Asia green



1538E Stripes green



1440E Viva brown



1631E Lines



1441E Viva blue



1427E Zebrano wood



1439E Viva green



1630E Flowers



1477E Viva grey



1426E Op-art



1539E Stripes red



1626E Bubbles


MIRROR GLOSS

THE ULTIMATE IN GLOSS

There is an increasing demand for high-gloss surfaces in high-end interior design for office and living spaces. When creating high-gloss surfaces, the edgeband quality is almost as important as the gloss level.

Lacquer application with greater than 85 gloss-level points and the unique smoothness of the ABS surface set REHAU apart when creating a mirror effect.






© Häcker

MIRROR GLOSS

THE ULTIMATE IN GLOSS

Material ABS
Embossing Smooth
Lacquer type Mirror gloss > 85
Dimension 23 x 1.3 mm / 35 x 1.3 mm / 45 x 1.3 mm
Box contents 100 meters per 1 roll


Production runs to match custom colors available




76911 White




76264 White




76557 White




78083 Snow White




V0745 Ivory




72885 Ivory



78087 Beige



62693 Beige



76173 Jasmine



64083 Beige



77346 Beige



62414 Yellow



62287 Yellow



76795 Orange



62902 Red



13228 Orange



76957 Pink



76564 Orange



78279 Pink



V1785 Orange



67790 Lilac



15337 Red



77347 Lilac



77348 Red



78281 Violet



62524 Red



77024 Violet



76474 Red



77193 Blue



V0957 Dark red



17780 Blue



62936 Red



77283 Blue

MIRROR GLOSS

THE ULTIMATE IN GLOSS



77065 Blue



76610 Green



76356 Blue



V1784 Green



78280 Mint turquoise



67967 Cappuccino



77147 Green



V1272 Brown



V1589 Light green



77284 Dark brown



78282 Olive green



71038 Brown



77285 Green



67302 Light grey



61753 Signal green



63376 Anthracite grey



76375 Grey



1507W Rosewood



77204 Anthracite grey



1504W Root wood



V0785 Dark grey



1501W Zebrano



97959 Dark grey



641W Zebrano



76490 Black



587E Silver metallic



919E Light olive



1100E Cubanit



1511W Olive



1003E Pearly gloss



959E Dark olive



1591E Black metallic

CUSTOM AND SPECIALTY

THE CUTTING EDGE OF DESIGN





Expert Edging Solutions

As a specialist in polymer processing, REHAU sets new standards in edging technology. Our edgeband line is based on a thorough understanding of material manufacturing and process engineering coupled with a range of innovative designs, resulting in edgeband that satisfies the strictest demands. Our sophisticated up-to-the-minute production technology undergoes constant refinement to achieve the highest quality in our finished products.


LASEREDGE

STATE OF THE ART

REHAU LaserEdge is an innovative, adhesive-free, non-PVC laser edging technology. This two-layer edgeband, offered in proprietary PP, ABS or PMMA polymer formulations, replaces commonly used PVC edging solutions for all machine technologies currently on the market. LaserEdge is applied using a highly efficient laser that melts a color-matched functional layer on the reverse side of the edgeband and welds it to the carrier board.

- Provides a long-term, seam-free bond
- Enhances aesthetic appeal with no joints to collect dirt or yellow
- Increases resistance of the finished board to heat and moisture
- Reduces edgebander set-up, cleaning and maintenance times
- Eliminates time required to match primer and adhesive
- Increases process reliability
- Streamlines material handling and store requirements
- Meets virtually any design requirement with range of material, color and print options





REHAU T-EDGE

CONVERTING COLORS AND PRINTS INTO T-MOLDING

We are transforming edgebanding into T-molding, greatly expanding your color options for custom furniture production.

Using an innovative process, our FlexEdge 3 mm semi-rigid edging is converted to REHAU T-edge barbed edgeband. REHAU T-edge is offered in quantities as small as one coil and a choice of more than 200 colors and patterns from our FlexEdge Express Collection stock program.

Capable of being hammered into virtually any work surface without sophisticated machinery, REHAU T-edge offers custom woodworking shops the ability to produce curved edges without capital investments.





SUPPORTEDGE

LIGHTWEIGHT CONSTRUCTION

Thicker work surfaces and more stable furniture frameworks, with dimensions of up to 3.5 in (90 mm), have sparked a trend toward lightweight construction. Working with panel manufacturers, REHAU has responded to this trend with versatile, lightweight panel solutions that ensure optimal handling of the structural components and matching decorative edge.

Processing Options

Edging solutions that combine our decorative edge with our innovative SupportEdge technology make it possible to achieve lightweight surfaces with panels as thin as 3 mm. For some applications, decorative edging alone is sufficient.

- Cost savings on thicker components
- Easier handling, particularly for larger components
- Substantial weight reductions, providing logistics savings
- Fabrication using existing machine technologies and techniques
- Resource-saving and environmentally friendly materials






SOFTEDGE

SEALING WITH GENTLE IMPACT

Soft sealing edgeband makes soft lines out of hard edges. Wherever there is a requirement for soft closure and dust protection, REHAU SoftEdge is the answer. Our soft edgeband is designed to cushion impact and even out tolerances. The cushioning element on the edgeband deadens the impact noise of a closing door or drawer, and also acts as a barrier to keep odors in and dust out.

Applications include office furniture, kitchen cabinet and partition systems. SoftEdge is available in PP or PVC in a wide range of colors and decorative patterns.





SUPER-HIGH GLOSS

BRILLIANT SHINE

The world of high-gloss boards and laminates and the spectrum of corresponding gloss levels are vast. Based on the customer requirement and area of application, you can select the optimal surface with the right gloss level. In addition to the high-end mirror gloss surface, REHAU offers the super high-gloss finish in both ABS and PVC, matched to corresponding boards and laminates.





© Nolte

IMPRESSIONS

SEE AND FEEL THE DIFFERENCE

Growing demand for an attractive, natural appearance increases the importance of the edgeband's surface texture. Distinctive surface structures and lacquer combinations turn edgeband into a multi-sensory experience. REHAU offers a vast range of embossing options that can be custom applied to any color to meet your design requirements.





ECOSTYLE GREEN DESIGN

NON-PVC EDGING OPTIONS

When it comes to furniture design, choosing the right material is crucial. After all, what you choose will impact not only quality and cost for you, but also the environment for the rest of the world. The ECOSTYLE line from REHAU offers you the next generation of non-PVC products ideal for your green furniture design projects.

PP Material

Polypropylene (PP) is a very neutral synthetic material manufactured completely of petroleum. PP is fully recyclable, odorless, physiologically harmless and burns as clean as a candle. Beyond its general environmental friendliness, PP offers enhanced chemical and heat resistance, greater flexibility and a wider scope of processing possibilities than other polymers. In addition, PP offers a higher UV resistance to fading and greater suitability to contour processing than other non-PVC compounds. These properties make PP ideal for use in household applications and food preparation environments. Halogen-free PP is an increasingly popular option, as well.

ABS Material

Acrylonitrile butadiene styrene (ABS) is chlorine free both during manufacturing and in the final product. Unlike PVC, ABS may be incinerated with general waste, is lighter in weight and highly heat resistant. This thermoplastic material resists impact, which is especially important for office furniture applications. ABS is used as a substitute material for PVC edges in carpentry and woodworking. It has properties similar to PVC, but is inherently more weather resistant, so no stabilizing agents need to be added.





STANDARD

A CLEAR FIT





Whether you are looking for an easy, cost-effective way to cover raw board edges or a unique edging design to give your project the final touch, we have the perfect solution for you.

REHAU's extensive collection of thin, thick and semi-rigid edgeband is available in hundreds of colors and various popular sizes.

For applications where a more substantial edge is desired, REHAU also offers T-molding and bullnose profiles.

THIN EDGEBOARD

VARIETY ALL AROUND




We offer thin edgeband in an extensive range of solids, wood grains and patterns. A complete generic program, including white, black, almond, fog and folkstone, is also available.

FLEXEDGE

SEMI-RIGID EDGEBAND



© Nolte kitchen



A durable and impact resistant semi-rigid edgeband, FlexEdge handles a radius as small as 12 mm without extra pressure or excess adhesive. The flexible 3 mm material trims easily and is ideal for use with contour edgebanders.

SPECTRAEDGE

THICK RIGID EDGEBAND



© Häcker kitchen



Available in 1, 2 and 3 mm sizes, SpectraEdge is durable and impact resistant. This edging is ideal for high traffic areas and has superior machinability for easier processing.

T-MOLDING AND BULLNOSE

SOFTENING HARD EDGES



With a tight seamless fit to the edge of the panel, our T-molding and bullnose do not blanch or discolor when used in radiused applications.



TOOLS AND ACCESSORIES

INSTALLATION MADE EASY



Edge Cutters

- Perfect for flush cutting
- Ideal for touch-ups
- Suitable for up to 3 mm thick edgeband
- Replacement blades available from stock

Plane Cutter

- Ideal for trimming internal and external radii
- Ideal for touch-ups
- Suitable for up to 2 mm thick edgeband
- Replacement blades available from stock

Guillotine End Cutter

- Ensures consistent, high-quality manual butt joints
- 90° cuts and optimal band length combine for a nearly invisible butt joint
- For use with edgeband up to 55 mm wide and 0.018 in. to 2 mm thick depending on combination of edgebands
- Easily adjustable for butt joints in both straight and radius sections
- Ideal for edgeband joints on round tables

⚠ CAUTION! Keep fingers away from tool blades. Tools can cut off finger tips. Follow safety instructions provided with each tool.

HOT MELT AND ADHESIVES

A LASTING SEAL

With REHAU, you can expect much more than edging solutions. For easy processing, best value and strong adhesion, we offer RAUBOND™, our own line of adhesives. Our adhesives are recommended for use with any edgeband product and they can be easily applied with any hot melt edgebander.



Application	Your Hot Melt Solution	Article No.	Color	Packing	Temperature
Low viscosity hot melt for PVC, ABS, PP, PET, melamine and veneer	RAUBOND Universal	122941-008	Natural	55 lbs / bag	374°-410°F
		122941-003	White		190°-210°C
High viscosity hot melt with high heat resistance and good cold flexibility, suitable for PVC, ABS, PP, PET, solid wood, veneer and melamine. Also used for soft-forming applications	RAUBOND Superior	122990-001	Clear	55 lbs / bag	374°-410°F 190°-210°C
Medium-high viscosity hot melt suitable for edgebanding, of PVC, ABS, PP, PET, veneer, solid wood, melamine and primed HPL	RAUBOND Premium	122870-001	Natural	55 lbs / bag	374°-410°F
		122870-002	White		190°-210°C
		122870-003	Brown		
		122870-004	Black		
Low viscosity hot melt for contour edgebanding of PVC, ABS PP, PET, paper and polyester at low application temperatures and slow feed speeds	RAUBOND Contour	122981-005	Natural	55 lbs / bag	266°-302°F 130°-150°C
Medium-high viscosity EVA hot melt for automatic edgebanding of PVC, ABS, PP, veneer, solid wood and primed HPL for use with Holz-Her cartridge edgebanders	RAUBOND Cartridge	122951-004	Natural	35 lbs / box	374°-410°F
		122951-007	White		190°-210°C
		122951-006	Brown		
		122951-005	Black		

TAMBOUR DOOR SYSTEMS

IMAGINE THE POSSIBILITIES





Are your furniture and display designs keeping pace with the most contemporary trends in the market? Discover how REHAU tambour door systems can give your products a fresh look and increased functionality.

When compared with sliding or hinged doors, as well as with traditional metal or wood tambour doors, our polymer-based tambour door systems offer numerous advantages.

Practical

Give full access to cabinet contents

Functional

Operate smoothly and quietly

Space-saving

Require minimal space with no doors that open out into the work area

Versatile

Provide endless possibilities for cabinet sizes, designs and finishes in new or retrofit applications

Reliable

Do not stick or swell with humidity

Durable

Resist scratching better than hot stamped or foiled products

TAMBOUR DOOR SYSTEMS

DIVERSITY IN CABINET DESIGN

Design Ranges

Solid Line	White, gray and black
Printed Line	Aluminum, champagne, pine grey and walnut
Metallic Line	Aluminum and brushed stainless steel
Vetro Line	Green, black and white glass
Acoustic Line	Aluminum and white

Track Systems

Design flexibility for horizontal applications:

Classic	Recessed
Flex	Recessed
Top Basic	Fitted
Top	Fitted
Frame	Overlay

Mechanisms

Choose from the following mechanisms for vertical applications:

- Caddy brake
- Vertical brake
- C6 vertical counterbalance mechanism
- C3 vertical counterbalance mechanism (also offered as kits)

Interested in tambour doors? Download the REHAU *Tambour Door Systems Brochure* (100.304) from our resource center at

www.na.rehau.com/resourcecenter





ACOUSTIC SOLUTIONS

INTELLIGENT SOUND-ABSORBING DESIGNS





Comfort in the Workplace

Temperature, air quality, lighting and acoustics contribute to a feeling of well-being in the workplace. In order to concentrate and work efficiently, many people need limited noise. However, verbal communication among colleagues is also crucial to an effective work environment. Verbal interaction can certainly disrupt concentrated work, but silence can dramatically hinder teamwork.

What is the solution? Modern office design must incorporate the acoustic requirements for concentrated work into a communicative environment.

In modern open-plan workplaces, flexible separating wall systems, dividing walls within rooms and all surfaces can be important sound-absorbing elements.

REHAU Acoustic Line sound-absorbing tambour doors and RAUWORKS screens work together to provide a flexible solution to open-plan workplace environments.

ACOUSTIC LINE TAMBOUR DOORS

CREATE SOUND BALANCE



Acoustic Line is an acoustically efficient tambour door system for use in office and working environments. The proprietary sound absorption product is distinguished by its special profile geometry with holes and a retracted acoustic fleece.

The tambour profile absorbs up to 80% of incident sound, combining acoustic efficiency and store space with quality design.

The flexible placement of acoustic furniture in individual work spaces shields against disturbing noise from the environment and the spread of sound to the immediate surrounding environment.

RAUWORKS ACOUSTIC ADJUSTABLE SCREENS

PARTITION WALL ELEMENTS FOR DOUBLE WORKPLACES

RAUWORKS screens, specially developed for application in a shared workspace setting, incorporate modern design with noise deflection and absorption for office environments. Thanks to sound-absorbing materials and customizable panel heights and colors, RAUWORKS screens create a unique, disruption-free work space supporting clear communication in today's open office settings.



RAUWORKS Lift Screen

One-panel, motorized height adjustment, optimal visual and acoustic performance



RAUWORKS Fixed Screen

One panel, connected to desk



RAUWORKS Split Screen

Separate panels, individually adjustable

SERVICES

HOW CAN WE HELP





Express Collection Stock Program

If you need high quality designs and fast delivery for your next project, REHAU Express Collection has a solution for you. From this extensive stock range, you can order quantities as small as one edgeband coil or one tambour door direct from the manufacturer. We offer quality matches to more than 1,000 colors from popular laminate brands including Arborite®, Flakeboard®, Formica®, Funder®, Nevamar®, Panolam®, Pionite®, Roseburg®, Tafisa®, Uniboard® and Wilsonart®, among others. For all available matches, visit www.na.rehau.com/colorsearch

Samples


Single samples are available for any existing REHAU match. In addition, sample chains are available for our extensive stock range. Contact your regional REHAU representative to request a sample. Visit www.na.rehau.com/contact

Color Matching

Our design center works closely with North American high-pressure laminate and TFM manufacturers to ensure REHAU color offerings remain in line with the latest market trends. It ensures REHAU color matches adhere to our strict standards, providing a smooth transition between surface and edge. For custom color match, our color lab experts will be glad to assist you at any stage.

ONLINE COLOR SEARCH

YOUR PERSONAL ASSISTANT



COLOR SEARCH

Search for a matching laminate. Click on column headers to sort results.

[CLICK FOR NEW MATCHES](#)

Brand: 1

Finish:

Laminate Name: 2

Rating:

Laminate No.: 3

REHAU Article No.:

REHAU Color No.: 4

Product Line:

Size:

Program:



Type:

Availability:

☒ Click for more search options

GO **CLEAR**

[Clicking To Open Results in Excel](#)

Laminate Brand	Laminate Name	Laminate Number	REHAU Color Number	Type	Rating	REHAU Article Number	Product Line	Size (mouse over for details)	Finish	Program	Availability	Sample (for reference only)	
				5	6	7	8	9	10	11	12	13	
Wilton	BLOND ECHO	7939-38	CP203117	W	C	301021-111	FLEXEDGE	15/16" x 3mm			+	Stock	
						301495-034	THIN EDGESAND	1-5/16" x .020"	WA-15		+	Stock	
						301574-815	THIN EDGESAND	15/16" x .018"			▲	No Stock	
						301584-375	THIN EDGESAND	1-5/16" x .020"			+	Stock	
						302104-065	THIN EDGESAND	15/16" x .018"	WA-15		●	Stock	
						302595-009	FLEXEDGE	15/16" x 3mm	WA-15		+	No Stock	
						302597-001	FLEXEDGE	1-5/16" x 3mm	WA-15		●	Stock	
						302334-143	FLEXEDGE	1-5/16" x 3mm			+	Stock	
Wilton	TAN ECHO	7941-38	CP20124	W	C	301021-112	FLEXEDGE	15/16" x 3mm			+	No Stock	
						301495-043	THIN EDGESAND	1-5/16" x .020"	WA-15		+	Stock	
						301574-817	THIN EDGESAND	15/16" x .018"			▲	No Stock	
						301584-377	THIN EDGESAND	1-5/16" x .020"			●	Stock	
						302104-095	THIN EDGESAND	15/16" x .018"	WA-15		●	Stock	
						302254-045	SPECTRAEDGE	15/16" x 1mm			▲	No Stock	

Key: S = Solid W = Woodgrain P = Pattern E = Exact Match C = Close Match HG = High Gloss Finish

● = Express Collection + = Express* (Expedited production within 7 days) ■ = Designer Collection ▲ = Production

© REHAU Incorporated 2013
 Central Order Processing U.S. Phone: (888) 734-2810 Fax: (855) 300-4526
 Central Order Processing Canada Phone: (888) 905-0345 Fax: (877) 699-0345

If the article is not in stock, but it is part of the Express Collection, please contact your local sales office to inquire how soon the article will be available.



Access the edgeband color search on the go with any mobile device.

Visit www.na.rehau.com/colorsearch

Add your search criteria in any of the given categories.

Click for more search options:

Access to additional search options including laminate finishes, program, article number or availability. This extended search functionality provides an exact result for your search criteria.

Please note:

- You do not have to fill in every available category.
- The name displayed is the laminate manufacturer's name and may not match the REHAU color name.
- Names may vary depending on the laminate manufacturer. Always verify the laminate manufacturer when searching for a match.
- Availability is updated daily.
- Color swatches are for reference only. Always request a sample for exact matching.

1 Laminate Brand: Drop-down menu for selection of the most popular brands

2 Laminate Name: Laminate manufacturer's color name

3 Laminate Number: Laminate manufacturer's color number

4 REHAU Color Number: Color number assigned by REHAU

5 Type: Displays whether the color is solid, wood grain or pattern

6 Rating: REHAU rating for exact or close color matches to the laminate

7 REHAU Article Number: REHAU's part number

8 Product Line: Indicates REHAU's program range (i.e., Thin Edgeband, FlexEdge, SpectraEdge)

9 Size: Sizes currently available. Additional sizes can be custom produced

10 Finish: Laminate finish per REHAU article by laminate manufacturer

11 Program: Shows whether the article is available through the Express Collection stock program, Express+ expedited production program or production

12 Availability: Displays whether article is currently in stock in our warehouses

13 Color Sample: For reference only.

Please request a sample from the REHAU Design Center for accurate matching

PACKAGING INFORMATION

EDGING PROGRAM

Product	Product Size	Color Offering	Coil Size	Box Quantity	Box Weight	Single Coil Box Weight	Board Size (recommended)
Thin Edgeband	5/8" x .018"	Generic solids/Wood grains	600 ft coil	7 coils	28 lbs	4 lbs	1/2"
	3/4" x .018"	Generic solids/Wood grains	600 ft coil	6 coils	30 lbs	5 lbs	5/8"
	7/8" x .018"	Generic solids/Wood grains	600 ft coil	6 coils	36 lbs	6 lbs	3/4"
	15/16" x .018"	Generic solids/Wood grains	600 ft coil	5 coils	30 lbs	6 lbs	5/8" and 3/4"
	1-5/16" x .020"	Generic solids/Wood grains	600 ft coil	4 coils	32 lbs	8 lbs	1" and 1-1/4"
	15/16" x .018"	Solids/Wood grains/Patterns	600 ft coil	5 coils	30 lbs	6 lbs	5/8" and 3/4"
	1-5/16" x .020"	Solids/Wood grains/Patterns	600 ft coil	4 coils	32 lbs	8 lbs	1" and 1-1/4"
	3/4" x .018"	Selected solids/Wood grains	1200 ft coil	6 coils	60 lbs	10 lbs	5/8"
	7/8" x .018"	Selected solids/Wood grains	1200 ft coil	6 coils	72 lbs	12 lbs	3/4"
	15/16" x .018"	Selected solids/Wood grains	1200 ft coil	5 coils	60 lbs	12 lbs	5/8" and 3/4"
SpectraEdge	15/16" x 1 mm	Generic solids	600 ft coil	4 coils	55 lbs	11 lbs	5/8" and 3/4"
	15/16" x 2 mm	Solids/Wood grains/Patterns	300 ft coil	4 coils	52 lbs	13 lbs	5/8" and 3/4"
	15/16" x 3 mm	Solids/Wood grains/Patterns	300 ft coil	4 coils	80 lbs	20 lbs	5/8" and 3/4"
	1-5/16" x 3 mm	Solids/Wood grains/Patterns	300 ft coil	3 coils	81 lbs	27 lbs	1" and 1-1/4"
FlexEdge	15/16" x 3 mm	Solids/Wood grains/Patterns	300 ft coil	4 coils	80 lbs	20 lbs	5/8" and 3/4"
	1-5/16" x 3 mm	Solids/Wood grains/Patterns	300 ft coil	3 coils	82 lbs	27 lbs	1" and 1-1/4"
Magic Metallic Line	23 x 1.4 mm	Aluminum/Stainless steel	492 ft coil	3 coils	39 lbs	13 lbs	5/8" and 3/4"
	33 x 1.5 mm	Aluminum/Stainless steel	410 ft coil	1 coil	11 lbs	11 lbs	1" and 1-1/4"
	43 x 1.5 mm	Aluminum/Stainless steel	492 ft coil	1 coil	13.2 lbs	13.2 lbs	1-1/2"
Magic Translucent	22 x 1.5 mm	Aluminum/Stainless steel	492 ft coil	1 coil	21 lbs	21 lbs	1"
	28 x 1.5 mm	Aluminum/Stainless steel	492 ft coil	1 coil	29.5 lbs	29.5 lbs	1-5/8"
	43 x 1.5 mm	Aluminum/Stainless steel	410 ft coil	2 coils	35 lbs	17.5 lbs	1" and 1-1/4"

Product	Product Size	Color Offering	Coil Size	Box Quantity	Box Weight	Single Coil Box Weight	Board Size (recommended)
Magic 3D	23 x 2 mm	Selected solids/Wood grains/Patterns	328 ft coil	4 coils	45.76 lbs	11.44 lbs	5/8" and 3/4"
	45 x 2 mm	Selected solids/Wood grains/Patterns	328 ft coil	3 coils	67.20 lbs	22.40 lbs	1-1/2"
Lite-edge	45 x 2 mm	Selected solids	164 ft coil	3 coils	67.20 lbs	22.40 lbs	1-1/2"
	54 x 2 mm	Selected solids	164 ft coil	2 coils	36.83 lbs	18.41 lbs	2"
Visions	23 x 2 mm	Selected solids	328 ft coil	4 coils	45.76 lbs	11.44 lbs	5/8" and 3/4"
	45 x 2 mm	Selected solids	328 ft coil	3 coils	67.20 lbs	22.40 lbs	1-1/2"
V-edge	23 x 1.3 mm	Selected solids	328 ft coil	4 coils	29.76 lbs	7.44 lbs	5/8" and 3/4"
	43 x 1.3 mm	Selected solids	328 ft coil	2 coils	35 lbs	17.5 lbs	1-1/2"
Inspirations	43 x 1.5 mm	Selected patterns	328 ft coil	2 coils	35 lbs	17.5 lbs	1-1/2"
	54 x 1.5 mm	Selected patterns	328 ft coil	2 coils	36.83 lbs	18.41 lbs	2"
Mirror Gloss	23 x 1.3 mm	Selected solids/Wood grains/Patterns	328 ft coil	4 coils	29.76 lbs	7.44 lbs	5/8" and 3/4"
	45 x 1.3 mm	Selected solids/Wood grains/Patterns	328 ft coil	2 coils	35 lbs	17.5 lbs	1-1/2"
T-molding	1" x 3 mm	Solids/Wood grains/Patterns	250 ft coil	1 coil	26 lbs	26 lbs	15/16" and 1"
	1-1/4" x 3 mm	Solids/Wood grains/Patterns	150 ft coil	1 coil	23 lbs	23 lbs	1-3/8" and 1-1/4"
Bullnose	1" x 9 mm	Solids/Wood grains/Patterns	75 ft flat coil	3 coils	36 lbs	12 lbs	15/16" and 1"
	1-1/4" x 11.5 mm	Solids/Wood grains/Patterns	50 ft flat coil	2 coils	36 lbs	18 lbs	1-1/8" x 1-1/4"

For solid, wood grain and pattern availability, please visit our colors search at www.na.rehau.com/colorsearch

CUSTOMER COMMITMENT

A PARTNERSHIP BUILT ON QUALITY AND SERVICE

Quality Management

REHAU's quality management system is based on a range of demanding requirements, including those stipulated by ISO 9001 and ISO/TS16949.

Research and Innovation

As a leading polymer processor, REHAU operates in an innovative and technology-oriented environment. Decades of experience combine with our core competencies in material development, system design and surface technology to make us a leading innovator of furniture products.

Independence

By focusing on medium- and long-term goals rather than on short-term profits, REHAU is a steady and dependable business partner. With an emphasis on stable growth, we target industries and regions that promise long-term potential. Economies of scale and sharing knowledge across industries give REHAU a strategic advantage.

Environmental Stewardship

Environmental protection concepts play an important role in our product development and design. At every stage of development, we consider recycling options – from designing products using recycled content to increasing a product's longevity to improving product recyclability. Our production plants also set environmental targets and several have achieved ISO 14001 certification for their environmental management systems.

Customer Service Centers

Highly trained sales staff in our US and Canadian customer service centers provide fast and reliable answers to all order-related questions.

Distribution Centers

Through distribution centers in the US and Canada, REHAU offers 24-hour turnaround for stocked articles. For orders received before noon, 90% ship the same day.

REHAU Academy Events

REHAU Academy is a unique program that allows you to take advantage of the expertise of our local sales personnel to maximize your success with our unique product range. We facilitate on-site training for you and your customers on the REHAU product range, trends in the industry as well as technical and process improvements.

REHAU Technical Support Service

With more than 40 years of experience in the application of edgebanding, REHAU technical staff is available to answer your technical questions.



Central Order Processing U.S. Phone (866) 963-6615 Fax (866) 963-6617
Central Order Processing Canada Phone (888) 905-0345 Fax (877) 699-0345

East Coast / Central U.S. (888) 734-2810 West Coast U.S. (800) 944-1011 Canada (800) 361-0830
Celaya, Mexico (800) 917-3428 Monterrey, Mexico (81) 81 21 0130 Panama City, Panama (507) 830-5157

For updates to this publication, visit na.rehau.com/resourcecenter

The information contained herein is believed to be reliable, but no representations, guarantees or warranties of any kind are made as to its accuracy, suitability for particular applications or the results to be obtained therefrom. Before using, the user will determine suitability of the information for user's intended use and shall assume all risk and liability in connection therewith.

© 2013 REHAU Printed in Canada