



ROYAL[®]
Trim & Mouldings

PRODUCT DIRECTORY

TABLE OF CONTENTS

4	S4S Trimboard	19	Grove Collection™
6	SurEdge Trimboard	20	Column Wrap
9	Prefinished Trimboard	24	Window & Door Trim
10	Precision Cut Trimboard	25	Mouldings
14	Sheet Board	35	FAQs
15	Conceal Trim System	40	Appendix
17	Garage Door Trim	51	Reference
18	Nickel Gap/Shiplap, Beadboard & Wainscoting		



DESCRIPTION	BULK UNIT/ SHROUD	TOUGH PACK (SHRINK WRAP)	PROTECTIVE FILM	CORRUGATED
S4S	•	•		
SurEdge	•	•	•	
Conceal	•	•		•
Sheet	•		•	

Royal Trim Board Packaging Options

All SurEdge, S4S & Sheet products come with standard protective shroud. Tough Pack and Protective Film are custom packing options. Please check with customer service for additional details and product availability.



S4S TRIMBOARD

Product offering subject to change. Please check with Customer Service for product availability.
See Appendix for Typical Pack Sizes and Weights.

5/8" Smooth/Woodgrain Reversible

PROFILE	NOMINAL DESCRIPTION	ACTUAL SIZE	LENGTH					
			7'	8'	10'	12'	16'	18'
2150	5/8 x 2	5/8" x 1-1/2" Smooth Only	•	•		•	•	•
7827	5/8 x 4	5/8" x 3-1/2"		•		•	•	•
7828	5/8 x 6	5/8" x 5-1/2"		•	•	•	•	•
7829	5/8 x 8	5/8" x 7-1/4"					•	•
7830	5/8 x 10	5/8" x 9-1/4"		•	•	•		•
7831	5/8 x 12	5/8" x 11-1/4"		•	•	•		•

1X Smooth/Woodgrain Reversible


PROFILE	NOMINAL DESCRIPTION	ACTUAL SIZE	LENGTH					
			7'	8'	10'	12'	16'	18'
7832	1 x 2	3/4" x 1-1/2"		•		•	•	•
7833	1 x 3	3/4" x 2-1/2"		•		•		•
7834	1 x 4	3/4" x 3-1/2"	•	•	•	•	•	•
7871	1 x 5	3/4" x 4-1/2"		•	•	•		•
7835	1 x 6	3/4" x 5-1/2"	•	•	•	•	•	•
7836	1 x 8	3/4" x 7-1/4"		•		•	•	•
7837	1 x 10	3/4" x 9-1/4"		•			•	•
7838	1 x 12	3/4" x 11-1/4"		•		•	•	•

S4S TRIMBOARD


Product offering subject to change. Please check with Customer Service for product availability.
See Appendix for Typical Pack Sizes and Weights.

5/4" Smooth/Woodgrain Reversible

PROFILE	NOMINAL DESCRIPTION	ACTUAL SIZE	LENGTH							
			7'	8'	10'	12'	16'	18'	20'	
7874	5/4 x 3	1" x 2-1/2"		•		•				
7840	5/4 x 4	1" x 3-1/2"	•	•	•	•	•	•	•	•
7875	5/4 x 5	1" x 4-1/2"		•	•	•	•	•	•	•
7841	5/4 x 6	1" x 5-1/2"	•	•	•	•	•	•	•	•
7842	5/4 x 8	1" x 7-1/4"		•	•	•		•	•	
7843	5/4 x 10	1" x 9-1/4"		•	•			•	•	
7844	5/4 x 12	1" x 11-1/4"		•	•	•		•	•	



Reversible



Multiple Thicknesses



Multiple Widths

SUREEDGE TRIMBOARD

Product offering subject to change. Please check with Customer Service for product availability.
See Appendix for Typical Pack Sizes and Weights.

5/8" Smooth/Woodgrain Reversible

PROFILE	NOMINAL DESCRIPTION	ACTUAL SIZE	LENGTH		
			12'	16'	18'
9759	5/8 x 4	5/8" x 3-1/2"	•	•	•
9760	5/8 x 6	5/8" x 5-1/2"	•	•	•
9761	5/8 x 8	5/8" x 7-1/4"		•	•
9762	5/8 x 10	5/8" x 9-1/4"			•
9763	5/8 x 12	5/8" x 11-1/4"		•	•
9784	5/8 x 14	5/8" x 13-1/4"		•	•
9764	5/8 x 16	5/8" x 15-1/4"	•	•	•

1X Smooth/Woodgrain Reversible

PROFILE	NOMINAL DESCRIPTION	ACTUAL SIZE	LENGTH			
			8'	12'	16'	18'
9766	1 x 3	3/4" x 2-1/2"	•	•		•
9767	1 x 4	3/4" x 3-1/2"	•	•	•	•
9768	1 x 5	3/4" x 4-1/2"	•	•		•
9769	1 x 6	3/4" x 5-1/2"	•	•	•	•
9770	1 x 8	3/4" x 7-1/4"	•	•	•	•
9771	1 x 10	3/4" x 9-1/4"	•	•	•	•
9772	1 x 12	3/4" x 11-1/4"	•	•	•	•
9788	1 x 14	3/4" x 13-1/4"				
9773	1 x 16	3/4" x 15-1/4"		•		•

SUREEDGE TRIMBOARD


Product offering subject to change. Please check with Customer Service for product availability.
See Appendix for Typical Pack Sizes and Weights.

5/4" Smooth/Woodgrain Reversible

PROFILE	NOMINAL DESCRIPTION	ACTUAL SIZE	LENGTH			
			12'	16'	18'	20'
9774	5/4 x 3	1" x 2-1/2"				
9775	5/4 x 4	1" x 3-1/2"	•		•	•
9776	5/4 x 5	1" x 4-1/2"	•		•	•
9777	5/4 x 6	1" x 5-1/2"	•	•	•	•
9778	5/4 x 8	1" x 7-1/4"	•	•	•	
9779	5/4 x 10	1" x 9-1/4"	•	•	•	
9780	5/4 x 12	1" x 11-1/4"	•	•	•	•
9781	5/4 x 16	1" x 15-1/4"	•		•	



Reversible



Multiple Thicknesses



Multiple Widths


SUREEDGE TRIMBOARD

Product offering subject to change. Please check with Customer Service for product availability. See Appendix for Typical Pack Sizes and Weights.

5/8" Smooth/Woodgrain Reversible Color Through

PROFILE	NOMINAL DESCRIPTION	ACTUAL SIZE	LENGTH
			18'
9759	5/8 x 4	5/8" x 3-1/2"	●
9760	5/8 x 6	5/8" x 5-1/2"	●
9761	5/8 x 8	5/8" x 7-1/4"	●
9762	5/8 x 10	5/8" x 9-1/4"	●
9763	5/8 x 12	5/8" x 11-1/4"	●
9764	5/8 x 16	5/8" x 15-1/4"	●

Available Colors:



1X Smooth/Woodgrain Reversible Color Through

PROFILE	NOMINAL DESCRIPTION	ACTUAL SIZE	LENGTH
			18'
9767	1 x 4	3/4" x 3-1/2"	●
9769	1 x 6	3/4" x 5-1/2"	●
9770	1 x 8	3/4" x 7-1/4"	●
9771	1 x 10	3/4" x 9-1/4"	●
9772	1 x 12	3/4" x 11-1/4"	●
9773	1 x 16	3/4" x 15-1/4"	●

5/4" Smooth/Woodgrain Reversible Color Through

PROFILE	NOMINAL DESCRIPTION	ACTUAL SIZE	LENGTH
			18'
9775	5/4 x 4	1" x 3-1/2"	●
9777	5/4 x 6	1" x 5-1/2"	●
9779	5/4 x 8	1" x 7-1/4"	●
9780	5/4 x 10	1" x 9-1/4"	●
9781	5/4 x 12	1" x 11-1/4"	●

PREFINISHED TRIMBOARD

Product offering subject to change. Please check with Customer Service for product availability.
See Appendix for Typical Pack Sizes and Weights.


Available Colors:

5/8" Prefinished Trimboard Smooth

PROFILE	NOMINAL DESCRIPTION	ACTUAL SIZE	LENGTH
			16'
9759	5/8 x 4	5/8" x 3-1/2"	•
9760	5/8 x 6	5/8" x 5-1/2"	•
9761	5/8 x 8	5/8" x 7-1/4"	•
9762	5/8 x 10	5/8" x 9-1/4"	•
9763	5/8 x 12	5/8" x 11-1/4"	•

5/4" Prefinished Trimboard Smooth

PROFILE	NOMINAL DESCRIPTION	ACTUAL SIZE	LENGTH
			16'
9775	5/4 x 4	1" x 3-1/2"	•
9777	5/4 x 6	1" x 5-1/2"	•
9778	5/4 x 8	1" x 7-1/4"	•
9779	5/4 x 10	1" x 9-1/4"	•
9780	5/4 x 12	1" x 11-1/4"	•




PRECISION CUT TRIMBOARD

Product offering subject to change. Please check with Customer Service for product availability.
See Appendix for Typical Pack Sizes and Weights.

3/8" Smooth/Woodgrain Reversible

PROFILE	NOMINAL DESCRIPTION	ACTUAL SIZE	LENGTH						
			8'	9'	10'	12'	14'	16'	18'
2880	3/8 x 4	3/8" x 3-1/2"	•		•			•	•
2975	3/8 x 3-3/4	3/8" x 3-3/4"							•
2990	3/8 x 5	3/8" x 5"						•	
3068	3/8 x 5-3/8	3/8" x 5-3/8"							•
2881	3/8 x 6	3/8" x 5-1/2"	•						•
2882	3/8 x 8	3/8" x 7-1/4"		•	•				•
2884	3/8 x 10	3/8" x 9-1/4"		•	•				•
2885	3/8 x 12	3/8" x 11-1/4"			•				
3009	3/8 x 12	3/8" x 12"	•						

Custom sizes available.



Reversible



Multiple Thicknesses



Multiple Widths

PRECISION CUT TRIMBOARD

Product offering subject to change. Please check with Customer Service for product availability.
See Appendix for Typical Pack Sizes and Weights.

1/2" Smooth/Woodgrain Reversible

PROFILE	NOMINAL DESCRIPTION	ACTUAL SIZE	LENGTH						
			8'	9'	10'	12'	14'	16'	18'
2873	1/2 x 4	1/2" x 3-1/2"					•		•
2874	1/2 x 6	1/2" x 5-1/2"		•		•			
2875	1/2 x 8	1/2" x 7-1/4"							
2876	1/2 x 10	1/2" x 9-1/4"			•	•			
2877	1/2 x 12	1/2" x 11-1/4"			•	•			
3078	1/2 x 14	1/2" x 14"					•		
2936	1/2 x 16	1/2" x 16"			•				

5/8" Smooth/Woodgrain Reversible

PROFILE	NOMINAL DESCRIPTION	ACTUAL SIZE	LENGTH					
			8'	9'	10'	12'	18'	
3018	5/8 x 3	5/8" x 2-1/2"						•
2832	5/8 x 4	5/8" x 3-1/2"			•			•
2904	5/8 x 5	5/8" x 4-1/2"						•
2833	5/8 x 6	5/8" x 5-1/2"		•	•			•
2906	5/8 x 7	5/8" x 6-1/2"						•
2834	5/8 x 8	5/8" x 7-1/4"		•		•		
2835	5/8 x 10	5/8" x 9-1/4"		•		•		•
2836	5/8 x 12	5/8" x 11-1/4"		•	•	•		•
2919	5/8 x 16	5/8" x 15-1/4"						•

Custom sizes available.

PRECISION CUT TRIMBOARD

Product offering subject to change. Please check with Customer Service for product availability.
See Appendix for Typical Pack Sizes and Weights.

1X Smooth/Woodgrain Reversible

PROFILE	NOMINAL DESCRIPTION	ACTUAL SIZE	LENGTH						
			7'	8'	10'	12'	14'	18'	20'
2825	1 x 2	3/4" x 1-1/2"		●		●			
2898	1 x 3	3/4" x 2-1/2"							●
2826	1 x 4	3/4" x 3-1/2"				●	●	●	
2899	1 x 5	3/4" x 4-1/2"							●
2827	1 x 6	3/4" x 5-1/2"				●		●	
2828	1 x 8	3/4" x 7-1/4"				●		●	●
2829	1 x 10	3/4" x 9-1/4"		●				●	●
2830	1 x 12	3/4" x 11-1/4"				●		●	●
3004	1 x 16	3/4" x 15-1/4"						●	
2912	1 x 16	3/4" x 15-1/2"						●	
2951	1 x 18	3/4" x 18"						●	

5/4" Smooth/Woodgrain Reversible

PROFILE	NOMINAL DESCRIPTION	ACTUAL SIZE	LENGTH				
			8'	10'	12'	18'	20'
2866	5/4 x 4	1" x 3-1/2"				●	●
2901	5/4 x 5	1" x 4-1/2"					●
2965	5/4 x 4-5/8	1" x 4-5/8"	●				
2867	5/4 x 6	1" x 5-1/2"				●	●
2868	5/4 x 8	1" x 7-1/4"				●	●
2869	5/4 x 10	1" x 9-1/4"				●	●
2870	5/4 x 12	1" x 11-1/4"				●	●
3003	5/4 x 16	1" x 15-1/4"					●
2913	5/4 x 15	1" x 15-1/2"				●	●

Custom sizes available.

PRECISION CUT TRIMBOARD

Product offering subject to change. Please check with Customer Service for product availability.
See Appendix for Typical Pack Sizes and Weights.

6/4" Smooth

PROFILE	NOMINAL DESCRIPTION	ACTUAL SIZE	LENGTH			
			8'	10'	12'	18'
9747	6/4 x 4	1-1/4" x 3-1/2"	•	•	•	•
9748	6/4 x 6	1-1/4" x 5-1/2"	•	•	•	•
9749	6/4 x 8	1-1/4" x 7-1/4"	•	•	•	•
9750	6/4 x 10	1-1/4" x 9-1/4"	•	•	•	•
9751	6/4 x 12	1-1/4" x 11-1/4"	•	•	•	•
9799	6/4 x 16	1-1/4" x 15-1/4"	•	•	•	•

8/4" Smooth

PROFILE	NOMINAL DESCRIPTION	ACTUAL SIZE	LENGTH
			18'
9753	8/4 x 4	1-1/2" x 3-1/2"	•
9754	8/4 x 6	1-1/2" x 5-1/2"	•
9755	8/4 x 8	1-1/2" x 7-1/4"	•
9756	8/4 x 10	1-1/2" x 9-1/4"	•
9757	8/4 x 12	1-1/2" x 11-1/4"	•

Custom sizes available.

SHEET BOARD

Product offering subject to change. Please check with Customer Service for product availability.
See Appendix for Typical Pack Sizes and Weights.

White

PROFILE	ACTUAL SIZE	LENGTH							
		8'	9'	10'	12'	14'	16'	18'	20'
9912	1/4 x 48"	•		•	•				
2878	3/8 x 48"	•		•	•				•
2871	1/2 x 48"	•	•	•	•				•
2838	5/8 x 48"	•	•	•	•			•	•
2837	3/4 x 48"	•	•	•	•			•	•
2864	1 x 48"	•	•	•	•			•	•
9752	1-1/4 x 48"	•		•	•			•	
9758	1-1/2 x 48"	•		•	•				

Sand Dune Color Through

PROFILE	ACTUAL SIZE	LENGTH		
		8'	10'	18'
2837	3/4" x 48"	•		
2878	3/8" x 48"	•	•	•

Tuscan Tan Color Through

PROFILE	ACTUAL SIZE	LENGTH		
		8'	10'	18'
2871	1/2" x 48"			•
2878	3/8" x 48"	•	•	•



Available in Smooth/Woodgrain Reversible.

CONCEAL TRIM SYSTEM

Product offering subject to change. Please check with Customer Service for product availability.
See Appendix for Typical Pack Sizes and Weights.


Outside Corners - Smooth or Woodgrain

PROFILE	DESCRIPTION	ACTUAL SIZE	7/8" POCKET	LENGTH	
				10'	20'
9718	1 x 6 Traditional	5-5/8" x 5-5/8"		•	•
7971	5/4 x 4 Traditional	3-11/16" x 3-11/16"		•	•
7973	5/4 x 6 Traditional	5-11/16" x 5-11/16"		•	•
7972	5/4 x 4 Rabbeted	3-11/16" x 3-11/16"	•	•	•
7970	5/4 x 6 Rabbeted	5-11/16" x 5-11/16"	•	•	•



J-Channel Trim & Window Surrounds - Smooth or Woodgrain

PROFILE	DESCRIPTION	ACTUAL SIZE	7/8" POCKET	LENGTH
				18'
9706	5/4 x 4 Rabbeted	1" x 3-1/2"	•	•
7994	5/4 x 6 Rabbeted	1" x 5-1/2"	•	•
9707	5/4 x 8 Rabbeted	1" x 7-1/4"	•	•
9914	5/4 x 10 Rabbeted	1" x 10-1/4"	•	•
3157	5/4 x 12 Rabbeted	1" x 11-1/4"	•	•
9794	5/4 x 4 New Construction Surround	1" x 3-1/2"	•	•
9795	5/4 x 6 New Construction Surround	1" x 5-1/2"	•	•
9800	5/4 x 4 New Construction Surround	1" x 3-1/2"		•
9801	5/4 x 6 New Construction Surround	1" x 5-1/2"		•
9817	1 x 5 New Construction Surround	1" x 4-1/2"		•
9818	1 x 6 New Construction Surround	1" x 5-1/2"		•



CONCEAL TRIM SYSTEM

Product offering subject to change. Please check with Customer Service for product availability.
See Appendix for Typical Pack Sizes and Weights.

Skirt Boards - Smooth or Woodgrain

PROFILE	DESCRIPTION	ACTUAL SIZE	LENGTH
			18'
9704	1 x 8 Skirt Board	3/4" x 7-1/4"	•
9705	1 x 10 Skirt Board	3/4" x 9-1/4"	•
9700	5/4 x 4 Skirt Board	1" x 3-1/2"	•
7993	5/4 x 6 Skirt Board	1" x 5-1/2"	•
9701	5/4 x 8 Skirt Board	1" x 7-1/4"	•




Water Tables - Smooth

PROFILE	DESCRIPTION	ACTUAL SIZE	LENGTH
			12' 16'
9796	Standard Water Table	1-5/8" x 2-9/16" - 14° Slope, Smooth Only	•
9719	Stone Water Table	3-1/8" x 3-3/4" - 14° Slope, Smooth Only	•
9953V	V-Stone Water Table**	2-3/4" x 2-1/2"	• •



T-Moulds - Smooth or Woodgrain

PROFILE	DESCRIPTION	ACTUAL SIZE	1" POCKET	LENGTH
				18'
9833	5/8 x 4 T-Mould	5/8" x 3-1/2"	•	•
9835	5/4 x 4 T-Mould	1" x 3-1/2"	•	•
9831	5/4 x 6 T-Mould	1" x 5-1/2"	•	•
9832	5/4 x 8 T-Mould	1" x 7-1/4"	•	•




GARAGE DOOR TRIM

Product offering subject to change. Please check with Customer Service for product availability.
See Appendix for Typical Pack Sizes and Weights.

Uniflex™ Garage Door ThermoStop® & Mouldings

PROFILE	DESCRIPTION	DIMENSIONS	LENGTH									
			7'	8'	9'	10'	12'	14'	16'	17'	18'	
2149*	2" Standard Uniflex	7/16" x 2"	●	●	●	●	●	●	●			●
3029*	2-5/8" Standard Uniflex	7/16" x 2-5/8"							●	●		●
2591*	3-1/4" Architectural Uniflex	7/16" x 3-1/4"							●	●		●
2448	2" Brickmould RM 180	1-1/4" x 2"	●	●	●				●	●	●	●
2882	Jamb	3/8" x 7-1/4"			●	●						●

*Available in Woodgrain Emboss.



Garage Door ThermoStop® Various Colors

We frequently update our ThermoStop® palette to match the latest color trends. Here is a sampling of our most popular colors.



Solar Reflective Colors



NICKEL GAP SHIPLAP, BEADBOARD & WAINSCOTING

Product offering subject to change. Please check with Customer Service for product availability.
See Appendix for Typical Pack Sizes and Weights.

Nickel Gap/Shiplap, Beadboard & Wainscoting

PROFILE	DESCRIPTION	DIMENSIONS	LENGTH											
			7'	8'	9'	10'	12'	14'	16'	18'	20'			
2352	5-1/2" Bead Board - One Sided Only	3/8" x 5-1/2"		•				•		•				
9734	6" Bead Board - Reversible	1/2" x 5-3/4"		•							•	•		
9735	6" Bead Board Hi Heat - Reversible	1/2" x 5-3/4"									•	•		
9830	6" Nickel Gap Shiplap - Reversible	5/8" x 5-1/2"		•	•			•					•	
9834	8" Nickel Gap Shiplap - Reversible	5/8" x 7-1/8"		•	•			•					•	
2764	Wainscot Cap	3/4" x 1-3/4" w/ 1/2" Rabbet	•	•										
2566	Wainscot Cap	1" x 3" w/ 7/16" Rabbet		•										
9952	Reversible Nickel Gap/ V Grooved Plank	3/4" x 5-1/2"										•	•	
9982	Craftsman Wainscot Cap	1-1/8" x 2-1/2"		•										
9990	6" Nickel Gap/V Grooved Plank	3/4" x 5-1/2"						•	•	•	•	•	•	•
3154	8" Beaded Plank - Reversible	1/2" x 7-1/4"										•	•	
9825	Nickel Gap Beaded Plank	5/16" x 7-5/16"		•									•	
3144	8" Nickel Gap / V Grooved Plank	3/4" x 7-1/4"												•



NICKEL GAP SHIPLAP, BEADBOARD & WAINSCOTING

Product offering subject to change. Please check with Customer Service for product availability.
See Appendix for Typical Pack Sizes and Weights.

GROVE Collection™

PROFILE	DESCRIPTION	DIMENSIONS	LENGTH	
			16'	18'
3158**	6" V-Grooved Plank	3/4" x 5-1/2"	●	
3175**	6" Beadboard	1/2" x 5-1/2"		●
2435	Crown	9/16" x 3-5/8"	●	
2598	Bed Mould	9/16" x 1-9/16"	●	

**Not for side wall applications



Available Colors:



Actual colors may vary slightly from printed brochure.



COLUMN WRAPS

Product offering subject to change. Please check with Customer Service for product availability.
See Appendix for Typical Pack Sizes and Weights.

Preassembled Column Wraps

PROFILE	DESCRIPTION	INSIDE DIMENSION	OUTSIDE DIMENSION	LENGTH		
				8' 6"	10'	12'
9807	4 x 4 Column Wrap	3-3/4" x 3-3/4"	4-3/4" x 4-3/4"	●	●	●
9811	6 x 6 Column Wrap	5-3/4" x 5-3/4"	6-3/4" x 6-3/4"	●	●	●
9815	8 x 8 Column Wrap	8-1/2" x 8-1/2"	9-1/2" x 9-1/2"	●	●	●
9829	12 x 12 Column Wrap	10-1/4" x 10-1/4"	11-1/4" x 11-1/4"	●	●	●

Preassembled Cap/Base Sets

PROFILE	DESCRIPTION	INSIDE DIMENSION	OUTSIDE DIMENSION	HEIGHT
9854	4 x 4 Contractor Cap/Base Set	4-7/8"	6-1/8"	5-1/2"
9850	4 x 4 Traditional Cap/Base Set	4-7/8"	6-1/8"	6-5/8"
9858	4 x 4 Craftsman Cap/Base Set	4-7/8"	6-1/8"	5-3/4"
9855	6 x 6 Contractor Cap/Base Set	5-7/8"	8-1/8"	6-1/2"
9851	6 x 6 Traditional Cap/Base Set	5-7/8"	8-1/8"	7-5/8"
9859	6 x 6 Craftsman Cap/Base Set	5-7/8"	8-1/8"	6-3/4"
9856	8 x 8 Contractor Cap/Base Set	9-5/8"	10-7/8"	7-1/2"
9852	8 x 8 Traditional Cap/Base Set	9-5/8"	10-7/8"	8-5/8"
9860	8 x 8 Craftsman Cap/Base Set	9-5/8"	10-7/8"	7-3/4"
9857	12 x 12 Contractor Cap/Base Set	11-3/8"	12-5/8"	7-1/2"
9853	12 x 12 Traditional Cap/Base Set	11-3/8"	12-5/8"	
9861	12 x 12 Craftsman Cap/Base Set	11-3/8"	12-5/8"	



NEW: White columns also available in Woodgrain Texture.

Knock Down Column Wraps - Smooth only



PROFILE	DESCRIPTION	INSIDE DIMENSION	OUTSIDE DIMENSION	LENGTH	
				8.5'	10'
9807	4 x 4 Knock Down Column Wrap	3-3/4" x 3-3/4"	4-3/4" x 4-3/4"	●	●
9811	6 x 6 Knock Down Column Wrap	5-3/4" x 5-3/4"	6-3/4" x 6-3/4"	●	●
9815	8 x 8 Knock Down Column Wrap	8-1/2" x 8-1/2"	9-1/2" x 9-1/2"	●	●




COLUMN WRAP CAPITALS & BASES

Product offering subject to change. Please check with Customer Service for product availability.
See Appendix for Typical Pack Sizes and Weights.


Contractor Series



Traditional Series



Craftsman Series



Preassembled Deck Post Wraps

PROFILE	DESCRIPTION	INSIDE DIMENSION	INSIDE DIMENSION	LENGTH	
				39"	54"
9807	4 x 4 Deck Post Wrap	3-3/4" x 3-3/4"	4-3/4" x 4-3/4"	●	●
9811	6 x 6 Deck Post Wrap	5-3/4" x 5-3/4"	6-3/4" x 6-3/4"	●	●

Used with Preassembled and Knock Down Kits.

COLUMN WRAPS

Product offering subject to change. Please check with Customer Service for product availability.
See Appendix for Typical Pack Sizes and Weights.

Knock Down Tapered Column Wrap

PROFILE	DESCRIPTION	INSIDE DIMENSION	OUTSIDE DIMENSION	LENGTH/ HEIGHT
9959	10 x 6 Tapered Column Wrap 5'	8-7/8" x 4-7/8"	9-7/8" x 5-7/8"	4' 11-3/8"
9959	10 x 6 Tapered Column Wrap 6'	8-7/8" x 4-7/8"	9-7/8" x 5-7/8"	5' 11-3/8"
9963	12 x 8 Tapered Column Wrap 5'	10-7/8" x 6-7/8"	11-7/8" x 7-7/8"	4' 11-3/8"
9963	12 x 8 Tapered Column Wrap 6'	10-7/8" x 6-7/8"	11-7/8" x 7-7/8"	5' 11-3/8"
9967	16 x 12 Tapered Column Wrap 5'	14-7/8" x 10-7/8"	15-7/8" x 11-7/8"	4' 11-3/8"
9967	16 x 12 Tapered Column Wrap 5'	14-7/8" x 10-7/8"	15-7/8" x 11-7/8"	5' 11-3/8"

Tapered Column Wrap Cap/Base

PROFILE	DESCRIPTION	CAP DIMENSION	BASE DIMENSION
9984	10 x 6 Tapered Cap/Base Traditional	9-1/16" x 5-7/8"	12-15/16" x 9-7/8"
9985	12 x 8 Tapered Cap/Base Traditional	11-1/16" x 7-7/8"	9-15/16" x 11-7/8"
9986	16 x 12 Tapered Cap/Base Traditional	15-1/16" x 11-7/8"	18-1/16" x 15-7/8"
9987	10 x 6 Tapered Cap/Base Craftsman	8-1/2" x 5-7/8"	12-7/16" x 9-7/8"
9988	12 x 8 Tapered Cap/Base Craftsman	10-1/2" x 7-7/8"	14-7/16" x 11-7/8"
9989	16 x 12 Tapered Cap/Base Craftsman	14-1/2" x 11-7/8"	18-7/16" x 15-7/8"


NEW: White columns also available in Woodgrain Texture.




COLUMN WRAPS

Product offering subject to change. Please check with Customer Service for product availability.
See Appendix for Typical Pack Sizes and Weights.

Tapered Traditional Series



Tapered Craftsman Series




WINDOW & DOOR TRIM

Product offering subject to change. Please check with Customer Service for product availability. See Appendix for Typical Pack Sizes and Weights.

Brick Mould & J-Channel

PROFILE	DESCRIPTION	DIMENSIONS
2448	RM 180 Brick Mould	1-1/4" x 2"
7351	RM 180 J-Channel Brick Mould	1-1/4" x 2", 7/8" Pocket
7360	Screen Groove Brick Mould	1-1/4" x 2"
7371	Brick Mould w/ Nail Fin	1-1/4" x 2", 1" Nail Fin
2622	West Coast Brick Mould	7/8" x 1-1/4"
7252	Florida Brick Mould	3/4" x 1-5/8"
7216	Williamsburg Brick Mould	1-1/4" x 3-1/4"
7467	5/4 x 4 J-Channel Casing	1-1/8" x 3-1/2"
7651	5/4 x 6 J-Channel Casing	1-1/8" x 3-1/2"

PROFILE	LENGTH									
	7'	8'	9'	10'	12'	14'	16'	17'	17 6'''	18'
2448	•	•	•	•		•	•	•	•	•
7351	•	•		•	•	•		•		•
7360						•				
7371	•	•			•			•		•
2622	•							•	•	
7252	•	•		•				•	•	
7216		•			•	•	•	•		•
7467		•		•						•
7651					•		•			



Product offering subject to change. Please check with Customer Service for product availability.
See Appendix for Typical Pack Sizes and Weights.

Sill & Sill Noses, Transom & Jamb Extensions

PROFILE	DESCRIPTION	DIMENSIONS	LENGTH						
			7'	10'	12'	14'	16'	17'	18'
7117	Sill	1-1/4" x 4-9/16" - 14°	•		•		•	•	
7717	Sill Nose	1-3/16" x 2" - 14°			•		•		
7640	Sill Nose	2-1/4" x 2-3/4" - 14°					•		
2345	Sill Nose	1-1/2" x 1-5/8" - 16°		•	•		•		•
7118	Sill Nose	1-3/8" x 1-5/16" - 14°	•		•	•	•	•	
7435	Sill Nose	1-3/4" x 2-3/8" - 14°			•				•
7631	Sill Nose	1-3/4" x 2" - 14°				•	•		
2496	Sill Nose	1-1/2" x 1-3/8" - 14°			•				
7213	Transom Sill	1-1/4" x 4-9/16" - 16°			•		•		
7806	Transom Sill	1-1/4" x 6-9/16" - 6°			•				
2388	Louver Sill	1-1/4" x 3-1/2" - 12°							•
2915	Louver Slat	3/4" x 3-1/2"							•

Ask about our custom cut-to-length, mitering and fabrication.



MOULDINGS

Product offering subject to change. Please check with Customer Service for product availability.
See Appendix for Typical Pack Sizes and Weights.

Door Jambs, Transom & Jamb Extensions

PROFILE	DESCRIPTION	DIMENSIONS	LENGTH										
			7'	8'	9'	10'	12'	14'	16'	17'	18'		
7181	4-9/16" Entry Door Jamb	1-1/4" x 4-9/16"				•		•		•			
7251	5-1/4" Entry Door Jamb	1-1/4" x 5-1/4"				•						•	
7241	6-9/16" Entry Door Jamb	1-1/4" x 6-9/16"	•			•		•		•		•	
7193	Astragal	1-1/2" x 3-1/4"	•	•					•				
7155	Astragal	1-5/8" x 3-1/4" CTL											
2430	Horizontal Mull	1" x 1-3/8"						•	•	•			
2424	Mull Casing	1" x 1-3/8"	•	•				•	•	•	•		
7464	Transom Cash	1-3/8" x 2-1/2"									•		
7623	Top Rail Sash	1-3/8" x 2"						•	•	•			
7160	Jamb Extender	5/8" x 2-13/16"				•			•	•			
7417	Jamb Extender	5/8" x 4-5/16"											
7159	Jamb Extender	5/8" x 4-13/16"									•		
7205	Jamb Extender	11/16" x 2-9/16"						•					
7206	Jamb Extender	11/16" x 4-9/16"											
2497*	5-7/8" Flat Jamb	11/16" x 5-7/8"	•			•							
2709*	5-7/8" Flat Utility Trim	5/16" x 5-7/8"		•									
2882	Jamb	3/8" x 7-1/4"				•	•					•	


Ask about our custom cut-to-length, mitering and fabrication.



Product offering subject to change. Please check with Customer Service for product availability.
See Appendix for Typical Pack Sizes and Weights.

Quarter Rounds, Cove & Stops

PROFILE	DESCRIPTION	DIMENSIONS	LENGTH							
			7'	8'	9'	10'	12'	14'	16'	18'
2024	Quarter Round RM 108	1/2" x 1/2"		•			•		•	
5111	Quarter Round RM 107	5/8" x 5/8"		•			•			
2689	Quarter Round RM 105	3/4" x 3/4"		•		•	•			•
2258	Bead Mould	3/8" x 1/2"	•	•	•					
2021	Scotia Cove RM 93	3/4" x 3/4"		•		•	•	•	•	•
2046	Shoe Mould	5/16" x 3/4"		•		•	•			•
2141	Shoe Mould/Scribe	1/2" x 1-1/8"				•				
2803	Shoe Mould	1/4" x 1/2"	•	•	•					
2329	Stop	5/8" x 1-3/4"								•
2330	Stop	5/8" x 5/8"		•			•	•		•
2349	Stop	9/16" x 1-1/4"						•		
2357	Stop	3/4" x 1-1/8"		•				•	•	
5262	Cap	1/2" x 1-1/8"								




MOULDINGS

Product offering subject to change. Please check with Customer Service for product availability.
See Appendix for Typical Pack Sizes and Weights.

Decorative Trim

PROFILE	DESCRIPTION	DIMENSIONS	LENGTH						
			7'	8'	9'	10'	12'	14'	16'
2850	Parting Bead	1/4" x 7/8"		•			•		
2851	Parting Bead	1/4" x 1-1/8"		•			•		
7788	Colonial Stop RM 947	3/8" x 1-1/4"	•	•		•	•		
7719	Outside Corner RM 205	1-1/8" x 1-1/8"		•	•		•		•
5165	Outside Corner 1565	7/8" x 7/8"		•					
6577	Outside Corner RM 206	11/16" x 11/16"		•					
2450	Base Cap RM 164	11/16" x 1-1/8"		•			•		•
9785	Base Cap RM 166	11/16" x 1-1/8"		•					•
2759	Deco Trim	1/2" x 1"		•		•			•
2363	Screen Trim	3/4" x 1"		•			•	•	
2018	Lattice	1/4 x 1-9/16"	•	•			•		•
6510	Lattice	1/4" x 1-3/4"	•						



Product offering subject to change. Please check with Customer Service for product availability.
See Appendix for Typical Pack Sizes and Weights.

Drip Caps, Back Bands & Panel Mould

PROFILE	DESCRIPTION	DIMENSIONS	LENGTHS			
			8'	12'	16'	18'
2598	Bed Mould RM 75	9/16" x 1-9/16"	•	•	•	
2449	1-5/8" Drip Cap RM 197	11/16" x 1-5/8"	•	•	•	
2791	2" Drip Cap RM 187	11/16" x 2"	•	•	•	
7152	Back Band 3/4" Relief RM 124	1-3/8" x 1-7/16"	•	•	•	
7709	Back Band 5/8" Relief RM 407	1-1/4" x 1-7/16"				•
7710	Back Band 1" Relief RM 413	1-5/8" x 1-7/16"	•		•	
7901	Shingle Band Mould RM 217	11/16" x 1-3/4"	•	•	•	
7937	Shingle Band Mould RM 3405	1-3/8" x 2-3/4"				•
7202	Rake Mould RM 287	1" x 2"	•	•	•	
2599	Shingle Mould RM 210	11/16" x 1-5/8"	•	•	•	
7714	Pediment	2" x 2-7/8"	•	•	•	
9724	Decorative Mull Cap	11/16" x 1-3/4"	•			•




MOULDINGS

Product offering subject to change. Please check with Customer Service for product availability.
See Appendix for Typical Pack Sizes and Weights.

Rail & Balusters

PROFILE	DESCRIPTION	DIMENSIONS	LENGTH					
			6'	8'	10'	12'	14'	16'
2536	Baluster	1-1/4" x 1-1/4"		•	•		•	•
2542	Balsuter	1-1/2" x 1-1/2"		•	•	•		•
2535	Top Rail	1-1/2" x 3-5/16"	•	•	•	•		•
2537	Bottom Rail	1-3/4" x 3-9/16"	•	•	•	•		•




MOULDINGS

Product offering subject to change. Please check with Customer Service for product availability.

See Appendix for Typical Pack Sizes and Weights.

Crown Moulding

PROFILE	DESCRIPTION	DIMENSIONS	PROJECTION	SPRING ANGLE	LENGTH		
					8'	12'	16'
2853	3" Crown - RM 53	9/16" x 2-3/4"	1.539	38°			•
2435	4" Crown - RM 49	9/16" x 3-5/8"	2.062	38°	•	•	•
7541	4-1/2" Crown - RM 48	11/16" x 4-1/4"	2.5	52°	•		•
2592	5" Crown - RM 47	11/16" x 4-5/8"	2.784	38°	•	•	•
7491	6" Crown - RM 45	9/16" x 5-1/4"	3.187	52°	•		•
7662	8" Crown	1" x 8"	5.625	45°			•
9824	8" Crown	1" x 7-1/2"	5.156	45°	•	•	•
7661	6" Crown	45/64" x 6"	4.375	45°			•
9876	Crown 54	9/16" x 2-1/4"	1.313		•		
9881	Crown 51	9/16" x 3-1/4"	1.938		•		
7158	Rams Crown	1-3/8" x 2-1/16"	1.375	-	•	•	•
7960	One Piece Crown	2-3/4" x 3-1/2"	2.75	45°		•	•
7712	Deco Crown	1-1/2" x 1-7/8"	1.5	45°	•		•
7714	Pediment	2" x 2-7/8"	2	-	•		•
3160	Solid Crown	1-1/8" x 2-1/4"	1.25	-			•




MOULDINGS

Product offering subject to change. Please check with Customer Service for product availability.
See Appendix for Typical Pack Sizes and Weights.

Casing

PROFILE	DESCRIPTION	DIMENSIONS	LENGTH								
			7'	8'	9'	12'	14'	16'	17'	18'	19.5'
2590	Back Band Casing 4-1/2"	1-3/16" x 4-1/2"		•	•	•	•	•	•	•	
7255	Bendable Back Band Casing 4-1/2"	1-3/16" x 4-1/2"							•		
2852	New Adams Casing 3-1/2"	1" x 3-1/2"							•		•
7216	Williamsburg Casing 3-1/4"	1-1/4" x 3-1/4"		•		•	•	•	•	•	
7884	Williamsburg Casing Bendable	1-1/4" x 3-1/4"						•			•
2369	RB3 Casing 3-1/2" RM 523	1" x 3-1/2"		•							•
5445	Colonial Casing 2-1/4" LRM 356	5/8" x 2-1/4"		•							
2342	Casing 2-1/4" RM 376	11/16" x 2-1/4"		•					•		
2355	Colonial Casing 2-1/4" RM 356	11/16" x 2-1/4"		•		•	•	•			
2991	Bendable Casing 2-1/4" RM 356	11/16" x 2-1/4"						•	•		
2331	Ranch Casing 2-1/4" RM 329	11/16" x 2-1/4"		•		•					
5913	Ranch Casing 2-1/4" RM 328	9/16" x 2-1/4"		•				•			
2440	Casing 2-1/2" RM 351 Bendable	11/16" x 2-1/2"		•				•	•		
2343	Colonial Casing 3-1/4" RM 445	5/8" x 3-1/4"		•		•		•			•
7939	Colonial Bendable Casing RM 445	5/8" x 3-1/4"								•	
2746	Bendable Casing 3-1/2" RM 444	5/8" x 3-1/2"		•	•				•	•	
7263	Bendable Casing 3-1/2"	11/16" x 3-1/2"							•	•	
2716	Bendable Casing 3-1/2"	5/8" x 3-1/2"									•




MOULDINGS

Product offering subject to change. Please check with Customer Service for product availability.

See Appendix for Typical Pack Sizes and Weights.

Craftsman Trim

PROFILE	DESCRIPTION	DIMENSIONS	LENGTH				
			7'	8'	10'	12'	16'
2021	Scotia Cove	3/4" x 3/4"		•	•	•	•
2363	Stop	3/4" x 1"		•	•		
9870	Bifold Stop	11/16" x 1-5/8"	•				
9883	Craftsman Casing 2-1/4" E2E	9/16" x 2-1/4"	•				
9877	Craftsman Casing 3-1/4" E2E	9/16" x 3-1/4"	•				•
9871	Craftsman Base 3-1/4" E2E	1/2" x 3-1/4"		•	•		
9888	Stop/Screen Mold 3/4"	3/8" x 3/4"		•			
9971	Craftsman Trim Top 1-1/2"	3/8" x 1-1/2"		•			
9972	Craftsman S4S Trim Base 3-1/4"	9/16" x 3-1/4"		•	•		
9973	Craftsman S4S Trim Base 4-1/4"	9/16" x 4-1/4"		•	•		
9974	Craftsman S4S Trim Base 5-1/4"	9/16" x 5-1/4"		•	•		
9975	Craftsman S4S Trim Casing 2-1/4"	11/16" x 2-1/4"		•			
9976	Craftsman S4S Trim Casing 3-1/4"	11/16" x 3-1/4"		•			
9977	Craftsman S4S Trim Casing 5-1/4"	11/16" x 5-1/4"		•			
9978	Craftsman Trim Window Stool 5-1/4"	11/16" x 5-1/4"		•	•		
9994	Craftsman S4S Trim Base 4-1/4" RM 430	7/16" x 4-1/4"		•	•		
9995	Wainscot Cap	1/2" x 1-1/8"		•			
9996	Trim Strip	1/4" x 1-1/16"		•			



MOULDINGS

Product offering subject to change. Please check with Customer Service for product availability. See Appendix for Typical Pack Sizes and Weights.

Base & Chair Rail

PROFILE	DESCRIPTION	DIMENSIONS	LENGTH		
			8'	12'	16'
5106	Ranch Base 2-1/2"	7/16" x 2-1/2"	•		
6761	Base/Casing Combo 2-3/4"	1/2" x 2-3/4"	•		
5523	Colonial Base 3-1/4"LRM 623	7/16" x 3-1/4"	•		
7527	Base RM 623 3-1/4" RM 623	9/16" x 3-1/4"	•	•	•
7861	Heirloom Base 5" Embossed	9/16" x 5"	•		
6610	Royal base 5"	9/16" x 5"			•
9789	Column Wrap Base 8-7/16"	5/8" x 8-7/16"	•	•	•
5390	Chair FRail 2-5/8" RM 390	11/16" x 2-5/8"	•		



Do you have installation instruction videos?

We have many installation videos on YouTube. Please follow link: <https://www.youtube.com/c/WestlakeRoyalBuildingProducts>

Can you use interior mouldings outside?

The only PVC interior mouldings that can't be used outdoors are the decorative woodgrain non-vinyl laminated interior mouldings. All other cellular and vinyl wrapped PVC products can be used for interior and exterior applications.

What colors are available?

Our exterior trim & mouldings are available in white. Select items are also available in Sand Dune and Tuscan Tan colors. Please contact a customer service representative for further details. Our garage door products come in several colors from White to Onyx*. A full list is available from your customer service representative.

Brick Mould and Jambs are available in White, Almond, Sandstone, and Chocolate Brown.

What lengths do your trim & mouldings come in?

Exterior trim & mouldings are available in 7' to 20' lengths. Interior mouldings are typically 7' to 12' lengths.

Can you install the mouldings around the shower or bathtub?

Yes. Our mouldings are water proof and do not promote the growth of mold or mildew.

Can you attach a screen door to a PVC door frame?

Yes, follow the manufacturer's recommendations.

Does cellular PVC trim require special code approval?

Typically, no special codes are required – always check with building codes.

Can PVC be used as a structural component such as framing?

PVC cannot be used as a structural product in load bearing applications. PVC boards must always be supported by wood or other structural materials.

Can you install PVC at or below surface grade?

Our product is perfect for ground contact application and below grade installation requirements.

How do I clean and remove scratches?

If the scratches are not too deep, you can use Windex and Mr. Clean MAGIC ERASER, (or Scotch-Brite® Non-Scratch Scrub Sponge). Apply the cleaner. Use the eraser or sponge, and rub in circular and up and down motions, until scratches are buffed out. This takes some time, depending on the severity of the scratches. You can also use Turtle Wax® Rubbing Compound to remove surface scratches. Clean the product after buffing the out the scratches.

There are many cleaners on the market that will work for cleaning PVC:

- 409 Glass and Surface Cleaner®
- Dawn® Platinum Power Wash
- LA's Totally Awesome® All-Purpose Cleaner
- M1 House Wash®
- Windex®

CUTTING & MILLING

How do I remove an Ink Jet UPC Label?

Use acetone or finger nail polish remover. Follow the manufacturer's instructions. Be sure to use gloves and eye protection and use the cleaner sparingly and quickly in the area that needs attention to remove the ink jet UPC.

How do I remove a product description paper label?

- De-Solv-it Citrus Solution and Turtle Wax Label and Sticker Remover are excellent cleaners for removing stubborn stickers. Follow the manufacturer's instructions.
- If above options are not available:
 - Soak the product with a typical surface cleaner (409 or similar degreaser).
 - Use a plastic putty knife to gently scrape off the sticker.
 - Use rubbing alcohol to remove the remaining residue (this will take some effort).

FAQS

How should I cut the trim and mouldings?

Royal Trim & Mouldings should be cut with a carbide tip blade with 80 teeth or more. It is important to make the cuts quickly. We also have found that you can lightly spray the blade with cooking spray or furniture polish as a lubricant to avoid excessive build up on the blade *NOTE: Do not spray the mouldings as this will affect paint adhesion.*

What type of routing or milling bits should I use?

Use standard woodworking carbide-tipped router bits. Secure trim to a bench or table when routing to minimize "chatter". Once the routing is complete, the cut can be smoothed using 220-320 grit sandpaper. This will help seal the cut edge and make it more resistant to dirt. After routing, to seal the exposed cells you can: Paint the exposed area with a high quality 100% acrylic latex paint.

What do you recommend for ripping boards or sheet stock?

Safety First – Please follow manufacturer's instructions on safe operation of saws and other milling or routing tools. Use a good, sharp carbide tipped saw blade. Make sure the product is secure while ripping. After ripping or milling or to seal the exposed cells on precision cut trim boards, you can: Sand the exposed cells with 320 grit sand paper and then wipe them with solvent like acetone (must follow solvent manufacturer's safety instructions). Just wiping the exposed area with a solvent will not completely seal the edges, but solvents do tend to soften or melt the cells, helping to seal them from debris.

Paint the exposed area with a high quality 100% acrylic latex trim paint.

FASTENING & JOINING

How do I manage expansion and contraction of PVC trim mouldings?

PVC expands/contracts many times greater than wood. The main consideration is to plan for lengthwise expansion and contraction in boards longer than 12'. If not accounted for, PVC trim can buckle or develop unsightly gaps. The key element is to choose the right joints to fasten in place while allowing other joints to move. The movement can be concealed with a shiplap joint or by leaving space for the board to expand behind a butt joint or a feature board. If there will be an outside miter or a fastened joint at both ends of a trim run that is 12' or longer, use two boards connected with a shiplap joint to allow the boards to move without exposing the material underneath the joint. For outside corners, cement and mechanically fasten mitered outside corners together to keep them from opening up as the boards move. For inside corners you can use butt joints to hide movement, but you must leave a gap at the end of the longer piece. To use scarf joints, you must allow for movement in the run. PVC trim boards can be cemented together at the joint and the boards will move as one. Allow for movement with a shiplap. On longer runs, to account for movement, the more the trim is fastened and bonded, the less it will move. Also, you must double fasten on both sides of "pinned" joints.

- In temperatures above 80°F, the board joints should be tight.
- In temperatures of 40°F to 60°F, leave 1/8 inch of space.
- And when it's less than 40°F degrees outside, provide for 3/16 inch between boards.

Fastening Schedule Minimum 16" on Center

Board Width	Fasteners
4" to 6"	2
8" to 10"	2 to 3
12" to 14"	3 to 4
16" to 18"	4 to 5
20" to 22"	5 to 6
24" to 26"	7 to 8

For Sheet Fastening

- Max 16" on center horizontally
- Max 12" on center vertically
- Minimum every 6" around perimeter of sheet

Do you have to predrill before nailing?

If nailing product at 40°F or below, predrilling is required.

How do you fasten trim & mouldings?

There are several manufacturers that produce fasteners specifically intended for use with cellular PVC. (See list below). You can also use fasteners designed for wood trim. They should have thin shanks, blunt points and full round heads. Fasteners should penetrate 1½" into substrate. Fasteners should be positioned no less than ¼" or more than 2" from end of boards. Fasteners must be weather resistant, such as stainless steel. For interior trim, such as casing, base, quarter round and crown, use 16 gauge finish nails, 6d or 8d finish nails. Pneumatic guns can be used - rubber bumpers on the nail gun tooling will protect the moulding. Air pressure should be adjusted based upon gun, temperature, substrate (80-100 psi is typical). Always use the least pressure necessary to drive the nail into the product. Trim should be fastened to a flat solid surface. In cold weather below 40°F, predrilling may be necessary. Do not use brads or wire nails. Staples can only be used to fasten beaded planking.

Recommended Screws:

- Fasten Master Cortex® Hidden Fastening System (screw and PVC plug system) 5/8" to 5/4"
- Starborn Pro Plug® System (screw and PVC plug system) 5/8" to 5/4"
- Simpson Strong-Tie® Trim-Head Stainless Steel Screw
- GRK Fasteners FIN/Trim Finishing Trim Head Screws (ClimateCoated® or Phoenix Stainless Steel)
- Kreg Blue-Kote™ Pocket-Hole Screws (for assembling trim with pocket-holes)
- #8-gauge TrimTop 305 SS with sharp type 17 piercing point by Fasten Master
- 305 SS Headcote #7 or #8 trim screws with auger points

For Concrete/Masonry/Brick: – Apply masonry adhesive sealant (always follow manufacturer's instructions) to the surface of concrete first. Lay the trim board/sheet and secure with Tapcon masonry fasteners.

What should I use to fill screw or nail holes and/or cracks?

- Extreme Adhesives Fill & Flex®
- Dap® Platinum Patch®
- OSI QUADMAX
- Sashco Big Stretch High Performance Elastic sealant
- Sherwin Williams Shrink Free Spackling®
- Crackshot High-Performance Spackling Paste

What adhesives do you recommend?

You can use an acrylic, urethane, or polyurethane caulk. Mechanical fasteners are always required. User needs to follow manufacturer's instructions. Adhesives are not covered by our warranty. Listed below are manufacturers that have formulated adhesives to work with:

PVC to PVC

- Titebond Ultimate PVC Trim Adhesive & Sealant
- Titebond PVC Trim Joint Adhesive
- Extreme Adhesives PVC Trim Welder®
- ZeVo 1 Part Cellular PVC Adhesive® for use w/ Royal Building Products
- FastCap 2P-10 Adhesive & Activator
- OSI PVC Trim Bond®
- Weld-On® 705 by IPS
- Christy's Red Hot White Vinyl Adhesive®
- Quality Transparent PVC Cement

PVC to Wood

- Liquid Nails® Heavy Duty
- Liquid Nails® Subfloor
- Loctite PL Premium
- Loctite PL Max
- Loctite PLX8
- PVC to Masonry
- NPC Solar Seal® 900
- Liquid Nails® LN950 Construction Adhesive
- Liquid Nails Fuze*It®

For PVC to Steel

- NPC Solar Seal® 900
- Liquid Nails Fuze*It®
- Liquid Nails® LN950 Construction Adhesive

What sealants do you recommend?

You can use an acrylic, urethane, or polyurethane sealants. Mechanical fasteners are always required. User needs to follow manufacturer's instructions. Adhesives are not covered by our warranty. Listed below are manufacturers that have formulated adhesives to work with: OSI QuadMax, OSI Quad, and NPC Solar Seal® 900.

PAINTING & COATING PVC

Does cellular PVC trim and/or cellular PVC require painting?

No. Cellular PVC trim does not require painting but, like any cellular PVC product, it will weather over time and painting will enhance these beautiful products to maintain color consistency for many years. Our cellular trim products are ready for painting and require very little preparation. Painting with a good quality, vinyl safe 100% Acrylic Latex paint will further protect products to maintain color consistency for many years. There are several paint manufacturers that will warranty their coating products on cellular PVC trim for 20 years or more. **Our Warranty does not cover painted finishes or coating applied to the product by the original purchaser or any third party.**

If I do paint, what type of paint should I use?

For light colors with a light reflective value (LRV) of 57 or higher, we recommend a high quality 100% acrylic latex or acrylic blend paint developed for trim. Coating manufacturers can and will specify the LRV for its color palette.

For dark colors, with a light reflective value (LRV) of 56 or lower, it is imperative that an approved solar reflective coating is used. These paints are typically referred to as "vinyl safe" paints, or heat reflective coatings for vinyl. Failure to use the proper coatings specific to dark colors will result in heat distortion and buckling to any cellular PVC.

FAQS

PAINTING & COATING PVC (CONT.)

Based upon the questions that we receive, it is apparent that many people are not fully educated regarding dark colors, heat buildup Benjamin Moore Revive® and Sherwin-Williams VinylSafe® technology.

Sherwin-Williams and Benjamin Moore carry exterior paint various product lines. Sherwin-Williams VinylSafe® Technology and Benjamin Moore Revive® are options in these product line. Sherwin-Williams VinylSafe®, and Benjamin Moore Revive are low heat buildup color pigment packages that can be used with cellular PVC.

For Sherwin Williams, this specialized coating is not automatically a feature in the paint products where VinylSafe® is available. VinylSafe® MUST BE SPECIFIED AS AN OPTION when having paint mixed, using Sherwin-Williams Emerald®, Duration®, Resilience®, SuperPaint® latex paints, or SnapDry™ Door & Trim Paint.

Summary:

After significant experience and testing, using solar reflective coatings such as Benjamin Moore Revive and Sherwin-Williams VinylSafe® will give the user best coating solution for dark colors. Our warranty does not cover painted finishes or coating applied to the product by the original purchaser or any third party. However, if the proper coatings are used, and the coating manufacturer's instructions are followed, users will be successful.

No priming is necessary; however, the finish quality is greatly enhanced if you use a premium 100% acrylic latex paint for trim with a built-in primer. In addition, a primer may be required under the paint manufacturer's warranty. (Note: Some primers can be dark and fall under the same light reflective value limitations as finish coatings.)

Always follow the paint manufacturer's instructions. In preparation for painting, we recommend product should be clean, dry and free of dirt, grease and or any other surface contaminants before painting. Adhesion can be improved through light scuff sanding. Product should be cleaned with a mild detergent or denatured alcohol and soft clean rag or bristle brush.

Before you start, it's a good idea to fill all nails holes or blemishes that may occur during installation. Although scuff sanding is not needed, light sanding of the surface, with fine sandpaper can help remove blemishes prior to painting, but only if needed. For smoothing ripped or routed edges the milled or ripped surface can be smoothed using 220-320 grit sand paper. This will greatly assist to remove saw marks (or cutter head marks) and somewhat seal the milled surface and make it easier to paint.

Failure to adhere to manufacturer's guidelines for application of painted surfaces may void any paint manufacturer's warranty. Here are a few paint manufacturer recommendations:

Benjamin Moore	Manor Hall®	Revive®	Duration®	Moorlife®
Sherwin Williams	Green Seal®	PPG	Super Paint®	

COLOR MATCH RECOMMENDATIONS FOR SHERWIN WILLIAMS

To match our P546 White Trim, users can use: **NOTE:** This is the closest custom color match. We do not warrant any third-party color matching as we cannot control any outside variation. We also cannot warrant any third-party coating manufacturer's coating performance.

- Sherwin Williams off-the-shelf exterior latex Resilience (Satin) 6404-13530 Extra White. This is a very close color match and is readily available.
- Sherwin Williams exterior latex Emerald (Satin) Custom Color Match.

CUSTOM SHER-COLOR MATCH

CCE*COLORANT	OZ	32	64	128
L1-Blue	-	-	-	1
R2-Maroon	-	-	-	1
Y3-Yellow	-	-	-	1

MUST BE VinylSafe®: This is a Sherwin-Williams VinylSafe® non-returnable custom color match. Sherwin-Williams cautions that to assure consistent color always order enough paint to complete the job and intermix all containers of the same color before application. Mixed colors may vary slightly from color strip or color chip or color match..

To match our P644 Sane Dune Trim, users can use: NOTE: This is the closest custom color match. We do not warrant any third-party color matching as we cannot control any outside variation. We also cannot warrant any third-party coating manufacturer's coating performance.

Sherwin Williams VinylSafe® Exterior Architectural Latex Super Paint Satin- Custom Color Match:

CUSTOM SHER-COLOR MATCH

CCE*COLORANT	OZ	32	64	128
G2-New Green	-	-	1	1
N1-Raw Umber	-	62	1	1
Y3-Deep Gold	-	22	1	1

OSI sells Beige colored caulking, Quad 473 and QuadMax 473. These are a close, but not exact match to Sand Dune.

MUST BE VinylSafe®: This is a Sherwin-Williams VinylSafe® non-returnable custom color match. Sherwin-Williams cautions that to assure consistent color always order enough paint to complete the job and intermix all containers of the same color before application. Mixed colors may vary slightly from color strip or color chip or color match.

To match our P647 Tuscan Tan Trim, users can use: NOTE: This is closest custom color match. We do not warrant any third-party color matching as we cannot control any outside variation. We also cannot warrant any third-party coating manufacturer's coating performance.

Sherwin Williams VinylSafe® Exterior Architectural Latex Super Paint Low Luster- Custom Color Match:

CUSTOM SHER-COLOR MATCH

CCE*COLORANT	OZ	32	64	128
G2-New Green	-	2	-	1
N1- Raw Umber	2	43	-	1
Y3-Deep Gold	-	7	-	-

MUST BE VinylSafe®: This is a Sherwin-Williams VinylSafe® non-returnable custom color match. Sherwin-Williams cautions that to assure consistent color always order enough paint to complete the job and intermix all containers of the same color before application. Mixed colors may vary slightly from color strip or color chip or color match.

Can you stain PVC mouldings?

Yes, but staining PVC mouldings takes coating applications such as TruStain™ from AquaSurTech OEM and or AWP SPQT Stainable Primer Wood Base Coat for Hard Surfaces. Follow the manufacturer's recommendations.

APPENDIX

Product offering subject to change. Please check with Customer Service for available pack sizes and weights.

S4S

Profile	Description	Length	Pieces/ Unit	Pound/ Foot	Pound/ Each	Pound/ Unit
2150	1-1/2 S4S 16'	16	286	0.22	4	1,004
7827	5/8 x 3-1/2 S4S Trimboard 18'	18	130	0.51	9	1,199
7828	5/8 x 5-1/2 S4S Trimboard 18'	18	80	0.8	14	1,159
7829	5/8 x 7-1/4 S4S Trimboard 18'	18	60	1	19	1,145
7830	5/8 x 9-1/4 S4S Trimboard 18'	18	50	1	24	1,218
7831	5/8 x 11-1/4 S4S Trimboard 18'	18	40	2	30	1,185
7832	1 x 2 S4S Trimboard 18'	18	270	0.25	5	1,232
7833	1 x 3 S4S Trimboard 18'	18	162	0.44	8	1,280
7834	1 x 4 S4S Trimboard 18'	18	117	0.61	11	1,294
7871	1 x 5 S4S Trimboard 18'	18	90	0.79	14	1,280
7835	1 x 6 S4S Trimboard 18'	18	72	0.97	17	1,251
7836	1 x 8 S4S Trimboard 18'	18	54	1	23	1,237
7837	1 x 10 S4S Trimboard 18'	18	45	2	30	1,315
7838	1 x 12 S4S Trimboard 18'	18	36	2	36	1,280
7874	5/4 x 3 S4S Trimboard 18'	18	126	0.59	11	1,327
7840	5/4 x 4 S4S Trimboard 18'	18	91	0.82	15	1,342
7875	5/4 x 5 S4S Trimboard 18'	18	70	1	19	1,327
7841	5/4 x 6 S4S Trimboard 18'	18	56	1	23	1,298
7842	5/4 x 8 S4S Trimboard 18'	18	42	2	31	1,283
7843	5/4 x 10 S4S Trimboard 18'	18	35	2	39	1,364
7844	5/4 x 12 S4S Trimboard 18'	18	28	3	47	1,327

SUREEDGE

Profile	Description	Length	Pieces/ Unit	Pound/ Foot	Pound/ Each	Pound/ Unit
9905	1/2 x 3 SurEdge Trimboard 18'	18	504	0.30	5	2,703
9906	1/2 x 4 SurEdge Trimboard 18'	18	312	0.42	8	2,343
9907	1/2 x 6 SurEdge Trimboard 18'	18	192	0.66	12	2,266
9908	1/2 x 8 Net SurEdge Trimboard 18'	18	120	0.95	17	2,060
9759	5/8 x 4 SurEdge Trimboard 18'	18	130	0.53	10	1,249
9760	5/8 x 6 SurEdge Trimboard 18'	18	80	0.83	15	1,198
9761	5/8 x 8 SurEdge Trimboard 18'	18	60	1	20	1,180
9762	5/8 x 10 SurEdge Trimboard 18'	18	50	1	25	1,251
9763	5/8 x 12 SurEdge Trimboard 18'	18	40	2	30	1,216
9784	5/8 x 14 SurEdge Trimboard 18'	18	30	2	36	1,073
9764	5/8 x 16 SurEdge Trimboard 18'	18	24	2	41	987
9766	1 x 3 SurEdge Trimboard 18'	18	162	0.46	8	1,345
9767	1 x 4 SurEdge Trimboard 18'	18	117	0.64	12	1,348
9768	1 x 5 SurEdge Trimboard 18'	18	90	0.82	15	1,327
9769	1 x 6 SurEdge Trimboard 18'	18	72	1	18	1,293
9770	1 x 8 SurEdge Trimboard 18'	18	54	1	24	1,274
9771	1 x 10 SurEdge Trimboard 18'	18	45	2	30	1,351
9772	1 x 12 SurEdge Trimboard 18'	18	36	2	36	1,313
9788	1 x 14 SurEdge Trimboard 18'	18	21	2	43	901
9773	1 x 16 SurEdge Trimboard 18'	18	24	3	49	1,184

APPENDIX

Product offering subject to change. Please check with Customer Service for available pack sizes and weights.

SUREEDGE (CONT.)

Profile	Description	Length	Pieces/ Unit	Pound/ Foot	Pound/ Each	Pound/ Unit
9774.....	5/4 x 3 SurEdge Trimboard	18'18	133.....	0.62.....	11.....	1,473
9775.....	5/4 x 4 SurEdge Trimboard	18'18	91.....	0.85.....	15.....	1,398
9776.....	5/4 x 5 SurEdge Trimboard	18'18	70.....	1.....	20.....	1,376
9777.....	5/4 x 6 SurEdge Trimboard	18'18	56.....	1.....	24.....	1,341
9778.....	5/4 x 8 SurEdge Trimboard	18'18	42.....	2.....	31.....	1,321
9779.....	5/4 x 10 SurEdge Trimboard	18'18	35.....	2.....	40.....	1,401
9780.....	5/4 x 12 SurEdge Trimboard	18'18	28.....	3.....	49.....	1,361
9781.....	5/4 x 16 SurEdge Trimboard	18'18	24.....	4.....	66.....	1,579
9781.....	5/4 x 16 SurEdge Trimboard	18'18	24.....	4.....	66.....	1,579

SUREEDGE - SAND DUNE

Profile	Description	Length	Pieces/ Unit	Pound/ Foot	Pound/ Each	Pound/ Unit
9759.....	5/8 x 4 SurEdge Trimboard	18'18	130.....	0.53.....	10.....	1249
9760.....	5/8 x 6 SurEdge Trimboard	18'18	80.....	0.83.....	15.....	1198
9761.....	5/8 x 8 SurEdge Trimboard	18'18	60.....	1.....	20.....	1180
9762.....	5/8 x 10 SurEdge Trimboard	18'18	50.....	1.....	25.....	1251
9763.....	5/8 x 12 SurEdge Trimboard	18'18	40.....	2.....	30.....	1216
9764.....	5/8 x 16 SurEdge Trimboard	18'18	24.....	2.....	41.....	987

PREFINISHED TRIM

Profile	Description	Length	Pieces/ Unit	Pound/ Foot	Pound/ Each	Pound/ Pack
9759.....	5/8 x 4 SurEdge Trimboard	16'16	2.....	0.53.....	9.....	17
9760.....	5/8 x 6 SurEdge Trimboard	16'16	2.....	0.83.....	13.....	27
9761.....	5/8 x 8 SurEdge Trimboard	16'16	2.....	1.....	17.....	35
9762.....	5/8 x 10 SurEdge Trimboard	16'16	2.....	1.....	22.....	44
9763.....	5/8 x 12 SurEdge Trimboard	16'16	2.....	2.....	27.....	54
9767.....	1 x 4 SurEdge Trimboard	16'16	2.....	0.64.....	10.....	20
9769.....	1 x 6 SurEdge Trimboard	16'16	2.....	1.....	16.....	32
9770.....	1 x 8 SurEdge Trimboard	16'16	2.....	1.....	21.....	42
9771.....	1 x 10 SurEdge Trimboard	16'16	2.....	2.....	27.....	53
9772.....	1 x 12 SurEdge Trimboard	16'16	2.....	2.....	32.....	65
9775.....	5/4 x 4 SurEdge Trimboard	16'16	2.....	0.85.....	14.....	27
9777.....	5/4 x 6 SurEdge Trimboard	16'16	2.....	1.....	21.....	43
9778.....	5/4 x 8 SurEdge Trimboard	16'16	2.....	2.....	28.....	56
9779.....	5/4 x 10 SurEdge Trimboard	16'16	2.....	2.....	36.....	71
9780.....	5/4 x 12 SurEdge Trimboard	16'16	2.....	3.....	43.....	86

APPENDIX

Product offering subject to change. Please check with Customer Service for available pack sizes and weights.

PRECISION CUT BOARD

Profile	Description	Length	Pieces/ Unit	Pound/ Foot	Pound/ Each	Pound/ Pack
2920.....	3/8 x 3 Precision Cut Board 14'	14	406	0.27	4	1524
2979.....	3/8 x 2-3/4 Precision Cut Board 18'	18	435	0.25	4	1925
2880.....	1 x 4 x 3/8 Precision Cut Board 18' E1	18	208	0.31	6	1171
2975.....	3/8 x 3-3/4 Precision Cut Board 18'	18	319	0.34	6	1925
2990.....	3/8 x 5 Precision Cut Board 16' E1	16	232	0.45	7	1659
3068.....	3/8 x 5-3/8 Precision Cut Board 18' E0	18	232	0.48	9	2007
2881.....	1 x 6 x 3/8 Precision Cut Board 18' E0	18	256	0.49	9	2266
2882.....	1 x 8 x 3/8 Precision Cut Board 18' E1	18	192	0.65	12	2240
2884.....	1 x 10 x 3/8 Precision Cut Board 18' E0	18	160	0.83	15	2382
2885.....	1 x 12 x 3/8 Precision Cut Board 12' E0	12	64	1	13	824
3009.....	Full 12 x 3/8 Precision Cut Board 8'	8	64	1	9	549
2873.....	1 x 4 x 1/2 Precision Cut Board 18'-3"	18.25	156	0.42	8	1188
2874.....	1 x 6 x 1/2 Precision Cut Board 18' E0	18	96	0.66	12	1133
2875.....	1 x 8 x 1/2 Precision Cut Board 18'	18	144	0.86	16	2240
2876.....	1 x 10 x 1/2 Precision Cut Board 10' E1	10	60	1	11	662
2877.....	1 x 12 x 1/2 Precision Cut Board 12' E1	12	48	1	16	772
3078.....	1/2 x 14 Sheet Board 12'	12	105	2	20	2040
2936.....	1 x 16 x 1/2 Precision Cut Board 10' E0	10	54	2	19	1030
3018.....	5/8 x 2-1/2 Precision Cut Board 18'	18	272	0.37	7	1824
2832.....	1 x 4 x 5/8 Precision Cut Board 18'	18	130	0.52	9	1220
2904.....	1 x 5 x 5/8 Precision Cut Board 18' E0	18	190	0.67	12	2293
2833.....	1 x 6 x 5/8 Precision Cut Board 18'	18	80	0.82	15	1180
2906.....	6-1/2 x 5/8 Precision Cut Board 18' E0	18	133	1	17	2319
2834.....	1 x 8 x 5/8 Precision Cut Board 18'	18	60	1	19	1167
2835.....	1 x 10 x 5/8 Precision Cut Board 18'	18	50	1	25	1240
2836.....	1 x 12 x 5/8 Precision Cut Board 18'	18	40	2	30	1207
2919.....	1 x 16 x 5/8 Precision Cut Board 18'	18	27	2	40	1087
2825.....	1 x 2 x 3/4 ChoiceTrim Board 8'	8	420	0.27	2	901
2898.....	1 x 3 x 3/4 Precision Cut Board 18' E0	18	162	0.45	8	1303
2826.....	1 x 4 x 3/4 Precision Cut Board 18'	18	117	0.63	11	1318
2899.....	1 x 5 x 3/4 Precision Cut Board 18'	18	90	0.8	14	1303
2827.....	1 x 6 x 3/4 Precision Cut Board 18'	18	72	1	18	1274
2828.....	1 x 8 x 3/4 Precision Cut Board 18'	18	54	1	23	1260
2829.....	1 x 10 x 3/4 Precision Cut Board 18'	18	45	2	30	1340
2830.....	1 x 12 x 3/4 Precision Cut Board 18'	18	36	2	36	1304
3004.....	3/4 x 15-1/4 Precision Cut Board 18' E0	18	21	3	49	1031
2912.....	1 x 16 x 3/4 Precision Cut Board 18'	18	27	3	51	1390
2951.....	3/4 x 18 Precision Cut Board 18' E0	18	28	3	58	1622
2866.....	5/4 x 4 Precision Cut Board 18'	18	91	0.83	15	1367
2901.....	5/4 x 4-1/2 Precision Cut Board 20'	20	70	1	21	1502
2965.....	1 x 4-5/8 W 1" Precision Cut BD 8' E0	8	99	1	9	873
2867.....	1 x 6 x 1 Precision Cut Board 18' E1	18	56	1	24	1322
2868.....	5/4 x 8 Precision Cut Board 18'	18	42	2	31	1307
2869.....	5/4 x 10 Precision Cut Board 18'	18	35	2	40	1389
2870.....	5/4 x 12 Precision Cut Board 18'	18	28	3	48	1352
3003.....	1 x 15-1/4 Precision Cut Board 20'	20	21	4	73	1527
2913.....	5/4 x 16 Precision Cut Board 18'	18	21	4	69	1442

APPENDIX

Product offering subject to change. Please check with Customer Service for available pack sizes and weights.

PRECISION CUT BOARD (CONT.)

Profile	Description	Length	Pieces/ Unit	Pound/ Foot	Pound/ Each	Pound/ Pack
9747	6/4 x 4 Precision Cut Board 18'	18	65	1	20	1331
9748	6/4 x 6 Precision Cut Board 18'	18	40	2	32	1287
9749	6/4 x 8 Precision Cut Board 18'	18	30	2	42	1273
9750	6/4 x 10 Precision Cut Board 18'	18	25	3	54	1353
9751	6/4 x 12 Precision Cut Board 18'	18	20	4	66	1317
9799	6/4 x 16 Precision Cut Board 18'	18	18	6	103	1854
9753	8/4 x 4 Precision Cut Board 18'	18	65	1	23	1491
9754	8/4 x 6 Precision Cut Board 18'	18	48	2	36	1730
9755	8/4 x 8 Precision Cut Board 18'	18	30	3	48	1425
9756	8/4 x 10 Precision Cut Board 18'	18	25	3	61	1516
9757	8/4 x 12 Precision Cut Board 18'	18	20	4	74	1475

SHEETBOARD

Profile	Description	Length	Pieces/ Unit	Pound/ Foot	Pound/ Each	Pound/ Pack
9912	1/4 x 48 Sheet Board 12'	12	30	3	34	1030
2878	3/8 x 48 Sheet Board 18' E0	18	32	4	77	2472
2871	1/2 x 48 Sheet Board 18'	18	24	6	103	2472
2838	5/8 x 48 Sheet Board 18' E0	18	19	7	129	2446
2837	3/4 x 48 Sheet Board 18' E1	18	17	9	154	2626
2864	5/4 x 48 Sheet Board 18'	18	12	12	206	2472
9752	6/4 x 48 Sheet Board 18'	18	10	16	281	2809
9758	1-1/2 x 48 Sheet Board 18'	18	6	17	315	1888

P644-E0 SAND DUNE

2837	3/4 x 48 Sheet Board 8'	8	32	9	69	2,197
2838	5/8 x 48 Sheet Board 18'	18	32	7	129	4,120

CONCEAL

Profile	Description	Length	Pieces/ Unit	Pound/ Foot	Pound/ Each	Pound/ unit
9718	Royal OSC 3/4 x 5-11/16" 20'	20	48	2	32	1,531
7971	Royal OSC 3-11/16" 20'	20	72	2	35	2,516
7973	Royal OSC 5-11/16" 20'	20	48	3	54	2,593
7972	Royal OSC 3-11/16" 20'	20	72	2	35	2,516
7970	Royal OSC 5-11/16" 20'	20	48	3	54	2,593
9706	5/4 x 4 J-Channel Trim 18'	18	26	0.85	15	399
9794	5/4 x 4 Conceal Window Surround 18'	18	90	0.85	15	1383
9795	5/4 x 6 Conceal Window Surround 18'	18	56	1	24	1341
9800	5/4 x 4 Traditional Window Surround 18'	18	90	0.85	15	1383
9801	5/4 x 6 Traditional Window Surround 18'	18	56	1	24	1341
9816	1 x 4 Traditional Window Surround 18'	18	117	0.64	12	1348
9817	1 x 5 Traditional Window Surround 18'	18	90	0.82	15	1327
9818	1 x 6 Traditional Window Surround 18'	18	72	1	18	1293

APPENDIX

Product offering subject to change. Please check with Customer Service for available pack sizes and weights.

CONCEAL (CONT.)

Profile	Description	Length	Pieces/ Unit	Pound/ Foot	Pound/ Each	Pound/ Unit
9703.....	1 x 6 SurEdge TB (Celect)18'	18	72	1	18	18
9704.....	4/4 x 8 Skirt Board 18'	18	54	1	24	1274
9705.....	4/4 x 10 Skirt Board 18'	18	12	2	30	360
9700.....	5/4 x 4 Skirt Board 18'	18	78	0.85	15	1198
7993.....	5/4 x 6 Skirt Board 18'	18	48	1	24	1149
9701.....	5/4 x 8 Skirt Board 18'	18	36	2	31	1132
9796.....	Water Table 16'	16	204	0.51	8	1668
9719.....	Stone Water Table 16'	16	144	1	20	2821
9833.....	5/8 x 4 Conceal T-Mould 18'	18	130	0.53	10	19
9835.....	5/4 x 4 Conceal T-Mould 18'	18	90	0.85	15	1383
9831.....	5/4 x 6 Conceal T-Mould 18'	18	56	1	25	1389
9832.....	5/4 x 8 Conceal T-Mould 18'	18	42	2	31	1321
9953V	V-Stone Water Table	16	2	0.9	14.2	28.4

NICKEL GAP & BEAD BOARD

Profile	Description	Length	Pieces/ Pack	Pound/ Foot	Pound/ Each	Pound/ Pack
2352.....	Planking 16'	16	7	0.36	6	40
9734.....	Conceal 1/2" Bead Plank 18'	18	4	0.63	11	46
9735.....	Reversible Bead Plank 18' HH	18	4	0.65	12	47
9913.....	1 x 6 Bead Board 18'	18	72	0.94	17	1212
9830.....	5/8 x 6 Nickel Gap/Shi lap 18'	18	2	0.82	15	30
9834.....	5/8 x 8 Nickel Gap/Shi lap 18'	18	2	1	19	39
2764.....	Wainscot Cap 8'	8	12	0.15	1	14
2566.....	Frame 16'	16	6	0.51	8	49
9952.....	Reversible Nickel Gap/V-Groove Plank 16'	16	72	0.98	15.7	1274
9952.....	Reversible Nickel Gap/V-Groove Plank 18'	18	72	0.98	17.7	1132

GROVE COLLECTION™

Profile	Description	Length	Pieces/ Carton	Pound/ Foot	Foot/ Carton	Pound/ Carton
3158.....	6' V-Grooved Plank	18	72	0.76	1,296	978
3175.....	6' Beadboard	18	91	0.51	1,638	837
2435.....	Crown	16	6	0.36	96	35
2598.....	Bed Mould	16	6	0.14	96	13

*All colors

GARAGE DOOR TRIM

Profile	Description	Length	Pieces/ Pack	Pound/ Foot	Pound/ Each	Pound/ Pack
2149.....	Therno Stop 18'	18	15	0.19	3	52
3029.....	Therno Stop 18'	18	10	0.23	4	41
2591.....	Therno Stop 18'	18	10	0.28	5	51
2448.....	Brick Mould 18'	18	6	0.49	9	53

APPENDIX

Product offering subject to change. Please check with Customer Service for available pack sizes and weights.

COLUMN WRAPS

Profile	Description	Length	Pieces/ Pack	Pound/ Foot	Pound/ Each	Pound/ Pack
9807.....	4 x 4 Column Wrap 10'	10.0	24	2	23	558
9811.....	6 x 6 Column Wrap 10'	10	15	3	33	492
9815.....	8 x 8 Column Wrap 10'	10	8	5	46	367
9829.....	12 x 12 Column Wrap 10'	10	6	5	54	325
9854.....	4 x 4 Contractor Cap/Base Set	1	8			
9850.....	4 x 4 Traditional Cap/Base Set	1	8			
9858.....	4 x 4 Craftsman Cap/Base Set	1	8			
9855.....	6 x 6 Contractor Cap/Base Set	1	5			
9851.....	6 x 6 Traditional Cap/Base Set	1	5			
9859.....	6 x 6 Craftsman Cap/Base Set	1	5			
9856.....	8 x 8 Contractor Cap/Base Set	1	8			
9852.....	8 x 8 Traditional Cap/Base Set	1	8			
9860.....	8 x 8 Craftsman Cap/Base Set	1	8			
9857.....	12 x 12 Contractor Cap/Base Set	1	6			
9853.....	12 x 12 Traditional Cap/Base Set	1	6			
9861.....	12 x 12 Craftsman Cap/Base Set	1	6			

WINDOW AND DOOR

Profile	Description	Length	Pieces/ Pack	Pound/ Foot	Pound/ Each	Pound/ Pack
2448.....	Brick Mould 18'	18	378	0.49	9	3333
7351.....	J Channel Brick Mould 17'	17	4	0.45	8	31
7360.....	Brick Mould 14'	14	378	0.5	7	2657
7371.....	Brick Mould with Nail Fin 18'	18	238	0.57	10	2457
2622.....	Brick Mould 17'	17	475	0.2	3	1578
7252.....	Brick Mould 8'	8	15	0.25	2	30
7216.....	Williamsburg Casing 8'	8	4	0.7	6	23
7467.....	J Channel Casing 18'	18	4	0.87	16	62
7651.....	J Channel Casing 16'	16	2	2	27	54

CROWN

Profile	Description	Length	Pieces/ Pack	Pound/ Foot	Pound/ Each	Pound/ Pack
2853.....	Crown 16'	16	10	0.27	4	43
2435.....	Crown 16'	16	10	0.36	6	57
7541.....	Crown 16'	16	4	0.55	9	35
2592.....	Crown 8'	8	4	0.54	4	17
7491.....	Crown 16'	16	4	0.61	10	39
7662.....	Crown 16'	16	2	1	21	41
9824.....	8" Crown 16'	16	2	1	19	38
7158.....	Ram Crown 16'	16	6	0.48	8	46
7960.....	Crown Cap 12'	12	4	0.98	12	47
7712.....	Column Trim 16'	16	6	0.47	8	45
7714.....	Pediment 16'	16	2	0.95	15	30
7661.....	6" Crown 8'	8	4	0.76	6	24

APPENDIX

Product offering subject to change. Please check with Customer Service for available pack sizes and weights.

SILL AND SILL NOSE

Profile	Description	Length	Pieces/ Pack	Pound/ Foot	Pound/ Each	Pound/ Pack
7117	Sill 7'	7	4	1	8	30
7717	Sill Nose 16'	16	6	0.54	9	52
7640	Sill 16'	16	2	1	23	46
2345	Sill Nose 16'	16	10	0.42	7	66
7118	Sill Nose 16'	16	12	0.32	5	61
7435	Sill Nose 16'	16	2	1	17	35
7631	Window Surround Sill 16'	16	6	0.81	13	78
7213	Transom Sill 16'	16	153	0.93	15	2272
7806	Transom Sill 12'	12	102	1	15	1521
2388	Louver Sill 17'	17	192	0.65	11	2108
2915	Louver Slat 17'	17	8	0.48	8	65
2496	Sill Nose 16'	16	224	0.41	7	1459

DOOR JAMBS, TRANSOM & EXTENSIONS

Profile	Description	Length	Pieces/ Pack	Pound/ Foot	Pound/ Each	Pound/ Pack
7181	Entry Door Jamb 7'	7	2	1	9	18
7251	Entry Door Jamb 17'	17	117	2	27	3106
7241	Entry Door Jamb PRS 82"	13.667	48	2	28	1350
7193	Astragal 8'	8	234	0.83	7	1549
7155	Astragal 8'-2"	8.166	140	0.92	8	1054
2430	Horizontal Mullion 12'	12	384	0.25	3	1148
2424	Vertical Mullion 7'	7	384	0.27	2	719
7464	Transom Sash 16'	16	255	0.62	10	2538
7623	Top Rail 12'	12	168	0.4	5	799
7160	Jamb Extender 16'	16	240	0.55	9	2097
7417	Jamb Extender 18'	18	4	0.99	18	71
7159	Jamb Extender 16'	16	124	0.85	14	1681
7205	Jamb Extender 12'	12	240	0.59	7	1700
7206	Jamb Extender 12'	12	144	1	12	1751
2497	Door Jamb (EMB) 7'	7	4	0.69	5	19
2709	Flat Trim (Embossed) 8'	8	10	0.43	3	34

QUARTER ROUNDS, COVES & STOPS

Profile	Description	Length	Pieces/ Pack	Pound/ Foot	Pound/ Each	Pound/ Pack
2024	Quarter Round 8'	8	20	0.04	0.34	7
5111	Quarter Round 8'	8	20	0.06	0.50	10
2689	Quarter Round 8'	8	25	0.08	0.66	16
2258	Exterior Bead 8'	8	25	0.03	0.27	7
2021	Inside Corner 8'	8	20	0.07	0.52	10
2046	Shoe Moulding 12' LWM127	12	50	0.05	0.58	1746
2141	Scribe 10'	10	36	0.1	0.99	36
2803	Shoe 8' Narrow	8	50	0.03	0.23	12
2329	Head Glass Stop 16'	16	384	0.26	4	1598
2330	Headstop 8'	8	20	0.09	0.69	14
2349	Blind Stop 14'	14	29	0.17	2.38	69

Product offering subject to change. Please check with Customer Service for available pack sizes and weights.

QUARTER ROUNDS, COVES & STOPS (CONT.)

Profile	Description	Length	Pieces/ Pack	Pound/ Foot	Pound/ Each	Pound/ Pack
2357.....	Stop 16'	16	24	0.25	4	.96
1154.....	Stop 7'	7	30	0.13	0.92	.28
2625.....	Interior Stop 16'	16	50	0.08	1	.61
9887.....	White PVC Shoe 126 8'	8	15	0.06	0.5	.8
W109.....	Stop 7'	7	225	0.05	0.32	.71

DECORATIVE TRIM

Profile	Description	Length	Pieces/ Pack	Pound/ Foot	Pound/ Each	Pound/ Pack
2850.....	7/8" Parting Bead 8'	8	25	0.04	0.34	.9
2851.....	1-1/4" Parting Bead 8'	8	25	0.06	0.49	.12
7788.....	Colonial Stop 7'	7	20	0.09	0.60	.12
7719.....	Outside Corner 8'	8	15	0.11	0.90	.14
6577.....	11/16 Outside Corner 8'	8	20	0.05	0.41	.8
2450.....	Base Cap 8'	8	18	0.1	0.82	.15
9785.....	Base Cap 8' RM166	8	35	0.1	0.78	.27
2759.....	Trim 8'	8	30	0.1	0.82	.25
2363.....	Stop 8'	8	20	0.2	1.57	.31
2018.....	Lattice 8'	8	40	0.09	0.70	.28
6510.....	Lattice 8'	8	20	0.09	0.76	.15
9890.....	White PVC Backband L280 8'	8	15	0.11	0.92	.14
2566.....	Wainscot Cap 8' Deco	8	8	0.51	4	.33
2764.....	Wainscot Cap 8'	8	12	0.15	1	.14

DRIP CAPS, BACKBANDS & PANEL MOULD

Profile	Description	Length	Pieces/ Pack	Pound/ Foot	Pound/ Each	Pound/ Pack
2598.....	Bed Moulding 8'	8	25	0.14	1	.28
2449.....	Drip Cap 8'	8	25	0.16	1	.32
2791.....	Drip Cap 8' RM187	8	12	0.21	2	.20
7152.....	Back Band 8'	8	10	0.38	3	.31
7709.....	5/8" Back Band 16'	16	8	0.33	5	.43
7710.....	1" Back Band 8'	8	8	0.45	4	.29
7901.....	Band Moulding 8'	8	16	0.2	2	.26
7937.....	Shingle Band Moulding 8'	8	2	0.59	5	.9
7202.....	Rake Mould 8'	8	10	0.37	3	.30
2599.....	Shingle Mould 8'	8	10	0.18	1	.14
7714.....	Pediment 8'	8	2	0.95	8	.15
9724.....	Decorative Half Round 8'	8	17	0.15	1	.21
2536.....	Baluster 10'	10	10	0.33	3	.33
2542.....	2 x 2 Board 8'	8	10	0.6	5	.48
2535.....	Top Rail 10'	10	180	0.46	5	.8298
2537.....	Bottom Rail 8'	8	66	0.83	7	.438

APPENDIX

Product offering subject to change. Please check with Customer Service for available pack sizes and weights.

CASING

Profile	Description	Length	Pieces/ Pack	Pound/ Foot	Pound/ Each	Pound/ Pack
2590.....	Casing 8'	8	4	0.77	6	25
7255.....	Casing 16'	16	162	1	16	2605
2852.....	Adams Casing 8' PM520	8	4	0.58	5	19
7216.....	Williambsburg Casing 8'	8	4	0.70	6	23
7884.....	Williambsburg Casing 14'	14	234	0.91	13	2972
2369.....	RB3 Casing 16'	16	8	0.41	7	53
5445.....	Colonial Casing 7'	7	15	0.18	1	19
2342.....	Colonia Casing 8' RM376	8	16	0.27	2	34
2355.....	Colonia Casing 8'	8	12	0.25	2	24
2991.....	Colonia Casing 16'	16	10	0.34	5	54
2331.....	Casing 8'	8	10	0.25	2	20
5913.....	Ranch Casing 7'	7	15	0.16	1	17
2440.....	Colonia Casing 8' RM351	8	16	0.36	3	46
2343.....	Colonia Casing 8' RM445	8	8	0.33	3	21
7939.....	Colonia Casing (Bendable) 17'	17	270	0.47	8	2139
2746.....	Casing 8'	8	8	0.45	4	29
7263.....	Bendable Casing 17'	17	9	0.44	7	67
2716.....	Casing 16'	16	176	0.48	8	1362
9872.....	White PVC Colonial Casing L444 7'	7	10	0.3	2	21
9879.....	White PVC Colonial Casing 356 7'	7	10	0.18	1	13
2365.....	Colonial Casing 8' RM442	8	10	0.26	2	21
2428.....	West Coast Casing 8'	8	10	0.24	2	19
9877.....	White PVC Casing E2E 7'	7.5	10	0.38	3	29
9883.....	White PVC Craftsman Casing E2E 7	7	10	0.26	2	18
2351.....	Colonial Casing 8'	8	12	0.24	2	23

BASE

Profile	Description	Length	Pieces/ Pack	Pound/ Foot	Pound/ Each	Pound/ Pack
5106.....	Ranch Base 8'	8	10	0.2	2	16
6761.....	Casing/Base E 8'	8	10	0.21	2	17
5523.....	Colonial Base 8'	8	10	0.26	2	21
7527.....	Exterior Base 8'	8	10	0.37	3	29
7861.....	Heirloom Base 8'	8	4	0.58	5	18
9789.....	8-3/8" Combo Base 8'	8	2	1	10	19
5390.....	Chair Rail 8'	8	6	0.24	2	11
2566.....	Wainscot Cap 8' Deco	8	8	0.51	4	33
9869.....	White PVC Colonial Base L738 8'	8	5	0.78	6	31
9871.....	White PVC Craftsman Base E1E 8'	8	10	0.33	3	26
9873.....	White PVC Colonial Base 620 8'	8	10	0.4	3	32
9874.....	White PVC Colonial Base 623 8'	8	10	0.3	2	24
9878.....	White PVC Chair Rail 390 8'	8	10	0.21	2	17

Product offering subject to change. Please check with Customer Service for available pack sizes and weights.

SHORT LENGTH ADDITIONS

Profile	Description	Finish/ Color	Length	Pieces/ Pack
2007	Lattice 8'	P546 WHT	8	20
2018	Lattice 8'	P546 WHT	8	40
2021	Inside Corner 8'	P546 WHT	8	20
2024	Quarter Round 8'	7151 WHT	8	20
2046	Shoe Moulding 8'	P546 WHT	8	50
2046	Shoe 8'	P546 WHT	8	20
2046	Shoe 8'	P546 WHT	8	20
2150	1 x 2 Trim Plank 8'	P546 WHT	8	10
2258	Exterior Bead 8'	P546 WHT	8	25
2330	Head Stop 8'	P546 WHT	8	20
2343	Colonial Casing 8' RM445	P546 WHITE	8	8
2351	Colonial Casing 8'	P546 WHT	8	12
2352	Planking 8'	P546 WHT	8	7
2355	Colonial Casing 8'	P546 WHT	8	12
2363	Stop 8'	P546 WHT	8	20
2365	Colonial Casing 8' RM442	P546	8	10
2369	RB3 Casing 8'	P546 WHT	8	4
2428	West Coast Casing 8'	P546	8	10
2435	Crown 8'	P546 WHT	8	10
2440	Colonial Casing 8' RM351	P546 WHT	8	16
2448	Brick Mould 8'	P546 WHT	8	6
2449	Drip Cap 8'	P546 WHT	8	25
2450	Base Cap 8'	P546 WHT	8	18
2536	Baluster 8' 1-1/4 x 1-1/4"	P546 WHT	8	10
2542	2 x 2 Board 8'	P546 WHT	8	10
2566	Wianscot Cap 8' Deco	P546 WHT	8	8
2590	Casing 8'	P546 WHT	8	4
2592	Crown 8'	P546 WHT	8	4
2598	Bed Moulding 8'	P546 WHT	8	25
2599	Shingle Mould 8'	P546 WHT	8	10
2689	Quarter Round 8'	P546 WHT	8	25
2709	Flat Trim (EMB) 8'	P546 WHT	8	8
2746	Casing 8'	P546 WHITE	8	8
2753	Decorative Trim 8'	P546 WHT	8	10
2759	Trim 8'	P546 WHT	8	30
2764	Wainscot Cap 8'	P546 WHITE	8	12
2791	Drip Cap 8' RM187	P546 WHITE	8	12
2803	Shoe 8' Narrow	P546 WHT	8	50
2837	3/4 x 48 Sheet Board 8'	P546-E0	8	17
2838	5/8 x 48 Sheet Board 8'	P546-E0-OEM	8	19
2838	5/8 x 48 Sheet Board 9' E0	P546-E0-OEM	9	32
2850	7/8" Parting Bead 8'	P546 WHT	8	25
2851	1-1/4" Parting Bead 8'	P546 WHITE	8	25
2852	Adams Casing 8' PM520	P546 WHT	8	4
2853	Crown 8' RM53	P546 WHT	8	10
2871	1/2 x 48 Sheet Board 12'	P546-E0	12	12
2871	1/2 x 48 Sheet Board 9'	P546-E0-OEM	9	24
2878	3/8 x 48 Sheet Board 8' E0	P546-E0	8	50
2878	3/8 x 48 Sheet Board 9'	P546-E0-OEM	9	50

APPENDIX

Product offering subject to change. Please check with Customer Service for available pack sizes and weights.

SHORT LENGTH ADDITIONS (CONT.)

Profile	Description	Finish/ Color	Length	Pieces/ Pack
5111.....	Quarter Round 8'	P546 WHT	8	20
5390.....	Chair Rail 8'	P546 WHT	8	6
5445.....	Colonial Casing 7'	P546 WHT	7	15
5523.....	Colonial Base 8'	P546 WHT	8	10
7152.....	Back Band 8'	P546 WHT	8	10
7158.....	Rams Crown 8'	P546 WHT	8	6
7202.....	Rake Mould 8'	P546 WHT	8	10
7216.....	Williamsburg Casing 8'	P546 WHITE	8	4
7252.....	Brick Mould 8'	P546 WHT	8	15
7371.....	Nail Fin Brick Mould 8'	P546 WHT	8	4
7491.....	Crown 8' RM45	P546 WHITE	8	4
7527.....	Exterior Base 8'	P546 WHT	8	10
7541.....	Crown 8' RM48	P546 WHT	8	4
7661.....	6" Crown 8'	P546	8	4
7710.....	1" Back Band 8'	P546 WHITE	8	8
7712.....	Column Trim 8'	P546 WHI	8	6
7714.....	Pediment 8'	P546 WHT	8	2
7719.....	Outside Corner 8'	P546 WHT	8	15
7788.....	Colonial Stop 8'	P546 WHT	8	20
7828.....	5/8 x 6 S4S Trimboard 8'	P546-E1	8	160
7828.....	5/8 x 6 S4S Trimboard 8'	P546-E0-UPC	8	6
7829.....	5/8 x 7-1/4 S4S Trimboard 8'	P546-E1	8	60
7830.....	5/8 x 9-1/4 S4S Trimboard 8'	P546-E1	8	50
7831.....	5/8 x 11-1/4 S4S Trimboard 8'	P546-E1	8	40
7832.....	1 x 2 S4S Trimboard 8'	P546-E1	8	270
7833.....	1 x 3 S4S Trimboard 8'	P546-E1	8	162
7834.....	1 x 4 S4S Trimboard 8'	P546-E1-UPC	8	221
7835.....	1 x 6 S4S Trimboard 8'	P546-E1-UPC	8	72
7836.....	1 x 8 S4S Trimboard 8'	P546-E1-UPC	8	54
7837.....	1 x 10 S4S Trimboard 8'	P546-E1	8	45
7838.....	1 x 12 S4S Trimboard 8'	P546-E1	8	36
7840.....	5/4 x 4 S4S Trimboard 8'	P546-E1	8	91
7841.....	5/4 x 6 S4S Trimboard 8'	P546-E1	8	56
7842.....	5/4 x 8 S4S Trimboard 8'	P546-E1	8	42
7843.....	5/4 x 10 S4S Trimboard 8'	P546-E1	8	35
7844.....	5/4 x 12 S4S Trimboard 8'	P546-E1	8	28
7861.....	Base 8'	P546 WHT	8	4
7871.....	1 x 5 S4S Trimboard 8'	P546-E1	8	90
7874.....	5/4 x 3 S4S Trimboard 8'	P546-E1	8	126
7875.....	5/4 x 5 S4S Trimboard 8'	P546-E1	8	70
7901.....	Band Moulding 8'	P546 WHT	8	16
7937.....	Shingle Band Moulding 8'	P546 WHT	8	2
7995.....	Flast Casing 8'	P546 WHT	8	5
9724.....	Decorative Half Round 8'	P546 WHT	8	17
9734.....	Reversible Bead Board 8'	P546 WHT	8	4
9785.....	Base Cap 8' RM166	P546 WHT	8	35
9789.....	8-3/8" Combo Base 8'	P546 WHT	8	2
9824.....	7-1/2" Crown 8'	P546 WHT	8	2
9830.....	5/8 x 6" Nickel Gap/Shiplap 8'	P546-E0-CT	8	2
9834.....	5/8 x 8" Nickel Gap/Shiplap 8'	P546-E0-CT	8	2

REFERENCE

Profile	Pg #	Profile	Pg #	Profile	Pg #	Profile	Pg #	Profile	Pg #	Profile	Pg #
2018	28	2827	12	3158	19	7714	29, 31	9750	13	9833	16
2021	27, 33	2828	12	3160	31	7717	29, 31	9751	13	9834	18
2024	27	2829	12	3175	19	7719	28	9752	14	9835	16
2046	27	2830	12	5106	34	7788	28	9753	13	9850	20
2141	27	2833	11	5111	27	7806	25	9754	13	9851	20
2149	17	2834	11	5165	28	7827	4	9755	13	9852	20
2150	4	2837	14	5262	27	7828	4	9756	13	9853	20
2258	27	2838	14	5390	34	7829	4	9757	13	9854	20
2329	27	2850	28	5445	32	7830	4	9758	14	9855	20
2330	27	2851	28	5523	34	7831	4	9759	6, 8, 9	9856	20
2331	32	2852	32	5913	32	7832	4	9760	6, 8, 9	9857	20
2342	32	2853	31	6510	29	7833	4	9761	6, 8, 9	9858	20
2343	32	2864	14	6577	29	7834	4	9762	6, 8, 9	9859	20
2345	25	2866	12	6610	34	7835	4	9763	6, 8, 9	9860	20
2349	27	2867	12	6761	34	7836	4	9764	6	9861	20
2352	18	2868	12	7117	25	7837	4	9766	6	9870	33
2355	32	2869	12	7118	25	7838	4	9767	6, 8	9871	33
2357	27	2870	12	7152	29	7840	5	9768	6	9876	31
2363	28, 33	2871	14	7155	26	7841	5	9769	6, 8	9877	34
2369	32	2873	11	7158	31	7842	5	9770	6, 8	9881	31
2388	25	2874	11	7159	26	7843	5	9771	6, 8	9888	33
2424	26	2875	11	7160	26	7844	5	9772	6, 8	9912	14
2430	26	2876	11	7164	26	7861	34	9773	6, 8	9914	15
2435	19, 31	2877	11	7181	26	7871	4	9774	7	9952	18
2440	32	2878	14	7193	26	7874	5	9775	7, 8, 9	9953V	16
2448	17, 24	2880	10	7202	29	7875	5	9776	7	9959	22
2449	29	2881	10	7205	26	7884	32	9777	7, 8, 9	9963	22
2450	28	2882	10, 26	7206	26	7901	29	9778	7	9967	22
2496	25	2884	10	7213	25	7937	29	9779	7, 8, 9	9971	33
2497	26	2885	10	7216	24, 32	7939	32	9780	7, 8, 9	9972	33
2532	11	2898	12	7241	26	7960	31	9781	7, 8	9973	33
2535	11, 30	2899	12	7251	26	7970	15	9784	6	9974	34
2536	11, 30	2904	11	7252	24	7971	15	9785	28	9975	34
2537	30	2906	11	7255	33	7972	15	9788	6	9976	34
2542	30	2912	12	7263	32	7973	15	9789	34	9977	34
2566	18	2913	12	7351	24	7975	10	9794	15	9978	34
2590	32	2915	25	7360	24	7990	10	9795	15	9982	18
2591	17	2919	11	7371	25	7993	16	9796	16	9984	22
2592	31	2936	11	7417	26	7994	15	9799	13	9985	22
2598	19, 29	2951	12	7435	25	9700	16	9800	15	9986	22
2599	29	2965	12	7467	24	9701	16	9801	15	9987	22
2622	24	2991	33	7491	31	9704	16	9807	20, 21	9988	22
2689	27	3003	12	7527	34	9706	15, 16	9811	20, 21	9989	22
2709	26	3004	12	7541	31	9707	15	9815	20	9990	18
2716	32	3009	10	7623	26	9718	15	9817	15	9994	33
2746	32	3018	11	7631	25	9719	16	9818	15	9995	33
2759	28	3029	17	7651	24	9724	29	9824	31	9996	33
2764	18	3068	10	7661	31	9734	18	9825	18		
2791	29	3078	11	7662	31	9735	18	9829	20		
2803	27	3144	18	7709	29	9747	13	9830	18		
2825	12	3154	18	7710	29	9748	13	9831	16		
2826	12	3157	15	7712	31	9749	13	9832	16		

RM designation identical or similar to WM® Series Patterns. Some RM Series non-stocking.



BE BOUNDLESS™

THE PRODUCTS TO DO EVERYTHING. THE POWER TO DO EVEN MORE.

We're answering "what ifs" on a whole new level—from the solutions we create to the dreams we build. We have the tools and technology to tell design stories on a bigger scale and on a more personal level. There are no limits to how far we innovate, how deeply we express, how strongly we commit and how boldly we go.

Together let's Be Boundless™.

Westlake
Royal Building Products™

© 2024 Westlake Royal Building Products

Royal® Trim & Mouldings
RoyalTrimMoulding.com | 855-769-2585
RTM240500 5/24

