## **1. COMPANY AND PRODUCT IDENTIFICATION**

Company: Choice Brands Adhesives 666 Redna Terrace Cincinnati, OH 45215 Emergency Contact Number: 800-424-9300 (CHEMTREC) Information Telephone Number: 513-772-1234



### **Product Name:**

CBA-531

Product use: General description: Adhesive Synthetic resin based product in water

# 2. HAZARDS IDENTIFICATION

### **GHS Signal Word: WARNING!**



Possible Eye Irritant Possible Skin Irritant



Emergency overview: Potential health effects	Contact with this material can cause irritation to the skin, eyes and mucous membranes	
Eyes	Direct eye contact with the product may cause irritation	
Skin	Prolonged or repeated contact with liquid product may cause irritations.	
Inhalation	Exposure to vapors in poorly ventilated areas may cause irritation of the nose, throat, And respiratory tract.	
Ingestion	Ingestion causes irritation of upper respiratory system and gastrointestinal disturbance. Do not ingest.	
Fire & explosio	<b>n</b> This product will not ignite under normal situations but can be ignited in the extreme heat associated with a fire. In a fire situation, exposed containers may build up pressure and burst explosively spewing hot material. Irritating and potentially harmful vapors may be released in a fire or spill situation.	

# 3. COMPOSITION / INFORMATION ON HAZARDOUS INGREDIENTS

Component	CAS-No.	Concentration
Ethylene glycol	107-21-1	Less than 1.5%

## **4. FIRST AID MEASURES**

#### First aid procedures

Eye contact If product contacts eye, flush with water for at least 15 minutes and seek medical attention immediately.
Skin contact If product contacts skin, wash affected area with soap and water. Seek medical attention if irritation develops or persists. Launder contaminated clothing before reuse.

#### Inhalation

Ingestion

Move subject to fresh air in case of accidental inhalation of vapors or decomposition products. If symptoms persist, get medical attention promptly.

If ingested, get immediate medical attention. Do not induce vomiting unless instructed to do so by medical personnel. Never give anything by mouth to victim who is unconscious or is having convulsions.

# 5. FIRE FIGHTING MEASURES

#### Hazardous combustion products

Incomplete combustion can yield carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

#### **Extinguishing media**

 uisining incuru	
Suitable extinguishing media	Dry chemical, CO2, water spray or regular foam. Avoid using a direct stream of water.
Fire fighting	Firefighters should wear full protective clothing including self
equipment/instructions	contained breathing apparatus.
Dust explosion hazard	None Known
Sensitivity to static discharge	None Known
Unusual fire & explosion	There is the possibility of pressure buildup in closed containers when
hazards	heated. Water spray may be used to cool the containers/
Flash point	Non flammable

# 6. ACCIDENTAL RELEASE MEASURES

<b>Emergency action</b>	Wear appropriate protective equipment and clothing during clean-up. Follow all Local,
	State, Federal and Provincial regulations for disposal.
Containment procedure	s Isolate spill area. Stop discharge if safe to do so. Dike, if necessary, contain spill with
	inert absorbent. Collect and contain for salvage or disposal. Keep spilled product from
	contaminating soil or from entering sewers, watersheds or water streams.
Reporting	See Federal reporting requirements listed in Section 15. We recommend you contact local authorities to determine if there may be other local reporting requirements.
	autorities to determine if there may be other rotal reporting requirements.

## 7. HANDLING AND STORAGE

For Commercial Use Only - Not Packaged or Labeled for Home Use!

Handling	Avoid contact with skin and eyes. Wash thoroughly after handling. Avoid breathing fumes if this product is used at high temperatures. Use this product with adequate ventilation.
Storage	Protect from freezing – product stability may be affected.
Empty container precaution	Attention! Follow label warnings even after container is emptied since empty containers may retain product residues. In storage, monomer vapors will migrate from the emulsion and establish an equilibrium between the headspace in the storage container and the liquid emulsion. Levels in excess of acceptable exposures can accumulate in non –vented headspaces above the emulsion. All procedures appropriate for a confined space entry should be completed prior to performing any work in a bulk storage tank. Do not reuse empty container without professional cleaning for food, clothing, or products for human or animal consumption, or where skin contact can occur.

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

<b>Exposure Limit(s)</b> Exposure limits are listed below, if they exist
--

Component	Regulation	Type of Listing	Value
Ethylene glycol	OSHA	PEL	50 ppm
			125 mg/m3
	ACGIH (1988, 1989)	TLV	50 ppm
			100 mg/m3

**Engineering controls** Ventilation should be sufficient to effectively remove and prevent buildup of any dusts or fumes that may be generated during handling or thermal processing.

Safety Glasses	Gloves

### Personal protective equipment

r	- 1
Eye protection	Wear safety glasses to reduce the potential for eye contact. Chemical safety goggles are appropriate if splashing is likely. Have eye washes available where eye contact can
	occur.
Skin and body	Prevent prolonged or repeated contact by using rubber gloves and appropriate protective
Protection	clothing. Launder contaminated clothing before reuse.
Respiratory	Not normally required. When fumes are generated and ventilation is not sufficient to
Protection	effectively remove them, appropriate NIOSH/MSHA approved respiratory protection
	must be provided.
General	Eye wash fountain and emergency showers are recommended.

# 9. PHYSICAL & CHEMICAL PROPERTIES

Flash Point Upper Flammable Limit	Not Applicable/ non flammable Not Determined
Lower Flammable Limit	Not Determined
Autoignition Point	Not Determined
Explosion Data	Material does not have explosive properties
Vapor Pressure	NA
PH	4.0 - 6.0
Specific Gravity	1.09
Bulk Density	9.5 lbs/ gallon
Water Solubility	Miscible
Percent Solid	Approx. 55 - 65%
Percent Volatile	Approx. 40%
%Volatile Organic Compounds	Less than 2.50% by weight
Vapor Density	< 1 Air = 1
Evaporation Rate	< 1 Butyl Acetate = 1
Odor	Sweet
Appearance	White Liquid
Viscosity	Approx. 8000 cps. @ 80F
Odor Threshold	Not Determined
Boiling Point	100*C, 212*F (Typical)
Pour Point Temperature	Not Determined
Melting / Freezing Point	~ 0*C, ~ 32*F

The above data are typical values and do not constitute a specification. Vapor pressure data are calculated unless otherwise noted

## 10. CHEMICAL STABILITY & REACTIVITY INFORMATION

#### Safety Data Sheet

#### Hazardous reactions/decompositions products

Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

Hazardous polymerization Conditions to avoid Stability Will not occur. Not established Stable under normal conditions. This product may react with strong acids, bases and oxidizing agents.

## 11. TOXICOLOGICAL INFORMATION

### -ACUTE EXPOSURE-

Eye Irritation	May cause eye irritation.
Skin Irritation	Not expected to be a primary skin irritant. Repeated or prolonged skin contact may cause irritation. Pre-existing skin conditions may be aggravated by prolonged or repeated exposure.
<b>Respiratory Irritation</b>	Exposure to vapors in poorly ventilated areas may cause irritation of the nose, throat, and Respiratory tract.
Dermal Toxicity	Not established
Inhalation Toxicity	Exposure to vapors in poorly ventilated areas may cause irritation of the nose, throat, and
	Respiratory tract.
Oral Toxicity	Not established. Ingestion of this material may cause gastrointestinal irritations

#### -CHRONIC EXPOSURE-

Chronic Toxicity	No data available to indicate product or components present at greater than 1% are chronic health hazards.	
Carcinogenicity	No data available to indicate product may present a carcinogenic hazard. There are no carcinogenic ingredients present at or over $0.1\%$ in this material.	
Mutagenicity	No data available to indicate product is mutagenic or genotoxic.	
Reproductive Toxicity	No data available to indicate product may cause reproductive toxicity.	
Tetratogenicity	No data available to indicate product may cause birth defects.	

## **12. ECOLOGICAL INFORMATION**

There is no data available for this product

## 13. DISPOSAL CONSIDERATIONS

**Environmental precautions:** CAUTION: keep spills and cleaning runoff out of municipal sewers and open bodies of water.

It is the obligation of each user of the product mentioned herein to determine and comply with the requirements of all applicable local, state and federal regulations.

Waste disposalDispose of waste material according to Local, State, Federal, and Provincial<br/>Environmental Regulations.

### 14. TRANSPORT INFORMATION

### DOT

Not regulated as hazardous goods.

### IATA

Not regulated as hazardous goods.

### IMDG

Not regulated as hazardous goods.

# **15. REGULATORY INFORMATION**

### **Workplace Classification**

OSHA:	This product is considered non-hazardous under the OSHA Hazard Communiation Standard (29CFR1910.1200)
WHMIS:	This product is not a "controlled product" under the Canadian Workplace Hazardous Materials Information System (WHMIS)

### SARA TITLE III: Section 311/312 Categorizations (40CFR370):

This product is not a hazardous chemical under 29CFR 1910.1200, and therefore is not covered by Title III of SARA

### SARA TITLE III: Section 313 Information (40CFR372):

This product does contain a chemical which is listed in Section 313 at or above de minimis concentrations. Ethylene glycol CAS# 107-21-1

### **CERCLA Information (40CFR302.4):**

Releases of this material to air, land, or water are not reportable to the National Response Center under the Comprehensive Environmental Response, Compensation, and Liabillity Act (CERCLA) or to state and local emergency planning committees under the Superfund Amendments and Reauthorization Act (SARA) Title III Section 304

#### US. Toxic Substances Control Act (TSCA):

	All components of this product are in compliance with the inventory listing requirements of the U.S. Toxic Substances Control Act (TCSA) Chemical Substance Inventory.	
State manulations		
State regulations	If this product contains any California Proposition 65 chemicals, they will be listed	
	below. Unless a concentration is given, the chemicals listed below are present only in	
	trace amounts (less than 0.1%)	
	Ethylene glycol (CAS# 107-21-1) Less than 1.5%	
	Formaldehyde (CAS# 50-00-0)	
	Acetaldehyde (CAS #75-07-0)	
	Methanol (CAS# 67-56-1)	
Restriction of Hazardous The product(s) covered by this (M)SDS do not contain or are under the prescribed levels		
Substances (RoHS)	of prohibited substances listed under 2011/65/EU Hazardous Substances Restricted or	
	Prohibited in Electrical Equipment, including lead (CAS # 7439-92-1), mercury (CAS #	
	7439-97-6), cadmium (CAS # 7440-43-9), hexavalent chromium (CAS # 7440-47-3),	
	polybrominated biphenyls (PBB) and polybrominated diphenyl ethers (PBDE).	
International regulation	s This product has been classified in accordance with the hazard criteria of the Controlled	
-	Products Regulations and contains all the information required by the Controlled	
	Products Regulations.	
REACH		

Substances of Very High Concern (SVHC)

#### Safety Data Sheet

The product(s) covered by this (M)SDS does not include a substances above a concentration of 0.1% weight by weight (w/w) in the Candidate List of Substances of Very High Concern (SVHC) for authorization published or proposed by ECHA on the following dates:

### **16. OTHER INFORMATION**

Issue date

012318.1

All statements, information and data presented herein are to the best of our knowledge and belief accurate and reliable as of the date complied. However, no representation, warranty or guarantee expressed or implied, is made as to its accuracy, reliability or completeness. It is the user's responsibility to determine the suitability and completeness of such information for the customer's particular end use. We do not accept liability for any loss or damage that may occur from the use of this information.