

**Description:** FORMICA F-170G

Date Issued

Page 1 of 7 04/06/2020

### **SECTION 1: IDENTIFICATION**

Manufacturer Choice Adhesives

Address 666 Redna Terrace, Suite 600

Cincinnati, OH 45215

2500 Carroll Avenue Lynchburg, VA 24501

Information Telephone 513-772-1234 434-847-5671 Number

Emergency Contact Number:

800-424-9300 (CHEMTREC)

Recommended Use Adhesive

### **SECTION 2: HAZARD(S) IDENTIFICATION**

Classifications Skin Irritation: Category 2

Eye Damage: Category 2A Carcinogenicity: Category 2

STOT Single Exposure: Category 3

**Pictograms** 





GHS Signal Word WARNING!

**Hazard Statements** Causes skin irritation.

Causes serious eye irritation. Suspected of causing cancer. May cause drowsiness or dizziness.

**Precautionary Statements**Do not handle until all safety precautions have been read and understood.

IF exposed or concerned: Get medical attention.

Avoid breathing vapors. Use in a well-ventilated area.

IF INHALED: Čall a doctor if you feel unwell. Remove person to fresh air and keep

comfortable for breathing

IF ON SKIN: Take off contaminated clothing and wash before reuse. Wash skin with

plenty of water. If skin irritation occurs: Get medical attention.

**Potential Health Effects** 

Principal Routes of Exposure Inhalation, ski

Inhalation, skin absorption, eye contact

Acute Effects



Inhalation:

**Description:** FORMICA F-170G

Date Issued

Page 2 of 7 04/06/2020

Contact with eyes may cause irritation. Direct contact with liquid or vapors may Eye:

cause stinging, tearing, redness, swelling and eye damage.

Skin: May cause skin irritation and/or dermatitis. Prolonged or repeated contact or

exposure to vapors may cause redness, burning, and drying and cracking of skin. Breathing high concentrations of vapors may cause irritation of the nose and throat

or signs of nervous system depression (e.g., headache, nausea, drowsiness, dizziness, vomiting, loss of coordination and fatigue)

Ingestion may cause irritation of the digestive tract, nausea, vomiting, and signs of Ingestion:

nervous system depression

Chronic Effects Avoid repeated exposure. May cause blood damage. Repeated contact may cause

allergic reactions in very susceptible persons.

Aggravated Medical Conditions Pre-existing eye, skin or resipiratory disorders may be aggravated by exposure to

this product.

# **SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS**

**Chemical Designation** CAS No. % by Weight

Methylene chloride 75-09-2 70 - 90%

Any remaining ingredients (to comprise 100% of the product) should be considered a proprietary blend of non-hazardous substances, or materials below threshold reporting limits.

### **SECTION 4: FIRST AID MEASURES**

**General Advice** Show this safety data sheet to the doctor in attendance

Flush with plenty of cool water for at least 15 minutes, holding eyelids apart for Eyes

thorough irrigation. If irritation persists, get immediate medical attention.

Skin Wash affected area thoroughly with soap and water. Remove contaminated clothing

and wash affected areas thoroughly with mild soap. If skin irritation persists, get

immediate medical attention.

Move to fresh air. If not breathing, give artificial respiration, preferably Inhalation

mouth-to-mouth. If breathing is difficult, give oxygen and get immediate medical

attention.

Do not induce vomiting seek immediate medical attention. If vomiting occurs, keep Ingestion

head lower than hips to prevent aspiration.

**Notes to Physician** Treat symptomatically.

# **SECTION 5: FIRE FIGHTING MEASURES**

**Extinguishing Media** Carbon dioxide, dry chemicals, foam. Water may be helpful in keeping adjacent

containers cool; avoid spreading the liquid with water used for cooling. Water-based

sprinkler systems may help contain larger fires.

**Special Protective Equipment and** firefighting procedures

Wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved

or equivalent) and full protective gear.

Closed containers may rupture if exposed to fire or extreme heat. May produce Specific hazards arising from the



**Description:** FORMICA F-170G

Date Issued

Page 3 of 7 04/06/2020

II toxic fumes if burning.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

**Personal Precautions**Use personal protective equipment. Remove all sources of ignition.

**Environmental**Prevent further leakage or spillage if safe to do so. Do not allow material to contaminate ground water system. Prevent product from entering drains. Do not flush into surface water or sanitary sewer system. Local authorities should be

advised if significant spillages cannot be contained.

**Methods for Clean-up** Dam up. Soak up with inert absorbent material. Pick up and transfer to properly

labeled containers. Clean contaminated surface thoroughly.

Other Information None known.

#### **SECTION 7: HANDLING & STORAGE**

**Handling** Use only in area provided with appropriate exhaust ventilation. Do not breathe vapors

or spray mist. Wear appropriate personal protective equipment. Take precautionary measures against static discharges. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Keep away from open

flames, hot surfaces and sources of ignition.

Storage Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away

from extremes of heat or cold. Keep in properly labeled containers.

#### **SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION**

Note: Any items listed in the above with workplace control parameters which are not listed in section 3 are below threshold reporting values.

**REL - Recommended Exposure Limits** 

TLV - Threshold Limit Vaİue

#### **Exposure Limits**

Components with workplace control parameters:

Hazardous Components OSHA PEL ACGIH TLV

Methylene chloride 25 50

Engineering Measures Ensure adequate ventilation, especially in confined areas.

**Personal Protective Equipment** 

**Eyes/Face** Safety goggles or glasses, or full face shield.

**Skin** Protective gloves and impervious clothing. Consult the glove/clothing manufacturer

for proper selection of materials.

**Respiratory** In operations where exposure limits are exceeded, use a NIOSH-approved respirator

that has been selected by a technically qualified person for the specific work

conditions.

Hygiene Practices Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing

before re-use. Wash thoroughly after handling. When using, do not eat,



**Description:** FORMICA F-170G

Date Issued

Page 4 of 7 04/06/2020

No Data Available

drink or smoke.

SECTION 9: PHYSICAL AND	CHEMICAL PROPERTIES
-------------------------	---------------------

**Appearance** Green liquid. Upper Flammability/Explosive Limit N/A Oxidizing No Data Available Lower Flammability/Explosive Limit N/A **Properties** Vapor Pressure mm Hg Odor Characteristic odor. Not available **Odor Threshold** No Data Available Vapor Density Heavier than air pH Value No Data Available Bulk Density (lb/gal) 10.08 **Melting Point /** No Data Available 0 VOC Content (g/L) **Freezing Point** 104.0 °F [40.0 °C] **Boiling Point** VOC Less Water & Exempts (g/L) Non-Volatile (wt%) 26.64 Specific Gravity (g/l) 1.210 No Data Available Flash Point Not applicable Auto-Ignition Temperature No Data Available **Decomposition Temperature** No Data Available **Explosive** 

Properties

**Partition Coefficient** 

Flammability No Data Available Viscosity No Data Available

Solubility in Water Insoluble

**Evaporation Rate** 

(solids)

### **SECTION 10: STABILITY AND REACTIVITY**

**Chemical Stability** Stable under normal conditions. Hazardous polymerization does not occur.

**Possibility of Hazardous Reactions** None under normal conditions of use.

Faster than nBuAc

**Conditions to Avoid** Keep away from open flames, hot surfaces, static electricity and sources of ignition.

Avoid extremes of heat or cold.

Materials to Avoid Incompatible with strong acids and bases, alkali metals, halogens, and strong

oxidizing agents.

Hazardous Decomposition Thermal decomposition can lead to release of irritating gases and vapors. Carbon

monoxide, carbon dioxide, smoke, and other unidentified organic compounds may be

formed during combustion.

### **SECTION 11: TOXICOLOGICAL INFORMATION**

**Numerical Measures of Toxicity for Individual Components** 



**Description:** FORMICA F-170G

Date Issued

Page 5 of 7 04/06/2020

Inhalation, skin absorption, eye contact.

Acute Toxicity Oral: No data; Skin: No data; Inhalation: No Sensitization

Respiratory: No data; Skin: No data

Irritation Skin: Category 2

data

Mutagenicity

No data

Reproductive

No data

Aspiration **Hazards** 

No data

**Toxicity** 

**Specific Target Organ Toxicity - Single Exposure** 

Category 3

**Specific Target Organ Toxicity - Repeated Exposure** 

No data

### **Chronic Toxicity / Carcinogenicity**

The information below indicates whether each agency has listed any ingredient as a carcinogen. If no ingredients are listed below, then there are no known classifications.

**IARC** NTP **OSHA** Component Methylene chloride Listed Listed Listed

#### **SECTION 12: ECOLOGICAL INFORMATION**

The information and data for components are listed individually for areas of ecological consideration below.

Acute and prolonged toxicity to fish: **Aquatic Toxicity** Acute toxicity to aquatic invertebrates: No Data Available No Data Available No Data Available

Environmental fate and pathways:

**Mobility in Soil** 

No Data Available

**Bioaccumulative Potential** 

Persistence and Degradability

No Data Available

No Data Available

Other Adverse Effects

No Data Available

# **SECTION 13: DISPOSAL CONSIDERATION**

# **Waste Disposal Method**

Dispose of in accordance with all applicable local, state, and federal regulations. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit, and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

#### **SECTION 14: TRANSPORT INFORMATION**

The shipping classification in this section is meant as a guide to overall classification of the product. However, transportation classifications may be subject to change with changes in package size. Consult shipper requirements under 49 CFR, IATA and IMDG to assure regulatory compliance.



**Description:** FORMICA F-170G

Date Issued

Page 6 of 7 04/06/2020

REGULATION DESCRIPTION

DOT

**Proper Shipping Name** 

**Technical Name** 

Hazard Class

**UN Number** 

Packing Group

Placards

Unregulated

Not available

ICAO / IATA No Data Available
IMDG / IMO No Data Available

**SECTION 15: REGULATORY INFORMATION** 

**US TSCA** Yes All components are listed or exempt.

Canada DSL Yes All components are listed or exempt.

OSHA Regulatory Status Not hazardous

SARA 313 Section 313 OF Title III of the Superfund Amendments and Reauthorization Act of

1986 (SARA). If listed below, this product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal

Regulations, Part 372.

Chemical Designation CAS Number Weight %

Methylene chloride 75-09-2 70 90%

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPS) (see 40 CFR 61)

Chemical Designation CAS Number Weight %

Methylene chloride 75-09-2 70 90%

**State Regulations** 

California Prop. 65



**Description:** FORMICA F-170G

Date Issued

Page 7 of 7 04/06/2020

This product contains one or more chemicals known to the state of California to cause cancer and/or reproductive harm. Unless chemical names are listed below, these chemicals are present only in trace amounts. www.P65Warnings.ca.gov

Chemical Name CAS Number

Methylene chloride 75-09-2 Naphthalene 90-20-3

#### **SECTION 16: OTHER INFORMATION**

### NFPA is a Health, Flammability and Reactivity rating: 210B

4 SEVERE HAZARD, 3 SERIOUS HAZARD, 2 MODERATE HAZARD, 1 SLIGHT HAZARD, 0 MINIMAL HAZARD,\* Chronic Hazard

Date Printed 04/06/2020 SDS Review Date 09/21/2018

#### **DISCLAIMER**

The above Information is based on the present state of our knowledge of the product at the time of publication. It is given in good faith. No warranty is implied with respect to the quality or the specification of the product and the user must satisfy his self that the product is entirely suitable for his purposes.

\*\*\*\*\* END OF SAFETY DATA SHEET \*\*\*\*\*