

Description: FORMICA F-200NF

Date Issued

Page 1 of 7 04/06/2020

SECTION 1: IDENTIFICATION

Manufacturer Choice Adhesives

Address 666 Redna Terrace, Suite 600

Cincinnati, OH 45215

2500 Carroll Avenue Lynchburg, VA 24501

434-847-5671

Information Telephone

Number

513-772-1234

Emergency Contact

Number:

800-424-9300 (CHEMTREC)

Recommended Use Adhesive

SECTION 2: HAZARD(S) IDENTIFICATION

Classifications Skin Irritation: Category 2

Eye Damage: Category 2A Carcinogenicity: Category 2

STOT Single Exposure: Category 3 Compressed or Liquefied Gas

Pictograms





GHS Signal Word WARNING!

Hazard Statements Causes skin irritation.

Causes serious eye irritation. Suspected of causing cancer. May cause drowsiness or dizziness.

Contains gas under pressure; may explode if heated

Precautionary StatementsDo not handle until all safety precautions have been read and understood.

IF exposed or concerned: Get medical attention. Avoid breathing vapors. Use in a well-ventilated area.

IF INHALED: Čall a doctor if you feel unwell. Remove person to fresh air and keep

comfortable for breathing

IF ON SKIN: Take off contaminated clothing and wash before reuse. Wash skin with

plenty of water. If skin irritation occurs: Get medical attention.

Potential Health Effects

Principal Routes of Exposure

Inhalation, skin absorption, eye contact



Description: FORMICA F-200NF

Date Issued

Page 2 of 7 04/06/2020

Acute Effects Contact with eyes may cause irritation. Direct contact with liquid or vapors may

cause stinging, tearing, redness, swelling and eye damage.

May cause skin irritation and/or dermatitis. Prolonged or repeated contact or Eye:

exposure to vapors may cause redness, burning, and drying and cracking of skin. Skin: Breathing high concentrations of vapors may cause irritation of the nose and throat

or signs of nervous system depression (e.g., headache, nausea, drowsiness, dizziness, vomiting, loss of coordination and fatigue)

Inhalation:

Ingestion may cause irritation of the digestive tract, nausea, vomiting, and signs of

nervous system depression

Ingestion:

Avoid repeated exposure. May cause blood damage. Repeated contact may cause

allergic reactions in very susceptible persons.

Pre-existing eye, skin or resipiratory disorders may be aggravated by exposure to

this product.

Aggravated Medical Conditions

Chronic Effects

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Designation	CAS No.	% by Weight
Methylene chloride	75-09-2	50 - 75%
1,1,1,2-Tetrafluoroethane	811-97-2	12 - 25%
Carbon dioxide	124-38-9	5 - 15%
Dimethyl ether	115-10-6	1 - 7%

Any remaining ingredients (to comprise 100% of the product) should be considered a proprietary blend of non-hazardous substances, or materials below threshold reporting limits.

SECTION 4: FIRST AID MEASURES

Show this safety data sheet to the doctor in attendance General Advice

Eyes Flush with plenty of cool water for at least 15 minutes, holding eyelids apart for

thorough irrigation. If irritation persists, get immediate medical attention.

Skin Wash affected area thoroughly with soap and water. Remove contaminated clothing

and wash affected areas thoroughly with mild soap. If skin irritation persists, get

immediate medical attention.

Inhalation Move to fresh air. If not breathing, give artificial respiration, preferably

mouth-to-mouth. If breathing is difficult, give oxygen and get immediate medical

attention.

Ingestion Do not induce vomiting seek immediate medical attention. If vomiting occurs, keep

head lower than hips to prevent aspiration.

Notes to Physician Treat symptomatically.

SECTION 5: FIRE FIGHTING MEASURES



Description: FORMICA F-200NF

Date Issued

Page 3 of 7 04/06/2020

Carbon dioxide, dry chemicals, foam. Water may be helpful in keeping adjacent **Extinguishing Media**

containers cool; avoid spreading the liquid with water used for cooling. Water-based

sprinkler systems may help contain larger fires.

Special Protective Equipment and

firefighting procedures

Wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved

or equivalent) and full protective gear.

Specific hazards arising from the

chemical

Closed containers may rupture if exposed to fire or extreme heat. May produce toxic

fumes if burning.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions Use personal protective equipment. Remove all sources of ignition.

Prevent further leakage or spillage if safe to do so. Do not allow material to Environmental **Precautions**

contaminate ground water system. Prevent product from entering drains. Do not flush into surface water or sanitary sewer system. Local authorities should be

advised if significant spillages cannot be contained.

Dam up. Soak up with inert absorbent material. Pick up and transfer to properly Methods for Clean-up

labeled containers. Clean contaminated surface thoroughly.

None known. Other Information

SECTION 7: HANDLING & STORAGE

Handling Use only in area provided with appropriate exhaust ventilation. Do not breathe vapors

> or spray mist. Wear appropriate personal protective equipment. Take precautionary measures against static discharges. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Keep away from open

flames, hot surfaces and sources of ignition.

Storage Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away

from extremes of heat or cold. Keep in properly labeled containers.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Note: Any items listed in the above with workplace control parameters which are not listed in section 3 are below threshold reporting values.

REL - Recommended Exposure Limits

TLV - Threshold Limit Value

Exposure Limits

Components with workplace control parameters:

Hazardous Components	OSHA PEL	ACGIH TLV
Methylene chloride	25	50
1,1,1,2-Tetrafluoroethane	Not established	1000
Carbon dioxide	5000	5000
Dimethyl ether	Not established	1000



Description: FORMICA F-200NF

Date Issued

Page 4 of 7 04/06/2020

Engineering Measures Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Safety goggles or glasses, or full face shield. Eyes/Face

Skin Protective gloves and impervious clothing. Consult the glove/clothing manufacturer

for proper selection of materials.

In operations where exposure limits are exceeded, use a NIOSH-approved respirator Respiratory

that has been selected by a technically qualified person for the specific work

conditions.

Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing **Hygiene Practices**

before re-use. Wash thoroughly after handling. When using, do not eat, drink or

smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Amber-colored liquid. **Appearance** Upper Flammability/Explosive Limit N/A

Oxidizina No Data Available Lower Flammability/Explosive Limit N/A **Properties**

Odor Characteristic odor. Vapor Pressure mm Hg Not available

Odor Threshold No Data Available Vapor Density Heavier than air

pH Value No Data Available Bulk Density (lb/gal) 9.69

Melting Point / No Data Available VOC Content (g/L) 14

Boiling Point

-15.0 °F [-26.1 °C] VOC Less Water & Exempts (g/L) 22

Non-Volatile (wt%) 18.02 1.163 Specific Gravity (g/l)

Flash Point Not applicable **Auto-Ignition Temperature** No Data Available

Explosive No Data Available **Decomposition Temperature** No Data Available **Properties**

Faster than nBuAc **Partition Coefficient** No Data Available **Evaporation Rate**

Flammability No Data Available **Viscosity** No Data Available (solids)

Solubility in Water Insoluble

Freezing Point

SECTION 10: STABILITY AND REACTIVITY

Chemical Stability Stable under normal conditions. Hazardous polymerization does not occur.

Possibility of Hazardous Reactions None under normal conditions of use.

Conditions to Avoid Keep away from open flames, hot surfaces, static electricity and sources of ignition.

Avoid extremes of heat or cold.

Materials to Avoid Incompatible with strong acids and bases, alkali metals, halogens, and strong

oxidizing agents.



Description: FORMICA F-200NF

Date Issued

Page 5 of 7 04/06/2020

Hazardous Decomposition

Thermal decomposition can lead to release of irritating gases and vapors. Carbon monoxide, carbon dioxide, smoke, and other unidentified organic compounds may be formed during combustion.

SECTION 11: TOXICOLOGICAL INFORMATION

Numerical Measures of Toxicity for Individual Components

Likely Routes of Exposure

Inhalation, skin absorption, eye contact.

Specific Target Organ Toxicity - Single Exposure

Acute Toxicity Oral: No data; Skin: No data; Inhalation: No Respiratory: No data; Skin: No data Sensitization

data

Irritation Skin: Category 2 Mutagenicity No data

Reproductive No data **Aspiration** No data

Toxicity

Hazards

No data **Specific Target Organ Toxicity - Repeated Exposure**

Chronic Toxicity / Carcinogenicity

The information below indicates whether each agency has listed any ingredient as a carcinogen. If no ingredients are listed below, then there are no known classifications.

Category 3

IARC NTP Component **OSHA** Methylene chloride Listed Listed Listed

SECTION 12: ECOLOGICAL INFORMATION

The information and data for components are listed individually for areas of ecological consideration below.

Acute and prolonged toxicity to fish:

Acute toxicity to aquatic invertebrates: No Data Available No Data Available Environmental fate and pathways:

Mobility in Soil No Data Available Persistence and Degradability No Data Available

No Data Available No Data Available **Bioaccumulative Potential Other Adverse Effects**

SECTION 13: DISPOSAL CONSIDERATION

Waste Disposal Method

Aquatic Toxicity

Dispose of in accordance with all applicable local, state, and federal regulations. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit, and the permitting authority has been

No Data Available



Description: FORMICA F-200NF

Date Issued

Page 6 of 7 04/06/2020

notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

SECTION 14: TRANSPORT INFORMATION

The shipping classification in this section is meant as a guide to overall classification of the product. However, transportation classifications may be subject to change with changes in package size. Consult shipper requirements under 49 CFR, IATA and IMDG to assure regulatory compliance.

REGULATION

DESCRIPTION

DOT

Proper Shipping Name CHEMICAL UNDER PRESSURE, N.O.S.

Technical Name (1,1,1,2-TETRAFLUOROETHANE, CARBON DIOXIDE)

Hazard Class 2.2

UN Number UN3500

Packing Group

Placards



ICAO / IATA No Data Available
IMDG / IMO No Data Available

SECTION 15: REGULATORY INFORMATION

US TSCA Yes All components are listed or exempt.

Canada DSL Yes All components are listed or exempt.

OSHA Regulatory Status This material is considered hazardous by the OSHA Hazard Communication Standard

(29 CFR 1910.1200)

SARA 313 Section 313 OF Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). If listed below, this product contains a chemical or chemicals which are

1986 (SARA). If listed below, this product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal

Regulations, Part 372.

Chemical Designation CAS Number Weight %



Description: FORMICA F-200NF

Date Issued

Page 7 of 7 04/06/2020

Methylene chloride 75-09-2 50 - 75%

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPS) (see 40 CFR 61)

Chemical Designation CAS Number Weight %

Methylene chloride 75-09-2 50 - 75%

State Regulations

California Prop. 65

This product contains one or more chemicals known to the state of California to cause cancer and/or reproductive harm. Unless chemical names are listed below, these chemicals are present only in trace amounts. www.P65Warnings.ca.gov

Chemical Name CAS Number

Methylene chloride 75-09-2

SECTION 16: OTHER INFORMATION

NFPA is a Health, Flammability and Reactivity rating: 210B

4 SEVERE HAZARD, 3 SERIOUS HAZARD, 2 MODERATE HAZARD, 1 SLIGHT HAZARD, 0 MINIMAL HAZARD, * Chronic Hazard

Date Printed 04/06/2020 SDS Review Date 09/21/2018

DISCLAIMER

The above Information is based on the present state of our knowledge of the product at the time of publication. It is given in good faith. No warranty is implied with respect to the quality or the specification of the product and the user must satisfy his self that the product is entirely suitable for his purposes.

***** END OF SAFETY DATA SHEET *****