






# BUILD YOUR DECK *in* FIVE EASY STEPS





## BUILT FOR LIVING

*Engineering what's next in outdoor living* isn't just a motto; it's our mission. More than 20 years ago, Trex revolutionized the industry by introducing a high-performance, eco-friendly alternative to wood decking. Today, we're proud to offer *more ways than ever* to live outdoors—whether you're building on a budget or seeing your biggest, boldest idea through. It's never been easier to make the Trex® decision that's right for you.





decking: Transcend in Lava Rock & Tiki Torch  
railing: Trex® Signature™ in Charcoal Black

# YOUR DECKING CHECKLIST

In just five steps, go from having a bad case of deck envy to being *100% deck ready*.

1

## DETERMINE MATERIALS, SIZE & SHAPE

The what and the how of building the deck of your dreams. Plan accordingly.

2

## CONSIDER THE SUBSTRUCTURE

Find out why our steel framing system results in long-lasting stability and support.

3

## CHOOSE YOUR DECKING

Three tiers of decking provide a comprehensive range of easy, low-maintenance options.

4

## CHOOSE YOUR RAILING

The signifier of great taste. Pick a pre-styled combo, or mix-and-match Trex® Signature™, Transcend® or Select® rails, posts and balusters.

5

## ADD THE EXTRAS

Complete your outdoor area with furniture, lighting, storage and shade.

STEP 1

# Materials, SIZE & shape

Once you know how you want to use your deck, you'll be able to determine the best materials, size and shape. Ask yourself these questions to see where you stand.

- 1 Do you have the time to maintain a wood deck?
- 2 Will you use an existing substructure or build a new one?
- 3 Do you expect your deck to retain its vibrancy, year after year?
- 4 Do you envision a curved or angular deck?
- 5 Will there be more than one level?
- 6 Will there be multiple exits and entrances?
- 7 Do you want room for a grill or dining area?
- 8 How will you light your deck?



# THE LOOK OF WOOD

WITHOUT  
ALL THE  
WORRY

You could build your deck with any number of materials.  
*But why would you, when Trex® decking and railing consistently outdeck wood and the wannabes?*

## — TREX WILL —



*Beautifully withstand years of sun, sleet & snow*  
**HIGH-PERFORMANCE TECHNOLOGY**



*Clean easily with soap & water*  
**LOW-MAINTENANCE PROPRIETARY SHELL**



*Make good on its promises*  
**25-YEAR LIMITED RESIDENTIAL AND FADE & STAIN WARRANTIES**



*Let forestful of trees grow and grow*  
**MADE OF 95% RECYCLED MATERIALS**

## — TREX WON'T —



*Rot, warp or splinter*  
**UNLIKE WOOD**



*Fade or stain*  
**UNLIKE WOOD**



*Need seasonal painting, sealing or staining*  
**UNLIKE WOOD**



*Become food for termites*  
**UNLIKE WOOD**


Even better, Trex has engineered cost out of the equation with its newest collection of composite decking. So, the question is—**can you afford *not* to build with Trex?**

••• Read why Trex also outdecks PVC & early-gen composite at [trex.com/compare](https://www.trex.com/compare)

# Trex® Deck Designs


When planning your outdoor space, it's important to make sure your deck has exactly that—space.

... Download our most popular layouts and materials lists at [trex.com/plans](https://www.trex.com/plans)




## Rectangle Deck

- » Offers room for outdoor eating and grilling
- » Works well with smaller homes, rooftops or side yards
- » Standard shape in five sizes makes for a versatile, multi-use space




## Overlook Deck

- » Provides distinct spaces so you can get the most from your deck
- » Works well with smaller to mid-sized homes with gardens or extended views
- » Multi-side add-on makes for a cozy sitting or dining area



## Beveled-Edge Deck

- » Allows for large sitting area or several smaller spaces
- » Works well with smaller to mid-sized homes of contemporary design
- » Rounded corners open the view and decor possibilities



## Custom Deck

Have a space that defies our deck plans?  
Contact a local **TrexPro®** for a custom approach.

...

Find one at [trex.com/findapro](https://www.trex.com/findapro)



## Doing it yourself?



Find downloadable guides, how-to videos and more at [trex.com/DIY](https://www.trex.com/DIY)

# Consider the SUBSTRUCTURE

*Think about it:  
if you're going to build  
a long-lasting deck,  
don't you want its support  
to last just as long?*

Trex Elevations®, our system of durable, triple-coated steel beams, joists and tracks, creates the strongest, straightest and greenest structures down below. Unlike interior-grade galvanized steel, Trex Elevations is code-listed specifically for exterior use.

**Designed for exterior use**



**Trex Elevations®**  
STEEL DECK FRAMING

*The only deck frame  
that can stand up  
TO THE ELEMENTS*

Wood substructures split, warp and shift, leading to an uneven surface in the deck boards above. The dimensionally stable steel of Trex Elevations stays in place, giving you consistently stronger, straighter, safer and smarter decking than what wood can offer.

**STRONGER** ⚡

Triple-coated steel offers consistency, durability and reliability that treated wood can't.

**STRAIGHTER** ⚡

Precision engineering ensures surfaces remain flat over time.

**SAFER** ⚡

Rot- and termite-proof steel is chemical-free and lasts much longer than wood.

**SMARTER** ⚡

Contains a minimum of 25% recycled steel and is a 100% renewable resource.

Want to see how it's done?  
Watch an install video at [trex.com/elevations](https://www.trex.com/elevations)

# CHOOSE *your* DECKING


Go ahead. Ask yourself the big questions, starting with which color is the perfect fit for your deck.



**MAKE IT LAST**  
with proprietary shell technology



**KEEP IT EFFORTLESS**  
with soap-and-water cleaning



**CREATE LUXURIOUS LOOKS**  
with authentic color and grain patterns



**PRICE IT OUT**  
with our Cost Calculator tool at [trex.com/costs](https://www.trex.com/costs)

## COLOR EVERY WHICH WAY

Vibrant shades of possibility give you unmatched control over the design of your deck.


Compare our greys, browns and reds at [trex.com/colors](https://www.trex.com/colors)






**NEW!** **GOOD**  
**Trex Enhance®**  
BASICS

Priced to put the pressure on treated lumber.




**NEW!** **BETTER**  
**Trex Enhance®**  
NATURALS

The beauty of wood with the ease of composite.




**BETTER**  
**Trex Select®**  
EARTH TONES

The perfect pairing of price and minimal maintenance.



**BEST**  
**Trex Transcend®**  
EARTH TONES  
& TROPICALS

Elevated aesthetics paired with the highest level of performance.





NEW

# Trex Enhance®

BASICS

PRICED TO PUT THE PRESSURE  
ON TREATED LUMBER

Once and for all, Trex has engineered cost out of the equation with our latest collection of easy-to-build, easy-to-maintain decking. Trex Enhance® Basics meld the durability of composite with the affordability of wood, resulting in long-lasting, worry-free decking.

Perfect for DIYers:  
no specialty tools  
required



No sanding,  
no sealing...ever

BOARD PROFILES

Square edge



Grooved edge



Scalloped board:  
lightweight for  
easy handling

AVAILABLE COLORS:



Clam Shell



Beach Dune



Saddle

DECKING

decking: Enhance in Saddle  
railing: Select in Classic White with round  
aluminum balusters in Charcoal Black

decking: Enhance in Rocky Harbor  
railing: Transcend in Classic White with round  
aluminum balusters in Charcoal Black

NEW

# Trex Enhance®


NATURALS

THE BEAUTY OF WOOD WITH  
THE EASE OF COMPOSITE


With its authentic wood-grain appearance, Trex Enhance® Naturals offer all the charm and none of the trouble of pressure-treated lumber. Imagine enjoying the very same rich streaking now and 25 years from now without costly, continual upkeep.



BOARD PROFILES



AVAILABLE COLORS:



DECKING







**TrexSelect®**  
 EARTH TONES  
 THE PERFECT PAIRING OF PRICE  
 AND MINIMAL MAINTENANCE

Durable and inviting, Trex Select® brings consistent performance to your home—and peace of mind. Skip the stain aisle and instead live life outdoors with the simple choice in composite decking.

DECKING



AVAILABLE COLORS:




decking: Select in Pebble Grey  
 railing: Select in Classic White with round aluminum balusters in Charcoal Black and Pebble Grey cocktail rail



**Trex Transcend®**  
 ..... EARTH TONES & TROPICALS .....  
*ELEVATED AESTHETICS PAIRED WITH  
 THE HIGHEST LEVEL OF PERFORMANCE*

Big, bold notions of outdoor living come to life with Trex Transcend®. Our premium line combines second-to-none performance with the beauty of exotic wood, resulting in long-lasting colors inspired by nature. All this, plus Trex Transcend offers homeowners the freedom to design to every curve of their imagination.

EARTH TONES



Consistent opaque color, end to end

Featuring a pronounced grain and knots

TROPICALS



Available in five multi-tonal colors

BOARD PROFILES



Square edge



Grooved edge

Solid profile: sturdy enough to handle curves

AVAILABLE COLORS:

EARTH TONES



TROPICALS



DECKING

decking: Transcend in Havana Gold  
railing: Trex® Signature™ in Charcoal Black



# RAILING

What all the *best* decks are wearing

STEP 4

# CHOOSE *your* RAILING

When people look at your deck, they'll see the railing before anything else. Which is why a picture-perfect deck means selecting railing that signifies your style—whether you're a modern minimalist or traditional to the core.



**SHOW OFF YOUR SURROUNDINGS**  
with sleek, sturdy rails that frame your deck and the view beyond it



**PAIR AS YOU PLEASE**  
with modular balusters, caps and posts in a variety of colors and finishes



**INNOVATE WITHOUT WASTE OR WORRY**  
with recycled materials backed by a 25-Year Limited Residential warranty



**Trex<sup>®</sup>Signature<sup>™</sup>**  
RAILING

The incomparable style and strength of aluminum.

**Trex<sup>®</sup>Transcend<sup>®</sup>**  
RAILING

Quick-and-easy customization.



**Trex<sup>®</sup>Select<sup>®</sup>**  
RAILING

The timeless choice.



**Trex<sup>®</sup> Signature<sup>™</sup>**  
 RAILING  
*EFFORTLESS STYLE, EXCEPTIONAL STRENGTH*



Available in a curated range of elegant neutrals and backed with the durability only aluminum offers, Trex<sup>®</sup> Signature<sup>™</sup> is a testament to the refined beauty of negative space. Imagine sleek metal balusters that fade into your surroundings, and curved sweeps that mimic the stretch of garden below.

**BRIGHT IDEAS**

Our wedge lights (on left) cast a glow on nooks formerly overlooked.

**A HORIZONTAL SHIFT**

Sleek, sturdy and thoroughly modern, Rod Rail is made of powder-coated aluminum, bringing contemporary, high-end design to your backyard.



AVAILABLE RAIL COLORS:



AVAILABLE ROD COLORS:



RAILING

decking: Transcend in Tiki Torch & Lava Rock  
 railing: Trex<sup>®</sup> Signature<sup>™</sup> in Charcoal Black with Transcend posts in Vintage Lantern





**Trex Transcend®**  
 RAILING  
*DESIGN FREEDOM, COURTESY OF MYRIAD  
 COLORS AND MODULAR COMPONENTRY*



**Trex Select®**  
 RAILING  
*CLASSIC RAILS, POSTS AND BALUSTERS*

RAILING


When you want the freedom to mix and match balusters, rails and posts, you want Trex Transcend®. As strong and sturdy as its namesake decking, Transcend puts every railing possibility within reach.

AVAILABLE COLORS:



Why overthink what works? Trex Select® railing is a high-performance composite railing that adds a crisp, safe and effective edge to any deck.

AVAILABLE COLORS:



A SHORTCUT TO STYLE

## Decking & Railing Duos

Choosing railing that complements your decking has never been easier. Every Trex® decking color comes with three pre-designed railings that go with it, along with a complete materials list and an alphanumeric code that makes ordering easy.

Take a look at the three options we curated for Spiced Rum decking.

... To see our railing duos for every color, visit [trex.com/duos](https://www.trex.com/duos)



Classic White rails with Spiced Rum cocktail rail, Classic White posts & Classic White composite balusters




Charcoal Black aluminum rails, Vintage Lantern posts & Charcoal Black square aluminum balusters



Vintage Lantern rails, Classic White posts & Charcoal Black round aluminum balusters

# THE *custom route*

If you prefer a truly customized look for your deck, we've made it easy with an abundance of options for color, shape and building materials.



## Posts

Vertical poles that can be outfitted with caps and skirts.

AVAILABLE IN ALL COLORS



## Rails

Top and bottom rails designed to keep railing straight and beautiful.

AVAILABLE IN ALL COLORS



## Balusters

Vertical balusters that maintain space and safety.

AVAILABLE IN ALL COLORS



## Cocktail Rail (Optional)

Deck board on universal top or Trex® Signature™ rail to create a flat surface.



AVAILABLE IN ALL TREX SELECT AND TRANSCEND DECKING COLORS

## STEP 5

# ADD *the* EXTRAS

Before you really, truly luxuriate in your new deck, you're going to need a few add-ons. Think seats, storage, lighting and shade. The good news is that our extras are just as durable and design-minded as our decking and railing.



## PERGOLA



## energy-saving LIGHTING



## FURNITURE *that won't fade*

## fun & GAMES



## LATTICE



## contemporary PLANTERS

••• Our pros know custom. Find a pre-screened professional at [trex.com/findapro](http://trex.com/findapro)

••• More seats, storage & finishing touches at [trex.com/extras](http://trex.com/extras) 37



*decking:* Transcend in Spiced Rum & Vintage Lantern  
*railing:* Transcend in Tree House with round aluminum balusters in Charcoal Black

## Trex® Outdoor Lighting™

Easy to install and integrate into our decking and railing.

## Trex® Outdoor Kitchens™

CABINETS AND STORAGE

Easily accessible storage that doesn't take up extra space and can be customized to your needs.

## Trex® Pergola™

A shaded oasis for your deck.

## Trex® Outdoor Furniture™

Stylish seating and dining collections built to last, conveniently available online at [trex.com](http://trex.com)

## Trex® Cornhole™

Give your backyard the competitive edge with this fun addition.

## Trex® Spiral Stairs™

A spatially efficient and customizable curve.

## Trex® Fascia

Gives a clean, polished look to stairs and sides of your deck.

## Trex® LatticeWorks™

Durable screens lend a finished look and hidden storage to raised decks.

## Trex® RainEscape®

DECK DRAINAGE SYSTEM

Enjoy more indoor living space, outdoors.

## Built-in Seating & Planters

Everything you've come to expect with Trex boards, in an entirely new configuration.



TREX®  
OUTDOORLIGHTING™

**JUST IMAGINE WHAT PROPER LIGHTING  
COULD BRING TO THE PARTY**

With the right light, an outdoor space goes from invisible to inviting. That's why Trex has expanded our soft white lighting to cover more ground—from post cap lights and recessed deck lights to stair risers and more.

[SHOP TREX.COM/LIGHTING](https://shop.trex.com/lighting)

Order today or find a retailer near you on our website.



**DECK LIGHTING**

Ours seamlessly integrates into rails, risers, treads and posts for easy, elegant wayfinding.



TREX®  
FASCIA

**BEAUTY FROM EVERY ANGLE**

With Trex Fascia, your outdoor space stands out, side on. Engineered to last and retain its rich color just as long as your deck surface, our fascia brings wonderful depth and dimension to your design.

**GIVE YOUR DECK AN EDGE**

Try white fascia for a crisp, universal finish.

More edging ideas at [trex.com/fascia](https://trex.com/fascia)

AVAILABLE IN ALL DECKING COLORS:



Universal Fascia



## TREX® PERGOLA™



### ABOVE AND BEYOND


Trex Pergola keeps outdoor living from feeling so...outdoors. Add a customizable pergola to your sun-soaked space and get a shady, sturdy retreat that's virtually upkeep-free.

### COOLER BY A MILE

Add a ShadeTree® Canopy System for a pop of color and smart sun protection. Retractable canopies available in AirFlow Mesh or Sunbrella® outdoor fabric at [trexpergola.com](http://trexpergola.com)



## TREX® OUTDOOR KITCHENS™



### HIDE AND CHIC

Mix the comforts of your indoor space with the natural beauty of your outdoor space with Trex Outdoor Kitchens. Easy-to-match cabinetry and storage bring both style and utility to your yard.

### STORE, SEAR AND CHILL

Imagine hidden ice drawers flanking your grill. Or sliding bins for your kids' baseball gear. More ways to quiet the clutter at [trex.com/storage](http://trex.com/storage)



## TREX® SPIRAL STAIRS™



### GO FROM SPACE-POOR TO SPACE-PROUD

Trex Spiral Stairs offer all of the space-saving advantages of traditional spiral staircases but with Trex style, strength and simplicity.

### STEP UP AND STAND OUT

Each step tread can be capped with Trex composite decking to match—or contrast—your deck's color.

- Settled on spiral? Download a blueprint at [trexspiralstairs.com](http://trexspiralstairs.com)

Trex® Spiral Stairs™ are manufactured and sold by M. Cohen and Sons, Inc., d/b/a The Iron Shop, under a Trademark License Agreement with Trex Company, Inc. A 25-year Limited Residential Warranty is provided by the manufacturer.



## TREX® RAINEscape®

### OUTWIT THE ELEMENTS

The unique Trex RainEscape under-deck drainage system keeps rain, spills and snow melt from dripping through the decking boards above, creating a dry room below.

### CONVENIENT & CLEVER

A trough system whisks water out through its own gutters—no leaks, no sitting puddles, no worries.

- Now available in brown and black.  
Find a retailer at [trexrainscape.com](http://trexrainscape.com)



Trex® RainEscape® products are manufactured and sold by Dri-Deck Enterprises, LLC under a Trademark License Agreement with Trex Company, Inc. RainEscape® is a federally registered trademark of Dri-Deck Enterprises, LLC. A 20-Year Limited Warranty is provided by the manufacturer.



## TREX® OUTDOOR FURNITURE™

### DEEP-SEATED BEAUTY

It's luxury, squared: comfortable, durable, sustainable furniture in a variety of styles and colors that coordinate with our decking and railing. Each piece features an ergonomic design superbly crafted with a splinter-free finish for smooth, elegant ease.

### WELL ROOTED

Trex—in partnership with *Trees for the Future*—plants a tree with each piece of furniture ordered.

••• Learn more at [trexfurniture.com](https://www.trexfurniture.com)



Trex® Outdoor Furniture™ products are manufactured and sold by Poly-Wood, Inc. under a Trademark License Agreement with Trex Company, Inc. A 20-Year Limited Warranty is provided by the manufacturer.

## TREX® CORNHOLE™

### PLAY FOR KEEPS

Regulation-sized and surfaced, our durable cornhole set comes with eight resin-filled bags that withstand the elements, too.

••• Learn more at [trex.com/cornhole](https://www.trex.com/cornhole)



## TREX® LATTICEWORKS™

### ADDED COVERAGE FOR CURB APPEAL

Choose from a range of decorative and durable patterns to add privacy, utility and dimension deckside.

••• Learn more at [trex.com/lattice](https://www.trex.com/lattice)

Trex® Cornhole™ is manufactured and sold by IPG Global Marketing under a Trademark License Agreement with Trex Company, Inc. A 1-year Limited Warranty is provided by the manufacturer for the boards, and a 30-day Limited Warranty provided by the manufacturer for the bags.

Trex® LatticeWorks™ is manufactured and sold by Rhea Products, Inc. d/b/a Acurio Latticeworks under a Trademark License Agreement with Trex Company, Inc. A 12-Year Limited Warranty is provided by the manufacturer.





 @TrexCompany

**Share your build**

Tag your snaps with #trexdecking to be featured in our feed.



GET STARTED  
WITH OUR HELPFUL  
**Online Tools**

**INSPIRATION & IDEAS**

Enjoy photos, tips and testimonials at [trex.com/ideas](http://trex.com/ideas)

**COLOR SELECTOR**

Find a hue that says “you” at [trex.com/colors](http://trex.com/colors)

**COST CALCULATOR**

Estimate the price of your deck at [trex.com/costs](http://trex.com/costs)

**BOARD SAMPLES**

Compare and contrast footlong boards at [shop.trex.com](http://shop.trex.com)

**DECKING & RAILING DUOS**


Select a pre-styled pairing at [trex.com/duos](http://trex.com/duos)

**DECK STARTER**














Design your deck in three clicks at [trex.com/getstarted](http://trex.com/getstarted)

**TREX LOCATOR**

Find nearby retailers at [trex.com/locations](http://trex.com/locations)



Trex Elevations®

COMPONENT	DESCRIPTION	ITEM NUMBER
<b>FRAMING COMPONENTS</b>		
<b>Track</b> Actual dimensions: 1.25 in x 8.25 in x 12 ft / 16 ft / 20 ft (31 mm x 209 mm x 365 cm / 487 cm / 609 cm)	 1.25 in x 8.25 in x 12 ft—Track 1.25 in x 8.25 in x 16 ft—Track 1.25 in x 8.25 in x 20 ft—Track	CGOQ0812ET60 CGOQ0816ET60 CGOQ0820ET60
<b>Beam</b> Actual dimensions: 2.125 in x 8.25 in x 12 ft / 16 ft / 20 ft (53 mm x 209 mm x 365 cm / 487 cm / 609 cm)	 2.125 in x 8.25 in x 12 ft—Beam 2.125 in x 8.25 in x 16 ft—Beam 2.125 in x 8.25 in x 20 ft—Beam	CG020812EB20 CG020816EB20 CG020820EB20
<b>Joist</b> Actual dimensions: 1.625 in x 8 in x 12 ft / 16 ft / 20 ft (41 mm x 203 mm x 365 cm / 487 cm / 609 cm) Additional lengths are available by special order.	 1.625 in x 8 in x 12 ft—Joist 1.625 in x 8 in x 16 ft—Joist 1.625 in x 8 in x 20 ft—Joist	CG020812EJ50 CG020816EJ50 CG020820EJ50
<b>Beam End Cap</b> Actual dimensions: 2.125 in x 8.125 in (53 mm x 206 mm)	 2.125 in x 8.125 in—Beam End Cap (40/box)	ELVENDCAP40
<b>Adjustable Mid-Span Block</b> Actual dimensions: 4 in x 9.875 in (101 mm x 250 mm)	 4 in x 9.875 in (10 sets)	ELVMIDSPANBLOCK
<b>Adjustable Beam Block</b> Actual dimensions: 5 in x 9.875 in (127 mm x 250 mm)	 5 in x 9.875 in (10 sets)	ELVBEAMBLOCK
<b>Deck Support Post</b> Actual dimensions: 3.5 in x 3.5 in x 10 ft (88 mm x 88 mm x 304 cm) 5.5 in x 5.5 in x 10 ft (139 mm x 139 mm x 304 cm)	 3.5 in x 3.5 in x 10 ft—Deck Support Post 5.5 in x 5.5 in x 10 ft—Deck Support Post	www.trexdeckpost.com
<b>Trex Elevations® Universal Connector Clip</b> (glass-filled nylon with stainless steel screw)	 50 sq. ft (4.6 sq. m) box 500 sq. ft (46.5 sq. m) bucket	ELVUNIVCLIP ELVUNIVCLIPPAIL
<b>Trex Elevations® Start Clip</b> (stainless steel with stainless steel screw)	 400 sq. ft (37.2 sq. m) bag	ELVSTARTCLIP
<b>Trex Elevations®-Approved Spray Paint</b> Net weight 12 oz.	 Available in <b>Elevations grey</b> only.	1-800-966-7580
<b>RAILING COMPONENTS (for use with Trex Elevations)</b>		
<b>Joist Mount Post with Cap &amp; Skirt</b> Actual dimensions: 2.5 in x 2.5 in x 63 in (63 mm x 63 mm x 160 cm)	 2.5 in x 2.5 in x 63 in	XXJMNTPOST63
<b>Trex Elevations® Rail Post Blocking</b>	 10/box	ELVRAILPOSTBLOCK
<b>Trex Elevations® Fascia Mount Kit</b> (for use with Elevations steel framing)	 For use with Joist Mount Trex® Signature™ Railing Post only.	XXFMNTELEV

# Trex Decking, Porch Flooring & Fascia

PROFILE	DESCRIPTION	ITEM NUMBER	COLORS	
<b>1" Square-Edge Board</b> <i>Actual dimensions:</i> Transcend & Enhance: .94 in x 5.5 in x 12 ft / 16 ft / 20 ft (24 mm x 140 mm x 365 cm / 487 cm / 609 cm) Select: .82 in x 5.5 in x 12 ft / 16 ft / 20 ft (20 mm x 140 mm x 365 cm / 487 cm / 609 cm)	1 x 6 x 12'	Transcend Tropicals	XX010612TS01	IM, TT, HG, SR, LR
	1 x 6 x 16'	Transcend Tropicals	XX010616TS01	
	1 x 6 x 20'	Transcend Tropicals	XX010620TS01	
	1 x 6 x 12'	Transcend Earth Tones	XX010612T2S01	GP, RS, TH, VL, FP
	1 x 6 x 16'	Transcend Earth Tones	XX010616T2S01	
	1 x 6 x 20'	Transcend Earth Tones	XX010620T2S01	
	1 x 6 x 12'	Enhance	XX010612E2S01	FW, RH, TS, CB, SC, CS, BD, SD
	1 x 6 x 16'	Enhance	XX010616E2S01	
	1 x 6 x 20'	Enhance	XX010620E2S01	
	7/8 x 6 x 12'	Select	XX010612SS01	PG, WG, SD, WB, MB
7/8 x 6 x 16'	Select	XX010616SS01		
7/8 x 6 x 20'	Select	XX010620SS01		

<b>1" Grooved-Edge Board</b> <i>Actual dimensions:</i> Transcend & Enhance: .94 in x 5.5 in x 12 ft / 16 ft / 20 ft (24 mm x 140 mm x 365 cm / 487 cm / 609 cm) Select: .82 in x 5.5 in x 12 ft / 16 ft / 20 ft (20 mm x 140 mm x 365 cm / 487 cm / 609 cm)	1 x 6 x 12'	Transcend Tropicals	XX010612TG01	IM, TT, HG, SR, LR
	1 x 6 x 16'	Transcend Tropicals	XX010616TG01	
	1 x 6 x 20'	Transcend Tropicals	XX010620TG01	
	1 x 6 x 12'	Transcend Earth Tones	XX010612T2G01	GP, RS, TH, VL, FP
	1 x 6 x 16'	Transcend Earth Tones	XX010616T2G01	
	1 x 6 x 20'	Transcend Earth Tones	XX010620T2G01	
	1 x 6 x 12'	Enhance	XX010612E2G01	FW, RH, TS, CB, SC, CS, BD, SD
	1 x 6 x 16'	Enhance	XX010616E2G01	
	1 x 6 x 20'	Enhance	XX010620E2G01	
	7/8 x 6 x 12'	Select	XX010612SG01	PG, WG, SD, WB, MB
7/8 x 6 x 16'	Select	XX010616SG01		
7/8 x 6 x 20'	Select	XX010620SG01		


<b>1" Grooved Porch Floor Board</b> <i>Actual dimensions:</i> .94 in x 4.5 in x 12 ft / 16 ft (24 mm x 114 mm x 365 cm / 487 cm) Can also be used for decking applications.	1 x 4.5 x 12'	Transcend Porch	XX010512TP01	SR, GP
	1 x 4.5 x 16'	Transcend Porch	XX010516TP01	

<b>1" x 8" Fascia</b> <i>Actual dimensions:</i> Transcend, Enhance, Select, Universal White: .56 in x 7.25 in x 12 ft (14 mm x 184 mm x 365 cm)	1 x 8 x 12'	Transcend Tropicals	XX010812TS01	IM, TT, HG, SR, LR GP, RS, TH, VL, FP FW, RH, TS, CB, SC, CS, BD, SD PG, WG, SD, WB, MB WOOD GRAIN WHITE
	1 x 8 x 12'	Transcend Earth Tones	XX010812T2S01	
	1 x 8 x 12'	Enhance	XX010812E2S01	
	1 x 8 x 12'	Select	XX010812SS01	
	1 x 8 x 12'	Universal White	WW010812ES01	

<b>1" x 12" Fascia</b> <i>Actual dimensions:</i> Transcend, Enhance, Select, Universal White: .56 in x 11.375 in x 12 ft (14 mm x 288 mm x 365 cm)	1 x 12 x 12'	Transcend Tropicals	XX011212TS01	IM, TT, HG, SR, LR GP, RS, TH, VL, FP FW, RH, TS, CB, SC, CS, BD, SD PG, WG, SD, WB, MB WOOD GRAIN WHITE
	1 x 12 x 12'	Transcend Earth Tones	XX011212T2S01	
	1 x 12 x 12'	Enhance	XX011212E2S01	
	1 x 12 x 12'	Select	XX011212SS01	
	1 x 12 x 12'	Universal White	WW011212ES01	

<b>2" Square-Edge Board</b> <i>Actual dimensions:</i> Transcend 2x4: 1.3 in x 3.4 in x 16 ft (33 mm x 86 mm x 487 cm) Transcend & Select 2x6: 1.3 in x 5.5 in x 12 ft / 16 ft / 20 ft (33 mm x 140 mm x 365 cm / 487 cm / 609 cm)	2 x 4 x 16'	Transcend Tropicals	XX020416TS01	IM, TT, HG, SR, LR
	2 x 6 x 12'	Transcend Tropicals	XX020612TS01	
	2 x 6 x 16'	Transcend Tropicals	XX020616TS01	
	2 x 6 x 20'	Transcend Tropicals	XX020620TS01	PG, SD, WB, MB
	2 x 6 x 12'	Select	XX020612SS01	
	2 x 6 x 16'	Select	XX020616SS01	
	2 x 6 x 20'	Select	XX020620SS01	

XX = COLOR PREFIX:	IM Island Mist	LR Lava Rock	VL Vintage Lantern	SD Saddle	RH Rocky Harbor	CS Clam Shell
	TT Tiki Torch	GP Gravel Path	FP Fire Pit	WB Woodland Brown	TS Toasted Sand	BD Beach Dune
	HG Havana Gold	RS Rope Swing	PG Pebble Grey	MB Madeira	CB Coastal Bluff	SD Saddle
	SR Spiced Rum	TH Tree House	WG Winchester Grey	FW Foggy Wharf	SC Sunset Cove	



## Trex Post Sleeves, Caps & Skirts

These components can be used as steps 1 & 2 for all Trex railing lines.

STEP	COMPONENT	DESCRIPTION	ITEM NUMBER
1	Post Sleeve	4" x 4" x 39" Post Sleeve <i>[4.45 in x 4.45 in x 40 in (113 mm x 113 mm x 101 cm) external dimensions]</i>	XX040439APS
		4" x 4" x 108" Post Sleeve <i>[4.45 in x 4.45 in x 108 in (113 mm x 113 mm x 274 cm) external dimensions]</i>	XX0404108APS
		6" x 6" x 39" Post Sleeve <i>[5.5 in x 5.5 in x 39 in (139 mm x 139 mm x 990 mm) external dimensions]</i>	WT060639APS
		6" x 6" x 108" Post Sleeve <i>[5.5 in x 5.5 in x 108 in (139 mm x 139 mm x 274 cm) external dimensions]</i>	WT0606108APS
<i>Each 4x4 and 6x6 post sleeve fits over a 4x4 pressure treated post or equivalent post mount.</i>			
2a	Post Sleeve Cap	Flat 4" x 4" Post Sleeve Cap Pyramid 4" x 4" Post Sleeve Cap <i>[4.45 in x 4.45 in (115 mm x 115 mm) internal dimensions]</i>	PXXSQCAP4X4 PXXPYCAP4X4
		Flat 6" x 6" Post Sleeve Cap Pyramid 6" x 6" Post Sleeve Cap <i>[5.55 in x 5.55 in (140 mm x 140 mm) internal dimensions]</i>	PWTSQCAP6X6 PWTPYCAP6X6
		<i>Also available with LED lighting. See page 56.</i>	
2b	Post Sleeve Skirt	4" x 4" Post Sleeve Skirt <i>[4.45 in x 4.45 in (115 mm x 115 mm) internal dimensions]</i>	PXXSKIRT4X4
		6" x 6" Post Sleeve Skirt <i>[5.55 in x 5.55 in (140 mm x 140 mm) internal dimensions]</i>	PWTSKIRT6X6
ACCESSORY	Surface Mount Post (for use with 4x4 composite post sleeve)	Aluminum Surface Mount Post for 36" (914 mm) Rail Height (1/box) <i>Actual external dimensions of insert: 3.75 in x 3.75 in x 7 in (95 mm x 95 mm x 177 mm)</i>	ALPOSTMOUNT36
		Aluminum Surface Mount Post for 42" (1066 mm) Rail Height (1/box) <i>Actual external dimensions of insert: 3.75 in x 3.75 in x 7 in (95 mm x 95 mm x 177 mm)</i>	ALPOSTMOUNT42
		Surface Mount Post Hardware—Wood (10 kits/box)	ALPOSTHWDECK
ACCESSORY	Joist Mount Post (for use with 4x4 composite post sleeve)	Aluminum Joist Mount Post for use with all Trex railing heights (1/box) <i>Actual external dimensions of insert: 3.75 in x 3.75 in x 7 in (95 mm x 95 mm x 177 mm)</i>	CPJMNTPOST63
		Adjustable Foot Blocks	XXFTBLKPC
ACCESSORY	Foot Block		

XX = COLOR PREFIX:	WT Classic White	RS Rope Swing	VL Vintage Lantern	BK Charcoal Black
	GP Gravel Path	TH Tree House	FP Fire Pit	

# Trex® Signature™ Aluminum Railing

● Choose either aluminum posts or composite post sleeves, caps and skirts for steps 1 & 2. Pair with a rail & baluster kit (step 3).


STEP	COMPONENT	DESCRIPTION	ITEM NUMBER
1+2	 <p>Aluminum Post with Cap &amp; Skirt</p> <p>Aluminum Crossover Post</p> <p>Trex® Signature™ aluminum posts fulfill steps 1 &amp; 2. If using composite post sleeves, refer to page 51.</p> <p>Aluminum posts can only be used with the Trex® Signature™ line.</p>	2.5" x 2.5" x 37" Post—Horizontal (IRC Compliant) <i>[2.5 in x 2.5 in x 37 in (63 mm x 63 mm x 939 mm) actual dimensions]</i>	XXAL252537RCAP
		2.5" x 2.5" x 43" Post—Horizontal (IRC Compliant) <i>[2.5 in x 2.5 in x 43 in (63 mm x 63 mm x 109 cm) actual dimensions]</i>	XXAL252543RCAP
		2.5" x 2.5" x 53" Post—Stair (IRC Compliant) <i>[2.5 in x 2.5 in x 53 in (63 mm x 63 mm x 134 cm) actual dimensions]</i>	XXAL252553RCAP
		2.5" x 2.5" x 36" Crossover Post—Horizontal (IRC Compliant) <i>[2.5 in x 2.5 in x 36 in (63 mm x 63 mm x 914 mm) actual dimensions]</i>	XXAL252536RCCP
		2.5" x 2.5" x 42" Crossover Post—Horizontal (IRC Compliant) <i>[2.5 in x 2.5 in x 42 in (63 mm x 63 mm x 106 cm) actual dimensions]</i>	XXAL252542RCCP
 <p>IRC Surface Mount Hardware</p>	Aluminum Mounting Plate & Hardware <i>For use with all Trex 2.5" Surface Mount Aluminum Posts</i>	ALPOSTHWDECK	
	Concrete Post Mount Kit	ALPOSTHWCONC	

 <p>Aluminum Joist Mount Post with Cap &amp; Skirt</p> <p>Trex® Signature™ Fascia Mount Kit (for use with wood framing)</p>	2.5" x 2.5" x 63" <i>[2.5 in x 2.5 in x 63 in (63 mm x 63 mm x 160 cm) actual dimensions]</i>	XXJMNTPOST63
	For use with Joist Mount Trex® Signature™ Railing Post only.	XXFMNTWOOD

STEP	DESCRIPTION	ITEM NUMBER	DESCRIPTION	ITEM NUMBER
------	-------------	-------------	-------------	-------------



3	<b>Rail &amp; Baluster Kit</b> (includes Top Rail, Bottom Rail, Balusters, Mounting & Support Hardware)		<b>Rail &amp; Rod Kit</b> (includes Top Rail, Bottom Rail, Rods, Mounting & Support Hardware)	
	6' x 36" Rail Kit w. Square Balusters—Horizontal	XXASO636HRK	6' x 36" Black Frame & Platinum Rod Railing—Horizontal	BKPLROD0636HRK
	6' x 36" Rail Kit w. Square Balusters—Stair	XXASO636SRK	6' x 36" Black Frame & Platinum Rod Railing—Stair	BKPLROD0636SRK
	8' x 36" Rail Kit w. Square Balusters—Horizontal	XXASO836HRK	8' x 36" Black Frame & Platinum Rod Railing—Horizontal	BKPLROD0836HRK
	8' x 36" Rail Kit w. Square Balusters—Stair	XXASO836SRK	8' x 36" Black Frame & Platinum Rod Railing—Stair	BKPLROD0836SRK
	6' x 42" Rail Kit w. Square Balusters—Horizontal	XXASO642HRK	6' x 42" Black Frame & Platinum Rod Railing—Horizontal	BKPLROD0642HRK
	6' x 42" Rail Kit w. Square Balusters—Stair	XXASO642SRK	6' x 42" Black Frame & Platinum Rod Railing—Stair	BKPLROD0642SRK
	8' x 42" Rail Kit w. Square Balusters—Horizontal	XXASO842HRK	8' x 42" Black Frame & Platinum Rod Railing—Horizontal	BKPLROD0842HRK
	8' x 42" Rail Kit w. Square Balusters—Stair	XXASO842SRK	8' x 42" Black Frame & Platinum Rod Railing—Stair	BKPLROD0842SRK
	6' x 36" Rail Kit w. Round Balusters—Horizontal	XXAR0636HRK	6' x 36" Bronze Frame & Platinum Rod Railing—Horizontal	BZPLROD0636HRK
	6' x 36" Rail Kit w. Round Balusters—Stair	XXAR0636SRK	6' x 36" Bronze Frame & Platinum Rod Railing—Stair	BZPLROD0636SRK
	8' x 36" Rail Kit w. Round Balusters—Horizontal	XXAR0836HRK	8' x 36" Bronze Frame & Platinum Rod Railing—Horizontal	BZPLROD0836HRK
	8' x 36" Rail Kit w. Round Balusters—Stair	XXAR0836SRK	8' x 36" Bronze Frame & Platinum Rod Railing—Stair	BZPLROD0836SRK
	6' x 42" Rail Kit w. Round Balusters—Horizontal	XXAR0642HRK	6' x 42" Bronze Frame & Platinum Rod Railing—Horizontal	BZPLROD0642HRK
	6' x 42" Rail Kit w. Round Balusters—Stair	XXAR0642SRK	6' x 42" Bronze Frame & Platinum Rod Railing—Stair	BZPLROD0642SRK
	8' x 42" Rail Kit w. Round Balusters—Horizontal	XXAR0842HRK	8' x 42" Bronze Frame & Platinum Rod Railing—Horizontal	BZPLROD0842HRK
	8' x 42" Rail Kit w. Round Balusters—Stair	XXAR0842SRK	8' x 42" Bronze Frame & Platinum Rod Railing—Stair	BZPLROD0842SRK
	6' x 36" Assembled Panel (Square)—Horizontal*	BKASO636HRPNL	6' x 36" Black Frame & Black Rod Railing—Horizontal	BKBKROD0636HRK
	8' x 36" Assembled Panel (Square)—Horizontal*	BKASO836HRPNL	6' x 36" Black Frame & Black Rod Railing—Stair	BKBKROD0636SRK
	6' x 42" Assembled Panel (Square)—Horizontal*	BKASO642HRPNL	8' x 36" Black Frame & Black Rod Railing—Horizontal	BKBKROD0836HRK
8' x 42" Assembled Panel (Square)—Horizontal*	BKASO842HRPNL	8' x 36" Black Frame & Black Rod Railing—Stair	BKBKROD0836SRK	
*Does not include hardware		6' x 42" Black Frame & Black Rod Railing—Horizontal	BKBKROD0642HRK	
<b>Dimensions above are nominals. See below for actuals and metrics.</b>		6' x 42" Black Frame & Black Rod Railing—Stair	BKBKROD0642SRK	
<i>[6' x 36": 72 in x 36 in (182 cm x 914 mm) actual dimensions]</i>		8' x 42" Black Frame & Black Rod Railing—Horizontal	BKBKROD0842HRK	
<i>[8' x 36": 96 in x 36 in (243 cm x 914 mm) actual dimensions]</i>		8' x 42" Black Frame & Black Rod Railing—Stair	BKBKROD0842SRK	
<i>[6' x 42": 72 in x 42 in (182 cm x 106 cm) actual dimensions]</i>				
<i>[8' x 42": 96 in x 42 in (243 cm x 106 cm) actual dimensions]</i>				

## ACCESSORY Trex® Signature™ Accessories


 <p>Trex® Signature™ Bracket Templates</p> <p>HZ Bracket Template (36" and 42") - Composite Sleeve</p> <p>HZ Bracket Template (36" and 42") - 2.5" Aluminum Post</p>	SIGTEMP4X4SLEEVE	Cocktail Rail Bracket (10/pack)	XXCTBKAL10PK
	SIGTEMPIRCPOST	Fixed Bracket—Horizontal (4/pack)	XXFHBKAL
		Fixed Bracket—Stair (4/pack)	XXFSBKAL
		Swivel Bracket—Horizontal (2/pack—1 top, 1 bottom)	XXSWHBKAL
		Swivel Bracket—Stair (2/pack—1 top, 1 bottom)	XXSWSBKAL
		2.5" Horizontal Crossover Bracket (1/pack)	XX25FHCBKAL
		2.5" Swivel Crossover Bracket—Stair (1/pack)	XX25RCSWSCBKAL
		Compound Swivel Bracket (2/pack—1 top, 1 bottom)	XXCPDSWBKAL
		Aluminum Foot Block	XXALFTBLK
		Touch-up Pen	XXTOUCHUPPEN

# Trex Transcend® Railing


● Transcend is either a 3-step or 5-step process. Choose Trex post sleeves, caps and skirts (steps 1 & 2), then choose a rail & baluster kit (step 3). OR choose each component individually for a custom design (steps 4 & 5).

STEP	COMPONENT	DESCRIPTION	ITEM NUMBER
3a	 <p>Top &amp; Bottom Rails</p> <p>In this step, two rails (1 top, 1 bottom) must be selected.</p>	6' Crown Top Rail	XXCROWNTR06
		8' Crown Top Rail	XXCROWNTR08
3b	 <p>Crown Universal</p>	6' Universal Top/Bottom Rail	XXUNIVTBRO6
		8' Universal Top/Bottom Rail	XXUNIVTBRO8
<i>[6' Rail: 67.5 in (171 cm) actual length; 8' Rail: 91.5 in (232 cm) actual length]</i>			

4	 <p>Balusters</p> <p>See chart below for number of balusters needed to complete each railing section.</p>	Square Balusters for 36" Rail Height (16/pack) <i>[1.418 in x 1.418 in x 30.375 in (36 mm x 36 mm x 771 mm) actual dimensions]</i>	XXO20230SBK															
		Square Balusters for 42" Rail Height (16/pack) <i>[1.418 in x 1.418 in x 36.375 in (36 mm x 36 mm x 923 mm) actual dimensions]</i>	XXO20236SBK															
		Round Aluminum Balusters for 36" Rail Height (20/pack) <i>[.75 in x 30.25 in (19 mm x 768 mm) actual dimensions]</i>	XXTA30RBK															
		Round Aluminum Balusters for 42" Rail Height (20/pack) <i>[.75 in x 36.25 in (19 mm x 920 mm) actual dimensions]</i>	XXTA36RBK															
		Square Aluminum Balusters for 36" Rail Height (20/pack) <i>[.75 in x 30.25 in (19 mm x 768 mm) actual dimensions]</i>	XXTA30SBK															
		Square Aluminum Balusters for 42" Rail Height (20/pack) <i>[.75 in x 36.25 in (19 mm x 920 mm) actual dimensions]</i>	XXTA36SBK															
<table border="1"> <thead> <tr> <th>BALUSTER TYPE</th> <th>PER 6' SECTION</th> <th>PER 8' SECTION</th> </tr> </thead> <tbody> <tr> <td>Square (Horizontal application)</td> <td>13</td> <td>18</td> </tr> <tr> <td>Square (Stair application)</td> <td>11</td> <td>15</td> </tr> <tr> <td>Aluminum (Horizontal application)</td> <td>15</td> <td>20</td> </tr> <tr> <td>Aluminum (Stair application)</td> <td>12</td> <td>16</td> </tr> </tbody> </table> <p>Aluminum balusters are available in Charcoal Black, Classic White and Bronze only (BK, WT, BZ).</p>		BALUSTER TYPE	PER 6' SECTION	PER 8' SECTION	Square (Horizontal application)	13	18	Square (Stair application)	11	15	Aluminum (Horizontal application)	15	20	Aluminum (Stair application)	12	16		
BALUSTER TYPE	PER 6' SECTION	PER 8' SECTION																
Square (Horizontal application)	13	18																
Square (Stair application)	11	15																
Aluminum (Horizontal application)	15	20																
Aluminum (Stair application)	12	16																

5	 <p>Accessory Infill Kit</p> <p>» 2 Baluster Spacers » Adjustable Foot Block » Mounting Hardware</p>	6' Accessory Infill Kit for Square Balusters—Horizontal	XXSQHIK06
		6' Accessory Infill Kit for Square Balusters—Stair	XXSQSIK06
		8' Accessory Infill Kit for Square Balusters—Horizontal	XXSQHIK08
		8' Accessory Infill Kit for Square Balusters—Stair	XXSQSIK08
		6' Accessory Infill Kit for Round Aluminum Balusters—Horizontal	XXRDHIK06
		6' Accessory Infill Kit for Round Aluminum Balusters—Stair	XXRDSIK06
		8' Accessory Infill Kit for Round Aluminum Balusters—Horizontal	XXRDHIK08
		8' Accessory Infill Kit for Round Aluminum Balusters—Stair	XXRDSIK08
		6' Accessory Infill Kit for Square Aluminum Balusters—Horizontal	XXASBHIK06
		6' Accessory Infill Kit for Square Aluminum Balusters—Stair	XXASBSIK06
8' Accessory Infill Kit for Square Aluminum Balusters—Horizontal	XXASBHIK08		
8' Accessory Infill Kit for Square Aluminum Balusters—Stair	XXASBSIK08		
6' Glass Panel Accessory Kit <i>[Glass panel mounting hardware: glass panel not included]</i>		XXGLIK06	

## ACCESSORY Trex Transcend Accessories

 <p>All accessories include a quantity of 12 per box unless otherwise noted.</p> <p>Trex Transcend Bracket Template</p>	Mounting Hardware for Cut Rails—Horizontal	XXHZACCYKIT
	Mounting Hardware for Cut Rails—Stair	XXSTACCYKIT
	Transcend RSB Bracket Pack—Horizontal (24/box)	TSHBRACKET
	Transcend RSB Bracket Pack—Stair (24/box)	TSSBRACKET
	0 Degree Rail Gasket Pack—Horizontal	XX00HGASK
	0 Degree Rail Gasket Pack—Stair	XX00SGASK
	22.5 Degree Gasket Pack	XX22HGASK
	45 Degree Birdsmouth Gasket Pack (for 4x4)	XX45RSBADAPK
	45 Degree Gasket Pack (for 6x6)	WT45HGASK
	HZ Bracket Template (36" and 42") - Composite Sleeve	TRANTEMP4X4SLEEVE

# Trex Transcend® Railing

● Or simply choose a rail & baluster kit (3-step).

STEP	COMPONENT	DESCRIPTION	ITEM NUMBER	COLOR
3	<b>Rail &amp; Baluster Kit – Composite</b> » Crown Top Rail » Universal Bottom Rail » Square Balusters » Baluster Spacers » Adjustable Foot Block » Mounting Hardware	6' x 36" Rail & Baluster Kit—Horizontal with square composite balusters	XX0636HRK	WT, BK, VL
		6' x 36" Rail & Baluster Kit—Stair with square composite balusters	WT0636SRK	WT
		8' x 36" Rail & Baluster Kit—Horizontal with square composite balusters	XX0836HRK	WT, BK, VL
		8' x 36" Rail & Baluster Kit—Stair with square composite balusters	XX0836SRK	WT, BK, VL
		6' x 42" Rail & Baluster Kit—Horizontal with square composite balusters	XX0642HRK	WT, BK, VL
		8' x 42" Rail & Baluster Kit—Horizontal with square composite balusters	XX0842HRK	WT, BK, VL
		8' x 42" Rail & Baluster Kit—Stair with square composite balusters	XX0842SRK	WT, BK, VL



[Actual dimensions: 6' Rail: 67.5 in x 36 in (171 cm x 914 mm); 8' Rail: 91.5 in x 36 in (232 cm x 914 mm)]

<b>Rail &amp; Baluster Kit- Aluminum</b> » Crown Top Rail » Universal Bottom Rail » Round Aluminum Balusters » Baluster Spacers » Adjustable Foot Block » Mounting Hardware	6' x 36" Rail & Baluster Kit—Horizontal with black round aluminum balusters	XXRD0636HRK	WT, BK, VL
	8' x 36" Rail & Baluster Kit—Horizontal with black round aluminum balusters	XXRD0836HRK	WT, BK, VL
	8' x 36" Rail & Baluster Kit—Stair with black round aluminum balusters	XXRD0836SRK	WT, BK, VL
	6' x 42" Rail & Baluster Kit—Horizontal with black round aluminum balusters	XXRD0642HRK	WT, BK, VL
	8' x 42" Rail & Baluster Kit—Horizontal with black round aluminum balusters	XXRD0842HRK	WT, BK, VL
	8' x 42" Rail & Baluster Kit—Stair with black round aluminum balusters	XXRD0842SRK	WT, BK, VL



[Actual dimensions: 6' Rail: 67.5 in x 36 in (171 cm x 914 mm); 8' Rail: 91.5 in x 36 in (232 cm x 914 mm)]

# Trex Select® Railing

● Trex Select is a 3-step process. Choose Trex post sleeves, caps and skirts (steps 1 & 2) and a rail & baluster kit (step 3).

STEP	COMPONENT	DESCRIPTION	ITEM NUMBER
3	<b>Classic White Rail &amp; Aluminum Baluster Kit</b> » Top Rail » Bottom Rail » Round Aluminum Balusters » Adjustable Foot Block » Hardware Pack Available in Classic White with Charcoal Black Aluminum Balusters only.	6' x 36" Rail & Aluminum Baluster Kit—Horizontal	WTRD0636HSELK
		6' x 36" Rail & Aluminum Baluster Kit—Stair	WTRD0636SSELK
		8' x 36" Rail & Aluminum Baluster Kit—Horizontal	WTRD0836HSELK
		8' x 36" Rail & Aluminum Baluster Kit—Stair	WTRD0836SSELK
		6' x 42" Rail & Aluminum Baluster Kit—Horizontal	WTRD0642HSELK
		8' x 42" Rail & Aluminum Baluster Kit—Horizontal	WTRD0842HSELK
8' x 42" Rail & Aluminum Baluster Kit—Stair	WTRD0842SSELK		



[Actual dimensions: 6' Rail: 67.5 in x 36 in / 42 in (171 cm x 914 mm / 106 cm); 8' Rail: 91.5 in x 36 in / 42 in (232 cm x 914 mm / 106 cm)]

ACCESSORY	Trex Select Accessories	Mounting Hardware for Cut Rails—Horizontal (10 kits/box) Mounting Hardware for Cut Rails—Stair (10 kits/box)	BKENHZBKT BKENSTBKT
	Trex Select 8' Aluminum Rail Stiffener		SELALRAILSTIFFENER



# Trex Aluminum Gates

COMPONENT	DESCRIPTION	ITEM NUMBER
Gate Rail Kit	36" Rail Height, Square Balusters, Adjustable up to 48" wide opening	XX36SQADJGATE
	36" Rail Height, Round Balusters, Adjustable up to 48" wide opening	XX36RDADJGATE
	42" Rail Height, Square Balusters, Adjustable up to 48" wide opening	XX42SQADJGATE
	42" Rail Height, Round Balusters, Adjustable up to 48" wide opening	XX42RDADJGATE
[Actual height 36" Rail: 36 in (914 mm); 42" Rail: 42 in (106 cm) Actual width is 47.5 in (120 cm) but can be cut to fit any width.]		
Hardware Pack	2 Adjustable Self-Closing Hinges 1 Locking Hasp With Keys Hardware for attachment to wood post with composite sleeve or aluminum posts	BKGATEHW



# Trex Aluminum ADA Compliant Handrail


All Trex ADA handrail components are made of powder-coated aluminum. For detailed installation instructions, visit [trex.com](http://trex.com)

COMPONENT	ITEM NUMBER
1.375 in x 8 ft (34 mm x 243 cm) Hand Rail	XXALADARAIL8
Wall Return 90°	XXALADA90WR2G
Wall Mount	XXALADAWMNT2G
Corner Mount	XXALADAICORNER2G
Post Return ("Candy Cane")	XXALADA180CCANE
5° Elbow	XXALADA05ELB
31° Elbow	XXALADA31ELB
34° Elbow	XXALADA34ELB
36° Elbow	XXALADA36ELB
90° Inside/Outside Elbow	XXALADA90ELB2G
Straight 4 in (101 mm) Internal Connector	XXALINTCONN
Inline Rail Termination Adapter	XXALADAINLINE
Rail End Cap	XXALADACAP
Aluminum Collar	XXALADACL



# Decking Accessories

TREX HIDEAWAY® HIDDEN FASTENING SYSTEM	DESCRIPTION	ITEM NUMBER
Connector Clip (stainless steel)	50 sq. ft (4.6 sq. m) box 500 sq. ft (46.5 sq. m) bucket	CONNECTCLIP
Gun Pail	500 sq. ft (46.5 sq. m) bucket with collated pneumatic screws	CLIPPAIL GUNCLIP
Universal Starter Clip	400 sq. ft (37 sq. m) bag	UNIVSTARTCLIP
Universal Fastener (glass-filled nylon)	50 sq. ft (4.6 sq. m) box 500 sq. ft (46.5 sq. m) bucket	UNIVCONCLIP DA00002
Router Bit	Router Bit	ROUTBIT



DECK LIGHTING

Pyramid or Flat Post Cap Light

- » 4" x 4" LED Post Cap Light  
*[4.55 in x 4.55 in (115 mm x 115 mm) actual internal dimensions]*  
Use with Trex 4 in Composite Railing Posts
- » 5.5 ft (1.67 m) Male LightHub® Lead



Aluminum Post Cap Light

- » 2.5" x 2.5" LED Aluminum Post Cap Light  
*[2.6 in x 2.6 in (66 mm x 66 mm) actual internal dimensions]*  
Use with Trex 2.5 in Aluminum Railing Posts
- » 5.5 ft (1.67 m) Male LightHub Lead

Deck Rail Light

- » LED Deck Rail Light  
*[2.75 in (69 mm) OD]*
- » 5.5 ft (1.67 m) Male LightHub Lead



Wedge Deck Rail Light

- » LED Wedge Deck Rail Light  
*[1.875 in wide x 3 in high (47 mm x 76 mm) actual dimensions]*  
Compatible with all Trex Railing Posts
- » 5.5 ft (1.67 m) Male LightHub Lead



LED Riser Lights

- » 4 LED Riser Lights  
*[1.25 in (31 mm) OD]*
- » 5.5 ft (1.67 m) Male LightHub Lead



Recessed Deck Lights

- » 4 LED Recessed Lights  
*[1 in (25 mm) OD]*
- » 5.5 ft (1.67 m) Male LightHub Lead



PYRAMID CAPS

- BKPYLEDCAP4X4C
- WTPYLEDCAP4X4C
- FPPYLEDCAP4X4C
- THPYLEDCAP4X4C
- VLPYLEDCAP4X4C
- GPPYLEDCAP4X4C
- RSPYLEDCAP4X4C

FLAT CAPS

- BKSQLEDCAP4X4C
- WTSQLEDCAP4X4C
- FPSQLEDCAP4X4C
- THSQLEDCAP4X4C
- VLSQLEDCAP4X4C
- GPSQLEDCAP4X4C
- RSSQLEDCAP4X4C
- TEXTURED CHARCOAL BLACK: BKALCAPLED25
- TEXTURED BRONZE: BZALCAPLED25
- TEXTURED WHITE: WTALCAPLED25

- TEXTURED CHARCOAL BLACK: BKLAMPLEDC
- TEXTURED BRONZE: BZLAMPLEDC
- TEXTURED CLASSIC WHITE: WTLAMPLEDC

- TEXTURED CHARCOAL BLACK: BKALPOSTLAMPLED
- TEXTURED BRONZE: BZALPOSTLAMPLED
- TEXTURED CLASSIC WHITE: WTALPOSTLAMPLED

- TEXTURED CHARCOAL BLACK: BKRISERLED4PKC
- TEXTURED BRONZE: BZRISERLED4PKC
- TEXTURED CLASSIC WHITE: WTRISERLED4PKC

RECESSLED4PKC

- 8.3A, 100W: DIMMABLE 83DLTRANSFORMERCC
- 2.5A, 30W: 25DLTRANSFORMER

DL5FTSPLIT1PK

- BKDLMOTION
- WTDLMOTION

DLDIMMER

DLBIT6PK

Transformer with Timer

- » Output Voltage: 12VDC
- » Output Power: 100W or 30W
- » Output Current: 8.3A or 2.5A
- » Photo-Activated Timer
- » 20 ft (6.09 m) LightHub Wire Extension Cable



Multi-zone Transformer Adapter

Motion Controller and Dimmer

- » 1 Remote
- » 1 Motion Sensor
- » 2 AAA Batteries
- » 2 Screws
- » 5 ft. Male/Male Wire Extension Cable



Dimmer

- » Single Channel with Remote



1 in (25 mm) Forstner Bit—Pack of 6



LightHub Accessories

- » 3-Way Splitter
- » 6-Way Splitter
- » 5 ft (1.52 m) Wire Extension Cable
- » 10 ft (3.04 m) Wire Extension Cable
- » 20 ft (6.09 m) Wire Extension Cable
- » 40 ft (12.19 m) Wire Extension Cable
- » 60 ft (18.28 m) Wire Extension Cable
- » Female to Female Adapter



- DL3SPLIT6PK
- DL6SPLIT4PK
- DL5FTWR4PK
- DL10FTWR4PK
- DL20FTWR4PK
- DL40FTWR2PK
- DL60FTWR1PK
- DLFADAP6PK



TREX® LIMITED WARRANTY

Trex Company, Inc. (hereinafter "Trex") warrants to the original purchaser ("Purchaser") that, for the period of time set forth in the following sentence, under normal use and service conditions, Trex products shall be free from material defects in workmanship and materials, and shall not split, splinter, rot or suffer structural damage from termites or fungal decay. The term of such warranty shall be twenty-five (25) years from the date of original purchase for a residential application, and ten (10) years from the date of original purchase for a commercial application. If a defect occurs within the warranty period, Purchaser shall notify Trex in writing and, upon confirmation by an authorized Trex representative of the defect, Trex's sole responsibility shall be, at its option, to either replace the defective item or refund the portion of the purchase price paid by Purchaser for such defective item (not including the cost of its initial installation).

**Notwithstanding the foregoing, (a) the term of the warranty for the LED lights and housing for Trex DeckLighting™ shall be seven (7) years, the term of the warranty for the LED lights and housing for Trex LandscapeLighting™ shall be five (5) years, the term of the warranty for the dimmer, timer and transformer for both shall be three (3) years, and the term of the warranty for the motion controller for both shall be one (1) year, in each case provided that a Trex transformer is used (with no warranty on any components if a Trex transformer is not used), and any other parts or accessories shall not be warranted; (b) with respect to hardware for the Trex Surroundings gate (gate frame, hinges and screws), the term of the warranty shall be five (5) years, (c) with respect to Trex Decorative Balusters, the term of the warranty covering the paint coating shall be ten (10) years, and shall be prorated in the following manner: 100% replacement for the first five (5) years; and 50% replacement for the next five (5) years, and (d) this warranty shall not apply to Trex Elevations® steel deck framing, Trex® Signature™/Reveal® aluminum railing and TrexTrim™ (which each have separate warranties).**

For purposes of this warranty, a "residential application" shall refer to an installation of the Product on an individual residence, and a "commercial application" shall refer to any installation of the Product other than on an individual residence.

**TO THE FULLEST EXTENT PERMITTED UNDER THE LAW, THIS WARRANTY SHALL NOT COVER AND TREX SHALL NOT BE RESPONSIBLE FOR COSTS AND EXPENSES INCURRED WITH RESPECT TO THE REMOVAL OF DEFECTIVE TREX PRODUCTS OR THE INSTALLATION OF REPLACEMENT MATERIALS, INCLUDING BUT NOT LIMITED TO LABOR AND FREIGHT.**

With respect to a residential application, this warranty may be transferred one (1) time, within the five (5) year period beginning from the date of original purchase by the Purchaser, to a subsequent buyer of the property upon which the Trex products were originally installed. With respect to a

commercial application, this warranty is freely transferable to subsequent buyers of the property upon which the Trex products were originally installed.

To make a claim under this limited warranty, Purchaser, or the transferee, shall send to Trex, within the warranty period referred to above, a description of the claimed defect and proof of purchase, to the following address:

Trex Company, Inc.  
Customer Relations  
160 Exeter Drive  
Winchester, VA 22603-8605

Trex does not warrant against and is not responsible for any condition attributable to: (1) improper installation of Trex products and/or failure to abide by Trex's installation guidelines, including but not limited to improper gapping; (2) use of Trex products beyond normal use and service conditions, or in an application not recommended by Trex's guidelines and local building codes; (3) movement, distortion, collapse or settling of the ground or the supporting structure on which Trex products are installed; (4) any act of God (such as flooding, hurricane, earthquake, lightning, etc.), environmental condition (such as air pollution, mold, mildew, etc.), staining from foreign substances (such as dirt, grease, oil, etc.), or normal weathering (defined as exposure to sunlight, weather and atmosphere which will cause any colored surface to gradually fade, chalk, or accumulate dirt or stains); (5) variations or changes in color of Trex products; (6) improper handling, storage, abuse or neglect of Trex products by Purchaser, the transferee or third parties; or (7) ordinary wear and tear.

No person or entity is authorized by Trex to make and Trex shall not be bound by any statement or representation as to the quality or performance of Trex products other than as contained in this warranty. This warranty may not be altered or amended except in a written instrument signed by Trex and Purchaser.

**TO THE FULLEST EXTENT PERMITTED UNDER THE LAW, UNDER NO CIRCUMSTANCES WILL TREX BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES, WHETHER SUCH DAMAGES ARE SOUGHT IN CONTRACT, IN TORT (INCLUDING BUT NOT LIMITED TO NEGLIGENCE AND STRICT LIABILITY) OR OTHERWISE, AND TREX'S LIABILITY FOR NON-PERSONAL INJURY CLAIMS WITH RESPECT TO DEFECTIVE PRODUCTS SHALL IN NO EVENT EXCEED THE REPLACEMENT OF SUCH PRODUCTS OR REFUND OF THE PURCHASE PRICE, AS DESCRIBED ABOVE.**

Some States or Provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights that vary from State to State or Province to Province.



# TREX TRANSCEND®, TREX ENHANCE®, TREX SELECT® AND TREX® UNIVERSAL FASCIA LIMITED FADE & STAIN WARRANTY

For the term set forth below, Trex Company, Inc. (hereinafter "Trex") warrants to the original end-user purchaser (the "Purchaser") that Trex Transcend® decking, porch or fascia, Trex Enhance® decking or fascia, Trex Select® decking or fascia or Trex® Universal Fascia, as the case may be (the "Product") will perform, under normal use and service conditions, as follows:

**Term of Warranty:** The term of this warranty shall begin on the date of original purchase, and shall end (1) twenty-five (25) years thereafter for a residential application of the Product, and (2) ten (10) years thereafter for a commercial application of the Product.

**Residential/Commercial Application:** For purposes of this warranty, a "residential application" shall refer to an installation of the Product on an individual residence, and a "commercial application" shall refer to any installation of the Product other than on an individual residence.

**Fade Resistance:** The Product shall not fade in color from light and weathering exposure as measured by color change of more than 5 Delta E (CIE) units.

The Product is designed to resist fading. No material is fade proof when exposed to years of UV exposure and the elements. The Product is designed to resist fading, and will not in any event fade by more than 5 Delta E (CIE) units.

**Stain Resistance:** The Product shall be resistant to permanent staining resulting from spills of food and beverage items including ketchup, mustard, salad oils, tea, wine, coffee, fruit punch, barbecue sauce, grease, sodas and other food and beverage related items that would typically be present on a residential deck, or mold and mildew naturally occurring in the environment. provided that such substances are removed from the Product with soap and water or mild household cleaners within one (1) week of exposure of the food or beverage to the surface or first appearance of the mold and mildew.

Notwithstanding the foregoing, Trex does not warrant that the Product is stain-proof, and does not warrant stain resistance resulting from spilled or otherwise applied food and beverage substances which are not properly cleaned as provided above within one (1) week of exposure. In addition, materials not covered in the stain resistant warranty include abrasive compounds of acidic or basic pH, paints or stains, strong solvents, metallic rust or other abnormal deck use items, and non-food and non-beverage substances, including but not limited to, biocides, fungicides, plant food, or bactericides. Mold and mildew can settle and grow on any outdoor surface, including this Product. You should periodically clean your deck to remove dirt and pollen that can feed mold and mildew. This warranty does not cover mold and mildew which is not properly cleaned as provided above within one (1) week of first appearance.

**Standard Trex Company Limited Warranty:** This warranty is in addition to the standard Trex Company Limited Warranty that applies to all Trex products.

**Transferability:** With respect to a residential application, this warranty may be transferred one (1) time, within the five (5) year period beginning from the date of original purchase by the Purchaser, to a subsequent buyer of the property upon which the Trex products were originally installed. With respect to a commercial application, this warranty is freely transferable to subsequent buyers of the property upon which the Trex products were originally installed.

## EXCLUSIONS FROM WARRANTY COVERAGE:

**Exposure to Heat:** Direct or indirect contact with extreme heat sources (over 275 degrees) may cause fading and may damage the surface of the Product, and any effects of such exposure are expressly excluded from coverage under this warranty.

**Surface Damage:** Never use metal shovels or sharp-edged tools to remove snow and ice on the surface of the Product. If the surface of the Product is damaged or punctured, this warranty will be voided.

**Paint or Other Materials Applied to the Product:** If paint or other coating materials are applied to the Product, this warranty will be voided.

**Railing:** This warranty does not cover Trex Transcend®, Trex Enhance® or Trex Select® railing components.

**Other Exclusions:** This warranty shall not cover any condition attributable to: (1) improper installation of the Product and/or failure to abide by Trex's installation guidelines, including but not limited to improper gapping; (2) use of the Product beyond normal use or service conditions, or in an application not recommended by Trex's guidelines and local building codes; (3) movement, distortion, collapse or settling of the ground or the supporting structure on which the Product is installed; (4) any act of God (such as flooding, hurricane, earthquake, lightning, etc.); (5) improper handling, storage, abuse or neglect of the Product by Purchaser, the transferee or third parties; (6) any fading or staining not on the walking surface of the Product (i.e., the underside or the ends of the Product); or (7) ordinary wear and tear.

## Procedure for Making a Claim under this Warranty

In order to make a claim under this warranty, Purchaser must do the following:

1. If the Purchaser is making a claim relating to the warranty on stain resistance, Purchaser must do as follows:

(a) Purchaser must try to clean the affected area of the deck by using the cleaning procedures described above within one (1) week of exposure of the food or beverage to the Product or first appearance of the mold and mildew.

(b) If the affected area remains reasonably unsatisfactory after Purchaser has tried these cleaning procedures, then Purchaser must have the affected area of the deck professionally cleaned at Purchaser's expense.

(c) If the affected area remains reasonably unsatisfactory after the professional cleaning, Purchaser may make a claim under this warranty, provided that such claim is made within thirty (30) days after the professional cleaning.

2. To make a claim under this limited warranty, Purchaser, or the transferee, shall send to Trex, within the warranty period referred to above, a description and photographs of the affected area of the Product, proof of purchase, and if the claim relates to the warranty on stain resistance, proof of compliance with paragraph 1. above, to the following address:

Trex Company, Inc.  
Customer Relations  
160 Exeter Drive  
Winchester, VA 22603-8605

3. Upon confirmation by an authorized Trex representative of a valid claim hereunder, Trex's sole responsibility shall be, at its option, to either replace the affected item or refund the portion of the purchase price paid by Purchaser for such affected item (not including the cost of its initial installation).

Replacement material will be provided that is as close as possible in color, design and quality as the replaced material, but Trex does not guarantee an exact match as colors and design may change.

4. If a valid warranty claim hereunder is made during years eleven (11) through twenty-five (25) after the original purchase for a residential application, recovery will be prorated. If Trex is providing replacement materials, it may elect to replace the percentage listed below of boards otherwise meeting the requirements for a claim, or if it is refunding the purchase price, it may elect to refund the percentage listed below of the purchase price of boards otherwise meeting the requirements for a claim.

YEAR OF WARRANTY CLAIM	PERCENTAGE RECOVERY
11	80%
12	80%
13	80%
14	60%
15	60%
16	60%
17	40%
18	40%
19	40%
20	20%
21	20%
22	20%
23	10%
24	10%
25	10%

**5. TO THE FULLEST EXTENT PERMITTED UNDER THE LAW, THIS WARRANTY SHALL NOT COVER AND TREX SHALL NOT BE RESPONSIBLE FOR COSTS AND EXPENSES INCURRED WITH RESPECT TO THE REMOVAL OF AFFECTED PRODUCT OR THE INSTALLATION OF REPLACEMENT MATERIALS, INCLUDING BUT NOT LIMITED TO LABOR AND FREIGHT.**

No person or entity is authorized by Trex to make and Trex shall not be bound by any statement or representation as to the quality or performance of Trex products other than as contained in this warranty. This warranty may not be altered or amended except in a written instrument signed by Trex and Purchaser.

**TO THE FULLEST EXTENT PERMITTED UNDER THE LAW, UNDER NO CIRCUMSTANCES WILL TREX BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES, WHETHER SUCH DAMAGES ARE SOUGHT IN CONTRACT, IN TORT (INCLUDING BUT NOT LIMITED TO NEGLIGENCE AND STRICT LIABILITY) OR OTHERWISE, AND TREX'S LIABILITY FOR NON-PERSONAL INJURY CLAIMS WITH RESPECT TO PRODUCTS SHALL IN NO EVENT EXCEED THE REPLACEMENT OF SUCH PRODUCTS OR REFUND OF THE PURCHASE PRICE, AS DESCRIBED ABOVE.**

Some States or Provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights that vary from State to State or Province to Province.

Copyright © 2017 Trex Company, Inc.



# TREX® SIGNATURE™/REVEAL® RAILING LIMITED WARRANTY

Trex Company, Inc. (hereinafter "Trex") warrants to the original purchaser ("Purchaser") that, under normal use and service conditions, Trex® Signature™/Reveal® Railing (the "Product") shall, for a period of twenty-five (25) years from the date of original purchase, be free from material defects in workmanship and materials. If a defect occurs within the warranty period, Purchaser shall notify Trex in writing and, upon confirmation by an authorized Trex representative of the defect, Trex's sole responsibility shall be, at its option, to either replace the defective Product or refund the portion of the purchase price paid by Purchaser for such defective Product (not including the cost of its initial installation).

With respect to installations where the atmosphere is influenced by a body of salt water (or other contaminant conditions), failure to adhere to the cleaning guidelines available at www.trex.com will void this warranty with respect to any condition resulting from such failure.

**TO THE FULLEST EXTENT PERMITTED UNDER THE LAW, THIS WARRANTY SHALL NOT COVER AND TREX SHALL NOT BE RESPONSIBLE FOR COSTS AND EXPENSES INCURRED WITH RESPECT TO THE REMOVAL OF DEFECTIVE PRODUCT OR THE INSTALLATION OF REPLACEMENT MATERIALS, INCLUDING BUT NOT LIMITED TO LABOR AND FREIGHT.**

This warranty may be transferred one (1) time, within the five (5) year period beginning from the date of original purchase by the Purchaser, to a subsequent buyer of the property upon which the Product was originally installed.

To make a claim under this limited warranty, Purchaser, or the transferee, shall send to Trex, within the warranty period referred to above, a description of the claimed defect and proof of purchase, to the following address:

Trex Company, Inc.  
Customer Relations  
160 Exeter Drive  
Winchester, VA 22603-8605

Trex does not warrant against and is not responsible for any condition attributable to: (1) improper installation of the Product; (2) use of the Product beyond normal use and service conditions, or in an application not recommended by Trex's guidelines and local building codes; (3) movement, distortion, collapse or settling of the ground or the supporting structure on which the Product is installed; (4) damages attributable to fire, violent storms, earthquake or other Acts of God, accidents, vandalism, or other casualties, impact of objects, or exposure to atmospheric pollutants or conditions other than natural weather processes; (5) improper handling, storage, abuse or neglect of the Product by Purchaser, the transferee or third parties; or (6) ordinary wear and tear.

No person or entity is authorized by Trex to make and Trex shall not be bound by any statement or representation as to the quality or performance of Trex products other than as contained in this warranty. This warranty may not be altered or amended except in a written instrument signed by Trex and Purchaser.

**TO THE FULLEST EXTENT PERMITTED UNDER THE LAW, UNDER NO CIRCUMSTANCES WILL TREX BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES, WHETHER SUCH DAMAGES ARE SOUGHT IN CONTRACT, IN TORT (INCLUDING BUT NOT LIMITED TO NEGLIGENCE AND STRICT LIABILITY) OR OTHERWISE, AND TREX'S LIABILITY FOR NON-PERSONAL INJURY CLAIMS WITH RESPECT TO DEFECTIVE PRODUCTS SHALL IN NO EVENT EXCEED THE REPLACEMENT OF SUCH PRODUCTS OR REFUND OF THE PURCHASE PRICE, AS DESCRIBED ABOVE.**

Some States or Provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights that vary from State to State or Province to Province.

Copyright © 2018 Trex Company, Inc.



**BACK**  
*decking:* Transcend in Tiki Torch & Vintage Lantern  
*railing:* Transcend in Classic White & Vintage Lantern  
 with round aluminum balusters in Charcoal Black

**FRONT**  
*decking:* Transcend in Havana Gold  
*railing:* Trex® Signature™ Rod Rail in Charcoal Black



Engineering What's Next  
 in Outdoor Living®

FIND US ON



Visit [trex.com](http://trex.com) or call 1-800-BUY-TREX

© 2019 Trex Company, Inc. All rights reserved. Trex®, the Trex logo, TrexPro®, Trex Enhance®, Trex Select®, Trex Transcend®, Trex® Signature™, Trex Elevations®, Trex® OutdoorLighting™, Trex® Fascia, Trex® Pergola™, Trex® Outdoor Kitchens™, Trex® Spiral Stairs™, Trex® RainEscape®, Trex® Outdoor Furniture™, Trex® Cornhole™, Trex® LatticeWorks™, Trex Hideaway®, Trex LightHub® and Trex Reveal® are either federally registered trademarks, trademarks or trade dress of Trex Company, Inc., Winchester, Virginia or its licensees.