



From decking and railing to furniture, lighting and more – all the ways you want to live outdoors.

# A FEW OF THE REASONS TO TRUST THE #1 NAME IN OUTDOOR LIVING:

- ▶ Trex® composite decking is sustainably made in the USA from up to 95% recycled plastic film and reclaimed wood.
- ► Low maintenance and high performance: No sanding, staining or sealing with warranties up to 50 years.
- Style it your way with a variety of colors and price points, all of which pair perfectly with Trex® railing collections.





t

Colors that weather Mother Nature and withstand Father Time.

























# Color Selector


Explore and compare colors to find the perfect deck hue that speaks to you.













# Highly Durable

Composite deck boards won't rot, warp, splinter and withstand sun, snow and sleet while resisting stains and mold.



# Sustainably Manufactured

Sustainably made in the U.S.A. using up to 95% recycled plastic film and reclaimed sawdust.



# Precision Meets Beauty

Expanded Trex Hideaway® Hidden Fastening System, made by Trex for Trex, ensures a screw-free, premium finish.



# Easy Care & Cleanup

Our boards need no sanding or staining. No kidding. Easy soap & water cleanup keeps decking like new.

8 Control of the cont





OCRACOKE





## WHIDBEY

Retreat to an island of misty cliffs, where salt-washed fog rolls in like a morning blanket.

## OCRACOKE

Escape to a secluded island sheltered by sandy dunes and marshy shores.



















**HEAT-MITIGATING TECHNOLOGY** 

# OUR COOLEST DECKING YET\*

Reflects the sun and your sense of style.

Transcend® Lineage™ is engineered to keep your deck cooler, even on the hottest days.



NAMED GREEN BUILDER'S 2023 SUSTAINABLE PRODUCT OF THE YEAR.



"As we're driving around the US and Mexico, our deck is subject to insane winds and weather day in and day out. So having the best isn't just a matter of being picky, but a necessity to ensure our deck (will) last as long as our bus will."

#### DEVIN O'DELL

of @basicallynomads and owner of a rooftop bus Trex deck





















**DEFINING RELIABILITY** 

UNCOMPROMISING
FAVORITES, FOR ENDLESS
POSSIBILITIES




"We wanted something that was sustainable and known for long-lasting beauty. We ultimately decided on Rope Swing."

# LIZ MARIE, SHOP OWNER

of The Found Cottage, author of Cozy White Cottage











A SIMPLE CHOICE

# AVAILABLE IN TRADITIONAL COLORS AND PLEASING WOOD-LIKE GRAIN PATTERN



"Our experience creating this amazing space in our backyard has been about so much more than just adding on a new deck.
We came to create so many memorable moments working together as a family and with Trex to create an outdoor space we know we'll enjoy for years to come."

### ALEX & ERIN NYE

Trex Moments Contest Winners



Naturals

FOGGY WHARF

ROCKY HARBOR

TOASTED SAND


COASTAL BLUFF

Basics



BEACH DUNE


SADDLE



## COMPATIBLE

Enhance decks mix and match with all of our Trex railing lines, allowing you to create a completely custom look.







# SCALLOPED UNDERSIDE

First-of-its-kind plug system makes for safe,

easy and effective installation.




"My family and I enjoy spending our weekend evenings on the deck. It's a great space to take in the sunset, listen to music, and relax after a long week."

#### ASHLEY, HOMEOWNER

on the space she built with Charlee of Build & Create Home


































WHIDBEY

OCRACOKE

Setting a new standard

for style in outdoor living.













**Trex** Transcend® LINEAGE™

The next generation of

design and performance.



# **Trex**Transcend®

Established looks paired with assured performance.





















# TrexSelect®

The perfect pairing of price and minimal maintenance.













# **Trex**Enhance®

NATURALS

The beauty of wood with the ease of composite.

FOGGY WHARF

ROCKY HARBOR







# **Trex** Enhance

BASICS

Priced to put the pressure on treated lumber.



















SQUARE

PRICE \$ - \$\$\$\$








Use with Trex Hideaway® Hidden Fastening System for a clean, screw-free appearance




23





There are several key components of a railing section that help you lean into the view.





CUSTOMIZE RAILING
TO FIT YOUR VISION

### MIX & MATCH

Love a baluster in one style and a post in another? Want to combine different colors? We make it easy.




SIMPLIFY THE ORDERING PROCESS

### OFF-THE-SHELF EASE

Our one-box kit solution includes top and bottom rails, your preferred infill and all necessary hardware for a single section of railing.


Post sleeve, cap and skirt sold separately.





# CLEAN, SLEEK, ELEGANT RAILING TO LET YOUR VIEW SHINE THROUGH

Made from premium aluminum, with four unique infills to complement any design aesthetic.



TREX SIGNATURE® X-SERIES™ CABLE RAIL Posts & Rails CHARCOAL BLACK Infill

STAINLESS STEEL CABLES

TREX SIGNATURE® X-SERIES™ FRAMELESS GLASS RAIL

CHARCOAL BLACK

Infill Panel

FRAMELESS GLASS

Increase outdoor sophistication and style X-ponentially

**Trex**Signature®


X-SERIES™ RAILING


LEARN MORE ABOUT TREX SIGNATURE X-SERIES RAILING






Versatile Trex Signature® X-Series™ Post can be configured to accommodate Cable or Frameless Glass Infill. Cable hardware made from premium-grade stainless steel for corrosion resistance in marine and coastal applications.








As strong and sturdy as its namesake decking,

Trex Transcend® Railing puts every color combination
within reach. Style your own, or eliminate the
guesswork with pre-designed kits.





Crisp, safe and effective, Trex Select® Railing streamlines the design process by combining composite rails with your choice of balusters.

Available in Classic and T-Rail configurations.



# Deck Designer Tool

Bring your vision to life. Our Deck Designer tool helps you handpick every element of your deck and preview it in 3D.

0



THE TREX DESIGN TOOL

# See Your Deck in Real Time

Your new deck springs to life in your backyard space with the Trex decking and railing AR Visualizer App.





DOWNLOAD

START PLANNING WITH OUR

HELPFUL TOOLS





# Planning Made Simple

Design your deck with easy-to-use online tools, from simple comparisons to detailed plans and shopping lists.



COLOR SELECTOR



COST CALCULATOR



**DECKING COMPARISON** 



DECK **DESIGNER** 



**VISUALIZER** 



# Find a Builder

Versed in all things Trex, expert TrexPro® contractors can guide you through your deck building process.





# Need Help With Your Build?

If you can dream it, you can build it with the help of Trex® Academy™. With answers to your most common questions, pro tips and how-to videos, we're here every step of the way.





# Rediscover the Trex® Fastening System

When you want a deck that delivers above and beyond, build with the expanded Trex Hideaway® Collection, providing solutions for every deck fastening need, including color-matched screws, plugs, butt joint clip and more.



#### THE GO-TO TOUCHES

All the products to complete and complement your space.













Trex® RainEscape® products are manufactured and sold by IBP, LLC under a Trademark License Agreement with Trex Company, Inc. RainEscape® is a federally registered trademark of IBP, LLC. A Limited Warranty is provided by the manufacturer.

For the terms of warranties on Trex® OutdoorLighting, see page 50 or visit trex.com. Cree® is a registered trademark of Cree, Inc.


Trex® Pergola products are manufactured and sold by Home & Leisure, Inc., d/b/a/ Structureworks, under a Trademark License Agreement with Trex Company, Inc. A 25-Year Limited Residential Warranty and a 10-Year Limited Commercial Warranty provided by the manufacturer. Sunbrella® is a registered trademark of Glen Raven, Inc. ShadeTree® Canopy is a registered trademark of Shade Tree Inc.





#### THE WOW TOUCHES

All the products and finishes to make your space feel even more you.













Trex® Outdoor Furniture products are manufactured and sold by POLYWOOD. Under a Trademark License Agreement with Trex Company, Inc. A 20-Year Limited Warranty is provided by the manufacturer.

Trex® Outdoor Kitchens is manufactured and sold by Danver Acquisitions, LLC, under a Trademark Agreement with Trex Company, Inc. A Limited Warranty is provided by the manufacturer.

Trex® Lattice is manufactured and sold by Home & Leisure, Inc., d/b/a/ Structureworks, under a Trademark License Agreement with Trex Company, Inc. A 12-year Limited Warranty is provided by the manufacturer.

Trex® Cornhole is manufactured and sold by IPG Global Marketing under a Trademark License Agreement with Trex Company, Inc. A 1-year Limited Warranty is provided by the manufacturer for the boards, and a 30-day Limited Warranty provided by the manufacturer for the bags.


#### **PRODUCT SPECIFICATIONS**

#### Trex® Decking & Fascia

PROFILE	D	ESCRIPTION	ITEM #	COLORS
	1 x 6 x 20'	Signature	XX010620NS01	WY, OC
	1 x 6 x 16' 1 x 6 x 20'	Transcend Lineage	XX010616TLS01 XX010620TLS01	RN, CL, BC, JA, IN
" Square-Edge Board  ctual dimensions: ignature	1 x 6 x 16' 1 x 6 x 20'	Transcend Tropicals	XX010616TS01 XX010620TS01	TT, HG, SR, LR, IM
34 in x 5.5 in x 20 ft 24 mm x 140 mm x 609 cm)	1 x 6 x 16' 1 x 6 x 20'	Transcend Earth Tones	XX010616T2S01 XX010620T2S01	RS
ranscend & Enhance: 44 in x 5.5 in x 16 ft / 20 ft 24 mm x 140 mm x 487 cm / 609 cm)	7/8 x 6 x 16' 7/8 x 6 x 20'	Select	XX010612SS01 XX010616SS01 XX010620SS01	PG, SD
ielect: 32 in x 5.5 in x 16 ft / 20 ft 20 mm x 140 mm x 487 cm / 609 cm)	1 x 6 x 16' 1 x 6 x 20'	Enhance Naturals	XX010616E2S01 XX010620E2S01	FW, RH, TS, CB
	1 x 6 x 16' 1 x 6 x 20'	Enhance Basics	XX010616E2S01 XX010620E2S01	CS, BD, SD
	1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20'	Signature	XX010612NG01 XX010616NG01 XX010620NG01	WY, OC
	1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20'	Transcend Lineage	XX010612TLG01 XX010616TLG01 XX010620TLG01	RN, CL, BC, JA, IM
" Grooved-Edge Board	1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20'	Transcend Tropicals	XX010612TG01 XX010616TG01 XX010620TG01	TT, HG, SR, LR, IM
ignature, Transcend & Enhance: 94 in x 5.5 in x 12 ft / 16 ft / 20 ft 24 mm x 140 mm x 365 cm / 487 cm / 609 cm)	1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20'	Transcend Earth Tones	XX010612T2G01 XX010616T2G01 XX010620T2G01	RS
ielect: 32 in x 5.5 in x 12 ft / 16 ft / 20 ft 20 mm x 140 mm x 365 cm / 487 cm / 609 cm)	7/8 x 6 x 12' 7/8 x 6 x 16' 7/8 x 6 x 20'	Select	XX010612SG01 XX010616SG01 XX010620SG01	PG, SD
	1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20'	Enhance Naturals	XX010612E2G01 XX010616E2G01 XX010620E2G01	FW, RH, TS, CB
	1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20'	Enhance Basics	XX010612E2G01 XX010616E2G01 XX010620E2G01	CS, BD, SD
" x 8" Fascia Board	1 x 8 x 12' 1 x 8 x 12'	Signature Transcend Lineage Transcend Tropicals Transcend Earth Tones Select	XX010812NS01 XX010812TLS01 XX010812TS01 XX010812T2S01 XX010812SS01	WY, OC RN, CL, BC, JA, IN TT, HG, SR, LR, IM RS PG, SD
ignature, Transcend, Enhance, Select, Universal White: 56 in x 7.25 in x 12 ft (14 mm x 184 mm x 365 cm)	1 x 8 x 12' 1 x 8 x 12'	Enhance Naturals Enhance Basics	XX010812E2S01 XX010812E2S01	FW, RH, TS, CB CS, BD, SD
	1 x 8 x 12'	Universal White	WW010812ES01	ww
" x 12" Fascia Board	1 x 12 x 12' 1 x 12 x 12' 1 x 12 x 12'	Signature Transcend Lineage Transcend Tropicals	XX011212NS01 XX011212TLS01 XX011212TS01	WY, OC RN, CL, BC, JA, IM TT, HG, SR, LR, IM
Actual dimensions:	1 x 12 x 12' 1 x 12 x 12'	Transcend Earth Tones Select	XX011212T2S01 XX011212SS01	RS PG, SD
ignature, Transcend, Enhance, Select, Universal White: 66 in x 11.375 in x 12 ft (14 mm x 288 mm x 365 cm)	1 x 12 x 12'	Enhance Naturals	XX0112125501 XX011212E2S01	FW, RH, TS, CB
2 m A L RQ Comma 255 mm A 555 mm	1 x 12 x 12'	Enhance Naturals Enhance Basics	XX011212E2S01 XX011212E2S01	CS, BD, SD
	1 x 12 x 12'	Universal White	WW011212ES01	WW
)    Causas Edga Boord	2 x 4 x 16'	Transcend Tropicals	XX020416TS01	TT, HG, SR, LR, IM
2" Square-Edge Board Actual dimensions:	2 x 6 x 12'	Transport Translate	XX020612TS01	TT HC CD LD "A
ranscend 2x4: 1.3 in x 3.4 in x 16 ft	2 x 6 x 16' 2 x 6 x 20'	Transcend Tropicals	XX020616TS01 XX020620TS01	TT, HG, SR, LR, IM
33 mm x 86 mm x 487 cm)	2 x 6 x 12'		XX020612SS01	

### Trex® Railing—three lines, endless possibilities

Please read the system descriptions at the top of each product section so you can choose exactly which railing components you need to complete your design. For additional guidance, the chart below depicts each railing system's components.



#### Trex® Post Sleeves, Caps & Skirts

These components can be used as steps 1 & 2 for all Trex railing lines.

STEP	COMPONENT	DESCRIPTION	ITEM #
1	Post Sleeve Each 4x4 and 6x6 post sleeve fits over a 4x4 pressure treated post or equivalent post mount.	4" x 4" x 39" Post Sleeve 4" x 4" x 108" Post Sleeve	XX040439APS XX0404108APS
	Dimensions are nominals. See below for actuals and metrics. [4.45 in x 4.45 in x 40 in (113 mm x 113 mm x 101 cm) external dimensions] [4.45 in x 4.45 in x 108 in (113 mm x 113 mm x 274 cm) external dimensions] [5.5 in x 5.5 in x 39 in (139 mm x 139 mm x 990 mm) external dimensions] [5.5 in x 5.5 in x 108 in (139 mm x 139 mm x 274 cm) external dimensions]	6" x 6" x 39" Post Sleeve 6" x 6" x 108" Post Sleeve	WT060639APS WT0606108APS
(2a)	Post Sleeve Cap  Also available with LED lighting.  Dimensions are nominals. See below for actuals and metrics.  [4.55 in x 4.55 in (115 mm x 115 mm) internal dimensions]  [5.55 in x 5.55 in (140 mm x 140 mm) internal dimensions]	Flat 4" x 4" Post Sleeve Cap Flat 6" x 6" Post Sleeve Cap	PXXSQCAP4X4 PWTSQCAP6X6
<b>2</b> a	Solar Post Cap Light  Dimensions are nominals. See below for actuals and metrics.  [4.55 in x 4.55 in (115 mm x 115 mm) internal dimensions]	Flat 4" x 4" Solar Post Cap Light	XXSOLAR4X4CAP
<b>2</b> b	Post Sleeve Skirt  Dimensions are nominals. See below for actuals and metrics.  [4.55 in x 4.55 in (115 mm x 115 mm) internal dimensions]  [5.55 in x 5.55 in (140 mm x 140 mm) internal dimensions]	4" x 4" Post Sleeve Skirt 6" x 6" Post Sleeve Skirt	PXXSKIRT4X4 PWTSKIRT6X6
ACCESSORIES	COMPONENT	DESCRIPTION	ITEM #
	Surface Mount Post	Aluminum Surface Mount Post for 36" (914 mm) Rail Height (1/box)	ALPOSTMOUNT36
	For use with 4x4 composite post sleeve.  Actual external dimensions of insert:	Aluminum Surface Mount Post for 42" (1066 mm) Rail Height (1/box)	ALPOSTMOUNT42
	3.75 in x 3.75 in x 7 in (95 mm x 95 mm x 177 mm) 3.75 in x 3.75 in x 7 in (95 mm x 95 mm x 177 mm)	Surface Mount Post Hardware—Wood (10 kits/box)	ALPOSTHWDECK
	Joist Mount Post  For use with 4x4 composite post sleeve.  Actual external dimensions of insert: 3.75 in x 3.75 in x 7 in (95 mm x 95 mm x 177 mm)	Aluminum Joist Mount Post for use with all Trex railing heights (1/box)	CPJMNTPOST63

XX = COLOR PREFIX

RS Rope Swing VL Vintage Lantern

BK Charcoal Black

WT Classic White

XX = COLOR PREFIX

CL Carmel BC Biscayne JA Jasper

IM Island Mist

WY Whidbey

OC Ocracoke TT Tiki Torch HG Havana Gold SR Spiced Rum

LR Lava Rock RS Rope Swing PG Pebble Grey SD Saddle

FW Foggy Wharf

CB Coastal Bluff

RH Rocky Harbor TS Toasted Sand

CS Clam Shell

BD Beach Dune

WW Universal White \*Island Mist Tropicals will be discontinued

SD Saddle

on 12.31.2024 and replaced by Transcend Lineage Island Mist.

# Trex Sic

•	DESCRIPTION	ITEM #	DESCRIPTION	ITEM #
	Aluminum Posts Can only be used within the Trex Signature® line. Trex Sign	ature® aluminum posts fulfill st	teps 1 & 2. If using composite post sleeves, refer to previous page.	
	2.5" x 2.5" x 37" Aluminum Post—Horizontal 2.5" x 2.5" x 43" Aluminum Post—Horizontal 2.5" x 2.5" x 53" Aluminum Post—Stair	XXAL252537RCAP XXAL252543RCAP XXAL252553RCAP	IRC Aluminum Mounting Plate & Hardware For use with all Trex 2.5" Surface Mount Aluminum Posts.	ALPOSTHWDEC
	Comes with cap and skirt.	XXALZ5Z553RCAP	Concrete Post Mount Kit	ALPOSTHWCON
,	2.5" x 2.5" x 36" Crossover Post—Horizontal 2.5" x 2.5" x 42" Crossover Post—Horizontal	XXAL252536RCCP XXAL252542RCCP	2.5" x 2.5" x 63" Aluminum Joist Mount Post Comes with cap and skirt.	XXJMNTPOST6
	Comes with skirt.	MALZUZUTZINGGI	Fascia Mount Kit - Wood Framing For use with Joist Mount Post only.	XXFMNTWOOD
	2.5" x 2.5" x 37" Line Post with Premounted Brackets 2.5" x 2.5" x 37" End Post with Premounted Brackets 2.5" x 2.5" x 37" Corner Post with Premounted Bracket: 2.5" x 2.5" x 43" Line Post with Premounted Brackets 2.5" x 2.5" x 43" End Post with Premounted Brackets 2.5" x 2.5" x 43" Corner Post with Premounted Bracket Comes with cap and skirt.	BKAL252537RCAPLINE BKAL252537RCAPEND BKAL252537RCAPCNR BKAL252543RCAPLINE BKAL252543RCAPEND BKAL252543RCAPCNR	Dimensions are nominals. See below for actuals and metrics. [2.5 in x 2.5 in x 36 in (63 mm x 63 mm x 914 mm) actual dimensions] [2.5 in x 2.5 in x 37 in (63 mm x 63 mm x 939 mm) actual dimensions] [2.5 in x 2.5 in x 42 in (63 mm x 63 mm x 106 cm) actual dimensions] [2.5 in x 2.5 in x 43 in (63 mm x 63 mm x 109 cm) actual dimensions] [2.5 in x 2.5 in x 53 in (63 mm x 63 mm x 134 cm) actual dimensions] [2.5 in x 2.5 in x 63 in (63 mm x 63 mm x 160 cm) actual dimensions]	
)	Rail & Baluster Kit  (includes top rail, bottom rail, balusters and mounting and support Round kits available in BK. Square kits available in BK, BZ and Will 6' x 36" Rail Kit w. Round Balusters—Horizontal 6' x 36" Rail Kit w. Round Balusters—Stair 8' x 36" Rail Kit w. Round Balusters—Horizontal	T. BKAR0636HRK BKAR0636SRK BKAR0836HRK	6' x 42" Rail Kit w. Square Balusters—Horizontal 6' x 42" Rail Kit w. Square Balusters—Stair 8' x 42" Rail Kit w. Square Balusters—Horizontal	XXAS0642HRK XXAS0642SRK XXAS0842HRK
	8' x 36" Rail Kit w. Round Balusters—Stair 6' x 42" Rail Kit w. Round Balusters—Horizontal	BKAR0836SRK BKAR0642HRK	8' x 42" Rail Kit w. Square Balusters—Stair	XXAS0842SRK
	6' x 42" Rail Kit w. Round Balusters—Stair	BKAR0642SRK	4' x 36" Assembled Panel (Square)—Horizontal 6' x 36" Assembled Panel (Square)—Horizontal	BKAS0436HRPN BKAS0636HRPN
	8' x 42" Rail Kit w. Round Balusters—Horizontal 8' x 42" Rail Kit w. Round Balusters—Stair	BKAR0842HRK BKAR0842SRK	6' x 36" Assembled Panel (Square)—Stair 8' x 36" Assembled Panel (Square)—Horizontal	BKAS0636SRPN BKAS0836HRPN
6' x 36" Rail Kit w. Square Ba 6' x 36" Rail Kit w. Square Ba 8' x 36" Rail Kit w. Square Bal	6' x 36" Rail Kit w. Square Balusters—Horizontal 6' x 36" Rail Kit w. Square Balusters—Stair 8' x 36" Rail Kit w. Square Balusters—Horizontal 8' x 36' Rail Kit w. Square Balusters—Stair	XXAS0636HRK XXAS0636SRK XXAS0836HRK XXAS0836SRK	8' x 36" Assembled Panel (Square)—Stair 4' x 42" Assembled Panel (Square)—Horizontal 6' x 42" Assembled Panel (Square)—Horizontal 6' x 42" Assembled Panel (Square)—Stair 8' x 42" Assembled Panel (Square)—Horizontal 8' x 42" Assembled Panel (Square)—Stair Does not include hardware. Assembled Panels available in BK.	BKAS0836SRPN BKAS0442HRPN BKAS0642HRPN BKAS0642SRPN BKAS0842HRPN BKAS0842SRPN
	·			
)	Rod Rail Kit (includes top rail, bottom rail, rods and mounting and support hard	dware)		

6' x 36" Rod Rail Kit—Horizontal	BKBKROD0636HRK	6' x 42" Rod Rail Kit—Horizontal	BKBKROD0642HRK
6' x 36" Rod Rail Kit—Stair	BKBKROD0636SRK	6' x 42" Rod Rail Kit—Stair	BKBKROD0642SRK
8' x 36" Rod Rail Kit—Horizontal	BKBKROD0836HRK	8' x 42" Rod Rail Kit—Horizontal	BKBKROD0842HRK
8' x 36" Rod Rail Kit—Stair	BKBKROD0836SRK	8' x 42" Rod Rail Kit—Stair	BKBKROD0842SRK
36" Rod Rail Vertical Kit—Horizontal 36" Rod Rail Vertical Kit—Stair 42" Rod Rail Vertical Kit—Horizontal 42" Rod Rail Vertical Kit—Stair	BK36RODHVERTK BK36RODSVERTK BK42RODHVERTK BK42RODSVERTK	Dimensions are nominals. See below for actuals and metrics.  [4' x 36": 48 in x 36 in (122 cm x 914 mm) actual dimensions]  [4' x 42": 48 in x 42 in (122 cm x 106 cm) actual dimensions]  [6' x 36": 72 in x 36 in (182 cm x 914 mm) actual dimensions]  [8' x 36": 96 in x 36 in (243 cm x 914 mm) actual dimensions]	



#### Mesh Rail Kit

(includes top rail, bottom rail, verticals and mounting and support hardware) Available in BK and BZ. Mesh infill sold separately.

XX = COLOR PREFIX WT Classic White BZ Bronze BK Charcoal Black

Use as an accessory for cut Rod Rail sections. Available in BK.



Dimensions are nominals. See below for actuals and metrics.
[6' x 36": 72 in x 36 in (182 cm x 914 mm) actual dimensions] [8' x 36": 96 in x 36 in (243 cm x 914 mm) [6' x 42": 72 in x 42 in (182 cm x 106 cm) [8' x 42": 96 in x 42 in (243 cm x 106 cm)

5' x 36" Mesh Rail Kit—Horizontal 5' x 36" Mesh Rail Kit—Stair 3' x 36" Mesh Rail Kit—Horizontal 3' x 36" Mesh Rail Kit—Stair	XXA0636PNLHRK XXA0636PNLSRK XXA0836PNLHRK XXA0836PNLSRK
S' x 42" Mesh Rail Kit—Horizontal	XXA0642PNLHRK
5' x 42" Mesh Rail Kit—Stair	XXA0642PNLSRK
3' x 42" Mesh Rail Kit—Horizontal	XXA0842PNLHRK
3' x 42" Mesh Rail Kit—Stair	XXA0842PNLSRK
36" Mesh Rail Vertical Kit—Horizontal 36" Mesh Rail Vertical Kit—Stair 12" Mesh Rail Vertical Kit—Horizontal 12" Mesh Rail Vertical Kit—Stair <i>Jse as an accessory for cut mesh railing sections</i> .	XX36MSHHVERTK XX36MSHSVERTK XX42MSHHVERTK XX42MSHSVERTK

[6' x 42": 72 in x 42 in (182 cm x 106 cm) actual dimensions] [8' x 42": 96 in x 42 in (243 cm x 106 cm) actual dimensions]

6' x 36" Stainless Steel Mesh Panel—Horizontal 8' x 36" Stainless Steel Mesh Panel—Horizontal 8' x 42" Stainless Steel Mesh Panel—Horizontal Universal Stainless Steel Mesh Panel—Stair	SSMESH0636H: SSMESH0836H: SSMESH0842H: SSMESHUNIVST
Dimensions are nominals. See below for actuals and metrics.	
[6' $\times$ 36": 64 in $\times$ 32.375 in (162 cm $\times$ 822 mm) actual dimensions] [8' $\times$ 36": 88 in $\times$ 32.375 in (223 cm $\times$ 822 mm) actual dimensions] [8' $\times$ 42": 88 in $\times$ 38.375 in (223 cm $\times$ 974 mm) actual dimensions] [Universal: 108.1875 in $\times$ 36.1875 in (274 cm $\times$ 919 mm) actual dimensions	
6' Glass Rail Kit—Horizontal  Dimension above is nominal. See below for actual and metric.	XXA06HGLRK
[6: 72 in (182 cm) actual dimension]	
	for 36" Rail Height—Horizontal

CCESSORIES	COMPONENT	ITEM #	COMPONENT	ITEM #
(51)	Trex Signature® Bracket Template—Horizontal (36" and 42") - 4x4 Composite Sleeve  Trex Signature® Bracket Template—Horizontal (36" and 42") - 2.5" Aluminum Post	SIGTEMP4X4SLEEVE SIGTEMPIRCPOST	Cocktail Rail Bracket (10/pack) Fixed Bracket—Horizontal (4/pack) Fixed Bracket—Stair (4/pack) Swivel Bracket—Horizontal (2/pack—1 top, 1 bottom) Swivel Bracket—Stair (2/pack—1 top, 1 bottom) Compound Swivel Bracket (2/pack—1 top, 1 bottom)  2.5" Crossover Bracket—Horizontal (1/pack) 90° Crossover Bracket—Horizontal (1/pack) Crossover Rail End Cap 2.5" Swivel Crossover Bracket—Stair (1/pack)	XXCTBKTAL10PK XXFHBKTALPNL XXFSBKTAL XXSWHBKTAL XXSWSBKTAL XXCPDSWBKTAL XXCPDSWBKTAL XX25FHCBKTAL XX90FHCBKTAL XXXOVERENDCAP XX25RCSWSCBKTAL
	Aluminum Foot Block Extended Aluminum Foot Block	XXALFTBLK XXAL08FTBLK	Touch-up Pen	XXTOUCHUPPEN

for 42" Rail Height—Horizontal

## Trex Signature® X-Series™ Railing

Choose your X-Series Post for step 1. Pair with either a Cable Rail Kit or Frameless Glass Infill Kit and Laminated Glass Panel for steps 2 & 3.

For use with Trex Signature® Glass Rail Kit. Visit glass.trex.com to order custom glass panels to complete your build.



STEP	COMPONENT		DESCRIPTION		ITEM #
1	X-Series Posts	Dimensions are nominals. See below for at [3.5 in x 3.5 in x 36.9 in (88 mm x 88 mm x 88 mm x 83.5 in x 3.5 in x 42.9 in (88 mm x 88 mm x 3.5 in x 3.5 in x 52.9 in (88 mm x 88 mm x	937 mm) actual dimensions] 108 cm) actual dimensions]	3.5" x 3.5" x 37" Anchor Post–Horizontal 3.5" x 3.5" x 43" Anchor Post–Horizontal 3.5" x 3.5" x 53" Anchor Post–Stair	BKAX353537RCAP BKAX353543RCAP BKAX353553RCAP
2	Cable Rail Kit	Dimensions are nominals. See below for at [6' x 36": 72 in x 36 in (182 cm x 914 mm) at [12' x 36": 144 in x 36 in (365 cm x 914 mm) [18' x 36": 216 in x 36 in (548 cm x 914 mm) [6' x 42": 72 in x 42 in (182 cm x 106 cm) at [12' x 42": 144 in x 42 in (365 cm x 106 cm) at [18' x 42": 216 in x 42 in (548 cm x 106 cm) at [18' x 42": 216 in x 42 in (548 cm x 106 cm) at [18' x 42": 216 in x 42 in (548 cm x 106 cm) at [18' x 42": 216 in x 42 in (548 cm x 106 cm) at [18' x 42": 216 in x 42 in (548 cm x 106 cm) at [18' x 42": 216 in x 42 in (548 cm x 106 cm)]	tual dimensions] actual dimensions] actual dimensions] actual dimensions] ual dimensions] actual dimensions]	6' x 36" Cable Rail Kit—Horizontal 12' x 36" Cable Rail Kit—Horizontal 18' x 36" Cable Rail Kit—Horizontal 6' x 36" Cable Rail Kit—Stair 6' x 42" Cable Rail Kit—Horizontal 12' x 42" Cable Rail Kit—Horizontal 18' x 42" Cable Rail Kit—Horizontal 6' x 42" Cable Rail Kit—Horizontal	BKAX0636CBLHRK BKAX1236CBLHRK BKAX1836CBLHRK BKAX0636CBLSRK BKAX0642CBLHRK BKAX1242CBLHRK BKAX1842CBLHRK BKAX1842CBLHRK
2	Frameless Glass Infill Kit	Infill Kit–Horizontal (One Size)			BKAXGLIK
3	Laminated Glass Panel For use with Trex Signature® X-Series™ Visit glass.trex.com to order custom glass p	Frameless Glass Infill Kit.	for 36" Rail Height–Horizo for 42" Rail Height–Horizo		

XX = COLOR PREFIX WT Classic White BZ Bronze BK Charcoal Black

Transcend is either a 3-step or 5-step process. Choose Trex post sleeves, caps and skirts (steps 1 & 2), then choose a rail kit (step 3).

STEP	each component individually for a custom design (steps 3a, 3b, 4 & !	DESCRIPTION	ITEM #	COLORS
SIEP	COMPONENT	DESCRIPTION	ITEM #	COLORS
3	Rail & Square Composite Baluster Kit	6' x 36" Rail & Baluster Kit—Horizontal 6' x 36" Rail & Baluster Kit—Stair 8' x 36" Rail & Baluster Kit—Horizontal 8' x 36" Rail & Baluster Kit—Stair	XX0636HRKFS WT0636SRKFS XX0836HRKFS XX0836SRKFS	WT, BK, VL
	(includes Crown top rail, Universal bottom rail, square composite balusters, baluster spacers, adjustable foot block and mounting hardware)  Color option indicates rails and balusters.	6' x 42" Rail & Baluster Kit—Horizontal 8' x 42" Rail & Baluster Kit—Horizontal 8' x 42" Rail & Baluster Kit—Stair	XX0642HRKFS XX0842HRKFS XX0842SRKFS	WT, BK, VL
3	Rail & Round Aluminum Baluster Kit	6' x 36" Rail & Baluster Kit—Horizontal 8' x 36" Rail & Baluster Kit—Horizontal 8' x 36" Rail & Baluster Kit—Stair	XXRD0636HRKFS XXRD0836HRKFS XXRD0836SRKFS	WT, BK, VL
	(includes Crown top rail, Universal bottom rail, round aluminum balusters, baluster spacers, adjustable foot block and mounting hardware) Color option indicates rails. Round aluminum balusters come in BK.	6' x 42" Rail & Baluster Kit—Horizontal 8' x 42" Rail & Baluster Kit—Horizontal 8' x 42" Rail & Baluster Kit—Stair	XXRD0642HRKFS XXRD0842HRKFS XXRD0842SRKFS	WT, BK, VL



#### Cocktail Rail & Round Aluminum Baluster Kit

(includes Universal top/bottom rails, round aluminum balusters, baluster spacers, adjustable foot block and mounting hardware) Round aluminum balusters come in BK. Only Trex Transcend® and Trex Select® deck boards can be used for cocktail rail application.



6' x 36" Cocktail Rail & Baluster Kit—Horizontal WTRD0636HRKCKTLFS 8' x 36" Cocktail Rail & Baluster Kit—Horizontal WTRD0836HRKCKTLFS WT 8' x 36" Cocktail Rail & Baluster Kit—Stair WTRD0836SRKCKTLFS

Dimensions are nominals. See below for actuals and metrics. 6' x 36": 72 in x 36 in (182 cm x 914 mm) 6' x 42": 72 in x 42 in (182 cm x 106 cm)

8' x 36": 96 in x 36 in (243 cm x 914 mm) 8' x 42": 96 in x 42 in (243 cm x 106 cm)



#### Top Rail

Universal top rail is used for cocktail rail applications.



6' Crown Top Rail XXCROWNTR06FS 8' Crown Top Rail XXCROWNTR08FS WT, BK, RS, VL 6' Universal Top/Bottom Rail XXUNIVTBR06FS 8' Universal Top/Bottom Rail XXUNIVTBR08FS

**Bottom Rail** 



6' Universal Top/Bottom Rail XXUNIVTBR06FS WT, BK, 8' Universal Top/Bottom Rail XXUNIVTBR08FS RS, VL



#### Balusters

See chart below for number of balusters needed to complete each railing section.

Composite balusters are available in WT, BK, RS, and VL.

Aluminum balusters are available in WT, BZ and BK.



BALUSTER	ORIENTATION	6' SECTION	8' SECTION
Square	Horizontal	14	19
composite	Stair	11	15
Round	Horizontal	16	21
aluminum	Stair	13	17

Square Composite Balusters for 36" Rail Height XX020230SBK WT, BK, (16/pack) Square Composite Balusters for 42" Rail Height XX020236SBK RS, VL (16/pack) Round Aluminum Balusters for 36" Rail Height XXTA30RBK WT, BZ, (20/pack) Round Aluminum Balusters for 42" Rail Height XXTA36RBK BK (20/pack)

Dimensions are nominals. See below for actuals and metrics. 6' Full Span Rail: 72 in (182 cm) 8' Full Span Rail: 96 in (243 cm) Composite 36" Baluster: 1.418 in x 1.418 in x 30.375 in (36 mm x 36 mm x 771 mm) Composite 42" Baluster: 1.418 in x 1.418 in x 36.375 in (36 mm x 36 mm x 923 mm) Aluminum 36" Baluster: .75 in x 30.25 in (19 mm x 768 mm) Aluminum 42" Baluster: .75 in x 36.25 in (19 mm x 920 mm)

#### COMPOSITE COLORS

WT Classic White XX = COLOR PREFIX

BK Charcoal Black

RS Rope Swing VL Vintage Lantern ALUMINUM COLORS

WT Classic White BZ Bronze

BK Charcoal Black

COMPONENT DESCRIPTION ITEM # 6' Accessory Infill Kit for Square Composite Balusters—Horizontal XXSQHIK06FS Accessory Infill Kit 6' Accessory Infill Kit for Square Composite Balusters—Stair XXSQSIK06FS WT, BK, XXSQHIK08FS RS. VL 8' Accessory Infill Kit for Square Composite Balusters—Horizontal (includes, baluster spacers, 8' Accessory Infill Kit for Square Composite Balusters—Stair XXSQSIK08FS adjustable foot block and mounting hardware) Dimensions are nominals. 6' Accessory Infill Kit for Round Aluminum Balusters—Horizontal XXRDHIK06FS See below for actuals and metrics. 6' Accessory Infill Kit for Round Aluminum Balusters—Stair XXRDSIK06FS WT, BK, 6': 72 in (182 cm) 8' Accessory Infill Kit for Round Aluminum Balusters—Horizontal XXRDHIK08FS RS, VL 8': 96 in (243 cm) 8' Accessory Infill Kit for Round Aluminum Balusters—Stair XXRDSIK08FS COMPONENT ITEM # COMPONENT ITEM # Mounting Hardware for Cut Rails—Horizontal XXHZACCYKIT Transcend Bracket Template—Horizontal Mounting Hardware for Cut Rails-Stair XXSTACCYKIT TSCTEMP4X4SLEEVE (36" and 42")—Composite Sleeve Transcend RSB Bracket Pack—Horizontal (24/box) TSHBRACKET Transcend RSB Bracket Pack—Stair (24/box) TSSBRACKET 0 Degree Rail Gasket Pack—Horizontal XX00HGASK 0 Degree Rail Gasket Pack—Stair XX00SGASK

22.5 Degree Gasket Pack

45 Degree Gasket Pack (for 6x6)

45 Degree Birdsmouth Gasket Pack (for 4x4)

XX22HGASK

WT45HGASK

XX45RSBADAPK

43

XXFTBLKPC

#### Trex Select® Railing

Foot Block

6' x 36": 72 in x 36 in (182 cm x 914 mm)

6' x 42": 72 in x 42 in (182 cm x 106 cm)

Trex Select® is a 3-step process. Choose Trex post sleeves, caps and skirts (steps 1 & 2) and a rail kit (step 3).

8' x 36": 96 in x 36 in (243 cm x 914 mm)

8' x 42": 96 in x 42 in (243 cm x 106 cm)

STEP	COMPONEN	IT	DESCRIPTION	ITEM #
3	Classic Rail & Round Aluminum Baluster Kit (includes top rail, bottom rail, round aluminum balusters, adjustable foot block and hardware pack) Available in WT rails with aluminum balusters in BK.	- 20	6' x 36" Rail & Baluster Kit—Horizontal 6' x 36" Rail & Baluster Kit—Stair 8' x 36" Rail & Baluster Kit—Horizontal 8' x 36" Rail & Baluster Kit—Stair 6' x 42" Rail & Baluster Kit—Horizontal 8' x 42" Rail & Baluster Kit—Horizontal 8' x 42" Rail & Baluster Kit—Stair	WTRD0636HSELKFS WTRD0636SSELKFS WTRD0836HSELKFS WTRD0836SSELKFS WTRD0642HSELKFS WTRD0842HSELKFS WTRD0842SSELKFS
3	T-Rail & Round Aluminum Baluster Kit (includes top rail, bottom rail, round aluminum balusters, adjustable foot block and hardware pack) Available in WT rails with aluminum balusters in BK.		6' x 36" T-Rail & Baluster Kit—Horizontal 6' x 36" T-Rail & Baluster Kit—Stair 8' x 36" T-Rail & Baluster Kit—Horizontal 8' x 36" T-Rail & Baluster Kit—Stair 6' x 42" T-Rail & Baluster Kit—Horizontal 8' x 42" T-Rail & Baluster Kit—Horizontal 8' x 42" T-Rail & Baluster Kit—Stair	WTRD0636HSELTRK WTRD0636SSELTRK WTRD0836HSELTRK WTRD0836SSELTRK WTRD0642HSELTRK WTRD0842HSELTRK WTRD0842HSELTRK
3	T-Rail & Square Composite Baluster Kit (includes top rail, bottom rail, square composite balusters, adjustable foot block and hardware pack) Available in WT rails with square balusters in WT. See below for actuals and metrics.  See below for actuals and metrics.		6' x 36" T-Rail & Baluster Kit—Horizontal 6' x 36" T-Rail & Baluster Kit—Stair 8' x 36" T-Rail & Baluster Kit—Horizontal 8' x 36" T-Rail & Baluster Kit—Stair 6' x 42" T-Rail & Baluster Kit—Horizontal 8' x 42" T-Rail & Baluster Kit—Horizontal 8' x 42" T-Rail & Baluster Kit—Stair	WTSQ0636HSELTRK WTSQ0636SSELTRK WTSQ0836HSELTRK WTSQ0836SSELTRK WTSQ0642HSELTRK WTSQ0842HSELTRK WTSQ0842HSELTRK

ACCESSORIES	COMPONENT	ITEM #
· * * * * * * * * * * * * * * * * * * *	Mounting Hardware for Cut Classic Rails—Horizontal (10 kits/box)  Mounting Hardware for Cut Classic Rails—Stair (10 kits/box)	BKENHZBKT BKENSTBKT
# # 11 41 41 41	Mounting Hardware for Cut T-Rails—Horizontal Mounting Hardware for Cut T-Rails—Stair	PTRLHBKTKIT PTRLSTBKTKIT
6	Trex Select® 8' Aluminum Classic Rail Stiffener Trex Select® 8' Aluminum T-Rail Stiffener (IRC)	SELALRAILSTIFFENER SELALTRAILSTIFFNR
ey ey av	T-Rail 22.5 Degree Left Bracket Pack T-Rail 22.5 Degree Right Bracket Pack T-Rail 45 Degree Birdsmouth Bracket Pack	TRL22LBKTKIT TRL22RBKTKIT TRLBMBKTKIT

#### Trex® OutdoorLighting

#### **COMPONENT & DESCRIPTION** ITEM #

#### Flat Post Cap Light

- » 4" x 4" LED Post Cap Light [4.55 in x 4.55 in (115 mm x 115 mm) actual internal dimensions]
- Use with Trex 4 in Composite Railing Posts » 5.5 ft (1.67 m) Male LightHub® Lead





BBKSQLEDCAP4X4C WTSQLEDCAP4X4C VLSQLEDCAP4X4C RSSQLEDCAP4X4C

**BKALCAPLED25** 

BZALCAPLED25

WTALCAPLED25

BKLAMPLEDC

**BZLAMPLEDC** 

WTLAMPLEDC

BKALPOSTLAMPLED

BZALPOSTLAMPLED

WTALPOSTLAMPLED

BKRISERLED4PKC

BZRISERLED4PKC

WTRISERLED4PKC

BKSOLAR4X4CAP WTSOLAR4X4CAP VLSOLAR4X4CAP

#### Aluminum Post Cap Light

- » 2.5" x 2.5" LED Aluminum Post Cap Light [2.6 in x 2.6 in (66 mm x 66 mm) actual internal dimensions] Use with Trex 2.5 in Aluminum Railing Posts
- » 5.5 ft (1.67 m) Male LightHub® Lead

#### Aluminum Deck Rail Light

- » LED Deck Rail Light [2.75 in (69 mm) OD]
- » 5.5 ft (1.67 m) Male LightHub® Lead



- » LED Wedge Deck Rail Light [1.875 in wide x 3 in high (47 mm x 76 mm) actual dimensions] Compatible with all Trex Railing Posts
- » 5.5 ft (1.67 m) Male LightHub® Lead

#### Aluminum Stair Riser Light

- » 4 LED Riser Lights
- [1.25 in (31 mm) OD] » 5.5 ft (1.67 m) Male LightHub® Lead

#### Recessed Deck Light

- » 4 LED Recessed Lights [1 in (25 mm) OD]
- » 5.5 ft (1.67 m) Male LightHub® Lead



#### RECESSLED4PKC

#### ACCESSORIES Transformer with Timer

- » Output Voltage: 12VDC
- » Output Power: 100W or 30W
- » Output Current: 8.3A or 2.5A
- » Photo-Activated Timer
- » 20 ft (6.09 m) LightHub® Wire Extension Cable





8.3A, 100W: DIMMABLE 83DLTRANSFORMERCC 2.5A, 30W: 25DLTRANSFORMER

ITEM #

#### Multi-zone Transformer Adapter



DL5TFSPLIT1PK



DLDIMMER

#### Wifi Lighting Controller

» Single Channel with Remote



DLWiFiC

DLBIT6PK

#### Forstner Bit

» Pack of 6

Dimmer

» 1 in (25 mm)

#### LightHub® Accessories

- » 3-Way Splitter
- » 6-Way Splitter
- » 5 ft (1.52 m) Wire Extension Cable
- » 10 ft (3.04 m) Wire Extension Cable
- » 20 ft (6.09 m) Wire Extension Cable
- » Female to Female Adapter



DL3SPLIT6PK DL6SPLIT4PK DL5FTWR4PK DL10FTWR4PK DL20FTWR4PK DLFADAP6PK

#### Trex Aluminum ADA Handrail

COMPONENT	ITEM #
1.375 in x 8 ft (34 mm x 243 cm) Handrail Wall Return 90° Wall Mount Inside Corner Mount 180° Elbow ("Candy Cane") 5° Elbow 31° Elbow 34° Elbow 36° Elbow 90° Elbow Adjustable Elbow Straight 4 in (101 mm) Internal Connector	XXALADARAIL8 XXALADA90WR2G XXALADAWMNT2G XXALADAICORNER2G XXALADA180CCANE XXALADA31ELB XXALADA31ELB XXALADA34ELB XXALADA36ELB XXALADA36ELB XXALADA90ELB2G XXALADADJELB XXALADADJELB
Inline Termination Bracket Rail End Cap Collar	XXALADAINLINE XXALADACAP XXALADACLR
Available in BK, BZ and WT.	





1 36° Elbow

2 Wall Mount

**3** Collar



4 Wall Return 90°

5 Handrail



#### Trex Aluminum Gates

COMPONENT	DESCRIPTION	ITEM #
Adjustable Gate  Available in BK, BZ and WT.	36" Rail Height, Square Balusters, Adjustable up to 48" wide opening 36" Rail Height, Round Balusters, Adjustable up to 48" wide opening 42" Rail Height, Square Balusters, Adjustable up to 48" wide opening 42" Rail Height, Round Balusters, Adjustable up to 48" wide opening	XX36SQADJGATE XX36RDADJGATE XX42SQADJGATE XX42RDADJGATE
	[Actual height 36" Rail: 36 in (914 mm); 42" Rail: 42 in (106 cm) Actual width is 47.5 in (120 cm) but can be cut to fit any width.]	

Hardware Pack

Hardware for attachment to wood nost with composite sleeve or aluminum posts

2 Adjustable Self-Closing Hinges 1 Locking Hasp With Keys



BKGATEHW



#### Trex Hideaway® Hidden Fastening System

COMPONE	NT	DESCRIPTION	ITEM #
Universal Fastener (glass-filled nylon)	3	50 sq. ft. box 500 sq. ft. bucket	UNIVCONCLIP DA00002
Universal Starter Clip	<b>\$</b> \	400 sq. ft (37 sq. m) bag	UNIVSTARTCLIP
Butt Joint Clip	T	Butt Joint Clip (14/pack)	BJC14PK
Router Bit	-	Router Bit	ROUTBIT
Universal Fastener Installation Tool	*	Universal Fastener Installation Tool	ONESTEPTL



**45** 

XX = COLOR PREFIX

WT Classic White

BZ Bronze

BK Charcoal Black

### Trex® Color-Match Deck Screws

COMPONENT	ITEM #	COLORS
Trex Color-Match	TCM25BC75	BC
2-1/2"	TCM25BD75	JA & BD
75 Count	TCM25CB75	CB
75 Count	TCM25CL75	RS & CL
The ded description of the second	TCM25CS75	CS
Secretary and the second	TCM25FW75	FW & RN
	TCM25IM75	IM
	TCM25LR75	LR
	TCM25PG75	PG & WB
	TCM25RH75	RH
	TCM25SD75	SD & OC
	TCM25SR75	SR
	TCM25TS75	TS & HG
	TCM25TT75	TT
Trex Color-Match	TCM25BD350	JA & BD
2-1/2"	TCM25BC350	BC
350 Count	TCM25PG350	PG & WB
330 Count	TCM25CL350	RS & CL
Mark de de la constante de la	TCM25SD350	SD & OC
Manage in proper party and a second	TCM25TS350	TS & HG
	TCM25CB350	CB
	TCM25CS350	CS
	TCM25FW350	FW & RN
	TCM25IM350	IM
	TCM25LR350	LR
	TCM25SR350	SR
	TCM25TT350	TT
	TCM25RH350	RH

COMPONENT	ITEM #	COLORS
Trex Color-Match	TCM25BD1400	JA & BD
2-1/2"	TCM25BC1400	BC
1400 Count	TCM25PG1400	PG & WB
Troo count	TCM25CL1400	RS & CL
The ded departments of the same	TCM25SD1400	SD & OC
	TCM25TS1400	TS & HG
	TCM25CB1400	CB
	TCM25CS1400	CS
	TCM25FW1400	FW & RN
	TCM25IM1400	IM
	TCM25LR1400	LR
	TCM25SR1400	SR
	TCM25TT1400	TT
	TCM25RH1400	RH



### Trex® Color-Match Fascia Screws

COMPONENT	ITEM #	COLORS
Trex Color-Match Fascia 1-3/4" 75 Count	TCMF175BD75 TCMF175BC75 TCMF175PG75 TCMF175CL75 TCMF175SD75 TCMF175TS75 TCMF175CB75 TCMF175CS75 TCMF175FW75 TCMF175FW75 TCMF175LR75 TCMF175SR75 TCMF175TT75 TCMF175TT75 TCMF175TT75 TCMF175TT75 TCMF175TT75 TCMF175WW75 TCMF175WW75	JA & BD BC PG & WB RP & CL SD & OC TS & HG CB CS FW & RN IM LR SR TT WW RH

### Trex® Plug Screws - Fascia and Decking

COMPONENT		ITEM #	COLOR
Trex Plug System Fascia 1-3/4" 75 Count	<b></b>	TPSF175BK75	BLACK
Trex Enhance* Decking Plug Screws 2" 75 Count	<b></b>	TENDPLGS2BK75	BLACK
Trex Enhance® Decking Plug Screws 2"	<b></b>	TENDPLGS2BK400	BLACK

## Trex® Decking Plug Screws

COMPONENT	ITEM #	COLOR
Trex Decking Plug System 2-1/2"		
75 Count	TDPS25BK75 TDPS25BK350	BLACK
make from from from factorization to the color of the color of the color		

### Trex® Decking Plugs

COMPONENT	ITEM #	COLORS
Trex Deck Plugs	TDPLGJA80	JS
80 Count	TDPLGBC80	BC
	TDPLGPG80	PG
CALLALA A.	TDPLGSD80	SD
	TDPLGHG80	HG
	TDPLGRN80	RN
	TDPLGCL80	CL
	TDPLGIM80	IM
	TDPLGLR80	LR
	TDPLGSR80	SR
	TDPLGRS80	RS
	TDPLGTT80	TT
Trex Deck Plugs	TDPLGJA400	JS
400 Count	TDPLGBC400	BC
	TDPLGPG400	PG
manage and	TDPLGSD400	SD
	TDPLGHG400	HG
	TDPLGRN400	RN
	TDPLGCL400	CL
	TDPLGIM400	IM
	TDPLGLR400	LR
	TDPLGSR400	SR
	TDPLGRS400	RS
	TDPLGTT400	TT

## Trex Enhance® Decking/Fascia Plugs

COMPONENT	ITEM #	COLORS
Trex Enhance® Decking	TPSDFBD80	BD
and Fascia Plugs	TPSDFCB80	CB
80 Count	TPSDFCS80	CS
80 Count	TPSDFFW80	FW
00000000	TPSDFRH80	RH
	TPSDFSDEN80	SD
	TPSDFTS80	TS
Trex Fascia Plugs	TPSFBC80	BC
80 Count	TPSFCL80	CL
	TPSFHG80	HG
00000000	TPSFIM80	IM
	TPSFJA80	JS
	TPSFLR80	LR
	TPSFPG80	PG
	TPSFRN80	RN
	TPSFRS80	RS
	TPSFSDSL80	SD
	TPSFSR80	SR
	TPSFTT80	TT
	TPSFWW80	WW

## Trex Enhance® Decking Plugs

COMPONENT	ITEM #	COLORS
Trex Enhance® Decking Plugs System 416 Count	TPSDFBD416 TPSDFCB416 TPSDFCS416 TPSDFFW416	BD CB CS FW
**************************************	TPSDFRH416 TPSDFSDEN416 TPSDFTS416	RH SD TS

### Trex® Decking System Tools

C	COMPONENT	ITEM #
HexStix Bit 2 Pack	0000	ТНВ2РК
Decking DS	A-60	TDDC4DV

СОМ	PONENT		ITEM #
Trex Color-Match Fascia Counterbore Tool Kit with Drive Bits			TCMFCBKIT
Trex Plug System Fascia Counterbore Tool Kit with Depth Setters	1	•	TPSFCBKIT
Trex Plug System Enhance Decking Tool Kit with Depth Setters	<b>9</b> =00	•	TPSENDCBKIT

XX = COLOR PREFIX

1 Pack

OC Ocracoke IM Island Mist TT Tiki Torch

HG Havana Gold SR Spiced Rum LR Lava Rock

PG Pebble Grey SD Saddle FW Foggy Wharf RH Rocky Harbor

TS Toasted Sand CB Coastal Bluff CS Clam Shell

WW Woodgrain White



## TREX® DECKING, FASCIA & CLADDING LIMITED WARRANTY

when properly installed, used and maintained under normal use and service conditions and in accordance. Table I below with Trex's written instructions, Trex® product set forth in Table I below (the "Product") shall perform as follows:

Physical Integrity: The Product shall be free from material defects in workmanship and materials, and shall not split, splinter, rot or suffer structural damage from termites or fungal decay

Fade Resistance: The Product shall not fade in color from light and weathering exposure as measured by color change of (a) more than 5 Delta E (CIE) units for twenty-five years from the date of original purchase, and (b) more than 15 Delta E (CIE) units for the remainder of the Warranty Period, if any. While the Product is designed to resist fading, no material is fade proof when exposed to years of UV exposure and the elements. The Product is designed to resist fading under normal weather conditions and will not fade by more than the number of Delta E (CIE) units indicated

Stain Resistance: The Product shall be resistant to permanent staining resulting from spills of food and application, this Limited Warranty is freely transferable beverage items including ketchup, mustard, salad oils. tea, wine, coffee, fruit punch, barbeque sauce, sodas and other food and beverage related items that would typically be present on a residential deck, or mold **EXCLUSIONS FROM WARRANTY COVERAGE** and mildew naturally occurring in the environment, The Products must be stored, handled, installed, used provided that such substances are removed from the Product with soap and water within one (1) week of exposure of the food or beverage to the surface or first appearance of the mold and mildew. Cleaning procedures are described in the Care & Cleaning Guide at www.trex.com

Notwithstanding the foregoing, Trex does not warrant that the Product is stain-proof and does not warrant stain resistance resulting from spilled or otherwise applied food and beverage substances which are not properly cleaned as provided above within one (1) week of exposure. In addition, materials not covered in this reference and is made without any representation as stain resistance section of this Limited Warranty include abrasive compounds of acidic or basic pH, paints or stains, strong solvents, metallic rust or other abnormal deck use items, and non-food and non-beverage substances, including but not limited to, biocides, fungicides, plant food, bactericides, cement, concrete, mortar, stucco and colored chalk. Mold and mildew can settle and grow on any outdoor surface including this Product. You should periodically clean your deck to remove dirt and pollen that can feed mold and mildew. This Limited Warranty does not cover mold and mildew which is not properly cleaned as provided above within edged tools to remove snow and ice on the surface of one (1) week of first appearance.

Residential/Commercial Application: For purposes of this Limited Warranty, a "residential application" shall refer to an installation of the Product on an individual residence and a "commercial application" shall refer to any installation of the Product other than on an individual residence.

Trex Company, Inc. (hereinafter "Trex") warrants to the **Term of Limited Warranty:** The term of this Limited original end-use purchaser ("Purchaser") that, for the Warranty for a Product (the "Warranty Period") begins any condition attributable to: (1) improper installation of applicable Warranty Period set forth in Table I below, on the date of original purchase and shall be equal to the number of years set forth next to such Product in

TARLE I

Product	Residential Warranty Period	Commercial Warranty Period
Signature® Decking and Trex® Fascia	50 Years	10 Years
Trex Transcend® Decking and Trex® Fascia	50 Years	10 Years
Trex® Cladding	50 Years	25 Years
Trex Select® Decking and Trex® Fascia, Universal Fascia	35 Years	10 Years
Trex Enhance® Decking and Trex® Fascia	25 Years	10 Years

**Transferability:** With respect to a residential application, this Limited Warranty may be transferred one (1) time, within the five (5) year period beginning from the date of original purchase by the Purchaser, to a subsequent buyer of the property upon which the Product was originally installed. With respect to a commercial to subsequent buyers of the property upon which the Product was originally installed.

and maintained in accordance with instructions provided by Trex, and this Limited Warranty is conditioned upon compliance with all such instructions. Copies of Trex's Installation Guides, Technical Information and Care and Cleaning Guides are available from Trex at the address listed below. The materials may also be obtained on Trex's website at trex.com. Any information or suggestion by Trex with respect to the Products concerning applications, specifications or compliance with codes and standards, including building or safety codes, is provided solely for Purchaser's convenient to accuracy or suitability. Purchaser must verify and test the suitability of any information with respect to the Products for Purchaser's specific application. This Limited Warranty does not cover defects caused by:

Exposure to Heat: Direct or indirect contact with extreme heat sources (over 275°F/135°C) may cause fading and may damage the surface of the Product, and any effects of such exposure are expressly excluded from coverage under this Limited Warranty.

Surface Damage: Never use metal shovels or sharpthe Product. If the surface of the Product is damaged or punctured, this Limited Warranty will be voided.

Paint or Other Materials Applied to the Product: If paint, solvents or other coating materials are applied to the Product, this Limited Warranty will be voided.

Other Exclusions: This Limited Warranty shall not cover the Product and/or failure to abide by Trex's installation auidelines, including but not limited to improper gapping: (2) use of the Product beyond normal use or service conditions, or in an application not recommended by Trex's guidelines and local building codes: (3) movement distortion collapse or settling of the ground or the supporting structure on which the Product is installed; (4) any act of God (such as flooding, hurricane, earthquake, lightning, etc.), environmental condition (such as air pollution, mold, mildew, etc.), staining from foreign substances other than food and beverages (such as dirt, grease, oil, etc.); (5) improper handling, storage, abuse or neglect of the Product by Purchaser, the transferee or third parties; (6) any fading or staining not on the walking surface of the Product (i.e., the underside or the ends of the Product); or (7) ordinary wear and tear.

**Excluded Products:** This Warranty shall not apply to any Trex products not listed in Table I, including, but not limited to. Trex Transcend® railing. Trex Enhance® railing, Trex Select® railing, Trex Signature® railing, Trex Decklighting products, TrexTrim™ products, Trex® Outdoor Lighting products. Trex Hideaway® Fasteners. and Trex® Fencing, which are excluded from this Limited Warranty. Each of these products has a separate

#### PROCEDURE FOR MAKING A CLAIM UNDER THIS LIMITED WARRANTY

To make a claim under this Limited Warranty, Purchaser must do the following:

1. If the Purchaser is making a claim relating to the Limited Warranty on stain resistance. Purchaser must

(a) Purchaser must try to clean the affected area of the deck by using the cleaning procedures described above (and provided in more detail in the Care & Cleaning Guide found at www.trex.com) within one (1) week of exposure of the food or beverage to the Product or first appearance of the mold and mildew

(b) If the affected area remains reasonably unsatisfactory after Purchaser has tried these cleaning procedures. then Purchaser must have the affected area of the deck professionally cleaned at Purchaser's expense.

(c) If the affected area remains reasonably unsatisfactory after the professional cleaning, Purchaser may make a claim under this Limited Warranty, provided that such claim is made within thirty (30) days after the professional cleaning

2 To make a claim under this Limited Warranty Purchaser, or the transferee, shall send to Trex, within the Warranty Period referred to above, a written description and photographs of the claimed defect proof of purchase, and if the claim relates to the Limited Warranty on stain resistance, proof of compliance with paragraph 1 above, to the following address:

Trex Company, Inc. **Customer Relations** 2500 Trex Way Winchester, VA 22601 3. Upon confirmation by an authorized Trex representative of a valid claim hereunder Trex's sole responsibility shall be, at its option, to either: (a) replace the affected Product with new Product in an amount equal to the volume (linear feet) of defective material; or (b) refund the portion of the purchase price paid by Purchaser for such affected Product (not including the cost of its initial installation). Replacement Products will be as close in color, design, and quality to the original Products as reasonably possible, in Trex's discretion and determination, but Trex does not guarantee an exact match as colors and designs may change and Trex's obligation as to replacement shall further be limited to replacement with the styles and colors of the Product that are available at the time of the replacement. THE REMEDIES STATED IN THIS PARAGRAPH ARE PURCHASER'S SOLE AND EXCLUSIVE REMEDIES FOR ANY PRODUCT THAT FAILS TO CONFORM TO THIS LIMITED WARRANTY

If a valid warranty claim hereunder is made during year eleven (11) or any year thereafter through the expiration of the applicable Warranty Period after the original purchase, recovery will be prorated in accordance with Table II below If Trex is providing replacement materials it may elect to replace the percentage listed in Table II, below, of boards otherwise meeting the requirements for a claim, or if it is refunding the purchase price, it may elect to refund the percentage listed below in Table II of the purchase price of Product otherwise meeting the requirements for a claim.

TABLE II

Year of Claim		Warranty Period		
rear or Claim	50 Year	35 Year	25 Year	
11	90%	80%	80%	
12	90%	80%	80%	
13	90%	80%	80%	
14	90%	80%	60%	
15	90%	60%	60%	
16	90%	60%	60%	
17	70%	60%	40%	
18	70%	60%	40%	
19	70%	40%	40%	
20	70%	40%	20%	
21	70%	40%	20%	
22	70%	40%	20%	
23	50%	20%	10%	
24	50%	20%	10%	
25	50%	20%	10%	
26	50%	20%	-	
27	50%	20%	-	
28	50%	20%	-	
29	30%	10%	-	
30	30%	10%	-	
31	30%	10%	-	
32	30%	10%	-	
33	30%	10%	-	
34	30%	10%	-	
35	30%	10%	-	
36	20%	-	-	
37	20%	-	-	

v (a):	Warranty Period		
Year of Claim	50 Year	35 Year	25 Year
38	20%	-	-
39	20%	-	-
40	20%	-	-
41	20%	-	-
42	20%	-	-
43	10%	-	-
44	10%	-	-
45	10%	-	-
46	10%	-	-
47	10%	-	-
48	10%	_	_
49	10%	_	_
50	10%	_	_

THE LIMITED WARRANTIES SET FORTH HEREIN ARE THE ONLY WARRANTIES MADE BY TREX IN CONNECTION WITH THESE PRODUCTS TREX DOES NOT MAKE ANY OTHER WARRANTIES. IMPLIED OR EXPRESS. AND DISCLAIMS ALL OTHER WARRANTIES, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, TREX'S SOLE OBLIGATION UNDER THIS LIMITED WARRANTY SHALL BE, AT ITS OPTION, REPLACEMENT OF NON-CONFORMING PRODUCTS OR A REFUND OF THE PURCHASE PRICE. AS DESCRIBED ABOVE. PURCHASER ASSUMES ALL RISK WHATSOEVER AS TO THE RESULT OF THE USE OF THE PRODUCTS PURCHASED, WHETHER USED SINGULARLY OR IN COMBINATION WITH ANY OTHER PRODUCTS OR SUBSTANCES.

THIS LIMITED WARRANTY SHALL NOT COVER AND TREX SHALL NOT BE RESPONSIBLE FOR COSTS AND EXPENSES INCURRED WITH RESPECT TO THE REMOVAL OF DEFECTIVE PRODUCT OR THE INSTALLATION OF REPLACEMENT MATERIALS. INCLUDING BUT NOT LIMITED TO LABOR AND FREIGHT

No person or entity is authorized by Trex to make and Trex shall not be bound by any statement or representation as to the quality or performance of Product other than as contained in this Limited Warranty. This Limited Warranty may not be altered or amended except in a written instrument signed by Trex and Purchaser.

TO THE FULLEST EXTENT PERMITTED UNDER THE LAW. UNDER NO CIRCUMSTANCES WILL TREX BE LIABLE FOR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL, RELIANCE, STATUTORY, SPECIAL, PUNITIVE OR EXEMPLARY DAMAGES, INCLUDING, BUT NOT LIMITED TO, LOST PROFITS, LOSS OF USE, LOSS OF TIME, LOSS OF REVENUES, INCONVENIENCE, LOSS OF BUSINESS OPPORTUNITIES, OR DAMAGE TO GOOD WILL OR REPUTATION DAMAGES. WHETHER SUCH DAMAGES ARE SOUGHT IN CONTRACT, IN TORT (INCLUDING BUT NOT LIMITED TO NEGLIGENCE AND STRICT LIABILITY) OR OTHERWISE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES OR SUCH DAMAGES COULD HAVE BEEN

REASONABLY FORESEEN IN CONNECTION WITH ARISING OUT OF, OR AS A RESULT OF, THE SALE, DELIVERY, INSTALLATION, USE OR LOSS OF USE OF THE PRODUCTS SOLD HEREUNDER, OR FOR ANY LIABILITY OF PURCHASER TO ANY THIRD PARTY WITH RESPECT THERETO AND TREX'S LIABILITY FOR NON-PERSONAL INJURY CLAIMS WITH RESPECT TO DEFECTIVE PRODUCT SHALL IN NO EVENT EXCEED THE REPLACEMENT OF SUCH PRODUCT OR REFUND OF THE PURCHASE PRICE. AS DESCRIBED ABOVE.

Some States or Provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This Limited Warranty gives you specific legal rights, and you may also have other rights that vary from State to State or Province to Province.

Copyright © 2024 Trex Company, Inc.



Trex Company, Inc. (hereinafter "Trex") warrants to the original end-use purchaser ("Purchaser") that, for the applicable Warranty Period set forth in Table I below, when properly installed, used and maintained under normal use and service conditions, and in accordance with Trex's written instructions, Trex® product set forth in Table I below (the "Product") shall be free from material defects in workmanship and materials, and shall not split, splinter, rot or suffer structural damage from termites or fungal decay.

**Residential/Commercial Application:** For purposes of this warranty, a "residential application" shall refer to an installation of the Product on an individual residence, and a "commercial application" shall refer to any installation of the Product other than on an individual residence.

**Term of Limited Warranty:** The term of this Limited Warranty for a Product (the "Warranty Period") begins on the date of original purchase and shall be equal to the number of years set forth next to such Product in Table I below.

TABLE I

TABLE I		
Product	Residential Warranty Period	Commercial Warranty Period
Trex Signature® Railing	25 Years	25 Years
Trex Transcend® Railing, Trex Select® Railing, Trex Enhance® Railing, Trex® Fencing, and TrexTrim™	25 Years	10 Years
Trex® DeckLighting (LEDs and Housings)	7 Years	7 Years
Trex® DeckLighting (Transformer, Timer, Dimmer, WiFi Controller, Solar Components)	3 Years	3 Years
Trex® DeckLighting (Solar Battery)	1 Year	1 Year

**Transferability:** With respect to a residential application, this warranty may be transferred one (1) time, within the five- (5) year period beginning from the date of original purchase by the Purchaser, to a subsequent buyer of the property upon which the Product was originally installed. With respect to a commercial application, this warranty is freely transferable to subsequent buyers of the property upon which the Product was originally installed.

#### **EXCLUSIONS FROM WARRANTY COVERAGE**

Products (excluding Trex® Solar Post Cap Lights) is valid only in each case provided that a Trex transformer is used (with no warranty on any components if a Trex transformer is not used), and any other Trex® DeckLighting parts or accessories not listed in Table I above shall not be warranted; (b) this warranty shall not apply to any Trex products not listed in Table I, including, but not limited to Trex decking products, Trex® Cladding products, Trex® Fascia products and Trex® Fasteners (which each have separate warranties), and (c) with respect to installations where the atmosphere is influenced by a body of salt water (or other contaminant conditions), failure to adhere to the cleaning guidelines available at www.trex.com will void this warranty with respect to any condition resulting from such failure.

The Products must be stored, handled, installed, used and maintained in accordance with instructions provided by Trex, and this Limited Warranty is conditioned upon compliance with all such instructions. Copies of Trex's Installation Guides, Technical Information and Care and Cleaning Guides are available from Trex at the address listed below. The materials may also be obtained on Trex's website at trex.com.

Any information or suggestion by Trex with respect to the Products concerning applications, specifications or compliance with codes and standards, including building or safety codes, is provided solely for Purchaser's convenient reference and is made without any representation as to accuracy or suitability. Purchaser must verify and test the suitability of any information with respect to the Products for Purchaser's specific application.

Trex does not warrant against and is not responsible for any condition attributable

to: (1) improper installation of Product and/or failure to abide by Trex's installation guidelines, including but not limited to improper gapping; (2) use of Product beyond normal use and service conditions, or in an application not recommended by Trex's guidelines and local building codes; (3) movement, distortion, collapse or settling of the ground or the supporting structure on which Product is installed; (4) any act of God (such as flooding, hurricane, earthquake, lightning, etc.), environmental condition (such as air pollution, mold, mildew, etc.), staining from foreign substances (such as dirt, grease, oil, etc.), or normal weathering (defined as exposure to sunlight, weather and atmosphere which will cause any colored surface to gradually fade, chalk, or accumulate dirt or stains); (5) variations or changes in color of Product; (6) improper handling, storage, abuse or neglect of Product by Purchaser, the transferee or third parties; or (7) ordinary wear and tear.

#### PROCEDURE FOR MAKING A CLAIM UNDER THIS LIMITED WARRANTY

To make a claim under this Limited Warranty, Purchaser, or the transferee, shall send to Trex, within the Warranty Period referred to above, a written description and photographs of the claimed defect and proof of purchase, to the following address:

Trex Company, Inc. Customer Relations 2500 Trex Way Winchester, VA 22601

Upon confirmation by an authorized Trex representative of a valid claim hereunder, Trex's sole responsibility shall be, at its option, to either: (a) replace the affected Product with new Product in an amount equal to the amount of defective material; or (b) refund the portion of the purchase price paid by Purchaser for such affected Product (not including the cost of its initial installation). Replacement Products will be as close in color, design and quality to the original Products as reasonably possible, in Trex's discretion and determination, but Trex does not guarantee an exact match as colors and designs may change and Trex's obligation as to replacement shall further be limited to replacement with the styles and colors of the Product that are available at the time of the replacement.

THE REMEDIES STATED IN THIS PARAGRAPH ARE PURCHASER'S SOLE AND EXCLUSIVE REMEDIES FOR ANY PRODUCT THAT FAILS TO CONFORM TO THIS LIMITED WARRANTY.

If a valid warranty claim hereunder is made during year eleven (11) or any year thereafter through the expiration of the applicable Warranty Period after the original purchase, recovery will be prorated in accordance with Table II, below. If Trex is providing replacement materials, it may elect to replace the percentage listed in Table II, below, of Product otherwise meeting the requirements for a claim, or if it is refunding the purchase price, it may elect to refund the percentage listed below in Table II of the purchase price of Product otherwise meeting the requirements for a claim.

TABLE II

Year of Claim	Recovery
11	80%
12	80%
13	80%
14	60%
15	60%
16	60%
17	40%
18	40%
19	40%
20	20%
21	20%
22	20%
23	10%
24	10%
25	10%

THE LIMITED WARRANTIES SET FORTH HEREIN ARE THE ONLY WARRANTIES MADE BY TREX IN CONNECTION WITH THESE PRODUCTS. TREX DOES NOT MAKE ANY OTHER WARRANTIES, IMPLIED OR EXPRESS, AND DISCLAIMS ALL OTHER WARRANTIES, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. TREX'S SOLE OBLIGATION UNDER THIS LIMITED WARRANTY SHALL BE, AT ITS OPTION, REPLACEMENT OF NON-CONFORMING PRODUCTS OR A REFUND OF THE PURCHASE PRICE, AS DESCRIBED ABOVE. PURCHASER ASSUMES ALL RISK WHATSOEVER AS TO THE RESULT OF THE USE OF THE PRODUCTS PURCHASED, WHETHER USED SINGULARLY OR IN COMBINATION WITH ANY OTHER PRODUCTS OR SUBSTANCES.

THIS LIMITED WARRANTY SHALL NOT COVER AND TREX SHALL NOT BE RESPONSIBLE FOR COSTS AND EXPENSES INCURRED WITH RESPECT TO THE REMOVAL OF DEFECTIVE PRODUCT OR THE INSTALLATION OF REPLACEMENT MATERIALS, INCLUDING BUT NOT LIMITED TO LABOR AND FREIGHT.


No person or entity is authorized by Trex to make and Trex shall not be bound by any statement or representation as to the quality or performance of Product other than as contained in this Limited Warranty. This Limited Warranty may not be altered or amended except in a written instrument signed by Trex and Purchaser.

TO THE FULLEST EXTENT PERMITTED UNDER THE LAW, UNDER NO CIRCUMSTANCES WILL TREX BE LIABLE FOR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL, RELIANCE, STATUTORY, SPECIAL, PUNITIVE OR EXEMPLARY DAMAGES, INCLUDING, BUT NOT LIMITED TO, LOST PROFITS, LOSS OF USE, LOSS OF TIME, LOSS OF REVENUES, INCONVENIENCE, LOSS OF BUSINESS OPPORTUNITIES OR DAMAGE TO GOOD WILL OR REPUTATION DAMAGES, WHETHER SUCH DAMAGES ARE SOUGHT IN CONTRACT, IN TORT (INCLUDING BUT NOT LIMITED TO NEGLIGENCE AND STRICT LIABILITY) OR OTHERWISE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES OR SUCH DAMAGES COULD HAVE BEEN REASONABLY FORESEEN, IN CONNECTION WITH, ARISING OUT OF, OR AS A RESULT OF, THE SALE, DELIVERY, INSTALLATION, USE OR LOSS OF USE OF THE PRODUCTS SOLD

HEREUNDER, OR FOR ANY LIABILITY OF PURCHASER TO ANY THIRD PARTY WITH RESPECT THERETO AND TREX'S LIABILITY FOR NON-PERSONAL INJURY CLAIMS WITH RESPECT TO DEFECTIVE PRODUCT SHALL IN NO EVENT EXCEED THE REPLACEMENT OF SUCH PRODUCT OR REFUND OF THE PURCHASE PRICE, AS DESCRIBED ABOVE.

Some States or Provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This Limited Warranty gives you specific legal rights, and you may also have other rights that vary from State to State or Province to Province.

Copyright © 2024 Trex Company, Inc.





DECKING | RAILING | LIGHTING | FASCIA | KITCHENS | FURNITURE | PERGOLA | DRAINAGE SPIRAL STAIRS | CORNHOLE | LATTICE | CLADDING | HIDDEN FASTENERS | FENCING

in Outdoor Living\*

#### Visit trex.com or call 1-800-BUY-TREX

FIND US ON



© 2024 Trex Company, Inc. All rights reserved. Trex®, the Trex logo, TrexPro®, Trex Enhance®, Trex Select®, Trex Transcend®, Trex Transcend® Lineage™, Trex Signature®, Trex® OutdoorLighting, Trex® Hideaway®, Trex® Pergola, Trex® Outdoor Kitchens, Trex® Outdoor Furniture, Trex® Cladding, Trex® Fascia, Trex® Spiral Stairs, Trex® Cornhole, Trex® Lattice and Trex® Fencing are either federally registered trademarks, trademarks or trade dress of Trex Company, Inc., Winchester, Virginia or its licensees.

0124 XXLTCAT2024