


The Choose Home Collection

from The Praxis Companies





### CHOOSE HOME FOR YOUR HOME

easy reference button guides:



Texture Wall



Wall

Multi-Piece Unit



Option

Option



Aero-Whirl Option The Choose Home Collection is designed to beautify your home today and allow for flexibility in the future.

The Choose Home Collection includes all of the design elements necessary to create bathing fixtures that are both beautiful and adaptable for future needs. For example, all models are reinforced in two key areas for easy on-site addition of support bars or fold-out seats.

Personal comfort and security are elemental in the Choose Home Collection. Showers with low step-in thresholds; large, comfortable, molded seats that are the perfect 21 inch chair height; textured floors and a very functional leg ledge in the perfect position for personal grooming. Soaking tubs with an integral transfer seat that is beautiful and for many people eases the challenge of entry and exit.

The Choose Home Collection offers two easy to clean and easy to maintain finishes. Select from three colors in Patent Pending AcrylX<sup>™</sup> or seamless, solid surface CenturyStone<sup>™</sup> in three granite colors.

The entire collection features smooth contemporary designs or the beautiful, groutless, six inch tile designs made popular in our Millennia Collection.

These are all examples of design concepts and attention to details that make the Choose Home Collection perfect to make a new home or a renovation beautiful and flexible. Enjoy it now and really appreciate it for years to come.



### CHOOSE HOME FEATURES

- Six inch tile pattern
- Horizontal diamond accent panels
- Low, EasyStep<sup>™</sup> thresholds
- Molded Comfort Height seats, integral soap ledges and functional leg ledges
- Reinforced backing for future bar placement
- Whirlpool option available on many tub showers and tubs
- Ultimate upgrade to CenturyStone<sup>™</sup> Solid Surface
- One piece and multi-piece units available

Beautiful Now. Appreciated Later.

solid surface or  $\mathsf{Acryl}\mathsf{X}^{\scriptscriptstyle{\mathsf{M}}}$ 

### CHM 6039 SH IS Tile

60" x 40" x 76" Enclosure: up to 55.75" x 70" Threshold: 4" EasyStep™



#### FEATURES

FINISH	PRODUCT	PIECES	WALL
solid surface or AcrylX™	reinforced shower	one	diamond texture

#### OPTIONS

WHIRLPOOL	SOLID SURFACE COLOR	AcrylX™ COLOR	ACCESSORIES
no	cotton seed, almond, beach	white, bone, biscuit	drain, comfort bar, decorative bar

#### TECHNICAL INFORMATION

WT	LOAD FACTOR	handed by	CODES	WARRANTY
138	1.26	seat left or right	ANSI 124.2, UPC, NAHB, CSA	lifetime limited - solid surface lifetime limited - AcrylX™

### CHM 6036 SH

**60" x 36" x 77"** Enclosure: up to 55.75" x 71" Threshold: 4" EasyStep™



#### FEATURES

FINISH	PRODUCT	PIECES	WALL
solid surface or AcrylX <sup>™</sup>	reinforced shower	one	diamond texture

#### OPTIONS

WHIRLPOOL	SOLID SURFACE COLOR	AcrylX™ COLOR	ACCESSORIES
no	cotton seed, almond, beach	white, bone, biscuit	drain, comfort bar, decorative bar

WT	LOAD FACTOR	handed by	CODES	WARRANTY
170	1.26	seat left or right	ANSI 124.2, UPC,	lifetime limited - solid surface
			NAHB, CSA	lifetime limited - AcrylX™



solid surface or AcrylX<sup>™</sup>

### CHM 6032 SH

**60" x 33" x 77"** Enclosure: up to 55.75" x 71" Threshold: 4" EasyStep™



#### FEATURES

FINISH	PRODUCT	PIECES	WALL
solid surface or AcrylX™	reinforced shower	one	diamond texture

#### OPTIONS

WHIRLPOOL	SOLID SURFACE COLOR	AcrylX™ COLOR	ACCESSORIES
no	cotton seed, almond, beach	white, bone, biscuit	drain, comfort bar, decorative bar

#### **TECHNICAL INFORMATION**

WT	LOAD FACTOR	handed by	CODES	WARRANTY
140	1.26	seat left or right	ANSI 124.2, UPC, NAHB, CSA	lifetime limited - solid surface lifetime limited - AcryIX™



**48" × 37" × 80"** Enclosure: up to 45" × 74" Threshold: 4" EasyStep™



#### FEATURES

FINISH	PRODUCT	PIECES	WALL
solid surface or AcrylX™	reinforced shower	one	diamond texture

#### OPTIONS

WHIRLPOOL	SOLID SURFACE COLOR	AcrylX™ COLOR	ACCESSORIES
no	cotton seed, almond, beach	white, bone, biscuit	drain, comfort bar, decorative bar

WT	LOAD FACTOR	handed by	CODES	WARRANTY
160		seat left or right	ANSI 124.2, UPC,	lifetime limited - solid surface
			NAHB, CSA	lifetime limited - AcrylX™



		_
	 ~	

solid surface or  $\mathsf{Acryl}\mathsf{X}^{\scriptscriptstyle{\mathsf{M}}}$ 

### CHG 4837 SH

**48" x 37" x 78"** Enclosure: up to 45.625" x 72" Threshold: 4" EasyStep™



### FEATURES

			1
			1
			1
			l
			l
			l
			l
	SHE		

FEATURES			
FINISH	PRODUCT	PIECES	WALL
solid surface or AcrylX™	reinforced shower	one	smooth, flat wall

#### OPTIONS

WHIRLPOOL	SOLID SURFACE COLOR	AcrylX™ COLOR	ACCESSORIES
no	cotton seed, almond, beach	white, bone, biscuit	drain, comfort bar, decorative bar

#### TECHNICAL INFORMATION

WT	LOAD FACTOR	handed by	CODES	WARRANTY
160	1.06	seat left or right	ANSI 124.2, UPC, NAHB, CSA	lifetime limited - solid surface lifetime limited - AcrylX™



**42" x 42" x 80"** Enclosure: up to 38" x 74" Threshold: 4" EasyStep™



#### FEATURES

FINISH	PRODUCT	PIECES	WALL
solid surface or AcrylX™	reinforced shower	one	diamond texture

#### OPTIONS

WHIRLPOOL	SOLID SURFACE COLOR	AcrylX™ COLOR	ACCESSORIES
no	cotton seed, almond, beach	white, bone, biscuit	drain, comfort bar, decorative bar

WT	LOAD FACTOR	handed by	CODES	WARRANTY
162	1.13	center drain	ANSI 124.2, UPC,	lifetime limited - solid surface
			NAHB, CSA	lifetime limited - AcrylX™

solid surface or AcrylX<sup>™</sup>

### CHM 3678 SH

**36" × 36" × 80"** Enclosure: up to 33" × 74" Threshold: 4" EasyStep™



#### FEATURES

FINISH	PRODUCT	PIECES	WALL
solid surface or AcrylX™	reinforced shower	one	diamond texture

#### OPTIONS

WHIRLPOOL	SOLID SURFACE COLOR	AcrylX™ COLOR	ACCESSORIES
no	cotton seed, almond, beach	white, bone, biscuit	drain, comfort bar, decorative bar

#### **TECHNICAL INFORMATION**

WT LOAD FACTOR HAN	DED BY CODES	WARRANTY
I 40 I cent	er drain ANSI 124.2, UP NAHB, CSA	C, lifetime limited - solid surface lifetime limited - AcrylX™

### CHG 3636 SH

35.75" x 37.25" x 77.5" Enclosure: up to 29.75" x 73.5" Threshold: 4" EasyStep™





#### FEATURES

<u>FINISH</u>	PRODUCT	PIECES	WALL
solid surface or AcrylX™	reinforced shower	one	smooth, flat wall


#### OPTIONS

WHIRLPOOL	SOLID SURFACE COLOR	AcrylX™ COLOR	ACCESSORIES
no	cotton seed, almond, beach	white, bone, biscuit	drain, comfort bar, decorative bar

WT	LOAD FACTOR	handed by	CODES	WARRANTY
140	1.06	center drain	ANSI 124.2, UPC,	lifetime limited - solid surface
			NAHB, CSA	lifetime limited - AcrylX™

solid surface or  $\mathsf{Acryl}\mathsf{X}^{\scriptscriptstyle{\mathsf{M}}}$ 

<b>CHM 6032 TS</b> 60" x 33" x 76.5" Enclosure: n/a 1" Above the floor rough	
FEATURES	
FINISH PRODUCT PIE	CES WALL
solid surface or AcrylX <sup>™</sup> reinforced tub shower c	ne diamond texture
OPTIONS WHIRLPOOL SOLID SURFACE COLOR Act	ryIX™ COLOR ACCESSORIES
yes cotton seed, almond, beach whit	e, bone, biscuit drain, comfort bar, decorative bar
TECHNICAL INFORMATION WT LOAD FACTOR HANDED BY	CODESWARRANTYNSI 124.1, UPC,lifetime limited - solid surfaceNAHB, CSAlifetime limited - AcrylX™





FINISH	PRODUCT	PIECES	WALL
solid surface or AcrylX™	reinforced tub shower	one	smooth, flat wall

#### OPTIONS

WHIRLPOOL	SOLID SURFACE COLOR	AcrylX™ COLOR	ACCESSORIES
yes	cotton seed, almond, beach	white, bone, biscuit	drain, comfort bar, decorative bar

WT	LOAD FACTOR	handed by	CODES	WARRANTY
150	1.13	drain left or right	ANSI 124.1, UPC,	lifetime limited - solid surface
			NAHB, CSA	lifetime limited - AcrylX™

solid surface or AcrylX<sup>™</sup>

**CHA 6034 TS** 60" x 32" x 87" Enclosure: n/a



#### FEATURES

FINISH	PRODUCT	PIECES	WALL
solid surface or AcrylX <sup>™</sup> walls	reinforced tub shower	two	diamond texture
acrylic tub			

#### OPTIONS

<u>AIR BA</u>	TH SOLID SUF	RFACE COLOR*	AcryIX™ COLOR*	ACRYLIC COLOR*	ACCESSORIES
yes	cotton seed	d, almond, beach	white, bone, biscuit	white	drain, comfort bar, decorative bar
TECH	INICAL INFORM	-			
WT	LOAD FACTOR	HANDED BY	CODES		WARRANTY
170	1.13	drain left or right	ANSI 124.1, UPC,	lifetin	ne limited - solid surface,
			NAHB, CSA	five year limited -	acrylic, lifetime limited - AcrylX^{{}^{\rm M}}

\* Shower surround is available in solid surface or AcrylX<sup>™</sup>. Tub is available in white acrylic only.



60" x 32" x 18.875" Enclosure: n/a



## FEATIIRES

TEATOR			
<u>FINISH</u>	PRODUCT	PIECES	WALL
acrylic	cantilevered tub	one	n/a

#### OPTIONS

AIR BATH	ACRYLIC COLOR	ACCESSORIES
yes	white	drain, comfort bar, decorative bar

WT	LOAD FACTOR	handed by	CODES	WARRANTY
100		drain left or right	ANSI 124.1, UPC,	five year limited
		-	NAHB, CSA	

solid surface or  $\mathsf{Acryl}\mathsf{X}^{\scriptscriptstyle{\mathsf{M}}}$ 

### CHM 6032 SH IS 3P

**60" x 33" x 77"** Enclosure: up to 55.75" x 71" Threshold: 4" EasyStep™



#### FEATURES



FINISH	PRODUCT	PIECES	WALL
solid surface or AcrylX™	shower	three	diamond texture

#### OPTIONS

WHIRLPOOL	SOLID SURFACE COLOR	AcrylX™ COLOR	ACCESSORIES
no	cotton seed, almond, beach	white, bone, biscuit	drain, comfort bar, decorative bar

#### TECHNICAL INFORMATION

WT	LOAD FACTOR	handed by	CODES	WARRANTY
150	0.95	seat left or right	ANSI 124.2, UPC, NAHB, CSA	lifetime limited - solid surface lifetime limited - AcrylX™

### CHG 6017 TS 2P FB

60" x 32.5" x 78" Enclosure: up to 56.5" x 61.5" 1" Above the floor rough





FEATURES			
FINISH	PRODUCT	PIECES	WALL
solid surface or AcrylX™	tub shower	two	smooth, flat wall

#### OPTIONS

WHIRLPOOL	SOLID SURFACE COLOR	AcrylX™ COLOR	ACCESSORIES
yes	cotton seed, almond, beach	white, bone, biscuit	drain, comfort bar, decorative bar

WT	LOAD FACTOR	handed by	CODES	WARRANTY
150	1.13	drain left or right	ANSI 124.1, UPC,	lifetime limited - solid surface
		-	NAHB, CSA	lifetime limited - AcrylX™

solid surface or AcrylX<sup>™</sup>

### CHG 5494 TS 2P

54" x 27.25" x 72" Enclosure: up to 50.625" x 56" 1" Above the floor rough



#### FEATURES

FINISH	PRODUCT	PIECES	WALL
solid surface or AcrylX™	tub shower	two	smooth wall

#### OPTIONS

WHIRLPOOL	SOLID SURFACE COLOR	AcrylX™ COLOR	ACCESSORIES
no	cotton seed, almond, beach	white, bone, biscuit	drain, comfort bar, decorative bar

#### **TECHNICAL INFORMATION**

WT	LOAD FACTOR	handed by	CODES	WARRANTY
127	I	drain left or right	ANSI 124.1, UPC, NAHB, CSA	lifetime limited - solid surface lifetime limited - AcrylX™

### CHM 3648 SH IS 3P

48" x 37" x 79.5" Enclosure: up to 45" x 74" Threshold: 4" EasyStep™



#### FEATURES

FINISH	PRODUCT	PIECES	WALL
solid surface or AcrylX <sup>™</sup>	reinforced shower	three	diamond texture



#### OPTIONS

WHIRLPOOL	SOLID SURFACE COLOR	AcrylX™ COLOR	ACCESSORIES
no	cotton seed, almond, beach	white, bone, biscuit	drain, comfort bar, decorative bar

WT	LOAD FACTOR	handed by	CODES	WARRANTY
160	.95	seat left or right	ANSI 124.2, UPC,	lifetime limited - solid surface
			NAHB, CSA	lifetime limited - AcrylX™



solid surface or AcrylX $^{\scriptscriptstyle \rm M}$ 

### BBS 5030 WI

50" x 30" x 37.875" Foot well: 31.875" x 76" At top: 42.5" x 25.5"





#### FEATURES

FINISH	PRODUCT	PIECES	WALL
solid surface or AcrylX™	walk-in tub	one	n/a

#### OPTIONS

WHIRLPOOL	SOLID SURFACE COLOR	AcrylX™ COLOR	ACCESSORIES
yes	cotton seed, almond, beach	white, bone, biscuit	drain, comfort bar, decorative bar

WT	LOAD FACTOR	handed by	CODES	WARRANTY
182	1.3	drain left or right	ANSI 124.3, UPC, NAHB, CSA	lifetime limited - solid surface lifetime limited - AcrylX™



# TOTALLY IMMERSE YOURSELF IN THE WARMTH OF BATHBAY

The NEW BBS 5030 WI offers more.

More features that make installation easier. More comfort to allow you a relaxing, worry free bath. More choices so you get exactly what you want and need.

Beautiful, modern lines and a sleek, elegant appeal make the BBS 5030 WI as attractive as it is functional. With improvements such as end drain placement, an adjustable all steel frame, and an integral skirt with dual access panels, installation is faster and easier than ever. Bring back the pleasure of bathing independence with our wide, easy-entry, inward opening door and improved latch for secure closure.


BathBay let's you bathe in comfort, style, and most importantly - in independence and freedom.







*The Choose Home Collection - Finishes* Premium AcryIX<sup>™</sup> and CenturyStone<sup>™</sup> Solid Surface



CHA 6034 TO (shown on facing page) is only available in thermal cast acrylic - white. Praxis cast acrylic is long lasting, non-porous, easy to maintain and has proven to be a great investment Thermal cast acrylic models are warranted for five years.

**SUPERIOR FINISH- AcryIX**<sup>™</sup> AcrylX has a visibly true white, deep lustrous finish that can only be achieved with an acrylic surface.Whether in a warehouse or a new house, an AcrylX product will resist scratching, cracking and chipping and will maintain a "factory-new" finish over its lifetime. AcrylX's<sup>™</sup> UV properties resist fading, low porosity helps maintain luster and make cleaning easier, and other natural properties make it less susceptible to chemicals. AcrylX<sup>™</sup> bathware- stronger, brighter white- is covered by an unprecedented lifetime, limited warranty.

### CenturyStone™ **SOLID SURFACE**

Available only on shower base models, Praxis CenturyStone<sup>™</sup> Solid Surface is engineered solid surface capable of creating beautifully sculpted, seamless shapes; thus providing the finest luxury bathing fixtures that out perform all others in long lasting strength and beauty. CenturyStone<sup>™</sup> Solid Surface offers a **lifetime limited warranty**.

Color samples are representative only. Printing may cause some variations to the color. To purchase color chip samples please contact customer service. Non-standard colors may be found on our websites or requested by contacting customer service. As in all batch manufacturing, slight variations may occur.



design flexibility

personal comfort

lasting finishes



The Choose Home Collection from The Praxis Companies

rom The Praxis Companies



### CUSTOMER SERVICE 800.443.7269

The Praxis Companies, LLC 435 Industrial Road Savannah, TN 38372

www.praxiscompanies.com