

BUILT TO PERFORM.

AKER

BUILT TO PERFORM.

KDS SERIES

FULL LINE OF KNOCK DOWN SHOWERS & TUB SHOWERS



BUILT TO PERFORM.

AKER[®]
BY MAAX

PRODUCTS THAT ALWAYS WORK

3 REASONS TO BUY A KDS

1 EASY TO INSTALL

- Easy 1-person front installation
- Hassle-free **PIN** system
- Packaged in 3 boxes
- Above-the-Floor Rough – No need to relocate the existing drain

2 MODERN & FUNCTIONAL

- Ample storage space
- One-piece look
- Easy to clean anti-slip surface
- **Low threshold** shower bases
- Optional grab bars & wall reinforcement

3 VERSATILE

- All components can be ordered separately
- Mix & match walls and bases
- Right, left or no seat available

CONTINUOUS IMPROVEMENT

• ALL KDS OR KDTS MODELS CAN BE ORDERED AS A FULL UNIT OR SECTIONALLY

- Increased inventory flexibility

• GRAB BARS


Modern and stylish AKER grab bars are available with all KDS/KDTS units. Select the color that suits your style and specific needs: **white, chrome or brushed nickel**.

- 18" or 24" horizontal and vertical grab bars available




EASY STEPS TO INSTALL

STEP-1 Level and install the shower base or the bathtub in the alcove.



STEP-2 Apply silicone and install the walls using the PIN system to guide them in place; (Install the back wall and slide the side walls in).




STEP-3 Secure the wall parts to the studs (shim if necessary).

THANKS TO OUR **EASY STEPS**
INSTALLATION, YOU'RE SAVING
TIME AND MONEY WITH AKER

- Get it right the 1st time: **Perfect alignment of pins and holes for easier and stronger installation.**
- **No wet-set “Anti-Flex” base system, providing superior strength and durability:** no need to fill the space between the floor and the base with concrete or any other material eliminates wet-setting.
- **Straight front apron for easy tile installation.**
- **Above-the-Floor Rough option** designed with enough space to pipe directly under the unit without relocating the drain.

KDS

FEATURES & BENEFITS



TILE ADAPTOR (10024636):
MAKING SHOWER DOOR INSTALLATION EASIER



- A] Save time and money on the job site with Aker's **no wet-set «Anti-Flex» base system**, providing superior strength and durability. Floor noise is a thing of the past.
- B] **Straight front apron** design eliminates curved and angled tiled cuts, saving both time and materials.
- C] **Solid wall construction** helps eliminate bowing or cracking under normal use.
- D] All side **walls reinforced with fiberglass and wood** to ensure sturdier door installation.
- E] **Flat surface on side walls** allows for easy installation of plumbing fixtures.
- F] **Versatile Above-the-Floor Rough feature** allows for plumbing applications: perfect for basement installation or slab construction requirements.
- G] **Unique angled inward seat pattern** creates additional space under the seat leaving room for bather's heels and greater comfort.
- H] **Large shelves** allow for a vast array of bath/shower products including standard or oversized bottles.
- I] AKER's **optional tile adaptor** provides a hard edge to tile to for a clean, finished look (for base only to be installed with tile) and for ease of shower door installation.
- J] Exclusive hassle-free front installation **PIN system** provides a tight fit between parts. Pins made of a sturdy material featuring great stiffness, high impact resistance and stability are strategically positioned to provide a fast and easy installation.

OUR PRODUCTS / **SHOWER STALLS**

KDS

ENGINEERED FOR MAXIMUM VERSATILITY

Left seat, right seat, no seat.

Mix & match walls and bases.

This is a product that does exactly what you want it to do.

KDS 3448

4-PIECE UNIT

48" X 34" X 80"



Shown with Session door


STANDARD FEATURES

- 4-piece gelcoated fiberglass shower
- Modern low threshold base & anti-slip
- Left or right inward angled seat (base also available without seat)
- Anti-Flex base system
- Center drain
- Two large top corner shelves and wide soap dish with drainage channel
- Color-matched 12" handle on standard color units
- Delivered in boxes
- White/Biscuit/Bone units same price

OPTIONS

- 18" vertical & horizontal straight grab bars
- 24" vertical straight grab bars
- Handle in metallic finish
- Walls reinforcement for future grab bar installation
- Pre-assembled unit
- Tile adaptor
- Wide selection of shower door
- Above-the-Floor Rough (AFR)

* All dimensions are for non Above-the-Floor Rough units.
Refer to technical drawings for detailed measurements.



Wall reinforcement for easy installation of shower doors

KDS 3232
4-PIECE UNIT
32" X 32" X 76"

KDS 3636
4-PIECE UNIT
36" X 36" X 76"



Shown with Kleara door



STANDARD FEATURES

- 4-piece gelcoated fiberglass shower
- Modern low threshold base & anti-slip
- Anti-Flex base system
- Center drain
- Two large top corner shelves
- Color-matched 12" handle on standard color units
- Delivered in boxes
- White/Biscuit/Bone units same price

OPTIONS

- 18" vertical & horizontal straight grab bars
- 24" vertical straight grab bars
- Walls reinforcement for future grab bar installation
- Pre-assembled unit
- Tile adaptor
- Wide selection of shower door
- Above-the-Floor Rough (AFR)

* All dimensions are for non Above-the-Floor Rough units.
 Refer to technical drawings for detailed measurements.

OUR PRODUCTS / **SHOWER STALLS**

ABOVE-THE-FLOOR ROUGH OPTION (AFR)

Products designed with enough space to pipe directly under the bathtub without having to relocate the existing drain. **Perfect for concrete slab installation in renovation or new construction.**

KDS 3060 **4-PIECE UNIT** **60" X 30" X 80"**



Shown with AFR

Above-the-Floor Rough AFR

KDS 3460 **4-PIECE UNIT** **60" X 34" X 80"**



Shown with Kleara door

STANDARD FEATURES


- 4-piece gelcoated fiberglass shower
- Modern low threshold base & anti-slip
- Left or right inward angled seat (base also available without seat)
- Anti-Flex base system
- Left, right or center drain
- Two large top corner shelves and wide soap dish with drainage channel
- Color-matched 12" handle on standard color units
- Delivered in boxes
- White/Biscuit/Bone units same price

OPTIONS

- 18" and 24" vertical & horizontal straight grab bars
- Handle in metallic finish
- Walls reinforcement for future grab bar installation
- Pre-assembled unit
- Tile adaptor
- Wide selection of shower door
- Above-the-Floor Rough (AFR)

* All dimensions are for non Above-the-Floor Rough units. Refer to technical drawings for detailed measurements.

OUR PRODUCTS / TUB SHOWERS



Above-the-Floor Rough (AFR)

KDTS 2954 4-PIECE UNIT 54" X 29" X 78"



STANDARD FEATURES

- 4-piece gelcoated fiberglass tub/shower
- Left or right-hand drain
- Two large top corner shelves
- Color-matched 12" handle on standard color units
- 16" apron, 13" deep sump
- Anti-Flex base system
- Delivered in boxes
- White/Biscuit/Bone units same price

OPTIONS

- 18" and 24" vertical & horizontal straight grab bars
- Handle in metallic finish
- Walls reinforcement for future grab bar installation
- Pre-assembled unit
- Tile adaptor
- Wide selection of shower door
- Above-the-Floor Rough (AFR)

* All dimensions are for non Above-the-Floor Rough units.
Refer to technical drawings for detailed measurements.

OUR PRODUCTS / TUB SHOWERS

THERAPEUTIC SYSTEMS HOMESTEAD® WHIRLPOOL



Surround yourself with the unique benefits of a **HOMESTEAD** whirlpool. It beautifully combines advanced hydro-massaging technology with both individual flow and directionally adjustable jets to provide an exceptional bathing experience.

KDTS 3060 4-PIECE UNIT 60" X 30" X 78"



Shown with two optional grab bars



Shown with Session door

STANDARD FEATURES

- 4-piece gelcoated fiberglass tub shower
- Left or right-hand drain
- Two large top corner shelves
- Color-matched 12" handle on standard color units
- 16" apron, 13" deep sump
- Anti-Flex base system
- Delivered in boxes
- White/Biscuit/Bone units same price


OPTIONS

- Homestead whirlpool system
- 18" and 24" vertical & horizontal straight grab bars
- Handle in metallic finish
- Walls reinforcement for future grab bar installation
- In-line heater
- Pre-assembled unit
- Tile adaptor
- Wide selection of shower door
- Above-the-Floor Rough (AFR)

* All dimensions are for non Above-the-Floor Rough units.
Refer to technical drawings for detailed measurements.

FEATURES:

- Factory-installed
- Adjustable 6-jet system with pneumatic on/off controls
- 3/4 HP pump



Homestead®
Whirlpool 

KDTS 3260 4-PIECE UNIT 60" X 32" X 79"



STANDARD FEATURES

- 4-piece gelcoated fiberglass tub shower
- Left or right-hand drain
- Two large top corner shelves
- Color-matched 12" handle on standard color units
- 16" apron, 13" deep sump
- Anti-Flex base system
- Delivered in boxes
- White/Biscuit/Bone units same price

OPTIONS

- Homestead whirlpool system
- 18" and 24" vertical & horizontal straight grab bars
- Handle in metallic finish
- Walls reinforcement for future grab bar installation
- In-line heater
- Pre-assembled unit
- Tile adaptor
- Wide selection of shower door
- Above-the-Floor Rough (AFR)

* All dimensions are for non Above-the-Floor Rough units.
Refer to technical drawings for detailed measurements.

OUR PRODUCTS / BOLTED SHOWER

KNOCK DOWN BOLTED SHOWER

Don't forget our KD-NAS "bolted" neo-angle shower.

KD-NAS
2-PIECE UNIT
38" X 38" X 76 1/2"



STANDARD FEATURES

- Two-piece gelcoated fiberglass neo-angle shower
- Single corner shelf
- Center drain
- Bolted system
- White/Biscuit/Bone units same price



BUILT TO PERFORM.

**MADE IN THE USA
SINCE 1967.**


4 REASONS TO CHOOSE AKER

PERFORMANCE FROM EVERY ANGLE.

Top, bottom, front and back - you'll see how every part of our bathware is engineered to last.

1 MORE RESIN, LESS FILLERS, AND A HANDS-ON APPROACH

We hand roll the fiberglass and resin laminate up to four times, and we don't skimp on the mix. You'll find no exposed fiberglass strands, uneven surfaces, air bubbles or cracks here. We'll continue to invest more in our mix. We know you will see the difference - today, and years from now.




2 TOUGH FROM BOTTOM UP

We use ½" of balsa wood, sandwiched between layers of reinforced fiberglass, to stabilize our four-part "Anti-flex" construction. Balsa wood is unique from other woods; it's extremely light but remarkably strong. The balsa wood is constructed to conform with the contours of the unit's base for maximum surface contact, ensuring superior base strength that eliminates floor fatigue and adds years of life to our products.




3 REINFORCED SIDES FOR A STURDIER AND SAFER SHOWER

Sidewalls reinforced with fiberglass and wood ensure sturdier shower door and grab bar installation, meaning a safer overall product.



4 STUNNING FINISH

- Flexible & lightweight
- Easy to clean
- High gloss
- Easy to repair



STRONG ENOUGH TO BEND TO NEEDS

Since our start some four decades ago, **AKER** has built its reputation on products that meet the demands of our toughest customers.

Those same customers also demanded we start taking it a bit easier... on their widening base of end-users.

The **KDS/KDTS series** of tub showers and showers answers that call. Each model has more of the simple, user-friendly features and flexibility you asked for to meet the needs of a broader base of consumer lifestyles, ages and abilities. These intuitive extras – some standard, some optional – include:

- Low threshold shower bases for easier access in and out
- Improved anti-slip texturing on tub bottoms and shower floors
- Vertical and horizontal grab bars, in variety of modern colors, AND reinforced walls that allow for the installation of additional grab bars, if needed
- Integrated seats with a unique inward angle that provide greater comfort and added floor space
- Wider soap dishes and added shelf space to hold bottles of varied size

With these improvements, our **KDS/KDTS** products remain as strong and as durable as you've come to expect and even easier to install. Therefore, **AKER** hasn't gone soft on you, only on the people who use our tub showers and showers.



EXPERIENCE A GREENER **MAAX**[®]

The environment is important to all of us. We, at MAAX, believe in doing our part in reducing our ecological footprint.



JOIN US AT AKERBYMAAX.COM

www.akerbymaax.com is an essential and inspiring source of information.

In addition to finding all the products and therapeutic system details included in this book, our website offers design tips, product configurators and other useful sections such as a press room, technical support and where to buy.

Download technical drawings, installation guides, specification pages, photos and videos with one click

Our site, constantly evolving, is your personal assistant.





FULL-STRENGTH bathware line

For any questions or comments, please contact
1-877-GET-MAAX
(1-877-438-6229)

www.akerbymaax.com