



# Outlook *plus*™

**FULL-STRENGTH** bathware line.  
Engineered for every stage of life.



**KER**<sup>®</sup>  
BY MAA<sup>X</sup>

## TABLE OF CONTENTS

**AKER'S NEW OUTLOOK *plus* SERIES ..... 4**

### ACCESSIBILITY CODE COMPLIANT SERIES

EASY ORDERING PROCESS..... 6  
 INSTALLATION TYPES ..... 8  
 PACKAGE COMPONENTS, OPTIONS & ACCESSORIES..... 9  
 OPTS-6032 TUB SHOWER ..... 10  
 OPS-6036-RS | OPS-6036 ROLL-IN SHOWER ..... 11  
 OPS-6030-RS | OPS-6030 ROLL-IN SHOWER ..... 12  
 OPS-3636-RS | OPS-3636 TRANSFER SHOWER..... 13

### GENERATION + SERIES

PREPARE FOR TOMORROW'S NEEDS WITH TODAY'S STYLE ..... 14  
 OPTIONS & ACCESSORIES ..... 15  
 OPTS-6032G-2P TUB SHOWER ..... 17  
 OPS-6034G SHOWER ..... 18  
 OPS-5634G SHOWER ..... 19  
 OPS-4836G SHOWER ..... 20  
 OPS-3636G SHOWER ..... 21

**COLOR CHART | MAINTENANCE ..... 22**



## INDEPENDENCE. WE VALUE IT MOST WHEN IT ELUDES OUR GRASP.



AKER gives you independence at any stage of life with our comprehensive Outlook *plus* Series of showers and tub showers to meet needs across generations.

Outlook *plus* bathware keeps everyone in mind regardless of age, size or ability because the desire for comfort and security is universal. However, we never skimp on style. Even our products designed specifically to meet the growing need for accessibility code compliance feature the classic lines and looks that appeal to any sensibility.

In other words...

**Outlook *plus* is the complete package.**



### THE “U.S.” IN “USABILITY”

Made only in state-of-the-art U.S. facilities, AKER Outlook *plus* products have gained dependability from bringing a Full-Strength Approach to quality and service for more than 40 years.

We start by hand rolling the fiberglass and resin laminate up to four times, and we don't skimp on the mix. Next, we use balsa wood, sandwiched between layers of reinforced fiberglass, to stabilize our four-part “Anti-flex” construction. Finally, we reinforce the sidewalls with fiberglass and wood ensuring sturdier installation, meaning a safer overall product.

AKER stands behind its products with industry-leading warranties against structural, surface and cosmetic defects. All gelcoat units are covered for 5 years. Plus, our USA-based customer service is just one more way we fulfill our mission to offer the best support while making it easy to do business with us.

AKER's Outlook *plus* Series is easy for everyone because it's **Built to Perform.**

## AKER'S NEW OUTLOOK *plus* SERIES SIMPLIFIES LIFE FOR EVERYONE.



### ACCESSIBILITY CODE COMPLIANT SERIES

Our code compliant models meet **major accessibility building codes**, including ADA and ANSI when fully equipped and installed according to guidelines. These showers and tub showers provide **accessibility** and **optimal safety** today and tomorrow. For example, each unit has reinforced walls, in accordance with the accessibility requirements of the Fair Housing Act, to offer versatility in grab bar and seat placement when not factory installed. Code-specific option packages for seats and grab bars make choosing the right unit a snap.



### GENERATION+ SERIES

Our **GENERATION+** models appeal to a broad base of ages and abilities to allow **graceful adaptation through the years** – from preening parent to active adult. We apply our design innovation to universal **user-friendliness and comfort** for ultimate peace of mind. Stylish accessories and built-in features let you adapt for lifestyles from cradle to cane.



<sup>1</sup>Outlook *plus* units also meet Massachusetts state code requirements when fully equipped and installed according to guidelines. Refer to separate document for more information.





Choosing the right Outlook plus code compliant model, regardless of project type, is almost as easy as using one because AKER wants you to **save time, money and hassle.**

Our base models come in industry-standard dimensions and popular styles. All feature **reinforced walls, in accordance with the accessibility requirements of the Fair Housing Act,** making future modifications simple and sound. When you choose a fully compliant package, rest assured it meets the current major building code of your choosing and features the best options available. Finally, we **simplified selections** with unique, instinctive ordering codes to minimize confusion.

### ORDERING IS THEN AS EASY AS 1-2-3

- 1 Select the model according to size / style / skirt height
- 2 Select a configuration package:
  - Base model
  - Partial packages (grab bar only or with seat)
  - Fully compliant units
- 3 If desired, select additional options and accessories.

AKER's Outlook plus Series is easy for everyone – our business partners and our users – because it's **Built to Perform.**

Code compliance: ANSI-ICC A117.1, ADA Standards for Accessible Design, 521 CMR (Massachusetts), FHA, CSA B45.5-11 / IAPMO Z124-2011, HUD UM 73a, ASTM F-462.

### TUB SHOWER



ANSI package shown

#### STANDARD FEATURES

##### 1-piece gelcoat tub shower


- Reinforced walls according to Fair Housing Act accessibility requirements
- Above-the-Floor Rough
- Right or left-hand drain
- Textured bottom
- Total apron height 17 3/4"

#### PACKAGE COMPONENTS

- Textured stainless steel straight grab bars
- Removable Phenolic white seat
- Compliant pressure balance mixing valve, hand shower, slide bar and flexible hose

#### OPTIONS & ACCESSORIES

- Chrome curtain rod
- Chrome recessed soap dish
- White vinyl shower curtain with stainless steel hooks



Side & back walls reinforcement according to Fair Housing Act accessibility requirements

### TRANSFER & ROLL-IN SHOWERS



ADA | ANSI package (with seat) shown

#### STANDARD FEATURES

##### 1-piece gelcoat shower

- Reinforced walls according to Fair Housing Act accessibility requirements
- Available with 1 1/8" skirt and 3/4" reduced skirt
- 1/2" threshold
- Center drain
- Textured bottom

#### PACKAGE COMPONENTS

- Textured stainless steel grab bars: straight, L-shaped or U-shaped
- L-Shaped fold-up Phenolic white seat
- Compliant pressure balance mixing valve, hand shower, slide bar and flexible hose

#### OPTIONS & ACCESSORIES

- Chrome curtain rod
- Chrome recessed soap dish
- White vinyl shower curtain with stainless steel hooks


MAAX assumes no responsibilities for final code compliance. Information and specifications taken from this document must be confirmed with appropriate authorities. Units are code compliant when fully equipped and installed according to guidelines. Outlook plus units also meet Massachusetts state code requirements when fully equipped and installed according to guidelines. Refer to separate document for more information.






### INSTALLS EASILY ANY WAY YOU CHOOSE

Outlook plus compliant series installs easily, cleanly and securely in any situation. Choose our standard 1 1/8 inch skirt with a built-in flange or our 3/4-inch reduced skirt for recessed in-floor or on-floor installation.





Once properly installed, the 1/2-inch interior and exterior beveled threshold edges of our Outlook plus units allow walk-in or roll-in shower access without worry. It also prevents water seepage.




### OUR 1 1/8 INCH SKIRT

Simplify your work with this unit added height for recessed in-floor or on-floor installation. A front flange provides a strong and sturdy installation that prevents cracking or bowing of the dam.



### OUR 3/4 INCH REDUCED SKIRT

Perfect for common 3/4-inch finished floor applications. A simple bracket can be used to secure the dam of the threshold to the floor for added stability and sturdiness during installation.




### ACCESS RAMP

A code-compliant access ramp, when installed according to its manufacturer's guidelines, can also be used with either product or installation methods.

Customize any AKER Outlook plus unit to best suit your desire for comfort and security with our comprehensive selection of code compliant packages, options and accessories. Options are factory-installed on the units; whereas accessories are sold separately and therefore, can be ordered, after the product is installed. Consult product pages for the available options and accessories for each of our products.

### PACKAGE COMPONENTS


#### Grab Bars



AKER's Outlook plus textured stainless steel grab bars feature an easy to clean smooth surface. Straight<sup>1</sup>, L-shaped<sup>2</sup> or U-shaped<sup>3</sup>, in multiple dimensions, there is one for every need. All grab bars are 1 1/4" in diameter, securely bolted through the wall, and are designed and tested to withstand up to **300 lb** of pressure as per major accessibility building codes.

### OPTIONS & ACCESSORIES

#### Curtain Rod



Chrome curtain rod is factory installed. A white vinyl shower curtain is sold separately.

#### Phenolic Fold-Up Shower Seat



AKER's Outlook plus L-shaped fold-up seat is made with stainless steel frames and white Phenolic seat tops. Phenolic is a high quality material that is smooth and non-porous, easy to clean and does not retain bacteria. This fold-up seat virtually disappears in the shower when you don't need it, but is accessible when you do. All seats are designed and tested to withstand **300 lb** load capacity.

#### Soap Dish



Functional recessed chrome soap dish for added storage space.

#### Phenolic Removable Tub Shower Seat




AKER's Outlook plus rectangular shaped removable seat is made with stainless steel frames and white Phenolic seat tops. Phenolic is a high quality material that is smooth and non-porous, easy to clean and does not retain bacteria. The seat can be placed on the tub for safe and secure transfers or completely removed when not required to optimize space. All seats are designed and tested to withstand **300 lb** load capacity.

#### Shower Curtain



White anti-bacterial vinyl curtain with stainless steel hooks.

#### Faucet Kit



Optimize your shower experience with the Outlook plus code compliant faucet kit available in chrome finish. The kit includes a pressure balance mixing valve, a hand-held shower, a slide bar and a 60" flexible hose.

#### Shower Drain



Functional solid brass shower drain with chrome stainless steel grid. Quick caulk-seal feature.





**OPTS-6032 TUB SHOWER**

**DIMENSIONS**

- Interior dimensions: 57" L x 31 1/2" W x 69 3/4" H
- Exterior dimensions: 59 3/4" L x 34" W x 74 1/2" H
- Apron height: 17 3/4"

**STANDARD FEATURES**

- 1-piece tub shower
- Reinforced according to Fair Housing Act accessibility requirements
- Right or left-hand drain
- Textured bottom
- Above-the-Floor Rough (AFR)
- Available in standard and non-standard colors

Tub shower with complete ANSI package shown



**OPS-6036-RS | OPS-6036 ROLL-IN SHOWER**

**DIMENSIONS**

- Interior Dimensions: 60" L x 36" W x 76 5/8" H
- Exterior Dimensions: **RS** 62 1/2" L x 39 1/4" W x 78 3/8" H
- Skirt height: **RS** 3/4" & 1 1/8"
- Threshold: 1/2"

**STANDARD FEATURES**

- 1-piece roll-in shower
- Reinforced according to Fair Housing Act accessibility requirements
- Center drain
- Textured bottom
- Available in standard and non-standard colors

Shower with complete ADA / ANSI package with seat shown

**CONFIGURATIONS**



**TUB SHOWER BASE MODEL**



**TUB SHOWER BASE MODEL WITH ADA OR ANSI GRAB BARS**

- 4 x 24" Horizontal straight textured stainless steel grab bars (ADA & ANSI)
- 1 x 18" Vertical straight textured stainless steel grab bar (ANSI only)



**TUB SHOWER BASE MODEL WITH ADA GRAB BARS & SEAT**

- 4 x 24" Horizontal straight textured stainless steel grab bars
- Removable Phenolic white seat



**TUB SHOWER BASE MODEL WITH ANSI GRAB BARS & SEAT**

- 4 x 24" Horizontal straight textured stainless steel grab bars
- 1 x 18" Vertical straight textured stainless steel grab bar
- Removable Phenolic white seat

Compliant Packages



**TUB SHOWER BASE MODEL WITH COMPLETE ADA PACKAGE**

- 4 x 24" Horizontal straight textured stainless steel grab bars
- Removable Phenolic white seat
- Chrome pressure balance mixing valve with hand-held shower
- Chrome 24" slide bar & 60" flexible hose



**TUB SHOWER BASE MODEL WITH COMPLETE ANSI PACKAGE**

- 4 x 24" Horizontal straight textured stainless steel grab bars
- 1 x 18" Vertical straight textured stainless steel grab bar
- Removable Phenolic white seat
- Chrome pressure balance mixing valve with hand-held shower
- Chrome 24" slide bar & 60" flexible hose

<sup>1</sup> R/L hand refers to right or left drain positioning. Soap dish and curtain rod sold separately.

**CONFIGURATIONS**



**SHOWER BASE MODEL**



**SHOWER BASE MODEL WITH ADA / ANSI L-SHAPED GRAB BAR**

- 1 x Horizontal L-shaped 33" x 37" textured stainless steel grab bar



**SHOWER BASE MODEL WITH ADA U-SHAPED GRAB BAR**

- 1 x Horizontal U-shaped 33" x 60" x 33" textured stainless steel grab bar



**SHOWER BASE MODEL WITH ADA / ANSI L-SHAPED GRAB BAR & SEAT**

- 1 x Horizontal L-shaped 33" x 37" textured stainless steel grab bar
- L-Shaped fold-up Phenolic white seat

Compliant Packages



**SHOWER BASE MODEL WITH COMPLETE ADA / ANSI PACKAGE (WITH SEAT)**

- 1 x Horizontal L-shaped 33" x 37" textured stainless steel grab bar
- L-Shaped fold-up Phenolic white seat
- Chrome pressure balance mixing valve with hand-held shower
- Chrome 24" slide bar & 60" flexible hose



**SHOWER BASE MODEL WITH COMPLETE ADA PACKAGE (WITHOUT SEAT)**

- 1 x Horizontal U-shaped 33" x 60" x 33" textured stainless steel grab bar
- Chrome pressure balance mixing valve with hand-held shower
- Chrome 24" slide bar & 60" flexible hose

<sup>1</sup> R/L hand refers to right or left drain positioning. Soap dish and curtain rod sold separately.





OPS-6030-RS | OPS-6030 ROLL-IN SHOWER

DIMENSIONS

- Interior dimensions : 60" L x 30 1/4" W x 76 5/8" H
- Exterior dimensions : **RS** 62 7/8" L x 33 1/4" W x 78 3/8" H  
62 7/8" L x 33 1/4" W x 78 3/4" H
- Skirt height: **RS** 3/4" & 1 1/8"
- Threshold: 1/2"

STANDARD FEATURES

- 1-piece roll-in shower
- Reinforced according to Fair Housing Act accessibility requirements
- Center drain
- Textured bottom
- Available in standard and non-standard colors



OPS-3636-RS | OPS-3636 TRANSFER SHOWER

DIMENSIONS

- Interior dimensions: 36" L x 36" W x 76 5/8" H
- Exterior dimensions: **RS** 38 3/4" L x 39" W x 78 3/8" H  
38 3/4" L x 39" W x 78 3/4" H
- Skirt height: **RS** 3/4" & 1 1/8"
- Threshold: 1/2"

STANDARD FEATURES

- 1-piece transfer shower
- Reinforced according to Fair Housing Act accessibility requirements
- Center drain
- Textured bottom
- Available in standard and non-standard color

CONFIGURATIONS



**RS** (141329)  
(141287)

SHOWER BASE MODEL



**RS** (141330-R/L)<sup>1</sup>  
(141288-R/L)

SHOWER BASE MODEL WITH ADA / ANSI L-SHAPED GRAB BAR

- 1 x Horizontal L-shaped 27" x 37" textured stainless steel grab bar



**RS** (141331)  
(141289)

SHOWER BASE MODEL WITH ADA U-SHAPED GRAB BAR

- 1 x Horizontal U-shaped 27" x 60" x 27" textured stainless steel grab bar

CONFIGURATIONS



**RS** (141321)  
(141271)

SHOWER BASE MODEL



**RS** (141322-R/L)<sup>1</sup> ADA  
**RS** (141323-R/L)<sup>1</sup> ANSI  
(141272-R/L)<sup>1</sup> ADA  
(141273-R/L)<sup>1</sup> ANSI

SHOWER BASE MODEL WITH ADA OR ANSI GRAB BARS

- 1 x Horizontal L-shaped 34 3/8" x 18" textured stainless steel grab bar (ADA & ANSI)
- 1 x Vertical 18" straight textured stainless steel grab bar (ANSI only)



**RS** (141324-R/L)<sup>1</sup>  
(141274-R/L)<sup>1</sup>

SHOWER BASE MODEL WITH ADA GRAB BAR & SEAT

- 1 x Horizontal L-shaped 34 3/8" x 18" textured stainless steel grab bar
- L-Shaped fold-up Phenolic white seat



**RS** (141332-R/L)<sup>1</sup>  
(141290-R/L)<sup>1</sup>

SHOWER BASE MODEL WITH ADA / ANSI L-SHAPED GRAB BAR & SEAT

- 1 x Horizontal L-shaped 27" x 37" textured stainless steel grab bar
- L-Shaped fold-up Phenolic white seat

Compliant Packages



**RS** (141333-R/L)<sup>1</sup>  
(141291-R/L)<sup>1</sup>

SHOWER BASE MODEL WITH COMPLETE ADA / ANSI PACKAGE (WITH SEAT)

- 1 x Horizontal L-shaped 27" x 37" textured stainless steel grab bar
- L-Shaped fold-up Phenolic white seat
- Chrome pressure balance mixing valve with hand-held shower
- Chrome 24" slide bar & 60" flexible hose



**RS** (141334)  
(141292)

SHOWER BASE MODEL WITH COMPLETE ADA PACKAGE (WITHOUT SEAT)

- 1 x Horizontal U-shaped 27" x 60" x 27" textured stainless steel grab bar
- Chrome pressure balance mixing valve with hand-held shower
- Chrome 24" slide bar & 60" flexible hose



**RS** (141325-R/L)<sup>1</sup>  
(141275-R/L)<sup>1</sup>

SHOWER BASE MODEL WITH ANSI GRAB BARS & SEAT

- 1 x Horizontal L-shaped 34 3/8" x 18" textured stainless steel grab bar
- 1 x Vertical 18" straight textured stainless steel grab bar
- L-Shaped fold-up Phenolic white seat

Compliant Packages



**RS** (141326-R/L)<sup>1</sup>  
(141276-R/L)<sup>1</sup>

BASE MODEL WITH COMPLETE ADA PACKAGE

- 1 x Horizontal L-shaped 34 3/8" x 18" textured stainless steel grab bar
- L-Shaped fold-up Phenolic white seat
- Chrome pressure balance mixing valve with hand-held shower
- Chrome 24" slide bar & 60" flexible hose



**RS** (141327-R/L)<sup>1</sup>  
(141277-R/L)<sup>1</sup>

BASE MODEL WITH COMPLETE ANSI PACKAGE

- 1 x Horizontal L-shaped 34 3/8" x 18" textured stainless steel grab bar
- 1 x Vertical 18" straight textured stainless steel grab bar
- L-Shaped fold-up Phenolic white seat
- Chrome pressure balance mixing valve with hand-held shower
- Chrome 24" slide bar & 60" flexible hose

<sup>1</sup> R/L hand refers to right or left grab bar positioning. Soap dish and curtain rod sold separately.

<sup>1</sup> R/L hand refers to right or left grab bar positioning. Soap dish and curtain rod sold separately.

MAAX assumes no responsibilities for final code compliance. Information and specifications taken from this document must be confirmed with appropriate authorities. Units are code compliant when fully equipped and installed according to guidelines. Outlook plus units also meet Massachusetts state code requirements when fully equipped and installed according to guidelines. Refer to separate document for more information.





Prepare for **tomorrow's needs with today's styles** by choosing our always accessible, easily adaptable **GENERATION +** Series. Each model accommodates a wide **range of abilities and sensibilities**, intelligently designed to evolve as your needs do.

The **GENERATION +** products balance your priority of **comfort and peace of mind** with your desire for a modern look that never feels dated. Reinforced walls offer versatility in grab bar and seat placement - **now or in the future**. AKER's vast selection of grab bars, seats and accessories allow you the ability to customize your experience. In addition, the smooth, clean lines beckon you into a **lifetime of clean living**.

AKER **GENERATION +** products aim to promote autonomy while simplifying the user's day to day life. Each model offers a set of options and accessories for a complete customized experience. Homeowners will appreciate how AKER Outlook plus performs beautifully. **Options are factory-installed on the units;** whereas accessories are sold separately and therefore, can be ordered after the product is installed.

Consult product pages for the available options and accessories for each of our products.


## OPTIONS & ACCESSORIES

### Grab Bars



Modern and stylish grab bars, featuring an easy to clean smooth surface. **Straight, Curved** or **Pivot**, available in multiple dimensions, they are ergonomically designed for your safety and comfort. Select the color that suits your style: white, chrome or brushed nickel. They can be factory-installed or purchased separately for future installation.



**Straight:** For horizontal, vertical, side walls or back wall installation.



**Curved:** Evolve with your reality, each of the 3 sections of the bar have a specific purpose.

**Pivot:** Pivots at a 180° angle and locks in place for multiple stable and secure assistance positions.

<sup>1</sup> Left-hand shown




### Phenolic Fold-Up Shower Seat



AKER's **GENERATION +** rectangular fold-up shower seat is 26" wide and is made with stainless steel frames and Phenolic seat tops available in white or teak. Phenolic is a high quality material that is smooth and non-porous, easy to clean and does not retain bacteria.

This fold-up seat virtually disappears in the shower when you don't need it, but is accessible when you do. All seats are designed and tested to withstand **300 lb** load capacity.



### Fold Down Seat



Relax and enjoy the soothing benefits of AKER's **GENERATION +** high quality fold down shower seat made of long-lasting Polyurethane. This seat is 19" wide and has rounded, smooth edges with hinges that allow for a safe and easy side transfer while eliminating discomfort for pressure sensitive bathers.

This minimalist seat comes in white only while fixtures are available in 3 finishes (white, chrome and brushed nickel). AKER shower seats have been designed and tested to support loads up to **300 lb**.





OPTIONS & ACCESSORIES (cont'd)


Phenolic Removable Tub Shower Seat



AKER's **GENERATION +** rectangular removable seat is 29" wide and is made with stainless steel frames and Phenolic seat tops available in white or teak. Phenolic is a high quality material that is smooth and non-porous, easy to clean and does not retain bacteria.


The seat can be placed on the tub for safe and secure transfers or completely removed when not required to optimize space. All seats are designed and tested to withstand **300 lb** load capacity when properly installed.

Faucet Kit



Optimize your shower experience with the Outlook plus faucet kit. The kit includes a pressure balance mixing valve, a hand-held shower, a 24" slide bar and a 60" flexible hose. Available in chrome & brushed nickel finishes.

Curtain Rod



Chrome or stainless steel curtain rod factory installed. White vinyl shower curtain sold separately.

Shower Curtain



White anti-bacterial vinyl curtain with stainless steel hooks.

Soap Dish



Functional recessed chrome or white soap dish for optimal showering experience.

Shower Drain



Functional solid brass shower drain with chrome stainless steel grid. Quick caulk-seal feature.


**MAAX** SHOWER DOORS

Enjoy the experience

MAAX offers a **wide selection of custom-fit shower door styles** that work seamlessly with **GENERATION +** tub shower and shower units.

Consult MAAX website for more information.

[www.maax.com](http://www.maax.com)



**OPTS-6032G-2P**  
TUB SHOWER



**DIMENSIONS**

- Interior dimensions: 56 1/2" L x 30 3/8" W x 74" H
- Exterior dimensions: 59 3/4" L x 33" W x 78 1/2" H
- Apron height: 17 3/4"

**STANDARD FEATURES (141302)**

- 2-piece tub shower reinforced for customized placement of grab bars and seat
- Right or left-hand drain
- Textured bottom
- Above-the-Floor Rough
- Available in standard and non-standard colors

**CUSTOMIZE YOUR EXPERIENCE**


- 1 18" & 24" (H+V), 36" (H) & 42" (H) straight grab bars<sup>1</sup>
- 2 47" curved grab bar
- 3 Pivot grab bar
- 4 Rectangular removable Phenolic seat
- 5 60" curtain rod
- 6 Pressure balance mixing valve with hand-held shower, slide bar and hose
- 7 Recessed soap dish

<sup>1</sup> (H) Horizontal / (V) Vertical

## OPS-6034G SHOWER



## OPS-5634G SHOWER



### DIMENSIONS

- Interior dimensions: 59" L x 34" W x 72 1/2" H
- Exterior dimensions: 63" L x 37" W x 75 1/2" H
- Skirt height: 2"

### STANDARD FEATURES (141301)

- 1-piece shower reinforced for customized placement of grab bars and seat
- Center drain
  - Textured bottom
  - Available in standard and non-standard colors

### CUSTOMIZE YOUR EXPERIENCE

- 1 18" (V), 24" (V+H), 36 & 48" (H) straight grab bars<sup>1</sup>
- 2 47" curved grab bar
- 3 Pivot grab bar
- 4 Rectangular 19" wide fold down Polyurethane seat
- 5 Rectangular 26" wide fold-up Phenolic seat
- 6 60" curtain rod
- 7 Pressure balance mixing valve with hand held shower, slide bar and hose
- 8 Recessed soap dish

### DIMENSIONS

- Interior dimensions: 56" L x 34" W x 72 1/4" H
- Exterior dimensions: 59 3/4" L x 37" W x 75 1/2" H
- Skirt height: 2"

### STANDARD FEATURES (141286)

- 1-piece shower reinforced for customized placement of grab bars and seat
- Center drain
  - Textured bottom
  - Available in standard and non-standard colors

### CUSTOMIZE YOUR EXPERIENCE

- 1 18" & 24" (H+V) & 30" (H) straight grab bars<sup>1</sup>
- 2 32" curved grab bar
- 3 Pivot grab bar
- 4 Rectangular 19" wide fold down Polyurethane seat
- 5 Rectangular 26" wide fold-up Phenolic seat
- 6 56" curtain rod
- 7 Pressure balance mixing valve with hand held shower, slide bar and hose
- 8 Recessed soap dish

<sup>1</sup> (H) Horizontal / (V) Vertical

<sup>1</sup> (H) Horizontal / (V) Vertical



## OPS-4836G SHOWER



## OPS-3636G SHOWER



### DIMENSIONS

- Interior dimensions: 48" L x 36" W x 76 3/8" H
- Exterior dimensions: 50 1/2" L x 39" W x 78 1/2" H
- Skirt height: 1 1/8"
- Threshold: 1/2"

### STANDARD FEATURES (141285)

- 1-piece shower reinforced for customized placement of grab bars and seat
- Center drain
- Textured bottom
- Available in standard and non-standard colors

### CUSTOMIZE YOUR EXPERIENCE

- 1 18" (V), 24" (H+V), 30" & 36" (H) straight grab bars<sup>1</sup>
- 2 32" curved grab bar
- 3 Pivot grab bar
- 4 Rectangular 19" wide fold down Polyurethane seat
- 5 Rectangular 26" wide fold-up Phenolic seat
- 6 48" curtain rod
- 7 Pressure balance mixing valve with hand held shower, slide bar and hose
- 8 Recessed soap dish

### DIMENSIONS

- Interior dimensions: 36" L x 36" W x 72 1/4" H
- Exterior dimensions: 38 1/2" L x 38 3/4" W x 75 1/4" H
- Skirt height: 2"

### STANDARD FEATURES (141284-R/L<sup>2</sup>)

- 1-piece shower reinforced for customized placement of grab bars and seat
- Center drain
- Textured bottom
- Available in standard and non-standard colors

### CUSTOMIZE YOUR EXPERIENCE

- 1 18" (V) & 24" (H+V) straight grab bars<sup>1</sup>
- 2 23" curved grab bar
- 3 Rectangular 19" wide fold down Polyurethane seat
- 4 Rectangular 26" wide fold-up Phenolic seat
- 5 36" curtain rod
- 6 Pressure balance mixing valve with hand-held shower, slide bar and hose
- 7 Recessed soap dish

<sup>1</sup> (H) Horizontal / (V) Vertical

<sup>1</sup> (H) Horizontal / (V) Vertical / <sup>2</sup> R/L hand refer to left or right grab bar positioning

# COLOR CHART.

GELCOAT Standard Colors	
White (002)	
Bone (004)	
Biscuit (007)	
GELCOAT Non-Standard Colors	
Black (015)	
Day Dream (023)	
Dresden Blue (021)	
Dusty Rose (071)	
Fawn Beige (054)	
Glacier Blue (024)	
Ice Grey (017)	
Innocent Blush (066)	
Logan Berry (065)	
Mexican Sand (053)	
Peach Bisque (043)	
Ruby (073)	
Sand Bar (143)	
Sea Foam Green (034)	
Shell (069)	
Sky Light (028)	
Spring (169)	
Sterling Silver (006)	
Sunlight (168)	
Thunder Grey (019)	
Timberline (036)	
Wild Rose (067)	

# MAINTENANCE.

AKER uses  **durable, high quality**  materials and  **innovative**  technology in manufacturing and design of its products to reduce the time needed to spend cleaning and caring for them. However, proper and regular maintenance is still vital.

Follow these general use and maintenance tips, as well as any that come with the AKER products, and you will be rewarded with years of great service.



## Tub shower & Shower Maintenance

- ✓ **Wipe down after every use** with a squeegee or soft cloth. This reduces the buildup from soap, bath additives, natural body oils and mineral deposits in water, making cleaning easy and helping to maintain the unit's natural luster.
- ✓ **Clean regularly** with a non-abrasive cleaning spray or cream-based cleansing agent. Never use abrasive cleansers, scrapers, metal brushes, or anything that could scratch or dull the surface.
- ✓ **Add luster to and remove fine scratches** from tub and shower surfaces by cleaning and polishing regularly with regular car wax. However, avoid waxing tub and shower bottoms as these could become slippery.
- ✓ **Remove plaster residue** with a plastic or wooden spatula wrapped in a moist cloth.
- ✓ **Repair nicked or damaged surfaces** immediately using MAAX repair kits for gelcoat surfaces.



## EXPERIENCE A GREENER MAAX®

The environment is important to all of us. We, at MAAX, believe in doing our part in reducing our ecological footprint.

This document is printed on FSC certified paper. FSC certification guarantees that all fibres used come from renewable sources and meet the highest international standards.

With your cooperation and understanding, through a simple gesture, it is quite impressive to see how we can all contribute improving our environment.



### Join us at [akerbymax.com](http://akerbymax.com)

[www.akerbymax.com](http://www.akerbymax.com) is an essential and inspiring source of information.

In addition to finding all the product details included in this book, our website offers design tips, product configurators and other useful sections such as a press room, technical support and where to buy.

Download technical drawings, installation guides, specification pages, photos and videos with one click.

Our site, constantly evolving, is your personal assistant.







## Full-Strength Bathware Line

For any questions or comments, please contact [akercustomer care@maax.com](mailto:akercustomer care@maax.com)

### Technical Services

Tel: 1-800-962-2537  
Fax: 1-304-263-8369  
[akertechnicalservices@maax.com](mailto:akertechnicalservices@maax.com)

---

### Customer Service

Tel: 1-800-962-2537  
Fax: 1-304-263-8369  
[akercustomer care@maax.com](mailto:akercustomer care@maax.com)

[www.akerbymaax.com](http://www.akerbymaax.com)