



# Asura Trench Drain Collection

Senior Living Solutions





## About | Asura Trench Drain

The **Asura Trench Drain Collection** is sure to appeal to designers because of its sophisticated design. Residents and caregivers will value the safety of 100% water containment. This stunning collection easily converts for different accessibility needs and meets ADA/ANSI code compliance.

Find peace of mind when choosing Asura, whether it's for a senior living or memory care facility or even for a residential transition. Keep the resident and the staff safe with Asura, a senior living solution that provides assurance in bathing.



Find a Specification Manager

## Asura Trench Drain Collection



### Aesthetics

Design appeal without the industrial look



### Safety

Trench drain provides 100% water containment



### Adaptable

Easily convert for different accessible needs

LIMITED 30 YEAR  
**30**  
COMMERCIAL  
WARRANTY

 **MADE IN USA**  
WITH GLOBAL MATERIALS

## OPTIONS



**Trench Grate**  
Stainless Steel, White,  
Powder Coated



**Soap Ledges**  
You choose  
the locations



**Thresholds**  
Change of Level  
or Vertical



**Flange  
Configuration**  
Single, Dual or Straight

## ACCESSORIES



**Grab Bars**  
Stainless Steel, White,  
Powder Coated,  
Grip Textured



**Seats**  
Padded HDPE  
Phenolic




XST 6232 TR COL

## Features & Benefits



- 1 contemporary large tile** clean etched subway tile pattern detailing promotes a warm home-like environment
- 2 flat reinforced walls** for optional accessory placement and adaptability
- 3 single or dual return flange wall system** each wall transition is clean and minimizes construction time while maximizing clear floor space
- 4 soap dishes** molded recessed soap dishes meet reach range and obstruction rules with clean styling
- 5 grab bars** Comfort Care grab bars can be powder coated and/or grip textured for safe easy use
- 6 comfort care seat** senior friendly height promotes safety and security
- 7 SureGrip™ base** textured floor enhances safety security
- 8 integral trench** integral linear trench drain technology replaces center drain showers and keeps water off bathroom floor
- 9 trench grate** stainless steel wedge wire grate - also available in powder coated white
- 10 magnetic attachment** easy and secure access to drain
- 11 underlay transition ramp** enables a clean finished floor transition to meet code
- 12 premium finish** Asura units come in two finishes, AcrylX™ and Solid Surface, both featuring a beautiful surface that is strong and resilient
- 13 installation** no slab recess required



Reference 303.1 General.

### Level Entry

2010 code standards introduced a 1/4" vertical threshold for roll in showers. With the vertical conversion option, your finished floor must come up 7/8" which leaves a 1/4" vertical compliant threshold. Although 1/4" vertical threshold is legal, we modeled a flush floor finish to emphasize the preferred finish technique.

### Return flanges


- Return flange allows maximum clear floor space for shower entry
- Use to meet clear floor space requirements
- A left or right hand flange coordinates with the use of bathroom pocket door or firewall

### Single Return flange


One flange is straight (valve side) and one side has return flange (seat side). Return flange is handed by the seat

### Double return flange

Both sides have return flanges



true wall-to-wall flush trench eliminates water spillage



Reference 303.3 Beveled.



### Change of Level Entry

2010 code standards introduced the change of level threshold. This Asura COL option allows on-slab installation when the finished floor height meets the bottom of the bevel.



XST 6236 TR COL

## AcrylX Models | Available in White, Bone & Biscuit

Showers	Interior Dimensions (W x D x H)	Entry Threshold	Flange Detail
XST 3838 TR 1.125	36" x 36" x 76 3/4"	VER	RRF
XST 3838 TR COL	36" x 36" x 76 3/4"	COL	RRF
XST 4836 TR 1.125 L/R RF	48" x 36" x 76 3/4"	VER	LHF or RHF
XST 4836 TR COL 1.0 L/R RF	48" x 36" x 76 3/4"	COL	LHF or RHF
XST 5038 TR 1.125	48" x 36" x 76 3/4"	VER	RRF
XST 5038 TR COL	48" x 36" x 76 3/4"	COL	RRF
XST 6030 TR 1.125	60" x 30" x 76 3/4"	VER	SF
XST 6030 TR COL	60" x 30" x 76 3/4"	COL	SF
XST 6034 TR 1.125	60" x 34" x 76 3/4"	VER	SF
XST 6034 TR COL	60" x 34" x 76 3/4"	COL	SF
XST 6036 TR 1.125	60" x 36" x 76 3/4"	VER	SF
XST 6036 TR COL 1.0	60" x 36" x 76 3/4"	COL	SF
XST 6232 TR 1.125	60" x 30" x 76 3/4"	VER	RRF
XST 6232 TR COL	60" x 30" x 76 3/4"	COL	RRF
XST 6236 TR 1.125	60" x 34" x 76 3/4"	VER	RRF
XST 6236 TR COL	60" x 34" x 76 3/4"	COL	RRF
XST 6238 TR COL	60" x 36" x 76 3/4"	COL	RRF
XST 6238 TR 1.125	60" x 36" x 76 3/4"	VER	RRF

### Entry Threshold

**COL** Change of level

**VER** Vertical

### Flange Detail

**RRF** Double Return Flange

**SF** Straight Flange

**LHF** Left Return Flange

**RHF** Right Return Flange

# AcrylX Models | Available in White, Bone & Biscuit

Showers Bases	Interior Dimensions (W x D x H)	Entry Threshold	Flange Detail
XSB 4836 TR 1.0 COL	48" x 36" x 3 1/2"	COL	SF
XSB 4823 TR 1.125	48" x 36" x 3 1/2"	VER	SF
XSB 6030 TR COL 1.0	60" x 30" x 3 1/2"	COL	SF
XSB 6030 TR 1.125	60" x 30" x 3 1/2"	VER	SF
XSB 6036 TR 1.0 COL	60" x 36" x 3 1/2"	COL	SF
XSB 6036 TR 1.125	60" x 36" x 3 1/2"	VER	SF
XSB 6236 TR 1.125	60" x 34" x 3 1/2"	VER	RRF
XSB 6236 TR COL	60" x 34" x 3 1/2"	COL	RRF
XSB 6447 TR 1.0 COL L	61 1/2" x 44 1/2" x 3 1/2"	COL	SF
XSB 6447 TR 1.0 COL R	61 1/2" x 44 1/2" x 3 1/2"	COL	SF

## Entry Threshold

**COL** Change of level

**VER** Vertical

## Flange Detail

**RRF** Double Return Flange

**SF** Straight Flange

**LHF** Left Return Flange

**RHF** Right Return Flange





SST 4836 TR COL 1.0 L RF

## Solid Surface Models | Available in White only

Showers	Interior Dimensions (W x D x H)	Entry Threshold	Flange Detail
SST 3838 TR 1.125	36" x 36" x 76 ¾"	VER	RRF
SST 3838 TR COL	36" x 36" x 76 ¾"	COL	RRF
SST 4836 TR 1.125 L/R RF	48" x 36" x 76 ¾"	VER	LHF or RHF
SST 4836 TR COL 1.0 L/R RF	48" x 36" x 76 ¾"	COL	LHF or RHF
SST 5038 TR 1.125	48" x 36" x 76 ¾"	VER	RRF
SST 5038 TR COL	48" x 36" x 76 ¾"	COL	RRF
SST 6030 TR 1.125	60" x 30" x 76 ¾"	VER	SF
SST 6030 TR COL	60" x 30" x 76 ¾"	COL	SF
SST 6034 TR 1.125	60" x 34" x 76 ¾"	VER	SF
SST 6034 TR COL	60" x 34" x 76 ¾"	COL	SF
SST 6036 TR 1.125	60" x 36" x 76 ¾"	VER	SF
SST 6036 TR COL 1.0	60" x 36" x 76 ¾"	COL	SF
SST 6232 TR 1.125	60" x 30" x 76 ¾"	VER	RRF
SST 6232 TR COL	60" x 30" x 76 ¾"	COL	RRF
SST 6236 TR 1.125	60" x 34" x 76 ¾"	VER	RRF
SST 6236 TR COL	60" x 34" x 76 ¾"	COL	RRF
SST 6238 TR COL	60" x 36" x 76 ¾"	COL	RRF
SST 6238 TR 1.125	60" x 36" x 76 ¾"	VER	RRF

Showers Bases	Interior Dimensions (W x D x H)	Entry Threshold	Flange Detail
SSB 4836 TR 1.0 COL	48" x 36" x 3 ½"	COL	SF
SSB 4836 TR 1.125	48" x 36" x 3 ½"	VER	SF
SSB 6030 TR COL 1.0	60" x 30" x 3 ½"	COL	SF
SSB 6030 TR 1.125	60" x 30" x 3 ½"	VER	SF
SSB 6036 TR COL 1.0	60" x 36" x 3 ½"	COL	SF
SSB 6036 TR 1.125	60" x 36" x 3 ½"	VER	SF
SSB 6236 TR COL 1.0	60" x 34" x 3 ½"	COL	RRF
SSB 6236 TR 1.125	60" x 34" x 3 ½"	VER	RRF
SSB 6447 TR 1.0 COL L	61 ½" x 44 ½" x 3 ½"	COL	SF
SSB 6447 TR 1.0 COL R	61 ½" x 44 ½" x 3 ½"	COL	SF

### Entry Threshold

**COL** Change of level

**VER** Vertical

### Flange Detail

**RRF** Double Return Flange

**SF** Straight Flange

**LHF** Left Return Flange

**RHF** Right Return Flange



[comfortdesignsbathware.com](http://comfortdesignsbathware.com)