





SOAKING & JETTED



Residential Bathtubs



Soaking & Jetted Residential Bathware

CONTENTS

page 1 garden bathtubs

page 14 drop-in bathtubs

page 20 warranty

page 21 finish selection



G GTWS W

59.875" × 48.25" × 25.625"

Enclosure: n/a

FEATURES

FINISH	PRODUCT	PIECES	STYLE
AcrylX™	Soaking Tub	One	Garden Tub

OPTIONS

WHIRLPOOL AcrylX™ COLORS SOLID SURFACE COLORS ACCESSORIES White, Bone, Biscuit Solids or Naturals Drain

TECHNICAL INFORMATION

WT LOAD FACTOR HANDED BY CODES WARRANTY Center Drain ANSI 124.1, UPC AcrylX™ - Lifetime Limited Solid Surface - 10 Year Limited

AVAILABILITY

NORTHEAST MID / SOUTH Not Available Standard



G GTNS W

60" × 42" × 27.25"

Enclosure: n/a

FEATURES

FINISH	PRODUCT	PIECES	STYLE
AcrylX™	Soaking Tub	One	Garden Tub

OPTIONS

WHIRLPOOL AcrylX™ COLORS SOLID SURFACE COLORS ACCESSORIES White, Bone, Biscuit Solids or Naturals Drain

TECHNICAL INFORMATION

WT	LOAD FACTOR	HANDED BY	CODES	WARRANTY
128	0.55	Drain L R	ANSI 124.1, UPC	AcrylX™ - Lifetime Limited
				Solid Surface - 10 Year Limited

AVAILABILITY

NORTHEAST MID / SOUTH Not Available Standard



G 6049 GT WS

59.75" × 49.25" × 24.5"

Enclosure: n/a

ISCONTINUED

FEATURES

PRODUCT FINISH **PIECES** STYLE AcrylX™ Soaking Tub One Garden Tub with Step

OPTIONS

WHIRLPOOL AcrylX™ COLORS SOLID SURFACE COLORS ACCESSORIES Drain

White, Bone, Biscuit Solids or Naturals

TECHNICAL INFORMATION

WT LOAD FACTOR HANDED BY CODES WARRANTY

123 0.55 ANSI 124.1, UPC AcrylX™ - Lifetime Limited Center Drain

Solid Surface - 10 Year Limited

AVAILABILITY

MID / SOUTH NORTHEAST

Standard Not Available



G 6042 TO CD

60" × 41.625" × 25.25"

Enclosure: n/a

ISCONTINUED

FEATURES

FINISH PRODUCT **PIECES** STYLE AcrylX™ Soaking Tub 0ne Garden Tub

OPTIONS

AcrylX™ COLORS SOLID SURFACE COLORS ACCESSORIES

White, Bone, Biscuit Solids or Naturals Drain

TECHNICAL INFORMATION

WT LOAD FACTOR HANDED BY CODES WARRANTY AcrylX[™] - Lifetime Limited 115 0.55 Center Drain ANSI 124.1, UPC

Solid Surface - 10 Year Limited

AVAILABILITY

NORTHEAST MID / SOUTH

Standard Not Available



G 4260 TO

60" × 42" × 28"

Enclosure: n/a

FEATURES

FINISH **PRODUCT PIECES** STYLE AcrylX™ Soaking Tub 0ne Garden Tub

OPTIONS

WHIRLPOOL AcrylX™ COLORS SOLID SURFACE COLORS ACCESSORIES White, Bone, Biscuit Solids or Naturals Drain

TECHNICAL INFORMATION

WT LOAD FACTOR HANDED BY CODES WARRANTY 115 0.55 ANSI 124.1, UPC AcrylX™ - Lifetime Limited Drain L R Solid Surface - 10 Year Limited

AVAILABILITY

NORTHEAST MID / SOUTH Extended Lead Time Not Available



G GTNS RS TO

60" x 42" x 28.125"

Enclosure: n/a

FEATURES

FINISH **PRODUCT PIECES** STYLE AcrylX™ Soaking Tub Garden Tub with Removable Skirt 0ne

OPTIONS

AcrylX™ COLORS **SOLID SURFACE COLORS ACCESSORIES** White, Bone, Biscuit Solids or Naturals Drain

TECHNICAL INFORMATION

WT LOAD FACTOR HANDED BY CODES WARRANTY 127 0.55 Center Drain ANSI 124.1, UPC AcrylX™ - Lifetime Limited Solid Surface - 10 Year Limited

AVAILABILITY

NORTHEAST MID / SOUTH Extended Lead Time Standard



G GTNS LS

60" × 42" × 22.75"

Enclosure: n/a

FEATURES

FINISH **PRODUCT PIECES** STYLE AcrylX™ Soaking Tub One Garden Tub

OPTIONS

WHIRLPOOL AcrylX™ COLORS SOLID SURFACE COLORS ACCESSORIES White, Bone, Biscuit Solids or Naturals Drain

TECHNICAL INFORMATION

Drain L R

WT LOAD FACTOR HANDED BY CODES WARRANTY AcrylX[™] - Lifetime Limited 119 0.55 ANSI 124.1, UPC Center Drain,

AVAILABILITY

NORTHEAST MID / SOUTH Not Available Standard



G 6043 TO

60" × 43" × 28"

Enclosure: n/a

FEATURES

PIECES FINISH **PRODUCT** STYLE AcrylX™ Soaking Tub Garden Tub One

OPTIONS

WHIRLPOOL AcrylX™ COLORS **SOLID SURFACE COLORS ACCESSORIES** White, Bone, Biscuit Solids or Naturals Drain

TECHNICAL INFORMATION

WT LOAD FACTOR HANDED BY CODES WARRANTY 127 0.55 Center Drain ANSI 124.1, UPC AcrylX™ - Lifetime Limited

Solid Surface - 10 Year Limited

Solid Surface - 10 Year Limited

AVAILABILITY

NORTHEAST MID / SOUTH Not Available Standard



G 6042 CS TO

60" × 42.25" × 20.25"

Enclosure: n/a

FEATURES

FINISH **PRODUCT PIECES** STYLE AcrylX™ Soaking Tub One Garden Tub

OPTIONS

WHIRLPOOL AcrvIX™ COLORS SOLID SURFACE COLORS ACCESSORIES White, Bone, Biscuit Solids or Naturals Drain

TECHNICAL INFORMATION

WT LOAD FACTOR HANDED BY WARRANTY 0.55 Drain L R ANSI 124.1, UPC AcrylX™ - Lifetime Limited

Solid Surface - 10 Year Limited

AVAILABILITY

NORTHEAST MID / SOUTH Standard Not Available



G GT 36 TO

60" × 37.25" × 22"

Enclosure: n/a

FEATURES

FINISH **PRODUCT PIECES** STYLE Garden Tub AcrylX™ Soaking Tub One

OPTIONS

WHIRLPOOL AcrylX™ COLORS SOLID SURFACE COLORS ACCESSORIES White, Bone, Biscuit Solids or Naturals Drain

TECHNICAL INFORMATION

WT LOAD FACTOR HANDED BY CODES WARRANTY 95 0.5 ANSI 124.1, UPC AcrylX™ - Lifetime Limited Drain L R Solid Surface - 10 Year Limited

AVAILABILITY

MID / SOUTH NORTHEAST Not Available Standard



G 6036 CS TO

60" × 35.25" × 20.25"

Enclosure: n/a

FEATURES

PRODUCT FINISH **PIECES** STYLE AcrylX™ Soaking Tub One Garden Tub

OPTIONS

WHIRLPOOL AcrylX™ COLORS SOLID SURFACE COLORS ACCESSORIES White, Bone, Biscuit Solids or Naturals Drain

TECHNICAL INFORMATION

WT LOAD FACTOR HANDED BY CODES WARRANTY 95 0.55 ANSI 124.1, UPC AcrylX™ - Lifetime Limited Drain L R Solid Surface - 10 Year Limited

AVAILABILITY

MID / SOUTH NORTHEAST Not Available Standard



G 2406 TO

60" x 42" x 22.375"

Enclosure: n/a

FEATURES

FINISH **PRODUCT PIECES** STYLE AcrylX™ Soaking Tub Garden Tub One

OPTIONS

WHIRLPOOL AcrylX™ COLORS **SOLID SURFACE COLORS ACCESSORIES** White, Bone, Biscuit Solids or Naturals Drain

TECHNICAL INFORMATION

WT LOAD FACTOR HANDED BY CODES WARRANTY 105 0.5 Drain L R ANSI 124.1, UPC AcrylX™ - Lifetime Limited

Solid Surface - 10 Year Limited

AVAILABILITY

NORTHEAST MID / SOUTH Not Available Standard



G 6060 WS AP

60.25" × 60.25" × 25"

Enclosure: n/a

ISCONTINUED

FEATURES

FINISH **PRODUCT PIECES** STYLE

AcrylX™

Soaking Tub

One

Garden Tub with Step

OPTIONS

WHIRLPOOL AcrvIX™ COLORS SOLID SURFACE COLORS ACCESSORIES

White, Bone, Biscuit

Solids or Naturals

Drain

TECHNICAL INFORMATION

WT LOAD FACTOR HANDED BY WARRANTY

Center Drain ANSI 124.1, UPC AcrylX™ - Lifetime Limited

Solid Surface - 10 Year Limited

AVAILABILITY

NORTHEAST MID / SOUTH

Standard

Not Available



G 6060 AP

60" × 60" × 27.25"

Enclosure: n/a

FEATURES

FINISH **PRODUCT** Soaking Tub

PIECES One

STYLE

Garden Tub with Access Panel

OPTIONS

WHIRLPOOL AcrylX™ COLORS

SOLID SURFACE COLORS

ACCESSORIES

AcrylX™

White, Bone, Biscuit

Solids or Naturals

Drain

TECHNICAL INFORMATION

WT LOAD FACTOR HANDED BY CODES WARRANTY

160 0.68

Center Drain

ANSI 124.1, UPC

AcrylX™ - Lifetime Limited

Solid Surface - 10 Year Limited

AVAILABILITY

NORTHEAST MID / SOUTH

Not Available Standard



G 6060 RS

59.625" × 59.625" × 25.5"

Enclosure: n/a

FEATURES

FINISH **PRODUCT PIECES** STYLE

AcrylX™ Soaking Tub One Garden Tub with Removable Skirt

OPTIONS

WHIRLPOOL AcrylX™ COLORS SOLID SURFACE COLORS ACCESSORIES

White, Bone, Biscuit Solids or Naturals Drain

TECHNICAL INFORMATION

WT LOAD FACTOR HANDED BY CODES WARRANTY

AcrylX[™] - Lifetime Limited 150 1 ANSI 124.1, UPC Center Drain

Solid Surface - 10 Year Limited

AVAILABILITY

NORTHEAST MID / SOUTH

Not Available Standard



G 5454 AP TO

55" × 55" × 21"

Enclosure: n/a

FEATURES

PIECES FINISH **PRODUCT** STYLE

AcrylX™ Soaking Tub Garden Tub with Access Panel One

OPTIONS

WHIRLPOOL AcrylX™ COLORS **SOLID SURFACE COLORS ACCESSORIES**

White, Bone, Biscuit Solids or Naturals Drain

TECHNICAL INFORMATION

WT LOAD FACTOR HANDED BY CODES WARRANTY

143 0.68 Drain R only ANSI 124.1, UPC AcrylX™ - Lifetime Limited

Solid Surface - 10 Year Limited

AVAILABILITY

NORTHEAST MID / SOUTH

Not Available Standard



G 5454 TO

55" × 55" × 21"

Enclosure: n/a

FEATURES

FINISH **PRODUCT PIECES** STYLE AcrylX™ Garden Tub Soaking Tub One

OPTIONS

WHIRLPOOL AcrvIX™ COLORS SOLID SURFACE COLORS ACCESSORIES Drain

White, Bone, Biscuit Solids or Naturals

TECHNICAL INFORMATION

WT LOAD FACTOR HANDED BY WARRANTY

135 0.68 Drain R only ANSI 124.1, UPC

AcrylX™ - Lifetime Limited Solid Surface - 10 Year Limited

AVAILABILITY

NORTHEAST MID / SOUTH Standard

Not Available



G 5454 AP CD CS

55.25" × 55.25" × 23.25"

Enclosure: n/a

FEATURES

FINISH **PRODUCT PIECES** Garden Tub with Access Panel

AcrylX™ Soaking Tub One

OPTIONS

WHIRLPOOL AcrylX™ COLORS **SOLID SURFACE COLORS** ACCESSORIES

White, Bone, Biscuit Solids or Naturals Drain

TECHNICAL INFORMATION

WT LOAD FACTOR HANDED BY WARRANTY CODES

ANSI 124.1, UPC AcrylX™ - Lifetime Limited 138 0.68 Center Drain

Solid Surface - 10 Year Limited

AVAILABILITY

NORTHEAST MID / SOUTH

Not Available Standard



G 7224 TO C

72.25" × 41.75" × 24.625"

Enclosure: n/a

FEATURES

FINISH PRODUCT PIECES STYLE

AcrylX™ Soaking Tub One Garden Tub

OPTIONS

WHIRLPOOL AcrylX[™] COLORS SOLID SURFACE COLORS ACCESSORIES
Yes White, Bone, Biscuit Solids or Naturals Drain

TECHNICAL INFORMATION

WTLOAD FACTORHANDED BYCODESWARRANTY1510.55Center DrainANSI 124.1, UPCAcrylX™ - Lifetime Limited

Solid Surface - 10 Year Limited

AVAILABILITY

NORTHEAST MID / SOUTH
Not Available Standard



G 7224 TO LR

72.25" × 41.75" × 24.625"

Enclosure: n/a

FEATURES

FINISH PRODUCT PIECES STYLE

AcrylX™ Soaking Tub One Garden Tub

OPTIONS

WHIRLPOOL AcrylX™ COLORS SOLID SURFACE COLORS ACCESSORIES
Yes White, Bone, Biscuit Solids or Naturals Drain

TECHNICAL INFORMATION

WTLOAD FACTORHANDED BYCODESWARRANTY1510.55Drain L RANSI 124.1, UPCAcrylX™ - Lifetime Limited

Solid Surface - 10 Year Limited

AVAILABILITY

NORTHEAST MID / SOUTH
Not Available Standard



G 3572 TO BOW

72" x 35" x 27.5"

Enclosure: n/a

FEATURES

FINISH **PRODUCT PIECES** STYLE Garden Tub with Bow Front AcrylX™ Soaking Tub 0ne

OPTIONS

AcrvlX™ COLORS WHIRLPOOL SOLID SURFACE COLORS ACCESSORIES Drain

White, Bone, Biscuit Solids or Naturals

TECHNICAL INFORMATION

LOAD FACTOR HANDED BY CODES WARRANTY

Drain L R ANSI 124.1, UPC AcrylX™ - Lifetime Limited

Solid Surface - 10 Year Limited

AVAILABILITY

NORTHEAST MID / SOUTH

Standard Standard



G 3542 TO

Center Drain: 60" x 42" x 27.5"

Left or Right Drain: 60" x 42" x 27.875"

Enclosure: n/a

FEATURES

FINISH PRODUCT PIECES

Garden Tub with Bow Front AcrylX™ Soaking Tub One

OPTIONS

WHIRLPOOL AcrylX™ COLORS SOLID SURFACE COLORS ACCESSORIES

White, Bone, Biscuit Solids or Naturals Drain

TECHNICAL INFORMATION

WT LOAD FACTOR HANDED BY CODES WARRANTY

AcrylX™ - Lifetime Limited 100 0.55 Center Drain ANSI 124.1, UPC

Drain L R

Solid Surface - 10 Year Limited

AVAILABILITY

NORTHEAST MID / SOUTH

Standard Standard



G 6024 TO

59.875" × 41.75" × 24.625"

Enclosure: n/a

FEATURES

FINISH **PRODUCT PIECES** STYLE AcrylX™ Soaking Tub One Garden Tub

OPTIONS

WHIRLPOOL AcrylX™ COLORS SOLID SURFACE COLORS ACCESSORIES White, Bone, Biscuit Solids or Naturals Drain

TECHNICAL INFORMATION

WT LOAD FACTOR HANDED BY CODES WARRANTY 127 0.5 ANSI 124.1, UPC AcrylX™ - Lifetime Limited Center Drain Solid Surface - 10 Year Limited

AVAILABILITY

NORTHEAST MID / SOUTH Standard Extended Lead Time



G 6032 TO

60" x 32.5" x 22.5"

Enclosure: n/a

FEATURES

PIECES FINISH **PRODUCT** STYLE AcrylX™ Soaking Tub Garden Tub One

OPTIONS

WHIRLPOOL AcrylX™ COLORS **SOLID SURFACE COLORS ACCESSORIES** White, Bone, Biscuit Solids or Naturals Drain

TECHNICAL INFORMATION

WT LOAD FACTOR HANDED BY CODES WARRANTY Drain L R ANSI 124.1, UPC AcrylX™ - Lifetime Limited Solid Surface - 10 Year Limited

AVAILABILITY

NORTHEAST MID / SOUTH Not Available Standard



G 6030 TO CS

59.75" x 31.375" x 18.625"

Enclosure: n/a

FEATURES

FINISH **PRODUCT PIECES** STYLE AcrylX™ Soaking Tub 0ne Garden Tub

OPTIONS

WHIRLPOOL AcrvIX™ COLORS SOLID SURFACE COLORS ACCESSORIES Drain

White, Bone, Biscuit Solids or Naturals

TECHNICAL INFORMATION

WT LOAD FACTOR HANDED BY WARRANTY

0.55 Drain L R ANSI 124.1, UPC AcrylX™ - Lifetime Limited

Solid Surface - 10 Year Limited

AVAILABILITY

NORTHEAST MID / SOUTH

Standard Not Available



G 5441 TO

54.25" × 41.375" × 18"

Enclosure: n/a

FEATURES

FINISH **PRODUCT PIECES** STYLE

Garden Tub AcrylX™ Soaking Tub One

OPTIONS

WHIRLPOOL AcrylX™ COLORS SOLID SURFACE COLORS ACCESSORIES

White, Bone, Biscuit Solids or Naturals Drain

TECHNICAL INFORMATION

WT LOAD FACTOR HANDED BY CODES WARRANTY

0.55 AcrylX™ - Lifetime Limited Center Drain ANSI 124.1, UPC

Solid Surface - 10 Year Limited

AVAILABILITY

NORTHEAST MID / SOUTH

Extended Lead Time Standard



G 5432 TO

54" x 31.75" x 16.25"

Enclosure: n/a

FEATURES

FINISH PRODUCT PIECES STYLE

AcrylX™ Soaking Tub One Garden Tub

OPTIONS

WHIRLPOOL AcrylX™ COLORS SOLID SURFACE COLORS ACCESSORIES
Yes White, Bone, Biscuit Solids or Naturals Drain

TECHNICAL INFORMATION

 WT
 LOAD FACTOR
 HANDED BY
 CODES
 WARRANTY

 63
 0.55
 Drain L R
 ANSI 124.1, UPC
 AcrylX™ - Lifetime Limited

 Solid Surface - 10 Year Limited

AVAILABILITY

NORTHEAST MID / SOUTH
Standard Not Available



G 5427 TO

54" × 27.25" × 17.5"

Enclosure: n/a

FEATURES

FINISH PRODUCT PIECES STYLE

AcrylX™ Soaking Tub One Garden Tub

OPTIONS

WHIRLPOOL AcrylX™ COLORS SOLID SURFACE COLORS ACCESSORIES

Yes White, Bone, Biscuit Solids or Naturals Drain

TECHNICAL INFORMATION

WTLOAD FACTORHANDED BYCODESWARRANTY600.5Drain L RANSI 124.1, UPCAcrylX™ - Lifetime Limited
Solid Surface - 10 Year Limited

AVAILABILITY

NORTHEAST MID / SOUTH
Not Available Standard



G 6060 TO

59.5" × 59.5" × 23.125"

Enclosure: n/a

FEATURES

FINISH **PRODUCT PIECES** STYLE AcrylX™ Soaking Tub One Drop-In Tub

OPTIONS

WHIRLPOOL AcrvIX™ COLORS SOLID SURFACE COLORS ACCESSORIES Drain

White, Bone, Biscuit Solids or Naturals

TECHNICAL INFORMATION

WT LOAD FACTOR HANDED BY WARRANTY

Center Drain ANSI 124.1, UPC AcrylX™ - Lifetime Limited Solid Surface - 10 Year Limited

AVAILABILITY

NORTHEAST MID / SOUTH

Extended Lead Time Standard



G 4872 TO

71.75" × 47.75" × 23.5"

Enclosure: n/a

FEATURES

FINISH **PRODUCT PIECES** STYLE Drop-In Tub AcrylX™ Soaking Tub One

OPTIONS

WHIRLPOOL AcrylX™ COLORS SOLID SURFACE COLORS ACCESSORIES

White, Bone, Biscuit Solids or Naturals Drain

TECHNICAL INFORMATION

WT LOAD FACTOR HANDED BY CODES WARRANTY

151 0.71 ANSI 124.1, UPC AcrylX™ - Lifetime Limited Center Drain

Solid Surface - 10 Year Limited

AVAILABILITY

NORTHEAST MID / SOUTH

Extended Lead Time Standard



G 4272 OV TO

72" × 42" × 22.75"

Enclosure: n/a

FEATURES

FINISH PRODUCT PIECES STYLE

AcrylX™ Soaking Tub One Drop-In Tub

OPTIONS

WHIRLPOOL AcrylX[™] COLORS SOLID SURFACE COLORS ACCESSORIES
Yes White, Bone, Biscuit Solids or Naturals Drain

TECHNICAL INFORMATION

WT LOAD FACTOR HANDED BY CODES WARRANTY

135 0.71 Center Drain ANSI 124.1, UPC AcrylX™ - Lifetime Limited

Solid Surface - 10 Year Limited

AVAILABILITY

NORTHEAST MID / SOUTH

Extended Lead Time Standard



G 4272 TO

72" × 42" × 22.75"

Enclosure: n/a

FEATURES

FINISHPRODUCTPIECESSTYLEAcrylX™Soaking TubOneDrop-In Tub

OPTIONS

WHIRLPOOL AcrylX™ COLORS SOLID SURFACE COLORS ACCESSORIES

s White, Bone, Biscuit Solids or Naturals Drain

TECHNICAL INFORMATION

WT LOAD FACTOR HANDED BY CODES WARRANTY

135 0.71 End Drain ANSI 124.1, UPC AcrylX™ - Lifetime Limited

Solid Surface - 10 Year Limited

AVAILABILITY

NORTHEAST MID / SOUTH

Extended Lead Time Standard



G 4264 TO

63.75" x 41.5" x 20.75"

Enclosure: n/a

FEATURES

FINISH **PRODUCT PIECES** STYLE AcrylX™ Soaking Tub One Drop-In Tub

OPTIONS

WHIRLPOOL AcrvIX™ COLORS SOLID SURFACE COLORS ACCESSORIES

White, Bone, Biscuit Solids or Naturals Drain

TECHNICAL INFORMATION

WT LOAD FACTOR HANDED BY

End Drain ANSI 124.1, UPC

WARRANTY AcrylX™ - Lifetime Limited

Solid Surface - 10 Year Limited

AVAILABILITY

NORTHEAST MID / SOUTH

Extended Lead Time Standard



G 4260 OV TO

59.125" × 41.75" × 22.5"

Enclosure: n/a

FEATURES

FINISH **PRODUCT PIECES** STYLE Drop-In Tub AcrylX™ Soaking Tub One

OPTIONS

WHIRLPOOL AcrylX™ COLORS SOLID SURFACE COLORS ACCESSORIES

White, Bone, Biscuit Solids or Naturals Drain

TECHNICAL INFORMATION

WT LOAD FACTOR HANDED BY CODES WARRANTY

107 0.57 End Drain ANSI 124.1, UPC AcrylX™ - Lifetime Limited

Solid Surface - 10 Year Limited

AVAILABILITY

MID / SOUTH NORTHEAST

Extended Lead Time Standard



G 4260 TO

59.75" × 41.75" × 21.75"

Enclosure: n/a

FEATURES

FINISHPRODUCTPIECESSTYLEAcrylX™Soaking TubOneDrop-In Tub

OPTIONS

WHIRLPOOL AcrylX™ COLORS SOLID SURFACE COLORS ACCESSORIES
Yes White, Bone, Biscuit Solids or Naturals Drain

TECHNICAL INFORMATION

WTLOAD FACTORHANDED BYCODESWARRANTY1070.57End DrainANSI 124.1, UPCAcrylX™ - Lifetime Limited

Solid Surface - 10 Year Limited

AVAILABILITY

NORTHEAST MID / SOUTH
Extended Lead Time Standard



G 3672 TO

72" × 36" × 23.5"

Enclosure: n/a

FEATURES

FINISHPRODUCTPIECESSTYLEAcrylX™Soaking TubOneDrop-In Tub

OPTIONS

WHIRLPOOL AcrylX™ COLORS SOLID SURFACE COLORS ACCESSORIES
Yes White, Bone, Biscuit Solids or Naturals Drain

TECHNICAL INFORMATION

WTLOAD FACTORHANDED BYCODESWARRANTY1510.71Center DrainANSI 124.1, UPCAcrylX™ - Lifetime Limited

Solid Surface - 10 Year Limited

AVAILABILITY

NORTHEAST MID / SOUTH
Extended Lead Time Standard



G 3660 TO

60" × 36" × 23.5"

Enclosure: n/a

FEATURES

FINISH PRODUCT PIECES STYLE AcrylX™ Soaking Tub Drop-In Tub 0ne

OPTIONS

WHIRLPOOL AcrylX™ COLORS SOLID SURFACE COLORS ACCESSORIES

White, Bone, Biscuit Solids or Naturals Drain

TECHNICAL INFORMATION

WT LOAD FACTOR HANDED BY WARRANTY

AcrylX™ - Lifetime Limited 111 0.68 **End Drain** ANSI 124.1, UPC

Solid Surface - 10 Year Limited

AVAILABILITY

NORTHEAST MID / SOUTH

Extended Lead Time Standard

WARRANTY:

Praxis Companies, LLC warrants to the original purchaser only that its product is free from defects in material or workmanship. Praxis Companies, LLC offers a lifetime limited warranty on all AcrylX™ models; a five (5) year limited warranty on all acrylic models; and a ten (10) year limited warranty on all CenturyStone™ models, from the date of purchase. Whirlpool systems and all accessories and hardware carry a one year limited warranty.

If the product shall prove to have material defects, manufacturing defects or other labor defects, during the warranty period, it shall be repaired or replaced at the discretion of the warranty department of Praxis Companies, LLC.

LIMIT OF LIABILITY:

The Praxis Companies, LLC's sole and exclusive liability hereunder shall be to repair or replace goods or parts there of found to be defective within the warranty period. In no event shall The Praxis Companies, LLC be liable to purchaser for incidental or consequential damages whether in contract, tort, or otherwise, including but not limited to damage related to loss of profits or revenue, loss of use of goods or any associated equipment, cost of substitute goods, downtime costs, or other damages to purchaser or its customers.

WARRANTY CLAIM:

To file a warranty claim you must fill out a Praxis Product warranty claim request and submit it to Praxis Companies, LLC for approval. Upon approval a work order will be issued for that warranty claim and the unit will be repaired or replaced with a product of equal value at the manufacturers' option. Should the claim be deemed nonwarranty, an applicable service fee will be applied by the service technician.

WARRANTY EXCEPTIONS:

- 1. This warranty shall not apply to incorrect operating procedures, breakage or damage caused by neglect, improper maintenance, abuse, misuse, or alteration or modification to the unit by the buyer or anyone representing the buyer. It will not cover chemical corrosion, natural corrosion, fire or any act by the force of nature.
- 2. The buyer of this product is fully responsible for the proper installation of this unit. The Praxis Companies, LLC will not be held responsible for any damages resulting from improper installation.
- 3. This warranty does not apply to products or equipment not installed or operated in accordance with the instructions supplied by Praxis Companies, LLC and in accordance with all applicable rules, regulations and legislation pertaining to such installation.
- 4. The Praxis Companies, LLC is not liable for personal injuries to or the death of any person or for any direct, special, incidental or consequential damages, loss of time, loss of profits, inconvenience, incidental expenses, labor or material charges, or any other costs resulting from the use of the product or equipment or pertaining to the application of the present warranty, or resulting from the removal or replacement of any product or element or part covered by this warranty.
- 5. All warranty work will be implemented at the discretion of the Praxis Companies, LLC Warranty Department upon the summation and evaluation of the circumstance involving the product in question.
- 6. There are no other expressed warranties. Implied warranties, including those of merchantability and fitness for purpose are limited to the warranty period. Any and all implied warranties are excluded and/or limited to the extent permitted under the laws of the state where the product is installed.

- 7. Praxis Companies, LLC shall not be responsible for reasonable variations in CenturyStone™ Solid Surface natural colors, as each is a custom production. Also, there may be slight differences in the color of material delivered in relation to the sample shown or provided to the purchaser. The purchaser cannot use such differences to obtain a price discount or to justify the cancellation of the order.
- 8. Praxis Companies, LLC is not liable for any costs, damages, or claims incurred for products purchased that will not fit through openings, or existing structures. Praxis is not liable for any costs, damages or claims resulting from defects that could have been discovered, repaired or avoided by inspection and testing prior to installation.
- 9. All whirlpools are water tested in the factory to ensure proper installation of all fittings and piping. Before "closing in" a whirlpool installation, water test the unit to ensure fittings and connections have not been violated during transportation or installation. Additionally, an access area must be allowed at the pump end of whirlpools for future access needs.

WARRANTY LIMITATIONS:

The owner/end-user of the product covered by the present warranty is entirely responsible for its proper installation and electrical wiring. Praxis Companies, LLC neither installs nor supervises the installation nor contracts therefore and consequently cannot be held responsible for any default, breakage or damages caused hereby or resulting thereof, directly or indirectly. The owner/end-user must provide an access to components of the product as described in the installation guide in order for Praxis Companies, LLC to provide for warranty specified herein. If such an access is not available, all expenses to provide one will be the responsibility of the owner end-user.

RETURNED GOODS:

Goods for return must be authorized in advance by The Praxis Companies, LLC and must be returned within (30) days of authorization, shipping freight prepaid. Returned goods are subject to a 50% re-stocking charge plus cost of return freight. The Praxis Companies, LLC will assign an RGA number to the unit which must be placed on the outside of the carton to be returned. NO RETURNS WILL BE ACCEPTED WITHOUT THIS NUMBER. Credit for goods returned under an RGA will be issued after all units are inspected at the factory and deemed to be in saleable condition. No credit will be issued on units deemed un-saleable. Product returned with additional damage not noted on the RGA will be repaired and the labor will be deducted from the credit amount. COMMERCIAL PRODUCT, SPECIAL ORDER AND NON-STANDARD COLOR PRODUCTS CANNOT BE RETURNED FOR ANY REASON. NO PRODUCT CAN BE RETURNED AFTER EIGHT WEEKS FROM SHIP DATE.

FREIGHT DAMAGE CLAIM:

Praxis Companies, LLC bath products are made and inspected by experienced production personnel. Manufacturer's responsibility for product during shipment ceases upon delivery of these goods and the acceptance of these goods by the customer. If shipping damage is detected upon arrival of the goods, the customer must note the bill of lading to that affect. After acceptance of goods by customer, warranty period begins.

All authorization of returned product will be at the discretion of the Praxis Warranty Department.



hnish selection hamilton bathware

AcrylX™ OR SOLID SURFACE

white

biscuit

bone

 ${\tt SUPERIOR} \ {\tt FINISH-AcrylX^{\it m}} \ {\tt AcrylX} \ {\tt has} \ {\tt a} \ {\tt visibly} \ {\tt true}$ white, deep lustrous finish that can only be achieved with an acrylic surface. Whether in a warehouse or a new house, an AcrylX product will resist scratching, cracking and chipping and will maintain a "factory-new" finish over its lifetime. AcrylX's™ UV properties resist fading, low porosity helps maintain luster and make cleaning easier, and other natural properties make it less susceptible to chemicals. AcrylX[™] bathware- stronger, brighter white- is covered by an unprecedinted lifetime, limited warranty.

CenturyStone $^{\mathsf{TM}}$ SOLID SURFACE is patented, solid surface technology that creates a strong, long lasting, seamless, non-porous, solid surface product. Perfect for healthcare, hospitality and up-scale residential applications. Aquarius solid surface bathware is covered by a ten year, limited warranty.

















Color samples are representative only. Printing may cause some variations to the color. To purchase color chip samples please contact customer service. Non-standard colors may be found on our websites or requested by contacting customer service. As in all batch manufacturing, slight variations may occur.

SOLID SURFACE





Customer Service: 800.443.7269

Fax: 731.925.4290

435 Industrial Road | Savannah, TN | 38372

www.praxiscompanies.com