

AMETYS 3260 AFR

59 3/4" x 31 5/8" x 23 1/4" Bathtub



OPTIONS

COLOR(S)	CONFIGURATION(S)	SIZE(S)	SYSTEM(S)
White	End Drain	60 x 32	Activ-Air
		66 x 36	Mass-Air
			Mass-Air & Activ-Air
			Soaker - no system



FEATURES

- Acrylic surface resistant to stains and discoloration
- Available in end drain configuration to fit your specific bathroom layout
- Above-the-floor rough (AFR) so pipes can be routed without breaking ground or relocating the drain
- Comes with leveling legs for ease of installation
- Integrated armrests available for a relaxing bathing experience

ATTRIBUTES

- Installation Type : Freestanding
- Above-the-Floor Rough : Yes
- Material : Acrylic
- Residential Warranty : 25
- Commercial Warranty : 1 Year






Produits Neptune

AMETYS 3260 AFR


WITH OR WITHOUT ARMRESTS

Bathtub

Without armrests



With armrests



*All dimensions are approximate and subject to change without notice.
Please refer to the installation guide before beginning the installation


produitsneptune.com

08-2017

DIMENSIONS


PRODUCT LENGTH	BATHING WELL LENGTH	PRODUCT WIDTH	BATHING WELL WIDTH	PRODUCT HEIGHT
59 3/4"	41 3/4"	31 5/8"	21 3/4"	23 1/4"
DEEP SUMP HEIGHT	THRESHOLD WIDTH	DECK WIDTH	WEIGHT	DRAIN SIZE
16 1/4"	4"	4"	110 Lbs	2"
DRAIN CLEARANCE	SHIPPING LENGTH	SHIPPING WIDTH	SHIPPING HEIGHT	
3"	61"	33 1/2"	27"	

SYSTEMS




Mass-Air

Included: 16 (11-5) injectors, Optima blower 750W (1 1/2 h.p.) with 300W heating element, 6' blower hose extension and backlit electronic control.



Mass-Air/Activ-Air Combo

Included: 43 Activ-Air micro-jets, 11 Mass-Air injectors, two Optima blowers 750W (1 1/2h.p.) with 300W heating element, two 6' blower hose extensions and backlit electronic control.



Activ-Air

Included: 43 micro-jets, Optima blower 750W (1 1/2h.p.) with 300W heating element, 6' blower hose extension and backlit electronic control.

Project:

Contractor:

Representative:

Date:

Tel:

Notes: