

LEMANS 3060 IFS AFR

59 3/4" x 30" x 20 5/8" Bathtub



OPTIONS

COLOR(S)	CONFIGURATION(S)	SIZE(S)	SYSTEM(S)
White	Left Drain	60 x 30	Activ-Air
	Right Drain	60 x 32	Mass-Air
			Soaker - no system

FEATURES

- Above-the-floor rough (AFR) so pipes can be routed without breaking ground or relocating the drain
- Alcove installation
- Made of thermoformed cast Acrylic for improved durability
- Adjustable feet ensuring a solid and secure installation on various types of floor surfaces
- Accommodates both left and right configurations, offering flexibility in placement to suit various bathroom layouts and preferences


ATTRIBUTES

- Installation Type : Alcove
- Above-the-Floor Rough : Yes
- Material : Acrylic
- Residential Warranty : 25
- Commercial Warranty : 1 Year






Lemans 3060 BJD



Ajustable feet
Above-the-floor rough (AFR)
*All dimensions are approximate and subject to change without notice
Please refer to the installation guide before beginning the installation


DIMENSIONS

PRODUCT LENGTH	BATHING WELL LENGTH	PRODUCT WIDTH	BATHING WELL WIDTH	PRODUCT HEIGHT
59 3/4"	53 9/16"	30"	23 11/16"	20 5/8"
DEEP SUMP HEIGHT	DECK WIDTH	SKIRT HEIGHT	WEIGHT	
17 3/4"	3 3/16"	21 1/2"	64 Lbs	



Air

Included: 12 micro-jets, 750W (1 1/2h.p.) Optima blower, with 300W heating element, 72" blower hose extension, and remote control.



Mass-Air

Included: 12 injectors, 750W (1 1/2h.p.) Optima blower, with 300W heating element, 72" blower hose extension, and remote control.

Project:

Contractor:

Representative:

Date:

Tel:

Notes: