

NICE F1 3266 AFR

66 1/2" x 31 7/8" x 23 1/4" Bathtub



OPTIONS

COLOR(S)	CONFIGURATION(S)	SIZE(S)	SYSTEM(S)
White	Center Drain	66 x 32	Activ-Air Mass-Air Soaker - no system


FEATURES

- Acrylic surface resistant to stains and discoloration
- High-gloss finish adds luxurious look to your bathroom
- 1-piece construction for easy installation
- Freestanding bathtub that allows more flexibility
- Available in center drain configuration
- Above-the-floor rough (AFR) so pipes can be routed without breaking ground or relocating the drain
- Comes with leveling legs for ease of installation
- Integrated linear overflow and drain kit included in chrome finish for an efficient installation
- Warranty: 10 years

ATTRIBUTES




- Installation Type : Freestanding
- Above-the-Floor Rough : Yes
- Material : Acrylic
- Residential Warranty : 25
- Commercial Warranty : 1 Year





Nice F1 3266

Bathtub




Ajustable feet
Above-the-floor rough (AFR)

*All dimensions are approximate and subject to change without notice
Please refer to the installation guide before beginning the installation

DIMENSIONS


PRODUCT LENGTH	BATHING WELL LENGTH	PRODUCT WIDTH	BATHING WELL WIDTH	PRODUCT HEIGHT
66 1/2"	44 3/4"	31 7/8"	19.325"	23 1/4"
DEEP SUMP HEIGHT	THRESHOLD WIDTH	WEIGHT	DRAIN SIZE	SHIPPING LENGTH
15 1/4"	1 3/8"	101.41 Lbs	2"	68"
SHIPPING WIDTH	SHIPPING HEIGHT			
34"	24"			

SYSTEMS



Mass-Air

Included: 12 injectors, 750W (1 1/2h.p.) Optima blower, with 300W heating element, 72" blower hose extension, and remote control.



Air

Included: 12 micro-jets, 750W (1 1/2h.p.) Optima blower, with 300W heating element, 72" blower hose extension, and remote control.

Project:

Contractor:

Representative:

Date:

Tel:

Notes: