

PIA 3060 IFS AFR ALCOVE

60 3/8" x 29 7/8" x 19 3/4" Bathtub



OPTIONS

COLOR(S)	CONFIGURATION(S)	SIZE(S)	SYSTEM(S)
White	Left Drain	60 x 30	Activ-Air
	Right Drain	60 x 32	Soaker - no system
		60 x 36	Whirlpool
		72 x 32	Whirlpool & Activ-Air
		72 x 36	




FEATURES

- Acrylic surface resistant to stains
- Alcove installation
- Leveling legs for an easy installation
- Above-the-floor rough (AFR) so pipes can be routed without breaking ground or relocating the drain
- Tiling Flange and 19.5 in. skirt integrated to the bathtub
- Available in left-hand or right-hand drain configuration
- Thermoformed acrylic reinforced with fiberglass for a durable bathtub
- Available systems: Whirlpool Bathtub, Activ-Air bathtub and Whirlpool and Activ-Air combo
- Standard round drain

ATTRIBUTES

- Installation Type : Alcove
- Above-the-Floor Rough : Yes
- Material : Acrylic
- Residential Warranty : 25
- Commercial Warranty : 1 Year



60 3/8" x 29 7/8" x 19 3/4" Bathtub


**Wood support design may vary.
All dimensions are approximate.
Structure measurements must be verified
against the unit to ensure proper fit.**



TECHNICAL SPECIFICATIONS

60 3/8" x 29 7/8" x 19 3/4" Bathtub

DIMENSIONS

PRODUCT LENGTH	BATHING WELL LENGTH	PRODUCT WIDTH	BATHING WELL WIDTH	PRODUCT HEIGHT
60 3/8"	45 1/4"	29 7/8"	21"	19 3/4"
DEEP SUMP HEIGHT	DECK WIDTH	SKIRT HEIGHT	WEIGHT	DRAIN SIZE
12 1/4"	3"	19 3/4"	57 Lbs	2"
DRAIN CLEARANCE	SHIPPING LENGTH	SHIPPING WIDTH	SHIPPING HEIGHT	
3"	61"	33 1/2"	22 1/2"	

Project:

Contractor:

Representative:

Date:

Tel:

Notes: