

PRAGUE F1 3260 AFR

59 1/8" x 31 1/2" x 23" Bathtub



OPTIONS

COLOR(S)	CONFIGURATION(S)	SIZE(S)	SYSTEM(S)
White	Center Drain	60 x 32	Activ-Air
		66 x 32	Mass-Air
			Soaker - no system


FEATURES

- Acrylic surface resistant to stains and discoloration
- 1-piece construction for easy installation
- Freestanding bathtub that allows more flexibility
- Available in center drain configuration
- Above-the-floor rough (AFR) so pipes can be routed without breaking ground or relocating the drain
- Comes with leveling legs for ease of installation
- Integrated linear overflow and drain kit included in chrome finish for an efficient installation
- Water Capacity: 68 Imperial Gallons
- Warranty: 10 years

ATTRIBUTES




- Installation Type : Freestanding
- Above-the-Floor Rough : Yes
- Material : Acrylic
- Residential Warranty : 25
- Commercial Warranty : 1 Year





Prague F1 3260

Bathtub



Ajustable feet


Above-the-floor rough (AFR)

*All dimensions are approximate and subject to change without notice
Please refer to the installation guide before beginning the installation

DIMENSIONS


PRODUCT LENGTH	BATHING WELL LENGTH	PRODUCT WIDTH	BATHING WELL WIDTH	PRODUCT HEIGHT
59 1/8"	39 1/2"	31 1/2"	18 1/2"	23"
DEEP SUMP HEIGHT	THRESHOLD WIDTH	WEIGHT	DRAIN SIZE	SHIPPING LENGTH
14 3/4"	1 3/8"	119.05 Lbs	2"	60"
SHIPPING WIDTH	SHIPPING HEIGHT			
33"	25"			

SYSTEMS



Air

Included: 12 micro-jets, 750W (1 1/2h.p.) Optima blower, with 300W heating element, 72" blower hose extension, and remote control.



Mass-Air

Included: 12 injectors, 750W (1 1/2h.p.) Optima blower, with 300W heating element, 72" blower hose extension, and remote control.

Project:

Contractor:

Representative:

Date:

Tel:

Notes: