

VP6036CTS2

60 x 36 x 79



PROFESSIONAL

FEATURES

- Modern, matte finish
- Smooth, 4-piece kit
- Easy Wedge & Lock installation
- Caulkless installation
- Integral soap shelves
- Meets FHA Code Compliant Requirement 6 for Backing
- Available in White only
- 15 Year residential limited warranty

COMPONENTS OF KIT

Standard

- VP6036CTL (Tub) or VP6036CTR (Tub)
- VP6062CBW2 (Back Wall)
- VP2962CSW (Side Walls)

FHA Code Compliant

- VP6036CTL (Tub) or VP6036CTR (Tub)
- VP6062CBW2A (Back Wall)
- VP2962CSWA (Side Walls)

VERITEK PRO

Lightweight and durable, Veritek™ Pro is produced with Swan Solid Surface, a proprietary SMC compound.

Veritek™ Pro is the better bathroom solution and is a snap to install!

Available in the Following Offerings:

| Depth | Width | Height Standard | Height AFR | Model Number | | | |
|-------|-------|-----------------|------------|---------------|----------------|----------------|-----------------|
| | | | | Standard | FHA | AFR | FHA & AFR |
| 36 | 60 | 79 | 82 | VP6036CTS2L/R | VP6036CTS2AL/R | VP6036CTSM2L/R | VP6036CTSM2AL/R |


- Standard: Base model shower, tub, or tub shower offering
- FHA Code Compliant Requirement 6 for Backing (FHA): Backing is included for future grab bar installation
- Above Floor Rough (AFR): Clearance for drain placement, eliminating the need for drain relocation
- FHA Code Compliant (FHA) & Above Floor Rough (AFR): A combination kit for FHA & AFR

PACKAGED DIMENSIONS

- Tub: 63 x 40 ½ x 21
- Back Wall: 65 x 61 ½ x 8 ½
- Side Wall Set: 64 ¼ x 32 ½ x 5



VP6036CTS2

 60 x 36 x 79
inches


FEATURES Dimensional Tolerance $\pm 3/8"$. Dimensions needed for site preparation should be measured from the unit. Manufacturer assumes no responsibility for preparatory work.


| Type | Model # | Material | Height | Drain | Net Wt. lbs | Pkg. Wt. lbs |
|---------------------|----------------|--------------------|--------|----------|-------------|--------------|
| Standard Tub-Shower | VP6036CTS2L/R | Swan Solid Surface | 79 | LH or RH | 158 | 173 |
| FHA Tub-Shower | VP6036CTS2AL/R | Swan Solid Surface | 79 | LH or RH | 188 | 203 |

DIMENSIONS

| Specifications | inches |
|--|-------------|
| Width: Overall / Net | 60 |
| Depth: Overall / Net | 37 1/4 / 36 |
| Height: Overall / Net | 80 3/8 / 79 |
| Enclosure Opening | 56 |
| Skirt Height | 18 |
| Drain Rough-In (from Back Wall) | 17 3/8 |
| Drain Rough-In (from Side Wall) | 2 |
| Drain: Diameter / Clearance | 2 / 1/2 |

FRAMING DIMENSIONS

| Type | D Depth | W Width | H Height | A | B | C |
|--------|---------|---------|----------|---------|---|--------|
| Alcove | 37 1/4 | 60 | 80 3/8 | Box Out | 2 | 17 3/8 |




SUMP DATA

| Top of Drain to Bottom of Overflow | Capacity to Overflow gal | WIDTH @ centerline | | DEPTH @ centerline | |
|------------------------------------|--------------------------|--------------------|--------|--------------------|--------|
| | | Top | Bottom | Top | Bottom |
| 12 3/8 | 52 | 50 1/2 | 42 5/8 | 27 3/8 | 22 3/8 |



VP6036CTS2

 60 x 36 x 79
inches

 Backer Board

Applicable Standard Models

VP6030CTS2L/R
 VP6030CTSM2L/R
 VP6030CTSMIN2L/R
 VP6030CTSM2L/R
 VP6032CTSMIN2L/R
 VP6032CTSM2L/R
 VP6036CTS2L/R
 VP6036CTSM2L/R
 VP6042CTS2L/R
 VP6042CTSM2L/R

Applicable AFR Models

VP6030CTS2AL/R
 VP6030CTSM2AL/R
 VP6030CTSM2AL/R
 VP6030CTSMN2AL/R
 VP6032CTSM2AL/R
 VP6032CTSMN2AL/R
 VP6036CTS2AL/R
 VP6036CTSM2AL/R
 VP6042CTS2AL/R
 VP6042CTSM2AL/R