# POSE

65 3/4” x 31 5/8” x 23 1/2” Bathtub



## OPTIONS

| SYSTEM | CONFIGURATION | COLOR |
|---|---|---|
| Aeroeffect | Left | White |
| Combined Whirlpool/Aeroeffect (CAD) | Right | |
| Soaker - no system | | |
| Whirlpool (CAD) | | |

## FEATURES

- Rectangular shape bathtub with choices of two deck heights (3/8 or 2 in.) Please specify when ordering.
- Integrated flange (IF) for corner installation
- Textured floor
- Ample deck space for faucet installation


## ATTRIBUTES


- Installation Type : Corner
- Above-the-Floor Rough : No
- Material : Acrylic
- Residential Warranty : 25 Years

MAAX®


# DRAWING

65 3/4” x 31 5/8” x 23 1/2” Bathtub





WHIRLPOOL SYSTEM




AIR SYSTEM



( P ) : Indicates optional grab bar positioning
( ▲ ) : Indicates whirlpool jets positioning
( △ ) : Indicates suction positioning
( ● ) : Indicate airjets positioning
( ) : Indicates chromatherapy light positioning

| | DROP IN 2" | DROP IN 3/8" | ALCOVE / CORNER |
|---|---|---|---|
| X | 66 1/4" | 66" | 65 3/4" |
| Y | 31 3/4" | 31 5/8" | 31 5/8" |

APRON (alcove version only)




Technical drawing is universal for all 6632 configurations.
External dimension (X,Y) vary depending on configuration (see chart)

Wood support design may vary.
Integrated tiling flange: 1" height X 1/4" thickness (not shown)
Tiling flange position is determined by chosen configuration.

All dimensions are approximate.
Structure measurement must be verified against the unit to ensure proper fit.

# TECHNICAL SPECIFICATIONS

MAAX®

65 3/4” x 31 5/8” x 23 1/2” Bathtub

## DIMENSIONS

| PRODUCT LENGTH | BATHING WELL LENGTH | PRODUCT WIDTH | BATHING WELL WIDTH | PRODUCT HEIGHT |
|---|---|---|---|---|
| 65 3/4” | 57” | 31 5/8” | 23 3/8” | 23 1/2” |
| **DEEP SUMP HEIGHT** | **DECK WIDTH** | **WEIGHT** | **MAX IMPERIAL GAL** | **SHIPPING WIDTH** |
| 20” | 3 3/8” | 67 Lbs | 60 Gal | 28” |

Project:

Contractor:

Representative:

Date:

Tel:

Notes: