POSE

59 7/8” x 31 3/4” x 23 5/8” Bathtub



OPTIONS

SYSTEM	COLOR	CONFIGURATION
Aeroeffect	White	End
Combined Whirlpool/Aeroeffect (CAD)		
Product Pack		
Soaker - no system		
Whirlpool (CAD)		

FEATURES

- Rectangular shape bathtub with choices of two deck heights (3/8 or 2 in.) Please specify when ordering
- Drop-in or undermount 10 installation; model also available with integrated flange (IF) for alcove installation
- Textured floor


ATTRIBUTES


- Installation Type : Drop-In
- Above-the-Floor Rough : No
- Material : Acrylic
- Residential Warranty : 25 Years

MAAX®


DRAWING

59 7/8” x 31 3/4” x 23 5/8” Bathtub






WHIRLPOOL SYSTEM




AIR SYSTEM



: Indicates optional grab bar positioning
(▲) : Indicates whirlpool jets positioning
(△) : Indicates suction positioning
(●) : Indicates airjets positioning
( ) : Indicates chromatherapy light positioning

	DROP IN 2"	DROP IN 3/8"	ALCOVE / CORNER
X	59 7/8"	59 3/4"	59 5/8"
Y	31 3/4"	31 5/8"	31 5/8"

APRON (alcove version only)



Technical drawing is universal for all 6032 configurations.
External dimension (X,Y) vary depending on configuration (see chart)

Wood support design may vary.
Integrated tiling flange: 1" height X 1/4" thickness (not shown)
Tiling flange position is determined by chosen configuration.

All dimensions are approximate.
Structure measurement must be verified against the unit to ensure proper fit.

MAAX®

TECHNICAL SPECIFICATIONS

59 7/8” x 31 3/4” x 23 5/8” Bathtub

DIMENSIONS

PRODUCT LENGTH	BATHING WELL LENGTH	PRODUCT WIDTH	BATHING WELL WIDTH	PRODUCT HEIGHT
59 7/8”	51 1/8”	31 3/4”	23 5/8”	23 5/8”
DEEP SUMP HEIGHT	**DECK WIDTH**	**WEIGHT**	**MAX IMPERIAL GAL**	**SHIPPING WIDTH**
20”	4”	61 Lbs	53 Gal	25 3/4”

Project:

Contractor:

Representative:

Date:

Tel:

Notes: