POSE

66 1/4” x 35 3/4” x 23 5/8” Bathtub



OPTIONS

SYSTEM	COLOR	CONFIGURATION
Aeroeffect	White	End
Combined Whirlpool/Aeroeffect (CAD)		
Product Pack		
Soaker - no system		
Whirlpool (CAD)		

FEATURES

- Rectangular shape bathtub with choices of two deck heights (3/8 or 2 in.) Please specify when ordering
- Drop-in or undermount 10 installation; model also available with integrated flange (IF) for alcove installation
- Textured floor


ATTRIBUTES


- Installation Type : Drop-In
- Above-the-Floor Rough : No
- Material : Acrylic
- Residential Warranty : Lifetime

MAAX®

DRAWING


66 1/4” x 35 3/4” x 23 5/8” Bathtub






Technical drawing is universal for all 6636 configurations.
External dimension (X,Y) vary depending on configuration (see chart)

WHIRLPOOL SYSTEM




AIR SYSTEM



: Indicates optional grab bar positioning
(▲) : Indicates whirlpool jets positioning
(△) : Indicates suction positioning
(●) : Indicates airjets positioning
( ) : Indicates chromatherapy light positioning

	DROP IN 2"	DROP IN 3/8"	ALCOVE / CORNER
X	66 1/4"	66"	65 3/4"
Y	35 3/4"	35 5/8"	35 5/8"

APRON (alcove version only)



Wood support design may vary.
Integrated tiling flange: 1" height X 1/4" thickness (not shown)
Tiling flange position is determined by chosen configuration.

All dimensions are approximate.
Structure measurement must be verified against the unit to ensure proper fit.

MAAX®

TECHNICAL SPECIFICATIONS

66 1/4” x 35 3/4” x 23 5/8” Bathtub

DIMENSIONS

PRODUCT LENGTH	BATHING WELL LENGTH	PRODUCT WIDTH	BATHING WELL WIDTH	PRODUCT HEIGHT
66 1/4”	57”	35 3/4”	27 3/8”	23 5/8”
DEEP SUMP HEIGHT	**DECK WIDTH**	**WEIGHT**	**MAX IMPERIAL GAL**	**SHIPPING WIDTH**
19 3/4”	3 3/8”	75 Lbs	71 Gal	28”

Project:

Contractor:

Representative:

Date:

Tel:

Notes: