


ZEN

65 3/4" x 34" x 22" Bathtub



OPTIONS

SIZE	SYSTEM	DRAIN POSITION		COLOR
60" X 30"	ACTIV-AIR	CENTER	NO	WHITE
60" X 32"	MASS-AIR	END	YES	
66" X 32"	MASS-AIR & ACTIV-AIR			
66" X 34"	NO SYSTEM			
66" X 36"	WHIRLPOOL			
72" X 32"	WHIRLPOOL & ACTIV-AIR			
72" X 36"	WHIRLPOOL & MASS-AIR			
72" X 42"	WHIRLPOOL & MASS-AIR & ACTIV-AIR			

FEATURES

- High gloss finish is resistant to dulling, scratching and fading
- Standard round drain
- Thermoformed acrylic reinforced with fiber glass for a durable bathtub
- Drop-In installation


ATTRIBUTES

- Installation Type : Drop-In
- Above-the-Floor Rough : No
- Material : Acrylic
- Number of Pieces : One
- Residential Warranty : 25 Years



DRAWING

65 3/4" x 34" x 22" Bathtub




All dimensions are approximate. Structure measurements must be verified against the unit to ensure proper fit.

DIMENSIONS


PRODUCT LENGTH	BATHING WELL LENGTH	PRODUCT WIDTH	BATHING WELL WIDTH	PRODUCT HEIGHT
65 3/4"	47 1/2"	34"	23 1/2"	22"
DEEP SUMP HEIGHT	DECK WIDTH	WEIGHT	SHIPPING LENGTH	SHIPPING WIDTH
15 3/4"	4 1/4"	66 Lbs	67"	37"
SHIPPING HEIGHT				
24"				

SYSTEMS




Active-Air/Mass-Air/Whirlpool Combo

Included: 6 square turbo jets, 5 square micro-rotating back jets, 42 Active-Air micro jets, 11 Mass-Air injectors, 13 A pump, two Optima blowers 750W (1 1/2h.p.) with 300W heating element, diverter valve and backlit electronic control.



Mass-Air/Active-Air Combo

Included: 48 Active-Air micro-jets, 11 Mass-Air injectors, two Optima blowers 750W (1 1/2h.p.) with 300W heating element and backlit electronic control.



Active-Air

Included: 48 micro-jets, Optima blower 750W (1 1/2h.p.) with 300W heating element and backlit electronic control.

Project:

Contractor:

Representative:

Date:

Tel:

Notes: