



**Part Number :** 1300980191  
**Product Description :** MAX-LOC Strain Relief  
Cord-Sealing Grip for UF Cable, 3/4" NPT,  
Straight Male Cable Diameter 5.54x10.69mm  
(.218x.421") Oval  
**Series Number :** 130098  
**Status :** Active  
**Product Category :** Cable Grips  
**Engineering Number :** 5584



## Product Environment Compliance

### Compliance

China RoHS	Not Reviewed
EU ELV	Not Reviewed
Low-Halogen Status	Not Reviewed
REACH SVHC	Not Reviewed
EU RoHS	Not Reviewed

### Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

### Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

### EU RoHS Certificate of Compliance

## Part Details

### General

Status	Active
Category	Cable Grips

Series	130098
Description	MAX-LOC Strain Relief Cord-Sealing Grip for UF Cable, 3/4" NPT, Straight Male Cable Diameter 5.54x10.69mm (.218x.421") Oval
NEMA Rating	NEMA 3R
Product Family	Strain-Relief Cord Grips
Product Name	MAX-LOC
Type	Strain Relief Grip
UPC	78678872146

## Agency

CSA	LR32159
UL	E76954

## Physical

Approximate Break Strength	N/A
Bale Length	N/A
Body Style	Straight
Cable Diameter	5.54x10.69mm (.218x.421") Oval
Color - Grommet	N/A
Eye Type	N/A
Gender	Male
Material - Body	Nylon
Material - Grip	N/A
Mesh Length	N/A
Number of Holes	1
O-Ring	No
Thread Size	3/4" NPT

## Use with Part(s)

Description	Part Number
MAX-LOC Lock Nut 3/4" NPT	<a href="/content/molex/molex-dot-com/us/en/products/product-page.html/1300990144.html">/content/molex/molex-dot-com/us/en/products/product-page.html/1300990144.html</a>

MAX-LOC Gasket Sealing Ring, 3/4" NPT, Black	<a href="/content/molex/molex-dot-com/us/en/products/product-page.html/1300990150.html">/content/molex/molex-dot-com/us/en/products/product-page.html/1300990150.html</a>
MAX-LOC O-Ring, 3/4" NPT	<a href="/content/molex/molex-dot-com/us/en/products/product-page.html/1301800333.html">/content/molex/molex-dot-com/us/en/products/product-page.html/1301800333.html</a>

---

This document was generated on Dec 05, 2023