

MARINE GRADE - ALL STAINLESS HOSE CLAMPS - BII SERIES 87

- 5/16" 305 Stainless Steel Slotted Hex Head Screw
- 301 Stainless Steel Band and Housing
- 1/2" Wide Band
- All Packaging Is Bar Coded



NOTE: STAINLESS STEEL CLAMPS
MUST BE ORDERED IN
BAG/CARTON QUANTITIES.
BULK CLAMPS MUST BE ORDERED
IN CASE QUANTITIES.

Series 87: 301 SS Band/301 SS Housing/305 SS Screw

The 301 (Series 87) contains a high content of nickel providing strong corrosion resistance and is suitable for outdoor use with no shielding.

305 Screw (Series 87) vs. 410 Screw (Series 67)

The 305 screw (Series 87) has a high content of nickel. The 410 (Series 67) offers no nickel content. Type 305 (Series 87) when finished could be used where a non-magnetic material is required, where as the 410 (Series 67) cannot. The 305 (Series 87) screw rod is resistant to atmospheric corrosion and many organic chemicals and a wide variety of inorganic chemicals, while the 410 (Series 67) typically will resist corrosion in only light industrial and domestic environments.

PART NO.	QUANTITY LIST-A BULK			QTY	LIST-A BOXED		BOX QUANTITY		LIST-A SIZE RANGE IN. SIZE RANGE MM					
	BAG	CTN	EACH		PART NO.	BULK EACH	PART NO.	INNER	MST EACH	MIN.	MAX.	MIN.	MAX.	
SSC8704*	10	200	0.68	SSCB8704*	200	0.64	SSCX8704	10	160	0.75	7/32	5/8	5.60	16.00
SSC8705*	10	200	0.68	SSCB8705*	200	0.64	SSCX8705	10	160	0.75	5/16	11/16	7.94	17.46
*#4 & #5 Mini Clamps have 301 Series S.S. Band and Housing c/w 1/4" 305 Series S. S. Slotted Hex Head Screw														
SSC8706	10	200	0.86	SSCB8706	200	0.82	SSCX8706	10	400	0.93	7/16	25/32	11.00	20.00
SSC8708	10	200	0.86	SSCB8708	200	0.82	SSCX8708	10	400	0.93	1/2	29/32	13.00	23.00
SSC8710	10	200	0.86	SSCB8710	200	0.82	SSCX8710	10	400	0.93	9/16	1-1/16	14.00	27.00
SSC8712	10	200	0.88	SSCB8712	200	0.84	SSCX8712	10	400	0.94	11/16	1-1/4	17.00	32.00
SSC8716	10	200	0.88	SSCB8716	200	0.84	SSCX8716	10	200	0.95	13/16	1-1/2	21.00	38.00
SSC8720	10	200	0.89	SSCB8720	200	0.85	SSCX8720	10	200	0.96	13/16	1-3/4	21.00	44.00
SSC8724	10	200	0.89	SSCB8724	200	0.85	SSCX8724	10	200	0.97	1-1/16	2	27.00	51.00
SSC8728	10	200	0.90	SSCB8728	200	0.86	SSCX8728	10	200	0.96	1-5/16	2-1/4	33.00	57.00
SSC8732	10	200	0.90	SSCB8732	200	0.86	SSCX8732	10	40	1.01	1-9/16	2-1/2	40.00	64.00
SSC8736	10	100	0.94	SSCB8736	100	0.91	SSCX8736	10	40	1.08	1-13/16	2-3/4	46.00	70.00
SSC8740	10	100	1.05	SSCB8740	100	1.00	SSCX8740	10	40	1.14	2-1/16	3	52.00	76.00
SSC8744	10	100	1.26	SSCB8744	100	1.22	SSCX8744	10	40	1.36	2-5/16	3-1/4	59.00	83.00
SSC8748	10	100	1.26	SSCB8748	100	1.22	SSCX8748	10	40	1.40	2-9/16	3-1/2	65.00	89.00
SSC8752	10	100	1.32	SSCB8752	100	1.27	SSCX8752	10	40	1.46	2-13/16	3-3/4	71.00	95.00
SSC8756	10	100	1.37	SSCB8756	100	1.27	SSCX8756	10	40	1.46	3-1/16	4	78.00	102.00
SSC8760	10	100	1.41	SSCB8760	100	1.31	SSCX8760	10	40	1.50	3-5/16	4-1/4	84.00	108.00
SSC8764	10	50	1.42	SSCB8764	50	1.32	SSCX8764	10	40	1.50	3-9/16	4-1/2	91.00	114.00
SSC8772	10	50	1.52	SSCB8772	50	1.41	SSCX8772	10	40	1.58	1-7/8	5	48.00	127.00
SSC8780	10	50	1.56	SSCB8780	50	1.45	SSCX8780	10	40	1.63	2-1/2	5-1/2	64.00	140.00
SSC8788	10	50	1.74	SSCB8788	50	1.62	SSCX8788	10	40	1.83	3-1/8	6	79.00	152.00
SSC8796	10	50	1.78	SSCB8796	50	1.66	SSCX8796	10	40	1.87	3-5/8	6-1/2	92.00	165.00
SSC87104	10	120	1.87	SSCB87104	120	1.65	SSCX87104	10	40	1.91	4-1/8	7	105.00	178.00
SSC87128	10	150	2.74	SSCB87128	150	2.65					5-5/8	8-1/2	143.00	216.00
SSC87152	10	100	3.01	SSCB87152	100	2.92					7-1/8	10	181.00	254.00
SSC87188	10	100	3.33	SSCB87188	100	3.24					9-3/8	12-1/4	238.00	311.00
SSC87212	10	100	4.18	SSCB87212	100	4.12					10-7/8	13-3/4	276.00	349.00
SSC87224	10	100	4.69	SSCB87224	100	4.60					11-5/8	14-1/2	295.00	368.00

ALL STAINLESS STEEL HOSE CLAMPS - BII SERIES 67

- 5/16" 410 Stainless Steel Slotted Hex Head Screw
- 301 Stainless Steel Band and Housing
- 1/2" Wide Band
- All Packaging Is Bar Coded



NOTE: STAINLESS STEEL CLAMPS MUST BE ORDERED IN BAG/CARTON QUANTITIES. BULK CLAMPS MUST BE ORDERED IN CASE QUANTITIES.

305 Screw (Series 87) vs. 410 Screw (Series 67)

The 305 screw (Series 87) has a high content of nickel. The 410 (Series 67) offers no nickel content. Type 305 (Series 87) when finished could be used where a non-magnetic material is required, where as the 410 (Series 67) cannot. The 305 (Series 87) screw rod is resistant to atmospheric corrosion and many organic chemicals and a wide variety of inorganic chemicals, while the 410 (Series 67) typically will resist corrosion in only light industrial and domestic environments.

PART NO.	QUANTITY LIST-A BULK		BULK LIST-A BOXED			BOX QUANTITY LIST-A			SIZE RANGE IN.		SIZE RANGE MM		
	BAG	CTN	EACH	QTY	EACH	PART NO	INNER	MST	MIN.	MAX.	MIN.	MAX.	
SSC6704* 10	200		0.65 SSCB6704* 200		0.61	SSCX6704	10	160	0.72	7/32	5/8	5.60	16.00
SSC6705* 10	200		0.65 SSCB6705* 200		0.61	SSCX6705	10	160	0.72	5/16	11/16	7.94	17.46
*#4 & #5 Mini Clamps have 410 Series S.S. Band and Housing c/w 1/4" 201 Series S. S. Slotted Hex Head Screw													
SSC6706	10	200	0.82 SSCB6706	200	0.79	SSCX6706	10	400	0.89	7/16	25/32	11.00	20.00
SSC6708	10	200	0.82 SSCB6708	200	0.78	SSCX6708	10	400	0.89	1/2	29/32	13.00	23.00
SSC6710	10	200	0.82 SSCB6710	200	0.78	SSCX6710	10	400	0.89	9/16	1-1/16	14.00	27.00
SSC6712	10	200	0.84 SSCB6712	200	0.80	SSCX6712	10	400	0.90	11/16	1-1/4	17.00	32.00
SSC6716	10	200	0.84 SSCB6716	200	0.80	SSCX6716	10	200	0.91	13/16	1-1/2	21.00	38.00
SSC6720	10	200	0.85 SSCB6720	200	0.81	SSCX6720	10	200	0.92	13/16	1-3/4	21.00	44.00
SSC6724	10	200	0.85 SSCB6724	200	0.81	SSCX6724	10	200	0.93	1-1/16	2	27.00	51.00
SSC6728	10	200	0.86 SSCB6728	200	0.82	SSCX6728	10	200	0.92	1-5/16	2-1/4	33.00	57.00
SSC6732	10	200	0.86 SSCB6732	200	0.82	SSCX6732	10	40	0.97	1-9/16	2-1/2	40.00	64.00
SSC6736	10	100	0.90 SSCB6736	100	0.86	SSCX6736	10	40	1.01	1-13/16	2-3/4	46.00	70.00
SSC6740	10	100	1.00 SSCB6740	100	0.96	SSCX6740	10	40	1.09	2-1/16	3	52.00	76.00
SSC6744	10	100	1.21 SSCB6744	100	1.16	SSCX6744	10	40	1.30	2-5/16	3-1/4	59.00	83.00
SSC6748	10	100	1.21 SSCB6748	100	1.16	SSCX6748	10		1.35	2-9/16	3-1/2	65.00	89.00
SSC6752	10	100	1.26 SSCB6752	100	1.21	SSCX6752	10		1.40	2-13/16	3-3/4	71.00	95.00
SSC6756	10	100	1.26 SSCB6756	100	1.21	SSCX6756	10		1.40	3-1/16	4	78.00	102.00
SSC6760	10	100	1.30 SSCB6760	100	1.25	SSCX6760	10		1.44	3-5/16	4-1/4	84.00	108.00
SSC6764	10	50	1.30 SSCB6764	50	1.26	SSCX6764	10		1.44	3-9/16	4-1/2	91.00	114.00
SSC6772	10	50	1.40 SSCB6772	50	1.34	SSCX6772	10		1.52	1-7/8	5	48.00	127.00
SSC6780	10	50	1.44 SSCB6780	50	1.38	SSCX6780	10		1.56	2-1/2	5-1/2	64.00	140.00
SSC6788	10	50	1.60 SSCB6788	50	1.54	SSCX6788	10		1.76	3-1/8	6	79.00	152.00
SSC6796	10	50	1.64 SSCB6796	50	1.58	SSCX6796	10		1.79	3-5/8	6-1/2	92.00	165.00
SSC67104	10		1.61 SSCB67104 120		1.57	SSCX67104	10		1.83	4-1/8	7	105.00	178.00
SSC67128	10		2.57 SSCB67128 150		2.52					5-5/8	8-1/2	143.00	216.00
SSC67152	10		2.82 SSCB67152 100		2.77					7-1/8	10	181.00	254.00
SSC67188	10		3.17 SSCB67188 100		3.08					9-3/8	12-1/4	238.00	311.00
SSC67212	10		4.14 SSCB67212 100		4.12					10-7/8	13-3/4	276.00	349.00
SSC67224	10		4.41 SSCB67224 100		4.37					11-5/8	14-1/2	295.00	368.00

STAINLESS STEEL HOSE CLAMP WITH CARBON STEEL SCREW - BII SERIES 77

- 5/16" Yellow dichromate plated carbon steel slotted hex head
- 301 Stainless Band and Housing
- 1/2" Wide Band
- All Packaging Is Bar Coded



NOTE: STAINLESS STEEL CLAMPS MUST BE ORDERED IN BAG/CARTON QUANTITIES.

BULK CLAMPS MUST BE ORDERED IN CASE QUANTITIES.

The combination of the high nickel content of the 301 stainless steel and the plating of the carbon steel screw allows this hose clamp to be used in above ground outdoor and indoor applications where corrosion is somewhat of an issue. The yellow coloured screw allows for easy identification against an ALL stainless steel clamp. Used for all standard clamp applications.

PART NO.	QUANTITY LIST-A BULK		BULK LIST-A BOXED			BOX QUANTITY		LIST-A SIZE RANGE IN.			SIZE RANGE MM			
	BAG	CTN EACH	QTY	EACH	PART NO	INNER	MST	EACH MIN.	MAX.	MIN.	MAX.			
SSC7704*	10	200	0.55	SSCB7704*	200	0.52	SSCX7704	10	160	0.62	7/32	5/8	5.60	16.00
SSC7705*	10	200	0.55	SSCB7705*	200	0.52	SSCX7705	10	160	0.62	5/16	11/16	7.94	17.46
*#4 & #5 Mini Clamps have 301 Series Stainless Band and Housing c/w 1/4" Carbon Steel Slotted Hex Head Screw														
SSC7706	10	200	0.70	SSCB7706	200	0.66	SSCX7706	10	400	0.77	7/16	25/32	11.00	20.00
SSC7708	10	200	0.70	SSCB7708	200	0.66	SSCX7708	10	400	0.77	1/2	29/32	13.00	23.00
SSC7710	10	200	0.70	SSCB7710	200	0.66	SSCX7710	10	400	0.77	9/16	1-1/16	14.00	27.00
SSC7712	10	200	0.70	SSCB7712	200	0.66	SSCX7712	10	400	0.77	11/16	1-1/4	17.00	32.00
SSC7716	10	200	0.70	SSCB7716	200	0.66	SSCX7716	10	200	0.78	13/16	1-1/2	21.00	38.00
SSC7720	10	200	0.71	SSCB7720	200	0.67	SSCX7720	10	200	0.79	13/16	1-3/4	21.00	44.00
SSC7724	10	200	0.72	SSCB7724	200	0.68	SSCX7724	10	200	0.80	1-1/16	2	27.00	51.00
SSC7728	10	200	0.79	SSCB7728	200	0.75	SSCX7728	10	200	0.85	1-5/16	2-1/4	33.00	57.00
SSC7732	10	200	0.79	SSCB7732	200	0.75	SSCX7732	10	40	0.89	1-9/16	2-1/2	40.00	64.00
SSC7736	10	100	0.79	SSCB7736	100	0.75	SSCX7736	10	40	0.89	1-13/16	2-3/4	46.00	70.00
SSC7740	10	100	0.94	SSCB7740	100	0.89	SSCX7740	10	40	1.03	2-1/16	3	52.00	76.00
SSC7744	10	100	1.12	SSCB7744	100	1.08	SSCX7744	10	40	1.21	2-5/16	3-1/4	59.00	83.00
SSC7748	10	100	1.12	SSCB7748	100	1.08	SSCX7748	10	40	1.26	2-9/16	3-1/2	65.00	89.00
SSC7752	10	100	1.16	SSCB7752	100	1.11	SSCX7752	10	40	1.30	2-13/16	3-3/4	71.00	95.00
SSC7756	10	100	1.16	SSCB7756	100	1.11	SSCX7756	10	40	1.30	3-1/16	4	78.00	102.00
SSC7760	10	100	1.20	SSCB7760	100	1.15	SSCX7760	10	40	1.34	3-5/16	4-1/4	84.00	108.00
SSC7764	10	50	1.21	SSCB7764	50	1.16	SSCX7764	10	40	1.34	3-9/16	4-1/2	91.00	114.00
SSC7772	10	50	1.26	SSCB7772	50	1.22	SSCX7772	10	40	1.39	1-7/8	5	48.00	127.00
SSC7780	10	50	1.35	SSCB7780	50	1.29	SSCX7780	10	40	1.47	2-1/2	5-1/2	64.00	140.00
SSC7788	10	50	1.35	SSCB7788	50	1.29	SSCX7788	10	40	1.51	3-1/8	6	79.00	152.00
SSC7796	10	50	1.44	SSCB7796	50	1.38	SSCX7796	10	40	1.60	3-5/8	6-1/2	92.00	165.00
SSC77104	10	152	1.52	SSCB77104	120	1.43					4-1/8	7	105.00	178.00
SSC77128	10	152	2.32	SSCB77128	150	2.23					5-5/8	8-1/2	143.00	216.00
SSC77152	10	152	2.49	SSCB77152	100	2.40					7-1/8	10	181.00	254.00
SSC77188	10	152	2.80	SSCB77188	100	2.71					9-3/8	12-1/4	238.00	311.00
SSC77212	10	152	3.62	SSCB77212	100	3.56					10-7/8	13-3/4	276.00	349.00
SSC77224	10	152	4.01	SSCB77224	100	3.95					11-5/8	14-1/2	295.00	368.00

MARINE GRADE - ALL STAINLESS HOSE CLAMPS - 2-87

- 5/16" 304 Stainless Steel Slotted Hex Head Screw
- 301 Stainless Steel Band and Housing
- 1/2" Wide Band
- All Packaging Is Bar Coded



NOTE: STAINLESS STEEL CLAMPS MUST BE ORDERED IN BAG/CARTON QUANTITIES. BULK CLAMPS MUST BE ORDERED IN CASE QUANTITIES.

Series 87: 301 SS Band/301 SS Housing/304 SS Screw

The 301 (Series 87) standard grade of steel is used as a high performance alternative to the 201 (67 Series) standard grade of steel.

The 301 (Series 87) contains a high content of nickel providing strong corrosion resistance and is suitable for outdoor use with no shielding.

304 Screw (Series 87) vs. 410 Screw (Series 67)

The 304 screw (Series 87) has a high content of nickel. The 410 (Series 67) offers no nickel content. Type 304 (Series 87) when finished could be used where a non-magnetic material is required, where as the 410 (Series 67) cannot.

The 304 (Series 87) screw rod is resistant to atmospheric corrosion and many organic chemicals and a wide variety of inorganic chemicals, while the 410 (Series 67) typically will resist corrosion in only light industrial and domestic environments.

PART NO.	QUANTITY		LIST-A PRICE	BULK NO.	QTY BULK	LIST-A EACH	SIZE RANGE IN.		SIZE RANGE MM	
	BAG	CTN					MIN.	MAX.	MIN.	MAX.
2-SSC8704*	10	200	0.30	2-SSCB8704*	200	0.29	1/4	5/8	6.35	15.87
2-SSC8705*	10	200	0.30	2-SSCB8705*	200	0.30	5/16	7/8	7.94	22.23
*#4 & #5 Mini Clamps have 5/16" 301 Series S.S. Band and Housing c/w 1/4" 304 Series S. S. Slotted Hex Head Screw										
2-SSC8706	10	200	0.58	2-SSCB8706	200	0.57	3/8	7/8	10	22
2-SSC8708	10	200	0.59	2-SSCB8708	200	0.58	7/16	1	11	25
2-SSC8710	10	200	0.61	2-SSCB8710	200	0.61	1/2	1-1/16	13	27
2-SSC8712	10	200	0.68	2-SSCB8712	200	0.68	1/2	1-1/4	13	32
2-SSC8716	10	200	0.72	2-SSCB8716	200	0.72	11/16	1-1/2	18	38
2-SSC8720	10	200	0.77	2-SSCB8720	200	0.77	3/4	1-3/4	19	44
2-SSC8724	10	200	0.81	2-SSCB8724	200	0.80	1	2	25	51
2-SSC8728/30 10		200	0.84	2-SSCB8728	200	0.83	1-1/4	2-1/4	32	57
2-SSC8732	10	200	0.87	2-SSCB8732	200	0.87	1-1/2	2-1/2	38	63
2-SSC8736	10	100	0.91	2-SSCB8736	100	0.91	1-3/4	2-3/4	44	70
2-SSC8740	10	100	0.94	2-SSCB8740	100	0.93	2	3	51	76
2-SSC8744	10	100	0.97	2-SSCB8744	100	0.97	2-1/4	3-1/4	57	82
2-SSC8748	10	100	1.01	2-SSCB8748	100	1.01	2-1/2	3-1/2	64	89
2-SSC8752	10	100	1.04	2-SSCB8752	100	1.04	2-3/4	3-3/4	70	95
2-SSC8756	10	100	1.11	2-SSCB8756	100	1.11	3	4	76	101
2-SSC8764	10	50	1.18	2-SSCB8764	50	1.17	2-1/2	4-1/2	64	114
2-SSC8772	10	50	1.23	2-SSCB8772	50	1.22	3	5	76	127
2-SSC8780	10	50	1.27	2-SSCB8780	50	POR	3-1/2	5-1/2	89	140
2-SSC8788	10	50	1.43	2-SSCB8788	50	1.43	4	6	102	152
2-SSC8796	10	50	1.47	2-SSCB8796	50	POR	4-1/2	6-1/2	114	165
2-SSC87104		10	1.55	2-SSCB87104	120	POR	5	7	127	178
2-SSC87116		10	1.60	2-SSCB87116	150	1.60	5-3/4	7-3/4	146	197
2-SSC87128		10	1.70	2-SSCB87128	150	1.70	6-1/2	8-1/2	165	216
2-SSC87140		10	1.90	2-SSCB87140	150	1.90	7-1/4	9-1/4	184	235
2-SSC87152		10	2.11	2-SSCB87152	100	2.10	8	10	203	254
2-SSC87164		10	2.31				8-1/2	10-3/4	216	273
2-SSC87176		10	2.46				9-1/2	11-1/2	241	292
2-SSC87188		10	2.66				10-1/2	12-1/4	267	311
2-SSC87208		10	2.81				11-1/2	13-1/2	292	343
2-SSC87224		10	2.91	2-SSCB87224	100	2.90	12-1/2	14-1/2	318	368
2-SSC87236		10	3.26				13-1/2	15-1/4	337	387
2-SSC87248		10	3.63				14	16	356	406

ALL STAINLESS STEEL HOSE CLAMPS - SERIES 2-67

- 5/16" 410 Stainless Steel Slotted Hex Head Screw
- 201 Stainless Steel Band and Housing
- 1/2" Wide Band
- All Packaging Is Bar Coded



NOTE: STAINLESS STEEL CLAMPS MUST BE ORDERED IN BAG/CARTON QUANTITIES. BULK CLAMPS MUST BE ORDERED IN CASE QUANTITIES.

Series 67: 201 SS Band/201 SS Housing/410 SS Screw

The 201 standard grade of steel is used as an inexpensive alternative to the 301 standard grade of steel. The 201 contains less nickel reducing its corrosion resistance when compared to the 301. The 201 is best suited for mild, corrosive environments such as indoor use or shielded area's. User should avoid highly corrosive environments with 201 standard grade of steel.

304 Screw (Series 87) vs. 410 Screw (Series 67)

The 304 screw (Series 87) has a high content of nickel. The 410 (Series 67) offers no nickel content. Type 304 (Series 87) when finished could be used where a non-magnetic material is required, where as the 410 (Series 67) cannot.

The 304 (Series 87) screw rod is resistant to atmospheric corrosion and many organic chemicals and a wide variety of inorganic chemicals, while the 410 (Series 67) typically will resist corrosion in only light industrial and domestic environments.

PART NO.	QUANTITY		LIST-A EACH	BULK PART NO.	BULK QTY	LIST-A EACH	SIZE RANGE IN.		RANGE MM	
	BAG	CTN					MIN.	MAX.	MIN.	MAX.
2-SSC6704*	10	200	0.24	2-SSCB6704*	200	0.23	1/4	5/8	6.35	15.87
2-SSC6705*	10	200	0.25	2-SSCB6705*	200	0.25	5/16	7/8	7.94	22.23
*#4 & #5 Mini Clamps have 5/16" 201 Series S.S. Band and Housing c/w 1/4" 410 Series S. S. Slotted Hex Head Screw										
2-SSC6706	10	200	0.44	2-SSCB6706	200	0.43	3/8	7/8	10	22
2-SSC6708	10	200	0.46	2-SSCB6708	200	0.46	7/16	1	11	25
2-SSC6710	10	200	0.49	2-SSCB6710	200	0.49	1/2	1-1/16	13	27
2-SSC6712	10	200	0.54	2-SSCB6712	200	0.54	1/2	1-1/4	13	32
2-SSC6716	10	200	0.57	2-SSCB6716	200	0.57	11/16	1-1/2	18	38
2-SSC6720	10	200	0.62	2-SSCB6720	200	0.62	3/4	1-3/4	19	44
2-SSC6724	10	200	0.65	2-SSCB6724	200	0.65	1	2	25	51
2-SSC6728	10	200	0.68	2-SSCB6728	200	0.67	1-1/4	2-1/4	32	57
2-SSC6732	10	200	0.71	2-SSCB6732	200	0.71	1-1/2	2-1/2	38	63
2-SSC6736	10	100	0.74	2-SSCB6736	100	0.73	1-3/4	2-3/4	44	70
2-SSC6740	10	100	0.77	2-SSCB6740	100	0.76	2	3	51	76
2-SSC6744	10	100	0.80	2-SSCB6744	100	0.79	2-1/4	3-1/4	57	82
2-SSC6748	10	100	0.83	2-SSCB6748	100	0.82	2-1/2	3-1/2	64	89
2-SSC6752	10	100	0.85	2-SSCB6752	100	0.84	2-3/4	3-3/4	70	95
2-SSC6756	10	100	0.91	2-SSCB6756	100	0.90	3	4	76	101
2-SSC6764	10	50	0.96	2-SSCB6764	50	0.95	2-1/2	4-1/2	64	114
2-SSC6772	10	50	1.00	2-SSCB6772	50	1.00	3	5	76	127
2-SSC6780	10	50	1.04	2-SSCB6780	50	1.04	3-1/2	5-1/2	89	140
2-SSC6788	10	50	1.15	2-SSCB6788	50	1.14	4	6	102	152
2-SSC6796	10	50	1.19	2-SSCB6796	50	1.18	4-1/2	6-1/2	114	165
2-SSC67104	10	10	1.24	2-SSCB67104	120	1.23	5	7	127	178
2-SSC67116	10	10	1.33	2-SSCB67116	150	1.32	5-3/4	7-3/4	146	197
2-SSC67128	10	10	1.39	2-SSCB67128	150	1.38	6-1/2	8-1/2	165	216
2-SSC67140	10	10	1.52	2-SSCB67140	150	1.51	7-1/4	9-1/4	184	235
2-SSC67152	10	10	1.70	2-SSCB67152	100	1.70	8	10	203	254
2-SSC67164	10	10	1.86				8-1/2	10-3/4	216	273
2-SSC67176	10	10	1.99				9-1/2	11-1/2	241	292
2-SSC67188	10	10	2.12				10-1/2	12-1/4	267	311
2-SSC67208	10	10	2.25				11-1/2	13-1/2	292	343
2-SSC67224	10	10	2.34	2-SSCB67224	100	2.34	12-1/2	14-1/2	318	368
2-SSC67236	10	10	2.76				13-1/2	15-1/4	337	387
2-SSC67248	10	10	3.05				14	16	356	406

STAINLESS STEEL HOSE CLAMP WITH CARBON STEEL SCREW - SERIES 2-77

- 5/16" Yellow dichromate plated carbon steel slotted hex head
- 201 Stainless Band and Housing
- 1/2" Wide Band
- All Packaging Is Bar Coded



NOTE: STAINLESS STEEL CLAMPS MUST BE ORDERED IN BAG/CARTON QUANTITIES. BULK CLAMPS MUST BE ORDERED IN CASE QUANTITIES.

The combination of the high nickel content of the 201 stainless steel and the plating of the carbon steel screw allows this hose clamp to be used in above ground outdoor and indoor applications where corrosion is somewhat of an issue. The yellow coloured screw allows for easy identification against an ALL stainless steel clamp. Used for all standard clamp applications.

PART NO.	QUANTITY		LIST-A EACH	BULK PART NO.	BULK QTY	LIST-A EACH	SIZE RANGE IN.		SIZE RANGE MM	
	BAG	CTN					MIN.	MAX.	MIN.	MAX.
2-SSC7704*	10	200	0.22	2-SSCB7704*	200	0.21	1/4	5/8	6.35	15.87
2-SSC7705*	10	200	0.23	2-SSCB7705*	200	0.23	5/16	7/8	7.94	22.23
*#4 & #5 Mini Clamps have 5/16" 301 Series Stainless Band and Housing c/w 1/4" Carbon Steel Slotted Hex Head Screw										
2-SSC7706	10	200	0.42	2-SSCB7706	200	0.42	3/8	7/8	10	22
2-SSC7708	10	200	0.44	2-SSCB7708	200	0.43	7/16	1	11	25
2-SSC7710	10	200	0.45	2-SSCB7710	200	0.44	1/2	1-1/16	13	27
2-SSC7712	10	200	0.51	2-SSCB7712	200	0.50	1/2	1-1/4	13	32
2-SSC7716	10	200	0.53	2-SSCB7716	200	0.53	11/16	1-1/2	18	38
2-SSC7720	10	200	0.57	2-SSCB7720	200	0.56	3/4	1-3/4	19	44
2-SSC7724	10	200	0.59	2-SSCB7724	200	0.58	1	2	25	51
2-SSC7728/30	10	200	0.62	2-SSCB7728	200	0.61	1-1/4	2-1/4	32	57
2-SSC7732	10	200	0.65	2-SSCB7732	200	0.65	1-1/2	2-1/2	38	63
2-SSC7736	10	100	0.67	2-SSCB7736	100	0.67	1-3/4	2-3/4	44	70
2-SSC7740	10	100	0.70	2-SSCB7740	100	0.69	2	3	51	76
2-SSC7744	10	100	0.73	2-SSCB7744	100	0.73	2-1/4	3-1/4	57	82
2-SSC7748	10	100	0.76	2-SSCB7748	100	0.75	2-1/2	3-1/2	64	89
2-SSC7752	10	100	0.79	2-SSCB7752	100	0.78	2-3/4	3-3/4	70	95
2-SSC7756	10	100	0.84	2-SSCB7756	100	0.84	3	4	76	101
2-SSC7764	10	50	0.90	2-SSCB7764	50	0.89	2-1/2	4-1/2	64	114
2-SSC7772	10	50	0.93	2-SSCB7772	50	0.93	3	5	76	127
2-SSC7780	10	50	0.97	2-SSCB7780	50	0.97	3-1/2	5-1/2	89	140
2-SSC7788	10	50	1.06	2-SSCB7788	50	1.06	4	6	102	152
2-SSC7796	10	50	1.12	2-SSCB7796	50	1.11	4-1/2	6-1/2	114	165
2-SSC77104		10	1.17	2-SSCB77104	120	1.17	5	7	127	178
2-SSC77116		10	1.26	2-SSCB77116	150	1.25	5-3/4	7-3/4	146	197
2-SSC77128		10	1.32	2-SSCB77128	150	1.32	6-1/2	8-1/2	165	216
2-SSC77140		10	1.45	2-SSCB77140	150	1.45	7-1/4	9-1/4	184	235
2-SSC77152		10	1.57	2-SSCB77152	100	1.56	8	10	203	254
2-SSC77164		10	1.72				8-1/2	10-3/4	216	273
2-SSC77176		10	1.85				9-1/2	11-1/2	241	292
2-SSC77188		10	1.99				10-1/2	12-1/4	267	311
2-SSC77208		10	2.15				11-1/2	13-1/2	292	343
2-SSC77224		10	2.31	2-SSCB77224	100	2.30	12-1/2	14-1/2	318	368
2-SSC77236		10	2.65				13-1/2	15-1/4	337	387
2-SSC77248		10	2.98				14	16	356	406