

# SUBMITTAL INFORMATION





### 202BSD DUAL BAND BRASS SADDLES FOR C900 PVC PIPE



PVC PIPE SIZE	ACTUAL O.D.	APPROX. WT. LBS.	Catalog <b>N</b> umber	✓ SUBMITTED ITEM(S)
4"	4.80	6.6	202BSD-480-Tap	
**6"	6.90	7.7	202BSD-690-Tap	
8"	9.05	8.8	202BSD-905-Tap	
10"	11.10	10.7	202BSD-1110-Tap	
12"	13.20	11.8	202BSD-1320-Tap	
**14"	15.30	18.0	202BSD-1530-Tap	
**16"	17.40	23.0	202BSD-1740-Tap	
**18"	19.50	25.0	202BSD-1950-Tap	
**20"	21.60	25.5	202BSD-2160-Tap	
**24"	25.80	26.0	202BSD-2580-Tap	
**30"	32.00	27.0	202BSD-3200-Tap	

<sup>\*\*</sup> Only 6" (6.90-7.50 range) saddle and 14" saddle and larger are available with 1-1/4" tap

#### **OUTLET TAP CODE**

CC (AWWA) THREAD		IP THREAD		( C
THREAD	CODE NUMBER	THREAD	CODE NUMBER	✓ SUBMITTED ITEM(S)
3/4" CC	CC3	3/4" IP	IP3	
1" CC	CC4	1" IP	IP4	
1-1/4" CC	∆ CC5	1-1/4" IP	Δ IP5	
1-1/2" CC	CC6	1-1/2" IP	IP6	
2" CC	CC7	2" IP	IP7	

△ Contact factory for availability

**To Order:** Select the catalog number for the desired pipe range and complete the catalog number by adding the outlet thread tap code. Example: A dual band saddle for 6.90 C900 PVC pipe with a 3/4" CC thread would be <u>202BSD-690-CC3</u>.

## **FEATURES**

- All brass conforms to AWWA Standard C800 (ASTM B62 and ASTM B584, UNS NO C83600 - 85-5-5-5)
- Bands and 5/8" UNC threaded studs are made of 18-8 type 304 stainless steel. Welds are fully passivated for corrosion resistance
- Gasket is EPDM rubber ASTM D2000
- Stainless steel nuts are coated to prevent galling

The Ford Meter Box Company considers the information in this submittal form to be correct at the time of publication. Item and option availability, including specifications, are subject to change without notice. Please verify that your product information is current.



# The Ford Meter Box Company, Inc.

P.O. Box 443, Wabash, Indiana U.S.A. 46992-0443 Phone: 260-563-3171 / Fax: 800-826-3487

Overseas Fax: 260-563-0167

www.fordmeterbox.com

Submitted By:

0	7/	14	/1	4