

Tanques de Osmosis Inversa - NSF



RO Tanks
(TKE-3200_)

RO Tanks

Description	Part #
PAE RO-4 NSF TANK-WHITE	TKE-3200W
PAE RO-4 NSF TANK-BLUE	TKE-3200B



Plastic RO Tanks
(ROPT201-PL_)

Plastic RO Tanks

Description	Part #
PRO-4000 4 GAL. PLASTIC TANK - WHITE	ROPT201-PLW
PRO-4000 4 GAL. PLASTIC TANK - BLUE	ROPT201-PLB

Tanques de Osmosis Inversa - Amtrol



10.3 Gallon Reverse Osmosis Tank (143-132)

Small Tanks

Description	Part #
RO1 0.77 GALLON - BLUE; 1/4" MIP	536-11

Description	Part #
RO-3W 3.2S GAL W/S BPS; WH-SS; 1/4" MIP	140S723

Standard Residential Tanks

Description	Part #
RO-4W 4.4 GAL; W/S/BUMPS-WH-SS; 1/4"	141S351
RO-4B 4.4 GAL; W/S/BUMPS-BLUE-SS; 1/4"	141S352



86 Gallon Reverse Osmosis Tank (150-6)

Light Commercial Tanks

Description	Part #
RO-10B 10.3 GALLON - BLUE; 3/4" MIP	143-132
RO-14B 14 GALLON - BLUE; 3/4" MIP	143-198
RO-14B 14 GALLON - BLUE; 1/4" MIP	143-293

Description	Part #
RO-34B 34 GALLON - BLUE; 1 1/4" MIP	147-47
RO-44B 44 GALLON - BLUE; 1 1/4" MIP	147-69
RO-86 86 GALLON - BLUE; 1 1/4" MIP	150-6



See Page 136 for Amtrol Comm. Pumps


Tank Shut Off Kits

Description	Part #
BALL VALVE KIT; 3/4" FIP X 1/4" JACO	BVK-143-198
BALL VALVE KIT; 3/4" FIP X 1/4" JG	BVK-143-198(JG)
BALL VALVE KIT; 3/4" FIP X 3/8" JACO	BVK-143-198-3/8
BALL VALVE KIT; 3/4" FIP X 3/8" JG	BVK-143198JG3/8
PVC 1" ADAPTER KIT;1/4" TUBE	AK-144-120
PVC 1" ADAPTER KIT;3/8" TUBE	AK-144-120(3/8)
PVC 1 1/4" ADAPTER KIT;1/4" TUBE	AK-147-47
PVC 1 1/4" ADAPTER KIT;3/8" TUBE	AK-147-47(3/8)
PVC 1 1/4" ADAPTER KIT;1/4" TUBE	AK-147-69
PVC 1 1/4" ADAPTER KIT;1/4" TUBE	AK-150-6

Description	Part #
TANK STAND - BLK. PLASTIC	141-950

**More
Tank Ball Valves
On Page (109)**

Tank Sizes on Next Page (88)



Amtrol Tank Sizes					
Part#	Diameter		Height		Gallon Capacity @ 50 PSI Feed Pressure
	cm	inches	cm	inches	gallons
140-32	20.32	8"	32.07	12 5/8"	1.4
141S351	27.94	11"	38.1	15"	3.1
143-132	39.05	15 3/8"	44.13	17 3/8"	6.9
143-198	39.05	15 3/8"	56.36	22 3/16"	9.7
147-47	55.88	22"	74.93	29 1/2"	20.6
147-69	55.88	22"	91.44	36"	27.2
150-6	66.04	26"	119.86	47 3/16"	53.2

Tank Pricing on Previous Page (87)

Tanques de Osmosis Inversa - Structural



Romate Vessels - (Replaceable Bladders)

Description	Part #
RO-MATE 4; 3.6 GALLON; 1/4" MPT	RO-4

Description	Part #
RO-MATE 15; 14.5 GALLON; 1" MPT	RO-15
RO-MATE 20; 19.8 GALLON; 1" MPT	RO-20
RO-MATE 30; 29.5 GALLON; 1" MPT	RO-30
RO-MATE 40; 40.3 GALLON; 1" MPT	RO-40
RO-MATE 80; 86.7 GALLON; 1 1/4" MPT	RO-80

Medidor de Presión para Tanques



Tank Low Pressure Gauges

Description	Part #
PRESSURE GAUGE (0-20 PSI)	54846

Description	Part #
DIGITAL TANK PRESSURE GAUGE	TPG-100

Grifos - Valueline



Long Reach Faucets

Description	Part #
1/4" NON-AIR GAP CHROME; LEAD-FREE	F-04-2BC
1/4" NON-AIRGAP CHROME; PUSH -IN	N103H3PI

Long Reach (CA PROP65) AirGap

Description	Part #
CHROME AIR GAP - 3" PUSH - IN	N103H3PIAG

Grifos y Accesorios - Touch-Flo

TOUCH-FLO



Standard 1/4" Non-Air Gap (0-3/___)



Long Reach 1/4" Non-Air Gap (0-3LRA/___)

TouchFlo is happy to announce that all of their faucet product lines now meet the strictest definition of lead free, including California Proposition 65.



Non-Air Gap Tubing Attached (0-3TA)



Dual Flow Faucets

Standard 1/4" Non-Air Gap

Description	Part #
CHROME; BLACK TIP/HANDLE	0-3/14W
ALMOND=CA, ANTIQUE BRASS=BA,	0-3/___
BISCUIT=BI, BLACK=CB, BRASS=BE,	
BROWN=BR, BRUSHED CHROME=BC	
BRUSHED NICKEL=BN, GRAY=CG,	
PEWTER=PW, POLISHED NICKEL=PN,	
RED=CR, SATIN NICKEL=SN & WHITE=CW	
GOLD PLATED	0-3/GP

Long Reach 1/4" Non-Air Gap

Description	Part #
CHROME; BLACK TIP/HANDLE	0-3LRA/14W
CHROME; WHITE TIP/HANDLE	0-3LRA/14W-W
ALMOND=CA, ANTIQUE BRASS=BA,	0-3LRA/___
BISCUIT=BI, BLACK=CB, BRASS=BE,	
BROWN=BR, BRUSHED CHROME=BC	
BRUSHED NICKEL=BN, GRAY=CG,	
PEWTER=PW, POLISHED NICKEL=PN,	
RED=CR, SATIN NICKEL=SN & WHITE=CW	

Long Reach, Long Stem (3 1/2") Non-Air Gap

Description	Part #
1/4" CHROME	0-3LRLS/14W
3/8" CHROME	0-3LRLS/38W
1/4" BLACK	0-3LRLS/CB
1/4" BRASS	0-3LRLS/BE
1/4" BROWN	0-3LRLS/BR
1/4" WHITE	0-3LRLS/CW

Stainless Steel, Long Reach, Non-Air Gap (3 Feet - 1/4" Tubing Attached)

Description	Part #
1/4" CHROME	0-3SLRA
1/4" BRUSHED SATIN	0-3SLRA/BS
1/4" WHITE	0-3SLRA/CW
3/8" CHROME; COPPER STUD	0-3SLRA-3/8

Tall Spout (8") 1/4" Non-Air Gap

Description	Part #
CHROME	0-3TS/14W
BRASS=BE, BLACK=CB, BRUSHED NICKEL=BN	0-3T/___
WHITE	0-3TS/CW
GOLD PLATED	0-3T/GP

Non-Air Gap (3 Feet - 1/4" Tubing Attached)

Description	Part #
STD NON-AIR GAP FAUCET	0-3TA
LR NON-AIR GAP FAUCET; 1/4"; CHROME	0-3TALR

1/4" Vented Faucets

Description	Part #
STD; CHROME	0-3V
LR; CHROME	0-3VLRA
LR; WHITE	0-3VLRA/CW

Dual Flow Faucets (Not For Use With Insta-Hot Systems)

Description	Part #
CHROME	HC-2
WHITE	HC-2LR/CW

Face Mounted Faucet

TOUCH-Flo



Standard Air Gap
(0-3RO3503/___)



Touch-Flo Color Faucets



Standard Spout
(SA03-2)



Long Reach Spout
(SA03-2LRA)



Tall Spout
(SA03-2T)

Description	Part #
-------------	--------

Standard Air Gap

Description	Part #
STANDARD AIR GAP FAUCET; 3/8"; CHROME	0-3RO3503
BRUSHED CHROME= BC, BLACK=CB,	0-3RO3503___
BRASS=BE, ALMOND=CA, WHITE=CW,	
& SATIN NICKEL=SN	
BRUSHED NICKEL=BN & PEWTER=P	0-3RO3503___

Long Reach Air Gap

Description	Part #
CHROME W/BLACK TIP & HANDLE	0-3RO3503LRA
CHROME W/WHITE TIP & HANDLE;1/4"	0-3RO3503LR/WWS
ALMOND=CA, ANTIQUE BRASS=BA,	0-3RO3503LRA___
BISCUIT=BI, BLACK=CB, BRASS=BE,	
BROWN=BR, BRUSHED CHROME=BC	
BRUSHED NICKEL=BN, GRAY=CG,	
PEWTER=PW, POLISHED NICKEL=PN,	
RED=CR, SATIN NICKEL=SN & WHITE=CW	
GOLD PLATE	0-3RO3503LRA\GP

Long Reach, Long Stem (3 1/2") Air Gap

Description	Part #
CHROME; LONG STEM; 3/8"	0-3RO3503LRALS

Long Reach, Air Gap, (3 Feet - Tube Attached)

Description	Part #
CHROME WITH 1/4" TUBE ATTACHED	0-3RO3503LRA-TA
BRASS WITH 1/4" TUBE ATTACHED	0-3RO3503LRTABE
ALMOND WITH 3/8" TUBE ATTACHED	03RO3503LRATACA

Long Reach, Stainless Steel Air Gap (3 Feet - Tubing Attached)

Description	Part #
SS-CHROME; 1/4"	0-3RO3503SLRA
SS-CHROME; 3/8"	0-3RO3503SLRA38
SS-WHITE; 1/4"	0-3RO3503SLRACW

Tall Air Gap

Description	Part #
TS AIR GAP FAUCET; CHROME; 3/8"	0-3RO3503-TS

Standard Spouts

Description	Part #
CHROME	SA03-2
ALMOND=AL, BLACK=CB, BRASS=BE,	SA03-2/___
GRAY=CG, SATIN NICKEL=SN, & WHITE=CW	

Long Reach Spouts

Description	Part #
CHROME	SA03-2LRA
ALMOND=AL, BLACK=CB, BRASS=BE,	SA03-2LRA/___
BRUSHED NICKEL=BN & WHITE=CW	
STAINLESS STEEL	SA03-2SLRA

Tall Spouts

Description	Part #
CHROME	SA03-2T
BLACK=CB, GRAY=CG & WHITE=CW	SA03-2T/___

Diverter Valves

Description	Part #
-------------	--------

TOUCH-Flo



**Diverter Valve
(DVRSC-1/4CT)**

DV; SWIVEL; 3/8"; CHROME
DUAL DV; RETURN 1/4"; COMP.
DUAL DV; RETURN 3/8"; CHROME
DUAL DV; RETURN 1/4"; CHROME-BARB
RETURN DIVERTER KIT #2; BARB
RETURN DIVERTER KIT #2; COMP.
DIVERTER KIT #1
DIVERTER KIT #1; COMPRESSION
SS DIVERTER SCREEN

DVSC-3/8
DVRSC-1/4CT
DVRSC-3/8
DVRSC-1/4
DVK-2
DVK-2CT
DVK-1
DVK-1CT
DV16



**Adapters & Aerators
(AC-22 & AC-23)**

Adapters & Aerators

Description	Part #
FAUCET AERATOR SPOUT	AC-1
13/16" X 27 THD. MALE DIVERTER	AC-22
3/4" X 27 THD. FEMALE DIVERTER	AC-23
15/16" X 27 THD. MALE DIVERTER	AC-24
13/16" X 24 THD. FEMALE DIVERTER	AC-25
GARDEN HOSE ADAPTER	AC-30
15/16" X 27 THD. DIVERTER	DVA
22 X 1 FEMALE; METRIC	M-22
24 X 1 MALE; METRIC	M-24
UNIVERSAL BARB	441-1
EXTERNAL TAP	441-2
MALE QUICK CONNECT FITTING	QC-M

Installation Accessories

Description	Part #
CARBIDE DRILL BIT	AC-2
CHIP OUT COVER	AC-09
HOLE COVER 1 3/4"	AC-10
HOLE COVER 2"	AC-11
STUD EXTENDER	AC-12
UNIBIT #3 SS SINK DRILL	AC-28
RETAINER WRENCH	AC-35
FAUCET INSTALLATION WRENCH	AC-36
RELEASE TOOL; 1/4" X 3/8"	AC-40



**Washer Set
(SP-1)**

Washer Sets

Description	Part #
CHROME	SP-1
ALMOND	SP-1-AL
BRUSHED NICKEL	SP-1-BN
BLACK	SP-1-CB

Hardware Kits

Description	Part #
HARDWARE KIT; 1/4"	HK/14W
HARDWARE KIT; 3/8"	HK/38W
HARDWARE KIT; AIR GAP	HK/350



**Hardware Kits
(HK/14W)**

Fittings

Description	Part #
1/4" COMPRESSION NUT; BRASS	FI-1
3/8" COMPRESSION NUT; BRASS	03-30
1/4" FERRULE; DELRIN (PLASTIC)	FI-7
1/4" FERRULE; BRASS	FI-9
3/8" FERRULE; DELRIN (PLASTIC)	FI-10
3/8" FERRULE; BRASS	FI-11
1/2" FERRULE; DELRIN (PLASTIC)	FI-12
BRASS ADAPTERS: CONVERTS 1/4" TO 3/8"	FI-14
BRASS ADAPTERS: CONVERTS 1/4" TO 1/2"	FI-15
1/2" PIPE TAP WITH 1/4" COMP. N/VALVE	FI-17
ELBOW, 1/4" MIP X 1/4" BARB; CHROME	FI-21S
ELBOW, 1/4" MIP X 3/8" BARB; CHROME	FI-21S-3/8
ELB. ASSY; 1/4"; MIP X SPOUT ADAPTER	FI-23

Sani Tip & Faucet Handle

Description	Part #
BLACK SANI TIP	SP-4



ALMOND FAUCET HANDLE

SP-5-AL

Faucet Repair Kit

Description	Part #
FAUCET REPAIR KIT	SP-2
STAINLESS STEEL FAUCET REPAIR KIT	SP-2S



Faucet Repair Kit
(SP-2)

Grifos - Opella



Drinking Dispenser Faucets - Individual Clam Shell Packaging With JG Reducing Fitting

Description	Part #
BISCUIT	90084/0016
EURO WHITE	90084/0031
WHITE / WHITE	90084/0101
WHITE / CHROME	90084/0140
BLACK / CHROME	90084/0640
BLACK / GOLD	90084/0650
ALMOND / ALMOND	90084/2020



Drinking Dispenser
Faucets

Drinking Dispenser Faucets - Bulk Packaged Without Reducing JG Fitting

Description	Part #
WHITE / WHITE; BULK	90084/0101-B
WHITE / CHROME; BULK	90084/0140-B
BLACK / BLACK; BULK	90084/0606-B
BLACK / CHROME; BULK	90084/0640-B
BLACK / GOLD; BULK	90084/0650-B
ALMOND / ALMOND; BULK	90084/2020-B

Grifos y Accesorios - QMP



Long Reach Non-Air Gap 1/4"

Description	Part #
ALL WHITE	QMP102C-W
ALMOND	QMP102A
ANTIQUE BRASS	QMP102-ANTBRASS
BLACK	QMP102BK
BRASS	QMP102-BRASS
BRUSHED BRASS	QMP102-BRBRASS
BRUSHED CHROME	QMP102-BRCHROME
BRUSHED NICKLE	QMP102-BRNICKLE
CHROME / BK	QMP102
CHROME; JACO THREAD	QMP102-J
CHROME WITH WHITE TIP & HANDLE	QMP102-WP
COPPER	QMP102-COPPER
GOLD	QMP102G
POLISHED NICKLE	QMP102-PLNICKLE
RED	QMP102R
SATIN COPPER	QMP102-STN C
SATIN NICKLE	QMP102-STNICKLE
YELLOW	QMP102Y
DUAL; HOT/ COLD - CHROME	QMP102-D



Long Reach
Non-Air Gap 1/4"



Diverter Valves

Diverter Valves

Description	Part #
1/4" BARB; CHROME	QMP500
1/4" COMPRESSION; CHROME	QMP502
1/4" COMPRESSION; CHROME; METRIC	QMP502-M
1/4" COMPRESSION; CHROME; NO SPRING	QMP502-NS
1/4" COMPRESSION; CHROME; PULL DOWN	QMP502-PD




Adapters

Faucet Adapters

Description	Part #
HEX NIPPLE; 1/4"; CHROME; W / O-RING	QMP506
DV ADAPTER COMB.M / F 24x1/22x1	QMP516
DV ADAPTER 13/16" - 27 THREAD	QMP517
GARDEN HOSE ADAPTER	QMP-HOSE
15/16" - 27 MALE DIVERTER ADAPTER	QMP514

Elbows

Description	Part #
ELBOW SPOUT ADAPTER; CHROME	QMP503
ELBOW; 1/4" BARB ADAPTER; CHROME	QMP504
ELBOW; 1/4" COMP. ADAPTER; CHROME	QMP505
ELBOW; 3/8" COMP. ADAPTER; CHROME	QMP531



Counter Top Elbows

Faucet Accessories

Description	Part #
FAUCET REPAIR KIT	QMP519
AERATOR	QMP530-A
SNAP COUPLER W / AERATOR; BARB	QMP530-B
SNAP COUPLER W / AERATOR; COMP.	QMP530-C
UNIVERSAL AIR GAP-WHITE	QMP532
UNIVERSAL AIR GAP-BLACK	QMP532-B

Grifos y Accesorios - Hydro Systems



**Long Reach Faucets
(F3H_)**

Long Reach Faucet Prop .65

Description	Part #
ALL CHROME	F3H
CHROME W/ WHITE TIP/HANDLE	F3H W
ALL BLACK=BLK, POLISHED BRASS=PB	F3H _
ALL WHITE=AW, ALL ALMOND=AL,	
BRUSHED NICKEL=BN, CHROME/BRASS=B	

Long Reach, Long Shank, Air Gap Faucet Prop .65

Description	Part #
CHROME WITH 3.5 SHANK AIRGAP	F3H AG

Long Reach Ceramic Faucet Prop. 65

Description	Part #
CHROME	F9LF
ALMOND=AL, BLACK=BLK, WHITE=AW	F9LF _
BRUSHED NICKEL=BN, CHROME/BRASS=B	
BRUSHED CHROME=BC	



**Long Reach Air Gap
Faucet (F3H AG)**



**Long Reach Ceramic
Faucets (F9LF_)**



Faucet Adapter (EDA-2)

Description

KITCHEN FAUCET ADAPTER 1/4"
FAUCET SHANK APT 3/8" QC CON.
3/8" FAUCET SHANK ADAPTER
PACK, CP, HEX HOLE
PACK, CP, GROOVED BAGGED
55/64" X 13/16" CHROME W/GASKET
55/64" X 15/16" BRASS W/GASKET

Part

AKFA0407
AFAU067/16C
AD1438
AD12CP
AD12CPG
A2CP
A1



Diverter Valves

Diverter (Swivel Collar)

Description

1/4" BARBED
1/4" BARBED COMP. NUT
3/8" BARBED
3/8" BARBED COMP. NUT

Part

D14 SW
D14 SW N
D38 SW
D38 SW N



Elbows

Elbows

Description

1/4" TUBE X 1/4" MPT GN NUT
1/4" NPT X 1/4" BARB; CP

Part

EL1414 N
EL1414

Needle Valves

Description


1/2" NPT SS BLKHD
1/4" CMP X 1/8" MPT BRASS

Part

NV12SSBH
NV1418

Tubería - John Guest

John Guest



**Linear Low Density
Polyethylene Tubing**

John Guest's PE Range of Linear Low Density tubing provides the benefits of a wide range of temperature and pressure suitability, broad chemical compatibility, and is made from non-contaminating materials. Common applications are in water purification, water conditioners, and ice makers. LLDPE is more robust than traditional low or medium density polyethylene and is recommended for use with cold and intermittent hot water. **Tubing is made from FDA approved materials and is listed with NSF International Standard 51 & 61.**

1/4" PE Tubing - 500 Feet*

*** (Two 500 Foot Rolls Per Box, Minimum Order One Box of same color)**

Description


BLUE
BLACK
GREEN
NATURAL
ORANGE
RED
VIOLET
WHITE
YELLOW

Part

PE08-BI-0500F-B
PE08-BI-0500F-E
PE08-BI-0500F-G
PE08-BI-0500F-N
PE08-BI-0500F-O
PE08-BI-0500F-R
PE08-BI-0500F-V
PE08-BI-0500F-W
PE08-BI-0500F-Y

3/8" PE Tubing - 500 Feet

John Guest



JG Tubing is designed for use with JG Super Speedfit Push-in fittings, JG Shut-Off Valves, and virtually all standard tubing connectors.



See Page (96) for John Guest Fittings

Description

BLUE
BLACK
GREEN
NATURAL
ORANGE
RED
VIOLET
WHITE
YELLOW

Part

PE12-EI-0500F-B
PE12-EI-0500F-E
PE12-EI-0500F-G
PE12-EI-0500F-N
PE12-EI-0500F-O
PE12-EI-0500F-R
PE12-EI-0500F-V
PE12-EI-0500F-W
PE12-EI-0500F-Y

1/2" PE Tubing - 250 Feet

Description

BLUE
BLACK
NATURAL
RED

Part

PE16-GI-0250F-B
PE16-GI-0250F-E
PE16-GI-0250F-N
PE16-GI-0250F-R

Tubería para Suavizadores



Drain Line Tubing

Description

5/8"OD X 1/2"ID - 100' BLACK DRAIN TUBING
1/2"OD X 3/8"ID - 100' BLACK DRAIN TUBING

Part

5958003
5912003

Description

3/4"OD X 5/8"ID - 100' BLACK DRAIN TUBING

Part

UP126100BK

Brine Line Tubing

Description

5/16"OD - 250' BLACK BRINELINE

Part

UP56-250BK

Llaves de Paso - John Guest



John Guest Tank Ball Valves

Description

1/4" JG X 1/4" FEMALE NPTF ELBOW
3/8" JG X 1/4" FEMALE NPTF ELBOW

Part

PPSV500822W
PPSV501222W



Inline Ball Valves

Inline Ball Valves

Description

1/4" JG X 1/4" JG STRAIGHT VALVE
3/8" JG X 3/8" JG STRAIGHT VALVE
1/4" MIP X 1/4" JG STRAIGHT VALVE
3/8" MIP X 3/8" JG STRAIGHT VALVE
1/2" JG X 1/2" JG STRAIGHT VALVE

Part

PPSV040808W
PPSV041212W
PPSV010822W
PPSV011223W
PISV0416S

More Ball Valves on
Page (109)

Conectores - Conexión Rápida” - John Guest

John Guest

Call for John Guest parts not listed. CI = White & PI = Grey



Male Connector NPTF



Flare Male Connector



Union Tee



Reducing Tee



Union Elbow



Fixed Elbow NPTF Thread

Male Connector NPTF Thread

Description (Tube x Thread)	Part #
1/4" X 1/8"	PI010821S
1/4" X 1/8" - WHITE	CI010821W
1/4" X 1/4"	PI010822S
1/4" X 1/4" - WHITE	CI010822W
1/4" X 3/8"	PI010823S
1/4" X 3/8" - WHITE	CI010823W
3/8" X 1/8"	PI011221S
3/8" X 1/4"	PI011222S
3/8" X 1/4" - WHITE	CI011222W
3/8" X 3/8"	PI011223S
3/8" X 1/2"	PI011224S
1/2" X 3/8"	PI011623S
1/2" X 1/2"	PI011624S
5/8" X 3/4"	PI012026S

Flare Male Connector MFL Thread

Description (Tube x Thread)	Part #
1/4" X 1/4"	PI0108F4S
3/8" X 1/4"	PI0112F4S
3/8" X 3/8"	PI0112F6S
3/8" X 1/2"	PI0112F8S
1/2" X 1/2"	PI0116F8S

Union Tee

Description (Tube)	Part #
1/4"	PI0208S
1/4" - WHITE	CI0208W
3/8"	PI0212S
3/8" - WHITE	CI0212W
1/2"	PI0216S

Reducing Tee

Description (Tube x Tube x Branch)	Part #
3/8" X 3/8" X 1/4"	PI301208S
1/2" X 1/2" X 3/8"	PI301612S

Union Elbow

Description (Tube)	Part #
1/4"	PI0308S
1/4" - WHITE	CI0308W
3/8"	PI0312S
3/8" - WHITE	CI0312W
1/2"	PI0316S

Fixed Elbow NPTF Thread

Description (Tube x Thread)	Part #
1/4" X 1/8"	PI480821S
1/4" X 1/8" - WHITE	CI480821W
1/4" X 1/4"	PI480822S
1/4" X 1/4" - WHITE	CI480822W
1/4" X 3/8"	PI480823S
1/4" X 3/8" - WHITE	CI480823W
3/8" X 1/4"	PI481222S
3/8" X 1/4" - WHITE	CI481222W
3/8" X 3/8"	PI481223S
5/8" X 1/2"	PI482024S

Reducing Elbow

John Guest



Reducing Elbow




Plug In / Stem Elbow




Union Connector



Reducing Union




Stem Adapter NPTF Thread



Stem Reducer



Bulkhead Union



Faucet Connector - UNS Thread

Description (Tube x Tube)

3/8" X 1/4"

1/2" X 3/8"

Part #

PI211208S

PI211612S

Plug In / Stem Elbow

Description (Stem x Tube)

1/4" X 1/4"

1/4" X 1/4" - WHITE

3/8" X 1/4"

3/8" X 1/4" - WHITE

3/8" X 3/8"

3/8" X 3/8" - WHITE

1/2" X 1/2"

Part #

PI220808S

CI220808W

PI221208S

CI221208W

PI221212S

CI221212W

PI221616S

Union Connector

Description (Tube x Tube)

1/4"

1/4" - WHITE

3/8"

3/8" - WHITE

1/2"

Part #

PI0408S

CI0408W

PI0412S

CI0412W

PI0416S

Reducing Union

Description (Tube x Tube)

3/8" X 1/4"

1/2" X 3/8"

Part #

PI201208S

PI201612S

Stem Adapter NPTF Thread

Description (Stem x Thread)

1/4" X 1/8"

1/4" X 1/8" - WHITE

1/4" X 1/4"

1/4" X 1/4" - WHITE

3/8" X 1/4"

3/8" X 1/4" - WHITE

3/8" X 3/8"

3/8" X 3/8" - WHITE

1/2" X 3/8"

1/2" X 1/2"

Part #

PI050821S

CI050821W

PI050822S

CI050822W

PI051222S

CI051222W

PI051223S

CI051223W

PI051623S

PI051624S

Stem Reducer

Description (Stem x Tube)

3/8" X 1/4"

3/8" X 1/4" - WHITE

1/2" X 3/8"

Part #

PI061208S

CI061208W

PI061612S

Bulkhead Union

Description (Tube - Mounting Hole Dia.)

1/4" - 0.67

1/4" - 0.67 - WHITE

3/8" - 0.83

1/2" - 1.06

Part #

PI1208S

CI1208W

PI1212S

PI1216S

Reducing Bulkhead Union

Description (Tube x Tube - Mnt/H Dia.)

3/8" X 1/4" - 0.83

Part #

PI121208S

Faucet Connector UNS Thread

Description (Tube x Thread)

1/4" X 7/16"

3/8" X 7/16"

Part #

CI3208U7S

CI3212U7S

Barb Connector

Description (Tube x Hose Barb)

1/4" X 1/4"

Part #

CI270808W

Stem to Hose Barb

Description (Stem x Hose Barb)

Part #

John Guest

Llamar para componentes John Guest no listados. CI = Blanco y PI = Gris



Stem to Hose Barb

1/4" X 1/4"	PI250808S
3/8" X 1/4"	PI251208S
3/8" X 3/8"	PI251212S
3/8" X 1/2"	PI251216S
1/2" X 3/8"	PI251612S
1/2" X 1/2"	PI251616S



Stem to Hose Barb Elbow

Stem to Hose Barb Long Version

Description (Stem x Hose Barb)	Part #
3/8" X 3/8"	PI251212SL

Stem to Hose Barb Elbow

Description (Stem x Hose Barb)	Part #
1/4" X 1/4"	PI290808S
3/8" X 1/4"	PI291208S



Plug

Female Connector NPTF Thread

Description (Tube x Thread)	Part #
1/4" X 1/4"	PI450822S
3/8" X 1/4"	PI451222S



End Stop

Female Flare Connector FFL Thread

Description (Tube x Thread)	Part #
3/8" X 1/4"	PI4512F4S
3/8" X 3/8"	PI4512F6S

Plug


Description (Stem)	Part #
1/4"	PI0808S
3/8"	PI0812S
1/2"	PI0816S



Cross

End Stop

Description (Tube)	Part #
1/4"	PI4608S
3/8"	PI4612S



Two Way Divider

Cross

Description (Tube)	Part #
3/8"	PI4712S



Three Way Divider

Two-Way Divider

Description (Tube)	Part #
3/8"	PI2312S

Three-Way Divider

Description (Tube Inlet x Tube Outlets)	Part #
1/2" X 3/8" (X3)	PI491612S



U-Bend

U-Bend

Description (Tube)	Part #
1/2"	PIUB16S

Locking Clip

Description (Tube)	Part #
1/4"	PIC1808R
3/8"	PIC1812R



Locking Clip

Tubing Inserts

Description	Part #
3/8" TUBING INSERT	PI-01-3

JG John Guest

Call for John Guest parts not listed. CI = White & PI = Grey



Tubing Insert



Collet



Tube Cutter

Collets

Description	Part #
JG 1/4" COLLET - GREY	CP-C08I-DG
JG 3/8" COLLET - GREY	CP-C12I-DG
JG 1/2" COLLET - GREY	CP-C16I-DG

O-Rings

Description	Part #
JG 1/4 O-RING	CP-R08I-S
JG 3/8 O-RING	CP-R12I-S
JG 1/2 O-RING	CP-R16I-S

Tube Cutter

Description	Part #
TUBE CUTTER	TSNIP

Válvulas de Retención - John Guest (Check Valves)

JG John Guest



Inline Check Valves

John Guest Inline Check Valves are designed with Super Speedfit technology, featuring the same simplicity as JG fittings providing a fast & secure way of connecting plastic tubing without the use of tools. The valves can be mounted in any position; the arrow indicates the direction of flow.


Check Valves - Inline

Description (Tube X Tube)	Part #
1/4" JG	1/4SCV
3/8" JG	3/8SCV
5/16" JG	5/16SCV


Conectores - Jaco

JACO

Specialists in designing & manufacturing
close tolerance, precision plastic parts



Male Connectors




Union & Reducing
Union Connectors

_ = N (Nylon), P (Polypropylene), & C (Celcon) - Call for K (Kynar) Pricing.

Male Connectors

Description (Tube x Thread)	Part #
1/4" X 1/8"	1042_O
1/4" X 1/4"	1044_O
1/4" X 3/8"	1046_O

Description (Tube x Thread)	Part #
3/8" X 1/8"	1062_O
3/8" X 1/4"	1064_O
3/8" X 3/8"	1066_O
3/8" X 1/2"	1068_O
1/2" X 1/4"	1084_O
1/2" X 3/8"	1086_O
1/2" X 1/2"	1088_O




Bulkhead Unions

Unions

Description (Tube x Tube)	Part #
1/4"	154_O

Description (Tube x Tube)	Part #
3/8"	156_O
1/2"	158_O




Female Connector

Reducing Unions

Description (Tube x Tube)	Part #
1/4" X 1/8"	1542_O

Description (Tube x Tube)	Part #
3/8" X 1/4"	1564_O
1/2" X 3/8"	1586_O



Male Elbow


Bulkhead Union Connectors

Description (Tube x Thread)	Part #
1/4" X 1/4"	204_O

Description (Tube x Thread)	Part #
3/8" X 3/8"	206_O
1/2" X 1/2"	208_O

Female Connectors

Description (Tube x Thread)	Part #
1/4" X 1/8"	2542_O
1/4" X 1/4"	2544_O




Female Elbow

Description (Tube x Thread)	Part #
3/8" X 1/4"	2564_O
3/8" X 3/8"	2566_O
3/8" X 1/2"	2568_O
1/2" X 3/8"	2586_O
1/2" X 1/2"	2588_O

Male Elbow Connectors

Description (Tube x Thread)	Part #
1/4" X 1/8"	4042_O
1/4" X 1/4"	4044_O
1/4" X 3/8"	4046_O



Union Elbow

Description (Tube x Thread)	Part #
3/8" X 1/4"	4064_O
3/8" X 3/8"	4066_O
1/2" X 1/4"	4084_O
1/2" X 3/8"	4086_O
1/2" X 1/2"	4088_O

Female Elbow Connectors

Description (Tube x Thread)	Part #
1/4" X 1/8"	4542_O
1/4" X 1/4"	4544_O


Description (Tube x Thread)	Part #
3/8" X 1/4"	4564_O
3/8" X 3/8"	4566_O
1/2" X 3/8"	4586_O
1/2" X 1/2"	4588_O




Male Branch Tee

(N) **Nylon** has good resistance to organic solvents, oils and gasoline. Good strength at high temperatures. Cold and hot-water applications. Longtime weathering resistance. Good impact resistance, both single and repeated. Not recommended for use with ammonium, boric acid, calcium, sulfuric acid, or hydrochloric acid. F.D.A. listed. Also N.S.F. listed.


(C) **Celcon**, or acetal copolymer, has high tensile strength and good impact resistance over a broad temperature range. Translucent white color. Not affected by continuous hot-water service and works smoothly with metal tubing. Celcon is not recommended for continuous exposure to solutions with a chlorine concentration greater than 1 ppm. Suggested maximum continuous temperature is 220°F in air and




Union Tee





Male Run Tee



Check Valve



Ferrule Nut



Bulkhead Nut



Insert

_ = N (Nylon), P (Polypropylene), & C (Celcon) - Call for K (Kynar) Pricing.

Union Elbow Connectors

Description (Tube x Tube)	Part #
1/4"	504_O

Description (Tube x Tube)	Part #
3/8"	506_O
1/2"	508_O

Male Branch Tees

Description (Tube x Tube x Thread)	Part #
1/4" X 1/4" X 1/8"	6042_O
1/4" X 1/4" X 1/4"	6044_O

Description (Tube x Tube x Thread)	Part #
3/8" X 3/8" X 1/4"	6064_O
3/8" X 3/8" X 3/8"	6066_O
1/2" X 1/2" X 3/8"	6086_O
1/2" X 1/2" X 1/2"	6088_O

Union Tees

Description (Tube x Tube x Tube)	Part #
1/4"	704_O

Description (Tube x Tube x Tube)	Part #
3/8"	706_O
1/2"	708_O

Male Run Tees

Description (Tube x Thread)	Part #
1/4" X 1/8"	7542_O
1/4" X 1/4"	7544_O

Description (Tube x Thread)	Part #
3/8" X 1/4"	7564_O
3/8" X 3/8"	7566_O
1/2" X 3/8"	7586_O
1/2" X 1/2"	7588_O

KYNAR Check Valves

Description (NPT Thread)	Part #
1/8"	CV-2-K
1/4"	CV-4-K
3/8"	CV-6-K
1/2"	CV-8-K
1/2" EP O-RING	CV-8-K-EP

Ferrule Nuts with Integral Sleeve

Description (Tube)	Part #
1/8"	_O2
1/4"	_O4
1/4" - BLACK	_O4-BK


Description (Tube)	Part #
3/8"	_O6
3/8" - BLACK	_O6-BK
1/2"	_O8

180°F in water.

(P) Polypropylene has good chemical resistance. Withstands continuous temperatures up to 215°F. Opaque color. Unaffected by most weak acids and alkalis. Below 175°F it has good resistance to organic solvents. Do not use with oxidants or strong acids or in continuous sunlight. N.S F. listed. 20% glass filled for improved stiffness.

(K) Kynar, a polyvinylidene fluoride, has outstanding chemical resistance for handling highly corrosive

Conectores de Latón - Robert Manufacturing - (Brass Fittings)




Male Flare Coupling




Brass Sleeve
(Ferrule)



Compression Nut



Reducing Union



Tee (Tube Three Ends)



Elbow
(comp. x comp.)

Male Flare Couplings

Description (Flare x MIP)	Part #
1/4" X 1/4"	48-44
3/8" X 1/4"	48-64
3/8" X 3/8"	48-66

Brass Sleeve Ferrules

Description (Tube)	Part #
1/4"	60-4
3/8"	60-6
1/2"	60-8

Brass Inserts

Description (Tube)	Part #
1/4"	61PI-4
3/8"	61PI-6
1/2"	61PI-8

Nuts - Compression (Short Length)

Description (Compression Thread)	Part #
1/4"	61-4
3/8"	61-6
1/2"	61-8

Caps - Compression

Description (Compression Thread)	Part #
1/4"	61C-4
3/8"	61C-6

Union Couplings

Description (Comp. x Comp.)	Part #
1/4"	62-4
3/8"	62-6
1/2"	62-8

Reducing Union

Description (Comp. x Comp.)	Part #
1/2" X 3/8"	62R-86

Tees

Description (Comp. All Ends)	Part #
1/4"	64-4
3/8"	64-6
1/2"	64-8

Elbow

Description (Comp. x Comp.)	Part #
1/2" X 1/2"	65-8

Female Coupling

Description (Comp. x FIP)	Part #
1/4" X 1/4"	66-44


Male Couplings

Description (Comp. x MIP)	Part #
1/4" X 1/4"	68-44
1/4" X 3/8"	68-46
1/4" X 1/2"	68-48
3/8" X 1/8"	68-62
3/8" X 1/4"	68-64
3/8" X 3/8"	68-66
3/8" X 1/2"	68-68
1/2" X 1/2"	68-88


Male Elbows




Male Coupling




Male Elbow




Female Elbow




Tee (Comp x MIP x Comp)




Tee (Comp x Comp x MIP)



Tee (Comp x Comp x FIP)



Pipe Adapter



Hex Nipple

Description (Comp. x MIP)	Part #
1/4" X 1/4"	69-44
1/4" X 3/8"	69-46
3/8" X 1/4"	69-64
3/8" X 3/8"	69-66
3/8" X 1/2"	69-68
1/2" X 3/8"	69-86
1/2" X 1/2"	69-88

Female Elbows

Description (Comp. x FIP)	Part #
1/4" X 1/4"	70-44
3/8" X 1/4"	70-64
1/2" X 1/2"	70-88

Tees - Male Run

Description (Comp. x MIP X Comp.)	Part #
1/4" X 1/4" X 1/4"	71-44
3/8" X 1/4" X 3/8"	71-64
3/8" X 3/8" X 3/8"	71-66

Tees - Male Branch

Description (Comp. x Comp. x MIP)	Part #
3/8" X 3/8" X 3/8"	72-66
1/2" X 1/2" X 3/8"	72-86

Tees - Female Run

Description (Comp. x Comp. x FIP)	Part #
1/4" X 1/4" X 1/8"	77-42
3/8" X 3/8" X 1/8"	77-62
3/8" X 3/8" X 1/4"	77-64

Needle Valves - Inline

Description (Comp. x Comp.)	Part #
1/4" X 1/4"	783-4
3/8" X 3/8"	783-6

Pipe Adapters

Description (FIP x MIP)	Part #
1/4" X 1/4"	104-4
3/8" X 3/8"	104-6
1/2" X 1/2"	104-8
3/4" X 3/4"	104-12

Hex Nipples

Description (MIP x MIP)	Part #
1/8" X 1/8"	106-2
1/4" X 1/4"	106-4
3/8" X 3/8"	106-6
1/2" X 1/2"	106-8
3/4" X 3/4"	106-12

Reducing Nipples

Description (MIP x MIP)	Part #
1/4" X 1/8"	106R-42
1/2" X 1/4"	106R-84
1/2" X 3/8"	106R-86

Cross


Description (FIP)	Part #
1/4"	107-4
3/8"	107-6
1/2"	107-8

Tees - Female Pipe

Description (FIP X FIP X FIP)	Part #
--------------------------------------	---------------




1/8" X 1/8" X 1/8"	109-2
1/4" X 1/4" X 1/4"	109-4
3/8" X 3/8" X 3/8"	109-6
1/2" X 1/2" X 1/2"	109-8
3/4" X 3/4" X 3/4"	109-12



Reducing Nipple

Reducing Couplings

Description (FIP X FIP)	Part #
1/2" X 1/8"	112-82
1/2" X 1/4"	112-84




Cross

Tees - Male Run

Description (FIP X MIP X FIP)	Part #
1/8" X 1/8" X 1/8"	127-2
1/4" X 1/4" X 1/4" (BAR STOCK)	127-4
3/8" X 3/8" X 3/8"	127-6

Bushings

Description (MIP x FIP)	Part #
1/4" X 1/8"	209-42
3/8" X 1/4"	209-64
1/2" X 1/8"	209-82
1/2" X 1/4"	209-84
1/2" X 3/8"	209-86
3/4" X 1/4"	209-124
3/4" X 1/2"	209-128



Female FIP Tee

Hose Barbs

Description (Barb x MIP)	Part #
3/16" X 1/8"	125-32
1/4" X 1/4"	125-44
1/2" X 3/8"	125-86
1/2" X 1/2"	125-88
3/4" X 1/2"	125-128
3/4" X 3/4"	125-1212



Hose Barb Swivels


Description (Barb x FIP)	Part #
3/8" X 3/8"	128-B6
3/8" X 3/8" FLARE	128-A6

Hose Barb Elbow

Description (Barb x MIP)	Part #
1/4" X 1/4"	129-44

Female Hose Adapter

Description (Female hose x MIP)	Part #
3/4" X 3/4"	312-1212




Bobby Float Valve Assemblies

Description (Tube x Thread)	Part #
1/4" COMP. HORIZONTAL NICKEL/P. INLET	RM292-12
1/4" COMP. VERTICAL NICKEL PTD. INLET	RM292P

Hose Barb Elbow

Bobby Float Valve



Machones y Codos - Hypro



**Polypropylene Nipple
(3M12G)**

Nylon Hex Nipples

Description	Part #
1/8" M. PIPE NIPPLE; N	M18
1/4" M. PIPE NIPPLE; N	M14
3/8" M. PIPE NIPPLE; N	M38
1/2" M. PIPE NIPPLE; N	M12
3/4" M. PIPE NIPPLE; N	M34
1" M. PIPE NIPPLE; N	M100
1.5" M. PIPE NIPPLE; N	M112
1/4" X 1/8" M. REDUCING NIPPLE; N	M1418
3/8" X 1/8" M. REDUCING NIPPLE; N	M3818
3/8" X 1/4" M. REDUCING NIPPLE; N	M3814
1/2" X 1/8" M. REDUCING NIPPLE; N	M1218
1/2" X 1/4" M. REDUCING NIPPLE; N	M1214
1/2" X 3/8" M. REDUCING NIPPLE; N	M1238
3/4" X 3/8" M. REDUCING NIPPLE; N	M3438
3/4" X 1/2" M. REDUCING NIPPLE; N	M3412

Polypropylene Hex Nipples

Description	Part #
1/4" M. PIPE NIPPLE-P/BLACK	3M14G
3/8" M. PIPE NIPPLE-P/BLACK	3M38G
1/2" M. PIPE NIPPLE-P/BLACK	3M12G
3/4" M. PIPE NIPPLE-P/BLACK	3M34G



**Hosebarb Elbow
(EL34)**

Hosebarb Elbow Hex Connectors

Description	Part #
1/4" MPT X 1/4" HB ELBOW; N	EL14
1/4" MPT X 3/8" HB ELBOW; N	EL1438
1/4" MPT X 3/8" HB ELBOW; BLACK	3EL1438G
1/4" MPT X 5/8" HB ELBOW; N	EL1458
1/4" MPT X 1/2" HB ELBOW; N	EL1412
3/8" MPT X 3/8" HB ELBOW; N	EL38HB
3/8" MPT X 1/2" HB ELBOW; N	EL3812
1/2" MPT X 3/8" HB ELBOW; N	EL1238
1/2" MPT X 1/2" HB ELBOW; N	EL12
3/4" MPT X 1/2" HB ELBOW; N	EL3412
3/4" FPT X 1/2" HB ELBOW; N	EL3412F
3/4" MPT X 3/4" HB ELBOW; N	EL34

Conectores - Spears - PVC Schedule 40 & 80



TEE - SCH40 PVC

Description (Soc. x Soc. x Soc.)	Part #
1/2"	401-005
3/4"	401-007
1"	401-010

Reducing Tee - SCH40 PVC

Description (Soc. x Soc. x Soc.)	Part #
3/4" X 3/4" X 1/2"	401-101
1" X 1" X 1/2"	401-130
1" X 1" X 3/4"	401-131

Tee - SCH40 PVC

Description (Soc. x FPT)	Part #
1/2"	402-005
3/4"	402-007
1"	402-010



**PVC Tee
(Socket X Socket X Socket)**



**PVC Tee
(Socket X FPT)**

Reducing Tee - SCH40 PVC

Description (Soc. x FPT)	Part #
3/4" X 3/4" X 1/2"	402-101
1" X 1" X 1/2"	402-130
1" X 1" X 3/4"	402-131

Tee - SCH40 PVC

Description (FPT)	Part #
1/2"	405-005
3/4"	405-007
1"	405-010



**PVC Tee
(FPT)**

90° Elbow - SCH40 PVC

Description (Soc.)	Part #
1/2"	406-005
3/4"	406-007
1"	406-010

90° Elbow - SCH40 PVC

Description (Soc. x FPT)	Part #
1/2"	407-005
3/4"	407-007
1"	407-010



**PVC 90° Elbow
(FPT)**

90° Elbow - SCH40 PVC

Description (FPT)	Part #
1/2"	408-005
3/4"	408-007
1"	408-010

45° Elbow - SCH40 PVC

Description (Soc.)	Part #
1/2"	417-005
3/4"	417-007
1"	417-010



**PVC 45° Elbow
(Socket)**

Coupling - SCH40 PVC (Soc.)

Description (Soc.)	Part #
1/2"	429-005N
3/4"	429-007N
1"	429-010N

Coupling - SCH40 PVC (FIP)

Description (FIP)	Part #
1/2"	430-005
3/4"	430-007
1"	430-010



**PVC Coupling
(Socket)**

Female Adapter - SCH40 PVC

Description (Soc. x FIP)	Part #
1/2"	435-005
3/4"	435-007
1"	435-010

Female Adapter (S.S. Reinforced) - SCH40 PVC

Description (Soc. x SR. FIP)	Part #
1/2" S.S. Reinforced	435-005SR
3/4" S.S. Reinforced	435-007SR
1" S.S. Reinforced	435-010SR



**PVC SR Female Adapter
(Socket X FPT)**

Male Adapter - SCH40 PVC

Description (MIP x Soc.)	Part #
1/2"	436-005
3/4"	436-007
1"	436-010

Reducing Bushing (Flush style) - SCH40 PVC



**PVC Male Adapter
(Socket X FPT)**

Description (Spig x Soc.)	Part #
3/4" X 1/2"	437-101
1" X 1/2"	437-130
1" X 3/4"	437-131

Reducing Bushing (Flush style) - SCH40 PVC

Description (Spig x FPT)	Part #
3/4" X 1/2"	438-101
1" X 1/2"	438-130
1" X 3/4"	438-131



**PVC Male Adapter
(Spig X MPT)**

Cap - SCH40 PVC

Description (Soc.)	Part #
1/2"	447-005
3/4"	447-007
1"	447-010

Cap - SCH40 PVC

Description (FPT)	Part #
1/2"	448-005
3/4"	448-007
1"	448-010



**PVC Tee
(Socket)**

Tee - SCH80 PVC

Description (Soc.)	Part #
1 1/4"	801-012
1 1/2"	801-015
2"	801-020

Reducing Tee - SCH80 PVC

Description (Soc.)	Part #
3/4" X 3/4" X 1/2"	801-101
1" X 1" X 1/2"	801-130
1" X 1" X 3/4"	801-131



**PVC Tee
(Socket X FPT)**

Reducing Tee - SCH80 PVC

Description (Soc.)	Part #
3" X 3" X 2"	801-338
4" X 4" X 3"	801-422

Tee - SCH80 PVC

Description (Soc. x FPT)	Part #
3/4"	802-007
1"	802-010



**PVC Tee
(FPT)**

Tee - SCH80 PVC

Description (FPT)	Part #
3/4"	805-007
1"	805-010

90° Elbow - SCH80 PVC

Description (Soc.)	Part #
1"	806-010
1/2"	806-005



**PVC 90° Elbow
(Socket)**

Coupling - SCH80 PVC

Description (FPT)	Part #
3/8"	830-003
1/2"	830-005
3/4"	830-007

Reducer Coupling - SCH80 PVC

Description (Soc.)	Part #
--------------------	--------



1" X 3/4"	829-131
1 1/4" X 1"	829-168
1 1/2" X 1"	829-211
1 1/2" X 1 1/4"	829-212

Female Adapter (S.S. Reinforced) - SCH80 PVC

Description (Soc. x SR FPT)	Part #
1/2" S.S. REINFORCED	835-005SR
3/4" S.S. REINFORCED	835-007SR
1" S.S. REINFORCED	835-010SR



**PVC Coupling
(Socket)**

Reducer Bushing (Flush) - SCH80 PVC

Description (MPT x FPT)	Part #
1/2" X 1/4"	839-072
3/4" X 1/2"	839-101
1" X 1/2"	839-130

Male Adapter - SCH80 PVC

Description (Spig. x MPT)	Part #
3/4"	861-007
1 1/4"	861-012
1 1/2"	861-015

Nipple - SCH80 PVC

Description (MPT x Lenght)	Part #
1/4" X 2"	880-020
3/8" X 1 1/2"	881-015
1/2" X 6"	882-060
3/4" X 3"	883-030
3/4" X 4"	883-040
3/4" X 6"	883-060
1" X 4"	884-040
1" X 6"	884-060



SCH80 PVC Nipple

Close Nipple - SCH80 PVC

Description (MPT x Lenght)	Part #
1"	884-005
3/4"	883-005

Risers

Description	Part #
1/2" X 4"	882-040
1/2" X 8"	882-080
1/2" X 10"	882-100
3/4" X 8"	883-080
1" X 8"	884-080
1 1/4" X 8"	885-080
1 1/2" X 8"	886-080



**Blue 75™ Thread
Sealant**

Blue 75™ Thread Sealant

Description	Part #
QUART	SB75-030

SPEARS Schedule 80 PVC fitting designs, combine years of proven experience with computer generated stress analysis to yield the optimum physical structure and performance for each fitting. Material reinforcement is uniformly placed in stress concentration areas for substantially improved pressure handling capability. Resulting products are subjected to numerous verification tests to assure obtaining the very best PVC fittings available.

Llaves de Paso - Valueline

Tank Ball Valves

Description

TANK BALL V; 1/4 JACO X 1/4"F; PVC; W

Part

BV100

Llaves de Paso - John Guest

JG John Guest



Tank Ball Valve



Inline Ball Valves

John Guest Tank Ball Valves

Description

1/4" JG X 1/4" FEMALE NPTF ELBOW

3/8" JG X 1/4" FEMALE NPTF ELBOW

Part

PPSV500822W

PPSV501222W

Inline Ball Valves

Description

1/4" JG X 1/4" JG STRAIGHT VALVE

3/8" JG X 3/8" JG STRAIGHT VALVE

1/4" MIP X 1/4" JG STRAIGHT VALVE

3/8" MIP X 3/8" JG STRAIGHT VALVE

1/2" JG X 1/2" JG STRAIGHT VALVE

Part

PPSV040808W

PPSV041212W

PPSV010822W

PPSV011223W

PISV0416S

Llaves de Paso - SMC



PVC Tank Ball Valves - 658 Series

Description

1/4" FPT X 1/4" SMC; WHITE

1/4" FPT X 3/8" SMC; WHITE

Part

7070490

7070590



658 Series

PVC Right Angled Ball Valves - 657 Series

Description (-B = Buna Seal)

1/4" FPT X 1/4" JACO-B; NSF

1/4" FPT X 1/4" FPT-B; NSF

1/4" FPT X 1/4" SMC-B; NSF

1/4" FPT X 3/8" JACO-B; NSF

1/4" FPT X 3/8" SMC-B; NSF

1/4" FPT X TAPERED BARB-B; NSF

3/8" SMC X 3/8" SMC-B;

3/8" FPT X 3/8" SMC-B; NSF

3/8" MPT X 3/8" SMC-B; NSF

Part

6570090

6570190

6571390

6570590

6571290

6571190

6571890

6572690

6573590



657 Series Ball Valves

Brass Inline Ball Valves - 253 Series

Description

1/8" M X 1/4" F BALL VALVE

1/4" M X 1/4" F BALL VALVE

1/4" F X 1/4" F BALL VALVE

Part

2533290

2533190

2534490



253 Series

PVC Inline Ball Valves - 250 Series

SMC = Quick Connect Style Fitting



Description	Part #
1/2" FPT X 1/2" FPT-BUNA SEAL	2270090
1/2" MPT X 1/2" MPT-BUNA SEAL	2270190
1/2" FPT X 1/2" MPT-BUNA SEAL	2270790



250 Series




638 Series

PVC Inline Ball Valves - 638 Series

Description (-B = Buna Seal)	Part #
1/4" FPT X 1/4" FPT-B; NSF	6380090
1/4" MPT X 1/4" FPT-B; NSF	6380490
1/4" JACO X 1/4" FPT-B; NSF	6381090
1/4" MPT X 1/4" SMC-B; NSF	6385190
1/4" SMC X 1/4" SMC-B; NSF	6381790
1/4" FPT X 3/8" SMC-B; NSF	6383190
1/4" SMC X 3/8" FPT-B; NSF	6382090
1/4" MPT X 3/8" SMC-B; NSF	6383890
3/8" MPT X 1/4" FPT-B; NSF	6381290
3/8" SMC X 1/4" SMC-B; NSF	6382990
3/8" SMC X 3/8" SMC-B; NSF	6381890
3/8" JACO X 3/8" FPT-B; NSF	6382590
3/8" FPT X 3/8" FPT-B; NSF	6382890
3/8" FPT X 3/8" SMC-B; NSF	6383990

T-Link PVC Ball Valves - 689 Series

Description (Qest X Qest X Branch)	Part #
1/2" FPT X 1/2" MPT X 1/4" FPT; NSF	6890590
1/2" FPT X 1/2" MPT X 1/4" JACO; NSF	6891190
1/2" FPT X 1/2" MPT X 1/4" SMC; NSF	6892390
4 QEST X 4 QEST X 1/4" JACO; NSF	6890690
4 QEST X 4 QEST X 1/4" SMC; NSF	6891890
6 QEST X 6 QEST X 1/4" FPT; NSF	6890190
6 QEST X 6 QEST X 1/4" JACO; NSF	6890790
6 QEST X 6 QEST X 1/4" SMC; NSF	6891990
6 QEST X 6 QEST X 3/8" SMC; NSF	6892590
8 QEST X 8 QEST X 1/4" FPT; NSF	6890290
8 QEST X 8 QEST X 1/4" JACO; NSF	6890890
8 QEST X 8 QEST X 1/4" SMC; NSF	6892090



689 Series Ball Valves

SMC = Quick
Connect Style

Sizing QEST Fittings

Poly Tube (Outside Diameter)	Copper Tubing (Inside Diameter)	Use QEST Size
3/8"	1/4"	4 QEST
1/2"	3/8"	6 QEST
5/8"	1/2"	8 QEST

Restrictores de Flujo - Payne



1/4" FPT Capillaries
(PFR402-___)

1/4" FPT Capillaries

Description (___ = choose ml size)
100, 120, 125, 150, 180, 200, 220, 250, 280,
300, 350, 400, 420, 450, 500, 550, 600, 650,
700, 750, 800, 850, 900, 1000, 1100, 1200,
& 1500 ML/MIN

Part

PFR402-___



1/4" FQC
Capillaries
(PFR402Q-___)

1/4" FQC Capillaries

Description (___ = choose ml size)
100, 125, 150, 200, 220, 250, 300, 350, 400,
420, 450, 500, 550, 600, 650, 800, 850, 1000,
& 1200 ML/MIN

Part

PFR402Q-___


1/4" Male Compression Thread Capillaries

Description (___ = choose ml size)
150, 200, 250, 300, 350, 420, 500, 550, 800,
& 900 ML/MIN

Part

PFR404M-___

Restrictores de Flujo - GWW



GWW Capillaries

Description	Part #
110ML/MIN(10G)FR CAPILLARY;RD	FRCT-110
189ML/MIN(18G)FR CAPILLARY;BR	FRCT-189
260ML/MIN(25G)FR CAPILLARY;BK	FRCT-260
365ML/MIN(35G)FR CAPILLARY;YL	FRCT-365
525ML/MIN(50G)FR CAPILLARY;GN	FRCT-525
575ML/MIN(60G)FR CAPILLARY;BL	FRCT-575
730ML/MIN(100G)FR CAPILLARY;WH	FRCT-730

Restrictores de Flujo - Valueline



**Flow Restrictor Insert
(FR-350I-BK)**

Flow Restrictor Inserts Only - (Fits Jaco Style Fittings Only)

Description	Part #
150 ML/MIN - YELLOW	FR-150I-Y
200 ML/MIN - BLUE	FR-200I-B
250 ML/MIN - RED	FR-250I-R
300 ML/MIN - GREEN	FR-300I-G
350 ML/MIN - BLACK	FR-350I-BK
400 ML/MIN - PURPLE	FR-400I-P
500 ML/MIN - ORANGE	FR-500I-O



**1/4" EZ X 1/8" MPT
Fixed Elbow Flow
Restrictor
(FR-__I-EZ-__)**

Flow Restrictor - Fixed Elbow Fitting With Insert (1/4" EZ x 1/8" MPT)

Description	Part #
150 ML/MIN - YELLOW	FR-150I-EZ-Y
200 ML/MIN - BLUE	FR-200I-EZ-B
250 ML/MIN - RED	FR-250I-EZ-R
300 ML/MIN - GREEN	FR-300I-EZ-G
350 ML/MIN - BLACK	FR-350I-EZ-BK



**Capillary Flow Restrictor
w/ 1/4" EZ Fittings
(FR-__P-EZ)**

Flow Restrictor - 1/4" FPT Capillary style

Description (___ = choose ml size)	Part #
150, 200, 250, 300, 350, 400, 450, & 500 ML/MIN	FR-__P



**Capillary Flow Restrictor
w/ 1/4" FPT
(FR-__P)**

Restrictores de Flujo - Hydronamic Engineering



Flow Restrictors - Inline (1/8" FPT Ports, 1 1/2" length)

Description (___ = Choose ml size)	Part #
150, 175, 180, 200, 250, 280, 300, 350, 400, 450, 500, 550, 600, 620, 650, 700, 750, 850, 900, 980, & ML/MIN	FR-__



**Flow Restrictor
(FR-__)**

Flow Restrictors - Male Connector Fitting With Insert (1/4" JG x 1/8" MPT)

Description (___ = Choose ml size)	Part #
150, 180, 200, 250, 300, 350, 420, 750, & 900 ML/MIN FR; CI010821W	FR-__-CI010821



1/4" x 1/8" Elbow
Flow Restrictor

Flow Restrictors - Fixed Elbow Fitting With Stainless Steel Insert (1/4" JG X 1/8" MPT)

Description (___ = Choose ml size)
180, 200, 300, 400, & 420 ML: CI480821W

Part #
SFR_ ___ -CI480821

Miscellaneous

Description
FLOW RESTRICTOR CLIP

Part #
FR-CLIP

Válvulas de Retención - Hydronamic Engineering (Check



Brass Check Valves

Description	Part #
1/4" COMP. X 1/4" COMP. BRASS	CV14C
3/8" MPT X 3/8" MPT BRASS	CV38



Check Valve
(CV18S-FM)

Stainless Steel Check Valves

Description	Part #
1/8" FPT X 1/8" MPT SS	CV18S-FM
1/8" MPT X 1/8" MPT SS	CV18SS
1/4" MPT X 1/4" MPT SS	CV14S
1/4" FPT X 1/4" MPT SS	CV14SF
1/4" FPT X 1/4" MPT SS; VITON	CV14SF-V



Check Valve
(CV14S)

Stainless Steel Check Valve - Inserted into Jaco Fittings

Description (Tube x Pipe)	Part #
CV; 1/4" JACO X 1/8" MPT; MALE CON. (N)	SCV-1042NO
CV; 1/4" JACO X 1/8" MPT; FIXED ELBOW (N)	SCV-4042NO



Check Valves
(SCV- ___)

Stainless Steel Check Valve - Inserted into John Guest Fittings

Description (Tube x Pipe)	Part #
CV; 1/4" JG X 1/8" MPT; MALE CON.-WHITE	SCV-CI010821W
CV; 1/4" JG X 1/8" MPT; MALE CON.-GREY	SCV-PI010821S
CV; 1/4" JG X 1/4" MPT; MALE CON.-WHITE	SCV-CI010822W
CV; 3/8" JG X 1/4" MPT; MALE CON.-WHITE	SCV-CI011222W
CV; 1/4" JG X 1/8" MPT; FIXED ELBOW-WHITE	SCV-CI480821W
CV; 1/4" JG X 1/8" MPT; FIXED ELBOW-GREY	SCV-PI480821S
CV; 1/4" JG X 1/4" MPT; FIXED ELBOW-GREY	SCV-PI480822S
CV; 1/4" STEM X 1/8" MPT; STEM ADPT.-WHITE	SCV-CI050821W
CV; 1/4" STEM X 1/8" MPT; STEM ADPT.-GREY	SCV-PI050821S

Válvulas de Retención - Valueline



Check Valve
(CV-02-2SS-PF)

Check Valves - Stainless Steel


Description	Part #
1/8" MPT X 1/8" MPT; 316SS	CV-01-2SS
1/8" MPT X 1/4" JACO STYLE COMP. EL.; SS	CV-02-2SS-PF

Check Valves - PVC

Description	Part #
CHECK VALVE INSERT JACO STYLE - PVC	CV-03-P

Válvulas de Retención - SMC

SMC



**PVC NSF Check Valve
- 426 Series**



**PVC Check Valve
- 694 Series**



**Brass & Stainless Steel
Check Valve - 610 Series**

PVC NSF Check Valves (426 Series)

Description	Part #
1/8" FPT X 1/8" FPT - BUNA	5720990
1/8" FPT X 1/8" FPT - VITON	5722390
1/4" FPT X 1/4" FPT - BUNA	5721090
1/4" FPT X 1/4" FPT - VITON	5720690
1/4" MPT X 1/4" MPT - BUNA	5721190
1/4" FPT X 1/4" MPT - BUNA	5721290
1/2" BARB X 1/2" BARB - BUNA	5721590

PVC NSF Check Valves


Description	Part #
685 SERIES; 1/2" F X 1/2" F - BUNA	6850090
687 SERIES; 3/4" F X 3/4" F - BUNA	6870090
694 SERIES; 1/4" F X 1/4" F - BUNA	6940090

Brass Check Valves

Description	Part #
610 SERIES - 3/8" FPT X 3/8" MPT	6460090
815 SERIES - 1/2" FPT X 1/2" FPT - BUNA	6540090
850 SERIES - 1/2" FPT X 1/2" FPT - BUNA	2680090
1215 SERIES - 3/4" FPT X 3/4" FPT - BUNA	6550090

SMC Provides competitively priced high quality check valves for positive checking. To prevent potential leaks and quality control is maintained from start to finish.

Válvulas de Retención - Jaco



KYNAR Check Valve

KYNAR Check Valves

Description (NPT Thread)	Part #
1/8"	CV-2-K
1/4"	CV-4-K
3/8"	CV-6-K
1/2"	CV-8-K
1/2" EP O-RING	CV-8-K-EP

Válvulas de Retención - John Guest

JG John Guest




Inline Check Valves

John Guest Inline Check Valves are designed with Super Speedfit technology, featuring the same simplicity as JG fittings providing a fast & secure way of connecting plastic tubing without the use of tools. The valves can be mounted in any position; the arrow indicates the direction of flow.

Check Valves - Inline

Description (Tube X Tube)	Part #
1/4" JG	1/4SCV
3/8" JG	3/8SCV
5/16" JG	5/16SCV

Válvulas Solenoides - ECI



**1/8" Port Solenoid Valve
- 1000 Series**

1/8" Port Solenoids Valves


Description	Part #
2 WAY NORM. CLOSED; .093; 24V	622-1004N-11A
2 WAY NORM. CLOSED; 120VAC	623-305

3/8" Port Solenoids Valves

Description	Part #
2 WAY NORM. CLOSED; 120V; AC	664-2408
2 WAY NORM. CLOSED; 0.188; 24V; W/8" LD	665-2424-1

3/4" Port Solenoids Valves

SERIES 953-954: 3/4" and 1" port solenoid plastic control valves are designed to allow maximum water flow over a wide range of pressures. The internal diaphragm allows smooth opening and closing, preventing problems with surge hazards and water hammer. All units are available with or without the flow control stem, or normally open/closed.



**3/8" Port Solenoid Valve
- 2400 Series**


Description	Part #
PDV W/O FLOW CONTROL STEM; 120V	953A-305
PDV W/O FLOW CONTROL STEM; 24VAC	953A-308
PDV W/O FLOW CONTROL STEM; 240V	953A-315
PDV W/O FLOW CONTROL STEM; 12VDC	953A-1223
PDV W/O FLOW CONTROL STEM; 24VAC	953A-1249
PDV W/FLOW CONTROL STEM; 24VAC	953B-308
PDV W/FLOW CONTROL STEM; 24VAC	953B-1249
PDV W/FLOW CONTROL STEM; 24VDC	953B-1209
PDV W/FLOW CONTROL STEM; 120V	953B-305
PDV W/FLOW CONTROL STEM; 240V	953B-315
NORMALLY OPEN; 120 VAC	953C-377
NORMALLY OPEN; 220VAC	953C-382

3/4" MPT External Port Solenoids Valves


Description	Part #
PVDM; W/O FLOW CON. STEM; 24V	955-308
PVDM; W/O FLOW CON. STEM; 120V	955-305
PVDM; W/O FLOW CON. STEM; 240V	955-315

1" Port Solenoids Valves

Description	Part #
PDV W/O FLOW CONTROL STEM; 24V	954A-308
PDV W/O FLOW CONTROL STEM; 120V	954A-305
PDV W/O FLOW CONTROL STEM; 240V	954A-315
PDV W/FLOW CONTROL STEM; 24VAC	954B-1249
PDV W/FLOW CONTROL STEM; 120VAC	954B-305
PDV W/FLOW CONTROL STEM; 240V	954B-315
NORM.OPEN; W/O FLOW CON. STEM; 120V	954C-1089



**3/4" Port Solenoid Valves
- 953A-200, 300, &
1000 Series**



**3/4" External Port
Solenoid Valves
- 955A-300 (Left) and
955A-1000 (Right) Series**

Soportes de Filtros - Pentek (Antes Ametek)



(144092)

Brackets

Description	Part #
BRKT & SCREWS KIT, 1/4, 3/8, 1/2"	244047
BRACKET(L) ONLY 1/4", 3/8", 1/2"	244046-00
BRACKET FOR 3/4" CAPS W/BOSSES	244043
FOR 3/4" HOUSING (U-SHAPE)	144012-00
FOR BIG BLUE-STAINLESS STEEL (L)	144092
TWO HOUSING BIG BLUE (L)	144258
THREE HOUSING BIG BLUE (L)	144259
2 HOUSING CCF & RO SYSTEM	144142-02
3 HOUSING CCF & RO SYSTEM	144169-02
BRACKET & SCREWS FOR S.S. HOUSING	156037

Soportes de Filtros - Chassis

Single Housing Bracket

Description	Part #
BB BRACKET W/SCREWS; W; L STYLE	BB-L-1020

Two Housing Bracket

Description (W = White, B = Black)	Part #
2 STAGE; 9 1/4" X 5 1/4"; Z STYLE	A-FM30B
2 STAGE; 9 1/4" X 5 1/4"; Z STYLE	A-FM30W
2 STAGE; 9 1/4" X 5 1/4"; U STYLE	A-FM40W
2 STAGE; 10 1/2" X 4 1/2"; U STYLE	A-FM70B
2 STAGE; 10 1/2" X 4 1/2"; U STYLE	A-FM70W
2 STAGE BIG BLUE; 5 1/4" X 8"; Z STYLE	A-2BB

Three Housing Bracket

Description (W = White, B = Black)	Part #
3 STAGE; 14 1/8" X 5 1/4"; Z STYLE	A-FM50W
3 STAGE; 14 1/8" X 5 3/4"; U STYLE	A-FM60B
3 STAGE; 14 1/8" X 5 3/4"; U STYLE	A-FM60W
3 STAGE W/STEP; 12" X 3 3/8" X 2 5/8"; U	A-FM90B
3 STAGE W/STEP; 12" X 3 3/8" X 2 5/8"; U	A-FM90W
3 STAGE; 13 1/4" X 5 1/4"; U STYLE	A-FM100B
3 STAGE; 13 1/4" X 5 1/4"; U STYLE	A-FM100W

Q-Series Bracket


Description (All White)	Part #
SINGLE Q-SERIES BRACKET; L	Q-BRACKET

Description (All White)	Part #
2 STAGE; 7 1/4" X 3"; Z STYLE	A-A-BVG2
2 STAGE; 7 1/4" X 3"; Z STYLE; ELEC.P	A-BVG2
3 STAGE; 10 1/2" X 3"; Z STYLE; ELEC.P	A-BVG3
3 STAGE; 11" X 4 1/8"; U STYLE	A-BV3
4 STAGE; 11" X 4 1/8"; U STYLE	A-BV4

RO-Pump Mounting Bracket

Description (W = White, B = Black)	Part #
4 STAGE Q-SERIES; 11" X 4 1/4" X 3"; Z STYLE	A-BV4-P
3 STAGE W/STEP; 12" X 3 1/4" X 4 1/2"; Z	A-HR35B
3 STAGE W/STEP; 12" X 3 1/4" X 4 1/2"; Z	A-HR35W

Clips



Base Clip (PPC204W)



Base Clip (PPC202W)

Base Clips

Description	Part #
2" BASE CLIP - BLACK	PPC204B
2" BASE CLIP - WHITE	PPC204W
2.5" BASE CLIP; EASY - BLACK	PPC212B
2.5" BASE CLIP; EASY - WHITE	PPC212W
2.5" BASE CLIP; EXTRA STRONG - BLACK	PPC202B
2.5" BASE CLIP; EXTRA STRONG - WHITE	PPC202W

Double Clips

Description	Part #
2" X 2" DOUBLE - BLACK	PPC208B
2" X 2" DOUBLE - WHITE	PPC208W
2.5" X 2" DOUBLE - BLACK	PPC205B
2.5" X 2" DOUBLE - WHITE	PPC205W
2.5" X 2.5" LARGE DOUBLE - BLACK	PPC222B
2.5" X 2.5" LARGE DOUBLE - WHITE	PPC222W



Double Clip (PPC205W)



Double Clip (PPC208W)



Base Clip (PPC212W)

Válvulas de Corte Automáticas (ASO) para Osmosis Inversa



(SV-14WH-SF)

Valueline

Description	Part #
ASO VALVE; 1/4" JACO STYLE; BLACK	SV-14BK

Hydronic ASO Series- White

Description	Part #
ASO; WITH INTRA SEAL; 1/4" QC FITTINGS	ASV-2000W
ASO; WITH 1/4" JG FITTINGS ADDED	ASV-100JG
AUTO SHUT OFF VALVE; 1/8" FPT	ASV-100
AUTO SHUT OFF VALVE; 1/4" JACO	ASV-100JACO
PERMEATE PUMP ASO; 1/4" JG ADDED	ASV-ERP-JG



(ASV-2000W) (ASV-100)

Payne PWS Series


Description	Part #
SHUT OFF VALVE; WHITE; 1/8" FPT	PWS392W
SHUT OFF VALVE; WHITE; 1/4" QC	PWS592Q



(PWS592-Q)

Terminator 2000

Description	Part #
T2000 ASO; 2/3; 1/8" FPT; WH	T2000
T2000S ASO W/ SPRING; 90%; 1/8" FPT; WH	T2000S



(T2000)