

PRODUCT CATALOGUE

BOSHART
INDUSTRIES



SALES DIRECTORY

Title/Name	Extension	Email Address
President		
Julie Storey	1019	julie.storey@boshart.com
Senior VP of Sales & Marketing		
Chris Windsor	1034	chris.windsor@boshart.com
Sales Manager		
USA -Aaron Boaz	1086	aaron.boaz@boshart.com
Canada -Brenda Hanna	1016	brenda.hanna@boshart.com
Territory Managers		
Northeast USA -Cara Welch	1089	cara.welch@boshart.com
Central USA -Paul Lueck	1100	paul.lueck@boshart.com
Western USA -Brad Beniger	1091	brad.beniger@boshart.com
Northwestern USA -Aaron Boaz	1086	aaron.boaz@boshart.com
Inside Sales Supervisors		
Canada -Erica Baier	1078	erica.baier@boshart.com
USA -Heather McEwen	1043	heather.mcewen@boshart.com
Inside Sales Representatives		
Ontario Canada -Tracey Bowman	1054	tracey.bowman@boshart.com
Ontario Canada -Charis Shouldice	1023	charis.shouldice@boshart.com
Quebec / Atlantic Canada -Wanda Snow	1033	wanda.snow@boshart.com
Western Canada AB / BC -Wanda Hagen	1050	wanda.hagen@boshart.com
Western Canada MB / SK -Robyn Yost	1038	robyn.yost@boshart.com
North East USA -Ruth Anne Ellis	1020	ruthanne.ellis@boshart.com
South East USA -Kelly Duncan	1058	kelly.duncan@boshart.com
Central USA -Maxine Kuepfer	1046	maxine.kuepfer@boshart.com
Western USA -Janet Wilding	1037	janet.wilding@boshart.com
Inside Sales Support - Canada -Megan Ray	1088	megan.ray@boshart.com
Inside Sales Support - USA -Heidi Johnson	1055	heidi.johnson@boshart.com

PRODUCT INDEX

A

Air Valves (Snifter)	7-2
Air Vent - Zinc Plated Steel	11-14
Air Volume Controls	7-6
Aluminum Well Caps	11-6

B

Ball Valves	
Brass/No Lead	2-2
CPVC	2-9
PVC	2-9
Stainless Steel	2-8
Bi-Metal Thermometers	6-10
Black Extension Pieces	3-3
Bleeder Orifices	7-2
Brass Compression Fittings	3-56
Brass Flare Fittings	3-53
Brass Garden Hose Fittings	3-61
Brass Hose Barbs	3-59
Brass Mini Barbs	3-60
Brass Ready Cut Pipe	3-34
Brass Snubbers	6-8
Brass/No Lead Constant Pressure Manifold	8-3
Bronze/No Lead Drop Ear Elbows	3-36
Bronze/No Lead Pipe Fittings	3-29
Bronze/No Lead Solder Fittings	3-36

C

Cable Guards	9-6
Cable Ties	9-4
Cable Weight	13-3
Check Valves	
Ball Check	10-7
Brass/No Lead	10-1
Bronze/No Lead	10-2
Cast Iron	10-3
Combination	13-5
Control Centre	10-2
Ductile Iron	10-4
Plastic	10-5
PVC In-Line	10-5
Stainless Steel	10-6
Sump Pump	13-5
Swing	10-1
Circulator Coupling	9-8
Clamps - Stainless Steel	4-23
Combination Nipples	3-64
Companion Flanges	3-27
Compression Couplings	3-23
Contractor Bins & Nut Driver	9-8
Countersunk Plugs	3-25
Cup Leathers	12-9

D

Dielectric Unions	3-69
Dishwasher Magic	16-1
Drive Caps	12-6
Drive Couplings	12-6
Drive Well Points	12-5
Drop Ear Elbows	3-36
Drop Pipe Couplings	9-6

E

Electrical Tape	9-4
Electrodes	6-11

F

Filtration Products	
Cartridges	5-5
Housings	5-1
Sand Strainer/Separator	5-10
Fittings (Pipe)	
Bronze/No Lead	3-29
Class 150 Malleable	3-1
Class 300 Malleable	3-10
Merchant Steel	3-25
PVC Sched 40	4-12
PVC Sched 80	4-17
Stainless Steel Heavy Pattern	3-39
Stainless Steel Light Pattern	3-44
Flare and Compression	3-53
Flexible Couplings	4-29
Flexible Elbows and Tees	4-30
Flexible End Caps	4-30
Flexible Plumbing Connectors	4-31
Float Switches	6-17
Float Switches-Sump & Sewage	13-2
Float Valves	7-3
Floats	7-4
Flow Control	7-8
Foot Valves	
Brass/No Lead	10-8
Bronze/No Lead	10-8
Cast Iron	10-9
Plastic	10-9
Stainless Steel	10-10

G

Garden Hose Fittings	3-61
Gas Ball Valves	2-12
Gauge Accessories	6-8
Gauges	6-1
Glycerine	6-8
Gray Magic Pipe Thread Compound	3-69
Gromet Kits	11-14

H

Hand Pump	12-8
Heat Shrink Kits, Tubing	9-1
Heavy Duty Yard Hydrants	12-1
Hole Saws	11-4
Hose Bibbs	2-13
Hose Menders	3-63

I

Indicator Light	6-19
Industrial Pitless	11-5
Insert Fittings For Plastic Pipe	
Bronze	4-1
Nylon	4-7
Polypropylene	4-8
PVC	4-9
Stainless Steel	4-3
Zinc Plated Steel	4-4
Insert Fittings For Rubber Hose	
Black	3-64
Brass	3-61
Iron Out (Super)	16-1

J

Jet Points	12-6
------------	------

L

Lawn Faucets	2-16
Lime Out	16-1
Liquid Filled Gauges	6-1
Liquid Level Alarms	13-1
Liquid Level Controls	6-11 13-3

M

Manifold Bracket	8-3
Merchant Couplings	3-23
Merchant Steel Pipe Fittings	3-25
Mini Barbs	3-60

N

Nipple Assortments	3-21
Nipples Heavy Duty	3-19
Nipples Standard	
Black	3-14
Bronze	3-34
Galvanized	3-17
PVC Sched 80	4-21
Stainless Steel	3-48
No Hub Couplings	4-31

PRODUCT INDEX

P	
Pig Tail Syphons	6-8
Pipe Cutters	9-9
Pipe Wrap	9-4
Pitless Adapters	
Bronze/No Lead	11-1
Concrete Tile	11-3
Stainless Steel	11-1
Tapped	11-2
Pitless Bury Units	11-5
Poly Tubing	3-67
Polyethylene Tubing	3-67
Pool and Spa	14-1
Potassium Permanganate	16-1
Pressure Sensors	6-23
Pressure Switches	
Boshart	6-12
Hubbell	6-20
Square D	6-13
Pump Mounting Bracket	8-3
Pump Rod	12-8
Pump Savers	12-7
Pump Wire	15-2
Push Fit Valves and Fittings	
No Lead Brass	3-71
Plastic Quick Connect	3-72
Plastic Twistloc	3-73
Supply Valves	2-19
PVC Ball Check	10-7
PVC Ball Valves	2-9
PVC Compression Fittings	4-11
PVC Drop Pipe	9-6
PVC Sched 40 Fittings	4-12
PVC Sched 80 Fittings	4-17
PVC Tubing	3-68
PVC Well Seal Air Vent	11-14
Q	
Quick Connect	3-72
R	
Ready Cut Pipe	
Brass	3-37
Malleable	3-14
Stainless Steel	3-48
Ready Cut Pipe Rack	3-22
Relief Valves	
Bronze/No Lead	7-1
PVC	7-1
Stainless Steel	7-1
Rod Couplings	12-8
Rope	9-7
Rope Hangers	9-7

S	
Sediment Faucets	5-10
Septobac Septic Treatment	16-1
Shaft Seals	9-8
Shielded Transition Couplings	4-32
Silicone Lubricant	11-4
Sillcock	2-14
Snifter Valves	7-2
Snubbers	6-8
SS Drop Pipe Couplings	9-6
SS Constant Pressure Manifold	8-3
SS Tank Tee / Manifold Packages	8-5
Standard Yard Hydrants	12-4
Sump Pump Check Valves	13-5
Sump/Sewage Check Valve	13-6
Super Iron Out	16-1
Switches	
Air Compressor	6-16
Float	6-17
Pressure	6-12
Sump Pump	13-2

T	
Tank Tees	
Brass/No Lead	8-1
Galvanized	8-1
PVC	8-1
Stainless Steel	8-1
Tank Tee Packages	8-4
Tape	
Electrical	9-4
Pipe Wrap	9-4
PTFE Thread Seal Tape	3-70
Tape Measures	9-10
Thermometers	6-10
Toe Nipples	3-16
Torque Arrestor Spiders	9-6
Torque Arrestors	9-5
Tridicators	6-10

U	
Union Connection	4-2

V	
Vacuum Breaker	2-18
Vacuum Switch	6-16
Valve Leathers	12-9
Valves	
Air (Snifter)	7-2
Ball	2-1
Check	10-1
Float	7-3
Foot	10-8
Gate	2-1
Lawn Faucets	2-18
Relief	7-1
Sediment	2-15
Stop	2-16
Supply 1/4 Turn	2-19
Washdown	12-7
Venturi Adapters & Elbows	4-6

W	
Wall Faucet	2-16
Wash Down Valves	12-7
Washer Magic	16-1
Water Box	13-1
Water Level Gauges	6-7
Well Caps	11-6
Well Points	12-5
Well Screen Caps	12-7
Well Screens	12-5
Well Seal Air Vent	11-14
Well Seal Sanitary	11-13
Well Seals	11-11
White Brite	16-1
Wire	
Bare Ground	15-1
TWU	15-1
Wire Spuds	11-4
Woolite Home Dry Cleaner	16-1

Y	
Y-Strainers	10-7
Yard Hydrants	12-1

Z	
Zinc Plated Steel Air Vent	11-14

PLUMBING VALVES

Offering a variety
of connection types
for a wide range of
applications



BOSHART
INDUSTRIES

INDEX

Product Line	Page
Brass Gate Valves	1
Mini Brass Ball Valves	2
Brass Ball Valves	2
Brass Ball Valves with Drain	6
Brass Ball Valves - Locking Handle	7
Stainless Steel Ball Valves	8
PVC Ball Valves	9
Premium PVC Ball Valves	10
Bent Nose Garden Valves	12
Gas Ball Valves	12
Hose Bibbs / Sampling Faucets	13
No-Kink Hose Bibbs	13
Brass Sillcocks	14
Sediment Faucets / Boiler Drains	15
Stop / Stop & Waste Valves	16
Chrome Plated Non-Freeze Lawn Faucets	16
Vacuum Breakers	18
Chrome Plated Supply Stops	19
Ice Maker Chrome Plated Supply Stops	20
Washing Machine Chrome Plated Supply Stops	20

MINI BRASS BALL VALVES

These ball valves are designed as an easy shut off in 1/4" or 1/8" pipe applications. They are no lead and can be used for potable water applications.

Part No.	Size	Port Size	Quantity		List Price - A
			L1	L2	

List Price Effective: June 24, 2019



**Full Port Brass, Seat Material: PTFE, Stem Packing Material: PTFE, Ball Material: Chrome Plated, Tee Handle
FPT Connection**
Temperature Range: Up to 180°F (82°C), Maximum Pressure: 600 PSI CWP
• NSF/ANSI Standard 372 Certified



0828-01NL	1/8"	0.30"	20	200	\$ 8.62
0828-02NL	1/4"	0.30"	20	200	\$ 8.29



**Full Port Brass, Seat Material: PTFE, Stem Packing Material: PTFE, Ball Material: Chrome Plated, Tee Handle
MPT x FPT Connection**
Temperature Range: Up to 180°F (82°C), Maximum Pressure: 600 PSI CWP
• NSF/ANSI Standard 372 Certified



0828-01M01FNL	1/8"	0.30"	20	200	\$ 8.67
0828-01M02FNL	1/8" x 1/4"	0.30"	20	200	\$ 8.46
0828-02M02FNL	1/4"	0.30"	20	200	\$ 8.35

BRASS BALL VALVES

Boshart's Brass Ball Valves are an excellent choice for a variety of applications where there is low risk of corrosion. Most connections come in both a leaded and no lead version to accommodate for potable water.

Part No.	Size	Port Size	Quantity		List Price - A
			L1	L2	

List Price Effective: April 27, 2020



**Standard Port Brass, Seat Material: PTFE, Stem Packing Material: PTFE, Ball Material: Chrome Plated, Rubber Grip Handle
Comp Connection**

Temperature Range: Up to 300°F (149°C), Maximum Pressure: 200 PSI CWP
• NSF/ANSI Standard 61 & 372 Certified
• cUPC Standard IGC 157 Certified

Note: Can be used to make connections between Copper, Brass, Aluminum, Plastic, CPVC & Pex tubing. Not recommended for use with steel tubing, designed for use with tube manufactured to CTS-OD tubing.



082CPND-05NL	1/2"	0.59"	10	100	\$ 16.34
082CPND-07NL	3/4"	0.78"	10	60	\$ 24.64
082CPND-10NL	1"	0.98"	6	30	\$ 37.27



**Standard Port Brass, Seat Material: PTFE, Stem Packing Material: PTFE, Ball Material: Chrome Plated, Rubber Grip Handle
PEX Connection**

Temperature Range: Up to 203°F (95°C), Maximum Pressure: 400 PSI CWP
• NSF/ANSI Standard 61 & 372 Certified
• cUPC Standard IGC 157 Certified



0821P-03NL	3/8"	0.39"	10	120	\$ 12.21
0821P-05NL	1/2"	0.39"	10	120	\$ 5.89
0821P-07NL	3/4"	0.59"	10	90	\$ 9.47
0821P-10NL	1"	0.79"	6	30	\$ 15.89

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

BRASS BALL VALVES

Part No.	Size	Port Size	Quantity List		Price - A
			L1	L2	

List Price Effective: April 27, 2020



**Full Port Brass, Seat Material: PTFE, Stem Packing Material: PTFE,
Ball Material: Chrome Plated, Rubber Grip Handle
FPT Connection**
 Temperature Range: -20°F to 300°F (-29°C to 149°C), Maximum Pressure: 600 PSI CWP

- NSF/ANSI Standard 61 & 372 Certified
- cUPC Standard IGC 157 Certified
- CSA listed to the following standard
 - ASME B16.44 & CGA/CR91-002: 5 PSIG (5G)
- Threads conform to ANSI / ASME B1.20.1

Stainless Steel Ball for sizes 1" to 2"



0825-02NL	1/4"	0.39"	12	120	\$ 7.70
0825-03NL	3/8"	0.39"	12	120	\$ 7.70
0825-05NL	1/2"	0.59"	10	100	\$ 9.63
0825-07NL	3/4"	0.78"	8	64	\$ 14.21
0825-10NL	1"	0.98"	6	30	\$ 23.14
0825-12NL	1-1/4"	1.26"	6	24	\$ 35.52
0825-15NL	1-1/2"	1.57"	4	16	\$ 49.14
0825-20NL	2"	1.97"	2	8	\$ 68.81



**Full Port Brass, Seat Material: PTFE, Stem Packing Material: PTFE,
Ball Material: Stainless Steel, Rubber Grip Handle
CxC Connection**
 Temperature Range: -20°F to 300°F (-29°C to 149°C), Maximum Pressure: 600 PSI CWP

- NSF/ANSI Standard 61 & 372 Certified
- cUPC Standard IGC 157 Certified
- CSA listed to the following standard
 - ASME B16.44 & CGA/CR91-002: 5 PSIG (5G)
- Threads conform to ANSI / ASME B1.20.1

Stainless Steel Ball for sizes 1" to 2"



0825C-05NL	1/2"	0.59"	10	100	\$ 8.17
0825C-07NL	3/4"	0.79"	8	64	\$ 13.02
0825C-10NL	1"	0.98"	6	30	\$ 21.91
0825C-12NL	1-1/4"	1.26"	6	24	\$ 34.33
0825C-15NL	1-1/2"	1.58"	4	16	\$ 47.96
0825C-20NL	2"	1.97"	2	8	\$ 67.62



**Full Port Brass, Seat Material: PTFE, Stem Packing Material: PTFE,
Ball Material: Stainless Steel, Rubber Grip Handle
FPT Connection**
 Temperature Range: Up to 300°F (149°C), Maximum Pressure: 600 PSI CWP

- NSF/ANSI Standard 61 & 372 Certified
- cUPC Standard IGC 157 Certified (1/4" - 2" only)
- CSA listed to the following standards (1/4" - 2" only)
 - ANSI Z21.15 & CGA 9.1: 1/2 PSIG (1/2PSI)
 - ASME B16.44 & CGA/CR91-002: 5 PSIG (5G)
 - ASME B16.33 & CAN/CGA 3.16 : 125 PSIG (BRS125G / CAN 3.16)
- UL listed to the following standards (1/4" - 2" only)
 - UL 1477 (YQNZ): Compressed gas shutoff valves - 600 PSI (1/4" - 1") 300 PSI (1-1/4" - 2")
 - UL 842 (YRBX): Flammable liquid shutoff valves - 600 PSI (1/4" - 1") 300 PSI (1-1/4" - 2")
 - UL 842 (YRPV): Gas shutoff valves - 600 PSI (1/4" - 1") 300 PSI (1-1/4" - 2")
 - UL 842 (MHKZ): Manual valves - 600 PSI (1/4" - 1") 300 PSI (1-1/4" - 2")
 - UL 125 (YSDT): LP-Gas shutoff valves - 600 PSI (1/4" - 1") 300 PSI (1-1/4" - 2")
- FM Standard 1140 Certified (1/4" - 2" only)

Maximum Pressure Rating of 400 PSI CWP for sizes 2-1/2" to 4"



0827-02NL	1/4"	0.39"	12	120	\$ 8.64
0827-03NL	3/8"	0.39"	12	120	\$ 8.59
0827-05NL	1/2"	0.59"	10	100	\$ 11.23
0827-07NL	3/4"	0.75"	8	64	\$ 16.96
0827-10NL	1"	0.98"	6	30	\$ 27.65
0827-12NL	1-1/4"	1.25"	6	24	\$ 42.73
0827-15NL	1-1/2"	1.57"	4	16	\$ 57.85
0827-20NL	2"	1.97"	2	8	\$ 80.22
0827-25NL	2-1/2"	2.52"	2	4	\$ 198.64
0827-30NL	3"	2.95"	4		\$ 264.34
0827-40NL	4"	3.90"	2		\$ 488.04

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

BRASS BALL VALVES

Part No.	Size	Port Size	Quantity List		
			L1	L2	Price - A

List Price Effective: April 27, 2020



**Full Port Brass, Seat Material: PTFE, Stem Packing Material: PTFE,
Ball Material: Stainless Steel, Rubber Grip Handle
Cx Connection**

Temperature Range: Up to 300°F (149°C), Maximum Pressure: 600 PSI CWP

- cUPC Standard IGC 157 Certified (1/4" - 2" only)
- UL listed to the following standards (1/4" - 2" only)
 - UL 1477 (YQNZ): Compressed gas shutoff valves - 600 PSI (1/4" - 1") 300 PSI (1-1/4" - 2")
 - UL 842 (YRBX): Flammable liquid shutoff valves - 600 PSI (1/4" - 1") 300 PSI (1-1/4" - 2")
 - UL 842 (YRPV): Gas shutoff valves - 600 PSI (1/4" - 1") 300 PSI (1-1/4" - 2")
 - UL 842 (MHKZ): Manual valves - 600 PSI (1/4" - 1") 300 PSI (1-1/4" - 2")
 - UL 125 (YSDT): LP-Gas shutoff valves - 600 PSI (1/4" - 1") 300 PSI (1-1/4" - 2")
- FM Standard 1140 Certified (1/4" - 2" only)

0827C-05	1/2"	0.59"	10	100	\$ 9.36
0827C-07	3/4"	0.75"	8	64	\$ 15.21
0827C-10	1"	0.98"	6	30	\$ 25.29
0827C-12	1-1/4"	1.25"	6	24	\$ 36.87
0827C-15	1-1/2"	1.57"	4	16	\$ 53.51
0827C-20	2"	1.97"	2	8	\$ 81.25
0827C-25	2-1/2"	2.52"	2	4	\$ 169.79
0827C-30	3"	2.95"	4		\$ 254.28
0827C-40	4"	3.90"	2		\$ 412.06



**Full Port Brass, Seat Material: PTFE, Stem Packing Material: PTFE,
Ball Material: Chrome Plated, Rubber Grip Handle
Push Fit Connection**

Temperature Range: Up to 200°F (93°C), Maximum Pressure: 200 PSI

- NSF/ANSI Standard 61 & 372 Certified
- ASSE Standard 1061 Certified

082PF-05NL	1/2"	0.63"	10	120	\$ 13.91
082PF-07NL	3/4"	0.88"	10	60	\$ 21.27
082PF-10NL	1"	1.13"	6	30	\$ 34.01



Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

BRASS BALL VALVES WITH DRAIN

Boshart's Brass Ball Valves with a drain are perfect for applications where water needs to be drained from the pipe after the valve. When installing one of these valves make sure the drain is not installed on the supply side of the valve.

Part No.	Size	Port Size	Quantity		List Price - A
			L1	L2	

List Price Effective: April 27, 2020



**Standard Port Brass, Seat Material: PTFE, Stem Packing Material: PTFE,
Ball Material: Chrome Plated, Rubber Grip Handle
Comp Connection**

Temperature Range: Up to 300°F (149°C), Maximum Pressure: 200 PSI CWP

- NSF/ANSI Standard 61 & 372 Certified
- cUPC Standard IGC 157 Certified

Note: Can be used to make connections between Copper, Brass, Aluminum, Plastic, CPVC & Pex tubing. Not recommended for use with steel tubing, designed for use with tube manufactured to CTS-OD tubing.

082CP-05NL	1/2"	0.59"	10	100	\$ 17.24
082CP-07NL	3/4"	0.79"	10	60	\$ 25.53
082CP-10NL	1"	0.98"	6	30	\$ 38.24



**Standard Port Brass, Seat Material: PTFE, Stem Packing Material: PTFE,
Ball Material: Chrome Plated, Rubber Grip Handle
PEX Connection**

Temperature Range: Up to 203°F (95°C), Maximum Pressure: 400 PSI CWP

- NSF/ANSI Standard 61 & 372 Certified
- cUPC Standard IGC 157 Certified

0821WDP-05NL	1/2"	0.39"	10	120	\$ 7.11
0821WDP-07NL	3/4"	0.59"	10	90	\$ 11.52



**Full Port Brass, Seat Material: PTFE, Stem Packing Material: PTFE,
Ball Material: Chrome Plated, Rubber Grip Handle
FPT Connection**

Temperature Range: Up to 300°F (149°C), Maximum Pressure: 600 PSI WOG

- NSF/ANSI Standard 61 & 372 Certified
- cUPC Standard IGC 157 Certified

082WD-05NL	1/2"	0.59"	10	120	\$ 14.26
082WD-07NL	3/4"	0.75"	10	60	\$ 22.43
082WD-10NL	1"	1.02"	6	30	\$ 35.33



**Full Port Brass, Seat Material: PTFE, Stem Packing Material: PTFE,
Ball Material: Chrome Plated, Rubber Grip Handle
Cx-C Connection**

Temperature Range: Up to 300°F (149°C), Maximum Pressure: 600 PSI WOG

- NSF/ANSI Standard 61 & 372 Certified
- cUPC Standard IGC 157 Certified

082WDC-05NL	1/2"	0.59"	10	120	\$ 13.10
082WDC-07NL	3/4"	0.75"	10	60	\$ 20.61
082WDC-10NL	1"	1.02"	6	30	\$ 33.70



**Full Port Brass, Seat Material: PTFE, Ball Material: Chrome Plated, Rubber Grip Handle
Push Fit Connection**

Temperature Range: Up to 200°F (93°C), Maximum Pressure: 200 PSI

- NSF/ANSI Standard 61 & 372 Certified
- ASSE Standard 1061 Certified

082PF-05WDNL	1/2"	0.63"	10	120	\$ 15.52
082PF-07WDNL	3/4"	0.88"	10	60	\$ 23.54
082PF-10WDNL	1"	1.13"	6	30	\$ 36.26



Contact your sales rep for any further information

Toll Free: 1-800-561-3164

boshart.com

BRASS BALL VALVES - LOCKING HANDLE

Boshart's Brass Ball Valves with a locking handle can be locked in the open or closed position with a padlock. This provides more security and prevents the ball valve from being tampered with.



Part No.	Size	Port Size	Quantity List		List Price - A
			L1	L2	

List Price Effective: April 27, 2020

**Full Port Brass, Seat Material: PTFE, Stem Packing Material: Viton,
Ball Material: Chrome Plated, Rubber Grip Handle
FPT Connection**

Temperature Range: Up to 350°F (177°C), Maximum Pressure: 600 PSI CWP

- NSF/ANSI Standard 61 Certified
- CSA listed to the following standards (1/4" - 2" only)
 - ANSI Z21.15 & CGA 9.1: 1/2 PSIG (1/2PSI)
 - ASME B16.44 & CGA/CR91-002: 5 PSIG (5G)
 - ASME B16.33 & CAN/CGA 3.16 : 125 PSIG (BRS125G / CAN 3.16)
- UL listed to the following standards
 - UL 258 (VQGU): Trim and drain valves - 600 PSI (1/4" - 2")
 - UL 1477 (YQNZ): Compressed gas shutoff valves - 600 PSI (1/4" - 2") 450 PSI (2-1/2" - 4")
 - UL 842 (YRBX): Flammable liquid shutoff valves - 600 PSI (1/4" - 2") 250 PSI (2-1/2" - 4")
 - UL 842 (YRPV): Gas shutoff valves - 600 PSI (1/4" - 2") 250 PSI (2-1/2" - 4")
 - UL 842 (MHKZ): Manual valves - 600 PSI (1/4" - 2") 250 PSI (2-1/2" - 4")
 - UL 125 (YSDT): LP-Gas shutoff valves - 600 PSI (1/4" - 2") 450 PSI (2-1/2" - 4")
- CRN Registered 0C0966
- Manufactured according to MSS SP-110

Note: Padlock not included.

Maximum Pressure Rating of 450 PSI CWP for sizes 2-1/2" to 4"

0826LH-02	1/4"	0.31"	12	192	\$ 32.59
0826LH-03	3/8"	0.39"	12	192	\$ 32.59
0826LH-05	1/2"	0.59"	8	128	\$ 34.95
0826LH-07	3/4"	0.79"	12	96	\$ 47.59
0826LH-10	1"	0.98"	8	64	\$ 74.39
0826LH-12	1-1/4"	1.26"	8	32	\$ 119.34
0826LH-15	1-1/2"	1.57"	6	24	\$ 155.33
0826LH-20	2"	1.97"	4	16	\$ 223.50
0826LH-25	2-1/2"	2.56"	2		\$ 695.04
0826LH-30	3"	3.15"			\$ 946.77
0826LH-40	4"	3.94"			\$ 1,500.36

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

STAINLESS STEEL BALL VALVES

Boshart's Stainless Steel Ball Valves come in 2 different materials to suit a variety of applications. 304 CF8 Stainless Steel can be used in conventional situations, where 316 CF8M Stainless Steel can be used in more demanding environments.

Part No.	Size	Port Size	Quantity		List Price - A
			L1	L2	

List Price Effective: April 27, 2020



**Full Port 316 Stainless Steel, Seat Material: PTFE, Stem Packing Material: PTFE,
Ball Material: Stainless Steel, Stainless Steel Locking Handle
FPT Connection**

Temperature Range: Up to 450°F (232°C), Maximum Pressure: 1000 PSI
• NSF/ANSI Standard 372 Certified

SSBV1000-02	1/4"	0.45"	15	90	\$ 22.26
SSBV1000-03	3/8"	0.47"	15	90	\$ 22.26
SSBV1000-05	1/2"	0.59"	9	54	\$ 28.09
SSBV1000-07	3/4"	0.78"	6	36	\$ 37.52
SSBV1000-10	1"	0.98"	4	24	\$ 57.27
SSBV1000-12	1-1/4"	1.26"	2	12	\$ 84.22
SSBV1000-15	1-1/2"	1.49"	6	12	\$ 119.84
SSBV1000-20	2"	1.96"	3	6	\$ 175.32
SSBV1000-25	2-1/2"	2.55"	4		\$ 398.00
SSBV1000-30	3"	3.15"			\$ 656.14



**Standard Port 316 Stainless Steel, Seat Material: PTFE, Stem Packing Material: PTFE,
Ball Material: Stainless Steel, Stainless Steel Locking Handle
FPT Connection**

Temperature Range: Up to 450°F (232°C), Maximum Pressure: 2000 PSI
• NSF/ANSI Standard 372 Certified

SSBV2000-02	1/4"	0.37"	12	72	\$ 23.77
SSBV2000-03	3/8"	0.37"	12	72	\$ 23.77
SSBV2000-05	1/2"	0.50"	12	72	\$ 29.59
SSBV2000-07	3/4"	0.69"	6	36	\$ 44.41
SSBV2000-10	1"	0.88"	5	30	\$ 62.07
SSBV2000-12	1-1/4"	1.00"	2	12	\$ 85.95
SSBV2000-15	1-1/2"	1.25"	6	12	\$ 124.20
SSBV2000-20	2"	1.50"	4	8	\$ 184.99



**Full Port 304 Stainless Steel, Seat Material: PTFE, Stem Packing Material: PTFE,
Ball Material: Stainless Steel, Stainless Steel Handle
FPT Connection**

Temperature Range: 14°F to 248°F (-10°C to 120°C), Maximum Pressure: 1000 PSI
• NSF/ANSI Standard 372 Certified

SSBV304-02	1/4"	0.43"	20	120	\$ 15.23
SSBV304-03	3/8"	0.49"	20	120	\$ 15.23
SSBV304-05	1/2"	0.59"	16	96	\$ 16.19
SSBV304-07	3/4"	0.79"	10	60	\$ 23.14
SSBV304-10	1"	0.98"	10	40	\$ 36.38
SSBV304-12	1-1/4"	1.26"	6	24	\$ 51.94
SSBV304-15	1-1/2"	1.50"	4	16	\$ 68.02
SSBV304-20	2"	1.97"	2	12	\$ 99.77
SSBV304-25	2-1/2"	2.56"	2	4	\$ 198.90
SSBV304-30	3"	2.99"	4		\$ 269.13
SSBV304-40	4"	3.70"	2		\$ 488.09



Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

PREMIUM PVC BALL VALVES

PVC Ball Valves are durable and excellent for a variety of applications, including water supply, swimming pools, and irrigation applications.

Part No.	Size	Port Size	Quantity List		Price - A
			L1	L2	

List Price Effective: April 27, 2020



**Molded in Place PVC, Seat Material: EPDM, Stem Packing Material: EPDM,
Ball Material: PVC, ABS Tee Handle
FPT Connection**

Temperature Range: 41°F to 122°F (5°C to 50°C), Maximum Pressure: 150 PSI @ 73°F (23°C)
• NSF/ANSI Standard 61 & 372 Certified (1/2" to 2" only)
Suitable for both Schedule 40 & 80 PVC pipe.



0921-05	1/2"	0.55"	100	\$ 3.93
0921-07	3/4"	0.79"	100	\$ 5.26
0921-10	1"	0.98"	100	\$ 7.00
0921-12	1-1/4"	1.18"	100	\$ 8.80
0921-15	1-1/2"	1.42"	48	\$ 15.06
0921-20	2"	1.83"	24	\$ 19.98
0921-25	2-1/2"	2.36"	12	\$ 47.10
0921-30	3"	3.03"	12	\$ 81.17
0921-40	4"	3.93"	6	\$ 152.45



**Molded in Place PVC, Seat Material: EPDM, Stem Packing Material: EPDM,
Ball Material: PVC, ABS Tee Handle
Slip Connection**

Temperature Range: 41°F to 122°F (5°C to 50°C), Maximum Pressure: 150 PSI @ 73°F (23°C)
• NSF/ANSI Standard 61 & 372 Certified (1/2" to 2" only)
Suitable for both Schedule 40 & 80 PVC pipe.



0921S-05	1/2"	0.55"	100	\$ 3.93
0921S-07	3/4"	0.79"	100	\$ 5.26
0921S-10	1"	0.98"	100	\$ 7.00
0921S-12	1-1/4"	1.18"	100	\$ 8.80
0921S-15	1-1/2"	1.42"	48	\$ 15.06
0921S-20	2"	1.83"	24	\$ 19.98
0921S-25	2-1/2"	2.36"	12	\$ 47.10
0921S-30	3"	3.03"	12	\$ 81.17
0921S-40	4"	3.93"	6	\$ 152.45



**Molded in Place PVC, Seat Material: PTFE, Stem Packing Material: Viton,
Ball Material: PVC, ABS Tee Handle
FPT Connection**

Temperature Range: 41°F to 122°F (5°C to 50°C), Maximum Pressure: 150 PSI @ 73°F (23°C)
Suitable for both Schedule 40 & 80 PVC pipe.



0923-05	1/2"	0.55"	100	\$ 8.74
0923-07	3/4"	0.79"	100	\$ 10.38
0923-10	1"	0.98"	100	\$ 15.33
0923-12	1-1/4"	1.18"	100	\$ 17.50
0923-15	1-1/2"	1.42"	48	\$ 30.69
0923-20	2"	1.83"	24	\$ 38.54



**Molded in Place PVC, Seat Material: PTFE, Stem Packing Material: Viton,
Ball Material: PVC, ABS Tee Handle
Slip Connection**

Temperature Range: 41°F to 122°F (5°C to 50°C), Maximum Pressure: 150 PSI @ 73°F (23°C)
Suitable for both Schedule 40 & 80 PVC pipe.



0923S-05	1/2"	0.55"	100	\$ 8.32
0923S-07	3/4"	0.79"	100	\$ 10.05
0923S-10	1"	0.98"	100	\$ 14.83
0923S-12	1-1/4"	1.18"	100	\$ 16.94
0923S-15	1-1/2"	1.42"	48	\$ 30.69
0923S-20	2"	1.83"	24	\$ 37.30



**Single Union PVC, Seat Material: EPDM, Stem Packing Material: EPDM, PVC Tee Handle
FPT Connection**

Temperature Range: 41°F to 122°F (5°C to 50°C), Maximum Pressure: 150 PSI @ 73°F (23°C)
• Threads conform to ANSI/ASME B1.20.1
Suitable for both Schedule 40 & 80 PVC pipe.



0933-15	1-1/2"	1.52"	48	\$ 16.21
0933-20	2"	1.89"	24	\$ 22.50

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

PREMIUM PVC BALL VALVES

Part No.	Size	Port Size	Quantity List		Price - A
			L1	L2	

List Price Effective: April 27, 2020



Single Union PVC, Seat Material: EPDM, Stem Packing Material: EPDM, PVC Tee Handle Slip Connection

Temperature Range: 41°F to 122°F (5°C to 50°C), Maximum Pressure: 150 PSI @ 73°F (23°C)
 • Slip connections conform to ASTM D2466



Suitable for both Schedule 40 & 80 PVC pipe.

0933S-15	1-1/2"	1.52"	48	\$ 15.70
0933S-20	2"	1.89"	24	\$ 22.81



True Union PVC, Seat Material: PTFE, Stem Packing Material: EPDM, ABS Tee Handle FPT or Slip Connection

Temperature Range: 41°F to 122°F (5°C to 50°C), Maximum Pressure: 150 PSI @ 73°F (23°C)
 Note: Double union / double block design permits in-line maintenance without disconnecting pipe. Ends are blocked with bayonet style lock to prevent ball from being blown out. Handle is equipped with removable spanner device.



Suitable for both Schedule 40 & 80 PVC pipe.

0925-05NL	1/2"	0.51"	48	\$ 15.77
0925-07NL	3/4"	0.71"	36	\$ 21.30
0925-10NL	1"	0.91"	24	\$ 29.55
0925-12NL	1-1/4"	1.18"	24	\$ 43.57
0925-15NL	1-1/2"	1.50"	24	\$ 58.03
0925-20NL	2"	1.89"	12	\$ 79.95
0925-25NL	2-1/2"	2.36"	6	\$ 152.21
0925-30NL	3"	2.72"	6	\$ 262.74
0925-40NL	4"	3.94"		\$ 510.82



True Union PVC, Seat Material: PTFE, Stem Packing Material: Viton, ABS Tee Handle FPT or Slip Connection

Temperature Range: 41°F to 122°F (5°C to 50°C), Maximum Pressure: 150 PSI @ 73°F (23°C)
 Note: Double union / double block design permits in-line maintenance without disconnecting pipe. Ends are blocked with bayonet style lock to prevent ball from being blown out. Handle is equipped with removable spanner device.



Suitable for both Schedule 40 & 80 PVC pipe.

0926-05	1/2"	0.51"	48	\$ 20.52
0926-07	3/4"	0.71"	36	\$ 27.25
0926-10	1"	0.91"	24	\$ 36.10
0926-12	1-1/4"	1.18"	24	\$ 47.53
0926-15	1-1/2"	1.50"	24	\$ 67.44
0926-20	2"	1.89"	12	\$ 97.44
0926-25	2-1/2"	2.36"	6	\$ 167.24
0926-30	3"	2.72"	6	\$ 261.12
0926-40	4"	3.94"		\$ 521.20

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
 boshart.com

GAS BALL VALVES

Boshart's Gas Ball Valves have a two piece forged brass body and a blow out proof stem. Available in combinations of FPT, Flare and MPT threads. Options for a 1/8" tapping for a manometer which allows line pressure to be tested at the valve are available. FPT connections are available with a yellow or red handle.

Seat Material: PTFE,

Temperature Range: -4°F to 149°F (-20°C to 65°C), Maximum Pressure: 250 PSI

• CSA listed to the following standards

- ANSI Z21.15 & CGA 9.1: 1/2 PSIG (1/2PSI)
- ASME B16.44 & CGA/CR91-002: 5 PSIG (5G)

• UL listed to the following standards

- UL 842 (YRPV): Gas shutoff valves - 250 PSI
- UL 842 (MHKZ): Manual valves - 250 PSI
- UL 125 (YSDT): LP-Gas shutoff valves - 250 PSI

Part No.	Size	Port Size	Quantity		List Price - A
			L1	L2	

List Price Effective: April 27, 2020

Two Piece Forged Brass, Yellow Tee Handle FPT



0832-03	3/8"	0.39"	10	100	\$ 6.97
0832-05	1/2"	0.39"	10	100	\$ 7.24
0832-07	3/4"	0.59"	10	100	\$ 10.49
0832-10	1"	0.75"	6	60	\$ 17.65

Two Piece Forged Brass, Red Tee Handle FPT



0832R-03	3/8"	0.39"	10	100	\$ 6.97
0832R-05	1/2"	0.39"	10	100	\$ 7.24
0832R-07	3/4"	0.59"	10	100	\$ 10.49
0832R-10	1"	0.75"	6	60	\$ 17.65

Two Piece Forged with Tap Brass, Yellow Tee Handle FPT



0832TP-05	1/2"	0.39"	10	100	\$ 9.81
0832TP-07	3/4"	0.59"	10	100	\$ 13.41

Part No.	Size	Port Size	Quantity		List Price - A
			L1	L2	

List Price Effective: April 27, 2020

Two Piece Forged Brass, Yellow Tee Handle FPT x Flare



0833-0503	1/2" x 3/8"	0.39"	10	100	\$ 7.56
0833-0505	1/2"	0.39"	10	100	\$ 8.55

Two Piece Forged Brass, Yellow Tee Handle MPT x Flare



0834-0503	1/2" x 3/8"	0.39"	10	100	\$ 7.84
0834-0505	1/2"	0.39"	10	100	\$ 8.43

Two Piece Forged Brass, Yellow Tee Handle Flare



0835-03	3/8"	0.27"	10	100	\$ 7.62
0835-05	1/2"	0.38"	10	100	\$ 8.07

Two Piece Forged with Tap Brass, Yellow Tee Handle Flare



0835TP-03	3/8"	0.27"	10	100	\$ 9.91
0835TP-05	1/2"	0.38"	10	100	\$ 10.49

BENT NOSE GARDEN VALVES

Boshart's Bent Nose Garden Valves are designed with an angled outlet. This allows a garden hose to be attached easily without the risk of a kink being formed.

Part No.	Size	Quantity		List Price - A
		L1	L2	

List Price Effective: June 24, 2019



Angled Brass, Seat Material: Nitrile Rubber, Stem Packing Material: Graphite, Green Rubber Coated Hand Wheel Handle
FPT x GHT Connection

Temperature Range: Up to 160°F (71°C), Maximum Pressure: 125 PSI

- NSF/ANSI Standard 372 Certified
- CSA Standard B125.1 Certified

0872-07NL	3/4"	12	72	\$ 19.31
0872-10NL	1" x 3/4"	12	72	\$ 21.99



Contact your sales rep for any further information

Toll Free: 1-800-561-3164

boshart.com

HOSE BIBBS / SAMPLING FAUCETS

Boshart's Hose Bibbs are available in brass, stainless steel or plastic. They come in multi-turn or 1/4 turn.



Part No.	Size	Quantity List		
		L1	L2	Price - A

List Price Effective: June 24, 2019

Angled Brass, Seat Material: Nitrile Rubber, Stem Packing Material: Nitrile Rubber, Tee Handle

MPT x GHT Connection

Temperature Range: Up to 160°F (71°C), Maximum Pressure: 125 PSI
 • NSF/ANSI Standard 61 & 372 Certified

0871-05NL	1/2" x 3/4"	10	100	\$ 10.59
0871-07NL	3/4"	10	100	\$ 12.01



Angled Brass, Seat Material: Nitrile Rubber, Stem Packing Material: Nitrile Rubber, Tee Handle

MPT Connection

Temperature Range: Up to 160°F (71°C), Maximum Pressure: 125 PSI
 • NSF/ANSI Standard 61 & 372 Certified

0874-05NL	1/2"	10	100	\$ 9.76
0874-07NL	3/4"	10	100	\$ 10.70



Angled Brass, Seat Material: PTFE, Stem Packing Material: Nitrile Rubber, Tee Handle

MPT x GHT Connection

Temperature Range: Up to 160°F (71°C), Maximum Pressure: 200 PSI
 • NSF/ANSI Standard 61 & 372 Certified

0852-05NL	1/2" x 3/4"	10	100	\$ 12.43
0852-07NL	3/4"	10	100	\$ 15.75



Angled Stainless Steel, Seat Material: PTFE, Stem Packing Material: PTFE, Tee Handle

MPT x GHT Connection

Temperature Range: Up to 248°F (120°C), Maximum Pressure: 200 PSI
 • NSF/ANSI Standard 61 & 372 Certified

SSHB52-05	1/2" x 3/4"	10	100	\$ 21.02
SSHB52-07	3/4"	10	100	\$ 25.33



Angled Stainless Steel, Seat Material: PTFE, Stem Packing Material: PTFE, Tee Handle

MPT Connection

Temperature Range: Up to 248°F (120°C), Maximum Pressure: 200 PSI
 • NSF/ANSI Standard 372 Certified

SSSF52-05	1/2"	10	100	\$ 21.02
SSSF52-07	3/4"	10	100	\$ 25.33



Angled ABS, Seat Material: PTFE, Stem Packing Material: Nitrile Rubber, Tee Handle

MPT x GHT Connection

Temperature Range: Up to 180°F (82°C), Maximum Pressure: 145 PSI

PHB-05	1/2" x 3/4"	100	200	\$ 4.24
PHB-07	3/4"	100	200	\$ 5.36



NO-KINK HOSE BIBBS

Boshart's No-Kink Hose Bibbs are designed with an angled outlet. This allows a garden hose to be attached easily without the risk of a kink being formed.



Part No.	Size	Quantity List		
		L1	L2	Price - A

List Price Effective: June 24, 2019

Angled Brass, Seat Material: Nitrile Rubber, Stem Packing Material: Nitrile Rubber, Brass Plated Tee Handle

MPT x GHT Connection

Temperature Range: Up to 160°F (71°C), Maximum Pressure: 125 PSI
 • NSF/ANSI Standard 61 & 372 Certified
 • CSA Standard B125.1 Certified

0875-05NL	1/2" x 3/4"	10	100	\$ 9.65
0875-07NL	3/4"	10	100	\$ 10.81



Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

SEDIMENT FAUCETS / BOILER DRAINS

Boshart's Sediment Faucets can be used to flush sediment build-up from pressure tanks. There are two designs, straight and angled, for when connecting a hose is required.

Quantity List
L1 L2 Price - A
List Price Effective: June 24, 2019



Straight Brass, Seat Material: Nitrile Rubber, Stem Packing Material: Nitrile Rubber, Black Cast Hand Wheel Handle
MPT x GHT Connection
 Temperature Range: Up to 212°F (100°C), Maximum Pressure: 125 PSI
 • NSF/ANSI 61 Certified
 • CSA B125.1 Certified



0853-05NL	1/2" x 3/4"	10	100	\$ 10.57
0853-07NL	3/4"	10	100	\$ 11.59



Straight Brass, Seat Material: Nitrile Rubber, Stem Packing Material: Nitrile Rubber, Black Cast Hand Wheel Handle
FPT x GHT Connection
 Temperature Range: Up to 212°F (100°C), Maximum Pressure: 125 PSI
 • NSF/ANSI 61 Certified
 • CSA B125.1 Certified



0853F-05NL	1/2" x 3/4"	10	100	\$ 11.17
0853F-07NL	3/4"	10	100	\$ 12.04



Straight Brass, Seat Material: Nitrile Rubber, Stem Packing Material: Nitrile Rubber, Black Cast Hand Wheel Handle
MPT x GHT Connection
 Temperature Range: Up to 212°F (100°C), Maximum Pressure: 125 PSI

0851-05	1/2" x 3/4"	10	100	\$ 7.38
0851-07	3/4"	10	100	\$ 8.12



Straight Brass, Seat Material: Nitrile Rubber, Stem Packing Material: Nitrile Rubber, Black Cast Hand Wheel Handle
PEX x GHT Connection
 Temperature Range: Up to 212°F (100°C), Maximum Pressure: 125 PSI
 • NSF/ANSI 61 Certified
 • CSA B125.1 Certified



0851P-05NL	1/2" x 3/4"	10	100	\$ 15.05
------------	-------------	----	-----	----------



Straight Brass, Seat Material: Nitrile Rubber, Stem Packing Material: Nitrile Rubber, Blue Triangular Handle
MPT x GHT Connection
 Temperature Range: Up to 160°F (71°C), Maximum Pressure: 125 PSI
 • NSF/ANSI 372 Certified
 • CSA B125.1 Certified



0845SF-05NL	1/2" x 3/4"	10	100	\$ 11.53
0845SF-07NL	3/4"	10	100	\$ 12.38



Angled Brass, Seat Material: Nitrile Rubber, Stem Packing Material: Nitrile Rubber, Blue Triangular Handle
MPT x GHT Connection
 Temperature Range: Up to 160°F (71°C), Maximum Pressure: 125 PSI
 • NSF/ANSI 372 Certified
 • CSA B125.1 Certified



0845SFA-05NL	1/2" x 3/4"	12	144	\$ 12.34
0845SFA-07NL	3/4"	12	144	\$ 13.33



Straight Brass, Seat Material: Nitrile Rubber, Stem Packing Material: Nitrile Rubber, Zinc Plated Handle
MPT x GHT Connection
 Temperature Range: Up to 160°F (71°C), Maximum Pressure: 125 PSI
 • NSF/ANSI 372 Certified
 • CSA B125.1 Certified



0846SF-05NL	1/2" x 3/4"	10	100	\$ 12.12
0846SF-07NL	3/4"	10	100	\$ 12.81

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
 boshart.com

STOP / STOP & WASTE VALVES

Boshart's Stop / Stop & Waste Valves are excellent for anywhere a compact, economical shut off is required. These come in two options, with a drain hole and cap and without the drain.

Part No.	Size	Quantity		List Price - A
		L1	L2	

List Price Effective: August 01, 2018



Stop Brass, Seat Material: Nitrile Rubber, Black Cast Hand Wheel Handle FPT Connection

Temperature Range: Up to 180°F (82°C), Maximum Pressure: 125 PSI

- NSF/ANSI 61 & 372 Certified
- CSA B125.1 Certified

0843-05NL	1/2"	10	100	\$ 9.30
0843-07NL	3/4"	10	100	\$ 10.89



Stop Brass, Seat Material: Nitrile Rubber, Black Cast Hand Wheel Handle CxC Connection

Temperature Range: Up to 180°F (82°C), Maximum Pressure: 125 PSI

- NSF/ANSI 61 & 372 Certified
- CSA B125.1 Certified

0843C-05NL	1/2"	10	100	\$ 8.27
0843C-07NL	3/4"	10	100	\$ 10.66



Stop & Waste Brass, Seat Material: Nitrile Rubber, Black Cast Hand Wheel Handle FPT Connection

Temperature Range: Up to 180°F (82°C), Maximum Pressure: 125 PSI

- NSF/ANSI 61 & 372 Certified
- CSA B125.1 Certified

0844-05NL	1/2"	10	100	\$ 9.77
0844-07NL	3/4"	10	100	\$ 11.59



Stop & Waste Brass, Seat Material: Nitrile Rubber, Black Cast Hand Wheel Handle CxC Connection

Temperature Range: Up to 180°F (82°C), Maximum Pressure: 125 PSI

- NSF/ANSI 61 & 372 Certified
- CSA B125.1 Certified

0844C-05NL	1/2"	10	100	\$ 8.46
0844C-07NL	3/4"	10	100	\$ 10.80



Stop & Waste Brass, Seat Material: Nitrile Rubber, Black Cast Hand Wheel Handle Comp Connection

Temperature Range: Up to 180°F (82°C), Maximum Pressure: 125 PSI

- NSF/ANSI 61 & 372 Certified
- CSA B125.1 Certified

Note: Can be used to make connections between Copper, Brass, Aluminum, Plastic, CPVC & Pex tubing. Not recommended for use with steel tubing, designed for use with tube manufactured to CTS-OD tubing.

0844CPR-05NL	1/2"	10	100	\$ 15.41
0844CPR-07NL	3/4"	10	100	\$ 19.80



CHROME PLATED NON-FREEZE LAWN FAUCETS

Boshart's Non-Freeze Lawn Faucets get installed through a wall and allow the water to drain back out of the valve so it won't freeze in the winter. This prevents winterizing and allows outdoor access to water year round.

Part No.	Size	Length	Quantity		List Price - A
			L1	L2	

List Price Effective: August 01, 2018



Without Self Draining Vacuum Breaker, Seat Material: Nitrile Rubber, Black Cast Hand Wheel Handle MPT or Copper x GHT Connection

Temperature Range: Up to 120°F (49°C), Maximum Pressure: 125 PSI

- NSF/ANSI Standard 61 & 372 Certified
- CSA Standard B125.1 Certified

0861-080NL	1/2" x 3/4"	8"	2	40	\$ 29.14
0861-100NL	1/2" x 3/4"	10"	2	40	\$ 30.25
0861-120NL	1/2" x 3/4"	12"	2	40	\$ 31.29
0861-140NL	1/2" x 3/4"	14"	2	40	\$ 32.56



Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

CHROME PLATED NON-FREEZE LAWN FAUCETS

Part No.	Size	Length	Quantity List		
			L1	L2	Price - A

List Price Effective: August 01, 2018



**With Self Draining Vacuum Breaker, Seat Material: Viton, Black Cast Hand Wheel Handle
MPT or Copper x GHT Connection**

Temperature Range: Up to 140°F (60°C), Maximum Pressure: 125 PSI

- 1/4 turn
- NSF/ANSI Standard 61 & 372 Certified
- CSA Standard B125.1 Certified
- ASSE Standard 1019 Certified



08QTWH05-040NL	1/2" x 3/4"	4"	2	40	\$ 48.93
08QTWH05-060NL	1/2" x 3/4"	6"	2	40	\$ 50.70
08QTWH05-080NL	1/2" x 3/4"	8"	2	40	\$ 53.58
08QTWH05-100NL	1/2" x 3/4"	10"	2	40	\$ 55.44
08QTWH05-120NL	1/2" x 3/4"	12"	2	40	\$ 57.30
08QTWH05-140NL	1/2" x 3/4"	14"	2	40	\$ 59.16



**With Self Draining Vacuum Breaker, Seat Material: Viton, Black Cast Hand Wheel Handle
PEX x GHT Connection**

Temperature Range: Up to 140°F (60°C), Maximum Pressure: 125 PSI

- 1/4 turn
- NSF/ANSI Standard 61 & 372 Certified
- CSA Standard B125.1 Certified
- ASSE Standard 1019 Certified



08QTWH05P-080NL	1/2" x 3/4"	8"	2	40	\$ 53.58
08QTWH05P-100NL	1/2" x 3/4"	10"	2	40	\$ 55.44
08QTWH05P-120NL	1/2" x 3/4"	12"	2	40	\$ 57.30
08QTWH05P-140NL	1/2" x 3/4"	14"	2	40	\$ 59.16



**With Self Draining Vacuum Breaker, Seat Material: Viton, Black Cast Hand Wheel Handle
MPT or FPT x GHT Connection**

Temperature Range: Up to 140°F (60°C), Maximum Pressure: 125 PSI

- 1/4 turn
- NSF/ANSI Standard 61 & 372 Certified
- CSA Standard B125.1 Certified
- ASSE Standard 1019 Certified



08QTWH07-100NL	3/4" or 1/2" x 3/4"	10"	2	40	\$ 57.30
08QTWH07-120NL	3/4" or 1/2" x 3/4"	12"	2	40	\$ 59.16
08QTWH07-140NL	3/4" or 1/2" x 3/4"	14"	2	40	\$ 60.97



**With Self Draining Vacuum Breaker, Seat Material: Nitrile Rubber,
Black Cast Hand Wheel Handle
MPT or Copper x GHT Connection**

Temperature Range: Up to 140°F (60°C), Maximum Pressure: 125 PSI

0865-040	1/2" x 3/4"	4"	2	40	\$ 27.48
0865-060	1/2" x 3/4"	6"	2	40	\$ 28.86
0865-080	1/2" x 3/4"	8"	2	40	\$ 30.35
0865-100	1/2" x 3/4"	10"	2	40	\$ 31.73
0865-120	1/2" x 3/4"	12"	2	40	\$ 33.34
0865-140	1/2" x 3/4"	14"	2	40	\$ 34.72
0865-160	1/2" x 3/4"	16"	2	40	\$ 38.75
0865-180	1/2" x 3/4"	18"	2	40	\$ 40.81
0865-200	1/2" x 3/4"	20"	2	40	\$ 42.88
0865-220	1/2" x 3/4"	22"	2	40	\$ 44.95
0865-240	1/2" x 3/4"	24"	2	40	\$ 47.02



**With Self Draining Vacuum Breaker, Seat Material: Nitrile Rubber,
Black Cast Hand Wheel Handle
MPT or Copper x GHT Connection**

Temperature Range: Up to 140°F (60°C), Maximum Pressure: 125 PSI

- NSF/ANSI Standard 61 & 372 Certified
- CSA Standard B125.1 Certified
- ASSE Standard 1019 Certified



0865-040NL	1/2" x 3/4"	4"	2	40	\$ 31.90
0865-060NL	1/2" x 3/4"	6"	2	40	\$ 33.57
0865-080NL	1/2" x 3/4"	8"	2	40	\$ 35.30
0865-100NL	1/2" x 3/4"	10"	2	40	\$ 36.91
0865-120NL	1/2" x 3/4"	12"	2	40	\$ 38.75
0865-140NL	1/2" x 3/4"	14"	2	40	\$ 40.35

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

CHROME PLATED NON-FREEZE LAWN FAUCETS

Part No.	Size	Length	Quantity List		
			L1	L2	Price - A

List Price Effective: August 01, 2018



With Self Draining Vacuum Breaker, Seat Material: Nitrile Rubber, Black Cast Hand Wheel Handle
PEX x GHT Connection

Temperature Range: Up to 140°F (60°C), Maximum Pressure: 125 PSI

0865P-040	1/2" x 3/4"	4"	2	40	\$ 29.20
0865P-060	1/2" x 3/4"	6"	2	40	\$ 30.70
0865P-080	1/2" x 3/4"	8"	2	40	\$ 30.35
0865P-100	1/2" x 3/4"	10"	2	40	\$ 31.73
0865P-120	1/2" x 3/4"	12"	2	40	\$ 33.34
0865P-140	1/2" x 3/4"	14"	2	40	\$ 34.72



With Self Draining Vacuum Breaker, Seat Material: Nitrile Rubber, Black Cast Hand Wheel Handle
PEX x GHT Connection

Temperature Range: Up to 140°F (60°C), Maximum Pressure: 125 PSI

- NSF/ANSI Standard 61 & 372 Certified
- CSA Standard B125.1 Certified
- ASSE Standard 1019 Certified

0865P-040NL	1/2" x 3/4"	4"	2	40	\$ 31.90
0865P-060NL	1/2" x 3/4"	6"	2	40	\$ 33.57
0865P-080NL	1/2" x 3/4"	8"	2	40	\$ 35.30
0865P-100NL	1/2" x 3/4"	10"	2	40	\$ 36.91
0865P-120NL	1/2" x 3/4"	12"	2	40	\$ 38.75
0865P-140NL	1/2" x 3/4"	14"	2	40	\$ 40.35



VACUUM BREAKERS

Vacuum Breakers install easily to any 3/4" hose faucet to provide back-siphonage protection. They feature a break-away set screw to make a permanent vandal-proof installation.

- CSA Standard B64.2 Certified
- ASSE Standard 1011 Certified

Part No.	Size	Quantity List		
		L1	L2	Price - A

List Price Effective: April 27, 2020



Manual Draining Brass, FGHT x MGHT Connection

Temperature Range: Up to 180°F (82°C), Maximum Pressure: 125 PSI

0881-07	3/4"	10	200	\$ 6.32
---------	------	----	-----	---------



Manual Draining Brass, FGHT x MGHT Connection

Temperature Range: Up to 180°F (82°C), Maximum Pressure: 125 PSI

0881-07NL	3/4"	10	200	\$ 8.42
-----------	------	----	-----	---------



Auto Draining Brass, FGHT x MGHT Connection

Temperature Range: Up to 180°F (82°C), Maximum Pressure: 125 PSI

Self-drains when all hose attachments are removed, protecting the valve or faucet from freezing in colder weather.

0882-07NL	3/4"	10	200	\$ 12.13
-----------	------	----	-----	----------



Contact your sales rep for any further information

Toll Free: 1-800-561-3164

boshart.com

CHROME PLATED SUPPLY STOPS

Supply stops are an excellent low pressure shut off valve generally found at the appliance. They come in different connections and configurations to meet all needs.

Seat Material: PTFE, Stem Packing Material: EPDM,

Temperature Range: Up to 180°F (82°C), Maximum Pressure: 125 PSI

- 1/4 Turn
- NSF/ANSI Standard 61 & 372 Certified
- CSA Standard B125.1 Certified
- Connections conform to the following standards
 - Threads ANSI/ASME B1.20.1
 - CxC ANSI B16.18

- CPVC ASTM D2846
- PEX ASTM F1807
- Push Fit ASSE 1061
- Compression SAE J512
- Cold Expansion ASTM F1960

Part No.	Size	Connection Type	Quantity List		
			L1	L2	Price -

List Price Effective: April 27, 2020



Angled

08SVA-03FNL	3/8"	FPT x Comp	20	240	\$ 6.80
08SVA-05CEPNL	1/2" x 3/8"	Cold Expansion x Comp	20	240	\$ 9.38
08SVA-05CNL	1/2" x 3/8"	Copper x Comp	20	240	\$ 6.80
08SVA-05FNL	1/2" x 3/8"	FPT x Comp	20	240	\$ 7.81
08SVA-05PF02CPNL	1/2" x 1/4"	Push Fit x Comp	20	240	\$ 10.48
08SVA-05PFNL	1/2" x 3/8"	Push Fit x Comp	20	240	\$ 10.29
08SVA-05PNL	1/2" x 3/8"	PEX x Comp	20	240	\$ 6.60
08SVA-05VNL	1/2" x 3/8"	CPVC x Comp	20	240	\$ 10.54
08SVA-58CPNL	5/8" x 3/8"	Comp	20	240	\$ 8.93



Dual Outlet

08SVD-05F03CPNL	1/2" x 3/8" x 3/8"	FPT x Comp	20	240	\$ 14.22
08SVD-58CP03CPNL	5/8" x 3/8" x 3/8"	Comp	20	240	\$ 16.42



Dual Outlet Dual Shut-Off

08SVD-05F03CPNL	1/2" x 3/8"	FPT x Comp	10	120	\$ 24.86
08SVD-58CP03CPNL	5/8" x 3/8"	Comp	10	120	\$ 27.59



Straight

08SVS-03FNL	3/8"	FPT x Comp	20	240	\$ 6.60
08SVS-05CEPNL	1/2" x 3/8"	Cold Expansion x Comp	20	240	\$ 9.15
08SVS-05CNL	1/2" x 3/8"	Copper x Comp	20	240	\$ 6.42
08SVS-05FNL	1/2" x 3/8"	FPT x Comp	20	240	\$ 8.09
08SVS-05P05PNL	1/2"	PEX	20	240	\$ 5.40
08SVS-05PFNL	1/2" x 3/8"	Push Fit x Comp	20	240	\$ 10.03
08SVS-05PNL	1/2" x 3/8"	PEX x Comp	20	240	\$ 6.32
08SVS-05VNL	1/2" x 3/8"	CPVC x Comp	20	240	\$ 10.34
08SVS-58CPNL	5/8" x 3/8"	Comp	20	240	\$ 8.65
08SVS-RFNL	3/8"	Swivel Nut x CPR	20	240	\$ 8.93



Tee

08SVT-05PF02CPNL	1/2" x 1/4"	Push Fit x Comp	10	120	\$ 12.48
08SVT-05PFNL	1/2" x 3/8"	Push Fit x Comp	10	120	\$ 12.68



Contact your sales rep for any further information

Toll Free: 1-800-561-3164

boshart.com

ICE MAKER CHROME PLATED SUPPLY STOPS

Supply stops are an excellent low pressure shut off valve generally found at appliances. They come in different connections and configurations to meet all needs.

Temperature Range: Up to 180°F (82°C), Maximum Pressure: 125 PSI

- 1/4 Turn
- NSF/ANSI Standard 61 & 372 Certified
- CSA Standard B125.1 Certified
- Connections conform to the following standards
 - Threads ANSI/ASME B1.20.1

- CxC ANSI B16.18
- PEX ASTM F1807
- Compression SAE J512



Part No.	Size	Quantity List			List Price - A
		L1	L2		


List Price Effective: April 27, 2020


Ice Maker Copper x Comp		08SVA-05C02CPNL	1/2" x 1/4"	20	240	\$ 6.70
------------------------------------	---	-----------------	-------------	----	-----	---------

Ice Maker FPT x Comp		08SVA-05F02CPNL	1/2" x 1/4"	20	240	\$ 7.54
---------------------------------	---	-----------------	-------------	----	-----	---------

Part No.	Size	Quantity List			List Price - A
		L1	L2		

List Price Effective: April 27, 2020

Ice Maker PEX x Comp		08SVA-05P02CPNL	1/2" x 1/4"	20	240	\$ 6.24
---------------------------------	---	-----------------	-------------	----	-----	---------

Ice Maker Comp		08SVA-58CP02CPNL	5/8" x 1/4"	20	240	\$ 8.73
---------------------------	---	------------------	-------------	----	-----	---------

WASHING MACHINE CHROME PLATED SUPPLY STOPS

Supply stops are an excellent low pressure shut off valve generally found at appliances. They come in different connections and configurations to meet all needs. These washing machine valves have color coded handles for hot and cold water supplies.

Temperature Range: Up to 180°F (82°C), Maximum Pressure: 125 PSI


- 1/4 Turn
- NSF/ANSI Standard 61 & 372 Certified
- CSA Standard B125.1 Certified
- Connections conform to the following standards
 - Threads ANSI/ASME B1.20.1


- CxC ANSI B16.18
- PEX ASTM F1807
- Compression SAE J512




Part No.	Size	Quantity List			List Price - A
		L1	L2		

List Price Effective: April 27, 2020


Angled Blue Plastic Handle MPT or Comp x GHT		08SVAWMB-05MNL	1/2" x 3/4"	20	240	\$ 12.34
---	---	----------------	-------------	----	-----	----------


Angled Blue Plastic Handle PEX x GHT		08SVAWMB-05PNL	1/2" x 3/4"	20	240	\$ 13.25
---	---	----------------	-------------	----	-----	----------


Angled Blue Plastic Handle CPR x GHT		08SVAWMB-58CPNL	5/8" x 3/4"	20	240	\$ 13.25
---	---	-----------------	-------------	----	-----	----------

Part No.	Size	Quantity List			List Price - A
		L1	L2		

List Price Effective: April 27, 2020

Angled Red Plastic Handle MPT or Comp x GHT		08SVAWMR-05MNL	1/2" x 3/4"	20	240	\$ 12.34
--	---	----------------	-------------	----	-----	----------

Angled Red Plastic Handle PEX x GHT		08SVAWMR-05PNL	1/2" x 3/8"	20	240	\$ 13.25
--	---	----------------	-------------	----	-----	----------

Angled Red Plastic Handle CPR x GHT		08SVAWMR-58CPNL	5/8" x 3/4"	20	240	\$ 13.25
--	---	-----------------	-------------	----	-----	----------

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

FITTINGS & NIPPLES, COMPRESSION & FLARE

A wide range of
pipe fittings to suit
system requirements
in residential and
commercial applications



BOSHART
INDUSTRIES

INDEX

Product Line	Page
Class 150 Malleable Iron Fittings	1
Class 300 Malleable Iron Fittings	10
Schedule 40 Malleable Pipe Nipples & Ready Cut Pipe	14
Schedule 80 Malleable Pipe Nipples	19
Schedule 40 Nipple Assortments	21
Ready Cut Pipe Racks	22
Galvanized Compression (Dresser) Couplings	23
Merchant Couplings	23
Malleable Iron Merchant Pipe Fittings	25
Cast Iron Companion Flanges	27
Companion Flange Bolt/Gasket Kits	28
Class 125 Cast Bronze Fittings	29
Class 125 No Lead Cast Bronze Fittings	31
Brass Nipples & Ready Cut Pipe	34
Solder & Drop Ear Fittings	36
Class 150 Bronze Companion Flanges	37
Class 150 Stainless Fittings	39
Schedule 40 Stainless Steel Nipples & Ready Cut Pipe	48
Flare Fittings	53
Compression Fittings	56
Hose Barb Fittings	59
Garden Hose Fittings	61
Hose Menders	63
Combination Nipples	64
Gas Appliance Connectors	65
Tubing & Hose	67
Wall Mount / Floor Stand Frames	68
Dielectric Unions	69
Gray Magic Pipe Thread Compound	69
Thread Seal Tape	70
Push Fit Fittings	71
Plastic Quick Connect Fittings	72
Twistloc Fittings	73
PEX Fittings	75

CLASS 150 BLACK MALLEABLE IRON FITTINGS

- Material Specifications
 - ANSI/ASTM A197 Cupola Malleable Iron Castings
- Dimensional Specifications
 - ANSI/ASME B16.3 Threaded Fittings
 - ANSI/ASME B16.14 Threaded Plugs, Bushings & Locknuts
 - ANSI/ASME B16.39 Threaded Unions

- Thread Specifications
 - ANSI/ASME B1.20.1 Pipe Threads
- UL Manufactured
- FM Standard 1920
- CRNs are available

Part No.	Size	Quantity List		
		L1	L2	Price - B

List Price Effective: April 27, 2020



Bushing - MPT x FPT
† Inside Head * Octagon Head

2-BLB-0201	1/4" x 1/8"	100	1200	\$ 24.48
2-BLB-0301	3/8" x 1/8"	100	600	\$ 24.48
2-BLB-0302	3/8" x 1/4"	100	600	\$ 24.48
2-BLB-0501	1/2" x 1/8"	150	600	\$ 14.31
2-BLB-0502	1/2" x 1/4"	100	600	\$ 14.31
2-BLB-0503	1/2" x 3/8"	100	600	\$ 14.31
2-BLB-0701	3/4" x 1/8"	50	300	\$ 16.25
2-BLB-0702	3/4" x 1/4"	50	300	\$ 16.25
2-BLB-0703	3/4" x 3/8"	50	300	\$ 16.25
2-BLB-0705	3/4" x 1/2"	50	300	\$ 16.25
2-BLB-1001 †	1" x 1/8"	50	200	\$ 27.42
2-BLB-1002 †	1" x 1/4"	50	200	\$ 23.96
2-BLB-1003 †	1" x 3/8"	50	200	\$ 23.96
2-BLB-1005	1" x 1/2"	50	200	\$ 21.57
2-BLB-1007	1" x 3/4"	50	200	\$ 21.57
2-BLB-1202 †	1-1/4" x 1/4"	30	120	\$ 38.24
2-BLB-1203 †	1-1/4" x 3/8"	30	120	\$ 38.24
2-BLB-1205 †	1-1/4" x 1/2"	30	120	\$ 38.24
2-BLB-1207	1-1/4" x 3/4"	30	120	\$ 38.24
2-BLB-1210	1-1/4" x 1"	30	120	\$ 34.41
2-BLB-1501 †	1-1/2" x 1/8"	25	75	\$ 44.87
2-BLB-1502 †	1-1/2" x 1/4"	25	75	\$ 44.87
2-BLB-1503 †	1-1/2" x 3/8"	25	75	\$ 44.87
2-BLB-1505 †	1-1/2" x 1/2"	25	75	\$ 44.87
2-BLB-1507 †	1-1/2" x 3/4"	25	75	\$ 44.87
2-BLB-1510	1-1/2" x 1"	25	75	\$ 44.87
2-BLB-1512	1-1/2" x 1-1/4"	25	75	\$ 44.87
2-BLB-2002 †	2" x 1/4"	20	60	\$ 62.04
2-BLB-2003 †	2" x 3/8"	20	60	\$ 62.04
2-BLB-2005 †	2" x 1/2"	20	60	\$ 62.04
2-BLB-2007 †	2" x 3/4"	20	60	\$ 62.04
2-BLB-2010 †	2" x 1"	20	60	\$ 62.04
2-BLB-2012 *	2" x 1-1/4"	20	60	\$ 56.07
2-BLB-2015 *	2" x 1-1/2"	20	60	\$ 56.07
2-BLB-2505 †	2-1/2" x 1/2"	50		\$ 104.97
2-BLB-2507	2-1/2" x 3/4"	50		\$ 104.97
2-BLB-2510 †	2-1/2" x 1"	24		\$ 104.97
2-BLB-2512 †	2-1/2" x 1-1/4"	24		\$ 104.97
2-BLB-2515 *	2-1/2" x 1-1/2"	28		\$ 104.97
2-BLB-2520 *	2-1/2" x 2"	32		\$ 104.97
2-BLB-3005 †	3" x 1/2"	20		\$ 176.69
2-BLB-3007 †	3" x 3/4"	20		\$ 176.69
2-BLB-3010 †	3" x 1"	20		\$ 152.71
2-BLB-3012 †	3" x 1-1/4"	20		\$ 152.71
2-BLB-3015 †	3" x 1-1/2"	20		\$ 152.71
2-BLB-3020 *	3" x 2"	20		\$ 152.71
2-BLB-3025 *	3" x 2-1/2"	20		\$ 152.71
2-BLB-3520 †	3 1/2" x 2"	10		\$ 281.88

Part No.	Size	Quantity List		
		L1	L2	Price - B

List Price Effective: April 27, 2020

2-BLB-3530 *	3" 1/2" x 3"	10		\$ 391.29
2-BLB-4007	4" x 3/4"	10		\$ 286.41
2-BLB-4010 †	4" x 1"	10		\$ 286.41
2-BLB-4012 †	4" x 1-1/4"	10		\$ 286.41
2-BLB-4015 †	4" x 1-1/2"	10		\$ 286.41
2-BLB-4020 †	4" x 2"	10		\$ 286.41
2-BLB-4025 †	4" x 2-1/2"	10		\$ 286.41
2-BLB-4030	4" x 3"	10		\$ 286.41
2-BLB-5020 †	5" x 2"	10		\$ 541.10
2-BLB-5030 †	5" x 3"	5	10	\$ 662.21
2-BLB-5040 *	5" x 4"	5	10	\$ 662.21
2-BLB-6030 †	6" x 3"	8		\$ 782.65
2-BLB-6040 *	6" x 4"	8		\$ 782.65
2-BLB-6050 *	6" x 5"	8		\$ 782.65



Cap - FPT

2-BLCA-01	1/8"	100	1200	\$ 13.37
2-BLCA-02	1/4"	200	800	\$ 13.37
2-BLCA-03	3/8"	50	600	\$ 13.37
2-BLCA-05	1/2"	50	300	\$ 12.07
2-BLCA-07	3/4"	40	240	\$ 14.70
2-BLCA-10	1"	50	200	\$ 20.65
2-BLCA-12	1-1/4"	25	100	\$ 30.23
2-BLCA-15	1-1/2"	25	75	\$ 39.56
2-BLCA-20	2"	18	54	\$ 55.03
2-BLCA-25	2-1/2"	30		\$ 124.25
2-BLCA-30	3"	20		\$ 171.91
2-BLCA-40	4"	14		\$ 286.41
2-BLCA-50	5"	4		\$ 759.26
2-BLCA-60	6"	2		\$ 1,095.71



Coupling - FPT

2-BLC-01	1/8"	60	720	\$ 14.31
2-BLC-02	1/4"	40	480	\$ 14.31
2-BLC-03	3/8"	50	300	\$ 14.31
2-BLC-05	1/2"	60	240	\$ 12.07
2-BLC-07	3/4"	50	150	\$ 16.34
2-BLC-10	1"	25	75	\$ 27.62
2-BLC-12	1-1/4"	32	64	\$ 38.80
2-BLC-15	1-1/2"	18	36	\$ 47.39
2-BLC-20	2"	12	24	\$ 73.23
2-BLC-25	2-1/2"	16		\$ 143.25
2-BLC-30	3"	12		\$ 210.05
2-BLC-40	4"	7		\$ 343.67
2-BLC-50	5"	4		\$ 811.67
2-BLC-60	6"	2		\$ 1,050.34

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

CLASS 150 BLACK MALLEABLE IRON FITTINGS

Part No. **Size** **Quantity** **List**
 L1 **L2** **Price - B**
 List Price Effective: April 27, 2020

Reducing Coupling - FPT



2-BLRC-0201	1/4" x 1/8"	35	420	\$ 16.25
2-BLRC-0301	3/8" x 1/8"	30	360	\$ 16.25
2-BLRC-0302	3/8" x 1/4"	30	360	\$ 16.25
2-BLRC-0501	1/2" x 1/8"	50	300	\$ 16.25
2-BLRC-0502	1/2" x 1/4"	50	300	\$ 16.25
2-BLRC-0503	1/2" x 3/8"	40	240	\$ 16.25
2-BLRC-0701	3/4" x 1/8"	30	180	\$ 22.81
2-BLRC-0702	3/4" x 1/4"	30	180	\$ 22.81
2-BLRC-0703	3/4" x 3/8"	30	180	\$ 22.81
2-BLRC-0705	3/4" x 1/2"	60	180	\$ 20.65
2-BLRC-1002	1" x 1/4"	40	120	\$ 30.51
2-BLRC-1003	1" x 3/8"	40	120	\$ 30.51
2-BLRC-1005	1" x 1/2"	25	100	\$ 30.51
2-BLRC-1007	1" x 3/4"	25	100	\$ 27.62
2-BLRC-1203	1-1/4" x 3/8"	25	75	\$ 44.87
2-BLRC-1205	1-1/4" x 1/2"	25	75	\$ 44.87
2-BLRC-1207	1-1/4" x 3/4"	25	75	\$ 44.87
2-BLRC-1210	1-1/4" x 1"	20	60	\$ 44.87
2-BLRC-1503	1-1/2" x 3/8"	20	60	\$ 53.53
2-BLRC-1505	1-1/2" x 1/2"	20	60	\$ 53.53
2-BLRC-1507	1-1/2" x 3/4"	30	60	\$ 53.53
2-BLRC-1510	1-1/2" x 1"	25	50	\$ 53.53
2-BLRC-1512	1-1/2" x 1-1/4"	24	48	\$ 53.53
2-BLRC-2003	2" x 3/8"	21	42	\$ 81.17
2-BLRC-2005	2" x 1/2"	21	42	\$ 81.17
2-BLRC-2007	2" x 3/4"	21	42	\$ 81.17
2-BLRC-2010	2" x 1"	21	42	\$ 81.17
2-BLRC-2012	2" x 1-1/4"	14	28	\$ 81.17
2-BLRC-2015	2" x 1-1/2"	12	24	\$ 81.17
2-BLRC-2507	2-1/2" x 3/4"	16		\$ 152.71
2-BLRC-2510	2-1/2" x 1"	16		\$ 152.71
2-BLRC-2512	2-1/2" x 1-1/4"	16		\$ 152.71
2-BLRC-2515	2-1/2" x 1-1/2"	16		\$ 152.71
2-BLRC-2520	2-1/2" x 2"	20		\$ 152.71
2-BLRC-3007	3" x 3/4"	12		\$ 238.69
2-BLRC-3010	3" x 1"	12		\$ 238.69
2-BLRC-3012	3" x 1-1/4"	12		\$ 238.69
2-BLRC-3015	3" x 1-1/2"	12		\$ 238.69
2-BLRC-3020	3" x 2"	12		\$ 238.69
2-BLRC-3025	3" x 2-1/2"	12		\$ 238.69
2-BLRC-4010	4" x 1"	9		\$ 439.21
2-BLRC-4012	4" x 1-1/4"	9		\$ 439.21
2-BLRC-4015	4" x 1-1/2"	9		\$ 439.21
2-BLRC-4020	4" x 2"	9		\$ 439.21
2-BLRC-4025	4" x 2-1/2"	9		\$ 439.21
2-BLRC-4030	4" x 3"	8		\$ 439.21
2-BLRC-5040	5" x 4"	2		\$ 965.86
2-BLRC-6030	6" x 3"	2		\$ 1,487.02
2-BLRC-6040	6" x 4"	2		\$ 1,487.02

Part No. **Size** **Quantity** **List**
 L1 **L2** **Price - B**
 List Price Effective: April 27, 2020

Cross - FPT



2-BLCR-01	1/8"	60	180	\$ 47.80
2-BLCR-02	1/4"	80	240	\$ 47.80
2-BLCR-03	3/8"	60	120	\$ 47.80
2-BLCR-05	1/2"	45	90	\$ 47.80
2-BLCR-07	3/4"	30	60	\$ 66.75
2-BLCR-10	1"	16	32	\$ 90.65
2-BLCR-12	1-1/4"	9	18	\$ 133.75
2-BLCR-15	1-1/2"	8	16	\$ 181.42
2-BLCR-20	2"	5	10	\$ 248.29
2-BLCR-25	2-1/2"	6		\$ 540.09
2-BLCR-30	3"	4		\$ 767.05
2-BLCR-40	4"	2		\$ 1,424.43

45° Elbow - FPT



2-BLE4-01	1/8"	50	600	\$ 20.94
2-BLE4-02	1/4"	35	420	\$ 20.94
2-BLE4-03	3/8"	50	300	\$ 20.94
2-BLE4-05	1/2"	50	200	\$ 15.49
2-BLE4-07	3/4"	40	120	\$ 23.30
2-BLE4-10	1"	20	60	\$ 34.41
2-BLE4-12	1-1/4"	20	40	\$ 56.07
2-BLE4-15	1-1/2"	15	30	\$ 68.87
2-BLE4-20	2"	9	18	\$ 103.32
2-BLE4-25	2-1/2"	15		\$ 238.69
2-BLE4-30	3"	10		\$ 362.90
2-BLE4-40	4"	6		\$ 620.73
2-BLE4-60	6"	2		\$ 3,521.97

90° Elbow - FPT



2-BLE-01	1/8"	50	600	\$ 19.04
2-BLE-02	1/4"	35	420	\$ 19.04
2-BLE-03	3/8"	45	270	\$ 19.04
2-BLE-05	1/2"	50	200	\$ 15.49
2-BLE-07	3/4"	30	90	\$ 22.41
2-BLE-10	1"	20	60	\$ 34.41
2-BLE-12	1-1/4"	20	40	\$ 51.66
2-BLE-15	1-1/2"	10	20	\$ 68.87
2-BLE-20	2"	8	16	\$ 103.32
2-BLE-25	2-1/2"	15		\$ 200.49
2-BLE-30	3"	10		\$ 305.47
2-BLE-40	4"	5		\$ 553.89
2-BLE-50	5"	2		\$ 1,527.80
2-BLE-60	6"	2		\$ 2,196.13

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
 boshart.com

CLASS 150 BLACK MALLEABLE IRON FITTINGS

Part No. **Size** **Quantity** **List**
 L1 **L2** **Price - B**
List Price Effective: April 27, 2020

Part No. **Size** **Quantity** **List**
 L1 **L2** **Price - B**
List Price Effective: April 27, 2020

Reducing 90° Elbow - FPT



2-BLRE-0201	1/4" x 1/8"	60	360	\$ 22.81
2-BLRE-0301	3/8" x 1/8"	60	360	\$ 22.81
2-BLRE-0302	3/8" x 1/4"	60	360	\$ 22.81
2-BLRE-0501	1/2" x 1/8"	40	240	\$ 20.94
2-BLRE-0502	1/2" x 1/4"	40	240	\$ 20.94
2-BLRE-0503	1/2" x 3/8"	50	200	\$ 20.94
2-BLRE-0701	3/4" x 1/8"	50	150	\$ 27.71
2-BLRE-0702	3/4" x 1/4"	50	150	\$ 27.71
2-BLRE-0703	3/4" x 3/8"	50	150	\$ 27.71
2-BLRE-0705	3/4" x 1/2"	40	120	\$ 27.71
2-BLRE-1002	1" x 1/4"	30	90	\$ 42.09
2-BLRE-1003	1" x 3/8"	30	90	\$ 42.09
2-BLRE-1005	1" x 1/2"	30	90	\$ 42.09
2-BLRE-1007	1" x 3/4"	30	90	\$ 42.09
2-BLRE-1205	1-1/4" x 1/2"	30	60	\$ 67.82
2-BLRE-1207	1-1/4" x 3/4"	30	60	\$ 67.82
2-BLRE-1210	1-1/4" x 1"	20	40	\$ 67.82
2-BLRE-1505	1-1/2" x 1/2"	15	45	\$ 84.05
2-BLRE-1507	1-1/2" x 3/4"	23	46	\$ 84.05
2-BLRE-1510	1-1/2" x 1"	20	40	\$ 84.05
2-BLRE-1512	1-1/2" x 1-1/4"	15	30	\$ 84.05
2-BLRE-2005	2" x 1/2"	15	30	\$ 124.25
2-BLRE-2007	2" x 3/4"	15	30	\$ 124.25
2-BLRE-2010	2" x 1"	14	28	\$ 124.25
2-BLRE-2012	2" x 1-1/4"	10	20	\$ 124.25
2-BLRE-2015	2" x 1-1/2"	10	20	\$ 124.25
2-BLRE-2507	2-1/2" x 3/4"	16		\$ 257.82
2-BLRE-2510	2-1/2" x 1"	16		\$ 257.82
2-BLRE-2512	2-1/2" x 1-1/4"	15		\$ 257.82
2-BLRE-2515	2-1/2" x 1-1/2"	15		\$ 257.82
2-BLRE-2520	2-1/2" x 2"	15		\$ 257.82
2-BLRE-3010	3" x 1"	10		\$ 430.54
2-BLRE-3015	3" x 1-1/2"	10		\$ 430.54
2-BLRE-3020	3" x 2"	10		\$ 430.54
2-BLRE-3025	3" x 2-1/2"	10		\$ 430.54
2-BLRE-4020	4" x 2"	5		\$ 860.90
2-BLRE-4025	4" x 2-1/2"	5		\$ 860.90
2-BLRE-4030	4" x 3"	5		\$ 693.09

45° Street Elbow - FPT x MPT



2-BLSE4-01	1/8"	50	600	\$ 28.66
2-BLSE4-02	1/4"	35	420	\$ 28.66
2-BLSE4-03	3/8"	45	270	\$ 28.66
2-BLSE4-05	1/2"	100	200	\$ 28.66
2-BLSE4-07	3/4"	60	120	\$ 43.92
2-BLSE4-10	1"	30	60	\$ 58.21
2-BLSE4-12	1-1/4"	20	40	\$ 95.58
2-BLSE4-15	1-1/2"	15	30	\$ 114.50
2-BLSE4-20	2"	9	18	\$ 190.96
2-BLSE4-25	2-1/2"	13		\$ 381.87
2-BLSE4-30	3"	8		\$ 572.95
2-BLSE4-40	4"	6		\$ 859.31

90° Street Elbow - FPT x MPT



2-BLSE-01	1/8"	50	600	\$ 20.94
2-BLSE-02	1/4"	35	420	\$ 20.94
2-BLSE-03	3/8"	40	240	\$ 20.94
2-BLSE-05	1/2"	60	180	\$ 19.04
2-BLSE-07	3/4"	30	90	\$ 27.71
2-BLSE-10	1"	30	60	\$ 41.16
2-BLSE-12	1-1/4"	20	40	\$ 71.67
2-BLSE-15	1-1/2"	13	26	\$ 87.84
2-BLSE-20	2"	7	14	\$ 124.25
2-BLSE-25	2-1/2"	12		\$ 276.98
2-BLSE-30	3"	8		\$ 429.66
2-BLSE-40	4"	4		\$ 716.13

Extension Piece - FPT x MPT



2-BLXP-05	1/2"	50	300	\$ 29.99
2-BLXP-07	3/4"	60	180	\$ 34.08
2-BLXP-10	1"	45	90	\$ 48.77
2-BLXP-12	1-1/4"	60	60	\$ 68.28
2-BLXP-15	1-1/2"	35	35	\$ 82.86
2-BLXP-20	2"	15	30	\$ 116.95

Floor Flange - FPT



2-BLFF-05	1/2"	25	100	\$ 53.39
2-BLFF-07	3/4"	20	80	\$ 74.06
2-BLFF-10	1"	20	60	\$ 86.46
2-BLFF-12	1-1/4"	15	45	\$ 123.29
2-BLFF-15	1-1/2"	12	36	\$ 144.03
2-BLFF-20	2"	8	24	\$ 174.74

Locknut - FPT



2-BLLN-05	1/2"	100	600	\$ 15.65
2-BLLN-07	3/4"	50	300	\$ 12.46
2-BLLN-10	1"	60	240	\$ 15.40
2-BLLN-12	1-1/4"	30	120	\$ 20.10
2-BLLN-15	1-1/2"	25	100	\$ 25.71

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

CLASS 150 BLACK MALLEABLE IRON FITTINGS

Part No. Size Quantity List L1 L2 Price - B
List Price Effective: April 27, 2020

Plug - MPT



2-BLP-01	1/8"	90	1080	\$ 16.26
2-BLP-02	1/4"	75	900	\$ 16.26
2-BLP-03	3/8"	45	540	\$ 16.26
2-BLP-05	1/2"	40	480	\$ 12.94
2-BLP-07	3/4"	25	300	\$ 16.75
2-BLP-10	1"	40	160	\$ 17.25
2-BLP-12	1-1/4"	25	100	\$ 25.86
2-BLP-15	1-1/2"	24	72	\$ 30.23
2-BLP-20	2"	15	45	\$ 43.16
2-BLP-25	2-1/2"	40		\$ 95.58
2-BLP-30	3"	30		\$ 133.75
2-BLP-40	4"	8		\$ 238.69
2-BLP-50	5"	10		\$ 605.09
2-BLP-60	6"	2	8	\$ 782.65

Bar Plug - MPT



2-BLP-50-BAR	5"	10		\$ 605.09
--------------	----	----	--	-----------

Solid Plug - MPT



2-BLPS-01	1/8"	90	1080	\$ 16.26
2-BLPS-02	1/4"	75	900	\$ 16.26
2-BLPS-03	3/8"	45	540	\$ 16.26
2-BLPS-05	1/2"	40	480	\$ 12.94
2-BLPS-07	3/4"	25	300	\$ 16.75
2-BLPS-10	1"	40	160	\$ 17.25
2-BLPS-12	1-1/4"	25	100	\$ 25.86
2-BLPS-15	1-1/2"	24	72	\$ 30.23
2-BLPS-20	2"	15	45	\$ 43.16
2-BLPS-25	2-1/2"	30		\$ 95.58
2-BLPS-30	3"	20		\$ 133.75
2-BLPS-40	4"	8		\$ 238.69


Tee - FPT



2-BLT-01	1/8"	75	450	\$ 23.96
2-BLT-02	1/4"	50	300	\$ 23.96
2-BLT-03	3/8"	45	180	\$ 23.96
2-BLT-05	1/2"	40	120	\$ 19.82
2-BLT-07	3/4"	35	70	\$ 28.35
2-BLT-10	1"	20	40	\$ 44.73
2-BLT-12	1-1/4"	14	28	\$ 67.21
2-BLT-15	1-1/2"	11	22	\$ 86.11
2-BLT-20	2"	6	12	\$ 129.18
2-BLT-25	2-1/2"	14		\$ 305.47
2-BLT-30	3"	6		\$ 401.04
2-BLT-40	4"	4		\$ 725.73
2-BLT-50	5"	2		\$ 1,909.66
2-BLT-60	6"	2		\$ 2,578.04

Part No. Size Quantity List L1 L2 Price - B
List Price Effective: April 27, 2020

Reducing Tee - FPT



2-BLRT-020201	1/4" x 1/4" x 1/8"	45	180	\$ 38.34
2-BLRT-030301	3/8" x 3/8" x 1/8"	45	180	\$ 38.34
2-BLRT-030302	3/8" x 3/8" x 1/4"	45	180	\$ 38.34
2-BLRT-050501	1/2" x 1/2" x 1/8"	50	200	\$ 32.51
2-BLRT-050502	1/2" x 1/2" x 1/4"	50	200	\$ 32.51
2-BLRT-050503	1/2" x 1/2" x 3/8"	45	180	\$ 32.51
2-BLRT-050507	1/2" x 1/2" x 3/4"	45	90	\$ 39.18
2-BLRT-050510	1/2" x 1/2" x 1"	30	60	\$ 60.13
2-BLRT-070505	3/4" x 1/2" x 1/2"	45	90	\$ 39.18
2-BLRT-070507	3/4" x 1/2" x 3/4"	45	90	\$ 39.18
2-BLRT-070510	3/4" x 1/2" x 1"	25	50	\$ 60.13
2-BLRT-070702	3/4" x 3/4" x 1/4"	50	100	\$ 39.18
2-BLRT-070703	3/4" x 3/4" x 3/8"	30	120	\$ 40.78
2-BLRT-070705	3/4" x 3/4" x 1/2"	45	90	\$ 35.35
2-BLRT-070710	3/4" x 3/4" x 1"	25	50	\$ 60.13
2-BLRT-100505	1" x 1/2" x 1/2"	30	60	\$ 60.13
2-BLRT-100507	1" x 1/2" x 3/4"	25	50	\$ 60.13
2-BLRT-100510	1" x 1/2" x 1"	30	60	\$ 60.13
2-BLRT-100705	1" x 3/4" x 1/2"	25	50	\$ 60.13
2-BLRT-100707	1" x 3/4" x 3/4"	25	50	\$ 60.13
2-BLRT-100710	1" x 3/4" x 1"	25	50	\$ 60.13
2-BLRT-101002	1" x 1" x 1/4"	30	60	\$ 60.13
2-BLRT-101003	1" x 1" x 3/8"	35	70	\$ 60.13
2-BLRT-101005	1" x 1" x 1/2"	35	70	\$ 54.21
2-BLRT-101007	1" x 1" x 3/4"	30	60	\$ 54.21
2-BLRT-101012	1" x 1" x 1-1/4"	18	36	\$ 90.65
2-BLRT-101015	1" x 1" x 1-1/2"	13	26	\$ 114.50
2-BLRT-101020	1" x 1" x 2"	9	18	\$ 162.28
2-BLRT-120505	1-1/4" x 1/2" x 1/2"	18	36	\$ 90.65
2-BLRT-120507	1-1/4" x 1/2" x 3/4"	18	36	\$ 90.65
2-BLRT-120510	1-1/4" x 1/2" x 1"	18	36	\$ 90.65
2-BLRT-120512	1-1/4" x 1/2" x 1-1/4"	9	36	\$ 90.65
2-BLRT-120705	1-1/4" x 3/4" x 1/2"	18	36	\$ 90.65
2-BLRT-120707	1-1/4" x 3/4" x 3/4"	18	36	\$ 90.65
2-BLRT-120710	1-1/4" x 3/4" x 1"	18	36	\$ 90.65
2-BLRT-120712	1-1/4" x 3/4" x 1-1/4"	18	36	\$ 90.65
2-BLRT-121005	1-1/4" x 1" x 1/2"	18	36	\$ 90.65
2-BLRT-121007	1-1/4" x 1" x 3/4"	18	36	\$ 81.86
2-BLRT-121010	1-1/4" x 1" x 1"	18	36	\$ 90.65
2-BLRT-121012	1-1/4" x 1" x 1-1/4"	18	36	\$ 90.65
2-BLRT-121015	1-1/4" x 1" x 1-1/2"	16	32	\$ 90.65
2-BLRT-121202	1-1/4" x 1-1/4" x 1/4"	16	32	\$ 90.65
2-BLRT-121203	1-1/4" x 1-1/4" x 3/8"	16	32	\$ 90.65
2-BLRT-121205	1-1/4" x 1-1/4" x 1/2"	18	36	\$ 90.65
2-BLRT-121207	1-1/4" x 1-1/4" x 3/4"	18	36	\$ 90.65
2-BLRT-121210	1-1/4" x 1-1/4" x 1"	18	36	\$ 90.65
2-BLRT-121215	1-1/4" x 1-1/4" x 1-1/2"	11	22	\$ 114.50
2-BLRT-121220	1-1/4" x 1-1/4" x 2"	8	16	\$ 162.28
2-BLRT-150507	1-1/2" x 1/2" x 3/4"	15	30	\$ 114.50
2-BLRT-150510	1-1/2" x 1/2" x 1"	13	26	\$ 114.50
2-BLRT-150512	1-1/2" x 1/2" x 1-1/4"	13	26	\$ 114.50
2-BLRT-150515	1-1/2" x 1/2" x 1-1/2"	13	26	\$ 114.50
2-BLRT-150705	1-1/2" x 3/4" x 1/2"	13	26	\$ 114.50
2-BLRT-150707	1-1/2" x 3/4" x 3/4"	13	26	\$ 114.50
2-BLRT-150712	1-1/2" x 3/4" x 1-1/4"	11	22	\$ 114.50
2-BLRT-150715	1-1/2" x 3/4" x 1-1/2"	13	26	\$ 114.50
2-BLRT-151007	1-1/2" x 1" x 3/4"	18	36	\$ 114.50
2-BLRT-151010	1-1/2" x 1" x 1"	13	26	\$ 114.50
2-BLRT-151012	1-1/2" x 1" x 1-1/4"	11	22	\$ 114.50
2-BLRT-151015	1-1/2" x 1" x 1-1/2"	13	26	\$ 114.50
2-BLRT-151205	1-1/2" x 1-1/4" x 1/2"	11	22	\$ 114.50

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

CLASS 150 BLACK MALLEABLE IRON FITTINGS

Part No.	Size	Quantity		List Price - B
		L1	L2	
List Price Effective: April 27, 2020				
2-BLRT-151207	1-1/2" x 1-1/4" x 3/4"	11	22	\$ 114.50
2-BLRT-151210	1-1/2" x 1-1/4" x 1"	11	22	\$ 114.50
2-BLRT-151212	1-1/2" x 1-1/4" x 1-1/4"	11	22	\$ 114.50
2-BLRT-151215	1-1/2" x 1-1/4" x 1-1/2"	11	22	\$ 114.50
2-BLRT-151220	1-1/2" x 1-1/4" x 2"	8	16	\$ 162.28
2-BLRT-151505	1-1/2" x 1-1/2" x 1/2"	18	36	\$ 114.50
2-BLRT-151507	1-1/2" x 1-1/2" x 3/4"	15	30	\$ 103.32
2-BLRT-151510	1-1/2" x 1-1/2" x 1"	13	26	\$ 114.50
2-BLRT-151512	1-1/2" x 1-1/2" x 1-1/4"	13	26	\$ 114.50
2-BLRT-151520	1-1/2" x 1-1/2" x 2"	8	16	\$ 162.28
2-BLRT-200520	2" x 1/2" x 2"	10	20	\$ 162.28
2-BLRT-200720	2" x 3/4" x 2"	9	18	\$ 162.28
2-BLRT-201010	2" x 1" x 1"	9	18	\$ 162.28
2-BLRT-201015	2" x 1" x 1-1/2"	9	18	\$ 162.28
2-BLRT-201020	2" x 1" x 2"	9	18	\$ 162.28
2-BLRT-201210	2" x 1-1/4" x 1"	8	16	\$ 162.28
2-BLRT-201212	2" x 1-1/4" x 1-1/4"	8	16	\$ 162.28
2-BLRT-201215	2" x 1-1/4" x 1-1/2"	8	16	\$ 162.28
2-BLRT-201220	2" x 1-1/4" x 2"	8	16	\$ 162.28
2-BLRT-201507	2" x 1-1/2" x 3/4"	8	16	\$ 162.28
2-BLRT-201510	2" x 1-1/2" x 1"	8	16	\$ 162.28
2-BLRT-201512	2" x 1-1/2" x 1-1/4"	8	16	\$ 162.28
2-BLRT-201515	2" x 1-1/2" x 1-1/2"	8	16	\$ 162.28
2-BLRT-201520	2" x 1-1/2" x 2"	8	16	\$ 162.28
2-BLRT-202005	2" x 2" x 1/2"	10	20	\$ 162.28
2-BLRT-202007	2" x 2" x 3/4"	9	18	\$ 146.34
2-BLRT-202010	2" x 2" x 1"	9	18	\$ 146.34
2-BLRT-202012	2" x 2" x 1-1/4"	9	18	\$ 162.28
2-BLRT-202015	2" x 2" x 1-1/2"	9	18	\$ 162.28
2-BLRT-202025	2" x 2" x 2-1/2"	10		\$ 334.25
2-BLRT-251525	2-1/2" x 1-1/2" x 2-1/2"	10		\$ 334.25
2-BLRT-252020	2-1/2" x 2" x 2"	10		\$ 334.25
2-BLRT-252025	2-1/2" x 2" x 2-1/2"	10		\$ 334.25
2-BLRT-252505	2-1/2" x 2-1/2" x 1/2"	10		\$ 334.25
2-BLRT-252507	2-1/2" x 2-1/2" x 3/4"	10		\$ 334.25
2-BLRT-252510	2-1/2" x 2-1/2" x 1"	10		\$ 334.25
2-BLRT-252512	2-1/2" x 2-1/2" x 1-1/4"	10		\$ 334.25
2-BLRT-252515	2-1/2" x 2-1/2" x 1-1/2"	10		\$ 334.25
2-BLRT-252520	2-1/2" x 2-1/2" x 2"	10		\$ 334.25
2-BLRT-302020	3" x 2" x 2"	6		\$ 477.40
2-BLRT-302030	3" x 2" x 3"	6		\$ 477.40
2-BLRT-303005	3" x 3" x 1/2"	12		\$ 477.40
2-BLRT-303007	3" x 3" x 3/4"	12		\$ 477.40
2-BLRT-303010	3" x 3" x 1"	12		\$ 477.40
2-BLRT-303012	3" x 3" x 1-1/4"	12		\$ 477.40
2-BLRT-303015	3" x 3" x 1-1/2"	12		\$ 477.40
2-BLRT-303020	3" x 3" x 2"	6		\$ 477.40
2-BLRT-303025	3" x 3" x 2-1/2"	6		\$ 477.40
2-BLRT-404010	4" x 4" x 1"	4		\$ 907.06
2-BLRT-404012	4" x 4" x 1-1/4"	4		\$ 907.06
2-BLRT-404015	4" x 4" x 1-1/2"	4		\$ 907.06
2-BLRT-404020	4" x 4" x 2"	4		\$ 907.06
2-BLRT-404025	4" x 4" x 2-1/2"	4		\$ 907.06
2-BLRT-404030	4" x 4" x 3"	4		\$ 907.06

Part No.	Size	Quantity		List Price - B
		L1	L2	
List Price Effective: April 27, 2020				

Street Tee - MPT x FPT x FPT



2-BLST-05	1/2"	25	150	\$ 43.91
2-BLST-07	3/4"	25	100	\$ 65.82
2-BLST-10	1"	20	60	\$ 87.68
2-BLST-12	1-1/4"	20	40	\$ 197.91
2-BLST-15	1-1/2"	15	30	\$ 186.41
2-BLST-20	2"	20	20	\$ 274.14

Union - FPT



2-BLU-01	1/8"	30	180	\$ 85.93
2-BLU-02	1/4"	30	180	\$ 85.93
2-BLU-03	3/8"	35	140	\$ 85.93
2-BLU-05	1/2"	30	120	\$ 77.44
2-BLU-07	3/4"	25	75	\$ 99.04
2-BLU-10	1"	30	60	\$ 116.37
2-BLU-12	1-1/4"	18	36	\$ 155.01
2-BLU-15	1-1/2"	12	24	\$ 206.56
2-BLU-20	2"	8	16	\$ 309.91
2-BLU-25	2-1/2"	10		\$ 572.95
2-BLU-30	3"	5		\$ 954.89
2-BLU-40	4"	3		\$ 1,894.07
2-BLU-60	6"	2		\$ 4,488.97

Contact your sales rep for any further information

Toll Free: 1-800-561-3164

boshart.com

CLASS 150 GALVANIZED MALLEABLE IRON FITTINGS

- Material Specifications
 - ANSI/ASTM A197 Cupola Malleable Iron Castings
 - ASTM A153 Zinc Coating
- Dimensional Specifications
 - ANSI/ASME B16.3 Threaded Fittings
 - ANSI/ASME B16.14 Threaded Plugs, Bushings & Locknuts
 - ANSI/ASME B16.39 Threaded Unions

- Thread Specifications
 - ANSI/ASME B1.20.1 Pipe Threads
- UL Manufactured
- FM Standard 1920
- NSF/ANSI 61 & 372 Certified
- CRNs are available



Part No.	Size	Quantity List			Price - B
		L1	L2		

List Price Effective: April 27, 2020



Bushing - MPT x FPT
† Inside Head * Octagon Head

2-GB-0201	1/4" x 1/8"	100	1200	\$ 38.25
2-GB-0301	3/8" x 1/8"	100	600	\$ 38.25
2-GB-0302	3/8" x 1/4"	100	600	\$ 38.25
2-GB-0501	1/2" x 1/8"	150	600	\$ 17.36
2-GB-0502	1/2" x 1/4"	100	600	\$ 17.36
2-GB-0503	1/2" x 3/8"	100	600	\$ 17.36
2-GB-0701	3/4" x 1/8"	50	300	\$ 19.66
2-GB-0702	3/4" x 1/4"	50	300	\$ 19.66
2-GB-0703	3/4" x 3/8"	50	300	\$ 19.66
2-GB-0705	3/4" x 1/2"	50	300	\$ 19.66
2-GB-1001 †	1" x 1/8"	50	200	\$ 32.85
2-GB-1002 †	1" x 1/4"	50	200	\$ 28.94
2-GB-1003 †	1" x 3/8"	50	200	\$ 28.94
2-GB-1005	1" x 1/2"	50	200	\$ 26.18
2-GB-1007	1" x 3/4"	50	200	\$ 26.18
2-GB-1202 †	1-1/4" x 1/4"	30	120	\$ 46.16
2-GB-1203 †	1-1/4" x 3/8"	30	120	\$ 46.16
2-GB-1205 †	1-1/4" x 1/2"	30	120	\$ 46.16
2-GB-1207	1-1/4" x 3/4"	30	120	\$ 46.16
2-GB-1210	1-1/4" x 1"	30	120	\$ 41.98
2-GB-1502 †	1-1/2" x 1/4"	25	75	\$ 54.18
2-GB-1503 †	1-1/2" x 3/8"	25	75	\$ 54.18
2-GB-1505 †	1-1/2" x 1/2"	25	75	\$ 54.18
2-GB-1507 †	1-1/2" x 3/4"	25	75	\$ 54.18
2-GB-1510	1-1/2" x 1"	25	75	\$ 54.18
2-GB-1512	1-1/2" x 1-1/4"	25	75	\$ 54.18
2-GB-2002 †	2" x 1/4"	20	60	\$ 74.87
2-GB-2003 †	2" x 3/8"	20	60	\$ 74.87
2-GB-2005 †	2" x 1/2"	20	60	\$ 74.87
2-GB-2007 †	2" x 3/4"	20	60	\$ 74.87
2-GB-2010 †	2" x 1"	20	60	\$ 74.87
2-GB-2012 *	2" x 1-1/4"	20	60	\$ 68.17
2-GB-2015 *	2" x 1-1/2"	20	60	\$ 68.17
2-GB-2505 †	2-1/2" x 1/2"	50		\$ 126.89
2-GB-2507	2-1/2" x 3/4"	50		\$ 126.89
2-GB-2510 †	2-1/2" x 1"	24		\$ 126.89
2-GB-2512 †	2-1/2" x 1-1/4"	24		\$ 126.89
2-GB-2515 *	2-1/2" x 1-1/2"	28		\$ 126.89
2-GB-2520 *	2-1/2" x 2"	32		\$ 126.89
2-GB-3005 †	3" x 1/2"	20		\$ 212.48
2-GB-3010 †	3" x 1"	20		\$ 184.53
2-GB-3012 †	3" x 1-1/4"	20		\$ 184.53
2-GB-3015 †	3" x 1-1/2"	20		\$ 184.53
2-GB-3020 *	3" x 2"	20		\$ 184.53
2-GB-3025 *	3" x 2-1/2"	20		\$ 184.53
2-GB-4010 †	4" x 1"	10		\$ 346.07

Part No.	Size	Quantity List			Price - B
		L1	L2		

List Price Effective: April 27, 2020

2-GB-4012 †	4" x 1-1/4"	10		\$ 346.07
2-GB-4015 †	4" x 1-1/2"	10		\$ 346.07
2-GB-4020 †	4" x 2"	10		\$ 346.07
2-GB-4025 †	4" x 2-1/2"	10		\$ 346.07
2-GB-4030	4" x 3"	10		\$ 346.07
2-GB-5030 †	5" x 3"	5	10	\$ 789.75
2-GB-5040 *	5" x 4"	5	10	\$ 950.46
2-GB-6030 *	6" x 3"	2	8	\$ 1,031.38
2-GB-6040	6" x 4"	2	8	\$ 1,031.38
2-GB-6050 *	6" x 5"	2	8	\$ 1,031.38

Cap - FPT



2-GCA-01	1/8"	100	1200	\$ 16.34
2-GCA-02	1/4"	200	800	\$ 16.34
2-GCA-03	3/8"	50	600	\$ 16.34
2-GCA-05	1/2"	50	300	\$ 14.75
2-GCA-07	3/4"	40	240	\$ 17.80
2-GCA-10	1"	50	200	\$ 25.16
2-GCA-12	1-1/4"	25	100	\$ 36.78
2-GCA-15	1-1/2"	25	75	\$ 48.32
2-GCA-20	2"	18	54	\$ 67.05
2-GCA-25	2-1/2"	30		\$ 150.05
2-GCA-30	3"	20		\$ 207.67
2-GCA-40	4"	14		\$ 346.07
2-GCA-50	5"	4		\$ 987.67
2-GCA-60	6"	2		\$ 1,375.31

Coupling - FPT



2-GC-01	1/8"	60	720	\$ 17.36
2-GC-02	1/4"	40	480	\$ 17.36
2-GC-03	3/8"	50	300	\$ 17.36
2-GC-05	1/2"	60	240	\$ 14.75
2-GC-07	3/4"	50	150	\$ 19.89
2-GC-10	1"	25	75	\$ 33.56
2-GC-12	1-1/4"	32	64	\$ 47.20
2-GC-15	1-1/2"	18	36	\$ 57.73
2-GC-20	2"	12	24	\$ 89.20
2-GC-25	2-1/2"	16		\$ 173.12
2-GC-30	3"	12		\$ 253.70
2-GC-40	4"	7		\$ 415.32
2-GC-50	5"	4		\$ 1,031.35
2-GC-60	6"	2		\$ 1,268.80

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

CLASS 150 GALVANIZED MALLEABLE IRON FITTINGS

Part No. **Size** **Quantity** **List**
 L1 **L2** **Price - B**
List Price Effective: April 27, 2020

Part No. **Size** **Quantity** **List**
 L1 **L2** **Price - B**
List Price Effective: April 27, 2020

Reducing Coupling - FPT



2-GRC-0201	1/4" x 1/8"	35	420	\$ 19.66
2-GRC-0301	3/8" x 1/8"	30	360	\$ 19.66
2-GRC-0302	3/8" x 1/4"	30	360	\$ 19.66
2-GRC-0501	1/2" x 1/8"	50	300	\$ 19.66
2-GRC-0502	1/2" x 1/4"	50	300	\$ 19.66
2-GRC-0503	1/2" x 3/8"	40	240	\$ 19.66
2-GRC-0701	3/4" x 1/8"	30	180	\$ 27.69
2-GRC-0702	3/4" x 1/4"	30	180	\$ 27.69
2-GRC-0703	3/4" x 3/8"	30	180	\$ 27.69
2-GRC-0705	3/4" x 1/2"	60	180	\$ 25.16
2-GRC-1002	1" x 1/4"	40	120	\$ 36.83
2-GRC-1003	1" x 3/8"	40	120	\$ 36.83
2-GRC-1005	1" x 1/2"	25	100	\$ 36.83
2-GRC-1007	1" x 3/4"	25	100	\$ 33.56
2-GRC-1203	1-1/4" x 3/8"	25	75	\$ 54.18
2-GRC-1205	1-1/4" x 1/2"	25	75	\$ 54.18
2-GRC-1207	1-1/4" x 3/4"	25	75	\$ 54.18
2-GRC-1210	1-1/4" x 1"	20	60	\$ 54.18
2-GRC-1505	1-1/2" x 1/2"	20	60	\$ 64.71
2-GRC-1507	1-1/2" x 3/4"	30	60	\$ 64.71
2-GRC-1510	1-1/2" x 1"	25	50	\$ 64.71
2-GRC-1512	1-1/2" x 1-1/4"	24	48	\$ 64.71
2-GRC-2005	2" x 1/2"	21	42	\$ 98.07
2-GRC-2007	2" x 3/4"	21	42	\$ 98.07
2-GRC-2010	2" x 1"	21	42	\$ 98.07
2-GRC-2012	2" x 1-1/4"	14	28	\$ 98.07
2-GRC-2015	2" x 1-1/2"	12	24	\$ 98.07
2-GRC-2505	2-1/2" x 1/2"	16		\$ 212.31
2-GRC-2507	2-1/2" x 3/4"	16		\$ 212.31
2-GRC-2510	2-1/2" x 1"	16		\$ 184.53
2-GRC-2512	2-1/2" x 1-1/4"	16		\$ 184.53
2-GRC-2515	2-1/2" x 1-1/2"	16		\$ 184.53
2-GRC-2520	2-1/2" x 2"	20		\$ 184.53
2-GRC-3010	3" x 1"	12		\$ 288.42
2-GRC-3012	3" x 1-1/4"	12		\$ 288.42
2-GRC-3015	3" x 1-1/2"	12		\$ 288.42
2-GRC-3020	3" x 2"	12		\$ 288.42
2-GRC-3025	3" x 2-1/2"	12		\$ 288.42
2-GRC-4015	4" x 1-1/2"	9		\$ 530.54
2-GRC-4020	4" x 2"	9		\$ 530.54
2-GRC-4025	4" x 2-1/2"	9		\$ 530.54
2-GRC-4030	4" x 3"	8		\$ 530.54
2-GRC-5040	5" x 4"	2		\$ 1,161.38
2-GRC-6030	6" x 3"	2		\$ 1,585.78
2-GRC-6040	6" x 4"	2		\$ 1,585.78

Cross - FPT



2-GCR-01	1/8"	60	180	\$ 57.73
2-GCR-02	1/4"	80	240	\$ 57.73
2-GCR-03	3/8"	60	120	\$ 57.73
2-GCR-05	1/2"	45	90	\$ 57.73
2-GCR-07	3/4"	30	60	\$ 80.76
2-GCR-10	1"	16	32	\$ 109.55
2-GCR-12	1-1/4"	9	18	\$ 161.43
2-GCR-15	1-1/2"	8	16	\$ 219.21
2-GCR-20	2"	5	10	\$ 299.92
2-GCR-25	2-1/2"	6		\$ 704.79
2-GCR-30	3"	4		\$ 882.94
2-GCR-40	4"	2		\$ 1,805.01

45° Elbow - FPT



2-GE4-01	1/8"	50	600	\$ 25.42
2-GE4-02	1/4"	35	420	\$ 25.42
2-GE4-03	3/8"	50	300	\$ 25.42
2-GE4-05	1/2"	50	200	\$ 18.88
2-GE4-07	3/4"	40	120	\$ 28.27
2-GE4-10	1"	20	60	\$ 41.98
2-GE4-12	1-1/4"	20	40	\$ 68.17
2-GE4-15	1-1/2"	15	30	\$ 83.90
2-GE4-20	2"	9	18	\$ 125.88
2-GE4-25	2-1/2"	15		\$ 288.42
2-GE4-30	3"	10		\$ 438.45
2-GE4-40	4"	6		\$ 749.68
2-GE4-60	6"	2		\$ 4,297.57

90° Elbow - FPT



2-GE-01	1/8"	50	600	\$ 23.07
2-GE-02	1/4"	35	420	\$ 23.07
2-GE-03	3/8"	45	270	\$ 23.07
2-GE-05	1/2"	50	200	\$ 18.88
2-GE-07	3/4"	30	90	\$ 27.26
2-GE-10	1"	20	60	\$ 41.98
2-GE-12	1-1/4"	20	40	\$ 62.91
2-GE-15	1-1/2"	10	20	\$ 83.90
2-GE-20	2"	8	16	\$ 125.88
2-GE-25	2-1/2"	15		\$ 242.21
2-GE-30	3"	10		\$ 369.12
2-GE-40	4"	5		\$ 669.03
2-GE-50	5"	2		\$ 1,845.66
2-GE-60	6"	2		\$ 2,653.13

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

CLASS 150 GALVANIZED MALLEABLE IRON FITTINGS

Part No. **Size** **Quantity** **List**
 L1 **L2** **Price - B**
 List Price Effective: April 27, 2020

Reducing 90° Elbow - FPT



2-GRE-0201	1/4" x 1/8"	60	360	\$ 33.44
2-GRE-0302	3/8" x 1/4"	60	360	\$ 33.44
2-GRE-0502	1/2" x 1/4"	40	240	\$ 25.42
2-GRE-0503	1/2" x 3/8"	50	200	\$ 25.42
2-GRE-0702	3/4" x 1/4"	50	150	\$ 33.44
2-GRE-0703	3/4" x 3/8"	50	150	\$ 33.44
2-GRE-0705	3/4" x 1/2"	40	120	\$ 33.44
2-GRE-1003	1" x 3/8"	30	90	\$ 50.82
2-GRE-1005	1" x 1/2"	30	90	\$ 50.82
2-GRE-1007	1" x 3/4"	30	90	\$ 50.82
2-GRE-1205	1-1/4" x 1/2"	30	60	\$ 81.84
2-GRE-1207	1-1/4" x 3/4"	30	60	\$ 81.84
2-GRE-1210	1-1/4" x 1"	20	40	\$ 81.84
2-GRE-1505	1-1/2" x 1/2"	15	45	\$ 101.46
2-GRE-1507	1-1/2" x 3/4"	23	46	\$ 101.46
2-GRE-1510	1-1/2" x 1"	20	40	\$ 101.46
2-GRE-1512	1-1/2" x 1-1/4"	15	30	\$ 101.46
2-GRE-2005	2" x 1/2"	15	30	\$ 150.05
2-GRE-2007	2" x 3/4"	15	30	\$ 150.05
2-GRE-2010	2" x 1"	14	28	\$ 150.05
2-GRE-2012	2" x 1-1/4"	10	20	\$ 150.05
2-GRE-2015	2" x 1-1/2"	10	20	\$ 150.05
2-GRE-2515	2-1/2" x 1-1/2"	15		\$ 378.11
2-GRE-2520	2-1/2" x 2"	15		\$ 378.11
2-GRE-3015	3" x 1-1/2"	10		\$ 859.53
2-GRE-3020	3" x 2"	10		\$ 859.53
2-GRE-3025	3" x 2-1/2"	10		\$ 859.53
2-GRE-4020	4" x 2"	5		\$ 1,619.60
2-GRE-4025	4" x 2-1/2"	5		\$ 1,619.60
2-GRE-4030	4" x 3"	5		\$ 1,619.60

45° Street Elbow - FPT x MPT



2-GSE4-01	1/8"	50	600	\$ 43.01
2-GSE4-02	1/4"	35	420	\$ 43.01
2-GSE4-03	3/8"	45	270	\$ 43.01
2-GSE4-05	1/2"	100	200	\$ 34.67
2-GSE4-07	3/4"	60	120	\$ 53.05
2-GSE4-10	1"	30	60	\$ 70.40
2-GSE4-12	1-1/4"	20	40	\$ 115.28
2-GSE4-15	1-1/2"	15	30	\$ 138.39
2-GSE4-20	2"	9	18	\$ 230.74
2-GSE4-25	2-1/2"	13		\$ 579.16
2-GSE4-30	3"	8		\$ 868.73
2-GSE4-40	4"	6		\$ 1,421.54

Part No. **Size** **Quantity** **List**
 L1 **L2** **Price - B**
 List Price Effective: April 27, 2020

90° Street Elbow - FPT x MPT



2-GSE-01	1/8"	50	600	\$ 25.42
2-GSE-02	1/4"	35	420	\$ 25.42
2-GSE-03	3/8"	40	240	\$ 25.42
2-GSE-05	1/2"	60	180	\$ 23.07
2-GSE-07	3/4"	30	90	\$ 33.44
2-GSE-10	1"	30	60	\$ 49.69
2-GSE-12	1-1/4"	20	40	\$ 86.54
2-GSE-15	1-1/2"	13	26	\$ 106.21
2-GSE-20	2"	7	14	\$ 150.05
2-GSE-25	2-1/2"	12		\$ 334.52
2-GSE-30	3"	8		\$ 519.13
2-GSE-40	4"	4		\$ 865.18

Floor Flange - FPT



2-GFF-05	1/2"	25	100	\$ 64.66
2-GFF-07	3/4"	20	80	\$ 89.49
2-GFF-10	1"	20	60	\$ 104.34
2-GFF-12	1-1/4"	15	45	\$ 149.05
2-GFF-15	1-1/2"	12	36	\$ 173.83
2-GFF-20	2"	8	24	\$ 211.20

Locknut - FPT



2-GLN-02	1/8"	100	600	\$ 19.77
2-GLN-05	1/4"	100	600	\$ 15.04
2-GLN-07	3/4"	50	300	\$ 15.04
2-GLN-10	1"	60	240	\$ 18.54
2-GLN-12	1-1/4"	30	120	\$ 24.29
2-GLN-15	1-1/2"	25	100	\$ 31.11
2-GLN-20	2"	30	60	\$ 48.43

Plug - MPT



2-GP-01	1/8"	90	1080	\$ 20.94
2-GP-02	1/4"	75	900	\$ 20.94
2-GP-03	3/8"	45	540	\$ 20.94
2-GP-05	1/2"	40	480	\$ 18.40
2-GP-07	3/4"	25	300	\$ 24.41
2-GP-10	1"	40	160	\$ 27.62
2-GP-12	1-1/4"	25	100	\$ 31.54
2-GP-15	1-1/2"	24	72	\$ 36.78
2-GP-20	2"	15	45	\$ 52.57
2-GP-25	2-1/2"	40		\$ 115.28
2-GP-30	3"	30		\$ 161.43
2-GP-40	4"	8		\$ 288.42
2-GP-50	5"	10		\$ 756.22
2-GP-60	6"	2	8	\$ 1,065.78

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
 boshart.com

CLASS 150 GALVANIZED MALLEABLE IRON FITTINGS


Part No.	Size	Quantity		List Price - B
		L1	L2	

List Price Effective: April 27, 2020



Tee - FPT

2-GT-01	1/8"	75	450	\$ 28.88
2-GT-02	1/4"	50	300	\$ 28.88
2-GT-03	3/8"	45	180	\$ 28.88
2-GT-05	1/2"	40	120	\$ 24.04
2-GT-07	3/4"	35	70	\$ 34.63
2-GT-10	1"	20	40	\$ 54.53
2-GT-12	1-1/4"	14	28	\$ 81.77
2-GT-15	1-1/2"	11	22	\$ 104.93
2-GT-20	2"	6	12	\$ 157.30
2-GT-25	2-1/2"	14		\$ 369.12
2-GT-30	3"	6		\$ 484.46
2-GT-40	4"	4		\$ 876.60
2-GT-50	5"	2		\$ 2,415.77
2-GT-60	6"	2		\$ 3,114.38



Reducing Tee - FPT

2-GRT-030302	3/8" x 3/8" x 1/4"	45	180	\$ 51.60
2-GRT-050502	1/2" x 1/2" x 1/4"	50	200	\$ 39.18
2-GRT-050503	1/2" x 1/2" x 3/8"	45	180	\$ 39.18
2-GRT-050507	1/2" x 1/2" x 3/4"	45	90	\$ 47.29
2-GRT-050510	1/2" x 1/2" x 1"	30	60	\$ 73.06
2-GRT-070505	3/4" x 1/2" x 1/2"	45	90	\$ 47.29
2-GRT-070507	3/4" x 1/2" x 3/4"	45	90	\$ 47.29
2-GRT-070702	3/4" x 3/4" x 1/4"	50	100	\$ 51.60
2-GRT-070703	3/4" x 3/4" x 3/8"	30	120	\$ 51.60
2-GRT-070705	3/4" x 3/4" x 1/2"	45	90	\$ 51.60
2-GRT-070710	3/4" x 3/4" x 1"	25	50	\$ 72.69
2-GRT-100505	1" x 1/2" x 1/2"	30	60	\$ 72.69
2-GRT-100507	1" x 1/2" x 3/4"	25	50	\$ 72.69
2-GRT-100510	1" x 1/2" x 1"	30	60	\$ 72.69
2-GRT-100705	1" x 3/4" x 1/2"	25	50	\$ 72.69
2-GRT-100707	1" x 3/4" x 3/4"	25	50	\$ 72.69
2-GRT-100710	1" x 3/4" x 1"	25	50	\$ 72.69
2-GRT-101002	1" x 1" x 1/4"	30	60	\$ 72.69
2-GRT-101003	1" x 1" x 3/8"	35	70	\$ 72.72
2-GRT-101005	1" x 1" x 1/2"	35	70	\$ 66.07
2-GRT-101007	1" x 1" x 3/4"	30	60	\$ 66.07
2-GRT-101012	1" x 1" x 1-1/4"	18	36	\$ 109.55
2-GRT-101015	1" x 1" x 1-1/2"	13	26	\$ 138.39
2-GRT-120512	1-1/4" x 1/2" x 1-1/4"	9	36	\$ 109.55
2-GRT-120705	1-1/4" x 3/4" x 1/2"	18	36	\$ 125.06
2-GRT-120707	1-1/4" x 3/4" x 3/4"	18	36	\$ 125.06
2-GRT-120710	1-1/4" x 3/4" x 1"	18	36	\$ 109.55
2-GRT-120712	1-1/4" x 3/4" x 1-1/4"	18	36	\$ 109.55
2-GRT-121005	1-1/4" x 1" x 1/2"	18	36	\$ 109.55
2-GRT-121007	1-1/4" x 1" x 3/4"	18	36	\$ 109.55
2-GRT-121010	1-1/4" x 1" x 1"	18	36	\$ 109.55
2-GRT-121012	1-1/4" x 1" x 1-1/4"	18	36	\$ 109.55
2-GRT-121203	1-1/4" x 1-1/4" x 3/8"	16	32	\$ 109.55
2-GRT-121205	1-1/4" x 1-1/4" x 1/2"	18	36	\$ 109.55
2-GRT-121207	1-1/4" x 1-1/4" x 3/4"	18	36	\$ 109.55
2-GRT-121210	1-1/4" x 1-1/4" x 1"	18	36	\$ 109.55
2-GRT-150510	1-1/2" x 1/2" x 1"	13	26	\$ 138.39
2-GRT-150515	1-1/2" x 1/2" x 1-1/2"	13	26	\$ 138.39
2-GRT-150715	1-1/2" x 3/4" x 1-1/2"	13	26	\$ 138.39
2-GRT-151007	1-1/2" x 1" x 3/4"	13	26	\$ 138.39
2-GRT-151010	1-1/2" x 1" x 1"	13	26	\$ 138.39
2-GRT-151015	1-1/2" x 1" x 1-1/2"	13	26	\$ 138.39

Part No.	Size	Quantity		List Price - B
		L1	L2	

List Price Effective: April 27, 2020

2-GRT-151205	1-1/2" x 1-1/4" x 1/2"	11	22	\$ 138.39
2-GRT-151207	1-1/2" x 1-1/4" x 3/4"	11	22	\$ 138.39
2-GRT-151210	1-1/2" x 1-1/4" x 1"	11	22	\$ 138.39
2-GRT-151212	1-1/2" x 1-1/4" x 1-1/4"	11	22	\$ 138.39
2-GRT-151215	1-1/2" x 1-1/4" x 1-1/2"	11	22	\$ 138.39
2-GRT-151505	1-1/2" x 1-1/2" x 1/2"	18	36	\$ 138.39
2-GRT-151507	1-1/2" x 1-1/2" x 3/4"	15	30	\$ 138.39
2-GRT-151510	1-1/2" x 1-1/2" x 1"	13	26	\$ 138.39
2-GRT-151512	1-1/2" x 1-1/2" x 1-1/4"	13	26	\$ 138.39
2-GRT-151520	1-1/2" x 1-1/2" x 2"	8	16	\$ 196.12
2-GRT-200520	2" x 1/2" x 2"	10	20	\$ 196.12
2-GRT-200720	2" x 3/4" x 2"	9	18	\$ 196.12
2-GRT-201010	2" x 1" x 1"	9	18	\$ 196.12
2-GRT-201020	2" x 1" x 2"	9	18	\$ 196.12
2-GRT-201212	2" x 1-1/4" x 1-1/4"	8	16	\$ 196.12
2-GRT-201215	2" x 1-1/4" x 1-1/2"	8	16	\$ 196.12
2-GRT-201220	2" x 1-1/4" x 2"	8	16	\$ 196.12
2-GRT-201510	2" x 1-1/2" x 1"	8	16	\$ 196.12
2-GRT-201512	2" x 1-1/2" x 1-1/4"	8	16	\$ 196.12
2-GRT-201515	2" x 1-1/2" x 1-1/2"	8	16	\$ 196.12
2-GRT-201520	2" x 1-1/2" x 2"	8	16	\$ 196.12
2-GRT-202005	2" x 2" x 1/2"	10	20	\$ 196.12
2-GRT-202007	2" x 2" x 3/4"	9	18	\$ 178.28
2-GRT-202010	2" x 2" x 1"	9	18	\$ 178.28
2-GRT-202012	2" x 2" x 1-1/4"	9	18	\$ 196.12
2-GRT-202015	2" x 2" x 1-1/2"	9	18	\$ 196.12
2-GRT-252025	2-1/2" x 2" x 2-1/2"	10		\$ 359.22
2-GRT-252507	2-1/2" x 2-1/2" x 3/4"	10		\$ 403.78
2-GRT-252510	2-1/2" x 2-1/2" x 1"	10		\$ 403.78
2-GRT-252515	2-1/2" x 2-1/2" x 1-1/2"	10		\$ 403.78
2-GRT-252520	2-1/2" x 2-1/2" x 2"	10		\$ 403.78
2-GRT-302020	3" x 2" x 2"	6		\$ 660.88
2-GRT-302030	3" x 2" x 3"	6		\$ 660.88
2-GRT-303005	3" x 3" x 1/2"	12		\$ 660.88
2-GRT-303007	3" x 3" x 3/4"	12		\$ 660.88
2-GRT-303010	3" x 3" x 1"	12		\$ 660.88
2-GRT-303012	3" x 3" x 1-1/4"	12		\$ 660.88
2-GRT-303015	3" x 3" x 1-1/2"	12		\$ 576.75
2-GRT-303020	3" x 3" x 2"	6		\$ 576.75
2-GRT-303025	3" x 3" x 2-1/2"	6		\$ 576.75
2-GRT-404010	4" x 4" x 1"	4		\$ 1,095.91
2-GRT-404020	4" x 4" x 2"	4		\$ 1,095.91
2-GRT-404025	4" x 4" x 2-1/2"	4		\$ 1,095.91
2-GRT-404030	4" x 4" x 3"	4		\$ 1,095.91

Street Tee - MPT x FPT x FPT



2-GST-05	1/2"	25	150	\$ 52.77
2-GST-07	3/4"	25	100	\$ 78.91
2-GST-10	1"	20	60	\$ 105.36
2-GST-12	1-1/4"	20	40	\$ 171.25
2-GST-15	1-1/2"	15	30	\$ 223.78

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

CLASS 150 GALVANIZED MALLEABLE IRON FITTINGS

Part No.	Size	Quantity		List Price - B
		L1	L2	

List Price Effective: April 27, 2020

Union - FPT



2-GU-01	1/8"	30	180	\$ 103.82
2-GU-02	1/4"	30	180	\$ 103.82
2-GU-03	3/8"	35	140	\$ 103.82
2-GU-05	1/2"	30	120	\$ 94.39
2-GU-07	3/4"	25	75	\$ 120.84
2-GU-10	1"	30	60	\$ 141.58

Part No.	Size	Quantity		List Price - B
		L1	L2	

List Price Effective: April 27, 2020

2-GU-12	1-1/4"	18	36	\$ 188.93
2-GU-15	1-1/2"	12	24	\$ 247.76
2-GU-20	2"	8	16	\$ 377.43
2-GU-25	2-1/2"	10		\$ 692.05
2-GU-30	3"	5		\$ 1,151.80
2-GU-40	4"	3		\$ 2,303.52
2-GU-60	6"	2		\$ 5,252.19

CLASS 300 BLACK MALLEABLE IRON FITTINGS

- Material Specifications
 - ANSI/ASTM A197 Cupola Malleable Iron Castings
- Dimensional Specifications
 - ANSI/ASME B16.3 Threaded Fittings
 - ANSI/ASME B16.14 Threaded Plugs, Bushings & Locknuts
 - ANSI/ASME B16.39 Threaded Unions

- Thread Specifications
 - ANSI/ASME B1.20.1 Pipe Threads
- UL Manufactured
- FM Standard 1920
- CRNs are available

Part No.	Size	Quantity		List Price - C
		L1	L2	

List Price Effective: April 27, 2020

Cap - FPT



BL3CA-02	1/4"	120	240	\$ 11.96
BL3CA-03	3/8"	75	150	\$ 11.31
BL3CA-05	1/2"	60	120	\$ 10.95
BL3CA-07	3/4"	40	80	\$ 13.17
BL3CA-10	1"	25	50	\$ 18.92
BL3CA-12	1-1/4"	20	40	\$ 27.41
BL3CA-15	1-1/2"	20	40	\$ 34.61
BL3CA-20	2"	12	24	\$ 50.13
BL3CA-25	2-1/2"	6	12	\$ 112.12
BL3CA-30	3"	6	12	\$ 155.28
BL3CA-40	4"	3	6	\$ 258.79

Coupling - FPT



BL3C-02	1/4"	180	360	\$ 12.14
BL3C-03	3/8"	100	200	\$ 12.14
BL3C-05	1/2"	60	120	\$ 11.31
BL3C-07	3/4"	40	80	\$ 14.27
BL3C-10	1"	30	60	\$ 23.93
BL3C-12	1-1/4"	12	24	\$ 30.28
BL3C-15	1-1/2"	12	24	\$ 41.44
BL3C-20	2"	8	16	\$ 64.74
BL3C-25	2-1/2"	4	8	\$ 125.47
BL3C-30	3"	4	8	\$ 184.21
BL3C-40	4"	4		\$ 301.41

Part No.	Size	Quantity		List Price - C
		L1	L2	

List Price Effective: April 27, 2020

Reducing Coupling - FPT



BL3RC-0302	3/8" x 1/4"	100	200	\$ 14.77
BL3RC-0502	1/2" x 1/4"	100	200	\$ 14.77
BL3RC-0503	1/2" x 3/8"	100	200	\$ 13.42
BL3RC-0702	3/4" x 1/4"	45	90	\$ 21.05
BL3RC-0703	3/4" x 3/8"	30	60	\$ 21.05
BL3RC-0705	3/4" x 1/2"	45	90	\$ 19.18
BL3RC-1002	1" x 1/4"			\$ 74.21
BL3RC-1003	1" x 3/8"	50	100	\$ 89.56
BL3RC-1005	1" x 1/2"	40	80	\$ 28.11
BL3RC-1007	1" x 3/4"	40	80	\$ 25.48
BL3RC-1205	1-1/4" x 1/2"	25	50	\$ 40.98
BL3RC-1207	1-1/4" x 3/4"	25	50	\$ 40.98
BL3RC-1210	1-1/4" x 1"	25	50	\$ 37.35
BL3RC-1505	1-1/2" x 1/2"	20	40	\$ 49.07
BL3RC-1507	1-1/2" x 3/4"	20	40	\$ 49.07
BL3RC-1510	1-1/2" x 1"	20	40	\$ 49.07
BL3RC-1512	1-1/2" x 1-1/4"	15	30	\$ 44.70
BL3RC-2005	2" x 1/2"	16	32	\$ 74.50
BL3RC-2007	2" x 3/4"	16	32	\$ 74.50
BL3RC-2010	2" x 1"	12	24	\$ 74.50
BL3RC-2012	2" x 1-1/4"	12	24	\$ 74.50
BL3RC-2015	2" x 1-1/2"	12	24	\$ 67.73
BL3RC-2515	2-1/2" x 1-1/2"	4	8	\$ 140.23
BL3RC-2520	2-1/2" x 2"	4	8	\$ 140.23
BL3RC-3015	3" x 1-1/2"	4	8	\$ 219.21
BL3RC-3020	3" x 2"	4	8	\$ 219.21
BL3RC-3025	3" x 2-1/2"	4	8	\$ 219.21
BL3RC-4020	4" x 2"			POR
BL3RC-4030	4" x 3"	6		\$ 446.04

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

CLASS 300 BLACK MALLEABLE IRON FITTINGS

Part No. **Size** **Quantity** **List**
 L1 **L2** **Price - C**
List Price Effective: April 27, 2020

Part No. **Size** **Quantity** **List**
 L1 **L2** **Price - C**
List Price Effective: April 27, 2020

Cross - FPT



BL3CR-02	1/4"			\$ 226.39
BL3CR-05	1/2"	30	60	\$ 22.61
BL3CR-07	3/4"	20	40	\$ 31.67
BL3CR-10	1"	15	30	\$ 42.99
BL3CR-12	1-1/4"	8	16	\$ 63.31
BL3CR-15	1-1/2"	8	16	\$ 85.92
BL3CR-20	2"	4	8	\$ 117.56

45° Elbow - FPT



BL3E4-02	1/4"	75	150	\$ 15.40
BL3E4-03	3/8"	100	200	\$ 15.40
BL3E4-05	1/2"	60	120	\$ 14.77
BL3E4-07	3/4"	50	100	\$ 21.69
BL3E4-10	1"	30	60	\$ 31.56
BL3E4-12	1-1/4"	12	24	\$ 52.60
BL3E4-15	1-1/2"	12	24	\$ 63.06
BL3E4-20	2"	6	12	\$ 99.78
BL3E4-25	2-1/2"	4	8	\$ 259.04
BL3E4-30	3"	4		\$ 381.07
BL3E4-40	4"	2	2	\$ 1,334.04

90° Elbow - FPT



BL3E-02	1/4"	150	300	\$ 14.77
BL3E-03	3/8"	60	120	\$ 14.77
BL3E-05	1/2"	60	120	\$ 14.27
BL3E-07	3/4"	40	80	\$ 20.55
BL3E-10	1"	20	40	\$ 31.83
BL3E-12	1-1/4"	14	28	\$ 47.20
BL3E-15	1-1/2"	12	24	\$ 55.64
BL3E-20	2"	6	12	\$ 81.97
BL3E-25	2-1/2"	4	8	\$ 92.11
BL3E-30	3"	4		\$ 159.98
BL3E-40	4"	2		\$ 289.96

Reducing 90° Elbow - FPT



BL3RE-0302	3/8" x 1/4"	25	150	\$ 34.69
BL3RE-0503	1/2" x 3/8"	80	160	\$ 38.49
BL3RE-0705	3/4" x 1/2"	15	60	\$ 61.07
BL3RE-1005	1" x 1/2"			\$ 134.71
BL3RE-1007	1" x 3/4"	20	40	\$ 77.01
BL3RE-1207	1-1/4" x 3/4"			\$ 175.97
BL3RE-1210	1-1/4" x 1"			\$ 160.07
BL3RE-1510	1-1/2" x 1"			\$ 227.08
BL3RE-1512	1-1/2" x 1-1/4"			\$ 227.08
BL3RE-2012	2" x 1-1/4"			\$ 319.18
BL3RE-2015	2" x 1-1/2"			\$ 284.61

90° Street Elbow - MPT x FPT



BL3SE-02	1/4"	140	280	\$ 18.43
BL3SE-03	3/8"	120	240	\$ 18.43
BL3SE-05	1/2"	60	120	\$ 15.60
BL3SE-07	3/4"	40	80	\$ 22.74
BL3SE-10	1"	30	60	\$ 33.76
BL3SE-12	1-1/4"	18	36	\$ 51.00
BL3SE-15	1-1/2"	12	24	\$ 70.25
BL3SE-20	2"	6	12	\$ 101.97
BL3SE-30	3"	4		\$ 352.92

Tee - FPT



BL3T-02	1/4"	100	200	\$ 19.77
BL3T-03	3/8"	80	160	\$ 19.77
BL3T-05	1/2"	40	80	\$ 18.43
BL3T-07	3/4"	20	40	\$ 26.39
BL3T-10	1"	20	40	\$ 41.44
BL3T-12	1-1/4"	12	24	\$ 64.13
BL3T-15	1-1/2"	8	16	\$ 72.19
BL3T-20	2"	5	10	\$ 106.11
BL3T-25	2-1/2"	3	6	\$ 130.11
BL3T-30	3"	4		\$ 170.75
BL3T-40	4"	2		\$ 309.01

Reducing Tee - FPT



BL3RT-050502	1/2" x 1/2" x 1/4"	20	80	\$ 65.66
BL3RT-070505	3/4" x 1/2" x 1/2"			POR
BL3RT-070507	3/4" x 1/2" x 3/4"			POR
BL3RT-070702	3/4" x 3/4" x 1/4"			POR
BL3RT-070703	3/4" x 3/4" x 3/8"			POR
BL3RT-070705	3/4" x 3/4" x 1/2"	20	40	\$ 32.31
BL3RT-100510	1" x 1/2" x 1"			POR
BL3RT-100707	1" x 3/4" x 3/4"			POR
BL3RT-100710	1" x 3/4" x 1"			POR
BL3RT-101002	1" x 1" x 1/4"			\$ 200.88
BL3RT-101005	1" x 1" x 1/2"	20	40	\$ 49.62
BL3RT-101007	1" x 1" x 3/4"	20	40	\$ 49.62
BL3RT-121010	1-1/4" x 1" x 1"			\$ 262.14
BL3RT-121205	1-1/4" x 1-1/4" x 1/2"	12	24	\$ 82.61
BL3RT-121207	1-1/4" x 1-1/4" x 3/4"	12	24	\$ 82.61
BL3RT-121210	1-1/4" x 1-1/4" x 1"	12	24	\$ 75.05
BL3RT-151505	1-1/2" x 1-1/2" x 1/2"	8	16	\$ 104.35
BL3RT-151507	1-1/2" x 1-1/2" x 3/4"	8	16	\$ 104.35
BL3RT-151510	1-1/2" x 1-1/2" x 1"	8	16	\$ 104.35
BL3RT-151512	1-1/2" x 1-1/2" x 1-1/4"	8	16	\$ 94.78
BL3RT-201520	2" x 1-1/2" x 2"			POR
BL3RT-202005	2" x 2" x 1/2"	5	10	\$ 147.76
BL3RT-202007	2" x 2" x 3/4"	5	10	\$ 147.76
BL3RT-202010	2" x 2" x 1"	5	10	\$ 147.76
BL3RT-202012	2" x 2" x 1-1/4"	5	10	\$ 147.76
BL3RT-202015	2" x 2" x 1-1/2"	5	10	\$ 134.33
BL3RT-252515	2-1/2" x 2-1/2" x 1-1/2"			\$ 1,028.39
BL3RT-303020	3" x 3" x 2"	3	6	\$ 1,092.41

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

CLASS 300 GALVANIZED MALLEABLE IRON FITTINGS

Part No. Size Quantity List
 L1 L2 Price - C
List Price Effective: April 27, 2020

Part No. Size Quantity List
 L1 L2 Price - C
List Price Effective: April 27, 2020

Cross - FPT



G3CR-05	1/2"	12	48	POR
G3CR-07	3/4"	15	30	POR
G3CR-10	1"	12	24	POR
G3CR-12	1-1/4"	7	14	POR
G3CR-15	1-1/2"	5	10	POR
G3CR-20	2"	3	6	POR

45° Elbow - FPT



G3E4-02	1/4"	75	150	\$ 22.22
G3E4-03	3/8"	100	200	\$ 22.22
G3E4-05	1/2"	60	120	\$ 21.40
G3E4-07	3/4"	50	100	\$ 31.24
G3E4-10	1"	30	60	\$ 45.47
G3E4-12	1-1/4"	12	24	\$ 76.00
G3E4-15	1-1/2"	12	24	\$ 91.06
G3E4-20	2"	6	12	\$ 144.07
G3E4-25	2-1/2"	4	8	\$ 373.92
G3E4-30	3"	4		\$ 550.21
G3E4-40	4"	2		\$ 941.11

90° Elbow - FPT



G3E-02	1/4"	150	300	\$ 21.40
G3E-03	3/8"	60	120	\$ 21.40
G3E-05	1/2"	60	120	\$ 20.55
G3E-07	3/4"	40	80	\$ 29.62
G3E-10	1"	20	40	\$ 45.94
G3E-12	1-1/4"	14	28	\$ 74.37
G3E-15	1-1/2"	12	24	\$ 91.38
G3E-20	2"	6	12	\$ 137.35
G3E-25	2-1/2"	4	8	\$ 165.13
G3E-30	3"	4		\$ 366.18
G3E-40	4"	2		\$ 663.71

90° Street Elbow - MPT x FPT




G3SE-02	1/4"	140	280	\$ 26.47
G3SE-03	3/8"	120	240	\$ 26.47
G3SE-05	1/2"	60	120	\$ 22.56
G3SE-07	3/4"	40	80	\$ 32.82
G3SE-10	1"	30	60	\$ 48.68
G3SE-12	1-1/4"	18	36	\$ 73.61
G3SE-15	1-1/2"	12	24	\$ 101.34
G3SE-20	2"	6	12	\$ 147.16

Tee - FPT



G3T-02	1/4"	100	200	\$ 28.49
G3T-03	3/8"	80	160	\$ 28.49
G3T-05	1/2"	40	80	\$ 26.47
G3T-07	3/4"	20	40	\$ 38.01
G3T-10	1"	20	40	\$ 59.79
G3T-12	1-1/4"	12	24	\$ 92.60
G3T-15	1-1/2"	8	16	\$ 124.65
G3T-20	2"	5	10	\$ 171.73
G3T-25	2-1/2"	3	6	\$ 366.38
G3T-30	3"	4		\$ 431.67
G3T-40	4"	2		\$ 781.07

Reducing Tee - FPT



G3RT-070705	3/4" x 3/4" x 1/2"	20	40	\$ 46.75
G3RT-101005	1" x 1" x 1/2"	20	40	\$ 71.60
G3RT-101007	1" x 1" x 3/4"	20	40	\$ 71.60
G3RT-121205	1-1/4" x 1-1/4" x 1/2"	12	24	\$ 119.32
G3RT-121207	1-1/4" x 1-1/4" x 3/4"	12	24	\$ 119.32
G3RT-121210	1-1/4" x 1-1/4" x 1"	12	24	\$ 108.44
G3RT-151505	1-1/2" x 1-1/2" x 1/2"	8	16	\$ 136.98
G3RT-151507	1-1/2" x 1-1/2" x 3/4"	8	16	\$ 136.98
G3RT-151510	1-1/2" x 1-1/2" x 1"	8	16	\$ 136.98
G3RT-151512	1-1/2" x 1-1/2" x 1-1/4"	8	16	\$ 136.98
G3RT-202005	2" x 2" x 1/2"	5	10	\$ 213.30
G3RT-202007	2" x 2" x 3/4"	5	10	\$ 213.30
G3RT-202010	2" x 2" x 1"	5	10	\$ 213.30
G3RT-202012	2" x 2" x 1-1/4"	5	10	\$ 213.30
G3RT-202015	2" x 2" x 1-1/2"	5	10	\$ 193.91

Union - FPT



G3U-02	1/4"	100	200	\$ 53.22
G3U-03	3/8"	60	120	\$ 54.15
G3U-05	1/2"	40	80	\$ 51.55
G3U-07	3/4"	20	40	\$ 55.65
G3U-10	1"	25	50	\$ 73.96
G3U-12	1-1/4"	15	30	\$ 103.16
G3U-15	1-1/2"	12	24	\$ 124.22
G3U-20	2"	6	12	\$ 149.12
G3U-25	2-1/2"	4	8	\$ 892.89
G3U-30	3"	4	8	\$ 1,355.29
G3U-40	4"	4		\$ 3,125.86

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
 boshart.com

SCHEDULE 40 BLACK PIPE NIPPLES & READY CUT PIPE



These pipe nipples and ready cut pipe are welded.

- Dimensional Specifications
 - ASTM A733 Pipe Nipples
- Thread Specifications
 - ANSI/ASME B1.20.1 Pipe Threads

• CRNs are available

Part No.	Pipe Length	Quantity List		
		L1	L2	Price - C

List Price Effective: April 27, 2020

Pipe Size - 1/8"				
BLN-01	3/4" - Close	25	400	\$ 3.71
BLN-0115	1-1/2"	25	400	\$ 3.76
BLN-0120	2"	25	400	\$ 3.97
BLN-0125	2-1/2"	25	400	\$ 4.47
BLN-0130	3"	25	400	\$ 4.66
BLN-0135	3-1/2"	25	400	\$ 5.14
BLN-0140	4"	25	400	\$ 5.29
BLN-0145	4-1/2"	25	400	\$ 6.07
BLN-0150	5"	25	400	\$ 6.22
BLN-0155	5-1/2"	25	400	\$ 6.50
BLN-0160	6"	25	400	\$ 6.40
BLN-0170	7"	25	400	\$ 7.66
BLN-0180	8"	25	400	\$ 8.06
BLN-0190	9"	25	200	\$ 8.51
BLN-01100	10"	25	200	\$ 9.02
BLN-01110	11"	25	200	\$ 9.46
BLN-01120	12"	25	200	\$ 10.05
BLRCP-01180	18"	10		POR
BLRCP-01240	24"	10		POR
BLRCP-01300	30"	10		POR
BLRCP-01360	36"	10		POR
BLRCP-01480	48"			POR
BLRCP-01600	60"			POR
BLRCP-01720	72"			POR

Pipe Size - 1/4"				
BLN-02	7/8" - Close	25	400	\$ 3.28
BLN-0215	1-1/2"	25	400	\$ 3.38
BLN-0220	2"	25	400	\$ 3.56
BLN-0225	2-1/2"	25	400	\$ 4.05
BLN-0230	3"	25	400	\$ 4.28
BLN-0235	3-1/2"	25	400	\$ 4.59
BLN-0240	4"	25	400	\$ 4.83
BLN-0245	4-1/2"	25	400	\$ 6.36
BLN-0250	5"	25	400	\$ 6.77
BLN-0255	5-1/2"	25	300	\$ 6.86
BLN-0260	6"	25	300	\$ 7.10
BLN-0270	7"	25	200	\$ 7.40
BLN-0280	8"	25	200	\$ 7.82
BLN-0290	9"	25	200	\$ 8.24
BLN-02100	10"	25	150	\$ 8.76
BLN-02110	11"	25	150	\$ 9.17
BLN-02120	12"	25	150	\$ 9.69
BLRCP-02180	18"	5		\$ 17.12
BLRCP-02240	24"	5		\$ 20.13
BLRCP-02300	30"	5		\$ 23.28
BLRCP-02360	36"	5		\$ 29.03
BLRCP-02480	48"	5		\$ 35.28
BLRCP-02600	60"	5		\$ 41.98
BLRCP-02720	72"	5		\$ 50.33

Part No.	Pipe Length	Quantity List		
		L1	L2	Price - C

List Price Effective: April 27, 2020

Pipe Size - 3/8"				
BLN-03	1" - Close	25	400	\$ 3.29
BLN-0315	1-1/2"	25	400	\$ 3.44
BLN-0320	2"	25	400	\$ 3.67
BLN-0325	2-1/2"	25	400	\$ 4.13
BLN-0330	3"	25	400	\$ 4.37
BLN-0335	3-1/2"	25	300	\$ 4.83
BLN-0340	4"	25	300	\$ 5.29
BLN-0345	4-1/2"	25	300	\$ 6.42
BLN-0350	5"	25	200	\$ 6.81
BLN-0355	5-1/2"	25	200	\$ 7.01
BLN-0360	6"	25	200	\$ 7.59
BLN-0370	7"	25	150	\$ 7.99
BLN-0380	8"	25	150	\$ 8.46
BLN-0390	9"	25	100	\$ 8.92
BLN-03100	10"	25	100	\$ 9.59
BLN-03110	11"	25	100	\$ 10.00
BLN-03120	12"	25	100	\$ 10.56
BLRCP-03180	18"	5		\$ 18.83
BLRCP-03240	24"	5		\$ 22.34
BLRCP-03300	30"	5		\$ 26.16
BLRCP-03360	36"	5		\$ 31.41
BLRCP-03480	48"	5		\$ 39.56
BLRCP-03600	60"	5		\$ 47.41
BLRCP-03720	72"	5		\$ 54.32

Pipe Size - 1/2"				
BLN-05	1-3/8" - Close	25	400	\$ 1.95
BLN-0515	1-1/2"	25	400	\$ 1.97
BLN-0520	2"	25	400	\$ 2.19
BLN-0525	2-1/2"	25	300	\$ 2.31
BLN-0530	3"	25	300	\$ 2.59
BLN-0535	3-1/2"	25	200	\$ 2.96
BLN-0540	4"	25	200	\$ 3.09
BLN-0545	4-1/2"	25	200	\$ 3.44
BLN-0550	5"	25	200	\$ 3.67
BLN-0555	5-1/2"	25	150	\$ 3.94
BLN-0560	6"	25	150	\$ 4.13
BLN-0570	7"	25	100	\$ 7.47
BLN-0580	8"	25	100	\$ 8.24
BLN-0590	9"	25	100	\$ 9.09
BLN-05100	10"	25	75	\$ 9.36
BLN-05110	11"	25	75	\$ 9.89
BLN-05120	12"	25	75	\$ 10.55
BLRCP-05180	18"	5		\$ 14.96
BLRCP-05240	24"	5		\$ 18.48
BLRCP-05300	30"	5		\$ 23.11
BLRCP-05360	36"	5		\$ 27.71
BLRCP-05480	48"	5		\$ 36.86
BLRCP-05600	60"	5		\$ 46.13
BLRCP-05720	72"	5		\$ 52.51

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

SCHEDULE 40 BLACK PIPE NIPPLES & READY CUT PIPE

Part No.	Pipe Length	Quantity		List Price - C
		L1	L2	

List Price Effective: April 27, 2020

Pipe Size - 2-1/2"

BLN-25	2-1/2" - Close	36		\$ 25.58
BLN-2530	3"	36		\$ 26.80
BLN-2535	3-1/2"	27		\$ 29.52
BLN-2540	4"	27		\$ 30.62
BLN-2545	4-1/2"	24		\$ 32.73
BLN-2550	5"	18		\$ 34.67
BLN-2555	5-1/2"	18		\$ 36.95
BLN-2560	6"	18		\$ 38.91
BLN-2570	7"	14		\$ 39.90
BLN-2580	8"	12		\$ 40.72
BLN-2590	9"	12		\$ 44.75
BLN-25100	10"	9		\$ 48.90
BLN-25110	11"	9		\$ 53.03
BLN-25120	12"	9		\$ 57.07

Pipe Size - 3"

BLN-30	2-5/8" - Close	24		\$ 29.12
BLN-3030	3"	24		\$ 29.94
BLN-3035	3-1/2"	18		\$ 33.48
BLN-3040	4"	18		\$ 34.25
BLN-3045	4-1/2"	16		\$ 36.20
BLN-3050	5"	12		\$ 38.30
BLN-3055	5-1/2"	12		\$ 41.13
BLN-3060	6"	12		\$ 43.55
BLN-3070	7"	9		\$ 44.78
BLN-3080	8"	8		\$ 49.95
BLN-3090	9"	8		\$ 54.24
BLN-30100	10"	6		\$ 59.28
BLN-30110	11"	6		\$ 64.42
BLN-30120	12"	6		\$ 69.59

Part No.	Pipe Length	Quantity		List Price - C
		L1	L2	

List Price Effective: April 27, 2020

Pipe Size - 4"

BLN-40	2-7/8" - Close	15		\$ 43.70
BLN-4035	3-1/2"	12		\$ 47.60
BLN-4040	4"	12		\$ 49.61
BLN-4045	4-1/2"	10		\$ 52.39
BLN-4050	5"	8		\$ 56.74
BLN-4055	5-1/2"	8		\$ 61.19
BLN-4060	6"	8		\$ 65.71
BLN-4070	7"	5		\$ 72.58
BLN-4080	8"	5		\$ 80.61
BLN-4090	9"	5		\$ 88.57
BLN-40100	10"	4		\$ 96.56
BLN-40110	11"	4		\$ 104.68
BLN-40120	12"	4		\$ 104.56

Pipe Size - 6"

BLN-60	3-1/8" - Close	4		\$ 187.51
BLN-6045	4-1/2"	1		\$ 228.89
BLN-6050	5"	2		\$ 228.89
BLN-6055	5-1/2"	2		\$ 255.95
BLN-6060	6"	2		\$ 255.95
BLN-6070	7"	1		\$ 263.78
BLN-6080	8"	1		\$ 280.51
BLN-6090	9"	1		\$ 294.67
BLN-60100	10"	1		\$ 298.22
BLN-60110	11"	1		\$ 318.35
BLN-60120	12"	1		\$ 340.62

SCHEDULE 40 BLACK MALLEABLE PIPE TOE NIPPLES

- These pipe nipples are welded.
- Dimensional Specifications
 - ASTM A733 Pipe Nipples
 - Thread Specifications
 - ANSI/ASME B1.20.1 Pipe Threads

Part No.	Pipe Length	Quantity		List Price - C
		L1	L2	

List Price Effective: April 27, 2020


Pipe Size - 1-1/4"

BLN-12100T	10"	30		\$ 17.66
BLN-12120T	12"	30		\$ 20.37

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

SCHEDULE 40 GALVANIZED PIPE NIPPLES & READY CUT PIPE



These pipe nipples and ready cut pipe are welded.

- Dimensional Specifications
 - ASTM A733 Pipe Nipples
- Thread Specifications
 - ANSI/ASME B1.20.1 Pipe Threads



- NSF/ANSI 372 Certified
- CRNs are available

Part No.	Pipe Length	Quantity		List Price - C
		L1	L2	

List Price Effective: April 27, 2020

Pipe Size - 1/8"				
GN-01	3/4" - Close	25	400	\$ 4.14
GN-0115	1-1/2"	25	400	\$ 4.47
GN-0120	2"	25	400	\$ 5.06
GN-0125	2-1/2"	25	400	\$ 5.90
GN-0130	3"	25	400	\$ 6.25
GN-0135	3-1/2"	25	400	\$ 6.81
GN-0140	4"	25	400	\$ 7.19
GN-0145	4-1/2"	25	400	\$ 7.50
GN-0150	5"	25	400	\$ 7.92
GN-0155	5-1/2"	25	400	\$ 8.24
GN-0160	6"	25	400	\$ 8.61
GN-0170	7"	25	400	\$ 9.42
GN-0180	8"	25	400	\$ 10.15
GN-0190	9"	25	200	\$ 10.31
GN-01100	10"	25	200	\$ 11.30
GN-01110	11"	25	200	\$ 11.99
GN-01120	12"	25	200	\$ 12.72
GRCP-01180	18"	5		POR
GRCP-01240	24"	5		POR
GRCP-01300	30"	5		POR
GRCP-01360	36"	5		POR
GRCP-01480	48"	5		POR
GRCP-01600	60"	5		POR
GRCP-01720	72"	5		POR

Pipe Size - 1/4"				
GN-02	7/8" - Close	25	400	\$ 3.67
GN-0215	1-1/2"	25	400	\$ 3.94
GN-0220	2"	25	400	\$ 4.14
GN-0225	2-1/2"	25	400	\$ 4.77
GN-0230	3"	25	400	\$ 5.06
GN-0235	3-1/2"	25	400	\$ 5.54
GN-0240	4"	25	400	\$ 6.04
GN-0245	4-1/2"	25	400	\$ 6.81
GN-0250	5"	25	400	\$ 7.45
GN-0255	5-1/2"	25	300	\$ 7.92
GN-0260	6"	25	300	\$ 8.29
GN-0270	7"	25	200	\$ 8.91
GN-0280	8"	25	200	\$ 9.49
GN-0290	9"	25	200	\$ 10.18
GN-02100	10"	25	150	\$ 10.79
GN-02110	11"	25	150	\$ 11.50
GN-02120	12"	25	150	\$ 12.16
GRCP-02180	18"	5		\$ 20.69
GRCP-02240	24"	5		\$ 26.30
GRCP-02300	30"	5		\$ 26.57
GRCP-02360	36"	5		\$ 39.44
GRCP-02480	48"	5		\$ 52.51
GRCP-02600	60"	5		\$ 65.58
GRCP-02720	72"	5		\$ 74.78

Part No.	Pipe Length	Quantity		List Price - C
		L1	L2	

List Price Effective: April 27, 2020

Pipe Size - 3/8"				
GN-03	1" - Close	25	400	\$ 3.77
GN-0315	1-1/2"	25	400	\$ 3.97
GN-0320	2"	25	400	\$ 4.28
GN-0325	2-1/2"	25	400	\$ 4.90
GN-0330	3"	25	400	\$ 5.20
GN-0335	3-1/2"	25	300	\$ 5.65
GN-0340	4"	25	300	\$ 6.24
GN-0345	4-1/2"	25	300	\$ 7.22
GN-0350	5"	25	200	\$ 8.06
GN-0355	5-1/2"	25	200	\$ 8.38
GN-0360	6"	25	200	\$ 8.76
GN-0370	7"	25	150	\$ 9.20
GN-0380	8"	25	150	\$ 9.87
GN-0390	9"	25	100	\$ 10.59
GN-03100	10"	25	100	\$ 11.46
GN-03110	11"	25	100	\$ 12.05
GN-03120	12"	25	100	\$ 12.88
GRCP-03180	18"	5		\$ 23.55
GRCP-03240	24"	5		\$ 27.74
GRCP-03300	30"	5		\$ 32.64
GRCP-03360	36"	5		\$ 41.65
GRCP-03480	48"	5		\$ 55.46
GRCP-03600	60"	5		\$ 69.34
GRCP-03720	72"	5		\$ 79.13

Pipe Size - 1/2"				
GN-05	1-1/8" - Close	25	400	\$ 2.39
GN-0515	1-1/2"	25	400	\$ 2.59
GN-0520	2"	25	400	\$ 2.79
GN-0525	2-1/2"	25	300	\$ 3.06
GN-0530	3"	25	300	\$ 3.29
GN-0535	3-1/2"	25	200	\$ 3.71
GN-0540	4"	25	200	\$ 4.05
GN-0545	4-1/2"	25	200	\$ 4.29
GN-0550	5"	25	200	\$ 4.63
GN-0555	5-1/2"	25	150	\$ 5.06
GN-0560	6"	25	150	\$ 5.37
GN-0570	7"	25	100	\$ 11.02
GN-0580	8"	25	100	\$ 11.02
GN-0590	9"	25	100	\$ 11.40
GN-05100	10"	25	75	\$ 11.86
GN-05110	11"	25	75	\$ 12.88
GN-05120	12"	25	75	\$ 13.61
GRCP-05180	18"	5		\$ 18.56
GRCP-05240	24"	5		\$ 24.34
GRCP-05300	30"	5		\$ 30.43
GRCP-05360	36"	5		\$ 36.45
GRCP-05480	48"	5		\$ 48.64
GRCP-05600	60"	5		\$ 60.74
GRCP-05720	72"	5		\$ 69.26

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

SCHEDULE 40 GALVANIZED PIPE NIPPLES & READY CUT PIPE

Part No.	Pipe Length	Quantity		List Price - C
		L1	L2	

List Price Effective: April 27, 2020

Pipe Size - 2-1/2"				
GN-25	2-1/2" - Close	36		\$ 33.64
GN-2530	3"	36		\$ 34.67
GN-2535	3-1/2"	27		\$ 39.00
GN-2540	4"	27		\$ 40.12
GN-2545	4-1/2"	24		\$ 42.66
GN-2550	5"	18		\$ 45.96
GN-2555	5-1/2"	18		\$ 49.24
GN-2560	6"	18		\$ 51.89
GN-2570	7"	14		\$ 54.32
GN-2580	8"	12		\$ 57.72
GN-2590	9"	12		\$ 60.53
GN-25100	10"	9		\$ 65.87
GN-25110	11"	9		\$ 71.35
GN-25120	12"	9		\$ 76.97

Pipe Size - 3"				
GN-30	2-5/8" - Close	24		\$ 39.75
GN-3030	3"	24		\$ 40.82
GN-3035	3-1/2"	18		\$ 45.68
GN-3040	4"	18		\$ 46.92
GN-3045	4-1/2"	16		\$ 49.92
GN-3050	5"	12		\$ 53.35
GN-3055	5-1/2"	12		\$ 56.60
GN-3060	6"	12		\$ 59.97
GN-3070	7"	9		\$ 64.94
GN-3080	8"	8		\$ 69.09
GN-3090	9"	8		\$ 76.16
GN-30100	10"	6		\$ 83.48
GN-30110	11"	6		\$ 90.41
GN-30120	12"	6		\$ 97.64

Part No.	Pipe Length	Quantity		List Price - C
		L1	L2	

List Price Effective: April 27, 2020

Pipe Size - 4"				
GN-40	2-7/8" - Close	15		\$ 59.22
GN-4035	3-1/2"	12		\$ 64.52
GN-4040	4"	12		\$ 66.04
GN-4045	4-1/2"		10	\$ 71.27
GN-4050	5"	8		\$ 77.25
GN-4055	5-1/2"	8		\$ 83.48
GN-4060	6"	8		\$ 89.53
GN-4070	7"	5		\$ 100.54
GN-4080	8"	5		\$ 112.17
GN-4090	9"	5		\$ 123.02
GN-40100	10"	4		\$ 134.37
GN-40110	11"	4		\$ 145.44
GN-40120	12"	4		\$ 156.68

Pipe Size - 6"				
GN-60	3-1/8" - Close	4		\$ 253.48
GN-6045	4-1/2"			\$ 368.21
GN-6050	5"			\$ 373.70
GN-6055	5-1/2"			\$ 395.59
GN-6060	6"	4		\$ 358.64
GN-6070	7"			\$ 378.92
GN-6080	8"			\$ 395.62
GN-6090	9"			\$ 478.24
GN-60100	10"			\$ 420.77
GN-60110	11"			\$ 526.63
GN-60120	12"			\$ 562.13

SCHEDULE 80 BLACK MALLEABLE PIPE NIPPLES



- These pipe nipples are seamless.
- Dimensional Specifications
 - ASTM A106 High Temperature Service Pipe
 - Thread Specifications
 - ANSI/ASME B1.20.1 Pipe Threads

• CRNs are available

Part No.	Pipe Length	Quantity		List Price - C
		L1	L2	

List Price Effective: April 27, 2020

Pipe Size - 1/8"				
BLHN-01	3/4" - Close	25	450	\$ 8.89
BLHN-0115	1-1/2"	25	450	\$ 9.09
BLHN-0120	2"	25	450	\$ 9.69
BLHN-0125	2-1/2"	25	450	\$ 10.47
BLHN-0130	3"	25	450	\$ 11.13
BLHN-0135	3-1/2"	25	450	\$ 12.29
BLHN-0140	4"	25	450	\$ 13.06
BLHN-0145	4-1/2"	25	300	\$ 13.64
BLHN-0150	5"	25	300	\$ 14.58
BLHN-0155	5-1/2"	25	300	\$ 15.53
BLHN-0160	6"	25	300	\$ 16.54
BLHN-0170	7"	25	150	\$ 19.15
BLHN-0180	8"	25	150	\$ 21.26
BLHN-0190	9"	25		\$ 23.10
BLHN-01100	10"	25	100	\$ 24.93
BLHN-01110	11"	25	100	\$ 26.84
BLHN-01120	12"	25	100	\$ 28.82

Part No.	Pipe Length	Quantity		List Price - C
		L1	L2	

List Price Effective: April 27, 2020

Pipe Size - 1/4"				
BLHN-02	7/8" - Close	25	450	\$ 3.94
BLHN-0215	1-1/2"	25	450	\$ 4.05
BLHN-0220	2"	25	450	\$ 4.28
BLHN-0225	2-1/2"	25	450	\$ 4.47
BLHN-0230	3"	25	450	\$ 4.83
BLHN-0235	3-1/2"	25	450	\$ 5.29
BLHN-0240	4"	25	450	\$ 5.65
BLHN-0245	4-1/2"	25	300	\$ 6.24
BLHN-0250	5"	25	300	\$ 6.81
BLHN-0255	5-1/2"	25	300	\$ 7.45
BLHN-0260	6"	25	300	\$ 7.92
BLHN-0270	7"	25	150	\$ 8.36
BLHN-0280	8"	25	150	\$ 9.09
BLHN-0290	9"	25	150	\$ 10.00
BLHN-02100	10"	25	100	\$ 10.71
BLHN-02110	11"	25	100	\$ 11.67
BLHN-02120	12"	25	100	\$ 13.22

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

SCHEDULE 80 BLACK MALLEABLE PIPE NIPPLES

Part No.	Pipe Length	Quantity		List Price - C
		L1	L2	
Pipe Size - 3/8"				
BLHN-03	1" - Close	25	450	\$ 4.33
BLHN-0315	1-1/2"	25	450	\$ 4.37
BLHN-0320	2"	25	450	\$ 4.66
BLHN-0325	2-1/2"	25	450	\$ 4.95
BLHN-0330	3"	25	450	\$ 5.29
BLHN-0335	3-1/2"	25	450	\$ 5.83
BLHN-0340	4"	25	300	\$ 6.42
BLHN-0345	4-1/2"	25	300	\$ 7.22
BLHN-0350	5"	25	200	\$ 7.79
BLHN-0355	5-1/2"	25	300	\$ 8.53
BLHN-0360	6"	25	200	\$ 8.92
BLHN-0370	7"	25	150	\$ 9.45
BLHN-0380	8"	25	150	\$ 10.13
BLHN-0390	9"	25	100	\$ 11.04
BLHN-03100	10"	25	100	\$ 11.91
BLHN-03110	11"	25	100	\$ 12.88
BLHN-03120	12"	25	100	\$ 13.79
Pipe Size - 1/2"				
BLHN-05	1-1/8" - Close	25	450	\$ 3.97
BLHN-0515	1-1/2"	25	450	\$ 4.28
BLHN-0520	2"	25	450	\$ 4.53
BLHN-0525	2-1/2"	25	300	\$ 4.95
BLHN-0530	3"	25	300	\$ 5.20
BLHN-0535	3-1/2"	25	200	\$ 5.90
BLHN-0540	4"	25	200	\$ 6.40
BLHN-0545	4-1/2"	25	200	\$ 6.93
BLHN-0550	5"	25	200	\$ 7.40
BLHN-0555	5-1/2"	25	150	\$ 7.90
BLHN-0560	6"	25	150	\$ 8.24
BLHN-0570	7"	25	100	\$ 12.66
BLHN-0580	8"	25	100	\$ 13.86
BLHN-0590	9"	25	100	\$ 14.44
BLHN-05100	10"	25	75	\$ 14.96
BLHN-05110	11"	25	75	\$ 15.97
BLHN-05120	12"	25	75	\$ 17.26
Pipe Size - 3/4"				
BLHN-07	1-3/8" - Close	25	450	\$ 4.90
BLHN-0715	1-1/2"	25	450	\$ 5.05
BLHN-0720	2"	25	300	\$ 5.29
BLHN-0725	2-1/2"	25	200	\$ 5.59
BLHN-0730	3"	25	200	\$ 5.95
BLHN-0735	3-1/2"	25	200	\$ 6.67
BLHN-0740	4"	25	150	\$ 7.08
BLHN-0745	4-1/2"	25	150	\$ 7.77
BLHN-0750	5"	25	150	\$ 8.23
BLHN-0755	5-1/2"	25	100	\$ 8.79
BLHN-0760	6"	25	100	\$ 9.36
BLHN-0770	7"	25	100	\$ 14.91
BLHN-0780	8"	25	100	\$ 16.41
BLHN-0790	9"	25	100	\$ 17.26
BLHN-07100	10"	25	50	\$ 17.96
BLHN-07110	11"	25		\$ 19.38
BLHN-07120	12"	25	50	\$ 21.05
Pipe Size - 1"				
BLHN-10	1-1/2" - Close	25	200	\$ 7.34
BLHN-1020	2"	25	200	\$ 7.94
BLHN-1025	2-1/2"	25	150	\$ 8.46
BLHN-1030	3"	25	100	\$ 8.91
BLHN-1035	3-1/2"	25	150	\$ 9.78

Part No.	Pipe Length	Quantity		List Price - C
		L1	L2	
Pipe Size - 1-1/4"				
BLHN-1040	4"	25	100	\$ 10.37
BLHN-1045	4-1/2"	25	100	\$ 11.13
BLHN-1050	5"	25	100	\$ 11.67
BLHN-1055	5-1/2"	25	100	\$ 12.36
BLHN-1060	6"	25	75	\$ 13.13
BLHN-1070	7"	25		\$ 17.96
BLHN-1080	8"	10	60	\$ 19.81
BLHN-1090	9"	10	40	\$ 21.70
BLHN-10100	10"	10	40	\$ 23.67
BLHN-10110	11"	10	40	\$ 25.83
BLHN-10120	12"	10	40	\$ 27.83
Pipe Size - 1-1/2"				
BLHN-12	1-5/8" - Close	25	100	\$ 9.17
BLHN-1220	2"	25	100	\$ 9.69
BLHN-1225	2-1/2"	25	100	\$ 11.13
BLHN-1230	3"	25	100	\$ 11.13
BLHN-1235	3-1/2"	25	100	\$ 12.28
BLHN-1240	4"	25	100	\$ 13.13
BLHN-1245	4-1/2"	25	50	\$ 13.97
BLHN-1250	5"	25	50	\$ 14.91
BLHN-1255	5-1/2"	25	50	\$ 15.70
BLHN-1260	6"	25	50	\$ 16.60
BLHN-1270	7"	5	30	\$ 22.58
BLHN-1280	8"	5	30	\$ 25.10
BLHN-1290	9"	5	20	\$ 27.47
BLHN-12100	10"	5	20	\$ 30.14
BLHN-12110	11"	5	20	\$ 32.58
BLHN-12120	12"	5	20	\$ 34.40
Pipe Size - 1-1/2"				
BLHN-15	1-3/4" - Close	25	100	\$ 10.71
BLHN-1520	2"	25	100	\$ 11.32
BLHN-1525	2-1/2"	25	50	\$ 12.34
BLHN-1530	3"	25	50	\$ 13.10
BLHN-1535	3-1/2"	25	50	\$ 14.52
BLHN-1540	4"	25	50	\$ 15.82
BLHN-1545	4-1/2"	25	50	\$ 16.54
BLHN-1550	5"	25	50	\$ 17.66
BLHN-1555	5-1/2"	25	50	\$ 18.60
BLHN-1560	6"	25	50	\$ 19.70
BLHN-1570	7"	5	30	\$ 23.87
BLHN-1580	8"	5	20	\$ 26.57
BLHN-1590	9"	5	20	\$ 29.11
BLHN-15100	10"	5	20	\$ 31.87
BLHN-15110	11"	5	20	\$ 34.56
BLHN-15120	12"	4	12	\$ 37.32
Pipe Size - 2"				
BLHN-20	2" - Close	25	50	\$ 14.27
BLHN-2025	2-1/2"	25	50	\$ 15.70
BLHN-2030	3"	25	50	\$ 17.06
BLHN-2035	3-1/2"	25	50	\$ 18.96
BLHN-2040	4"	25	50	\$ 20.46
BLHN-2045	4-1/2"	20	40	\$ 22.02
BLHN-2050	5"	25	25	\$ 23.66
BLHN-2055	5-1/2"	25	25	\$ 25.04
BLHN-2060	6"	25	25	\$ 26.55
BLHN-2070	7"	5	20	\$ 32.26
BLHN-2080	8"	5	20	\$ 35.78
BLHN-2090	9"	5	20	\$ 39.52
BLHN-20100	10"	5	20	\$ 43.29
BLHN-20110	11"	5	20	\$ 46.99
BLHN-20120	12"	5	15	\$ 50.78

Contact your sales rep for any further information

Toll Free: 1-800-561-3164

boshart.com

SCHEDULE 80 BLACK MALLEABLE PIPE NIPPLES

Part No.	Pipe Length	Quantity		List Price - C
		L1	L2	
Pipe Size - 2-1/2"				
BLHN-25	2-1/2" - Close	25	25	\$ 43.01
BLHN-2530	3"	25	25	\$ 44.78
BLHN-2535	3-1/2"	25	25	\$ 50.31
BLHN-2540	4"	25	25	\$ 51.80
BLHN-2545	4-1/2"	25	25	\$ 54.65
BLHN-2550	5"	25	25	\$ 58.32
BLHN-2555	5-1/2"	25	25	\$ 61.83
BLHN-2560	6"	25	25	\$ 65.51
BLHN-2570	7"	16	16	\$ 67.62
BLHN-2580	8"	16	16	\$ 71.41
BLHN-2590	9"	16	16	\$ 74.97
BLHN-25100	10"	16	16	\$ 81.69
BLHN-25110	11"	15	15	\$ 88.61
BLHN-25120	12"	16		\$ 95.45
Pipe Size - 3"				
BLHN-30	2-5/8" - Close	5	25	\$ 48.40
BLHN-3030	3"	25	25	\$ 49.31
BLHN-3035	3-1/2"	25	25	\$ 55.09
BLHN-3040	4"	25	25	\$ 56.51

Part No.	Pipe Length	Quantity		List Price - C
		L1	L2	
List Price Effective: April 27, 2020				
BLHN-3045	4-1/2"	1	25	\$ 59.77
BLHN-3050	5"	16	16	\$ 63.65
BLHN-3055	5-1/2"	16	16	\$ 67.64
BLHN-3060	6"	16	16	\$ 71.48
BLHN-3070	7"	16	16	\$ 73.47
BLHN-3080	8"	14	14	\$ 81.81
BLHN-30100	10"	10	10	\$ 98.92
BLHN-30110	11"	10	10	\$ 116.01
BLHN-30120	12"	9	9	\$ 116.01
Pipe Size - 4"				
BLHN-40	2-7/8" - Close	20	20	\$ 71.74
BLHN-4035	3-1/2"	10	10	\$ 76.98
BLHN-4040	4"	10	10	\$ 80.86
BLHN-4045	4-1/2"	10	10	\$ 83.33
BLHN-4050	5"	10	10	\$ 92.82
BLHN-4060	6"	10	10	\$ 107.05
BLHN-4080	8"	5	5	\$ 133.39
BLHN-40100	10"	5	5	\$ 159.78
BLHN-40110	11"	5	5	\$ 170.97
BLHN-40120	12"	5	5	\$ 186.18

SCHEDULE 40 NIPPLE ASSORTMENTS

These steel nipple assortments come in packs with a variety of different pipe nipple lengths.



Part No.	Size	Quantity		List Price - C
		L1	L2	
List Price Effective: April 27, 2020				
Class 150 Black Malleable Iron,				
• Dimensional Specifications				
- ASTM A733 Pipe Nipples				
• Thread Specifications				
- ANSI/ASME B1.20.1 Pipe Threads				
BLNA-05	1/2"	Includes 6 of the following lengths: Close, 1-1/2", 2", 2-1/2", 3", 3-1/2", 4", 4-1/2", 5", 5-1/2", 6" Total pieces: 66		1 \$ 326.89
BLNA-07	3/4"	Includes 6 of the following lengths: Close, 1-1/2", 2", 2-1/2", 3", 3-1/2", 4", 4-1/2", 5", 5-1/2", 6" Total pieces: 66		1 \$ 397.69
BLNA-10	1"	Includes 6 of the following lengths: Close, 2", 2-1/2", 3", 3-1/2", 4", 4-1/2", 5", 5-1/2", 6" Total pieces: 60		1 \$ 462.47
BLNA-05-25	1/2"	Includes the following lengths: (4) Close, (3) 1-1/2", (3) 2", (3) 2-1/2", (2) 3", (2) 3-1/2", (2) 4", (1) 4-1/2", (2) 5", (1) 5-1/2", (1) 6" Total pieces:		1 \$ 118.33
BLNA-07-25	3/4"	Includes the following lengths: (6) Close, (4) 2", (3) 2-1/2", (2) 3", (2) 3-1/2", (2) 4", (1) 4-1/2", (2) 5", (1) 5-1/2", (2) 6" Total pieces: 25		1 \$ 141.87
BLNA-10-25	1"	Includes the following lengths: (5) Close, (5) 2", (3) 2-1/2", (2) 3", (2) 3-1/2", (2) 4", (1) 4-1/2", (2) 5", (1) 5-1/2", (2) 6" Total pieces: 25		1 \$ 191.83
BLNA-05SR	1/2"	Includes 1 of the following lengths: Close, 1-1/2", 2", 2-1/2", 3", 3-1/2", 4", 4-1/2", 5", 5-1/2", 6" Total pieces: 11		16 \$ 44.88
BLNA-07SR	3/4"	Includes 1 of the following lengths: Close, 1-1/2", 2", 2-1/2", 3", 3-1/2", 4", 4-1/2", 5", 5-1/2", 6" Total pieces: 11		16 \$ 51.39
BLNA-10SR	1"	Includes 1 of the following lengths: Close, 2", 2-1/2", 3", 3-1/2", 4", 4-1/2", 5", 5-1/2", 6" Total pieces: 11		8 \$ 63.82

Contact your sales rep for any further information

SCHEDULE 40 NIPPLE ASSORTMENTS

Part No.	Size		Quantity List		Price - C
			L1	L2	
List Price Effective: April 27, 2020					
BLNA-12SR	1-1/4"	Includes 1 of the following lengths: Close, 2", 2-1/2", 3", 3-1/2", 4", 4-1/2", 5", 5-1/2", 6" Total pieces: 10	4		\$ 76.67
BLNA-15SR	1-1/2"	Includes 1 of the following lengths: Close, 2", 2-1/2", 3", 3-1/2", 4", 4-1/2", 5", 5-1/2", 6" Total pieces: 10	4		\$ 89.00
BLNA-20SR	2"	Includes 1 of the following lengths: Close, 2-1/2", 3", 3-1/2", 4", 4-1/2", 5", 5-1/2", 6" Total pieces: 9	3		\$ 106.60



Galvanized Malleable Iron,

- Dimensional Specifications
 - ASTM A733 Pipe Nipples
- Thread Specifications
 - ANSI/ASME B1.20.1 Pipe Threads
- NSF/ANSI 372



GNA-05	1/2"	Includes 6 of the following lengths: Close, 1-1/2", 2", 2-1/2", 3", 3-1/2", 4", 4-1/2", 5", 5-1/2", 6" Total pieces: 66	1		\$ 406.05
GNA-07	3/4"	Includes 6 of the following lengths: Close, 1-1/2", 2", 2-1/2", 3", 3-1/2", 4", 4-1/2", 5", 5-1/2", 6" Total pieces: 66	1		\$ 497.48
GNA-10	1"	Includes 6 of the following lengths: Close, 2", 2-1/2", 3", 3-1/2", 4", 4-1/2", 5", 5-1/2", 6" Total pieces: 60	1		\$ 576.93
GNA-05SR	1/2"	Includes 1 of the following lengths: Close, 1-1/2", 2", 2-1/2", 3", 3-1/2", 4", 4-1/2", 5", 5-1/2", 6" Total pieces: 11	16		\$ 37.51
GNA-07SR	3/4"	Includes 1 of the following lengths: Close, 1-1/2", 2", 2-1/2", 3", 3-1/2", 4", 4-1/2", 5", 5-1/2", 6" Total pieces: 11	16		\$ 46.01
GNA-10SR	1"	Includes 1 of the following lengths: Close, 2", 2-1/2", 3", 3-1/2", 4", 4-1/2", 5", 5-1/2", 6" Total pieces: 11	8		\$ 61.62
GNA-12SR	1-1/4"	Includes 1 of the following lengths: Close, 2", 2-1/2", 3", 3-1/2", 4", 4-1/2", 5", 5-1/2", 6" Total pieces: 10	4		\$ 88.95
GNA-15SR	1-1/2"	Includes 1 of the following lengths: Close, 2", 2-1/2", 3", 3-1/2", 4", 4-1/2", 5", 5-1/2", 6" Total pieces: 10	4		\$ 105.34
GNA-20SR	2"	Includes 1 of the following lengths: Close, 2-1/2", 3", 3-1/2", 4", 4-1/2", 5", 5-1/2", 6" Total pieces: 9	3		\$ 119.99

READY CUT PIPE RACKS

These racks are for storing and displaying ready cut pipe.

Part No.		Quantity List		Price - A
		L1	L2	
List Price Effective: January 07, 2019				
RCP-RACK	Standard			\$ 326.90
RCP-RACKLG	Large			POR



Contact your sales rep for any further information

Toll Free: 1-800-561-3164

boshart.com

GALVANIZED COMPRESSION (DRESSER) COUPLINGS

Galvanized compression couplings fit the iron pipe size listed. Pipes must be properly restrained or end blocked to prevent blow off after installation.

- Material Specifications
 - ANSI/ASTM A197 Cupola Malleable Iron Castings



Part No.	Size	Pipe OD	Quantity List		
			L1	L2	Price - B

List Price Effective: April 27, 2020

Galvanized Malleable Iron, Gasket Material: Nitrile Rubber
Temperature Range: 14°F to 140°F (-10°C to 60°C),
Maximum Pressure: 150 PSI Comp Connection



GCC-05	1/2"	0.840"	24	48	\$ 168.72
GCC-07	3/4"	1.050"	20	40	\$ 189.19
GCC-10	1"	1.315"	12	24	\$ 222.00
GCC-12	1-1/4"	1.660"	9	18	\$ 281.88
GCC-15	1-1/2"	1.900"	6	12	\$ 333.99
GCC-20	2"	2.375"	5	10	\$ 499.38

STANDARD MERCHANT COUPLINGS

Merchant couplings are threaded all the way through.

Tapped: 1/8" to 2" straight, 2-1/2" to 8" taper

- Material Specifications
 - ASTM A865 Merchant Couplings



Part No.	Size	Pipe Length	Quantity List		
			L1	L2	Price - A

List Price Effective: April 27, 2020

Coupling Class 150 Black Malleable Iron, FPT Connection

BLMC-01	1/8"	3/4"	100	1200	\$ 0.83
BLMC-02	1/4"	1-1/8"	100	800	\$ 1.01
BLMC-03	3/8"	1-1/8"	100	600	\$ 1.12
BLMC-05	1/2"	1-1/2"	100	400	\$ 1.20
BLMC-07	3/4"	1-9/16"	50		\$ 1.65
BLMC-10	1"	1-15/16"	30		\$ 2.50
BLMC-12	1-1/4"	2"	25		\$ 3.04
BLMC-15	1-1/2"	2"	25		\$ 3.93
BLMC-20	2"	2-1/16"	20		\$ 5.28
BLMC-25	2-1/2"	3-1/16"	24		\$ 14.96
BLMC-30	3"	3-3/16"	18		\$ 23.34
BLMC-35	3-1/2"	3-5/16"	12		\$ 31.72
BLMC-40	4"	3-7/16"	12		\$ 31.72
BLMC-50	5"	3-11/16"	6		\$ 56.16
BLMC-60	6"	3-15/16"	4		\$ 84.78
BLMC-80	8"	4-3/16"			\$ 216.33



Coupling Galvanized Malleable Iron, FPT Connection

GMC-01	1/8"	3/4"	100	1200	\$ 0.79
GMC-02	1/4"	1-1/8"	100	800	\$ 1.00
GMC-03	3/8"	1-1/8"	100	600	\$ 1.12
GMC-05	1/2"	1-1/2"	100	400	\$ 1.23
GMC-07	3/4"	1-9/16"	50		\$ 1.66
GMC-10	1"	1-15/16"	30		\$ 2.58
GMC-12	1-1/4"	2"	25		\$ 3.13
GMC-15	1-1/2"	2"	25		\$ 4.04
GMC-20	2"	2-1/16"	20		\$ 5.56
GMC-25	2-1/2"	3-1/16"	24		\$ 16.00
GMC-30	3"	3-3/16"	18		\$ 24.99
GMC-40	4"	3-7/16"	12		\$ 33.95
GMC-60	6"	3-15/16"	4		\$ 90.18



Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

HALF MERCHANT COUPLINGS

Half couplings are chamfered on one end with the other end square.

Tapped: 1/8" to 2" straight, 2-1/2" to 8" taper

• Material Specifications

- ASTM A865 Merchant Couplings



Part No.	Size	Pipe Length	Quantity List		
			L1	L2	Price - A

List Price Effective: April 27, 2020

**Half Coupling Class 150 Black Malleable Iron,
FPT Connection**

BLMHC-01	1/8"	17/32"	200	2400	\$ 0.63
BLMHC-02	1/4"	17/32"	200	2000	\$ 0.76
BLMHC-03	3/8"	17/32"	200	1200	\$ 0.83
BLMHC-05	1/2"	22/32"	200	800	\$ 0.90
BLMHC-07	3/4"	3/4"	200	400	\$ 1.23
BLMHC-10	1"	15/16"	100	300	\$ 1.88
BLMHC-12	1-1/4"	31/32"	50	200	\$ 2.29
BLMHC-15	1-1/2"	31/32"	50	200	\$ 2.94
BLMHC-20	2"	1"	100		\$ 3.97
BLMHC-25	2-1/2"	1-1/2"	48		\$ 10.63
BLMHC-30	3"	1-9/16"	30		\$ 16.59
BLMHC-35	3-1/2"	1-5/8"	24		\$ 22.53
BLMHC-40	4"	1-11/16"	24		\$ 22.53
BLMHC-50	5"	1-3/4"	15		\$ 41.39
BLMHC-60	6"	1-7/8"	6		\$ 60.23
BLMHC-80	8"	2-3/32"	4		\$ 80.30

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
 boshart.com

MALLEABLE IRON MERCHANT STEEL PIPE FITTINGS

Merchant steel fittings are designed with NPTF Taper Pipe Threads for more critical applications where the sealing compound may fail due to high heat or pressure, NPTF Dryseal threads produce a mechanical seal by the mating and slight crushing of the threads when a wrench is applied to tighten the fittings.



- Material Specifications
 - ASTM A108 Carbon Steel
- Dimensional Specifications
 - ASME B16.14 Threaded Plugs, Bushings & Locknuts
 - SAE J531 Taper Thread Pipe Plugs

Part No.	Size	Quantity		List Price - A
		L1	L2	

List Price Effective: January 07, 2019

Part No.	Size	Quantity		List Price - A
		L1	L2	

List Price Effective: January 07, 2019

Merchant Hex Bushing - MPT x FPT



BLMB-0201	1/4" x 1/8"	100	\$ 1.35
BLMB-0301	3/8" x 1/8"	100	\$ 1.61
BLMB-0302	3/8" x 1/4"	100	\$ 1.61
BLMB-0501	1/2" x 1/8"	100	\$ 2.49
BLMB-0502	1/2" x 1/4"	100	\$ 2.49
BLMB-0503	1/2" x 3/8"	100	\$ 2.49
BLMB-0701	3/4" x 1/8"	100	\$ 3.77
BLMB-0702	3/4" x 1/4"	100	\$ 3.77
BLMB-0703	3/4" x 3/8"	100	\$ 3.77
BLMB-0705	3/4" x 1/2"	100	\$ 3.77

Merchant Hex Cap - FPT



BLMHCA-01	1/8"	100	\$ 1.23
BLMHCA-02	1/4"	100	\$ 1.66
BLMHCA-03	3/8"	100	\$ 2.29
BLMHCA-05	1/2"	100	\$ 3.47
BLMHCA-07	3/4"	50	\$ 5.04

Merchant Countersunk Hex Socket Plug - MPT



BLMPCHS-01	1/8"	100	\$ 0.34
BLMPCHS-02	1/4"	100	\$ 0.45
BLMPCHS-03	3/8"	100	\$ 0.62
BLMPCHS-05	1/2"	100	\$ 0.96
BLMPCHS-07	3/4"	100	\$ 1.53
BLMPCHS-10	1"	50	\$ 3.68
BLMPCHS-12	1-1/4"	25	\$ 5.92
BLMPCHS-15	1-1/2"	25	\$ 15.08
BLMPCHS-20	2"	20	\$ 26.56

Merchant Countersunk Square Socket Plug - MPT



BLMPCSS-01	1/8"	100	\$ 0.34
BLMPCSS-02	1/4"	100	\$ 0.45
BLMPCSS-03	3/8"	100	\$ 0.62
BLMPCSS-05	1/2"	100	\$ 0.96
BLMPCSS-07	3/4"	100	\$ 1.53
BLMPCSS-10	1"	50	\$ 3.68
BLMPCSS-12	1-1/4"	25	\$ 5.92
BLMPCSS-15	1-1/2"	25	\$ 15.08
BLMPCSS-20	2"	20	\$ 26.56

Merchant Square Head Plug - MPT



BLMP-01	1/8"	100	\$ 0.39
BLMP-02	1/4"	100	\$ 0.59
BLMP-03	3/8"	100	\$ 0.91
BLMP-05	1/2"	100	\$ 1.69
BLMP-07	3/4"	100	\$ 2.38

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

GALVANIZED MERCHANT STEEL PIPE FITTINGS

Merchant steel fittings are designed with NPTF Taper Pipe Threads for more critical applications where the sealing compound may fail due to high heat or pressure, NPTF Dryseal threads produce a mechanical seal by the mating and slight crushing of the threads when a wrench is applied to tighten the fittings.



- Material Specifications
 - ASTM A108 Carbon Steel
 - ASME B633.07 Zinc Plating

- Dimensional Specifications
 - ASME B16.14 Threaded Plugs, Bushings & Locknuts
 - SAE J531 Taper Thread Pipe Plugs

Part No.	Size	Quantity List		Price - A
		L1	L2	

List Price Effective: January 07, 2019



Merchant Hex Bushing - MPT x FPT

GMB-0201	1/4" x 1/8"	100	\$ 1.45
GMB-0301	3/8" x 1/8"	100	\$ 1.72
GMB-0302	3/8" x 1/4"	100	\$ 1.72
GMB-0501	1/2" x 1/8"	100	\$ 2.75
GMB-0502	1/2" x 1/4"	100	\$ 2.75
GMB-0503	1/2" x 3/8"	100	\$ 2.75
GMB-0701	3/4" x 1/8"	100	\$ 4.55
GMB-0702	3/4" x 1/4"	100	\$ 4.55
GMB-0703	3/4" x 3/8"	100	\$ 4.55
GMB-0705	3/4" x 1/2"	100	\$ 4.55

Merchant Hex Cap - FPT



GMHCA-01	1/8"	100	\$ 1.39
GMHCA-02	1/4"	100	\$ 1.88
GMHCA-03	3/8"	100	\$ 2.62
GMHCA-05	1/2"	100	\$ 4.08
GMHCA-07	3/4"	50	\$ 5.77

Merchant Countersunk Hex Socket Plug - MPT



GMPCHS-01	1/8"	100	\$ 0.38
GMPCHS-02	1/4"	100	\$ 0.51
GMPCHS-03	3/8"	100	\$ 0.73
GMPCHS-05	1/2"	100	\$ 1.10
GMPCHS-07	3/4"	100	\$ 1.79
GMPCHS-10	1"	50	\$ 5.19
GMPCHS-12	1-1/4"	25	\$ 7.88
GMPCHS-15	1-1/2"	25	\$ 17.39
GMPCHS-20	2"	20	\$ 31.58

Part No.	Size	Quantity List		Price - A
		L1	L2	

List Price Effective: January 07, 2019

Merchant Countersunk Square Socket Plug - MPT



GMPCSS-01	1/8"	100	\$ 0.38
GMPCSS-02	1/4"	100	\$ 0.51
GMPCSS-03	3/8"	100	\$ 0.73
GMPCSS-05	1/2"	100	\$ 1.10
GMPCSS-07	3/4"	100	\$ 1.79
GMPCSS-10	1"	50	\$ 5.19
GMPCSS-12	1-1/4"	25	\$ 7.88
GMPCSS-15	1-1/2"	25	\$ 17.39
GMPCSS-20	2"	20	\$ 31.58

Merchant Square Head Plug - MPT



GMP-01	1/8"	100	\$ 0.43
GMP-02	1/4"	100	\$ 0.69
GMP-03	3/8"	100	\$ 1.03
GMP-05	1/2"	100	\$ 1.98
GMP-07	3/4"	100	\$ 2.83

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

CAST IRON COMPANION FLANGES

If temperature exceeds 150°F (66°C) pressure drops, do not use at temperatures lower than -20°F (-29°C).

- Material Specifications
 - ANSI/ASME B16.1 Class 125 Cast Iron Flanges
- Thread Specifications
 - ANSI/ASME B1.20.1 Pipe Threads

Note: Reducing part numbers begin with BLCFR.

Part No.	Pipe Size	Flange Diameter	Number of Holes	Quantity List		Price - A
				L1	L2	

List Price Effective: April 27, 2020



**Cast Iron,
Maximum Pressure: 200 PSI, FPT Connection**

BLCF-10	1"	4-1/4"	4	1300		\$ 8.52
BLCFR-1050	1"	5"	4	1100		\$ 12.46
BLCFR-1060	1"	6"	4	560		\$ 22.68
BLCFR-1075	1"	7-1/2"	4	320		\$ 40.84
BLCF-12	1-1/4"	4-3/5"	4	1200		\$ 9.48
BLCFR-1250	1-1/4"	5"	4	1100		\$ 11.29
BLCFR-1260	1-1/4"	6"	4	560		\$ 16.51
BLCF-15	1-1/2"	5"	4	1100		\$ 12.51
BLCFR-1560	1-1/2"	6"	4	560		\$ 18.48
BLCFR-1570	1-1/2"	7"	4	360		\$ 31.47
BLCFR-1575	1-1/2"	7-1/2"	4	320		\$ 37.96
BLCFR-1590	1-1/2"	9"	8	200		\$ 72.47
BLCFR-15110	1-1/2"	11"	8	120		\$ 105.90
BLCF-20	2"	6"	4	560		\$ 18.00
BLCFR-2070	2"	7"	4	360		\$ 32.96
BLCFR-2075	2"	7-1/2"	4	320		\$ 36.95
BLCFR-2090	2"	9"	8	200		\$ 63.95
BLCFR-20110	2"	10"	8	120		\$ 104.89
BLCFR-201350	2"	13-1/2"	8	66		\$ 164.79
BLCF-25	2-1/2"	7"	4	360		\$ 29.02
BLCFR-2575	2-1/2"	7-1/2"	4	320		\$ 36.47
BLCFR-2590	2-1/2"	9"	8	200		\$ 59.00
BLCFR-25110	2-1/2"	10"	8	120		\$ 98.93
BLCF-30	3"	7-1/2"	4	300		\$ 34.98
BLCFR-3090	3"	9"	8	200		\$ 57.93
BLCFR-30100	3"	10"	8	150		\$ 78.43
BLCFR-30110	3"	11"	8	120		\$ 96.80
BLCFR-301350	3"	13-1/2"	8	66		\$ 167.83
BLCF-40	4"	9"	8	250		\$ 52.29
BLCFR-40100	4"	10"	8	150		\$ 69.86
BLCFR-40110	4"	11"	8	120		\$ 93.87
BLCFR-401350	4"	13-1/2"	8	66		\$ 163.83
BLCF-50	5"	10"	8	118		\$ 62.99
BLCFR-50110	5"	11"	8	120		\$ 89.93
BLCF-60	6"	11"	8	108		\$ 74.38
BLCFR-601350	6"	13-1/2"	8	66		\$ 153.88
BLCF-80	8"	13-1/2"	8	66		\$ 127.84
BLCF-100	10"	16"	12	38		\$ 174.86
BLCF-120	12"	19"	12	25		\$ 249.72



Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

COMPANION FLANGE BOLT/GASKET KITS

Boshart's flange bolt/gasket kits come packaged in a sealed bag with one gasket and the correct number of bolts/nuts. If temperature exceeds 150°F (66°C) pressure drops, do not use at temperatures lower than -20°F (-29°C).

Gaskets material: Styrene Butadine Rubber (SBR)

Bolt & nut material: Zinc plated carbon steel

• Material Specifications

- ASTM D1330 Rubber Sheet Gaskets
- ASTM A307 Bolts
- ASTM A563 Nuts

Part No.	Pipe Size	Flange Diameter	Number of Holes	Thickness	Quantity List		Price - A
					L1	L2	

List Price Effective: April 27, 2020



Maximum Pressure: 200 PSI

BLCFGK-20	2"	6"	4	1/8"	16		\$ 15.69
BLCFGK-25	2-1/2"	7"	4	1/8"	16		\$ 16.28
BLCFGK-30	3"	7-1/2"	4	1/8"	10		\$ 16.81
BLCFGK-40	4"	9"	8	1/8"	10		\$ 25.89
BLCFGK-50	5"	10"	8	1/8"	1	10	\$ 75.84
BLCFGK-60	6"	11"	8	1/8"	10		\$ 39.63
BLCFGK-80	8"	13-1/2"	8	1/8"	1	8	\$ 45.23
BLCFGK-100	10"	16"	12	1/8"			\$ 184.75
BLCFGK-120	12"	19"	12	1/8"			\$ 204.11



COMPANION FLANGE GASKETS

If temperature exceeds 150°F (66°C) pressure drops, do not use at temperatures lower than -20°F (-29°C).

Gaskets material: Styrene Butadine Rubber (SBR)

• Material Specifications

- ASTM D1330 Rubber Sheet Gaskets

Part No.	Pipe Size	Flange Diameter	Number of Holes	Thickness	Quantity List		Price - A
					L1	L2	

List Price Effective: April 27, 2020



Maximum Pressure: 200 PSI

BLCFG-15	1-1/2"	5"	4	1/8"			\$ 3.71
BLCFG-20	2"	6"	4	1/8"			\$ 5.13
BLCFG-25	2-1/2"	7"	4	1/8"			\$ 7.04
BLCFG-30	3"	7-1/2"	4	1/8"			\$ 7.60
BLCFG-40	4"	9"	8	1/8"			\$ 10.94
BLCFG-50	5"	10"	8	1/8"			\$ 12.86
BLCFG-60	6"	11"	8	1/8"			\$ 15.03
BLCFG-80	8"	13-1/2"	8	1/8"			\$ 23.56
BLCFG-100	10"	16"	12	1/8"			\$ 26.89
BLCFG-120	12"	19"	12	1/8"			\$ 41.48



Contact your sales rep for any further information

Toll Free: 1-800-561-3164

boshart.com

CLASS 125 CAST BRONZE FITTINGS

These fittings are not for conveying potable water.

- Material Specifications
 - ASTM B584 Copper Alloy Sand Castings
- Dimensional Specifications
 - ANSI/ASME B16.15 Threaded Fittings
 - ANSI/ASME B16.18 Solder Fittings
 - ANSI/ASME B16.24 Flanges

- Thread Specifications
 - ANSI/ASME B1.20.1 Pipe Threads
- CRN's are available

Part No.	Size	Quantity		List Price - F
		L1	L2	

List Price Effective: April 27, 2020



Bushing - MPT x FPT
† Inside Head * Octagon Head

2-BRB-0201	1/4" x 1/8"	120	1440	\$ 23.68
2-BRB-0302	3/8" x 1/4"	75	900	\$ 23.68
2-BRB-0501-3	1/2" x 1/8"	150	600	\$ 33.81
2-BRB-0502	1/2" x 1/4"	150	600	\$ 25.54
2-BRB-0503	1/2" x 3/8"	150	600	\$ 25.54
2-BRB-0702-3	3/4" x 1/4"	75	300	\$ 44.77
2-BRB-0705	3/4" x 1/2"	75	300	\$ 32.11
2-BRB-1002-3 †	1" x 1/4"	50	200	\$ 66.57
2-BRB-1005	1" x 1/2"	50	200	\$ 52.35
2-BRB-1007	1" x 3/4"	50	200	\$ 52.35
2-BRB-1203-3 †	1-1/4" x 3/8"	30	120	\$ 127.05
2-BRB-1205-3 †	1-1/4" x 1/2"	30	120	\$ 108.55
2-BRB-1207	1-1/4" x 3/4"	30	120	\$ 87.81
2-BRB-1210	1-1/4" x 1"	30	120	\$ 87.81
2-BRB-1507-3 †	1-1/2" x 3/4"	25	75	\$ 140.16
2-BRB-1510	1-1/2" x 1"	25	75	\$ 108.48
2-BRB-1512	1-1/2" x 1-1/4"	25	75	\$ 108.48
2-BRB-2007-3 †	2" x 3/4"	20	60	\$ 212.08
2-BRB-2010-3 †	2" x 1"	20	60	\$ 203.86
2-BRB-2012 *	2" x 1-1/4"	20	60	\$ 165.38
2-BRB-2015 *	2" x 1-1/2"	20	60	\$ 165.38
2-BRB-2520 *	2-1/2" x 2"	15	30	\$ 390.55



Cap - FPT

2-BRCA-05	1/2"	75	300	\$ 31.03
2-BRCA-07	3/4"	40	160	\$ 41.12
2-BRCA-10	1"	25	100	\$ 57.84
2-BRCA-12	1-1/4"	20	80	\$ 101.84
2-BRCA-15	1-1/2"	18	54	\$ 133.73
2-BRCA-20	2"	12	36	\$ 228.90



Coupling - FPT

2-BRC-02	1/4"	40	480	\$ 29.72
2-BRC-03	3/8"	40	480	\$ 29.72
2-BRC-05	1/2"	60	240	\$ 38.79
2-BRC-07	3/4"	50	150	\$ 53.31
2-BRC-10	1"	25	100	\$ 89.48
2-BRC-12	1-1/4"	16	64	\$ 127.29
2-BRC-15	1-1/2"	18	36	\$ 165.82
2-BRC-20	2"	12	24	\$ 273.59

Part No.	Size	Quantity		List Price - F
		L1	L2	

List Price Effective: April 27, 2020



Reducing Coupling - FPT

2-BRRC-0503	1/2" x 3/8"	60	240	\$ 38.13
2-BRRC-0705	3/4" x 1/2"	60	180	\$ 51.20
2-BRRC-1005	1" x 1/2"	30	120	\$ 112.04
2-BRRC-1007	1" x 3/4"	25	100	\$ 112.04
2-BRRC-1207	1-1/4" x 3/4"	25	75	\$ 165.82
2-BRRC-1210	1-1/4" x 1"	15	60	\$ 165.82
2-BRRC-1510	1-1/2" x 1"	25	50	\$ 209.99
2-BRRC-1512	1-1/2" x 1-1/4"	12	48	\$ 209.99
2-BRRC-2010-3	2" x 1"	12	36	\$ 343.51
2-BRRC-2012	2" x 1-1/4"	9	27	\$ 325.00
2-BRRC-2015	2" x 1-1/2"	9	27	\$ 325.00

45° Elbow - FPT



2-BRE4-07	3/4"	40	120	\$ 63.99
2-BRE4-10	1"	20	60	\$ 108.48
2-BRE4-20	2"	12	24	\$ 351.45

90° Elbow - FPT



2-BRE-02	1/4"	35	420	\$ 35.96
2-BRE-03	3/8"	90	360	\$ 35.96
2-BRE-05	1/2"	50	200	\$ 40.27
2-BRE-07	3/4"	35	105	\$ 69.83
2-BRE-10	1"	20	60	\$ 116.80
2-BRE-12	1-1/4"	20	40	\$ 148.26
2-BRE-15	1-1/2"	15	30	\$ 195.90
2-BRE-20	2"	8	16	\$ 361.44

Reducing 90° Elbow - FPT



2-BRRE-0705	3/4" x 1/2"	40	160	\$ 82.91
2-BRRE-1007	1" x 3/4"	50	100	\$ 144.72
2-BRRE-1210	1-1/4" x 1"	5	60	\$ 219.98

45° Street Elbow - MPT x FPT



2-BRSE4-01	1/8"	70	840	\$ 53.31
------------	------	----	-----	----------

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

CLASS 125 CAST BRONZE FITTINGS

Part No. Size Quantity List
L1 L2 Price - F
List Price Effective: April 27, 2020

90° Street Elbow - MPT x FPT



Part No.	Size	Quantity	List Price - F
2-BRSE-02	1/4"	35 420	\$ 47.54
2-BRSE-05	1/2"	60 180	\$ 58.72
2-BRSE-07	3/4"	35 105	\$ 70.12
2-BRSE-10	1"	45 90	\$ 115.00
2-BRSE-12	1-1/4"	25 50	\$ 209.99
2-BRSE-15	1-1/2"	9 27	\$ 229.02
2-BRSE-20	2"	8 16	\$ 388.38

Floor Flange - FPT



Part No.	Size	Quantity	List Price - F
2-BRFF-05	1/2"	16 64	\$ 107.34
2-BRFF-07	3/4"	15 45	\$ 146.38
2-BRFF-10	1"	10 40	\$ 238.94
2-BRFF-12	1-1/4"	20 40	\$ 273.12
2-BRFF-15	1-1/2"	20 40	\$ 419.86
2-BRFF-20	2"		\$ 558.79

Locknut - FPT



Part No.	Size	Quantity	List Price - F
2-BRLN-02	1/4"	25 1400	\$ 23.68
2-BRLN-03	3/8"	25 1400	\$ 23.68
2-BRLN-05	1/2"	25 450	\$ 25.48
2-BRLN-07	3/4"	25 300	\$ 32.11
2-BRLN-10	1"	8 200	\$ 52.90
2-BRLN-12	1-1/4"	10 160	\$ 77.66
2-BRLN-15	1-1/2"	25 100	\$ 100.74
2-BRLN-20	2"	10 80	\$ 140.16

Plug - FPT



Part No.	Size	Quantity	List Price - F
2-BRP-05	1/2"	50 600	\$ 26.75
2-BRP-07	3/4"	30 360	\$ 37.34
2-BRP-10	1"	20 240	\$ 52.07
2-BRP-12	1-1/4"	40 120	\$ 69.52
2-BRP-15	1-1/2"	30 90	\$ 111.69
2-BRP-20	2"	20 60	\$ 146.38

Part No. Size Quantity List
L1 L2 Price - F
List Price Effective: April 27, 2020

Solid Plug - FPT




Part No.	Size	Quantity	List Price - F
2-BRPS-05	1/2"	50 600	\$ 32.11
2-BRPS-07	3/4"	35 420	\$ 50.89
2-BRPS-10	1"	20 240	\$ 80.84

Tee - FPT



Part No.	Size	Quantity	List Price - F
2-BRT-02	1/4"	75 300	\$ 41.51
2-BRT-05	1/2"	40 120	\$ 58.95
2-BRT-07	3/4"	35 70	\$ 93.08
2-BRT-10	1"	20 40	\$ 153.97
2-BRT-12	1-1/4"	14 28	\$ 197.31
2-BRT-15	1-1/2"	12 24	\$ 306.93
2-BRT-20	2"	8 16	\$ 438.73

Reducing Tee - FPT



Part No.	Size	Quantity	List Price - F
2-BRRT-070705	3/4" x 3/4" x 1/2"	20 80	\$ 93.56
2-BRRT-070710-2	3/4" x 3/4" x 1"	40 80	\$ 212.39
2-BRRT-101005	1" x 1" x 1/2"	15 60	\$ 212.39
2-BRRT-101007	1" x 1" x 3/4"	12 48	\$ 212.39
2-BRRT-202007	2" x 2" x 3/4"	10 20	\$ 683.77
2-BRRT-202010	2" x 2" x 1"	10 20	\$ 683.77
2-BRRT-202012	2" x 2" x 1-1/4"	8 16	\$ 683.77

Union - FPT



Part No.	Size	Quantity	List Price - F
2-BRU-02	1/4"	20 240	\$ 110.02
2-BRU-05	1/2"	50 100	\$ 120.78
2-BRU-07	3/4"	35 70	\$ 140.16
2-BRU-10	1"	20 40	\$ 219.57
2-BRU-12	1-1/4"	15 30	\$ 321.90
2-BRU-15	1-1/2"	10 20	\$ 352.15
2-BRU-20	2"	6 12	\$ 594.92

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

CLASS 125 NO LEAD CAST BRONZE FITTINGS

- Material Specifications
 - ASTM B584 Copper Alloy Sand Castings
- Dimensional Specifications
 - ANSI/ASME B16.15 Threaded Fittings
 - ANSI/ASME B16.18 Solder Fittings
 - ANSI/ASME B16.24 Flanges

- Thread Specifications
 - ANSI/ASME B1.20.1 Pipe Threads
- NSF/ANSI 61 & 372



Part No.	Size	Quantity List		
		L1	L2	Price - E

List Price Effective: April 27, 2020



Bushing - MPT x FPT
† Inside Head * Octagon Head

NLBRB-0201	1/4" x 1/8"	120	1440	\$ 23.68
NLBRB-0301	3/8" x 1/8"	75	900	\$ 23.68
NLBRB-0302	3/8" x 1/4"	75	900	\$ 23.68
NLBRB-0501-3	1/2" x 1/8"	150	600	\$ 33.81
NLBRB-0502	1/2" x 1/4"	150	600	\$ 25.54
NLBRB-0503	1/2" x 3/8"	150	600	\$ 25.54
NLBRB-0701-3	3/4" x 1/8"	75	300	\$ 46.64
NLBRB-0702-3	3/4" x 1/4"	75	300	\$ 44.77
NLBRB-0703	3/4" x 3/8"	75	300	\$ 32.11
NLBRB-0705	3/4" x 1/2"	75	300	\$ 32.11
NLBRB-1002-3 †	1" x 1/4"	50	200	\$ 66.57
NLBRB-1003-3	1" x 3/8"	50	200	\$ 64.10
NLBRB-1005	1" x 1/2"	50	200	\$ 52.35
NLBRB-1007	1" x 3/4"	50	200	\$ 52.35
NLBRB-1202-3	1-1/4" x 1/4"	30	120	\$ 127.05
NLBRB-1203-3 †	1-1/4" x 3/8"	30	120	\$ 127.05
NLBRB-1205-3 †	1-1/4" x 1/2"	30	120	\$ 108.55
NLBRB-1207	1-1/4" x 3/4"	30	120	\$ 87.81
NLBRB-1210	1-1/4" x 1"	30	120	\$ 87.81
NLBRB-1505-3	1-1/2" x 1/2"	25	75	\$ 145.82
NLBRB-1507-3 †	1-1/2" x 3/4"	25	75	\$ 140.16
NLBRB-1510	1-1/2" x 1"	25	75	\$ 108.48
NLBRB-1512	1-1/2" x 1-1/4"	25	75	\$ 108.48
NLBRB-2005-3	2" x 1/2"	20	60	\$ 212.08
NLBRB-2007-3 †	2" x 3/4"	20	60	\$ 212.08
NLBRB-2010-3 †	2" x 1"	20	60	\$ 203.86
NLBRB-2012 *	2" x 1-1/4"	20	60	\$ 165.38
NLBRB-2015 *	2" x 1-1/2"	20	60	\$ 165.38
NLBRB-2510-3	2-1/2" x 1"	15	30	\$ 491.12
NLBRB-2512-3	2-1/2" x 1-1/4"	15	30	\$ 471.50
NLBRB-2515	2-1/2" x 1-1/2"	15	30	\$ 390.55
NLBRB-2520 *	2-1/2" x 2"	15	30	\$ 390.55
NLBRB-3020	3" x 2"	12	24	\$ 688.22
NLBRB-3025	3" x 2-1/2"	12	24	\$ 688.22
NLBRB-4020-3	4" x 2"	5	10	\$ 2,069.62
NLBRB-4025	4" x 2-1/2"	5	10	\$ 1,547.99
NLBRB-4030	4" x 3"	5	10	\$ 1,547.99



Cap - FPT

NLBRCA-01	1/8"	120	1440	\$ 24.40
NLBRCA-02	1/4"	80	960	\$ 24.40
NLBRCA-03	3/8"	60	720	\$ 24.40
NLBRCA-05	1/2"	75	300	\$ 31.03
NLBRCA-07	3/4"	40	160	\$ 41.12
NLBRCA-10	1"	25	100	\$ 57.84
NLBRCA-12	1-1/4"	20	80	\$ 101.84
NLBRCA-15	1-1/2"	18	54	\$ 133.73
NLBRCA-20	2"	12	36	\$ 228.90
NLBRCA-25	2-1/2"	20	40	\$ 485.86
NLBRCA-30	3"	24	24	\$ 897.23
NLBRCA-40	4"	6	12	\$ 1,717.43

Part No.	Size	Quantity List		
		L1	L2	Price - E

List Price Effective: April 27, 2020

Coupling - FPT



NLBRC-01	1/8"	70	840	\$ 29.72
NLBRC-02	1/4"	40	480	\$ 29.72
NLBRC-03	3/8"	40	480	\$ 29.72
NLBRC-05	1/2"	60	240	\$ 38.79
NLBRC-07	3/4"	50	150	\$ 53.31
NLBRC-10	1"	25	100	\$ 89.48
NLBRC-12	1-1/4"	16	64	\$ 127.29
NLBRC-15	1-1/2"	18	36	\$ 165.82
NLBRC-20	2"	12	24	\$ 273.59
NLBRC-25	2-1/2"	8	16	\$ 515.08
NLBRC-30	3"	12		\$ 853.34
NLBRC-40	4"	6		\$ 1,761.45

Reducing Coupling - FPT



NLBRRC-0201	1/4" x 1/8"	50	600	\$ 35.24
NLBRRC-0301	3/8" x 1/8"	35	420	\$ 35.24
NLBRRC-0302	3/8" x 1/4"	30	360	\$ 35.24
NLBRRC-0501-3	1/2" x 1/8"	75	300	\$ 51.20
NLBRRC-0502	1/2" x 1/4"	75	300	\$ 38.13
NLBRRC-0503	1/2" x 3/8"	60	240	\$ 38.13
NLBRRC-0702-3	3/4" x 1/4"	45	180	\$ 70.12
NLBRRC-0703	3/4" x 3/8"	45	180	\$ 51.20
NLBRRC-0705	3/4" x 1/2"	60	180	\$ 51.20
NLBRRC-1003-3	1" x 3/8"	30	120	\$ 112.04
NLBRRC-1005	1" x 1/2"	30	120	\$ 112.04
NLBRRC-1007	1" x 3/4"	25	100	\$ 112.04
NLBRRC-1205-3	1-1/4" x 1/2"	25	75	\$ 184.53
NLBRRC-1207	1-1/4" x 3/4"	25	75	\$ 165.82
NLBRRC-1210	1-1/4" x 1"	15	60	\$ 165.82
NLBRRC-1505-3	1-1/2" x 1/2"	20	60	\$ 229.11
NLBRRC-1507-3	1-1/2" x 3/4"	15	60	\$ 229.11
NLBRRC-1510	1-1/2" x 1"	25	50	\$ 209.99
NLBRRC-1512	1-1/2" x 1-1/4"	12	48	\$ 209.99
NLBRRC-2005-3	2" x 1/2"	12	36	\$ 343.51
NLBRRC-2007-3	2" x 3/4"	12	36	\$ 343.51
NLBRRC-2010-3	2" x 1"	12	36	\$ 343.51
NLBRRC-2012	2" x 1-1/4"	9	27	\$ 325.00
NLBRRC-2015	2" x 1-1/2"	9	27	\$ 325.00
NLBRRC-2515	2-1/2" x 1-1/2"	7	14	\$ 633.26
NLBRRC-2520	2-1/2" x 2"	7	14	\$ 633.26
NLBRRC-3020	3" x 2"	6	12	\$ 1,129.95
NLBRRC-3025	3" x 2-1/2"	5	10	\$ 1,129.95
NLBRRC-4030	4" x 3"	3	6	\$ 2,708.03

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

CLASS 125 NO LEAD CAST BRONZE FITTINGS

Part No.	Size	Quantity		List Price - E
		L1	L2	

List Price Effective: April 27, 2020

Cross - FPT



NLBRCR-02	1/4"	60	240	\$ 78.84
NLBRCR-03	3/8"	50	150	\$ 78.84
NLBRCR-05	1/2"	30	90	\$ 105.41
NLBRCR-07	3/4"	20	60	\$ 150.16
NLBRCR-10	1"	15	30	\$ 241.11
NLBRCR-12	1-1/4"	10	20	\$ 408.31
NLBRCR-15	1-1/2"	8	16	\$ 540.84
NLBRCR-20	2"	5	10	\$ 1,108.80

45° Elbow - FPT



NLBRE4-01	1/8"	50	600	\$ 39.13
NLBRE4-02	1/4"	30	360	\$ 39.13
NLBRE4-03	3/8"	75	300	\$ 39.13
NLBRE4-05	1/2"	50	200	\$ 42.29
NLBRE4-07	3/4"	40	120	\$ 63.99
NLBRE4-10	1"	20	60	\$ 108.48
NLBRE4-12	1-1/4"	20	40	\$ 172.27
NLBRE4-15	1-1/2"	10	30	\$ 216.44
NLBRE4-20	2"	12	24	\$ 351.45
NLBRE4-25	2-1/2"	12		\$ 770.64
NLBRE4-30	3"	10		\$ 1,425.65
NLBRE4-40	4"	2	4	\$ 3,187.02

90° Elbow - FPT



NLBRE-01	1/8"	50	600	\$ 35.96
NLBRE-02	1/4"	35	420	\$ 35.96
NLBRE-03	3/8"	90	360	\$ 35.96
NLBRE-05	1/2"	50	200	\$ 40.27
NLBRE-07	3/4"	35	105	\$ 69.83
NLBRE-10	1"	20	60	\$ 116.80
NLBRE-12	1-1/4"	20	40	\$ 148.26
NLBRE-15	1-1/2"	15	30	\$ 195.90
NLBRE-20	2"	8	16	\$ 361.44
NLBRE-25	2-1/2"	12		\$ 730.23
NLBRE-30	3"	8		\$ 1,324.34
NLBRE-40	4"	2		\$ 2,647.61

Reducing 90° Elbow - FPT



NLBRRE-0301	3/8" x 1/8"	105	420	\$ 56.37
NLBRRE-0502	1/2" x 1/4"	60	240	\$ 60.90
NLBRRE-0503	1/2" x 3/8"	60	240	\$ 60.90
NLBRRE-0703	3/4" x 3/8"	40	160	\$ 82.91
NLBRRE-0705	3/4" x 1/2"	40	160	\$ 82.91
NLBRRE-1005	1" x 1/2"	25	100	\$ 144.72
NLBRRE-1007	1" x 3/4"	50	100	\$ 144.72
NLBRRE-1205	1-1/4" x 1/2"	20	80	\$ 219.98
NLBRRE-1207	1-1/4" x 3/4"	15	60	\$ 219.98

Part No.	Size	Quantity		List Price - E
		L1	L2	

List Price Effective: April 27, 2020

NLBRRE-1210	1-1/4" x 1"	10	40	\$ 219.98
NLBRRE-1507	1-1/2" x 3/4"	10	40	\$ 280.62
NLBRRE-1510	1-1/2" x 1"	10	40	\$ 280.62
NLBRRE-1512	1-1/2" x 1-1/4"	15	30	\$ 280.62
NLBRRE-2005	2" x 1/2"	10	40	\$ 499.81
NLBRRE-2007	2" x 3/4"	9	36	\$ 499.81
NLBRRE-2010	2" x 1"	14	28	\$ 499.81
NLBRRE-2012	2" x 1-1/4"	25		\$ 499.81
NLBRRE-2015	2" x 1-1/2"	10	20	\$ 499.81
NLBRRE-2515	2-1/2" x 1-1/2"	16		\$ 1,023.80
NLBRRE-2520	2-1/2" x 2"	6	12	\$ 1,023.80
NLBRRE-3020	3" x 2"	4	8	\$ 2,201.85

45° Street Elbow - MPT x FPT



NLBRSE4-01	1/8"	70	840	\$ 53.31
NLBRSE4-02	1/4"	40	480	\$ 53.31
NLBRSE4-03	3/8"	100	400	\$ 53.31
NLBRSE4-05	1/2"	75	225	\$ 57.54
NLBRSE4-07	3/4"	40	120	\$ 82.70
NLBRSE4-10	1"	25	75	\$ 140.16
NLBRSE4-12	1-1/4"	10	40	\$ 216.44
NLBRSE4-15	1-1/2"	10	30	\$ 321.64
NLBRSE4-20	2"	12	24	\$ 502.53

90° Street Elbow - MPT x FPT



NLBRSE-01	1/8"	60	720	\$ 47.54
NLBRSE-02	1/4"	35	420	\$ 47.54
NLBRSE-03	3/8"	60	240	\$ 47.54
NLBRSE-05	1/2"	60	180	\$ 58.72
NLBRSE-07	3/4"	35	105	\$ 70.12
NLBRSE-10	1"	45	90	\$ 115.00
NLBRSE-12	1-1/4"	25	50	\$ 209.99
NLBRSE-15	1-1/2"	9	27	\$ 229.02
NLBRSE-20	2"	8	16	\$ 388.38
NLBRSE-25	2-1/2"	5	10	\$ 809.18
NLBRSE-30	3"	8		\$ 1,673.41
NLBRSE-40	4"	4		\$ 4,114.56

Plug - FPT



NLBRP-05	1/2"	50	600	\$ 26.75
NLBRP-07	3/4"	30	360	\$ 37.34
NLBRP-10	1"	20	240	\$ 52.07
NLBRP-12	1-1/4"	40	120	\$ 69.52
NLBRP-15	1-1/2"	30	90	\$ 111.69
NLBRP-20	2"	20	60	\$ 146.38
NLBRP-25	2-1/2"	16	32	\$ 287.26
NLBRP-30	3"	16	32	\$ 545.17
NLBRP-40	4"	6	12	\$ 1,041.16

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

BRASS NIPPLES & READY CUT PIPE



Red Brass nipples are produced from red brass pipe which has higher copper content than yellow brass and offers much better corrosion resistance from water and resists attack from salt water, & minerals, contained in water. Ideal for use in high corrosion installations such as barns, underground installations, wells, basements or any other damp environments. Much longer lifespan than galvanized fittings.



- Material Specifications
 - ASTM B43 Brass Pipe
- Dimensional Specifications
 - ASTM B687 Pipe Nipples

- Thread Specifications
 - ANSI/ASME B1.20.1 Pipe Threads
- NSF/ANSI 61 & 372
- CRN's are available

Part No.	Pipe Length	Quantity List			List Price - B
		L1	L2	Price - B	

List Price Effective: April 27, 2020

Pipe Size - 1/8"

BRN-01	3/4" - Close	25	600	\$ 19.65
BRN-0115	1-1/2"	25	600	\$ 22.56
BRN-0120	2"	25	600	\$ 24.74
BRN-0125	2-1/2"	25	600	\$ 28.10
BRN-0130	3"	25	600	\$ 30.38
BRN-0135	3-1/2"	25	600	\$ 33.21
BRN-0140	4"	25	600	\$ 36.36
BRN-0145	4-1/2"	25	400	\$ 39.05
BRN-0150	5"	25	400	\$ 41.73
BRN-0155	5-1/2"	25	400	\$ 44.80
BRN-0160	6"	25	400	\$ 48.18
BRN-0170	7"	25	200	\$ 67.96
BRN-0180	8"	25	200	\$ 74.78
BRN-0190	9"	25	200	\$ 82.45
BRN-01100	10"	25	150	\$ 90.21
BRN-01120	12"	25	150	\$ 105.55

Pipe Size - 1/4"

BRN-02	7/8" - Close	25	600	\$ 22.56
BRN-0215	1-1/2"	25	600	\$ 25.61
BRN-0220	2"	25	600	\$ 29.09
BRN-0225	2-1/2"	25	600	\$ 33.21
BRN-0230	3"	25	600	\$ 36.70
BRN-0235	3-1/2"	25	400	\$ 41.99
BRN-0240	4"	25	400	\$ 46.52
BRN-0245	4-1/2"	25	400	\$ 52.49
BRN-0250	5"	25	300	\$ 56.67
BRN-0255	5-1/2"	25	300	\$ 60.71
BRN-0260	6"	25	300	\$ 65.36
BRN-0280	8"	25	200	\$ 100.55
BRN-0290	9"	25	200	\$ 111.71
BRN-02100	10"	25	150	\$ 122.75
BRN-02120	12"	25	150	\$ 144.83

Pipe Size - 3/8"

BRN-03	1" - Close	25	600	\$ 24.58
BRN-0315	1-1/2"	25	600	\$ 27.31
BRN-0320	2"	25	600	\$ 32.95
BRN-0325	2-1/2"	25	400	\$ 38.70
BRN-0330	3"	25	400	\$ 43.56
BRN-0335	3-1/2"	25	400	\$ 51.25
BRN-0340	4"	25	300	\$ 56.67
BRN-0345	4-1/2"	25	300	\$ 63.67
BRN-0350	5"	25	200	\$ 69.52
BRN-0355	5-1/2"	25	200	\$ 74.80
BRN-0360	6"	25	200	\$ 80.80
BRN-0380	8"	25	150	\$ 124.15
BRN-03100	10"	25	100	\$ 147.92
BRN-03120	12"	25	100	\$ 175.01

Part No.	Pipe Length	Quantity List			List Price - B
		L1	L2	Price - B	

List Price Effective: April 27, 2020

Pipe Size - 1/2"

BRN-05	1-1/8" - Close	25	600	\$ 29.09
BRN-0515	1-1/2"	25	600	\$ 34.31
BRN-0520	2"	25	400	\$ 41.73
BRN-0525	2-1/2"	25	400	\$ 49.57
BRN-0530	3"	25	300	\$ 57.09
BRN-0535	3-1/2"	25	200	\$ 67.71
BRN-0540	4"	25	200	\$ 76.06
BRN-0545	4-1/2"	25	200	\$ 83.53
BRN-0550	5"	25	150	\$ 91.29
BRN-0555	5-1/2"	25	150	\$ 99.99
BRN-0560	6"	25	150	\$ 107.54
BRN-0570	7"	25	100	\$ 143.09
BRN-0580	8"	25	100	\$ 152.38
BRN-0590	9"	25	100	\$ 177.96
BRN-05100	10"	25	75	\$ 196.41
BRN-05120	12"	25	75	\$ 233.26
BRRCP-05180	18"	5		\$ 193.74
BRRCP-05240	24"	5		\$ 258.30
BRRCP-05300	30"	5		\$ 337.28
BRRCP-05360	36"	5		\$ 387.44

Pipe Size - 3/4"

BRN-07	1-3/8" - Close	25	400	\$ 42.54
BRN-0715	1-1/2"	25	400	\$ 44.80
BRN-0720	2"	25	300	\$ 54.29
BRN-0725	2-1/2"	25	300	\$ 63.67
BRN-0730	3"	25	200	\$ 72.35
BRN-0735	3-1/2"	25	200	\$ 82.97
BRN-0740	4"	25	150	\$ 93.68
BRN-0745	4-1/2"	25	150	\$ 98.87
BRN-0750	5"	25	100	\$ 114.09
BRN-0755	5-1/2"	25	100	\$ 127.45
BRN-0760	6"	25	100	\$ 141.89
BRN-0770	7"	25	75	\$ 187.10
BRN-0780	8"	25	75	\$ 210.16
BRN-07100	10"	25	50	\$ 256.20
BRN-07110	11"	25	50	\$ 280.05
BRN-07120	12"	25	50	\$ 305.25
BRRCP-07180	18"	5		\$ 250.59
BRRCP-07240	24"	5		\$ 334.10
BRRCP-07300	30"	5		\$ 417.63
BRRCP-07360	36"	5		\$ 501.18

Contact your sales rep for any further information

Toll Free: 1-800-561-3164

boshart.com

BRASS NIPPLES & READY CUT PIPE

Part No. **Pipe Length** **Quantity** **List**
 L1 **L2** **Price - B**
List Price Effective: April 27, 2020

Pipe Size - 1"				
BRN-10	1-1/2" - Close	25	300	\$ 65.22
BRN-1020	2"	25	200	\$ 77.87
BRN-1025	2-1/2"	25	200	\$ 92.31
BRN-1030	3"	25	150	\$ 104.40
BRN-1035	3-1/2"	25	150	\$ 123.24
BRN-1040	4"	25	100	\$ 137.79
BRN-1045	4-1/2"	25	100	\$ 152.24
BRN-1050	5"	25	100	\$ 165.44
BRN-1055	5-1/2"	25	75	\$ 182.84
BRN-1060	6"	25	75	\$ 197.52
BRN-1070	7"	25	50	\$ 261.14
BRN-1080	8"	25	50	\$ 285.64
BRN-1090	9"	25	50	\$ 330.65
BRN-10100	10"	20	40	\$ 365.39
BRN-10110	11"	20	40	\$ 400.30
BRN-10120	12"	20	40	\$ 435.12
BRRCP-10180	18"	3		\$ 375.67
BRRCP-10240	24"	3		\$ 500.90
BRRCP-10300	30"	3		\$ 626.13
BRRCP-10360	36"	3		\$ 751.36

Pipe Size - 1-1/4"				
BRN-12	1-5/8" - Close	25	150	\$ 96.02
BRN-1220	2"	25	150	\$ 109.67
BRN-1225	2-1/2"	25	150	\$ 131.84
BRN-1230	3"	25	100	\$ 154.06
BRN-1235	3-1/2"	25	100	\$ 180.55
BRN-1240	4"	25	75	\$ 202.81
BRN-1245	4-1/2"	25	75	\$ 225.15
BRN-1250	5"	25	50	\$ 247.28
BRN-1255	5-1/2"	25	50	\$ 270.19
BRN-1260	6"	25	50	\$ 292.43
BRN-1280	8"	20	40	\$ 432.82
BRN-1290	9"	15	30	\$ 484.14
BRN-12100	10"	30		\$ 535.51
BRN-12120	12"	20		\$ 638.38
BRRCP-12180	18"	3		\$ 526.07
BRRCP-12240	24"	3		\$ 701.39
BRRCP-12300	30"	3		\$ 1,008.21
BRRCP-12360	36"	3		\$ 1,052.11

Pipe Size - 1-1/2"				
BRN-15	1-3/4" - Close	25	100	\$ 119.19
BRN-1520	2"	25	75	\$ 129.35
BRN-1525	2-1/2"	25	75	\$ 156.96
BRN-1530	3"	25	50	\$ 178.08
BRN-1535	3-1/2"	25	50	\$ 209.23
BRN-1540	4"	25	50	\$ 235.53
BRN-1545	4-1/2"	25	50	\$ 262.73
BRN-1550	5"	25	50	\$ 289.14
BRN-1555	5-1/2"	50		\$ 314.78
BRN-1560	6"	40		\$ 340.59
BRN-1580	8"	30		\$ 511.90
BRN-15100	10"	20		\$ 634.26
BRN-15120	12"	20		\$ 756.70
BRRCP-15180	18"	3		\$ 659.19
BRRCP-15240	24"	3		\$ 878.90
BRRCP-15300	30"	3		\$ 1,098.65
BRRCP-15360	36"	3		\$ 1,318.38

Part No. **Pipe Length** **Quantity** **List**
 L1 **L2** **Price - B**
List Price Effective: April 27, 2020

Pipe Size - 2"				
BRN-20	2" - Close	25	75	\$ 182.84
BRN-2025	2-1/2"	25	50	\$ 201.78
BRN-2030	3"	25	50	\$ 229.90
BRN-2035	3-1/2"	40		\$ 268.95
BRN-2040	4"	40		\$ 302.45
BRN-2045	4-1/2"	40		\$ 335.19
BRN-2050	5"	40		\$ 365.41
BRN-2055	5-1/2"	30		\$ 402.90
BRN-2060	6"	30		\$ 436.22
BRN-2070	7"	20		\$ 582.40
BRN-2080	8"	20		\$ 661.23
BRN-2090	9"	20		\$ 740.15
BRN-20100	10"	20		\$ 819.01
BRN-20120	12"	15		\$ 976.89
BRRCP-20180	18"	3		\$ 850.97
BRRCP-20240	24"	3		\$ 1,134.60
BRRCP-20300	30"	3		\$ 1,418.26
BRRCP-20360	36"	3		\$ 1,701.90
BRRCP-20480	48"	3		\$ 2,269.21

Pipe Size - 2-1/2"				
BRN-25	2-1/2" - Close	40		\$ 488.44
BRN-2530	3"	40		\$ 518.92
BRN-2535	3-1/2"	30		\$ 594.99
BRN-2540	4"	30		\$ 656.49
BRN-2545	4-1/2"	30		\$ 694.64
BRN-2550	5"	20		\$ 755.11
BRN-2555	5-1/2"	20		\$ 813.04
BRN-2560	6"	20		\$ 874.56
BRN-2580	8"	10		\$ 1,321.24
BRN-25100	10"	10		\$ 1,612.97
BRN-25120	12"	10		\$ 1,905.05

Pipe Size - 3"				
BRN-30	2-5/8" - Close	30		\$ 688.52
BRN-3030	3"	20		\$ 719.92
BRN-3035	3-1/2"	15		\$ 822.61
BRN-3040	4"	15		\$ 914.94
BRN-3045	4-1/2"	15		\$ 1,005.53
BRN-3050	5"	15		\$ 1,096.06
BRN-3055	5-1/2"	15		\$ 1,186.91
BRN-3060	6"	10		\$ 1,277.63
BRN-3080	8"	7		\$ 1,922.13
BRN-30100	10"	5		\$ 2,349.95
BRN-30120	12"	5		\$ 2,778.32

Pipe Size - 4"				
BRN-40	2-7/8" - Close	20		\$ 1,022.13
BRN-4035	3-1/2"	10		\$ 1,219.74
BRN-4040	4"	10		\$ 1,351.71
BRN-4045	4-1/2"	8		\$ 1,491.88
BRN-4050	5"	8		\$ 1,632.00
BRN-4060	6"	8		\$ 1,904.12
BRN-4080	8"	4		\$ 2,225.24
BRN-40120	12"	4		\$ 4,020.79

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

SOLDER & DROP EAR FITTINGS

These solder fittings connect to copper pipe. Drop ear elbows allow for the elbow to be mounted and secured to a stud, plywood, etc.

• NSF/ANSI 372



Part No.	Size	Quantity		List Price - A
		L1	L2	

List Price Effective: June 24, 2019

Drop ear 90° Elbow - CxC



BRDECC-05NL	1/2"	25	200	\$ 4.11
-------------	------	----	-----	---------

Drop ear 90° Elbow - C x FPT



BRDECF-05NL	1/2"	25	200	\$ 4.83
-------------	------	----	-----	---------

Drop ear 90° Elbow - PEX x MPT



BRDEPF-05NL	1/2"	25	200	\$ 5.75
-------------	------	----	-----	---------

90° Elbow - C x FPT



BRECF-0507NL	1/2" x 3/4"	25	200	\$ 8.29
BRECF-05NL	1/2"	25	200	\$ 5.32
BRECF-0705NL	3/4" x 1/2"	25	200	\$ 7.76
BRECF-07NL	3/4"	25	100	\$ 9.68
BRECF-10NL	1"	10	120	\$ 14.58

90° Elbow - C x MPT




BSF-CME05NL	1/2"	25	300	\$ 4.14
BSF-CME07NL	3/4"	25	300	\$ 6.61
BSF-CME10NL	1"	10	120	\$ 11.34

Part No.	Size	Quantity		List Price - A
		L1	L2	


List Price Effective: June 24, 2019

Tee - C x C x FPT



BSF-CCFT05NL	1/2"	25	300	\$ 6.26
BSF-CCFT070705NL	3/4" x 3/4" x 1/2"	25	150	\$ 11.41
BSF-CCFT07NL	3/4"	25	150	\$ 11.13
BSF-CCFT101005NL	1" x 1" x 1/2"	8	80	\$ 10.43
BSF-CCFT101007NL	1" x 1" x 3/4"	8	80	\$ 12.15
BSF-CCFT10NL	1"	8	80	\$ 24.64
BSF-CCFT121207NL	1-1/4" x 1-1/4" x 3/4"	6	60	\$ 22.38
BSF-CCFT151507NL	1-1/2" x 1-1/2" x 3/4"	10	60	\$ 34.06

Tee - C x FPT x C



BSF-CFCT05NL	1/2"	25	150	\$ 6.09
BSF-CFCT070507NL	3/4" x 1/2" x 3/4"	25	150	\$ 8.31
BSF-CFCT07NL	3/4"	25	150	\$ 9.48
BSF-CFCT100510NL	1" x 1/2" x 1"	25	150	\$ 20.76
BSF-CFCT100710NL	1" x 3/4" x 1"	8	80	\$ 20.33
BSF-CFCT120512NL	1-1/4" x 1/2" x 1-1/4"	10	60	\$ 25.96
BSF-CFCT120712NL	1-1/4" x 3/4" x 1-1/4"	10	60	\$ 25.94
BSF-CFCT200720NL	2" x 3/4" x 2"	3	36	\$ 61.62

Baseboard Tee - CxC



BSF-CBT070107NL	3/4" x 1/8" x 3/4"	25	300	\$ 5.92
-----------------	--------------------	----	-----	---------

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

CLASS 150 BRONZE COMPANION FLANGES



Part No.	Pipe Size	Flange Diameter	Number of Holes	Quantity		List Price - F
				L1	L2	
Bronze, FPT Connection						
2-BRCF-05	1/2"	3-4/5"	4	15	60	\$ 541.91
2-BRCF-07	3/4"	3-2/5"	4	15	60	\$ 563.63
2-BRCF-10	1"	4-1/4"	4	15	30	\$ 644.94
2-BRCF-12	1-1/4"	4-3/5"	4	15	30	\$ 753.25
2-BRCF-15	1-1/2"	5"	4	15		\$ 931.94
2-BRCF-20	2"	6"	4	10	20	\$ 1,170.52
2-BRCF-25	2-1/2"	7"	4	5	10	\$ 1,801.14
2-BRCF-30	3"	7-1/2"	4	4	8	\$ 2,812.15
2-BRCF-40	4"	9"	8	3	6	\$ 4,023.48

List Price Effective: April 27, 2020

CLASS 150 NO LEAD BRONZE COMPANION FLANGES



Part No.	Pipe Size	Flange Diameter	Number of Holes	Quantity		List Price - E
				L1	L2	
Bronze, FPT Connection						
NLBRCF-05	1/2"	3-4/5"	4	15	60	\$ 541.91
NLBRCF-07	3/4"	3-2/5"	4	15	60	\$ 563.63
NLBRCF-10	1"	4-1/4"	4	15	30	\$ 644.94
NLBRCF-12	1-1/4"	4-3/5"	4	15	30	\$ 753.25
NLBRCF-15	1-1/2"	5"	4	15	15	\$ 931.94
NLBRCF-20	2"	6"	4	10	20	\$ 1,170.52
NLBRCF-25	2-1/2"	7"	4	5	10	\$ 1,801.14
NLBRCF-30	3"	7-1/2"	4	4	8	\$ 2,812.15
NLBRCF-40	4"	9"	8	3	6	\$ 4,023.48

List Price Effective: April 27, 2020



Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com



Contact your sales rep for any further information
Toll Free: 1-800-561-3164
boshart.com

CLASS 150 HEAVY 304 STAINLESS FITTINGS - MSS SP114

Boshart recommends using both Gray Stainless Steel PTFE Tape & Gray Magic Pipe Thread Compound together for joining stainless steel threaded fittings

- Material Specifications
 - ASTM A351 Austenitic Steel Castings
- Dimensional Specifications
 - MSS SP114 Corrosion Resistant Threaded Fittings
 - ANSI/ASME B16.14 Threaded Plugs, Bushings & Locknuts
 - ANSI/ASME B16.36 Threaded Unions

- Thread Specifications
 - ANSI/ASME B1.20.1 Pipe Threads
- NSF/ANSI 61 & 372
- CRNs are available



Part No.	Size	Quantity		List Price - D
		L1	L2	

List Price Effective: April 27, 2020

Part No.	Size	Quantity		List Price - D
		L1	L2	

List Price Effective: April 27, 2020

Bushing - MPT x FPT
* Octagon Head ϕ 10 Sided Head



SSH304B-0201	1/4" x 1/8"	200	1200	\$ 4.57
SSH304B-0301	3/8" x 1/8"	150	600	\$ 5.66
SSH304B-0302	3/8" x 1/4"	150	600	\$ 5.66
SSH304B-0501-3	1/2" x 1/8"	150	600	\$ 5.88
SSH304B-0502	1/2" x 1/4"	150	600	\$ 5.88
SSH304B-0503	1/2" x 3/8"	150	600	\$ 5.84
SSH304B-0701-3	3/4" x 1/8"	50	300	\$ 8.61
SSH304B-0702-3	3/4" x 1/4"	50	300	\$ 8.61
SSH304B-0703	3/4" x 3/8"	50	300	\$ 8.61
SSH304B-0705	3/4" x 1/2"	50	300	\$ 8.55
SSH304B-1002-3	1" x 1/4"	50	200	\$ 11.55
SSH304B-1003-3	1" x 3/8"	50	200	\$ 11.55
SSH304B-1005	1" x 1/2"	50	200	\$ 11.47
SSH304B-1007	1" x 3/4"	50	200	\$ 11.36
SSH304B-1202-3	1-1/4" x 1/4"	30	120	\$ 21.58
SSH304B-1203-3	1-1/4" x 3/8"	30	120	\$ 21.58
SSH304B-1205-3	1-1/4" x 1/2"	30	120	\$ 21.54
SSH304B-1207	1-1/4" x 3/4"	30	120	\$ 21.43
SSH304B-1210	1-1/4" x 1"	30	120	\$ 20.67
SSH304B-1505-3	1-1/2" x 1/2"	25	75	\$ 24.74
SSH304B-1507-3	1-1/2" x 3/4"	25	75	\$ 24.46
SSH304B-1510	1-1/2" x 1"	25	75	\$ 24.25
SSH304B-1512	1-1/2" x 1-1/4"	25	75	\$ 23.38
SSH304B-2005-3	2" x 1/2"	20	60	\$ 35.96
SSH304B-2007-3	2" x 3/4"	20	60	\$ 35.83
SSH304B-2010-3	2" x 1"	20	60	\$ 35.72
SSH304B-2012	2" x 1-1/4"	20	60	\$ 35.50
SSH304B-2015	2" x 1-1/2"	20	60	\$ 35.07
SSH304B-2510-3 *	2-1/2" x 1"	24		\$ 64.04
SSH304B-2512-3 *	2-1/2" x 1-1/4"	24		\$ 63.46
SSH304B-2515 *	2-1/2" x 1-1/2"	24		\$ 62.87
SSH304B-2520 *	2-1/2" x 2"	24		\$ 62.45
SSH304B-3020 *	3" x 2"	20		\$ 90.01
SSH304B-3025 *	3" x 2-1/2"	20		\$ 89.73
SSH304B-4020-3 \diamond	4" x 2"	10		\$ 158.00
SSH304B-4025 \diamond	4" x 2-1/2"	10		\$ 155.86
SSH304B-4030 \diamond	4" x 3"	10		\$ 154.56

Cap - FPT



SSH304CA-01	1/8"	200	1200	\$ 4.69
SSH304CA-02	1/4"	200	800	\$ 5.01
SSH304CA-03	3/8"	100	600	\$ 5.01
SSH304CA-05	1/2"	75	300	\$ 5.56
SSH304CA-07	3/4"	60	240	\$ 7.08
SSH304CA-10	1"	35	140	\$ 10.46
SSH304CA-12	1-1/4"	25	100	\$ 17.87
SSH304CA-15	1-1/2"	25	75	\$ 19.40
SSH304CA-20	2"	18	54	\$ 28.77
SSH304CA-25	2-1/2"	30		\$ 59.71
SSH304CA-30	3"	20		\$ 87.61
SSH304CA-40	4"	14		\$ 154.41

Coupling - FPT



SSH304C-01	1/8"	120	720	\$ 6.72
SSH304C-02	1/4"	120	480	\$ 6.86
SSH304C-03	3/8"	50	300	\$ 7.63
SSH304C-05	1/2"	60	240	\$ 8.28
SSH304C-07	3/4"	50	150	\$ 9.81
SSH304C-10	1"	25	75	\$ 17.22
SSH304C-12	1-1/4"	32	64	\$ 24.41
SSH304C-15	1-1/2"	18	36	\$ 33.24
SSH304C-20	2"	12	24	\$ 52.41
SSH304C-25	2-1/2"	16		\$ 73.55
SSH304C-30	3"	12		\$ 110.06
SSH304C-40	4"	7		\$ 186.55

Merchant Coupling - FPT
Threads are NPT taper tapped.



SSH304MC-05	1/2"	60	240	\$ 8.28
SSH304MC-07	3/4"	50	150	\$ 9.81
SSH304MC-10	1"	25	75	\$ 17.22
SSH304MC-12	1-1/4"	32	64	\$ 24.41
SSH304MC-15	1-1/2"	18	36	\$ 33.24
SSH304MC-20	2"	12	24	\$ 52.41

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

CLASS 150 HEAVY 304 STAINLESS FITTINGS - MSS SP114

Part No. **Size** **Quantity** **List**
 L1 **L2** **Price - D**
 List Price Effective: April 27, 2020

Reducing Coupling - FPT



SSH304RC-0201	1/4" x 1/8"	140	420	\$ 7.74
SSH304RC-0301	3/8" x 1/8"	120	360	\$ 7.74
SSH304RC-0302	3/8" x 1/4"	120	360	\$ 7.74
SSH304RC-0501-3	1/2" x 1/8"	100	300	\$ 8.23
SSH304RC-0502	1/2" x 1/4"	100	300	\$ 8.23
SSH304RC-0503	1/2" x 3/8"	80	240	\$ 8.28
SSH304RC-0702-3	3/4" x 1/4"	60	180	\$ 9.74
SSH304RC-0703	3/4" x 3/8"	60	180	\$ 9.74
SSH304RC-0705	3/4" x 1/2"	60	180	\$ 9.81
SSH304RC-1003-3	1" x 3/8"	60	120	\$ 16.89
SSH304RC-1005	1" x 1/2"	50	100	\$ 16.96
SSH304RC-1007	1" x 3/4"	50	100	\$ 17.21
SSH304RC-1205-3	1-1/4" x 1/2"	40	80	\$ 23.81
SSH304RC-1207	1-1/4" x 3/4"	40	80	\$ 24.25
SSH304RC-1210	1-1/4" x 1"	30	60	\$ 24.41
SSH304RC-1505-3	1-1/2" x 1/2"	30	60	\$ 32.58
SSH304RC-1507-3	1-1/2" x 3/4"	30	60	\$ 32.96
SSH304RC-1510	1-1/2" x 1"	25	50	\$ 33.02
SSH304RC-1512	1-1/2" x 1-1/4"	24	48	\$ 33.24
SSH304RC-2005-3	2" x 1/2"	21	42	\$ 51.85
SSH304RC-2007-3	2" x 3/4"	21	42	\$ 52.06
SSH304RC-2010-3	2" x 1"	21	42	\$ 52.20
SSH304RC-2012	2" x 1-1/4"	20		\$ 52.28
SSH304RC-2015	2" x 1-1/2"	20		\$ 52.41
SSH304RC-2515	2-1/2" x 1-1/2"	16		\$ 73.28
SSH304RC-2520	2-1/2" x 2"	16		\$ 73.55
SSH304RC-3020	3" x 2"	12		\$ 109.32
SSH304RC-3025	3" x 2-1/2"	12		\$ 110.06
SSH304RC-4020-3	4" x 2"	9		\$ 185.19
SSH304RC-4025	4" x 2-1/2"	9		\$ 186.06
SSH304RC-4030	4" x 3"	9		\$ 186.55

Cross - FPT



SSH304CR-05	1/2"	45	90	\$ 15.58
SSH304CR-07	3/4"	30	60	\$ 23.32
SSH304CR-10	1"	16	32	\$ 35.30
SSH304CR-12	1-1/4"	9	18	\$ 55.57
SSH304CR-15	1-1/2"	8	16	\$ 72.68
SSH304CR-20	2"	6	12	\$ 114.52

45° Elbow - FPT



SSH304E4-01	1/8"	100	600	\$ 7.71
SSH304E4-02	1/4"	70	420	\$ 8.61
SSH304E4-03	3/8"	50	300	\$ 9.36
SSH304E4-05	1/2"	50	200	\$ 10.74
SSH304E4-07	3/4"	40	120	\$ 13.10
SSH304E4-10	1"	20	60	\$ 17.76
SSH304E4-12	1-1/4"	20	40	\$ 28.99
SSH304E4-15	1-1/2"	15	30	\$ 37.16
SSH304E4-20	2"	9	18	\$ 55.14
SSH304E4-25	2-1/2"	15		\$ 88.59
SSH304E4-30	3"	10		\$ 139.70
SSH304E4-40	4"	6		\$ 227.85

Part No. **Size** **Quantity** **List**
 L1 **L2** **Price - D**
 List Price Effective: April 27, 2020

90° Elbow - FPT



SSH304E-01	1/8"	100	600	\$ 6.40
SSH304E-02	1/4"	70	420	\$ 7.63
SSH304E-03	3/8"	45	270	\$ 7.63
SSH304E-05	1/2"	50	200	\$ 7.95
SSH304E-07	3/4"	30	90	\$ 11.88
SSH304E-10	1"	20	60	\$ 18.31
SSH304E-12	1-1/4"	20	40	\$ 28.99
SSH304E-15	1-1/2"	10	20	\$ 37.38
SSH304E-20	2"	8	16	\$ 57.32
SSH304E-25	2-1/2"	15		\$ 108.97
SSH304E-30	3"	10		\$ 150.27
SSH304E-40	4"	5		\$ 299.33

90° Street Elbow - MPT x FPT



SSH304SE-01	1/8"	100	600	\$ 5.11
SSH304SE-02	1/4"	70	420	\$ 8.06
SSH304SE-03	3/8"	40	240	\$ 8.06
SSH304SE-05	1/2"	60	180	\$ 9.81
SSH304SE-07	3/4"	30	90	\$ 14.49
SSH304SE-10	1"	30	60	\$ 20.81
SSH304SE-12	1-1/4"	20	40	\$ 34.87
SSH304SE-15	1-1/2"	13	26	\$ 44.02
SSH304SE-20	2"	7	14	\$ 64.73
SSH304SE-25	2-1/2"	13		\$ 100.58
SSH304SE-30	3"	8		\$ 161.49
SSH304SE-40	4"	4		\$ 290.40

Locknut - FPT



SSH304LN-03	3/8"	100	600	\$ 1.32
SSH304LN-05	1/2"	100	600	\$ 2.44
SSH304LN-07	3/4"	50	300	\$ 2.85
SSH304LN-10	1"	60	240	\$ 5.39
SSH304LN-12	1-1/4"	60	120	\$ 6.51
SSH304LN-15	1-1/2"	50	100	\$ 8.04
SSH304LN-20	2"	80		\$ 13.13

Plug - MPT



Cored

SSH304P-01	1/8"	180	1080	\$ 3.38
SSH304P-02	1/4"	150	900	\$ 4.17
SSH304P-03	3/8"	90	540	\$ 5.23
SSH304P-05	1/2"	80	480	\$ 5.45
SSH304P-07	3/4"	50	300	\$ 7.08
SSH304P-10	1"	40	160	\$ 10.90
SSH304P-12	1-1/4"	25	100	\$ 17.43
SSH304P-15	1-1/2"	36	72	\$ 19.18
SSH304P-20	2"	15	45	\$ 25.39
SSH304P-25	2-1/2"	40		\$ 42.06
SSH304P-30	3"	30		\$ 62.87
SSH304P-40	4"	8		\$ 113.87

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
 boshart.com

CLASS 150 HEAVY 304 STAINLESS FITTINGS - MSS SP114

Part No.	Size	Quantity List		
		L1	L2	Price - D

List Price Effective: April 27, 2020

Part No.	Size	Quantity List		
		L1	L2	Price - D

List Price Effective: April 27, 2020

Tee - FPT



SSH304T-01	1/8"	75	450	\$ 9.48
SSH304T-02	1/4"	50	300	\$ 9.85
SSH304T-03	3/8"	45	180	\$ 10.02
SSH304T-05	1/2"	40	120	\$ 10.57
SSH304T-07	3/4"	35	70	\$ 16.67
SSH304T-10	1"	20	40	\$ 25.17
SSH304T-12	1-1/4"	14	28	\$ 39.88
SSH304T-15	1-1/2"	11	22	\$ 51.98
SSH304T-20	2"	6	12	\$ 84.89
SSH304T-25	2-1/2"	10		\$ 125.42
SSH304T-30	3"	6		\$ 195.16
SSH304T-40	4"	4		\$ 337.36

Union - FPT



SSH304U-01	1/8"	60	360	\$ 17.45
SSH304U-02	1/4"	30	180	\$ 17.54
SSH304U-03	3/8"	35	140	\$ 21.14
SSH304U-05	1/2"	30	120	\$ 22.77
SSH304U-07	3/4"	25	75	\$ 30.84
SSH304U-10	1"	20	40	\$ 42.61
SSH304U-12	1-1/4"	18	36	\$ 61.02
SSH304U-15	1-1/2"	12	24	\$ 77.58
SSH304U-20	2"	8	16	\$ 105.26
SSH304U-25	2-1/2"	10		\$ 171.95
SSH304U-30	3"	7		\$ 227.52
SSH304U-40	4"	5		\$ 370.27

CLASS 150 HEAVY 316 STAINLESS FITTINGS - MSS SP114

Boshart recommends using both Gray Stainless Steel PTFE Tape & Gray Magic Pipe Thread Compound together for joining stainless steel threaded fittings

- Material Specifications
 - ASTM A351 Austenitic Steel Castings
- Dimensional Specifications
 - MSS SP114 Corrosion Resistant Threaded Fittings
 - ANSI/ASME B16.14 Threaded Plugs, Bushings & Locknuts
 - ANSI/ASME B16.36 Threaded Unions

- Thread Specifications
 - ANSI/ASME B1.20.1 Pipe Threads
- NSF/ANSI 61 & 372
- CRNs are available



Part No.	Size	Quantity List		
		L1	L2	Price - D

List Price Effective: April 27, 2020

Part No.	Size	Quantity List		
		L1	L2	Price - D

List Price Effective: April 27, 2020

Bushing - MPT x FPT
* Octagon Head ϕ 10 Sided Head



SSH316B-0201	1/4" x 1/8"	200	1200	\$ 4.85
SSH316B-0301	3/8" x 1/8"	150	600	\$ 5.95
SSH316B-0302	3/8" x 1/4"	150	600	\$ 6.43
SSH316B-0501-3	1/2" x 1/8"	150	600	\$ 6.38
SSH316B-0502	1/2" x 1/4"	150	600	\$ 7.56
SSH316B-0503	1/2" x 3/8"	150	600	\$ 7.81
SSH316B-0701-3	3/4" x 1/8"	50	300	\$ 11.11
SSH316B-0702-3	3/4" x 1/4"	50	300	\$ 11.11
SSH316B-0703	3/4" x 3/8"	50	300	\$ 11.11
SSH316B-0705	3/4" x 1/2"	50	300	\$ 11.01
SSH316B-1002-3	1" x 1/4"	50	200	\$ 15.19
SSH316B-1003-3	1" x 3/8"	50	200	\$ 15.19
SSH316B-1005	1" x 1/2"	50	200	\$ 15.22
SSH316B-1007	1" x 3/4"	50	200	\$ 15.26
SSH316B-1202-3	1-1/4" x 1/4"	30	120	\$ 23.85
SSH316B-1203-3	1-1/4" x 3/8"	30	120	\$ 23.85
SSH316B-1205-3	1-1/4" x 1/2"	30	120	\$ 23.75
SSH316B-1207	1-1/4" x 3/4"	30	120	\$ 23.63
SSH316B-1210	1-1/4" x 1"	30	120	\$ 21.49
SSH316B-1505-3	1-1/2" x 1/2"	25	75	\$ 28.74
SSH316B-1507-3	1-1/2" x 3/4"	25	75	\$ 28.85
SSH316B-1510	1-1/2" x 1"	25	75	\$ 28.44
SSH316B-1512	1-1/2" x 1-1/4"	25	75	\$ 26.29
SSH316B-2005-3	2" x 1/2"	20	60	\$ 46.58
SSH316B-2007-3	2" x 3/4"	20	60	\$ 46.48

SSH316B-2010-3	2" x 1"	20	60	\$ 46.28
SSH316B-2012	2" x 1-1/4"	20	60	\$ 46.18
SSH316B-2015	2" x 1-1/2"	20	60	\$ 45.97
SSH316B-2510-3 *	2-1/2" x 1"	24		\$ 90.98
SSH316B-2512-3 *	2-1/2" x 1-1/4"	24		\$ 90.11
SSH316B-2515 *	2-1/2" x 1-1/2"	24		\$ 89.25
SSH316B-2520 *	2-1/2" x 2"	24		\$ 88.07
SSH316B-3020 *	3" x 2"	20		\$ 113.15
SSH316B-3025 *	3" x 2-1/2"	20		\$ 111.21
SSH316B-4020-3 ϕ	4" x 2"	10		\$ 202.65
SSH316B-4025 ϕ	4" x 2-1/2"	10		\$ 201.52
SSH316B-4030 ϕ	4" x 3"	10		\$ 199.99

Cap - FPT



SSH316CA-01	1/8"	200	1200	\$ 6.10
SSH316CA-02	1/4"	200	800	\$ 6.26
SSH316CA-03	3/8"	100	600	\$ 6.54
SSH316CA-05	1/2"	75	300	\$ 7.30
SSH316CA-07	3/4"	60	240	\$ 9.59
SSH316CA-10	1"	35	140	\$ 13.41
SSH316CA-12	1-1/4"	25	100	\$ 23.22
SSH316CA-15	1-1/2"	25	75	\$ 24.53
SSH316CA-20	2"	18	54	\$ 36.08
SSH316CA-25	2-1/2"	30		\$ 78.60
SSH316CA-30	3"	20		\$ 115.44
SSH316CA-40	4"	14		\$ 202.87

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

CLASS 150 HEAVY 316 STAINLESS FITTINGS - MSS SP114

Part No. Size Quantity List
L1 L2 Price - D
List Price Effective: April 27, 2020

Coupling - FPT



SSH316C-01	1/8"	120	720	\$ 7.05
SSH316C-02	1/4"	120	480	\$ 7.19
SSH316C-03	3/8"	50	300	\$ 8.58
SSH316C-05	1/2"	60	240	\$ 10.57
SSH316C-07	3/4"	50	150	\$ 12.64
SSH316C-10	1"	25	75	\$ 21.69
SSH316C-12	1-1/4"	32	64	\$ 30.63
SSH316C-15	1-1/2"	18	36	\$ 41.97
SSH316C-20	2"	12	24	\$ 60.83
SSH316C-25	2-1/2"	16		\$ 98.76
SSH316C-30	3"	12		\$ 141.06
SSH316C-40	4"	7		\$ 239.82

Merchant Coupling - FPT
Threads are NPT taper tapped.



SSH316MC-05	1/2"	60	240	\$ 10.57
SSH316MC-07	3/4"	50	150	\$ 12.64
SSH316MC-10	1"	25	75	\$ 21.69
SSH316MC-12	1-1/4"	32	64	\$ 30.63
SSH316MC-15	1-1/2"	18	36	\$ 41.97
SSH316MC-20	2"	12	24	\$ 60.83

Reducing Coupling - FPT



SSH316RC-0201	1/4" x 1/8"	140	420	\$ 8.61
SSH316RC-0301	3/8" x 1/8"	120	360	\$ 9.81
SSH316RC-0302	3/8" x 1/4"	120	360	\$ 9.81
SSH316RC-0501-3	1/2" x 1/8"	100	300	\$ 10.40
SSH316RC-0502	1/2" x 1/4"	100	300	\$ 10.40
SSH316RC-0503	1/2" x 3/8"	80	240	\$ 10.57
SSH316RC-0702-3	3/4" x 1/4"	60	180	\$ 12.54
SSH316RC-0703	3/4" x 3/8"	60	180	\$ 12.54
SSH316RC-0705	3/4" x 1/2"	60	180	\$ 12.64
SSH316RC-1003-3	1" x 3/8"	60	120	\$ 21.30
SSH316RC-1005	1" x 1/2"	50	100	\$ 21.51
SSH316RC-1007	1" x 3/4"	50	100	\$ 21.69
SSH316RC-1205-3	1-1/4" x 1/2"	40	80	\$ 29.66
SSH316RC-1207	1-1/4" x 3/4"	40	80	\$ 30.27
SSH316RC-1210	1-1/4" x 1"	30	60	\$ 30.63
SSH316RC-1505-3	1-1/2" x 1/2"	30	60	\$ 39.55
SSH316RC-1507-3	1-1/2" x 3/4"	30	60	\$ 40.06
SSH316RC-1510	1-1/2" x 1"	25	50	\$ 40.98
SSH316RC-1512	1-1/2" x 1-1/4"	24	48	\$ 41.97
SSH316RC-2005-3	2" x 1/2"	21	42	\$ 58.92
SSH316RC-2007-3	2" x 3/4"	21	42	\$ 59.22
SSH316RC-2010-3	2" x 1"	21	42	\$ 60.04
SSH316RC-2012	2" x 1-1/4"	20		\$ 60.24
SSH316RC-2015	2" x 1-1/2"	20		\$ 60.83
SSH316RC-2515	2-1/2" x 1-1/2"	16		\$ 97.45
SSH316RC-2520	2-1/2" x 2"	16		\$ 98.76
SSH316RC-3020	3" x 2"	12		\$ 139.75
SSH316RC-3025	3" x 2-1/2"	12		\$ 141.06
SSH316RC-4020-3	4" x 2"	9		\$ 237.60
SSH316RC-4025	4" x 2-1/2"	9		\$ 236.01
SSH316RC-4030	4" x 3"	9		\$ 239.82

Part No. Size Quantity List
L1 L2 Price - D
List Price Effective: April 27, 2020

Cross - FPT



SSH316CR-01	1/8"	80	480	\$ 16.75
SSH316CR-02	1/4"	60	360	\$ 18.79
SSH316CR-03	3/8"	60	120	\$ 18.79
SSH316CR-05	1/2"	45	90	\$ 21.15
SSH316CR-07	3/4"	30	60	\$ 31.18
SSH316CR-10	1"	16	32	\$ 46.22
SSH316CR-12	1-1/4"	9	18	\$ 72.93
SSH316CR-15	1-1/2"	8	16	\$ 95.38
SSH316CR-20	2"	6	12	\$ 152.18
SSH316CR-25	2-1/2"	5	10	\$ 268.60

45° Elbow - FPT



SSH316E4-01	1/8"	100	600	\$ 8.03
SSH316E4-02	1/4"	70	420	\$ 10.34
SSH316E4-03	3/8"	50	300	\$ 12.54
SSH316E4-05	1/2"	50	200	\$ 13.08
SSH316E4-07	3/4"	40	120	\$ 17.11
SSH316E4-10	1"	20	60	\$ 23.87
SSH316E4-12	1-1/4"	20	40	\$ 36.08
SSH316E4-15	1-1/2"	15	30	\$ 47.96
SSH316E4-20	2"	9	18	\$ 72.78
SSH316E4-25	2-1/2"	15		\$ 119.04
SSH316E4-30	3"	10		\$ 175.07
SSH316E4-40	4"	6		\$ 291.43

90° Elbow - FPT



SSH316E-01	1/8"	100	600	\$ 6.73
SSH316E-02	1/4"	70	420	\$ 8.74
SSH316E-03	3/8"	45	270	\$ 10.14
SSH316E-05	1/2"	50	200	\$ 10.68
SSH316E-07	3/4"	30	90	\$ 15.59
SSH316E-10	1"	20	60	\$ 23.44
SSH316E-12	1-1/4"	20	40	\$ 37.39
SSH316E-15	1-1/2"	10	20	\$ 48.62
SSH316E-20	2"	8	16	\$ 72.71
SSH316E-25	2-1/2"	15		\$ 142.80
SSH316E-30	3"	10		\$ 202.87
SSH316E-40	4"	5		\$ 404.32

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

CLASS 150 HEAVY 316 STAINLESS FITTINGS - MSS SP114

Part No. **Size** **Quantity** **List**
 L1 **L2** **Price - D**
List Price Effective: April 27, 2020

Part No. **Size** **Quantity** **List**
 L1 **L2** **Price - D**
List Price Effective: April 27, 2020

90° Street Elbow - MPT x FPT



Part No.	Size	Quantity L1	Quantity L2	List Price - D
SSH316SE-01	1/8"	100	600	\$ 5.32
SSH316SE-02	1/4"	70	420	\$ 8.46
SSH316SE-03	3/8"	40	240	\$ 9.70
SSH316SE-05	1/2"	60	180	\$ 11.88
SSH316SE-07	3/4"	30	90	\$ 18.31
SSH316SE-10	1"	30	60	\$ 26.38
SSH316SE-12	1-1/4"	20	40	\$ 45.02
SSH316SE-15	1-1/2"	13	26	\$ 57.78
SSH316SE-20	2"	7	14	\$ 85.14
SSH316SE-25	2-1/2"	13		\$ 137.13
SSH316SE-30	3"	8		\$ 217.15
SSH316SE-40	4"	4		\$ 385.57

Tee - FPT



Part No.	Size	Quantity L1	Quantity L2	List Price - D
SSH316T-01	1/8"	75	450	\$ 11.57
SSH316T-02	1/4"	50	300	\$ 12.75
SSH316T-03	3/8"	45	180	\$ 13.76
SSH316T-05	1/2"	40	120	\$ 14.88
SSH316T-07	3/4"	35	70	\$ 21.80
SSH316T-10	1"	20	40	\$ 32.92
SSH316T-12	1-1/4"	14	28	\$ 51.23
SSH316T-15	1-1/2"	11	22	\$ 67.48
SSH316T-20	2"	6	12	\$ 109.99
SSH316T-25	2-1/2"	10		\$ 168.75
SSH316T-30	3"	6		\$ 269.14
SSH316T-40	4"	4		\$ 456.31

Locknut - FPT



Part No.	Size	Quantity L1	Quantity L2	List Price - D
SSH316LN-01	1/8"	100	600	\$ 5.78
SSH316LN-02	1/4"	100	600	\$ 6.21
SSH316LN-03	3/8"	100	600	\$ 6.21
SSH316LN-05	1/2"	100	600	\$ 7.38
SSH316LN-07	3/4"	50	300	\$ 9.58
SSH316LN-10	1"	60	240	\$ 13.31
SSH316LN-12	1-1/4"	60	120	\$ 22.47
SSH316LN-15	1-1/2"	50	100	\$ 25.19
SSH316LN-20	2"	80		\$ 35.06

Union - FPT



Part No.	Size	Quantity L1	Quantity L2	List Price - D
SSH316U-01	1/8"	60	360	\$ 19.47
SSH316U-02	1/4"	30	180	\$ 17.77
SSH316U-03	3/8"	35	140	\$ 22.91
SSH316U-05	1/2"	30	120	\$ 27.47
SSH316U-07	3/4"	25	75	\$ 41.10
SSH316U-10	1"	20	40	\$ 57.12
SSH316U-12	1-1/4"	18	36	\$ 81.98
SSH316U-15	1-1/2"	12	24	\$ 102.95
SSH316U-20	2"	8	16	\$ 136.90
SSH316U-25	2-1/2"	10		\$ 233.02
SSH316U-30	3"	7		\$ 297.74
SSH316U-40	4"	5		\$ 461.45

**Plug - MPT
Cored**



Part No.	Size	Quantity L1	Quantity L2	List Price - D
SSH316P-01	1/8"	180	1080	\$ 3.60
SSH316P-02	1/4"	150	900	\$ 4.37
SSH316P-03	3/8"	90	540	\$ 6.54
SSH316P-05	1/2"	80	480	\$ 6.18
SSH316P-07	3/4"	50	300	\$ 8.83
SSH316P-10	1"	40	160	\$ 14.06
SSH316P-12	1-1/4"	25	100	\$ 22.02
SSH316P-15	1-1/2"	36	72	\$ 24.85
SSH316P-20	2"	15	45	\$ 33.36
SSH316P-25	2-1/2"	40		\$ 53.20
SSH316P-30	3"	30		\$ 78.92
SSH316P-40	4"	8		\$ 146.51

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

CLASS 150 LIGHT 304 STAINLESS FITTINGS - ISO 4144

Boshart recommends using both Gray Stainless Steel PTFE Tape & Gray Magic Pipe Thread Compound together for joining stainless steel threaded fittings



- Material Specifications
 - ASTM A351 Austenitic Steel Castings
- Dimensional Specifications
 - ISO 4144 Threaded Fittings

- Thread Specifications
 - ANSI/ASME B1.20.1 Pipe Threads
- NSF/ANSI 61 & 372

Part No.	Size	Quantity List		
		L1	L2	Price - D

List Price Effective: April 27, 2020



Bushing - MPT x FPT
* Octagon Head

SS304B-0201	1/4" x 1/8"	200	1200	\$ 1.14
SS304B-0301	3/8" x 1/8"	150	600	\$ 1.87
SS304B-0302	3/8" x 1/4"	150	600	\$ 1.45
SS304B-0501-3	1/2" x 1/8"	150	600	\$ 3.32
SS304B-0502	1/2" x 1/4"	150	600	\$ 2.80
SS304B-0503	1/2" x 3/8"	150	600	\$ 2.39
SS304B-0701-3	3/4" x 1/8"	50	300	\$ 4.98
SS304B-0702-3	3/4" x 1/4"	50	300	\$ 4.88
SS304B-0703	3/4" x 3/8"	50	300	\$ 4.67
SS304B-0705	3/4" x 1/2"	50	300	\$ 4.26
SS304B-1002-3 *	1" x 1/4"	50	200	\$ 8.20
SS304B-1003-3 *	1" x 3/8"	50	200	\$ 7.99
SS304B-1005 *	1" x 1/2"	50	200	\$ 7.58
SS304B-1007 *	1" x 3/4"	50	200	\$ 6.64
SS304B-1202-3 *	1-1/4" x 1/4"	30	120	\$ 14.12
SS304B-1203-3 *	1-1/4" x 3/8"	30	120	\$ 12.56
SS304B-1205-3 *	1-1/4" x 1/2"	30	120	\$ 12.98
SS304B-1207 *	1-1/4" x 3/4"	30	120	\$ 12.25
SS304B-1210 *	1-1/4" x 1"	30	120	\$ 10.59
SS304B-1505-3 *	1-1/2" x 1/2"	25	75	\$ 17.96
SS304B-1507-3 *	1-1/2" x 3/4"	25	75	\$ 17.13
SS304B-1510 *	1-1/2" x 1"	25	75	\$ 16.20
SS304B-1512 *	1-1/2" x 1-1/4"	25	75	\$ 12.04
SS304B-2005-3 *	2" x 1/2"	20	60	\$ 29.17
SS304B-2007-3 *	2" x 3/4"	20	60	\$ 28.03
SS304B-2010-3 *	2" x 1"	20	60	\$ 28.86
SS304B-2012 *	2" x 1-1/4"	20	60	\$ 26.06
SS304B-2015 *	2" x 1-1/2"	20	60	\$ 22.32

Cap - FPT



SS304CA-01	1/8"	200	1200	\$ 0.43
SS304CA-02	1/4"	200	800	\$ 1.04
SS304CA-03	3/8"	100	600	\$ 1.56
SS304CA-05	1/2"	75	300	\$ 2.91
SS304CA-07	3/4"	60	240	\$ 4.05
SS304CA-10	1"	35	140	\$ 6.64
SS304CA-12	1-1/4"	25	100	\$ 10.38
SS304CA-15	1-1/2"	25	75	\$ 14.53
SS304CA-20	2"	18	54	\$ 21.70

Coupling - FPT



SS304C-01	1/8"	120	720	\$ 1.25
SS304C-02	1/4"	120	480	\$ 1.56
SS304C-03	3/8"	50	300	\$ 3.12
SS304C-05	1/2"	60	240	\$ 4.67
SS304C-07	3/4"	50	150	\$ 6.44
SS304C-10	1"	25	75	\$ 9.86

Part No.	Size	Quantity List		
		L1	L2	Price - D

List Price Effective: April 27, 2020

SS304C-12	1-1/4"	32	64	\$ 17.75
SS304C-15	1-1/2"	18	36	\$ 19.73
SS304C-20	2"	12	24	\$ 29.59

Merchant Coupling - FPT
Threads are NPT taper tapped.



SS304MC-05	1/2"	60	240	\$ 5.19
SS304MC-07	3/4"	50	150	\$ 8.72
SS304MC-10	1"	25	75	\$ 13.50
SS304MC-12	1-1/4"	32	64	\$ 20.76
SS304MC-15	1-1/2"	18	36	\$ 22.94
SS304MC-20	2"	12	24	\$ 35.40

Merchant Half Coupling - FPT



SS304MHC-05	1/2"	120	480	\$ 3.09
SS304MHC-07	3/4"	100	300	\$ 4.63
SS304MHC-10	1"	50	150	\$ 7.11
SS304MHC-12	1-1/4"	64	128	\$ 11.02
SS304MHC-15	1-1/2"	36	72	\$ 12.15
SS304MHC-20	2"	24	48	\$ 18.85

Reducing Coupling - FPT



SS304RC-0201	1/4" x 1/8"	140	420	\$ 2.08
SS304RC-0301	3/8" x 1/8"	120	360	\$ 2.91
SS304RC-0302	3/8" x 1/4"	120	360	\$ 3.01
SS304RC-0501-3	1/2" x 1/8"	100	300	\$ 3.43
SS304RC-0502	1/2" x 1/4"	100	300	\$ 3.53
SS304RC-0503	1/2" x 3/8"	80	240	\$ 3.84
SS304RC-0702-3	3/4" x 1/4"	60	180	\$ 5.92
SS304RC-0703	3/4" x 3/8"	60	180	\$ 5.50
SS304RC-0705	3/4" x 1/2"	60	180	\$ 5.40
SS304RC-1003-3	1" x 3/8"	60	120	\$ 8.93
SS304RC-1005	1" x 1/2"	50	100	\$ 8.10
SS304RC-1007	1" x 3/4"	50	100	\$ 8.51
SS304RC-1205-3	1-1/4" x 1/2"	40	80	\$ 13.39
SS304RC-1207	1-1/4" x 3/4"	40	80	\$ 13.50
SS304RC-1210	1-1/4" x 1"	30	60	\$ 15.57
SS304RC-1505-3	1-1/2" x 1/2"	30	60	\$ 17.13
SS304RC-1507-3	1-1/2" x 3/4"	30	60	\$ 17.13
SS304RC-1510	1-1/2" x 1"	25	50	\$ 16.30
SS304RC-1512	1-1/2" x 1-1/4"	24	48	\$ 20.45
SS304RC-2005-3	2" x 1/2"	21	42	\$ 21.39
SS304RC-2007-3	2" x 3/4"	21	42	\$ 21.91
SS304RC-2010-3	2" x 1"	21	42	\$ 24.19
SS304RC-2012	2" x 1-1/4"	20		\$ 25.54
SS304RC-2015	2" x 1-1/2"	20		\$ 25.85

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

CLASS 150 LIGHT 304 STAINLESS FITTINGS - ISO 4144

Part No. **Size** **Quantity** **List**
 L1 **L2** **Price - D**
List Price Effective: April 27, 2020

Part No. **Size** **Quantity** **List**
 L1 **L2** **Price - D**
List Price Effective: April 27, 2020

Cross - FPT



SS304CR-01	1/8"	80	480	\$ 11.89
SS304CR-02	1/4"	60	360	\$ 3.84
SS304CR-03	3/8"	60	120	\$ 5.71
SS304CR-05	1/2"	45	90	\$ 10.59
SS304CR-07	3/4"	30	60	\$ 15.05
SS304CR-10	1"	16	32	\$ 24.09
SS304CR-12	1-1/4"	9	18	\$ 33.95
SS304CR-15	1-1/2"	8	16	\$ 46.41
SS304CR-20	2"	6	12	\$ 70.08

Plug - MPT



Cored

SS304P-01	1/8"	180	1080	\$ 0.62
SS304P-02	1/4"	150	900	\$ 0.83
SS304P-03	3/8"	90	540	\$ 1.14
SS304P-05	1/2"	80	480	\$ 2.91
SS304P-07	3/4"	50	300	\$ 4.36
SS304P-10	1"	40	160	\$ 5.92
SS304P-12	1-1/4"	25	100	\$ 11.00
SS304P-15	1-1/2"	36	72	\$ 12.56
SS304P-20	2"	15	45	\$ 18.27

45° Elbow - FPT



SS304E4-01	1/8"	100	600	\$ 5.30
SS304E4-02	1/4"	70	420	\$ 1.97
SS304E4-03	3/8"	50	300	\$ 3.01
SS304E4-05	1/2"	50	200	\$ 5.19
SS304E4-07	3/4"	40	120	\$ 7.68
SS304E4-10	1"	20	60	\$ 13.08
SS304E4-12	1-1/4"	20	40	\$ 20.87
SS304E4-15	1-1/2"	15	30	\$ 26.89
SS304E4-20	2"	9	18	\$ 38.00

TEE - FPT




SS304T-01	1/8"	75	450	\$ 2.28
SS304T-02	1/4"	50	300	\$ 4.05
SS304T-03	3/8"	45	180	\$ 5.92
SS304T-05	1/2"	40	120	\$ 7.99
SS304T-07	3/4"	35	70	\$ 10.17
SS304T-10	1"	20	40	\$ 16.71
SS304T-12	1-1/4"	14	28	\$ 27.41
SS304T-15	1-1/2"	11	22	\$ 36.96
SS304T-20	2"	6	12	\$ 55.02

90° Elbow - FPT



SS304E-01	1/8"	100	600	\$ 1.56
SS304E-02	1/4"	70	420	\$ 2.70
SS304E-03	3/8"	45	270	\$ 4.15
SS304E-05	1/2"	50	200	\$ 5.50
SS304E-07	3/4"	30	90	\$ 8.51
SS304E-10	1"	20	60	\$ 12.56
SS304E-12	1-1/4"	20	40	\$ 20.04
SS304E-15	1-1/2"	10	20	\$ 26.99
SS304E-20	2"	8	16	\$ 38.93

Reducing Tee - FPT



SS304RT-050502	1/2" x 1/2" x 1/4"	40	120	\$ 7.16
SS304RT-070507	3/4" x 1/2" x 3/4"	35	70	\$ 11.73
SS304RT-070702	3/4" x 3/4" x 1/4"	35	70	\$ 9.34
SS304RT-070705	3/4" x 3/4" x 1/2"	35	70	\$ 10.07
SS304RT-101005	1" x 1" x 1/2"	20	40	\$ 13.60
SS304RT-101007	1" x 1" x 3/4"	20	40	\$ 14.85
SS304RT-121207	1-1/4" x 1-1/4" x 3/4"	14	28	\$ 22.53
SS304RT-121210	1-1/4" x 1-1/4" x 1"	14	28	\$ 25.96
SS304RT-151507	1-1/2" x 1-1/2" x 3/4"	11	22	\$ 25.44
SS304RT-151510	1-1/2" x 1-1/2" x 1"	11	22	\$ 31.66
SS304RT-202007	2" x 2" x 3/4"	6	12	\$ 34.26
SS304RT-202010	2" x 2" x 1"	6	12	\$ 38.52

Reducing Elbow - FPT



SS304RE-1210	1-1/4" x 1"	20	40	\$ 20.56
--------------	-------------	----	----	----------

90° Street Elbow - MPT x FPT



SS304SE-01	1/8"	100	600	\$ 1.56
SS304SE-02	1/4"	70	420	\$ 2.49
SS304SE-03	3/8"	40	240	\$ 3.84
SS304SE-05	1/2"	60	180	\$ 6.13
SS304SE-07	3/4"	30	90	\$ 9.03
SS304SE-10	1"	30	60	\$ 14.53
SS304SE-12	1-1/4"	20	40	\$ 23.05
SS304SE-15	1-1/2"	13	26	\$ 30.42
SS304SE-20	2"	7	14	\$ 49.62

Union - FPT



SS304U-01	1/8"	60	360	\$ 5.09
SS304U-02	1/4"	30	180	\$ 7.06
SS304U-03	3/8"	35	140	\$ 9.66
SS304U-05	1/2"	30	120	\$ 11.94
SS304U-07	3/4"	25	75	\$ 19.21
SS304U-10	1"	20	40	\$ 25.75
SS304U-12	1-1/4"	18	36	\$ 40.59
SS304U-15	1-1/2"	12	24	\$ 47.34
SS304U-20	2"	8	16	\$ 78.90

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

CLASS 150 LIGHT 316 STAINLESS FITTINGS - ISO 4144

Boshart recommends using both Gray Stainless Steel PTFE Tape & Gray Magic Pipe Thread Compound together for joining stainless steel threaded fittings

- Material Specifications
 - ASTM A351 Austenitic Steel Castings
- Dimensional Specifications
 - ISO 4144 Threaded Fittings

- Thread Specifications
 - ANSI/ASME B1.20.1 Pipe Threads
- NSF/ANSI 61 & 372



Part No.	Size	Quantity List		
		L1	L2	Price - D

List Price Effective: April 27, 2020



Bushing - MPT x FPT
* Octagon Head

SS316B-0201	1/4" x 1/8"	200	1200	\$ 1.42
SS316B-0301	3/8" x 1/8"	150	600	\$ 2.33
SS316B-0302	3/8" x 1/4"	150	600	\$ 1.81
SS316B-0501-3	1/2" x 1/8"	150	600	\$ 4.15
SS316B-0502	1/2" x 1/4"	150	600	\$ 3.50
SS316B-0503	1/2" x 3/8"	150	600	\$ 2.98
SS316B-0701-3	3/4" x 1/8"	50	300	\$ 6.22
SS316B-0702-3	3/4" x 1/4"	50	300	\$ 6.09
SS316B-0703	3/4" x 3/8"	50	300	\$ 5.83
SS316B-0705	3/4" x 1/2"	50	300	\$ 5.31
SS316B-1002-3 *	1" x 1/4"	50	200	\$ 10.23
SS316B-1003-3 *	1" x 3/8"	50	200	\$ 9.97
SS316B-1005 *	1" x 1/2"	50	200	\$ 9.46
SS316B-1007 *	1" x 3/4"	50	200	\$ 8.29
SS316B-1202-3 *	1-1/4" x 1/4"	30	120	\$ 17.62
SS316B-1203-3 *	1-1/4" x 3/8"	30	120	\$ 15.67
SS316B-1205-3 *	1-1/4" x 1/2"	30	120	\$ 16.19
SS316B-1207 *	1-1/4" x 3/4"	30	120	\$ 15.29
SS316B-1210 *	1-1/4" x 1"	30	120	\$ 13.21
SS316B-1505-3 *	1-1/2" x 1/2"	25	75	\$ 22.41
SS316B-1507-3 *	1-1/2" x 3/4"	25	75	\$ 21.37
SS316B-1510 *	1-1/2" x 1"	25	75	\$ 20.21
SS316B-1512 *	1-1/2" x 1-1/4"	25	75	\$ 15.03
SS316B-2005-3 *	2" x 1/2"	20	60	\$ 36.40
SS316B-2007-3 *	2" x 3/4"	20	60	\$ 34.97
SS316B-2010-3 *	2" x 1"	20	60	\$ 36.01
SS316B-2012 *	2" x 1-1/4"	20	60	\$ 32.51
SS316B-2015 *	2" x 1-1/2"	20	60	\$ 27.85



Cap - FPT

SS316CA-01	1/8"	200	1200	\$ 0.54
SS316CA-02	1/4"	200	800	\$ 1.30
SS316CA-03	3/8"	100	600	\$ 1.94
SS316CA-05	1/2"	75	300	\$ 3.63
SS316CA-07	3/4"	60	240	\$ 5.05
SS316CA-10	1"	35	140	\$ 8.29
SS316CA-12	1-1/4"	25	100	\$ 12.95
SS316CA-15	1-1/2"	25	75	\$ 18.13
SS316CA-20	2"	18	54	\$ 27.07

Part No.	Size	Quantity List		
		L1	L2	Price - D

List Price Effective: April 27, 2020

Coupling - FPT



SS316C-01	1/8"	120	720	\$ 1.55
SS316C-02	1/4"	120	480	\$ 1.94
SS316C-03	3/8"	50	300	\$ 3.89
SS316C-05	1/2"	60	240	\$ 5.83
SS316C-07	3/4"	50	150	\$ 8.03
SS316C-10	1"	25	75	\$ 12.31
SS316C-12	1-1/4"	32	64	\$ 22.15
SS316C-15	1-1/2"	18	36	\$ 24.61
SS316C-20	2"	12	24	\$ 36.92

Reducing Coupling - FPT



SS316RC-0201	1/4" x 1/8"	140	420	\$ 2.59
SS316RC-0301	3/8" x 1/8"	120	360	\$ 3.63
SS316RC-0302	3/8" x 1/4"	120	360	\$ 3.76
SS316RC-0501-3	1/2" x 1/8"	100	300	\$ 4.27
SS316RC-0502	1/2" x 1/4"	100	300	\$ 4.40
SS316RC-0503	1/2" x 3/8"	80	240	\$ 4.79
SS316RC-0702-3	3/4" x 1/4"	60	180	\$ 7.38
SS316RC-0703	3/4" x 3/8"	60	180	\$ 6.87
SS316RC-0705	3/4" x 1/2"	60	180	\$ 6.74
SS316RC-1003-3	1" x 3/8"	60	120	\$ 11.14
SS316RC-1005	1" x 1/2"	50	100	\$ 10.10
SS316RC-1007	1" x 3/4"	50	100	\$ 10.62
SS316RC-1205-3	1-1/4" x 1/2"	40	80	\$ 16.71
SS316RC-1207	1-1/4" x 3/4"	40	80	\$ 16.84
SS316RC-1210	1-1/4" x 1"	30	60	\$ 19.43
SS316RC-1505-3	1-1/2" x 1/2"	30	60	\$ 21.37
SS316RC-1507-3	1-1/2" x 3/4"	30	60	\$ 21.37
SS316RC-1510	1-1/2" x 1"	25	50	\$ 20.34
SS316RC-1512	1-1/2" x 1-1/4"	24	48	\$ 25.52
SS316RC-2005-3	2" x 1/2"	21	42	\$ 26.68
SS316RC-2007-3	2" x 3/4"	21	42	\$ 27.33
SS316RC-2010-3	2" x 1"	21	42	\$ 30.18
SS316RC-2012	2" x 1-1/4"	20		\$ 31.87
SS316RC-2015	2" x 1-1/2"	20		\$ 32.25

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

CLASS 150 LIGHT 316 STAINLESS FITTINGS - ISO 4144

Part No. **Size** **Quantity** **List**
 L1 **L2** **Price - D**
List Price Effective: April 27, 2020

Part No. **Size** **Quantity** **List**
 L1 **L2** **Price - D**
List Price Effective: April 27, 2020

45° Elbow - FPT



SS316E4-01	1/8"	100	600	\$ 6.61
SS316E4-02	1/4"	70	420	\$ 2.46
SS316E4-03	3/8"	50	300	\$ 3.76
SS316E4-05	1/2"	50	200	\$ 6.48
SS316E4-07	3/4"	40	120	\$ 9.59
SS316E4-10	1"	20	60	\$ 16.32
SS316E4-12	1-1/4"	20	40	\$ 26.04
SS316E4-15	1-1/2"	15	30	\$ 33.55
SS316E4-20	2"	9	18	\$ 47.41

Plug - MPT Cored



SS316P-01	1/8"	180	1080	\$ 0.78
SS316P-02	1/4"	150	900	\$ 1.04
SS316P-03	3/8"	90	540	\$ 1.42
SS316P-05	1/2"	80	480	\$ 3.63
SS316P-07	3/4"	50	300	\$ 5.44
SS316P-10	1"	40	160	\$ 7.38
SS316P-12	1-1/4"	25	100	\$ 13.73
SS316P-15	1-1/2"	36	72	\$ 15.67
SS316P-20	2"	15	45	\$ 22.80

90° Elbow - FPT



SS316E-01	1/8"	100	600	\$ 1.94
SS316E-02	1/4"	70	420	\$ 3.37
SS316E-03	3/8"	45	270	\$ 5.18
SS316E-05	1/2"	50	200	\$ 6.87
SS316E-07	3/4"	30	90	\$ 10.62
SS316E-10	1"	20	60	\$ 15.67
SS316E-12	1-1/4"	20	40	\$ 25.00
SS316E-15	1-1/2"	10	20	\$ 33.68
SS316E-20	2"	8	16	\$ 48.57

Tee - FPT



SS316T-01	1/8"	75	450	\$ 2.85
SS316T-02	1/4"	50	300	\$ 5.05
SS316T-03	3/8"	45	180	\$ 7.38
SS316T-05	1/2"	40	120	\$ 9.97
SS316T-07	3/4"	35	70	\$ 12.69
SS316T-10	1"	20	40	\$ 20.85
SS316T-12	1-1/4"	14	28	\$ 34.20
SS316T-15	1-1/2"	11	22	\$ 46.11
SS316T-20	2"	6	12	\$ 68.65

90° Street Elbow - MPT x FPT



SS316SE-01	1/8"	100	600	\$ 1.94
SS316SE-02	1/4"	70	420	\$ 3.11
SS316SE-03	3/8"	40	240	\$ 4.79
SS316SE-05	1/2"	60	180	\$ 7.64
SS316SE-07	3/4"	30	90	\$ 11.27
SS316SE-10	1"	30	60	\$ 18.13
SS316SE-12	1-1/4"	20	40	\$ 28.76
SS316SE-15	1-1/2"	13	26	\$ 37.95
SS316SE-20	2"	7	14	\$ 61.92

Union - FPT



SS316U-01	1/8"	60	360	\$ 6.35
SS316U-02	1/4"	30	180	\$ 8.81
SS316U-03	3/8"	35	140	\$ 12.05
SS316U-05	1/2"	30	120	\$ 14.90
SS316U-07	3/4"	25	75	\$ 23.96
SS316U-10	1"	20	40	\$ 32.12
SS316U-12	1-1/4"	18	36	\$ 50.65
SS316U-15	1-1/2"	12	24	\$ 59.07
SS316U-20	2"	8	16	\$ 98.44

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

SCHEDULE 40 304 STAINLESS STEEL NIPPLES & READY CUT PIPE



Boshart recommends using both Gray Stainless Steel PTFE Tape & Gray Magic Pipe Thread Compound together for joining stainless steel threaded fittings

• Material Specifications

- ASTM A312 Stainless Steel Pipe
- ASME SA312 Stainless Steel Pipe

• Dimensional Specifications

- ASTM A733 Pipe Nipples

• Thread Specifications

- ANSI/ASME B1.20.1 Pipe Threads



• NSF/ANSI 372

- CRNs are available

Part No.	Pipe Length	Quantity List		
		L1	L2	Price - D

List Price Effective: April 27, 2020

Pipe Size - 1/8"

SS304N-01	3/4" - Close	25	450	\$ 3.87
SS304N-0115	1-1/2"	25	450	\$ 4.39
SS304N-0120	2"	25	450	\$ 4.81
SS304N-0125	2-1/2"	25	450	\$ 5.23
SS304N-0130	3"	25	450	\$ 5.54
SS304N-0135	3-1/2"	25	450	\$ 5.96
SS304N-0140	4"	25	450	\$ 6.27
SS304N-0145	4-1/2"	25	300	\$ 6.59
SS304N-0150	5"	25	300	\$ 7.11
SS304N-0155	5-1/2"	25	300	\$ 7.42
SS304N-0160	6"	25	200	\$ 7.94
SS304N-0170	7"	25	200	\$ 8.78
SS304N-0180	8"	25	150	\$ 9.41
SS304N-0190	9"	25	150	\$ 10.35
SS304N-01100	10"	25	150	\$ 11.18
SS304N-01110	11"	25	150	\$ 11.81
SS304N-01120	12"	25	150	\$ 12.75

Pipe Size - 1/4"

SS304N-02	7/8" - Close	25	450	\$ 3.03
SS304N-0215	1-1/2"	25	450	\$ 3.66
SS304N-0220	2"	25	450	\$ 3.97
SS304N-0225	2-1/2"	25	450	\$ 4.49
SS304N-0230	3"	25	450	\$ 4.91
SS304N-0235	3-1/2"	25	450	\$ 5.44
SS304N-0240	4"	25	450	\$ 5.85
SS304N-0245	4-1/2"	25	300	\$ 6.27
SS304N-0250	5"	25	300	\$ 6.69
SS304N-0255	5-1/2"	25	300	\$ 7.21
SS304N-0260	6"	25	200	\$ 7.73
SS304N-0270	7"	25	200	\$ 8.78
SS304N-0280	8"	25	150	\$ 9.51
SS304N-0290	9"	25	150	\$ 10.56
SS304N-02100	10"	25	150	\$ 11.60
SS304N-02110	11"	25	150	\$ 12.44
SS304N-02120	12"	25	150	\$ 13.38

Pipe Size - 3/8"

SS304N-03	1" - Close	25	450	\$ 3.76
SS304N-0315	1-1/2"	25	450	\$ 4.29
SS304N-0320	2"	25	450	\$ 4.91
SS304N-0325	2-1/2"	25	450	\$ 5.54
SS304N-0330	3"	25	450	\$ 6.17
SS304N-0335	3-1/2"	25	450	\$ 6.59
SS304N-0340	4"	25	300	\$ 7.32
SS304N-0345	4-1/2"	25	300	\$ 7.94
SS304N-0350	5"	25	300	\$ 8.57
SS304N-0355	5-1/2"	25	300	\$ 9.20
SS304N-0360	6"	25	200	\$ 9.72
SS304N-0370	7"	25	200	\$ 11.18
SS304N-0380	8"	25	150	\$ 12.33
SS304N-0390	9"	25	150	\$ 13.59
SS304N-03100	10"	25	100	\$ 14.95
SS304N-03110	11"	25	100	\$ 16.20
SS304N-03120	12"	25	100	\$ 17.35

Part No.	Pipe Length	Quantity List		
		L1	L2	Price - D

List Price Effective: April 27, 2020

Pipe Size - 1/2"

SS304N-05	1-1/8" - Close	25	450	\$ 4.70
SS304N-0515	1-1/2"	25	450	\$ 5.33
SS304N-0520	2"	25	450	\$ 6.06
SS304N-0525	2-1/2"	25	300	\$ 6.90
SS304N-0530	3"	25	300	\$ 7.63
SS304N-0535	3-1/2"	25	300	\$ 8.47
SS304N-0540	4"	25	200	\$ 9.09
SS304N-0545	4-1/2"	25	200	\$ 10.03
SS304N-0550	5"	25	200	\$ 10.87
SS304N-0555	5-1/2"	25	150	\$ 11.71
SS304N-0560	6"	25	150	\$ 12.44
SS304N-0570	7"	25	150	\$ 14.32
SS304N-0580	8"	25	100	\$ 15.78
SS304N-0590	9"	25	100	\$ 17.35
SS304N-05100	10"	25	100	\$ 19.23
SS304N-05110	11"	20	80	\$ 20.70
SS304N-05120	12"	20	80	\$ 22.37
SS304RCP-05180	18"	5		\$ 24.78
SS304RCP-05240	24"	5		\$ 32.69
SS304RCP-05300	30"	5		\$ 40.47
SS304RCP-05360	36"	5		\$ 48.50
SS304RCP-05480	48"	3		\$ 67.88
SS304RCP-05720	72"	2		\$ 101.14
SS304RCP-05840	84"	2		\$ 117.33
SS304RCP-05960	96"	2		\$ 133.27
SS304RCP-051080	108"	2		\$ 148.97
SS304RCP-051200	120"	2		\$ 164.41

Pipe Size - 3/4"

SS304N-07	1-3/8" - Close	25	450	\$ 6.06
SS304N-0715	1-1/2"	25	450	\$ 6.38
SS304N-0720	2"	25	300	\$ 7.42
SS304N-0725	2-1/2"	25	200	\$ 8.47
SS304N-0730	3"	25	200	\$ 9.41
SS304N-0735	3-1/2"	25	200	\$ 10.56
SS304N-0740	4"	25	200	\$ 11.60
SS304N-0745	4-1/2"	25	150	\$ 12.65
SS304N-0750	5"	25	150	\$ 13.69
SS304N-0755	5-1/2"	25	150	\$ 14.84
SS304N-0760	6"	20	120	\$ 15.89
SS304N-0770	7"	20	120	\$ 18.08
SS304N-0780	8"	20	80	\$ 20.17
SS304N-0790	9"	20	80	\$ 22.37
SS304N-07100	10"	20	80	\$ 24.77
SS304N-07110	11"	15	60	\$ 26.86
SS304N-07120	12"	15	60	\$ 28.95
SS304RCP-07180	18"	5		\$ 32.10
SS304RCP-07240	24"	5		\$ 42.48
SS304RCP-07300	30"	5		\$ 52.86
SS304RCP-07360	36"	5		\$ 63.13
SS304RCP-07480	48"	3		\$ 88.43
SS304RCP-07720	72"	2		\$ 132.03
SS304RCP-07840	84"	2		\$ 153.08
SS304RCP-07960	96"	2		\$ 173.88
SS304RCP-071080	108"	2		\$ 194.55
SS304RCP-071200	120"	2		\$ 214.98

Contact your sales rep for any further information

Toll Free: 1-800-561-3164

boshart.com

SCHEDULE 40 304 STAINLESS STEEL NIPPLES & READY CUT PIPE

Part No.	Pipe Length	Quantity		List Price - D
		L1	L2	
Pipe Size - 1"				
SS304N-10	1-1/2" - Close	25	200	\$ 8.15
SS304N-1020	2"	25	200	\$ 9.62
SS304N-1025	2-1/2"	25	150	\$ 11.08
SS304N-1030	3"	25	150	\$ 12.65
SS304N-1035	3-1/2"	25	150	\$ 14.11
SS304N-1040	4"	25	100	\$ 15.68
SS304N-1045	4-1/2"	25	100	\$ 17.04
SS304N-1050	5"	25	100	\$ 18.71
SS304N-1055	5-1/2"	10	80	\$ 20.28
SS304N-1060	6"	10	80	\$ 21.95
SS304N-1070	7"	10	80	\$ 25.09
SS304N-1080	8"	10	60	\$ 28.22
SS304N-1090	9"	10	60	\$ 31.25
SS304N-10100	10"	10	40	\$ 34.81
SS304N-10110	11"	10	40	\$ 37.84
SS304N-10120	12"	10	40	\$ 40.97
SS304RCP-10180	18"	3		\$ 46.02
SS304RCP-10240	24"	3		\$ 61.00
SS304RCP-10300	30"	3		\$ 75.87
SS304RCP-10360	36"	3		\$ 90.74
SS304RCP-10480	48"	2		\$ 127.29
SS304RCP-10720	72"	2		\$ 190.19
SS304RCP-10840	84"	2		\$ 220.71
SS304RCP-10960	96"	2		\$ 250.85
SS304RCP-101080	108"	2		\$ 280.62
SS304RCP-101200	120"	2		\$ 310.26
Pipe Size - 1-1/4"				
SS304N-12	1-5/8" - Close	5	90	\$ 10.77
SS304N-1220	2"	5	90	\$ 12.33
SS304N-1225	2-1/2"	5	90	\$ 14.32
SS304N-1230	3"	5	90	\$ 16.41
SS304N-1235	3-1/2"	5	90	\$ 18.40
SS304N-1240	4"	5	90	\$ 20.49
SS304N-1245	4-1/2"	5	60	\$ 22.47
SS304N-1250	5"	5	60	\$ 24.56
SS304N-1255	5-1/2"	5	60	\$ 26.86
SS304N-1260	6"	5	40	\$ 28.95
SS304N-1270	7"	5	40	\$ 33.34
SS304N-1280	8"	5	30	\$ 37.52
SS304N-1290	9"	5	30	\$ 41.71
SS304N-12100	10"	5	30	\$ 46.20
SS304N-12110	11"	5	30	\$ 50.49
SS304N-12120	12"	5	30	\$ 54.67
SS304RCP-12180	18"	3		\$ 60.89
SS304RCP-12240	24"	3		\$ 80.59
SS304RCP-12300	30"	3		\$ 100.18
SS304RCP-12360	36"	3		\$ 119.89
SS304RCP-12480	48"	2		\$ 168.02
SS304RCP-12720	72"	2		\$ 251.10
SS304RCP-12840	84"	2		\$ 291.58
SS304RCP-12960	96"	2		\$ 331.68
SS304RCP-121080	108"	2		\$ 371.29
SS304RCP-121200	120"	2		\$ 410.53
Pipe Size - 1-1/2"				
SS304N-15	1-3/4" - Close	5	90	\$ 13.27
SS304N-1520	2"	5	90	\$ 14.42
SS304N-1525	2-1/2"	5	60	\$ 16.93
SS304N-1530	3"	5	60	\$ 19.34
SS304N-1535	3-1/2"	5	60	\$ 21.85
SS304N-1540	4"	5	60	\$ 24.25

Part No.	Pipe Length	Quantity		List Price - D
		L1	L2	
List Price Effective: April 27, 2020				
SS304N-1545	4-1/2"	5	40	\$ 26.76
SS304N-1550	5"	5	40	\$ 29.16
SS304N-1555	5-1/2"	5	40	\$ 31.88
SS304N-1560	6"	5	40	\$ 34.39
SS304N-1570	7"	5	40	\$ 39.62
SS304N-1580	8"	4	24	\$ 44.53
SS304N-1590	9"	5	20	\$ 49.65
SS304N-15100	10"	5	20	\$ 55.09
SS304N-15110	11"	5	20	\$ 60.00
SS304N-15120	12"	5	20	\$ 65.12
SS304RCP-15180	18"	3		\$ 73.16
SS304RCP-15240	24"	3		\$ 96.64
SS304RCP-15300	30"	3		\$ 120.24
SS304RCP-15360	36"	2		\$ 143.72
SS304RCP-15480	48"	2		\$ 201.40
SS304RCP-15720	72"	2		\$ 300.80
SS304RCP-15840	84"	2		\$ 349.12
SS304RCP-15960	96"	2		\$ 397.20
SS304RCP-151080	108"	2		\$ 444.65
SS304RCP-151200	120"	2		\$ 491.61
Pipe Size - 2"				
SS304N-20	2" - Close	5	60	\$ 18.61
SS304N-2025	2-1/2"	5	40	\$ 21.85
SS304N-2030	3"	5	40	\$ 25.09
SS304N-2035	3-1/2"	5	40	\$ 28.33
SS304N-2040	4"	5	40	\$ 31.78
SS304N-2045	4-1/2"	5	30	\$ 35.02
SS304N-2050	5"	5	30	\$ 38.26
SS304N-2055	5-1/2"	5	30	\$ 41.91
SS304N-2060	6"	5	20	\$ 45.36
SS304N-2070	7"	4	16	\$ 52.37
SS304N-2080	8"	4	16	\$ 59.16
SS304N-2090	9"	4	16	\$ 65.85
SS304N-20100	10"	4	16	\$ 73.06
SS304N-20110	11"	4	16	\$ 79.96
SS304N-20120	12"	4	16	\$ 86.76
SS304RCP-20180	18"	3		\$ 97.82
SS304RCP-20240	24"	3		\$ 129.44
SS304RCP-20300	30"	3		\$ 160.95
SS304RCP-20360	36"	2		\$ 192.45
SS304RCP-20480	48"	2		\$ 269.78
SS304RCP-20720	72"	2		\$ 402.93
SS304RCP-20840	84"	2		\$ 465.95
SS304RCP-20960	96"	2		\$ 530.10
SS304RCP-201080	108"	2		\$ 593.74
SS304RCP-201200	120"	2		\$ 656.64
Pipe Size - 2-1/2"				
SS304N-25	2-1/2" - Close	5	30	\$ 37.73
SS304N-2530	3"	5	30	\$ 42.96
SS304N-2535	3-1/2"	5	30	\$ 48.19
SS304N-2540	4"	5	30	\$ 53.41
SS304N-2545	4-1/2"	2	16	\$ 58.64
SS304N-2550	5"	2	16	\$ 63.76
SS304N-2555	5-1/2"	2	16	\$ 69.72
SS304N-2560	6"	2	16	\$ 74.95
SS304N-2570	7"	2	12	\$ 86.13
SS304N-2580	8"	18		\$ 96.79
SS304N-2590	9"	18		\$ 107.45
SS304N-25100	10"	15		\$ 119.26
SS304N-25110	11"	15		\$ 129.93
SS304N-25120	12"	13		\$ 140.69

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

SCHEDULE 40 304 STAINLESS STEEL NIPPLES & READY CUT PIPE

Part No.	Pipe Length	Quantity		List Price - D
		L1	L2	

List Price Effective: April 27, 2020

Pipe Size - 3"

SS304N-30	2-5/8" - Close	4	24	\$ 51.95
SS304N-3030	3"	4	24	\$ 56.97
SS304N-3035	3-1/2"	2	16	\$ 63.76
SS304N-3040	4"	2	16	\$ 70.66
SS304N-3045	4-1/2"	2	16	\$ 77.35
SS304N-3050	5"	20		\$ 84.25
SS304N-3055	5-1/2"	20		\$ 91.98
SS304N-3060	6"	20		\$ 98.78
SS304N-3070	7"	16		\$ 113.72
SS304N-3080	8"	12		\$ 127.63
SS304N-3090	9"	10		\$ 141.42
SS304N-30100	10"	10		\$ 156.68
SS304N-30110	11"	10		\$ 170.90
SS304N-30120	12"	10		\$ 184.91

Part No.	Pipe Length	Quantity		List Price - D
		L1	L2	

List Price Effective: April 27, 2020

Pipe Size - 4"

SS304N-40	2-7/8" - Close	24		\$ 76.72
SS304N-4035	3-1/2"	18		\$ 88.85
SS304N-4040	4"	18		\$ 98.46
SS304N-4045	4-1/2"	12		\$ 108.29
SS304N-4050	5"	12		\$ 117.91
SS304N-4055	5-1/2"	12		\$ 128.88
SS304N-4060	6"	12		\$ 138.71
SS304N-4070	7"	10		\$ 159.82
SS304N-4080	8"	9		\$ 179.68
SS304N-4090	9"	7		\$ 199.44
SS304N-40100	10"	6		\$ 221.28
SS304N-40110	11"	6		\$ 241.14
SS304N-40120	12"	6		\$ 261.21

SCHEDULE 40 316 STAINLESS STEEL NIPPLES & READY CUT PIPE



Boshart recommends using both Gray Stainless Steel PTFE Tape & Gray Magic Pipe Thread Compound together for joining stainless steel threaded fittings

- Material Specifications



- ASTM A312 Stainless Steel Pipe
- ASME SA312 Stainless Steel Pipe

- Dimensional Specifications
 - ASTM A733 Pipe Nipples
- Thread Specifications
 - ANSI/ASME B1.20.1 Pipe Threads

- NSF/ANSI 372
- CRNs are available

Part No.	Pipe Length	Quantity		List Price - D
		L1	L2	

List Price Effective: April 27, 2020

Pipe Size - 1/8"

SS316N-01	3/4" - Close	25	450	\$ 4.08
SS316N-0115	1-1/2"	25	450	\$ 4.70
SS316N-0120	2"	25	450	\$ 5.23
SS316N-0125	2-1/2"	25	450	\$ 5.75
SS316N-0130	3"	25	450	\$ 6.27
SS316N-0135	3-1/2"	25	450	\$ 6.59
SS316N-0140	4"	25	450	\$ 7.11
SS316N-0145	4-1/2"	25	300	\$ 7.73
SS316N-0150	5"	25	300	\$ 8.15
SS316N-0155	5-1/2"	25	300	\$ 8.78
SS316N-0160	6"	25	200	\$ 9.20
SS316N-0170	7"	25	200	\$ 10.35
SS316N-0180	8"	25	150	\$ 11.29
SS316N-0190	9"	25	150	\$ 12.23
SS316N-01100	10"	25	150	\$ 13.38
SS316N-01110	11"	25	150	\$ 14.42
SS316N-01120	12"	25	150	\$ 15.26

Pipe Size - 1/4"

SS316N-02	7/8" - Close	25	450	\$ 3.45
SS316N-0215	1-1/2"	25	450	\$ 4.18
SS316N-0220	2"	25	450	\$ 4.81
SS316N-0225	2-1/2"	25	450	\$ 5.54
SS316N-0230	3"	25	450	\$ 6.17
SS316N-0235	3-1/2"	25	450	\$ 6.69
SS316N-0240	4"	25	450	\$ 7.32
SS316N-0245	4-1/2"	25	300	\$ 8.05

Part No.	Pipe Length	Quantity		List Price - D
		L1	L2	

List Price Effective: April 27, 2020

SS316N-0250	5"	25	300	\$ 8.68
SS316N-0255	5-1/2"	25	300	\$ 9.30
SS316N-0260	6"	25	200	\$ 9.93
SS316N-0270	7"	25	200	\$ 11.39
SS316N-0280	8"	25	150	\$ 12.65
SS316N-0290	9"	25	150	\$ 14.01
SS316N-02100	10"	25	150	\$ 15.37
SS316N-02110	11"	25	150	\$ 16.72
SS316N-02120	12"	25	150	\$ 17.98

Pipe Size - 3/8"

SS316N-03	1" - Close	25	450	\$ 4.18
SS316N-0315	1-1/2"	25	450	\$ 5.02
SS316N-0320	2"	25	450	\$ 5.96
SS316N-0325	2-1/2"	25	450	\$ 6.79
SS316N-0330	3"	25	450	\$ 7.53
SS316N-0335	3-1/2"	25	450	\$ 8.57
SS316N-0340	4"	25	300	\$ 9.20
SS316N-0345	4-1/2"	25	300	\$ 10.24
SS316N-0350	5"	25	300	\$ 11.08
SS316N-0355	5-1/2"	25	300	\$ 11.92
SS316N-0360	6"	25	200	\$ 12.86
SS316N-0370	7"	25	200	\$ 14.63
SS316N-0380	8"	25	150	\$ 16.41
SS316N-0390	9"	25	150	\$ 18.08
SS316N-03100	10"	25	100	\$ 14.42
SS316N-03110	11"	25	100	\$ 21.85
SS316N-03120	12"	25	100	\$ 23.52

Contact your sales rep for any further information

Toll Free: 1-800-561-3164

boshart.com

FLARE FITTINGS

Flare fittings are suitable for use in the plumbing and heating industries for gas, oil, air and water. They are applicable with aluminum, brass, copper and steel tubing. Flare fittings can be disassembled and reassembled many times with no effect on the seal.


Temperature Range: -65°F to 250°F (-54°C to 121°C)

Part No.	Size	Quantity		List Price - A
		L1	L2	

List Price Effective: April 27, 2020


Sealing Bonnet - Flare
Copper

BF-57-06	3/8"	25	\$ 1.83
BF-57-08	1/2"	25	\$ 2.79



Coupling - Female Flare

BF-32-06	3/8"	25	\$ 12.75
BF-32-08	1/2"	25	\$ 21.43




Coupling - Flare x FPT

BF-46-0402	1/4" x 1/8"	25	\$ 2.31
BF-46-0404	1/4"	25	\$ 2.41
BF-46-0406	1/4" x 3/8"	25	\$ 4.86
BF-46-0408	1/4" x 1/2"	25	\$ 6.81
BF-46-0504	5/16" x 1/4"	25	\$ 4.37
BF-46-0602	3/8" x 1/8"	25	\$ 5.67
BF-46-0604	3/8" x 1/4"	25 1000	\$ 1.14
BF-46-0606	3/8" x 3/8"	25 500	\$ 1.67
BF-46-0608	3/8" x 1/2"	25 500	\$ 1.98
BF-46-0612	3/8" x 3/4"	5 250	\$ 3.35
BF-46-0806	1/2" x 3/8"	25 500	\$ 1.98
BF-46-0808	1/2"	25 500	\$ 2.31
BF-46-0812	1/2" x 3/4"	5	\$ 6.83
BF-46-1008	5/8" x 1/2"	25 300	\$ 5.94
BF-46-1012	5/8" x 3/4"	5	\$ 7.09
BF-46-1212	3/4"	5	\$ 29.04
BF-46-1412	7/8" x 3/4"	5	\$ 29.09



Coupling - Female Flare x MPT

BF-33-0402	1/4" x 1/8"	25	\$ 7.90
BF-33-0404	1/4"	25	\$ 7.35
BF-33-0604	3/8" x 1/4"	25	\$ 10.98
BF-33-0806	1/2" x 3/8"	25	\$ 22.16
BF-33-0808	1/2"	25	\$ 18.13




Part No.	Size	Quantity		List Price - A
		L1	L2	

List Price Effective: April 27, 2020


Reducing Coupling - Female Flare x Male Flare

BF-35-0406	1/4" x 3/8"	25	\$ 6.71
BF-35-0604	3/8" x 1/4"	25	\$ 7.39
BF-35-0806	1/2" x 3/8"	25	\$ 10.98
BF-35-0810	1/2" x 5/8"	25	\$ 12.52




Swivel Coupling - Female Flare

BF-34-04	1/4"	25	\$ 4.58
BF-34-06	3/8"	25 350	\$ 2.80
BF-34-08	1/2"	25 200	\$ 3.99
BF-34-10	5/8"	25 150	\$ 5.86
BF-34R-0604	3/8" x 1/4"	25	\$ 4.72
BF-34R-0806	1/2" x 3/8"	25	\$ 8.40




45° Elbow - Flare x MPT

BF-54-0402	1/4" x 1/8"	25	\$ 2.59
------------	-------------	----	---------




90° Elbow - Flare

BF-55-02	1/8"	25	\$ 14.44
BF-55-04	1/4"	25	\$ 5.39
BF-55-06	3/8"	25 250	\$ 2.16
BF-55-08	1/2"	25 250	\$ 3.62
BF-55-10	5/8"	25 100	\$ 5.55
BF-55-12	3/4"	5	\$ 23.43
BF-55R-0806	1/2" x 3/8"	25	\$ 14.05



90° Elbow - Flare x FPT

BF-50-0604	3/8" x 1/4"	25	\$ 4.85
BF-50-0606	3/8" x 3/8"	25	\$ 6.33
BF-50-0608	3/8" x 1/2"	25 350	\$ 3.44
BF-50-0808	1/2"	25	\$ 8.84
BF-50-0812	1/2" x 3/4"	5 100	\$ 11.99
BF-50-1008	5/8" x 1/2"	25	\$ 12.52



Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

FLARE FITTINGS

Part No. Size Quantity List
 L1 L2 Price - A
 List Price Effective: April 27, 2020

90° Elbow - Flare x MPT



BF-49-0202	1/8"	25		\$ 3.12
BF-49-0302	3/16" x 1/8"	25	1000	\$ 1.42
BF-49-0304	3/16" x 1/4"	100	1000	\$ 7.91
BF-49-0402	1/4" x 1/8"	25	500	\$ 1.35
BF-49-0404	1/4"	25	500	\$ 1.48
BF-49-0406	1/4" x 3/8"	25		\$ 4.58
BF-49-0408	1/4" x 1/2"	25		\$ 12.75
BF-49-0502	5/16" x 1/8"	25		\$ 4.52
BF-49-0504	5/16" x 1/4"	25		\$ 6.64
BF-49-0602	3/8" x 1/8"	25	500	\$ 5.67
BF-49-0604	3/8" x 1/4"	25	500	\$ 2.08
BF-49-0606	3/8" x 3/8"	25	500	\$ 2.26
BF-49-0608	3/8" x 1/2"	25	300	\$ 3.27
BF-49-0612	3/8" x 3/4"	5	200	\$ 5.14
BF-49-0804	1/2" x 1/4"	25	400	\$ 3.28
BF-49-0806	1/2" x 3/8"	25	250	\$ 3.56
BF-49-0808	1/2"	25	300	\$ 3.78
BF-49-0812	1/2" x 3/4"	10	200	\$ 5.41
BF-49-1008	5/8" x 1/2"	25	200	\$ 5.13
BF-49-1012	5/8" x 3/4"	10	150	\$ 6.34

Gasket - Flare Copper



BF-59-06	3/8"	25		\$ 0.69
BF-59-08	1/2"	25		\$ 1.22

Cap Nut - Flare



BF-56-03	3/16"	25		\$ 4.57
BF-56-04	1/4"	25	3000	\$ 0.38
BF-56-05	5/16"	25		\$ 2.95
BF-56-06	3/8"	25	500	\$ 0.77
BF-56-08	1/2"	25	500	\$ 1.14
BF-56-10	5/8"	25	400	\$ 1.44
BF-56-12	3/4"	5		\$ 13.80

Inverted Nut - Flare



BF-41INB-04	1/4"	25		\$ 1.12
BF-41INB-05	5/16"	25		\$ 1.12
BF-41INB-08	1/2"	25	500	\$ 2.84

Part No. Size Quantity List
 L1 L2 Price - A
 List Price Effective: April 27, 2020

Long Forged Nut - Flare

Use only forged flare nuts on gas and fuel oil installations.



BF-39-04	1/4"	25		\$ 2.81
BF-39-06	3/8"	25	600	\$ 3.99
BF-39-08	1/2"	25	450	\$ 2.36
BF-39-10	5/8"	25	300	\$ 4.37

Short Forged Nut - Flare

Use only forged flare nuts on gas and fuel oil installations.



BF-40-03	3/16"	25		\$ 7.25
BF-40-04	1/4"	25	1000	\$ 0.86
BF-40-05	5/16"			\$ 4.60
BF-40-06	3/8"	25	200	\$ 1.31
BF-40-08	1/2"	25	500	\$ 1.78
BF-40-10	5/8"	25	400	\$ 2.55
BF-40-12	3/4"	10	200	\$ 3.74
BF-40-14	7/8"	5		\$ 17.77
BF-40R-0604	3/8" x 1/4"	25		\$ 3.13
BF-40R-0806	1/2" x 3/8"	25	400	\$ 1.98
BF-40R-1008	5/8" x 1/2"	25	300	\$ 2.84

Long Milled Nut - Flare

Use only forged flare nuts on gas and fuel oil installations.



BF-41-03	3/16"	25		\$ 1.62
BF-41-04	1/4"	25		\$ 1.85
BF-41-05	5/16"	25		\$ 2.78
BF-41-06	3/8"	25		\$ 3.98
BF-41-08	1/2"	25		\$ 5.35
BF-41-10	5/8"	25	200	\$ 4.95
BF-41-12	3/4"	25	100	\$ 7.16

Short Milled Nut - Flare

Use only forged flare nuts on gas and fuel oil installations.



BF-41S-02	1/8"	25		\$ 1.40
BF-41S-03	3/16"	25		\$ 1.01
BF-41S-04	1/4"	25	500	\$ 0.60
BF-41S-05	5/16"	25	1000	\$ 0.82
BF-41S-06	3/8"	25	500	\$ 1.05
BF-41S-08	1/2"	25	600	\$ 1.49
BF-41S-10	5/8"	25	400	\$ 2.05
BF-41S-12	3/4"	5		\$ 12.28
BF-41S-14	7/8"	5		\$ 18.10
BF-41S-16	1"	5		\$ 33.78

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
 boshart.com

FLARE FITTINGS

Part No.	Size	Quantity		List Price - A
		L1	L2	

List Price Effective: April 27, 2020

Part No.	Size	Quantity		List Price - A
		L1	L2	

List Price Effective: April 27, 2020

Plug - Flare



BF-58-04	1/4"	25		\$ 1.20
BF-58-05	5/16"	25		\$ 2.08
BF-58-06	3/8"	25	500	\$ 1.23
BF-58-08	1/2"	25	500	\$ 1.84

Half Union - Flare x MPT



BF-48-0202	1/8"	25		\$ 1.44
BF-48-0302	3/16" x 1/8"	25		\$ 1.52
BF-48-0304	3/16" x 1/4"	25		\$ 4.65
BF-48-0402	1/4" x 1/8"	25	800	\$ 0.72
BF-48-0404	1/4"	25	500	\$ 0.94
BF-48-0408	1/4" x 1/2"	25	500	\$ 2.20
BF-48-0502	5/16" x 1/8"	25		\$ 2.33
BF-48-0504	5/16" x 1/4"	25		\$ 2.46
BF-48-0506	5/16" x 3/8"	25	300	\$ 1.64
BF-48-0508	5/16" x 1/2"	25		\$ 17.22
BF-48-0602	3/8" x 1/8"	25	500	\$ 1.40
BF-48-0604	3/8" x 1/4"	25	500	\$ 1.39
BF-48-0606	3/8" x 3/8"	25	300	\$ 1.63
BF-48-0608	3/8" x 1/2"	25	250	\$ 2.37
BF-48-0612	3/8" x 3/4"	5	250	\$ 3.97
BF-48-0804	1/2" x 1/4"	25	250	\$ 2.05
BF-48-0806	1/2" x 3/8"	25	250	\$ 2.14
BF-48-0808	1/2"	25	250	\$ 2.51
BF-48-0812	1/2" x 3/4"	5	100	\$ 3.92
BF-48-1006	5/8" x 3/8"	25		\$ 7.75
BF-48-1008	5/8" x 1/2"	25	250	\$ 2.82
BF-48-1012	5/8" x 3/4"	25	250	\$ 4.31
BF-48-1208	3/4" x 1/2"	10	100	\$ 4.49
BF-48-1212	3/4" x 3/4"	10	150	\$ 5.10
BF-48-1408	7/8" x 1/2"	25		\$ 47.85
BF-48-1412	7/8" x 3/4"	10	100	\$ 8.63

Tee - Flare



BF-44-02	1/8"	25		\$ 15.15
BF-44-04	1/4"	25		\$ 3.62
BF-44-06	3/8"	25	500	\$ 3.17
BF-44-08	1/2"	25	200	\$ 5.16
BF-44-10	5/8"	25	100	\$ 14.62
BF-44-12	3/4"	5		\$ 37.03
BF-44R-060604	3/8" x 3/8" x 1/4"	25		\$ 6.20
BF-44R-060608	3/8" x 3/8" x 1/2"	25		\$ 8.98
BF-44R-080606	1/2" x 3/8" x 3/8"	25		\$ 9.50
BF-44R-080608	1/2" x 3/8" x 1/2"	25		\$ 14.16
BF-44R-080806	1/2" x 1/2" x 3/8"	25		\$ 10.51
BF-44R-100808	5/8" x 1/2" x 1/2"	25		\$ 19.38
BF-44R-101006	5/8" x 5/8" x 3/8"	25		\$ 8.90
BF-44R-101008	5/8" x 5/8" x 1/2"	25		\$ 15.90

Tee - Flare x Flare x MPT



BF-45-0606	3/8"	25		\$ 6.62
BF-45-0806	1/2" x 1/2" x 3/8"	25		\$ 12.91
BF-45-0808	1/2"	25		\$ 14.79
BF-45-1008	5/8" x 5/8" x 1/2"	25		\$ 27.58

Union Coupling - Flare



BF-42-02	1/8"	25		\$ 7.26
BF-42-04	1/4"	25	1000	\$ 1.89
BF-42-05	5/16"	25		\$ 2.85
BF-42-06	3/8"	25	500	\$ 1.70
BF-42-08	1/2"	25	250	\$ 2.67
BF-42-10	5/8"	25	250	\$ 3.94
BF-42-12	3/4"	5		\$ 16.11
BF-42-14	7/8"	5		\$ 38.67
BF-42R-0403	1/4" x 3/16"	25		\$ 15.15
BF-42R-0504	5/16" x 1/4"	25		\$ 13.67
BF-42R-0604	3/8" x 1/4"	25		\$ 3.45
BF-42R-0605	3/8" x 5/16"	25		\$ 10.60
BF-42R-0804	1/2" x 1/4"	25		\$ 6.09
BF-42R-0806	1/2" x 3/8"	25	500	\$ 2.29
BF-42R-1006	5/8" x 3/8"	25		\$ 7.04
BF-42R-1008	5/8" x 1/2"	25		\$ 6.87

Contact your sales rep for any further information


Toll Free: 1-800-561-3164
boshart.com

COMPRESSION FITTINGS


Compression fittings are suitable for use in low to medium pressure applications for gasoline, grease, oil, water, vacuum and air lines. They are applicable with copper, brass, aluminum, plastic, CPVC & PEX tubing. The use of long nuts in applications where vibrations exist is recommended for extra resistance.

Temperature Range: -65°F to 250°F (-54°C to 121°C)

Part No. Size Quantity List
L1 L2 Price - A
List Price Effective: April 27, 2020

Part No.	Size	Quantity	List Price - A
Coupling - Comp x FPT			
			
BC-66-0402	1/4" x 1/8"	25	\$ 2.67
BC-66-0404	1/4"	25 700	\$ 1.39
BC-66-0504	5/16" x 1/4"	25 500	\$ 1.54
BC-66-0506	5/16" x 3/8"	25 500	\$ 9.12
BC-66-0602	3/8" x 1/8"	25	\$ 3.44
BC-66-0604	3/8" x 1/4"	25	\$ 3.61
BC-66-0606	3/8"	25 500	\$ 1.92
BC-66-0608	3/8" x 1/2"	25 400	\$ 2.19
BC-66-0806	1/2" x 3/8"	25	\$ 6.16
BC-66-1006	5/8" x 3/8"	25	\$ 8.55
BC-66-1008	5/8" x 1/2"	10 250	\$ 3.01
BC-66-1012	5/8" x 3/4"	10 200	\$ 4.57
BC-66-1412	7/8" x 3/4"	5	\$ 15.52


90° Elbow - Comp

			
BC-65-02	1/8"	25	\$ 4.15
BC-65-03	3/16"	25	\$ 5.63
BC-65-04	1/4"	25 600	\$ 1.99
BC-65-05	5/16"	25 500	\$ 2.44
BC-65-06	3/8"	25 450	\$ 2.58
BC-65-08	1/2"	10 250	\$ 4.48
BC-65-10	5/8"	10 150	\$ 6.21
BC-65-14	7/8"	5	\$ 31.46
BC-65R-0806	1/2" x 3/8"	25	\$ 14.34
BC-65R-1006	5/8" x 3/8"	25	\$ 10.22
BC-65R-1008	5/8" x 1/2"	25	\$ 24.07

45° Elbow - Comp x MPT

			
BC-74-0404	1/4"	25	\$ 11.51
BC-74-0606	3/8"	25	\$ 20.61
BC-74-0808	1/2"	25	\$ 24.69

Coupling - Comp x MPT

			
BC-68-0202	1/8"	25	\$ 2.28
BC-68-0302	3/16" x 1/8"	25 800	\$ 0.96
BC-68-0304	3/16" x 1/4"	25	\$ 5.34
BC-68-0402	1/4" x 1/8"	25 800	\$ 1.08
BC-68-0404	1/4"	25 800	\$ 1.34
BC-68-0406	1/4" x 3/8"	25 600	\$ 1.70
BC-68-0408	1/4" x 1/2"	25 350	\$ 2.40
BC-68-0502	5/16" x 1/8"	25	\$ 2.90
BC-68-0504	5/16" x 1/4"	25 350	\$ 1.44
BC-68-0506	5/16" x 3/8"	25 350	\$ 1.77
BC-68-0508	5/16" x 1/2"	25	\$ 22.30
BC-68-0602	3/8" x 1/8"	25 600	\$ 1.53


Part No. Size Quantity List
L1 L2 Price - A
List Price Effective: April 27, 2020

BC-68-0604	3/8" x 1/4"	25 600	\$ 1.53
BC-68-0606	3/8" x 3/8"	25 500	\$ 1.89
BC-68-0608	3/8" x 1/2"	25 400	\$ 2.53
BC-68-0612	3/8" x 3/4"	5	\$ 8.00
BC-68-0706	7/16" x 3/8"	25	\$ 4.40
BC-68-0804	1/2" x 1/4"	10 400	\$ 2.22
BC-68-0806	1/2" x 3/8"	10 400	\$ 2.31
BC-68-0808	1/2"	10 350	\$ 3.05
BC-68-0812	1/2" x 3/4"	5	\$ 11.32
BC-68-1006	5/8" x 3/8"	10 300	\$ 3.13
BC-68-1008	5/8" x 1/2"	10 300	\$ 3.33
BC-68-1012	5/8" x 3/4"	10 200	\$ 4.19
BC-68-1208	3/4" x 1/2"	5	\$ 13.06
BC-68-1212	3/4" x 3/4"	10 500	\$ 18.34
BC-68-1408	7/8" x 1/2"	5	\$ 18.89
BC-68-1412	7/8" x 3/4"	10 150	\$ 6.45
BC-68-1416	7/8" x 1"	5	\$ 28.70


90° Elbow - Comp x FPT

			
BC-70-0404	1/4"	25	\$ 4.94

90° Elbow - Comp x MPT

			
BC-69-0202	1/8"	25	\$ 2.55
BC-69-0302	3/16" x 1/8"	25	\$ 3.09
BC-69-0304	3/16" x 1/4"	25	\$ 8.35
BC-69-0402	1/4" x 1/8"	25 800	\$ 1.51
BC-69-0404	1/4"	25 700	\$ 1.80
BC-69-0406	1/4" x 3/8"	25	\$ 5.35
BC-69-0502	5/16" x 1/8"	25	\$ 5.50
BC-69-0504	5/16" x 1/4"	25 600	\$ 4.26
BC-69-0506	5/16" x 3/8"	25	\$ 5.37
BC-69-0602	3/8" x 1/8"	25	\$ 4.72
BC-69-0604	3/8" x 1/4"	25 600	\$ 2.15
BC-69-0606	3/8"	25 500	\$ 2.59
BC-69-0608	3/8" x 1/2"	10 350	\$ 3.44
BC-69-0612	3/8" x 3/4"	5	\$ 18.54
BC-69-0808	1/2"	25 200	\$ 4.04
BC-69-1006	5/8" x 3/8"	10 350	\$ 4.93
BC-69-1008	5/8" x 1/2"	10 300	\$ 5.12
BC-69-1212	3/4" x 3/4"	5	\$ 16.74

Nut - Comp

			
BC-61-03	3/16"	25 1000	\$ 0.28
BC-61-04	1/4"	25 1000	\$ 0.33
BC-61-05	5/16"	25 1000	\$ 1.03
BC-61-06	3/8"	25 1000	\$ 0.53
BC-61-08	1/2"	100 1000	\$ 0.82
BC-61-10	5/8"	100 1000	\$ 0.97
BC-61-12	3/4"	5	\$ 3.74
BC-61-14	7/8"	25 500	\$ 2.42

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

COMPRESSION FITTINGS

Part No. **Size** **Quantity** **List**
 L1 **L2** **Price - A**
List Price Effective: April 27, 2020

Part No. **Size** **Quantity** **List**
 L1 **L2** **Price - A**
List Price Effective: April 27, 2020

In-Line Sleeve - Comp
 Excellent for nylon tube



BC-260-04	1/4"	25	\$ 0.45
BC-260-06	3/8"	25	\$ 1.06
BC-260-08	1/2"	25	\$ 3.37

Plastic Sleeve - Comp
 Acetal



BC-60P-04	1/4"	25	\$ 0.20
BC-60P-05	5/16"	25	\$ 0.25
BC-60P-06	3/8"	25	\$ 0.20
BC-60P-08	1/2"	25	\$ 0.32
BC-60P-10	5/8"	25	\$ 0.36

Standard Sleeve - Comp



BC-60-02	1/8"	25	\$ 0.22
BC-60-03	3/16"	25 1000	\$ 0.11
BC-60-04	1/4"	25 1000	\$ 0.11
BC-60-05	5/16"	25 1000	\$ 0.14
BC-60-06	3/8"	25 1000	\$ 0.17
BC-60-07	7/16"	25	\$ 0.42
BC-60-08	1/2"	100 500	\$ 0.21
BC-60-10	5/8"	25 400	\$ 0.24
BC-60-12	3/4"	25 400	\$ 0.51
BC-60-14	7/8"	100 1000	\$ 0.58

Tee - Comp



BC-64-02	1/8"	25	\$ 12.21
BC-64-03	3/16"	25	\$ 5.76
BC-64-04	1/4"	25 400	\$ 2.90
BC-64-05	5/16"	25 400	\$ 3.68
BC-64-06	3/8"	25 200	\$ 4.01
BC-64-08	1/2"	10 180	\$ 6.40
BC-64-10	5/8"	10 120	\$ 8.61
BC-64-14	7/8"	5	\$ 36.13

Tee - Comp x Comp x MPT



BC-72-0604	3/8" x 3/8" x 1/4"	25	\$ 8.26
BC-72-1008	5/8" x 5/8" x 3/8"	25	\$ 25.84

Union Coupling - Comp



BC-62-02	1/8"	100 1000	\$ 1.00
BC-62-03	3/16"	25 600	\$ 1.22
BC-62-04	1/4"	25 800	\$ 1.51
BC-62-05	5/16"	25 800	\$ 1.79
BC-62-06	3/8"	25 500	\$ 2.34
BC-62-07	7/16"	25	\$ 13.09
BC-62-08	1/2"	25 300	\$ 3.28
BC-62-10	5/8"	25 200	\$ 4.14
BC-62-12	3/4"	10 100	\$ 9.18
BC-62-14	7/8"	10 100	\$ 9.27
BC-62R-0402	1/4" x 1/8"	25	\$ 5.20
BC-62R-0403	1/4" x 3/16"	25	\$ 4.04
BC-62R-0504	5/16" x 1/4"	25	\$ 5.38
BC-62R-0604	3/8" x 1/4"	25 600	\$ 1.91
BC-62R-0605	3/8" x 5/16"	25	\$ 6.85
BC-62R-0806	1/2" x 3/8"	25 400	\$ 2.84
BC-62R-1006	5/8" x 3/8"	10 250	\$ 3.46
BC-62R-1008	5/8" x 1/2"	10 250	\$ 3.70

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
 boshart.com

NO LEAD COMPRESSION FITTINGS

Compression fittings are suitable for use in low to medium pressure applications for gasoline, grease, oil, water, vacuum and air lines. They are applicable with copper, brass, aluminum, plastic, CPVC & PEX tubing. The use of long nuts in applications where vibrations exist is recommended for extra resistance.

• NSF/ANSI 372

Temperature Range: -65°F to 250°F (-54°C to 121°C)



Part No.	Size	Quantity		List Price - A
		L1	L2	

List Price Effective: April 27, 2020

Coupling - Comp x FPT



BC-66-0402NL	1/4" x 1/8"	25	800	\$ 1.72
BC-66-0404NL	1/4"	25	700	\$ 1.88
BC-66-0406NL	1/4" x 3/8"	25	600	\$ 4.16
BC-66-0408NL	1/4" x 1/2"	25	500	\$ 5.49
BC-66-0604NL	3/8" x 1/4"	25	600	\$ 2.19
BC-66-0606NL	3/8"	25	500	\$ 2.56
BC-66-0608NL	3/8" x 1/2"	25	400	\$ 3.08
BC-66-0806NL	1/2" x 3/8"	10	400	\$ 5.22
BC-66-0808NL	1/2"	10	300	\$ 6.59
BC-66-1008NL	5/8" x 1/2"	10	250	\$ 4.12
BC-66-1012NL	5/8" x 3/4"	10	200	\$ 6.08
BC-66-1412NL	7/8" x 3/4"	10	150	\$ 8.51

Coupling - Comp x MPT



BC-68-0402NL	1/4" x 1/8"	25	800	\$ 1.54
BC-68-0404NL	1/4"	25	800	\$ 1.86
BC-68-0406NL	1/4" x 3/8"	25	600	\$ 2.35
BC-68-0408NL	1/4" x 1/2"	25	350	\$ 3.20
BC-68-0604NL	3/8" x 1/4"	25	600	\$ 2.13
BC-68-0606NL	3/8" x 3/8"	25	500	\$ 2.60
BC-68-0608NL	3/8" x 1/2"	25	400	\$ 3.42
BC-68-0612NL	3/8" x 3/4"	10	250	\$ 4.92
BC-68-0806NL	1/2" x 3/8"	10	400	\$ 3.14
BC-68-0808NL	1/2"	10	350	\$ 4.05
BC-68-0812NL	1/2" x 3/4"	10		\$ 10.02
BC-68-1008NL	5/8" x 1/2"	10	300	\$ 4.42
BC-68-1012NL	5/8" x 3/4"	10	200	\$ 5.67
BC-68-1412NL	7/8" x 3/4"	10	150	\$ 8.46

90° Elbow - Comp



BC-65-04NL	1/4"	25	600	\$ 2.66
BC-65-06NL	3/8"	25	500	\$ 3.58
BC-65-08NL	1/2"	10	250	\$ 5.83
BC-65-10NL	5/8"	10	150	\$ 8.07
BC-65-14NL	7/8"	10	70	\$ 69.64

Part No.	Size	Quantity		List Price - A
		L1	L2	

List Price Effective: April 27, 2020

90° Elbow - Comp x MPT



BC-69-0402NL	1/4" x 1/8"	25	800	\$ 2.10
BC-69-0404NL	1/4"	25	700	\$ 2.50
BC-69-0406NL	1/4" x 3/8"	25	600	\$ 5.69
BC-69-0604NL	3/8" x 1/4"	25	600	\$ 2.90
BC-69-0606NL	3/8"	25	500	\$ 3.39
BC-69-0608NL	3/8" x 1/2"	10	350	\$ 4.47
BC-69-0806NL	1/2" x 3/8"	25		\$ 7.56
BC-69-0808NL	1/2"	10	350	\$ 5.14
BC-69-1008NL	5/8" x 1/2"	10	300	\$ 6.59

Insert - Comp



BC-61P-02NL	1/8"	25		\$ 0.83
BC-61P-03NL	3/16"	25		\$ 0.97
BC-61P-04NL	1/4"	50	1000	\$ 0.19
BC-61P-05NL	5/16"	25		\$ 0.32
BC-61P-06NL	3/8"	500	6000	\$ 0.22
BC-61P-08NL	1/2"	500	4000	\$ 0.29
BC-61P-10NL	5/8"	200	2000	\$ 0.42

Tee - Comp



BC-64-04NL	1/4"	25	400	\$ 3.74
BC-64-06NL	3/8"	25	200	\$ 5.38
BC-64-08NL	1/2"	10	180	\$ 13.50
BC-64-10NL	5/8"	10	120	\$ 18.49
BC-64-14NL	7/8"	10	50	\$ 83.13

Union Coupling - Comp



BC-62-04NL	1/4"	25	800	\$ 2.06
BC-62-06NL	3/8"	25	500	\$ 2.94
BC-62-08NL	1/2"	25	300	\$ 4.35
BC-62-10NL	5/8"	10	200	\$ 5.53
BC-62-14NL	7/8"	10	100	\$ 12.26
BC-62R-0604NL	3/8" x 1/4"	25	600	\$ 2.77
BC-62R-0806NL	1/2" x 3/8"	25	400	\$ 3.97
BC-62R-1006NL	5/8" x 3/8"	10	250	\$ 4.82
BC-62R-1008NL	5/8" x 1/2"	10	250	\$ 5.15

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

HOSE BARB FITTINGS

Hose Barb fittings are suitable for use with various hose and tubing.
Temperature Range: -40°F to 160°F (-40°C to 71°C)

Part No.	Size	Quantity		List Price - A
		L1	L2	

List Price Effective: April 27, 2020



Coupling - Barb x MPT

BH-125-0202	1/8"	100	2000	\$ 1.84
BH-125-0204	1/8" x 1/4"	100	2000	\$ 2.59
BH-125-0302	3/16" x 1/8"	25		\$ 1.53
BH-125-0304	3/16" x 1/4"	25		\$ 2.42
BH-125-0402	1/4" x 1/8"	25	1000	\$ 0.74
BH-125-0404	1/4"	25	800	\$ 1.04
BH-125-0406	1/4" x 3/8"	25	600	\$ 1.45
BH-125-0408	1/4" x 1/2"	25	500	\$ 5.20
BH-125-0502	5/16" x 1/8"	25		\$ 2.03
BH-125-0504	5/16" x 1/4"	25	800	\$ 1.07
BH-125-0506	5/16" x 3/8"	25		\$ 2.93
BH-125-0602	3/8" x 1/8"	25		\$ 1.72
BH-125-0604	3/8" x 1/4"	25	600	\$ 1.20
BH-125-0606	3/8"	25	500	\$ 1.48
BH-125-0608	3/8" x 1/2"	25	400	\$ 2.29
BH-125-0612	3/8" x 3/4"	5		\$ 8.41
BH-125-0804	1/2" x 1/4"	25	500	\$ 1.39
BH-125-0806	1/2" x 3/8"	25	400	\$ 1.78
BH-125-0808	1/2"	25	300	\$ 2.65
BH-125-0812	1/2" x 3/4"	10	250	\$ 4.45
BH-125-1006	5/8" x 3/8"	25		\$ 4.05
BH-125-1008	5/8" x 1/2"	10	300	\$ 2.78
BH-125-1012	5/8" x 3/4"	5		\$ 7.48
BH-125-1206	3/4" x 3/8"	5		\$ 7.96
BH-125-1208	3/4" x 1/2"	25	250	\$ 6.92
BH-125-1212	3/4"	10	200	\$ 3.94
BH-125-1612	1" x 3/4"	5		\$ 9.80
BH-125-1616	1"	10	100	\$ 16.44
BH-125-2016	1-1/4" x 1"	5		\$ 21.66

Part No.	Size	Quantity		List Price - A
		L1	L2	

List Price Effective: April 27, 2020



Coupling - Barb x FPT

BH-126-0204	1"	25		\$ 5.66
BH-126-0402	1/4" x 1/8"	25		\$ 2.79
BH-126-0404	1/4" x 1/4"	25	700	\$ 1.22
BH-126-0506	5/16" x 3/8"	25		\$ 5.86
BH-126-0602	3/8" x 1/8"	25		\$ 3.37
BH-126-0604	3/8" x 1/4"	25		\$ 2.93
BH-126-0606	3/8"	25	500	\$ 1.66
BH-126-0608	3/8" x 1/2"	25	500	\$ 2.27
BH-126-0806	1/2" x 3/8"	25		\$ 5.21
BH-126-0808	1/2"	10	300	\$ 2.35
BH-126-1212	3/4"	5		\$ 14.02



90° Elbow - Barb x MPT

BH-139-0402	1/4" x 1/8"	100	500	\$ 3.98
BH-139-0404	1/4"	25	500	\$ 1.75
BH-139-0602	3/8" x 1/8"	25		\$ 4.49
BH-139-0604	3/8" x 1/4"	100	1000	\$ 7.37
BH-139-0606	3/8" x 3/8"	25		\$ 7.17
BH-139-0608	3/8" x 1/2"	25		\$ 6.95
BH-139-0804	1/2" x 1/4"	25		\$ 5.40
BH-139-0806	1/2" x 3/8"	25	500	\$ 13.72
BH-139-0808	1/2"	25	500	\$ 8.14

NO LEAD HOSE BARB FITTINGS

Hose Barb fittings are suitable for use with various hose and tubing.
 • NSF/ANSI 372
Temperature Range: -40°F to 160°F (-40°C to 71°C)



Part No.	Size	Quantity		List Price - A
		L1	L2	

List Price Effective: April 27, 2020



Coupling - Barb

BH-129-02NL	1/8"	25	500	\$ 0.44
BH-129-03NL	3/16"	25	500	\$ 0.52
BH-129-04NL	1/4"	25	500	\$ 0.67
BH-129-05NL	5/16"	25	500	\$ 0.84
BH-129-06NL	3/8"	25	500	\$ 1.04
BH-129-08NL	1/2"	25	500	\$ 1.39
BH-129-10NL	5/8"	10	500	\$ 2.18
BH-129-12NL	3/4"	10	300	\$ 2.71

Part No.	Size	Quantity		List Price - A
		L1	L2	

List Price Effective: April 27, 2020



Coupling - Barb x FPT

BH-126-0404NL	1/4"	25	700	\$ 1.71
BH-126-0606NL	3/8"	25	500	\$ 2.38
BH-126-0608NL	3/8" x 1/2"	10	400	\$ 3.23
BH-126-0808NL	1/2"	10	300	\$ 3.37

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
 boshart.com

NO LEAD HOSE BARB FITTINGS

Part No.	Size	Quantity		List Price - A
		L1	L2	

List Price Effective: April 27, 2020

Coupling - Barb x MPT



BH-125-0202NL	1/8"	25	1500	\$ 0.93
BH-125-0204NL	1/8" x 1/4"	25	1200	\$ 1.25
BH-125-0402NL	1/4" x 1/8"	25	1000	\$ 1.07
BH-125-0404NL	1/4"	25	800	\$ 1.49
BH-125-0406NL	1/4" x 3/8"	25	600	\$ 2.04
BH-125-0408NL	1/4" x 1/2"	25	500	\$ 3.54
BH-125-0504NL	5/16" x 1/4"	25	800	\$ 1.52
BH-125-0506NL	5/16" x 3/8"	25	600	\$ 2.12
BH-125-0602NL	3/8" x 1/8"	25	800	\$ 1.13
BH-125-0604NL	3/8" x 1/4"	25	600	\$ 1.68
BH-125-0606NL	3/8"	25	500	\$ 2.06
BH-125-0608NL	3/8" x 1/2"	25	400	\$ 3.27
BH-125-0804NL	1/2" x 1/4"	25	500	\$ 1.90
BH-125-0806NL	1/2" x 3/8"	25	400	\$ 2.50
BH-125-0808NL	1/2"	25	300	\$ 3.66
BH-125-0812NL	1/2" x 3/4"	10	250	\$ 6.01
BH-125-1008NL	5/8" x 1/2"	10	300	\$ 3.83
BH-125-1208NL	3/4" x 1/2"	10	300	\$ 3.81
BH-125-1212NL	3/4"	10	200	\$ 5.50
BH-125-1616NL	1"	10	100	\$ 10.52

Part No.	Size	Quantity		List Price - A
		L1	L2	

List Price Effective: April 27, 2020

90° Elbow - Barb x MPT



BH-139-0402NL	1/4" x 1/8"	25	1000	\$ 1.82
BH-139-0404NL	1/4"	25	500	\$ 2.16
BH-139-0604NL	3/8" x 1/4"	10	500	\$ 2.52

MINI HOSE BARB FITTINGS

Mini Barb fittings are suitable for polyethylene tubing. They have excellent vibration resistance.

Temperature Range: -40°F to 135°F (-40°C to 57°C)

Part No.	Size	Quantity		List Price - A
		L1	L2	

List Price Effective: April 27, 2020

Coupling - Mini Barb



BT-962-04	1/4"	25		\$ 1.01
BT-962-06	3/8"	25		\$ 1.15
BT-962-08	1/2"	25		\$ 15.08

Coupling - Mini Barb x MPT



BT-968-0402	1/4" x 1/8"	25		\$ 1.48
BT-968-0404	1/4"	25		\$ 3.49
BT-968-0602	3/8" x 1/8"	25		\$ 3.98
BT-968-0604	3/8" x 1/4"	25		\$ 3.80
BT-968-0806	1/2" x 3/8"	25		\$ 12.20

90° Elbow - Mini Barb



BT-965-04	1/4"	25		\$ 1.53
BT-965-06	3/8"	25		\$ 3.52

Part No.	Size	Quantity		List Price - A
		L1	L2	

List Price Effective: April 27, 2020

90° Elbow - Mini Barb x MPT



BT-965-08	1/2"	25		\$ 11.77
BT-969-0402	1/4" x 1/8"	25		\$ 2.14
BT-969-0404	1/4"	25		\$ 3.32
BT-969-0602	3/8" x 1/8"	25		\$ 3.86
BT-969-0604	3/8" x 1/4"	25		\$ 7.38

Tee - Mini Barb



BT-964-04	1/4"	25		\$ 1.48
BT-964-06	3/8"	25		\$ 4.49
BT-964-08	1/2"	25		\$ 11.64

Tee - Mini Barb x Mini Barb x MPT



BT-972-0402	1/4" x 1/4" x 1/8"	25		\$ 10.60
-------------	--------------------	----	--	----------

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

GARDEN HOSE FITTINGS

Garden Hose fittings are suitable for use in residential, commercial or industrial plumbing.

Part No.	Size	Quantity List		
		L1	L2	Price - A

List Price Effective: April 27, 2020

Cap with Chain - FHT
Hex knurl with washer




BG-200HKC-12	3/4"	10	300	\$ 4.15
--------------	------	----	-----	---------

Cap Nut - FHT
With washer




BG-200-12	3/4"	10	500	\$ 1.98
-----------	------	----	-----	---------

Coupling - Barb
With washer




BG-193-195-06	3/8"	5		\$ 11.00
BG-193-195-08	1/2"	10	250	\$ 7.19
BG-193-195-10	5/8"	5		\$ 7.46
BG-193-195-12	3/4"	5		\$ 7.51

Swivel Coupling - Barb x FHT
With washer



BG-195-0612	3/8" x 3/4"	10	500	\$ 3.36
BG-195-0812	1/2" x 3/4"	10	500	\$ 3.33
BG-195-1012	5/8" x 3/4"	10	500	\$ 3.33
BG-195-1212	3/4"	10	500	\$ 3.38

Coupling - Barb x MHT




BG-193-0612	3/8" x 3/4"	5		\$ 6.34
BG-193-0812	1/2" x 3/4"	10	500	\$ 3.48
BG-193-1012	5/8" x 3/4"	10	500	\$ 3.52
BG-193-1212	3/4" x 3/4"	10	500	\$ 3.72

Coupling - FHT
With washer



BG-198W-12	3/4"	10	500	\$ 3.18
------------	------	----	-----	---------

Coupling - FHT x FPT
With washer




BG-198-1208	3/4" x 1/2"	10	500	\$ 3.38
BG-198-1212	3/4"	10	500	\$ 3.79

Part No.	Size	Quantity List		
		L1	L2	Price - A

List Price Effective: April 27, 2020

Coupling - FHT x MPT
With washer




BG-199-1208	3/4" x 1/2"	10	500	\$ 3.20
BG-199-1212	3/4"	10	500	\$ 3.56

Coupling - MHT




BG-196W-1212	3/4"	10	500	\$ 3.41
--------------	------	----	-----	---------

Coupling - MHT x FPT




BG-197-1204	3/4" x 1/4"	5		\$ 14.24
BG-197-1206	3/4" x 3/8"	5		\$ 14.46
BG-197-1208	3/4" x 1/2"	10	500	\$ 2.46
BG-197-1212	3/4"	10	500	\$ 3.37

Coupling - MHT x MPT




BG-196-1206	3/4" x 3/8"	10	500	\$ 3.09
BG-196-1208	3/4" x 1/2"	10	500	\$ 3.18
BG-196-1212	3/4"	10	250	\$ 3.82

Swivel Coupling - FHT
With washer




BG-203-12	3/4"	10	500	\$ 4.07
-----------	------	----	-----	---------

Swivel Coupling - FHT x FPT
With washer



BG-199S-1208	3/4" x 1/2"	10	500	\$ 4.04
BG-199S-1212	3/4"	10	250	\$ 4.21

Swivel Coupling - FHT x MPT
With washer



BG-194-1204	3/4" x 1/4"	5		\$ 11.68
BG-194-1206	3/4" x 3/8"	5		\$ 11.25
BG-194-1208	3/4" x 1/2"	10	250	\$ 5.32


Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

GARDEN HOSE FITTINGS

Part No.	Size	Quantity List		
		L1	L2	Price - A


List Price Effective: April 27, 2020

Washer - FHT			
BG-GHW-12	3/4"	500	\$ 0.10

Y Coupling - MHT x FHT With washer			
BG-202-12	3/4"	5	\$ 13.58

Part No.	Size	Quantity List		
		L1	L2	Price - A

List Price Effective: April 27, 2020

Y Valve - MHT x FHT			
1/4 turn ball valve shut-offs			
BG-202V-12	3/4"	20	100 \$ 17.97

NO LEAD GARDEN HOSE FITTINGS


Garden Hose fittings are suitable for use in residential, commercial or industrial plumbing.





Part No.	Size	Quantity List		
		L1	L2	Price - A

List Price Effective: April 27, 2020

Cap with Chain - FHT Hex knurl with washer			
BG-200HKC-12NL	3/4"	10	300 \$ 6.26


Cap Nut - FHT With washer			
BG-200-12NL	3/4"	10	500 \$ 3.19


Coupling - Barb With washer			
BG-193-195-08NL	1/2"	10	\$ 10.70
BG-193-195-10NL	5/8"	10	\$ 10.82
BG-193-195-12NL	3/4"	10	\$ 11.11


Swivel Coupling - Barb x FHT With washer			
BG-195-0612NL	3/8" x 3/4"	10	500 \$ 4.35
BG-195-0812NL	1/2" x 3/4"	10	500 \$ 4.38
BG-195-1012NL	5/8" x 3/4"	10	500 \$ 4.42
BG-195-1212NL	3/4"	10	500 \$ 4.48

Part No.	Size	Quantity List		
		L1	L2	Price - A

List Price Effective: April 27, 2020

Coupling - Barb x MHT			
BG-193-0812NL	1/2" x 3/4"	10	500 \$ 5.99
BG-193-1012NL	5/8" x 3/4"	10	500 \$ 6.07
BG-193-1212NL	3/4"	10	500 \$ 6.30

Coupling - FHT x FPT With washer			
BG-198-1208NL	3/4" x 1/2"	10	500 \$ 5.54
BG-198-1212NL	3/4"	10	500 \$ 5.97

Coupling - FHT x MPT With washer			
BG-199-1208NL	3/4" x 1/2"	10	500 \$ 5.52
BG-199-1212NL	3/4"	10	500 \$ 5.78

Coupling - MHT			
BG-196W-1212NL	3/4"	10	500 \$ 5.42

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

COMBINATION NIPPLES

For use with hose, not polyethylene pipe

Part No.	Size	Pipe Length	Number of Barbs	Quantity		List Price - A
				L1	L2	

List Price Effective: April 27, 2020

Class 150 Black Malleable Iron



BLCN-050	1/2"	3-1/8"	6	25	200	\$ 2.73
BLCN-075	3/4"	3-1/8"	6	25	150	\$ 2.84
BLCN-100	1"	3-3/8"	6	20	120	\$ 3.29
BLCN-125	1-1/4"	3-1/4"	6	20	80	\$ 4.17
BLCN-150	1-1/2"	4-1/8"	7	10	60	\$ 5.02
BLCN-200	2"	4-3/4"	8	10	40	\$ 6.10
BLCN-250	2-1/2"	5-3/4"	8	4	24	\$ 14.15
BLCN-300	3"	6"	8	4	16	\$ 18.22
BLCN-400	4"	7-1/4"	8	2	12	\$ 24.61
BLCN-600	6"	11"	13	4		\$ 77.53



Galvanized Malleable Iron



GCN-050	1/2"	3-1/8"	6	25	200	\$ 2.56
GCN-075	3/4"	3-1/8"	6	25	150	\$ 2.67
GCN-100	1"	3-3/8"	6	20	120	\$ 3.09
GCN-125	1-1/4"	3-1/4"	6	20	80	\$ 4.17
GCN-150	1-1/2"	4-1/8"	7	10	60	\$ 5.02
GCN-200	2"	4-3/4"	8	10	40	\$ 6.10
GCN-250	2-1/2"	5-3/4"	8	4	24	\$ 14.15
GCN-300	3"	6"	8	4	16	\$ 18.22
GCN-400	4"	7-1/4"	8	2	12	\$ 24.61
GCN-600	6"	11"	13	4		\$ 77.53



GAS CONNECTOR FITTINGS

These connectors have a 16 thread flare connection.

Part No.	Size	Quantity		List Price - A
		L1	L2	

List Price Effective: June 24, 2019

Connector - FPT x Flare



GACF-F12	3/4" x 15/16"	100	\$ 4.40
GACF-F8	1/2" x 15/16"	100	\$ 3.33

Part No.	Size	Quantity		List Price - A
		L1	L2	

List Price Effective: June 24, 2019

Connector - MPT x Flare



GACF-M12	3/4" x 15/16"	100	\$ 4.28
GACF-M8	1/2" x 15/16"	100	\$ 3.33

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

GAS APPLIANCE CONNECTORS

Boshart's Gas Appliance Connectors allow for the proper alignment of a fixed piping system to the gas appliance. They are easy to install and have deep corrugations to enhance their flexibility.

- CSA tested and approved
 - ANSI Z21.75/CSA 6.27 Connectors for outdoor gas appliances and manufactured homes
 - ANSI Z21.24/CSA 6.10 Connectors for gas appliances

304 Stainless Steel, Maximum Pressure: 1/2 PSI

Part No.	Size	Pipe Length	Short Length Capacity BTU/Hour	Quantity List		List Price - A
				L1	L2	

List Price Effective: April 27, 2020



FPT Connection

GACN-F8-12	1/2"	12"	180000	25		\$ 24.71
GACN-F8-18	1/2"	18"	164200	25		\$ 24.38
GACN-F8-24	1/2"	24"	150000	25		\$ 25.74
GACN-F8-36	1/2"	36"	125000	25		\$ 29.47
GACN-F8-48	1/2"	48"	106000	25		\$ 34.82
GACN-F8-60	1/2"	60"	93200	12		\$ 43.14
GACN-F8-72	1/2"	72"	86000	12		\$ 40.54



FPT Connection

GACN-F12-12	3/4"	12"	180000	25		\$ 30.20
GACN-F12-18	3/4"	18"	164200	25		\$ 34.29
GACN-F12-24	3/4"	24"	150000	25		\$ 35.61
GACN-F12-36	3/4"	36"	125000	25		\$ 39.21
GACN-F12-48	3/4"	48"	106000	25		\$ 44.38
GACN-F12-60	3/4"	60"	93200	12		\$ 48.64
GACN-F12-72	3/4"	72"	86000	12		\$ 46.17



FPT x MPT Connection

GACN-F8M8-12	1/2"	12"	180000	25		\$ 19.79
GACN-F8M8-18	1/2"	18"	164200	25		\$ 23.91
GACN-F8M8-24	1/2"	24"	150000	25		\$ 25.25
GACN-F8M8-36	1/2"	36"	125000	25		\$ 29.47
GACN-F8M8-48	1/2"	48"	106000	25		\$ 34.82
GACN-F8M8-60	1/2"	60"	93200	25		\$ 39.22
GACN-F8M8-72	1/2"	72"	86000	12		\$ 36.04



FPT x MPT Connection

GACN-F12M8-24	3/4" x 1/2"	24"	150000	25		\$ 31.19
GACN-F12M8-36	3/4" x 1/2"	36"	125000	25		\$ 34.79
GACN-F12M8-48	3/4" x 1/2"	48"	106000	25		\$ 39.96
GACN-F12M8-60	3/4" x 1/2"	60"	93200	12		\$ 44.22
GACN-F12M8-72	3/4" x 1/2"	72"	86000	12		\$ 41.64



MPT Connection

GACN-M8-12	1/2"	12"	180000	25		\$ 13.25
GACN-M8-18	1/2"	18"	164200	25		\$ 28.79
GACN-M8-24	1/2"	24"	150000	25		\$ 30.11
GACN-M8-36	1/2"	36"	125000	25		\$ 33.71
GACN-M8-48	1/2"	48"	106000	25		\$ 38.88
GACN-M8-60	1/2"	60"	93200	12		\$ 43.14
GACN-M8-72	1/2"	72"	86000	12		\$ 40.54

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

POLY COATED GAS APPLIANCE CONNECTORS

Boshart's Gas Appliance Connectors allow for the proper alignment of a fixed piping system to the gas appliance. They are easy to install and have deep corrugations to enhance their flexibility. This series has a yellow polymer coating to cover the entire length of the connector. This provides protection from ammonia, acids, chlorine and other corrosive chemicals as well as environment influences such as UV rays and sea salt.

• CSA tested and approved

- ANSI Z21.75/CSA 6.27 Connectors for outdoor gas appliances and manufactured homes

- ANSI Z21.24/CSA 6.10 Connectors for gas appliances

304 Stainless Steel, Maximum Pressure: 1/2 PSI

Part No.	Size	Pipe Length	Short Length Capacity BTU/Hour	Quantity List		Price - A
				L1	L2	

List Price Effective: April 27, 2020

FPT Connection



GAC-F8-12	1/2"	12"	180000	25		\$ 23.85
GAC-F8-18	1/2"	18"	164200	25		\$ 16.87
GAC-F8-24	1/2"	24"	150000	25		\$ 19.21
GAC-F8-36	1/2"	36"	125000	25		\$ 23.43
GAC-F8-48	1/2"	48"	106000	25		\$ 28.17
GAC-F8-60	1/2"	60"	93200	12		\$ 32.39
GAC-F8-72	1/2"	72"	86000	12		\$ 38.89

FPT Connection



GAC-F12-12	3/4"	12"	180000	25		\$ 31.91
GAC-F12-18	3/4"	18"	164200	25		\$ 26.58
GAC-F12-24	3/4"	24"	150000	25		\$ 28.81
GAC-F12-36	3/4"	36"	125000	25		\$ 24.95
GAC-F12-48	3/4"	48"	106000	25		\$ 29.70
GAC-F12-60	3/4"	60"	93200	12		\$ 41.32
GAC-F12-72	3/4"	72"	86000	12		\$ 47.50

FPT x MPT Connection



GAC-F8M8-12	1/2"	12"	180000	25		\$ 18.07
GAC-F8M8-18	1/2"	18"	164200	25		\$ 21.18
GAC-F8M8-24	1/2"	24"	150000	25		\$ 19.21
GAC-F8M8-36	1/2"	36"	125000	25		\$ 24.25
GAC-F8M8-48	1/2"	48"	106000	25		\$ 28.11
GAC-F8M8-60	1/2"	60"	93200	12		\$ 35.93
GAC-F8M8-72	1/2"	72"	86000	12		\$ 42.10

FPT x MPT Connection



GAC-F12M8-24	3/4" x 1/2"	24"	150000	25		\$ 24.47
GAC-F12M8-36	3/4" x 1/2"	36"	125000	25		\$ 28.47
GAC-F12M8-48	3/4" x 1/2"	48"	106000	25		\$ 32.20
GAC-F12M8-60	3/4" x 1/2"	60"	93200	12		\$ 36.98
GAC-F12M8-72	3/4" x 1/2"	72"	86000	12		\$ 43.16

MPT Connection



GAC-M8-12	1/2"	12"	180000	25		\$ 15.18
GAC-M8-18	1/2"	18"	164200	25		\$ 16.87
GAC-M8-24	1/2"	24"	150000	25		\$ 19.21
GAC-M8-36	1/2"	36"	125000	25		\$ 23.43
GAC-M8-48	1/2"	48"	106000	25		\$ 27.35
GAC-M8-60	1/2"	60"	93200	12		\$ 32.39
GAC-M8-72	1/2"	72"	86000	12		\$ 38.89

Contact your sales rep for any further information

Toll Free: 1-800-561-3164

boshart.com

POLYETHYLENE TUBING



Boshart's Poly Tubing is lightweight, low density, odorless & taste-free. The material is compliant with FDA standards and resistant to stress cracking. Typical applications include air instrumentation, water lines, food transfer, chemical sprays, beverage & soda transfer, conduit, pneumatic control lines and light vacuum lines. This tubing is type 50.



Temperature Range: -45°F to 150°F (-43°C to 66°C)

Part No.	Size I.D.	Size O.D.	Wall Thickness	Working Pressure PSI	Quantity		List Price - A Per Foot
					L1	L2	
List Price Effective: March 26, 2018							
Length: 100'							
105-04-100	0.170"	1/4"	0.040"	140	100	1200	\$ 0.20
105-04H-100	0.125"	1/4"	0.062"	150	100	1200	\$ 0.26
105-06-100	0.250"	3/8"	0.062"	125	100	1000	\$ 0.37
105-08-100	0.375"	1/2"	0.062"	100	100	600	\$ 0.43
105-10-100	0.500"	5/8"	0.062"	75	100		\$ 0.70
Length: 500'							
105-06-500	0.250"	3/8"	0.062"	125	500		\$ 0.37
105-08-500	0.375"	1/2"	0.062"	100	500		\$ 0.43
105-10-500	0.500"	5/8"	0.062"	75	500		\$ 0.70
Length: 2000'							
105-04-2000	0.170"	1/4"	0.040"	140	2000		\$ 0.20
105-04H-2000	0.125"	1/4"	0.062"	150	2000		\$ 0.26

PVC BRAIDED HOSE



Boshart's Braided Hose is lightweight, non-marking and chemical resistant. It is made from clear PVC tube and is polyester reinforced. The material is compliant with FDA standards and self extinguishing. Typical industrial applications include air & water lines, lubrication lines, packaging machines, glue lines, air breathing lines, deionized water systems, wire conduit, pneumatic lines and vacuum lines. This tubing is type 20.



• NSF 51 Certified

Temperature Range: 25°F to 150°F (-4°C to 66°C)

Part No.	Size I.D.	Size O.D.	Working Pressure PSI	Quantity		List Price - A Per Foot
				L1	L2	
List Price Effective: March 26, 2018						
Length: 50'						
107-20-050	1-1/4"	1.625"	100 @ 70°F (21°C), 55 @ 122°F (50°C)	100		\$ 5.28
107-24-050	1-1/2"	1.937"	100 @ 70°F (21°C), 50 @ 122°F (50°C)	50		\$ 6.51
107-32-050	2"	2.490"	75 @ 70°F (21°C), 35 @ 122°F (50°C)	50		\$ 9.55
Length: 100'						
107-03-100	3/16"	0.375"	250 @ 70°F (21°C), 150 @ 122°F (50°C)	100		\$ 0.58
107-04-100	1/4"	0.438"	250 @ 70°F (21°C), 150 @ 122°F (50°C)	100		\$ 0.65
107-05-100	5/16"	0.525"	250 @ 70°F (21°C), 150 @ 122°F (50°C)	100		\$ 0.74
107-06-100	0.375"	0.600"	225 @ 70°F (21°C), 125 @ 122°F (50°C)	100		\$ 0.91
107-08-100	0.500"	0.750"	200 @ 70°F (21°C), 100 @ 122°F (50°C)	100		\$ 1.19
107-10-100	5/8"	0.875"	200 @ 70°F (21°C), 100 @ 122°F (50°C)	100		\$ 1.58
107-12-100	3/4"	1.030"	150 @ 70°F (21°C), 85 @ 122°F (50°C)	100		\$ 1.88
107-16-100	1"	1.300"	125 @ 70°F (21°C), 75 @ 122°F (50°C)	100		\$ 2.63
107-20-100	1-1/4"	1.625"	100 @ 70°F (21°C), 55 @ 122°F (50°C)	100		\$ 5.28
107-24-100	1-1/2"	1.937"	100 @ 70°F (21°C), 50 @ 122°F (50°C)	100		\$ 6.51
107-32-100	2"	2.490"	75 @ 70°F (21°C), 35 @ 122°F (50°C)	100		\$ 9.55
Length: 200'						
107-16-200	1"	1.300"	125 @ 70°F (21°C), 75 @ 122°F (50°C)	200		\$ 2.63
Length: 300'						
107-08-300	0.500"	0.750"	200 @ 70°F (21°C), 100 @ 122°F (50°C)	300		\$ 1.19
107-12-300	3/4"	1.030"	150 @ 70°F (21°C), 85 @ 122°F (50°C)	300		\$ 1.88

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

PVC TUBING



Boshart's PVC Clear Tubing is non-toxic, odorless & taste-free. The material is non conductive, fire resistant, & self extinguishing. Typical applications include laboratory, food & beverage, drain lines, water & chemical transfer, wire harness, sight gauges and light vacuum lines. This tubing is type 10.

• NSF 51 Certified

Temperature Range: 25°F to 150°F (-4°C to 66°C)




Part No.	Size I.D.	Size O.D.	Wall Thickness	Working Pressure PSI	Quantity		List Price - A Per Foot
					L1	L2	
List Price Effective: March 26, 2018							
Length: 100'							
106-0204-100	1/8"	1/4"	0.063"	65 @ 68°F (20°C)	100		\$ 0.28
106-0305-100	3/16"	5/16"	0.063"	55 @ 68°F (20°C)	100		\$ 0.30
106-0406-100	1/4"	3/8"	0.063"	55 @ 68°F (20°C)	100		\$ 0.33
106-0408-100	1/4"	1/2"	0.125"	60 @ 68°F (20°C)	100		\$ 0.80
106-0507-100	5/16"	7/16"	0.063"	50 @ 68°F (20°C)	100		\$ 0.38
106-0608-100	3/8"	1/2"	0.063"	45 @ 68°F (20°C)	100		\$ 0.45
106-0610-100	3/8"	5/8"	0.125"	55 @ 68°F (20°C)	100		\$ 1.13
106-0810-100	1/2"	5/8"	0.063"	30 @ 68°F (20°C)	100		\$ 0.56
106-0812-100	1/2"	3/4"	0.125"	45 @ 68°F (20°C)	100		\$ 1.30
106-1014-100	5/8"	7/8"	0.125"	40 @ 68°F (20°C)	100		\$ 1.51
106-1216-100	3/4"	1"	0.125"	35 @ 68°F (20°C)	100		\$ 1.77
106-1418-100	7/8"	1-1/8"	0.125"	30 @ 68°F (20°C)	100		\$ 2.37
106-1620-100	1"	1-1/4"	0.125"	25 @ 68°F (20°C)	100		\$ 2.53
106-2024-100	1-1/4"	1-1/2"	0.125"	20 @ 68°F (20°C)	100		\$ 3.18
106-2430-100	1-1/2"	1-7/8"	0.188"	30 @ 68°F (20°C)	100		\$ 6.30

WALL MOUNT / FLOOR STAND FRAMES

These frames can be assembled in a number of configurations to make 24" and 48" single and double sided floor stand units or can be wall mounted or fastened to existing peg board displays.

For more information on these frames and other display options please contact inside sales.



Part No.	Description	Quantity		List Price - A
		L1	L2	
List Price Effective: January 07, 2019				
MD-FSC48	Connector Bar	1		\$ 84.03
MD-FSK24	Floor Stand Kit	1		\$ 150.78
MD-TOB-CN	Tab / Channel Nuts			\$ 20.52
MD-TOB-MS	Screws			\$ 11.30
MD-WMF24	Wall Mount Frame	1		\$ 299.09

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

DIELECTRIC UNIONS

Dielectric Unions are used in commercial and residential applications to prevent accelerated corrosion and deterioration in the piping system due to galvanic and stray current. They consist of a union nut, two tailpieces, and a gasket that separates the tailpieces to prevent an electric current from occurring. Dielectric Unions are ideal in applications such as hot water storage tanks, water and air conditioners, processing tanks, steam, gas, and water piping.



• Specifications

- ANSI/ASME B1.20.1 Threads
- ANSI/AMSE B16.18 Sweat Connections

Temperature Range: Up to 180°F (82°C), Maximum Pressure: 250 PSI

Part No.	Size	Quantity		List Price - A
		L1	L2	

[List Price Effective: April 27, 2020](#)



Dielectric Union - FPT x Sweat

DU-05FSNL	1/2"	12	144	\$ 7.59
DU-07F05SNL	3/4" x 1/2"	15	120	\$ 8.79
DU-07FSNL	3/4"	15	120	\$ 9.15
DU-10FSNL	1"	12	72	\$ 12.62
DU-12FSNL	1-1/4"	6	48	\$ 18.49
DU-15FSNL	1-1/2"	6	36	\$ 25.35
DU-20FSNL	2"	3	18	\$ 45.29

Part No.	Size	Quantity		List Price - A
		L1	L2	

[List Price Effective: April 27, 2020](#)



Dielectric Union - MPT x Sweat

DU-05MSNL	1/2"	14	84	\$ 9.24
DU-07MSNL	3/4"	12	72	\$ 11.44

DIELECTRIC UNION REPLACEMENT PARTS

Part No.	Size	Quantity		List Price - A
		L1	L2	

[List Price Effective: April 27, 2020](#)



Plastic Insulators

DU-PI05	1/2"			\$ 0.30
DU-PI07	3/4"			\$ 0.35
DU-PI10	1"			\$ 0.40
DU-PI12	1-1/4"			\$ 0.46
DU-PI15	1-1/2"			\$ 0.56
DU-PI20	2"			\$ 0.77

Part No.	Size	Quantity		List Price - A
		L1	L2	

[List Price Effective: April 27, 2020](#)



Gasket Washers

DU-G05	1/2"	100		\$ 0.29
DU-G07	3/4"	100		\$ 0.36
DU-G10	1"	100		\$ 0.41
DU-G12	1-1/4"	100		\$ 0.50
DU-G15	1-1/2"	100		\$ 0.65
DU-G20	2"	100		\$ 0.93

GRAY MAGIC PIPE THREAD COMPOUND



Gray Magic Industrial Grade Pipe Thread Compound is a slow drying, soft settling, non-hardening pipe thread compound. Recommended for on-site or assembly line work. For Sealing Threads on all types of metal, ideal for stainless steel threads which are more difficult to seal, also for sealing plastics including ABS, PVC, CPVC, Poly and Nylon Plastic Pipe Fittings.

- NSF Standard 61 & 14

Temperature Range: -50°F to 400°F (-46°C to 204°C)



Part No.	Size	Quantity		List Price - A
		L1	L2	

[List Price Effective: April 27, 2020](#)

TS-GM02	2 Fluid Ounces (59ml)	144		\$ 4.18
TS-GM04	4 Fluid Ounces (118 ml)	24		\$ 12.47

Part No.	Size	Quantity		List Price - A
		L1	L2	

[List Price Effective: April 27, 2020](#)

TS-GM08	8 Fluid Ounces (237 ml)	24		\$ 19.31
TS-GM16	16 Fluid Ounces (473 ml)	12		\$ 30.12

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

PTFE THREAD SEAL TAPE



Thread Seal Tape can be used for potable & non-potable water, most chemicals, oxygen, gas, hydraulic and high pressure lines.

- Thickness Specification: MIL-T-27730A
- UL Listed

Temperature Range: -310°F to 536°F (-190°C to 280°C), Primary Material: PTFE



Part No.	Size	Tape Length	Quantity		List Price - A
			L1	L2	
List Price Effective: April 27, 2020					

Part No.	Size	Tape Length	Quantity		List Price - A
			L1	L2	
List Price Effective: April 27, 2020					

Thread Seal Tape Thickness: 0.0035" (3.5 mils)

TT1X520	1"	520"	10	250	\$ 1.24
TT34X520	3/4"	520"	10	250	\$ 0.96
TT520	1/2"	520"	10	250	\$ 0.67

High Density Thread Seal Tape Thickness: 0.004" (4 mils)

TT1X520-DLX	1"	520"	10	250	\$ 2.28
TT34X520-DLX	3/4"	520"	10	250	\$ 1.89
TT520-DLX	1/2"	520"	10	250	\$ 1.18

SPECIALTY PTFE THREAD SEAL TAPE

Specialty Thread Seal Tape is thicker than regular PTFE tapes with a higher density. They are color coded for specific applications.

- Thickness Specification: MIL-T-27730A
- UL Listed

Temperature Range: -450°F to 550°F (-268°C to 288°C),



Part No.	Size	Thickness	Tape Length	Quantity		List Price - A
				L1	L2	
List Price Effective: April 27, 2020						



Yellow Gas Line Thread Seal Tape

This thread seal tape is for all types of gas lines including natural gas, propane and butane lines. This tape meets gas company standards worldwide.

TT260-GAS	1/2"	0.004" (4 mils)	260"	10	200	\$ 8.14
-----------	------	-----------------	------	----	-----	---------



Green Oxygen Thread Seal Tape

This thread seal tape is for all oxygen applications and is grease free. This tape will not support combustion.

TT260-OXY	1/2"	0.004" (4 mils)	260"	10	200	\$ 5.81
-----------	------	-----------------	------	----	-----	---------



White Premium Thread Seal Tape

This high density thread seal tape is for all industrial application including water, oil, chemical, medical and food processing where non-contamination standards are high. This tape does not include pigments or additives.

TT260-PHD	1/2"	0.0035" (3.5 mils)	260"	10	200	\$ 4.38
-----------	------	--------------------	------	----	-----	---------



Pink Plumbers Thread Seal Tape

This thread seal tape is for plumbers and pipe fitters and is heavier than the standard white thread seal tape.

TT260-PP	1/2"	0.004" (4 mils)	260"	10	200	\$ 5.43
----------	------	-----------------	------	----	-----	---------



Gray Stainless Steel Thread Seal Tape

This thread seal tape is for all stainless steel fittings and is thicker with a higher density for coarse stainless steel threads. It has nickel pigment color added and prevents galling, seizing and corrosion.

TT260-SS	1/2"	0.004" (4 mils)	260"	10	200	\$ 5.43
----------	------	-----------------	------	----	-----	---------

Contact your sales rep for any further information

Toll Free: 1-800-561-3164

boshart.com

PUSH FIT FITTINGS

Brass Push Fit Fittings can be used for potable water, hydronic heating systems, new residential, and commercial construction applications. They are approved for use for both underground and behind walls with or without access panels. Excellent for wet, hazardous and dry repairs of existing plumbing where a system is hard to drain making soldering difficult. They connect copper, CPVC and PEX pipe in any combinations. Fittings can be rotated after assembly for easier installation in tight spaces and do not require tools, soldering flux, clamps unions or glue.



- For tube sizes 3/8" (0.5" O.D.), 3/4" (0.875" O.D.), 1" (1.125" O.D.)
- Specifications
 - ASSE 1061 Removable & Non-removable Push-Fit Fittings
 - NSF/ANSI 61 & 372
- **Maximum Pressure: 200 PSI @ 200°F (93°C)**

Part No.	Size	Quantity List		
		L1	L2	Price - A

List Price Effective: April 27, 2020

Adapter - CTS x FPT



BPF-FA03NL	3/8"	12	120	\$ 4.66
BPF-FA0507NL	1/2" x 3/4"	6	60	\$ 7.63
BPF-FA05NL	1/2"	12	120	\$ 5.05
BPF-FA07NL	3/4"	6	60	\$ 7.70
BPF-FA10NL	1"	6	30	\$ 12.42

Adapter - CTS x MPT



BPF-MA03NL	3/8"	12	120	\$ 4.53
BPF-MA0507NL	1/2" x 3/4"	6	60	\$ 7.25
BPF-MA05NL	1/2"	12	120	\$ 4.98
BPF-MA07NL	3/4"	6	60	\$ 7.32
BPF-MA10NL	1"	6	30	\$ 13.19

Cap - CTS



BPF-CA05NL	1/2"	12	120	\$ 3.37
BPF-CA07NL	3/4"	6	60	\$ 5.05
BPF-CA10NL	1"	6	30	\$ 8.28

Coupling - CTS



BPF-C03NL	3/8"	12	120	\$ 5.11
BPF-C0503NL	1/2" x 3/8"	12	120	\$ 5.50
BPF-C05NL	1/2"	12	120	\$ 5.31
BPF-C0705NL	3/4" x 1/2"	6	60	\$ 6.87
BPF-C07NL	3/4"	6	60	\$ 7.05
BPF-C1007NL	1" x 3/4"	6	30	\$ 13.13
BPF-C10NL	1"	6	30	\$ 14.10

Conversion Coupling - CTS One end connects to polybutylene



BPF-PBC05NL	1/2"	12	120	\$ 5.44
BPF-PBC07NL	3/4"	12	120	\$ 7.25

Part No.	Size	Quantity List		
		L1	L2	Price - A

List Price Effective: April 27, 2020

Flexible Repair Couplings - CTS 12" braided stainless steel EPDM hose



BPF-FRC05NL	1/2"	5	25	\$ 18.44
BPF-FRC07NL	3/4"	5	25	\$ 21.60

Repair Coupling - CTS



BPF-SC05NL	1/2"	2	60	\$ 10.41
BPF-SC07NL	3/4"	2	30	\$ 15.58

Disconnect Tool - CTS



BPF-D05	1/2"	10	500	\$ 0.15
BPF-D07	3/4"	10	500	\$ 0.21
BPF-D10	1"	10	200	\$ 0.34

Dropear 90° Elbow - CTS x FPT



BPF-DE05NL	1/2"	12	120	\$ 9.45
BPF-DE0705NL	3/4" x 1/2"	6	60	\$ 11.19

90° Elbow - CTS



BPF-E03NL	3/8"	12	120	\$ 6.60
BPF-E05NL	1/2"	12	120	\$ 7.38
BPF-E0705NL	3/4" x 1/2"	6	60	\$ 10.29
BPF-E07NL	3/4"	6	60	\$ 10.41
BPF-E10NL	1"	6	30	\$ 20.57

90° Elbow - CTS x FPT



BPF-FE05NL	1/2"	12	120	\$ 7.70
BPF-FE07NL	3/4"	6	60	\$ 10.73

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

PUSH FIT FITTINGS

Part No.	Size	Quantity		List Price - A
		L1	L2	

List Price Effective: April 27, 2020

90° Elbow - CTS x MPT



BPF-ME05NL	1/2"	12	120	\$ 6.67
BPF-ME07NL	3/4"	6	60	\$ 10.93

Tee - CTS



BPF-T03NL	3/8"	12	60	\$ 8.48
BPF-T05NL	1/2"	12	60	\$ 10.73
BPF-T070505NL	3/4" x 1/2" x 1/2"	12	60	\$ 14.16
BPF-T070507NL	3/4" x 1/2" x 3/4"	12	60	\$ 16.04
BPF-T070705NL	3/4" x 3/4" x 1/2"	12	60	\$ 16.04
BPF-T07NL	3/4"	12	60	\$ 15.84
BPF-T101007NL	1" x 1" x 3/4"	6	30	\$ 25.73
BPF-T10NL	1"	6	30	\$ 27.47

Part No.	Size	Quantity		List Price - A
		L1	L2	

List Price Effective: April 27, 2020

Tube Support - CTS



BPF-S05	1/2"	10	500	\$ 0.27
BPF-S07	3/4"	10	500	\$ 0.33
BPF-S10	1"	10	200	\$ 0.53

Water Connector - CTS x FPT

Flexible 18" braided stainless steel EPDM hose. Threaded swivel nut on one end for easy connection with NPT connection.



BPF-WC05-18	1/2"	5	25	\$ 18.56
BPF-WHC0507-18	1/2" x 3/4"	5	25	\$ 19.72
BPF-WHC07-18	3/4"	5	25	\$ 21.14

Water Connector with Valve - CTS x FPT

Flexible 18" braided stainless steel EPDM hose. Threaded swivel nut on one end for easy connection with NPT connection.



BPF-WHCV0507-18	1/2" x 3/4"	5	25	\$ 30.25
BPF-WHCV07-18	3/4"	5	25	\$ 38.72

PLASTIC QUICK CONNECT FITTINGS

Plastic Quick Connect Fittings are designed for use in POU installations, water dispensing, filtering systems, food/beverage service, agricultural/irrigation. These fittings provide a quick and convenient assembly solution saving time and expense. They do not require crimp tools, adhesives or clamps and can be removed and reused without damaging the pipe. Tube supports are sold separately and are recommended for use with soft tubing and hot liquids. They have excellent resistance to most organic compounds, industrial chemicals and gases. Plastic quick connect fittings can be used on PVC, Polyethylene, PEX, and Copper tubing.

Gripper ring: Stainless steel

O-Ring: NBR

• NSF/ANSI Standard 51, 61 & 372

Maximum Pressure: 170 PSI @ 34°F (1°C), 100 PSI @ 150°F (66°C)



Part No.	Size	Quantity		List Price - A
		L1	L2	

List Price Effective: April 27, 2020

Adapter - Tube OD x Comp



PQC-FA0404CP	1/4" x 1/4"	10	400	\$ 2.13
--------------	-------------	----	-----	---------

Adapter - Tube OD x FPT



PQC-FA0404	1/4" x 1/4"	10	300	\$ 2.13
------------	-------------	----	-----	---------

Part No.	Size	Quantity		List Price - A
		L1	L2	

List Price Effective: April 27, 2020

Adapter - Tube OD x MPT



PQC-MA0402	1/4" x 1/8"	10	300	\$ 2.13
PQC-MA0404	1/4" x 1/4"	10	300	\$ 2.13
PQC-MA0406	1/4" x 3/8"	10	300	\$ 2.13
PQC-MA0604	3/8" x 1/4"	10	250	\$ 3.13
PQC-MA0606	3/8" x 3/8"	10	250	\$ 3.33
PQC-MA0608	3/8" x 1/2"	10	250	\$ 3.48

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

PLASTIC QUICK CONNECT FITTINGS

Part No.	Size	Quantity List		
		L1	L2	Price - A

List Price Effective: April 27, 2020

Part No.	Size	Quantity List		
		L1	L2	Price - A

List Price Effective: April 27, 2020

Coupling - Tube OD



PQC-C04	1/4"	10	300	\$ 2.42
PQC-C06	3/8"	10	250	\$ 3.48
PQC-C0604	3/8" x 1/4"	10	250	\$ 3.20

Tee - Tube OD



PQC-T04	1/4"	10	300	\$ 3.40
PQC-T06	3/8"	10	250	\$ 4.19
PQC-T060604	3/8" x 3/8" x 1/4"	10	250	\$ 3.90

90° Elbow - Tube OD



PQC-E04	1/4"	10	300	\$ 2.41
PQC-E06	3/8"	10	250	\$ 3.83

Tube Support - Tube OD



PQC-TS04	1/4"	10		\$ 0.38
PQC-TS06	3/8"	10		\$ 0.38

90° Elbow - Tube OD x MPT



PQC-ME0402	1/4" x 1/8"	10	300	\$ 2.13
PQC-ME0404	1/4" x 1/4"	10	300	\$ 2.27
PQC-ME0604	3/8" x 1/4"	10	250	\$ 3.05
PQC-ME0606	3/8" x 3/8"	10	250	\$ 3.26

Straight Supply Valve - Tube OD



PQCSVS-04	1/4"	10	300	\$ 9.80
PQCSVS-06	3/8"	10	300	\$ 10.45

Clip - Tube OD



PQC-LC04	1/4"	10	200	\$ 0.31
PQC-LC06	3/8"	10	200	\$ 0.32

Straight Supply Valve - Tube OD x MPT



PQCSVS-0404M	1/4" x 1/4"	10	300	\$ 9.87
--------------	-------------	----	-----	---------

TWISTLOC FITTINGS

The twist and lock system is designed for residential & commercial plumbing, and suitable for cold and hot potable water supply systems only. These all white fittings have color coded rings for easy recognition of size and easy verification of lock/unlock status at a distance. They are removable and re-useable without damage to plumbing or fittings. Integral tube support for PEX installations.

- For tube sizes 1/8" (0.25" O.D.), 1/4" (0.375" O.D.), 3/8" (0.5" O.D.), 1/2" (0.625" O.D.), 3/4" (0.875" O.D.), 1" (1.125" O.D.)
- Specifications
 - ASME A112.18.1 / CSA B125.1 Plumbing Supply Fittings
 - ASSE 1061 Removable & Non-removable Push-Fit Fittings

• NSF/ANSI 14, 61, & 372

Maximum Pressure: 250 PSI @ 73°F (23°C), 150 PSI @ 140°F (60°C), 100 PSI @ 180°F (82°C)



Part No.	Size	Quantity List		
		L1	L2	Price - A

List Price Effective: April 27, 2020

Part No.	Size	Quantity List		
		L1	L2	Price - A

List Price Effective: April 27, 2020

Adapter - CTS x FPT



PTL-FA0305	3/8" x 1/2"	10	100	\$ 5.77
PTL-FA05	1/2"	10	100	\$ 6.96
PTL-FA0507	1/2" x 3/4"	10	100	\$ 7.53
PTL-FA07	3/4"	10	100	\$ 8.73
PTL-FA10	1"	5	50	\$ 12.22

Adapter - CTS x MPT



PTL-MA0305	3/8" x 1/2"	10	100	\$ 6.04
PTL-MA05	1/2"	10	150	\$ 6.35
PTL-MA0507	1/2" x 3/4"	10	100	\$ 7.48
PTL-MA07	3/4"	10	100	\$ 9.37
PTL-MA10	1"	5	50	\$ 10.54

Contact your sales rep for any further information

TWISTLOC FITTINGS

Part No.	Size	Quantity List			Price - A
		L1	L2		

List Price Effective: April 27, 2020

Valve Adapter - CTS

Dual outlet



PTLVA-0301	3/8" x 1/8"	5	50	\$ 14.08
PTLVA-0302	3/8" x 1/4"	5	50	\$ 15.15
PTLVA-0501	1/2" x 1/8"	5	50	\$ 15.63
PTLVA-0502	1/2" x 1/4"	5	50	\$ 16.69

Cap - CTS



PTL-CA05	1/2"	10	150	\$ 4.92
PTL-CA07	3/4"	10	100	\$ 5.96
PTL-CA10	1"	5	50	\$ 7.92

Coupling - CTS



PTL-C03	3/8"	10	150	\$ 5.75
PTL-C05	1/2"	10	150	\$ 5.22
PTL-C0503	1/2" x 3/8"	10	150	\$ 6.40
PTL-C07	3/4"	10	100	\$ 7.06
PTL-C0705	3/4" x 1/2"	10	100	\$ 8.91
PTL-C10	1"	5	50	\$ 12.55
PTL-C1007	1" x 3/4"	5	50	\$ 11.72

Repair Coupling - CTS



PTL-SC05	1/2"	5	50	\$ 11.69
PTL-SC07	3/4"	5	50	\$ 16.78

90° Elbow - CTS



PTL-E03	3/8"	10	100	\$ 6.31
PTL-E05	1/2"	10	100	\$ 5.67
PTL-E07	3/4"	10	50	\$ 8.04
PTL-E0705	3/4" x 1/2"	10	50	\$ 8.12
PTL-E10	1"	5	25	\$ 12.45

90° Elbow - CTS x MPT



PTL-ME05	1/2"	10	100	\$ 6.34
----------	------	----	-----	---------

90° Elbow - CTS x GHT Swivel



PTL-FSEGH	1/2" x 3/4"	5	100	\$ 9.85
-----------	-------------	---	-----	---------

Part No.	Size	Quantity List			Price - A
		L1	L2		

List Price Effective: April 27, 2020

Dropear 90° Elbow - CTS x FPT



PTL-DE05	1/2"	10	100	\$ 9.01
----------	------	----	-----	---------

Tee - CTS



PTL-T03	3/8"	10	50	\$ 6.89
PTL-T05	1/2"	10	50	\$ 7.59
PTL-T050501	1/2" x 1/2" x 1/8"	10	50	\$ 11.54
PTL-T07	3/4"	10	50	\$ 10.34
PTL-T070505	3/4" x 1/2" x 1/2"	10	50	\$ 10.88
PTL-T070705	3/4" x 3/4" x 1/2"	10	50	\$ 11.38
PTL-T10	1"	5	25	\$ 19.28
PTL-T101007	1" x 1" x 3/4"	5	25	\$ 17.91

Tee Valve - CTS



PTLSCTV-0501	1/2" x 1/8"	5	25	\$ 19.28
PTLSCTV-0502	1/2" x 1/4"	5	25	\$ 20.84

Tube Support - CTS



PTL-S01	1/8"	25	500	\$ 0.45
PTL-S02	1/4"	25	500	\$ 0.45
PTL-S03	3/8"	25	500	\$ 0.45
PTL-S05	1/2"	25	400	\$ 0.48
PTL-S07	3/4"	25	400	\$ 0.53
PTL-S10	1"	25	300	\$ 0.58

Angle Supply Valve - CTS



PTLSVA-0502	1/2" x 1/4"	5	100	\$ 14.85
-------------	-------------	---	-----	----------

Straight Supply Valve - CTS



PTLSVS-03	3/8"	5	50	\$ 14.20
PTLSVS-05	1/2"	5	50	\$ 16.14
PTLSVS-0501	1/2" x 1/8"	5	50	\$ 15.93
PTLSVS-07	3/4"	5	25	\$ 20.42

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

POLY-ALLOY COLD EXPANSION PEX FITTINGS

Cold Expansion PEX fittings are resistant to chemicals in corrosive and aggressive water conditions. They are designed for use in ASTM F1960 PEX cold and hot water distribution systems using SDR9 PEX tubing. A large internal diameter provides maximum flow through the fitting. There are integral locating tabs to ensure tubing and fitting are installed properly. The expansion connection method provides a positive and leak free seal.




- Specifications
 - ASTM F877 PEX Plastic Hot & Cold Water Distribution Systems
 - ASTM F1960 Cold Expansion PEX Fittings
 - CSA B137.5 PEX Tubing Systems for Pressure Applications


• NSF/ANSI 14, 61 & 372


Temperature Range: Up to 180°F (82°C), Maximum Pressure: 100 PSI


Part No.	Size	Quantity List		Price - A
		L1	L2	

List Price Effective: April 27, 2020

Adapter - FPT x PEX Swivel on FPT connection				
				
710CEP-FA05S	1/2"	25	300	\$ 2.70

Adapter - PEX x MPT				
				
710CEP-MA05	1/2"	25	375	\$ 1.70
710CEP-MA0507	1/2" x 3/4"	25	250	\$ 1.98
710CEP-MA07	3/4"	25	200	\$ 2.80
710CEP-MA10	1"	10	100	\$ 5.34

Coupling - PEX				
				
710CEP-C05	1/2"	25	500	\$ 1.22
710CEP-C07	3/4"	25	250	\$ 1.92
710CEP-C0705	3/4" x 1/2"	25	300	\$ 1.73
710CEP-C10	1"	10	100	\$ 3.67
710CEP-C1007	1" x 3/4"	10	100	\$ 3.80


90° Elbow - PEX				
				
710CEP-E05	1/2"	25	300	\$ 1.63
710CEP-E07	3/4"	25	150	\$ 2.68
710CEP-E10	1"	10	60	\$ 5.67


Part No.	Size	Quantity List		Price - A
		L1	L2	

List Price Effective: April 27, 2020

90° Elbow - FPT x PEX Swivel on FPT connection				
				
710CEP-FE05S	1/2"	25	250	\$ 3.15

90° Elbow - PEX x MPT				
				
710CEP-ME05	1/2"	25	300	\$ 3.90

Plug - PEX				
				
710CEP-P05	1/2"	25	750	\$ 1.10
710CEP-P07	3/4"	25	500	\$ 1.53
710CEP-P10	1"	10	180	\$ 2.53

Tee - PEX				
				
710CEP-T05	1/2"	25	250	\$ 2.06
710CEP-T050507	1/2" x 1/2" x 3/4"	25	200	\$ 2.73
710CEP-T07	3/4"	25	100	\$ 3.66
710CEP-T070505	3/4" x 1/2" x 1/2"	25	100	\$ 3.28
710CEP-T070507	3/4" x 1/2" x 3/4"	25	100	\$ 3.28
710CEP-T070705	3/4" x 3/4" x 1/2"	25	100	\$ 3.28
710CEP-T10	1"	10	60	\$ 7.40
710CEP-T100707	1" x 3/4" x 3/4"	10	60	\$ 6.87
710CEP-T100710	1" x 3/4" x 1"	10	60	\$ 8.27
710CEP-T101005	1" x 1" x 1/2"	10	60	\$ 7.00
710CEP-T101007	1" x 1" x 3/4"	10	60	\$ 8.21

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

POLY-ALLOY CRIMP PEX FITTINGS

Crimp PEX fittings are resistant to chemicals in corrosive and aggressive water conditions. They are designed for use in ASTM F2159 PEX cold and hot water distribution systems using SDR9 PEX tubing. There are integral locating tabs to ensure tubing and fitting are installed properly which eliminates faulty crimp connections.



• Specifications

- ASTM F877 PEX Plastic Hot & Cold Water Distribution Systems
- ASTM F2159 Fittings Using a Crimp Ring
- CSA B137.5 PEX Tubing Systems for Pressure Applications

• NSF/ANSI 14, 61 & 372

Temperature Range: Up to 180°F (82°C), Maximum Pressure: 100 PSI

Part No.	Size	Quantity List		Price - A
		L1	L2	

List Price Effective: April 27, 2020

Adapter - FPT x PEX
Swivel on FPT connection



710P-FA05S	1/2"	25	400	\$ 1.90
710P-FA07S	3/4"	25	200	\$ 2.35

Adapter - PEX x MPT



710P-MA05	1/2"	25	450	\$ 1.34
710P-MA0507	1/2" x 3/4"	25	300	\$ 1.66
710P-MA07	3/4"	25	250	\$ 1.92
710P-MA0705	3/4" x 1/2"	25	300	\$ 1.75
710P-MA10	1"	10	140	\$ 3.54

Coupling - PEX



710P-C05	1/2"	25	750	\$ 0.65
710P-C07	3/4"	25	300	\$ 1.11
710P-C0705	3/4" x 1/2"	25	500	\$ 0.81
710P-C10	1"	10	200	\$ 2.57
710P-C1005	1" x 1/2"	10	200	\$ 2.13
710P-C1007	1" x 3/4"	10	200	\$ 2.20

90° Elbow - PEX



710P-E05	1/2"	25	600	\$ 0.90
710P-E07	3/4"	25	250	\$ 1.70
710P-E0705	3/4" x 1/2"	25	200	\$ 1.42
710P-E10	1"	10	160	\$ 3.73

90° Elbow - FPT x PEX
Swivel on FPT connection



710P-FE05S	1/2"	25	250	\$ 2.45
------------	------	----	-----	---------

Part No.	Size	Quantity List		Price - A
		L1	L2	

List Price Effective: April 27, 2020

90° Elbow - PEX x MPT



710P-ME05	1/2"	25	300	\$ 1.61
710P-ME07	3/4"	25	200	\$ 2.24
710P-ME0705	3/4" x 1/2"	25	200	\$ 1.71

Wingnut Elbow - FPT x PEX
Swivel on FPT connection



710P-FE05SW	1/2"	25	250	\$ 2.45
-------------	------	----	-----	---------

Plug - PEX



710P-P05	1/2"	25	1000	\$ 0.79
710P-P07	3/4"	25	750	\$ 0.94
710P-P10	1"	25	500	\$ 1.83

Tee - PEX



710P-T05	1/2"	25	300	\$ 1.30
710P-T050507	1/2" x 1/2" x 3/4"	25	300	\$ 1.71
710P-T07	3/4"	25	200	\$ 2.25
710P-T070505	3/4" x 1/2" x 1/2"	25	300	\$ 1.65
710P-T070507	3/4" x 1/2" x 3/4"	25	250	\$ 1.92
710P-T070705	3/4" x 3/4" x 1/2"	25	250	\$ 1.74
710P-T070710	3/4" x 3/4" x 1"	10	100	\$ 3.41
710P-T10	1"	10	100	\$ 5.38
710P-T100707	1" x 3/4" x 3/4"	10	100	\$ 4.54
710P-T100710	1" x 3/4" x 1"	10	100	\$ 5.04
710P-T101005	1" x 1" x 1/2"	10	100	\$ 4.54
710P-T101007	1" x 1" x 3/4"	10	100	\$ 4.54

Tee - PEX x MPT



710P-MT05	1/2"	10	180	\$ 1.73
-----------	------	----	-----	---------

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

PEX ACCESSORIES

These accessories are for use with PEX fittings.

- Specifications
 - ASTM F877 PEX Plastic Hot & Cold Water Distribution Systems
 - ASTM F2159 Fittings Using a Crimp Ring
 - CSA B137.5 PEX Tubing Systems for Pressure Applications
- NSF/ANSI 14, 61 & 372



Part No.	Size	Quantity List		
		L1	L2	Price - A

List Price Effective: October 05, 2020



Copper Crimp Rings
For use with crimp PEX fittings

720P-CR05	1/2"	100	1000	\$ 0.33
720P-CR07	3/4"	100	500	\$ 0.44
720P-CR10	1"	50	250	\$ 0.56

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com



Contact your sales rep for any further information
Toll Free: 1-800-561-3164
boshart.com

INSERT FITTINGS, CLAMPS & FLEXIBLE CONNECTORS

Metal & plastic insert fittings great for any application, clamps for securing fittings and flexible connectors



INDEX

Product Line	Page
Brass Insert Fittings	1
Bronze Insert Fittings	1
Stainless Steel Insert Fittings	3
Zinc Plated Insert Fittings	4
Bronze Hydrant Fittings	5
Stainless Steel Hydrant Fittings	5
Venturi Adapters	6
Venturi Elbows	6
Nylon Fittings	7
Polypropylene Fittings	8
PVC Fittings	9
Pool & Spa Fittings	11
PVC Expansion Couplings	11
PVC Compression Fittings	11
White PVC Schedule 40 Fittings	12
Gray PVC Schedule 40 Fittings	16
Gray PVC Schedule 80 Fittings	17
Gaskets for Schedule 80 Flanges	20
PVC Schedule 80 Nipples	21
All Stainless Steel Clamps	23
Flexible Couplings	29
Flexible End Caps, Elbows and Tees	30
Flexible Plumbing Connectors	31
No Hub "MJ" Merchant Joint Couplings	31
Shielded Transition Couplings	32

BRASS INSERT FITTINGS

Brass insert fittings are available in a variety of sizes and fitting types.
• NSF/ANSI 372



Part No.	Size	No. of Barbs	Quantity		List Price - A
			L1	L2	

List Price Effective: April 27, 2020

Part No.	Size	No. of Barbs	Quantity		List Price - A
			L1	L2	

List Price Effective: April 27, 2020



Swaged Adapter - MPT x Insert

Coupling - Insert

MAB-050	1/2"	6	25	200	\$ 7.53
MAB-075	3/4"	6	25	150	\$ 10.36
MAB-100	1"	7	20	120	\$ 13.80
MAB-125	1-1/4"	7	20	80	\$ 23.70
MAB-150	1-1/2"	9	10	60	\$ 32.49
MAB-200	2"	9	10	40	\$ 43.10
MAB-250	2-1/2"	11		20	\$ 86.03
MAB-300	3"	11		12	\$ 125.35
MAB-400	4"	15	6		\$ 232.70

CB-050	1/2"	6	25	250	\$ 5.44
CB-075	3/4"	6	25	150	\$ 8.99
CB-100	1"	7	20	120	\$ 13.46
CB-125	1-1/4"	7	20	80	\$ 19.78
CB-150	1-1/2"	9	10	60	\$ 33.76
CB-200	2"	9	10	40	\$ 45.43
CB-250	2-1/2"	11	5	20	\$ 77.04
CB-300	3"	11		12	\$ 126.83

BRONZE INSERT FITTINGS

Bronze insert fittings are available in a variety of sizes and fitting types. The elbows have been designed with a smooth sweep channel to minimize friction loss. This ensures the highest possible flow rates and pumping efficiency.

• NSF/ANSI 372



Part No.	Size	No. of Barbs	Quantity		List Price - A
			L1	L2	

List Price Effective: April 27, 2020

Part No.	Size	No. of Barbs	Quantity		List Price - A
			L1	L2	

List Price Effective: April 27, 2020



Adapter - FPT x Insert

Easy Tie Adapter - MPT x Insert

FA-075NL	3/4"	5	10	100	\$ 12.55
FA-100-125NL	1" x 1-1/4"	6	10	100	\$ 24.62
FA-100NL	1"	5	10	100	\$ 19.47
FA-125NL	1-1/4"	7	10	100	\$ 24.23
FA-150NL	1-1/2"	6	5	50	\$ 28.87

BMA-100-ETNL	1"	7	10	80	\$ 18.65
BMA-125-ETNL	1-1/4"	7	5	60	\$ 24.32
BMAXL-125-100ETNL	1-1/4" x 1"	13	5	60	\$ 27.17



Adapter - MPT x Insert

Extra Long Adapter - MPT x Insert

BMA-050-075NL	1/2" x 3/4"	6	10	100	\$ 9.84
BMA-050NL	1/2"	5	10	200	\$ 8.88
BMA-075-050NL	3/4" x 1/2"	6	10	100	\$ 12.96
BMA-075-100NL	3/4" x 1"	7	10	100	\$ 14.54
BMA-075NL	3/4"	6	10	200	\$ 11.81
BMA-100-075NL	1" x 3/4"	6	10	100	\$ 18.18
BMA-100-125NL	1" x 1-1/4"	7	10	80	\$ 20.02
BMA-100-150NL	1" x 1-1/2"	7	10	60	\$ 23.10
BMA-100NL	1"	7	10	100	\$ 14.78
BMA-125-100NL	1-1/4" x 1"	7	10	100	\$ 19.29
BMA-125-150NL	1-1/4" x 1-1/2"	7	10	80	\$ 22.25
BMA-125NL	1-1/4"	7	10	100	\$ 21.77
BMA-150-125NL	1-1/2" x 1-1/4"	7	6	60	\$ 37.28
BMA-150NL	1-1/2"	7	10	60	\$ 27.80
BMA-200-150NL	2" x 1-1/2"	7	6	48	\$ 49.23
BMA-200NL	2"	7	5	40	\$ 51.72

BMAXL-100NL	1"	13	10	80	\$ 20.83
BMAXL-125-100NL	1-1/4" x 1"	13	5	60	\$ 24.80
BMAXL-125NL	1-1/4"	13	5	60	\$ 27.07
BMAXL-150NL	1-1/2"	13	5	30	\$ 35.31
BMAXL-200NL	2"	13	5	30	\$ 50.53



Tapped Adapter - MPT x Insert

BMA-100-TNL	1"	7	10	100	\$ 13.32
-------------	----	---	----	-----	----------

Coupling - Insert

C-075NL	3/4"	4	10	200	\$ 11.83
C-100NL	1"	5	10	100	\$ 18.88
C-125NL	1-1/4"	6	10	100	\$ 26.65

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

BRONZE INSERT FITTINGS

Part No. Size No. of Barbs Quantity List Price - A
L1 L2
List Price Effective: April 27, 2020

90° Elbow - Insert

Part No.	Size	No. of Barbs	L1	L2	Quantity	List Price - A
ELB-075NL	3/4"	6	10	100	100	\$ 16.84
ELB-100NL	1"	6	10	100	100	\$ 27.23
ELB-125NL	1-1/4"	6	5	50	50	\$ 40.75



90° Elbow - FPT x Insert

Part No.	Size	No. of Barbs	L1	L2	Quantity	List Price - A
BFE-075NL	3/4"	6	10	100	100	\$ 16.64
BFE-100NL	1"	7	10	60	60	\$ 28.66
BFE-125NL	1-1/4"	7	5	50	50	\$ 43.19



Part No. Size No. of Barbs Quantity List Price - A
L1 L2
List Price Effective: April 27, 2020

90° Elbow - MPT x Insert

Part No.	Size	No. of Barbs	L1	L2	Quantity	List Price - A
BME-075-100NL	3/4" x 1"	7	10	100	100	\$ 20.43
BME-075NL	3/4"	6	10	100	100	\$ 15.53
BME-100NL	1"	7	10	80	80	\$ 25.72
BME-125NL	1-1/4"	7	5	60	60	\$ 39.53
BME-150NL	1-1/2"	7	5	40	40	\$ 28.74



Tee - Insert

Part No.	Size	No. of Barbs	L1	L2	Quantity	List Price - A
TE-075NL	3/4"	5	10	100	100	\$ 20.98
TE-100NL	1"	6	10	100	100	\$ 31.82
TE-125NL	1-1/4"	6	5	50	50	\$ 48.91



Tee - Insert x Insert x FPT

Part No.	Size	No. of Barbs	L1	L2	Quantity	List Price - A
BFT-075-100NL	1" x 1" x 3/4"	7	10	80	80	\$ 34.66
BFT-075NL	3/4"	6	10	100	100	\$ 22.64
BFT-100NL	1"	7	10	60	60	\$ 40.12
BFT-125NL	1-1/4"	7	5	40	40	\$ 54.69



BRONZE O-RING UNION ADAPTERS

These connectors are for easy installation of inlet line and discharge applications. They use an american standard Buna-N O-ring to ensure a watertight seal. Replacement O-rings are available.

• NSF/ANSI 372



Part No. Size No. of Barbs O-ring Size Quantity List Price - A
L1 L2
List Price Effective: April 27, 2020

FPT x Insert

Part No.	Size	No. of Barbs	O-ring Size	L1	L2	Quantity	List Price - A
07-UC10-BNL	1"	7	AS 568-212	32	128	100	\$ 20.54
07-UC12-B10NL	1-1/4" x 1"	7	AS 568-320	18	72	100	\$ 29.93
07-UC12-BNL	1-1/4"	7	AS 568-320	18	72	100	\$ 30.30

MPT x Insert

Part No.	Size	No. of Barbs	O-ring Size	L1	L2	Quantity	List Price - A
U-075NL	3/4"	6	AS568-116	10	80	100	\$ 23.86
U-100NL	1"	7	AS568-119	5	60	100	\$ 38.01
U-125NL	1-1/4"	7	AS 568-218	5	40	100	\$ 55.23

FPT x PEX

Part No.	Size	No. of Barbs	O-ring Size	L1	L2	Quantity	List Price - A
07-UC10-P07NL	1" x 3/4"	7	AS 568-212	50	200	100	\$ 13.50
07-UC10-P10NL	1"	7	AS 568-212	40	160	100	\$ 15.40
07-UC12-P07NL	1-1/4" x 3/4"	7	AS 568-212	36	144	100	\$ 18.44
07-UC12-P10NL	1-1/4" x 1"	7	AS 568-212	24	96	100	\$ 19.56

FPT x Spigot or Socket

The solder connection is designed for the following copper pipe:

- 1" Type L only
- 3/4" Type K, L & M

Part No.	Size	No. of Barbs	O-ring Size	L1	L2	Quantity	List Price - A
07-UC10-SNL	1" x 1" or 3/4"	7	AS 568-212	40	160	100	\$ 14.65
07-UC12-SNL	1-1/4" x 1" or 3/4"	7	AS 568-320	30	120	100	\$ 18.89



Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

STAINLESS STEEL INSERT FITTINGS

Stainless Steel insert fittings are available in a variety of sizes and fitting types. The elbows have been designed with a smooth sweep channel to minimize friction loss. This ensures the highest possible flow rates and pumping efficiency. Boshart recommends using both Gray Stainless Steel PTFE Tape & Gray Magic Pipe Thread Compound together for joining stainless steel threaded fittings

- NSF/ANSI 372



Part No.	Size	No. of Barbs	Quantity		List Price - A
			L1	L2	

List Price Effective: April 27, 2020



Adapter - MPT x Insert

SSMA-050	1/2"	6	25	200	\$ 7.22
SSMA-075	3/4"	6	25	200	\$ 10.17
SSMA-075-100	3/4" x 1"	6	20	120	\$ 13.27
SSMA-100	1"	7	20	120	\$ 16.00
SSMA-125	1-1/4"	7	20	80	\$ 20.65
SSMA-125-100	1-1/4" x 1"	7	20	80	\$ 18.45
SSMA-150	1-1/2"	6	10	80	\$ 27.24
SSMA-200	2"	7	5	40	\$ 35.95



Extra Long Adapter - MPT x Insert

SSMAXL-100	1"	13	20	80	\$ 21.91
SSMAXL-125	1-1/4"	13	10	60	\$ 25.48
SSMAXL-125-100	1-1/4" x 1"	13	10	60	\$ 23.19



Swaged Adapter - FPT x Insert

FASS-075	3/4"	6	25	150	\$ 8.84
FASS-100	1"	7	20	120	\$ 13.93
FASS-125	1-1/4"	7	20	80	\$ 16.80
FASS-150	1-1/2"	9	10	60	\$ 22.80
FASS-200	2"	9	10	40	\$ 29.84



Swaged Adapter - MPT x Insert

MASS-050	1/2"	6	25	200	\$ 6.22
MASS-050-075	1/2" x 3/4"	6	10	180	\$ 7.18
MASS-075	3/4"	6	25	150	\$ 6.28
MASS-100	1"	7	20	120	\$ 10.48
MASS-125	1-1/4"	7	20	80	\$ 12.29
MASS-125-100	1-1/4" x 1"	7	20	80	\$ 14.20
MASS-150	1-1/2"	9	10	60	\$ 19.06
MASS-200	2"	9	10	40	\$ 25.12

Part No.	Size	No. of Barbs	Quantity		List Price - A
			L1	L2	

List Price Effective: April 27, 2020



Coupling - Insert

CSS-050	1/2"	6	25	200	\$ 5.06
CSS-075	3/4"	6	25	150	\$ 6.00
CSS-075-050	3/4" x 1/2"	6	25	150	\$ 8.26
CSS-100	1"	7	20	120	\$ 11.80
CSS-100-075	1" x 3/4"	7 x 6	20	120	\$ 13.05
CSS-125	1-1/4"	7	20	80	\$ 12.36
CSS-125-100	1-1/4" x 1"	7	20	80	\$ 14.77
CSS-150	1-1/2"	9	10	60	\$ 20.96
CSS-150-125	1-1/2" x 1-1/4"	9 x 7	10	60	\$ 22.40
CSS-200	2"	9	10	40	\$ 30.51
CSS-200-150	2" x 1-1/2"	9	10	40	\$ 32.62



90° Elbow - Insert

SSEL-075	3/4"	6	20	160	\$ 10.08
SSEL-100	1"	7	12	96	\$ 14.60
SSEL-100-075	1" x 3/4"	7 x 6	12	96	\$ 13.37
SSEL-125	1-1/4"	7	8	64	\$ 24.55
SSEL-150	1-1/2"	9	8	32	\$ 35.36



Tee - Insert

SSTE-075	3/4"	6	12	96	\$ 14.83
SSTE-100	1"	7	12	96	\$ 20.81
SSTE-100-075	1" x 1" x 3/4"	7 x 6	12	96	\$ 19.08
SSTE-125	1-1/4"	7	7	56	\$ 33.79
SSTE-150	1-1/2"	9	4	16	\$ 51.64

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

ZINC PLATED INSERT FITTINGS

Zinc Plated insert fittings are available in a variety of sizes and fitting types.

- NSF/ANSI 372



Part No.	Size	No. of Barbs	Quantity		List Price - A
			L1	L2	
List Price Effective: April 27, 2020					

Part No.	Size	No. of Barbs	Quantity		List Price - A
			L1	L2	
List Price Effective: April 27, 2020					

Adapter - MPT x Insert



MAS-050NL	1/2"	6	25	200	\$ 1.75
MAS-075NL	3/4"	6	25	150	\$ 2.13
MAS-100-125NL	1" x 1-1/4"	7	10	80	\$ 4.58
MAS-100NL	1"	7	20	120	\$ 3.08
MAS-125-100NL	1-1/4" x 1"	7	20	80	\$ 5.43
MAS-125NL	1-1/4"	7	20	80	\$ 4.19
MAS-150NL	1-1/2"	9	10	60	\$ 5.46
MAS-200NL	2"	9	10	40	\$ 7.93
MAS-250NL	2-1/2"	11	4	24	\$ 19.41
MAS-300NL	3"	11	4	16	\$ 21.95
MAS-400NL	4"	15	2	12	\$ 33.80

Coupling - Insert



CS-050NL	1/2"	6	25	200	\$ 1.70
CS-075NL	3/4"	6	25	150	\$ 2.32
CS-100NL	1"	7	20	120	\$ 3.05
CS-125NL	1-1/4"	7	20	80	\$ 5.36
CS-150NL	1-1/2"	9	10	60	\$ 6.22
CS-200NL	2"	9	10	40	\$ 8.50
CS-250NL	2-1/2"	11	5	20	\$ 22.31
CS-300NL	3"	11	4	12	\$ 26.70
CS-400NL	4"	15	2	8	\$ 38.20

Extra Long Adapter - MPT x Insert



MASXL-100NL	1"	13	20	80	\$ 4.02
MASXL-125NL	1-1/4"	14	10	60	\$ 5.41

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

BRONZE HYDRANT FITTINGS

Bronze hydrant fittings are used to connect the water line to a hydrant under ground.
• NSF/ANSI 372



Part No.	Size	No. of Barbs	Quantity		List Price - A
			L1	L2	

List Price Effective: April 27, 2020

Part No.	Size	No. of Barbs	Quantity		List Price - A
			L1	L2	

List Price Effective: April 27, 2020

90° Elbow - MPT x Insert



HL-075-100NL	3/4" x 1"	6	10	100	\$ 21.45
HL-075-125NL	3/4" x 1-1/4"	6	10	50	\$ 33.79
HL-075NL	3/4"	5	10	100	\$ 16.75
HL-100-125NL	1" x 1-1/4"	6	5	50	\$ 35.97
HL-100NL	1"	5	10	100	\$ 24.72
HLU-NL	3/4" x 1-1/4" & 1"	6	5	50	\$ 41.87
HLW-NL	1" x 1-1/4" & 1"	6	5	50	\$ 42.33

Tapped 90° Elbow - MPT x Insert



HL-075-100-TNL	3/4" x 1"	6	10	100	\$ 21.61
HL-100-TNL	1"	5	10	80	\$ 24.89

Extra Long 90° Elbow - MPT x Insert



HLXL-075-100NL	3/4" x 1"	8	10	100	\$ 19.93
HLXL-100NL	1"	8	10	100	\$ 27.57

Extra Long Tapped 90° Elbow - MPT x Insert



HLXL-100-TNL	1"	8	10	100	\$ 58.29
--------------	----	---	----	-----	----------

Tee - Insert x Insert x MPT



HT-075-100NL	1" x 1" x 3/4"	6	10	100	\$ 25.79
HT-075-125NL	1-1/4" x 1-1/4" x 3/4"	7	10	50	\$ 40.59
HT-075NL	3/4"	4	10	100	\$ 20.06
HT-100-125NL	1-1/4" x 1-1/4" x 1"	7	5	50	\$ 45.27
HT-100NL	1"	4	10	100	\$ 27.99

STAINLESS STEEL HYDRANT FITTINGS

Bronze hydrant fittings are used to connect the water line to a hydrant under ground.
• NSF/ANSI 372



Part No.	Size	No. of Barbs	Quantity		List Price - A
			L1	L2	

List Price Effective: April 27, 2020

Part No.	Size	No. of Barbs	Quantity		List Price - A
			L1	L2	

List Price Effective: April 27, 2020

90° Elbow - MPT x Insert



SSHL-075	3/4"	6	16	192	\$ 11.08
SSHL-075-100	3/4" x 1"	7	16	128	\$ 12.20
SSHL-100	1"	7	10	80	\$ 16.28
SSHL-100-125	1" x 1-1/4"	7	8	64	\$ 21.48
SSHL-125	1-1/4"	7	12	72	\$ 24.85

Tee - Insert x Insert x MPT



SSHT-075	3/4"	6	10	120	\$ 16.34
SSHT-075-100	1" x 1" x 3/4"	6	8	96	\$ 19.72
SSHT-100	1"	7	8	64	\$ 23.55

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

BRASS VENTURI ADAPTERS



• NSF/ANSI 372

Part No.	Size	Length	Quantity		List Price - A
			L1	L2	

List Price Effective: June 24, 2019



Adapter - MPT x Poly

BVA-100-06	1"	6"	5	50	\$ 23.01
BVA-100-10	1"	10"	10	40	\$ 34.75
BVA-125-06	1-1/4"	6"	5	30	\$ 32.12
BVA-125-10	1-1/4"	10"	5	30	\$ 49.45

BRASS VENTURI ELBOWS



• NSF/ANSI 372

Part No.	Size	Quantity		List Price - A
		L1	L2	

List Price Effective: June 24, 2019



90° Elbow - Poly

BVE-100	1"	30	\$ 56.34
BVE-125	1-1/4"	15	\$ 98.57

ZINC PLATED VENTURI ADAPTERS



• NSF/ANSI 372

Part No.	Size	Length	Quantity		List Price - A
			L1	L2	

List Price Effective: June 24, 2019



Adapter - MPT x Poly

GVA-100-06NL	1"	6"	60	\$ 7.21
GVA-100-10NL	1"	10"	40	\$ 9.65
GVA-125-06NL	1-1/4"	6"	40	\$ 10.21
GVA-125-10NL	1-1/4"	10"	30	\$ 14.21

ZINC PLATED VENTURI ELBOWS



• NSF/ANSI 372

Part No.	Size	Quantity		List Price - A
		L1	L2	

List Price Effective: June 24, 2019



90° Elbow - Poly

GVE-100NL	1"	25	\$ 18.46
GVE-125NL	1-1/4"	20	\$ 21.37

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

NYLON FITTINGS

Nylon fittings are tough and great for water well, underground, barns, livestock and watering systems. These are not ideal for applications exposed to sunlight as ultraviolet rays will cause fittings to become brittle.

• NSF/ANSI 372



Part No.	Size	Industry Number	Quantity L1	L2	List Price - A
----------	------	-----------------	-------------	----	----------------

List Price Effective: June 24, 2019

Adapter - MPT x Insert



NA-05	1/2"	3400	10	400	\$ 0.80
NA-07	3/4"	3401	10	250	\$ 1.00
NA-10	1"	3402	10	160	\$ 1.26
NA-12	1-1/4"	3403	10	80	\$ 2.06
NA-15	1-1/2"	3404	5	60	\$ 2.99
NA-20	2"	3405	5	40	\$ 4.78

Coupling - Insert



NC-05	1/2"	3420	10	400	\$ 0.80
NC-07	3/4"	3421	10	250	\$ 0.92
NC-10	1"	3422	10	160	\$ 1.25
NC-12	1-1/4"	3423	10	80	\$ 2.32
NC-15	1-1/2"	3424	5	60	\$ 3.17
NC-20	2"	3425	5	40	\$ 4.15

90° Elbow - Insert



NE-05	1/2"	3430	10	300	\$ 1.34
NE-07	3/4"	3431	10	180	\$ 1.53
NE-10	1"	3432	10	100	\$ 1.83
NE-12	1-1/4"	3433	5	60	\$ 3.11
NE-15	1-1/2"	3434	5	40	\$ 4.80
NE-20	2"	3435	5	25	\$ 6.59

Part No.	Size	Industry Number	Quantity L1	L2	List Price - A
----------	------	-----------------	-------------	----	----------------

List Price Effective: June 24, 2019

90° Elbow - MPT x Insert



NME-05	1/2"	3455	10	300	\$ 2.36
NME-07	3/4"	3456	10	200	\$ 3.32
NME-10	1"	3457	10	100	\$ 4.56
NME-12	1-1/4"	3458	5	60	\$ 6.07
NME-15	1-1/2"	3459	5	50	\$ 9.05

Tee - Insert



NT-05	1/2"	3440	10	180	\$ 1.59
NT-07	3/4"	3441	10	100	\$ 1.87
NT-10	1"	3442	10	60	\$ 2.94
NT-12	1-1/4"	3443	5	40	\$ 5.16
NT-15	1-1/2"	3444	5	30	\$ 7.31
NT-20	2"	3445	5	15	\$ 9.92

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

POLYPROPYLENE FITTINGS

Poly fittings are economical and have good chemical resistance.

- NSF/ANSI 372



Part No.	Size	Industry Number	Quantity		List Price - A
			L1	L2	
List Price Effective: June 24, 2019					

Part No.	Size	Industry Number	Quantity		List Price - A
			L1	L2	
List Price Effective: June 24, 2019					

Adapter - MPT x Insert



PPA-05	1/2"	2730	10	400	\$ 0.43
PPA-07	3/4"	2731	10	250	\$ 0.46
PPA-10	1"	2732	10	160	\$ 0.60
PPA-12	1-1/4"	2733	10	80	\$ 0.86
PPA-15	1-1/2"	2734	5	60	\$ 1.01
PPA-20	2"	2735	5	40	\$ 1.87
PPIA-0507	1/2" x 3/4"		10	300	\$ 0.85
PPIA-0710	3/4" x 1"		10	200	\$ 0.96
PPRA-0705	3/4" x 1/2"	2740	10	300	\$ 0.83
PPRA-1007	1" x 3/4"	2742	10	200	\$ 1.01
PPRA-1210	1-1/4" x 1"	2745	10	120	\$ 1.37
PPRA-1512	1-1/2" x 1-1/4"	2749	5	80	\$ 1.51

90° Elbow - MPT x Insert



PPME-05	1/2"	2955	10	300	\$ 0.98
PPME-07	3/4"	2956	10	200	\$ 1.39
PPME-10	1"	2957	10	100	\$ 1.82
PPME-15	1-1/2"	2959	5	50	\$ 3.49
PPME-20	2"	2960	5	30	\$ 6.73

Coupling - Insert



PPC-05	1/2"	2825	10	400	\$ 0.45
PPC-07	3/4"	2826	10	250	\$ 0.46
PPC-10	1"	2827	10	160	\$ 0.59
PPC-12	1-1/4"	2828	10	80	\$ 0.88
PPC-15	1-1/2"	2829	5	60	\$ 1.11
PPC-20	2"	2830	5	40	\$ 1.92
PPRC-0705	3/4" x 1/2"	2845	10	300	\$ 0.66
PPRC-1005	1" x 1/2"	2846	10	220	\$ 0.67
PPRC-1007	1" x 3/4"	2847	10	220	\$ 0.68
PPRC-1210	1-1/4" x 1"	2850	10	100	\$ 0.89
PPRC-1512	1-1/2" x 1-1/4"	2854	5	80	\$ 1.47

Cutoff Nipple - MPT



PPCN-0560	1/2" x 6"	2890			\$ 1.26
PPCN-0760	3/4" x 6"	2891			\$ 2.07

Plug - Insert



PPP-05	1/2"	3225	10	800	\$ 1.42
PPP-07	3/4"	3226	10	500	\$ 1.35
PPP-10	1"	3227	10	350	\$ 1.74

Tee - Insert



PPT-05	1/2"	3000	10	180	\$ 0.82
PPT-07	3/4"	3001	10	100	\$ 0.96
PPT-10	1"	3002	10	60	\$ 1.22
PPT-12	1-1/4"	3003	5	40	\$ 1.64
PPT-15	1-1/2"	3004	5	30	\$ 2.43
PPT-20	2"	3005	5	15	\$ 3.45

90° Elbow - Insert



PPE-05	1/2"	2901	10	300	\$ 0.74
PPE-07	3/4"	2902	10	180	\$ 0.85
PPE-10	1"	2903	10	100	\$ 0.97
PPE-12	1-1/4"	2904	5	60	\$ 1.20
PPE-15	1-1/2"	2905	5	40	\$ 1.67
PPE-20	2"	2906	5	25	\$ 2.48

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

PVC FITTINGS

PVC fittings come in a wide range of sizes and fitting types. They are suitable for a wide range of applications including ultraviolet exposure.

• NSF/ANSI 372



Part No.	Size	Industry Number	Quantity		List Price - A
			L1	L2	

List Price Effective: June 24, 2019

Adapter - FPT x Insert



PVCFA-05	1/2"	1435-005	10	350	\$ 2.61
PVCFA-07	3/4"	1435-007	10	250	\$ 2.86
PVCFA-10	1"	1435-010	10	150	\$ 3.15
PVCFA-12	1-1/4"	1435-012	10	80	\$ 3.90
PVCFA-15	1-1/2"	1435-015	5	60	\$ 4.92
PVCFA-20	2"	1435-020	5	40	\$ 8.32

Adapter - MPT x Insert



PVCA-05	1/2"	1436-005	10	400	\$ 0.56
PVCA-07	3/4"	1436-007	10	250	\$ 0.71
PVCA-10	1"	1436-010	10	160	\$ 0.76
PVCA-12	1-1/4"	1436-012	10	80	\$ 1.19
PVCA-15	1-1/2"	1436-015	5	60	\$ 1.32
PVCA-20	2"	1436-020	5	40	\$ 2.52
PVCA-25	2-1/2"	1436-025	10		\$ 27.71
PVCA-30	3"	1436-030	15		\$ 11.98
PVCA-40	4"	1436-040	1	10	\$ 40.57
PVCIA-0507	1/2" x 3/4"	1436-074	10	300	\$ 1.88
PVCIA-0510	1/2" x 1"	1436-075	10		\$ 4.70
PVCIA-0710	3/4" x 1"	1436-102	10	200	\$ 1.93
PVCIA-1012	1" x 1-1/4"	1436-132	10	100	\$ 2.35
PVCIA-1015	1" x 1-1/2"	1436-133	5	100	\$ 3.54
PVCIA-1215	1-1/4" x 1-1/2"	1436-169	5	80	\$ 3.54
PVCIA-1520	1-1/2" x 2"	1436-213	5	50	\$ 4.55
PVCRA-0705	3/4" x 1/2"	1436-101	10	300	\$ 1.68
PVCRA-1007	1" x 3/4"	1436-131	10	200	\$ 1.74
PVCRA-1207	1-1/4" x 3/4"	1436-167	10	120	\$ 2.06
PVCRA-1210	1-1/4" x 1"	1436-168	10	120	\$ 2.21
PVCRA-1510	1-1/2" x 1"	1436-211	5	100	\$ 2.69
PVCRA-1512	1-1/2" x 1-1/4"	1436-212	5	80	\$ 2.69
PVCRA-2015	2" x 1-1/2"	1436-251	5	50	\$ 4.53

Coupling - Insert



PVCC-05	1/2"	1429-005	10	400	\$ 0.60
PVCC-07	3/4"	1429-007	10	250	\$ 0.71
PVCC-10	1"	1429-010	10	160	\$ 0.76
PVCC-12	1-1/4"	1429-012	10	80	\$ 1.11
PVCC-15	1-1/2"	1429-015	5	60	\$ 1.32
PVCC-20	2"	1429-020	5	40	\$ 2.49
PVCC-30	3"	1429-030	20		\$ 10.98
PVCC-40	4"	1429-040	1	8	\$ 36.50
PVCRC-0705	3/4" x 1/2"	1429-101	10	300	\$ 0.98
PVCRC-1005	1" x 1/2"	1429-130	10	220	\$ 1.35
PVCRC-1007	1" x 3/4"	1429-131	10	220	\$ 1.01
PVCRC-1207	1-1/4" x 3/4"	1429-167	10	140	\$ 2.06
PVCRC-1210	1-1/4" x 1"	1429-168	10	100	\$ 1.60
PVCRC-1507	1-1/2" x 3/4"	1429-210	5	100	\$ 2.49
PVCRC-1510	1-1/2" x 1"	1429-211	5	100	\$ 2.40
PVCRC-1512	1-1/2" x 1-1/4"	1429-212	5	80	\$ 1.88
PVCRC-2010	2" x 1"	1429-249	5	60	\$ 3.38

Part No.	Size	Industry Number	Quantity		List Price - A
			L1	L2	

List Price Effective: June 24, 2019

PVCRC-2012	2" x 1-1/4"	1429-250	5	50	\$ 3.15
PVCRC-2015	2" x 1-1/2"	1429-251	5	50	\$ 3.01

Cross - Insert



PVCCR-07	3/4"	1420-007	10	100	\$ 8.22
PVCCR-10	1"	1420-010	10	50	\$ 10.24

90° Elbow - Insert



PVCE-05	1/2"	1406-005	10	300	\$ 1.19
PVCE-07	3/4"	1406-007	10	180	\$ 1.45
PVCE-10	1"	1406-010	10	100	\$ 1.60
PVCE-12	1-1/4"	1406-012	5	60	\$ 1.79
PVCE-15	1-1/2"	1406-015	5	40	\$ 2.10
PVCE-20	2"	1406-020	5	25	\$ 2.93
PVCE-30	3"		10		\$ 40.70
PVCRE-0705	3/4" x 1/2"	1406-101	10	250	\$ 1.37
PVCRE-1007	1" x 3/4"	1406-131	10	150	\$ 1.67
PVCRE-1210	1-1/4" x 1"	1406-168	5	100	\$ 2.48
PVCRE-1512	1-1/2" x 1-1/4"	1406-212	5	50	\$ 7.21
PVCRE-2015	2" x 1-1/2"	1406-251	5	30	\$ 8.03

90° Elbow - FPT x Insert



PVCFE-05	1/2"	1407-005	10	300	\$ 1.33
PVCFE-07	3/4"	1407-007	10	160	\$ 1.45
PVCFE-10	1"	1407-010	10	120	\$ 1.86
PVCFE-12	1-1/4"	1407-012	5	60	\$ 2.73
PVCFE-15	1-1/2"	1407-015	5	40	\$ 3.12
PVCFE-20	2"	1407-020	5	30	\$ 12.94
PVCFRE-0705	3/4" x 1/2"	1407-101	10	200	\$ 1.38
PVCFRE-1005	1" x 1/2"	1407-130	10	160	\$ 1.45
PVCFRE-1007	1" x 3/4"	1407-131	10	160	\$ 1.67
PVCFRE-1205	1-1/4" x 1/2"	1407-166	5	120	\$ 6.08
PVCFRE-1207	1-1/4" x 3/4"	1407-167	5	100	\$ 2.48
PVCFRE-1210	1-1/4" x 1"	1407-168	5	80	\$ 5.48
PVCFRE-1510	1-1/2" x 1"	1407-211	5	60	\$ 6.87
PVCFRE-1512	1-1/2" x 1-1/4"	1407-212	5	50	\$ 7.48
PVCFRE-2015	2" x 1-1/2"	1407-251	5	30	\$ 12.19

90° Elbow - MPT x Insert



PVCME-05	1/2"	1413-005	10	300	\$ 1.49
PVCME-07	3/4"	1413-007	10	200	\$ 2.05
PVCME-10	1"	1413-010	10	100	\$ 2.69
PVCME-12	1-1/4"	1413-012	5	60	\$ 3.57
PVCME-15	1-1/2"	1413-015	5	50	\$ 4.75
PVCME-20	2"	1413-020	5	30	\$ 7.49
PVCMRE-0705	3/4" x 1/2"		10	200	\$ 3.96

Contact your sales rep for any further information

Toll Free: 1-800-561-3164

boshart.com

PVC FITTINGS

Part No. Size Industry Number Quantity L1 L2 List Price - A
List Price Effective: June 24, 2019

Plug - Insert



Part No.	Size	Industry Number	Quantity	L1	L2	List Price - A
PVCP-05	1/2"	1499-005	10	800		\$ 1.06
PVCP-07	3/4"	1499-007	10	500		\$ 1.11
PVCP-10	1"	1499-010	10	350		\$ 1.50
PVCP-12	1-1/4"	1499-012	10	200		\$ 1.91
PVCP-15	1-1/2"	1499-015	5	140		\$ 2.08
PVCP-20	2"	1499-020	5	80		\$ 3.68

Tee - Insert



Part No.	Size	Industry Number	Quantity	L1	L2	List Price - A
PVCT-05	1/2"	1401-005	10	180		\$ 1.28
PVCT-07	3/4"	1401-007	10	100		\$ 1.40
PVCT-10	1"	1401-010	10	60		\$ 1.81
PVCT-12	1-1/4"	1401-012	5	40		\$ 2.85
PVCT-15	1-1/2"	1401-015	5	30		\$ 3.23
PVCT-20	2"	1401-020	5	15		\$ 6.35
PVCT-30	3"		6			\$ 55.58
PVCRT-050507	1/2" x 1/2" x 3/4"	1401-074	10	200		\$ 3.49
PVCRT-070505	3/4" x 1/2" x 1/2"	1401-094	10	150		\$ 4.37
PVCRT-070705	3/4" x 3/4" x 1/2"	1401-101	10	150		\$ 1.58
PVCRT-070710	3/4" x 3/4" x 1"	1401-102	10	120		\$ 4.00
PVCRT-100705	1" x 3/4" x 1/2"	1401-124	10	120		\$ 6.20
PVCRT-100707	1" x 3/4" x 3/4"	1401-125	10	120		\$ 7.37
PVCRT-101005	1" x 1" x 1/2"	1401-130	10	80		\$ 1.86
PVCRT-101007	1" x 1" x 3/4"	1401-131	10	80		\$ 1.88
PVCRT-101012	1" x 1" x 1-1/4"	1401-132	10			\$ 13.62
PVCRT-121007	1-1/4" x 1" x 3/4"	1401-157	10			\$ 8.47
PVCRT-121010	1-1/4" x 1" x 1"	1401-158	5	60		\$ 8.47
PVCRT-121205	1-1/4" x 1-1/4" x 1/2"	1401-166	5	60		\$ 2.45
PVCRT-121207	1-1/4" x 1-1/4" x 3/4"	1401-167	5	50		\$ 2.45
PVCRT-121210	1-1/4" x 1-1/4" x 1"	1401-168	5	50		\$ 2.45
PVCRT-151505	1-1/2" x 1-1/2" x 1/2"	1401-209	5	40		\$ 4.24
PVCRT-151507	1-1/2" x 1-1/2" x 3/4"	1401-210	5	40		\$ 4.24
PVCRT-151510	1-1/2" x 1-1/2" x 1"	1401-211	5	40		\$ 4.24
PVCRT-151512	1-1/2" x 1-1/2" x 1-1/4"	1401-212	5	40		\$ 4.24
PVCRT-202005	2" x 2" x 1/2"	1401-247	5	30		\$ 6.03
PVCRT-202007	2" x 2" x 3/4"	1401-248	5	30		\$ 6.03

Part No. Size Industry Number Quantity L1 L2 List Price - A
List Price Effective: June 24, 2019

PVCRT-202010	2" x 2" x 1"	1401-249	5	30		\$ 14.68
PVCRT-202012	2" x 2" x 1-1/4"	1401-250	5	25		\$ 15.41
PVCRT-202015	2" x 2" x 1-1/2"	1401-251	5	25		\$ 15.83

Tee - FPT x Insert



Part No.	Size	Industry Number	Quantity	L1	L2	List Price - A
PVCFT-05	1/2"	1402-005	10	180		\$ 1.40
PVCFT-07	3/4"	1402-007	10	100		\$ 2.10
PVCFT-10	1"	1402-010	80	80		\$ 2.48
PVCFT-12	1-1/4"	1402-012	5	40		\$ 3.65
PVCFT-15	1-1/2"	1402-015	5	30		\$ 6.32
PVCFT-20	2"	1402-020	5	15		\$ 19.04
PVCFRT-070705	3/4" x 3/4" x 1/2"	1402-101	10	140		\$ 1.74
PVCFRT-100705	1" x 3/4" x 1/2"	1402-124	10	120		\$ 6.89
PVCFRT-100707	1" x 3/4" x 3/4"	1402-125	10	120		\$ 8.22
PVCFRT-101005	1" x 1" x 1/2"	1402-130	10	100		\$ 2.29
PVCFRT-101007	1" x 1" x 3/4"	1402-131	10	100		\$ 2.29
PVCFRT-121205	1-1/4" x 1-1/4" x 1/2"	1402-166	5	60		\$ 3.12
PVCFRT-121207	1-1/4" x 1-1/4" x 3/4"	1402-167	5	60		\$ 3.45
PVCFRT-121210	1-1/4" x 1-1/4" x 1"	1402-168	5	60		\$ 3.65
PVCFRT-151210	1-1/2" x 1-1/4" x 1"	1402-202	5	50		\$ 20.49
PVCFRT-151505	1-1/2" x 1-1/2" x 1/2"	1402-209	5	50		\$ 11.70
PVCFRT-151507	1-1/2" x 1-1/2" x 3/4"	1402-210	5	50		\$ 5.69
PVCFRT-151510	1-1/2" x 1-1/2" x 1"	1402-211	5	40		\$ 13.83
PVCFRT-151512	1-1/2" x 1-1/2" x 1-1/4"	1402-212	5	30		\$ 14.18
PVCFRT-202005	2" x 2" x 1/2"	1402-247	5	30		\$ 15.70
PVCFRT-202007	2" x 2" x 3/4"	1402-248	5	30		\$ 6.80
PVCFRT-202010	2" x 2" x 1"	1402-249	5	30		\$ 7.47
PVCFRT-202015	2" x 2" x 1-1/2"	1402-251	5	20		\$ 19.01

Tee - MPT x Insert



Part No.	Size	Industry Number	Quantity	L1	L2	List Price - A
PVCMT-05	1/2"	1403-005	10	200		\$ 1.79
PVCMT-07	3/4"	1403-007	10	120		\$ 2.45
PVCMT-10	1"	1403-010	10	80		\$ 3.12
PVCMT-12	1-1/4"	1403-012	5	50		\$ 4.05
PVCMT-15	1-1/2"	1403-015	5	30		\$ 4.55
PVCMT-20	2"	1403-020	5	20		\$ 17.22

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

POOL & SPA FITTINGS

Adapters & Elbows for pool and spa applications.



Part No.	Size	Quantity List		
		L1	L2	Price - A

List Price Effective: June 24, 2019

Part No.	Size	Quantity List		
		L1	L2	Price - A

List Price Effective: June 24, 2019

Adapter - MPT x Spigot

BPVCSPA-15	1-1/2"	5	60	\$ 1.87
BPVCSPA-1512	1-1/2" x 1-1/4"	5	80	\$ 1.80
BPVCSPA-151512	1-1/2" x 1-1/2" or 1-1/4"	5	75	\$ 2.03
PVCSPA-1212	1-1/4"	5	100	\$ 8.39

90° Elbow - MPT x Spigot

BPVCSPE-15	1-1/2"	5	50	\$ 2.29
BPVCSPE-1512	1-1/2" x 1-1/4"	5	50	\$ 2.04

PVC EXPANSION COUPLINGS

PVC Expansion Couplings feature solvent weld connections and are recommended for cold water applications only.
 • NSF/ANSI 372

Part No.	Size	Quantity List		
		L1	L2	Price - A

List Price Effective: June 24, 2019



PVC
Maximum Pressure: 150 PSI @ 73°F (23°C)

29-EC05	1/2"	24		\$ 7.08
29-EC07	3/4"	24		\$ 7.73
29-EC10	1"	16		\$ 9.51
29-EC12	1-1/4"	16		\$ 17.08
29-EC15	1-1/2"	12		\$ 19.08
29-EC20	2"	12		\$ 28.43
29-EC25	2-1/2"	3		\$ 76.62
29-EC30	3"	3		\$ 95.81
29-EC40	4"	3		\$ 167.46

PVC COMPRESSION FITTINGS

Boshart's compression fittings are easy to use and create a water tight seal. They are designed for quick connections, system modifications or repairs.

• NSF/ANSI 372

Part No.	Size	Quantity List		
		L1	L2	Price - A

List Price Effective: December 04, 2015



PVC, Gasket Material: Nitrile Rubber
Maximum Pressure: 150 PSI @ 73°F (23°C), IPS Connection

29-CC05	1/2"	100		\$ 2.06
29-CC07	3/4"	90		\$ 2.44
29-CC10	1"	60		\$ 3.11
29-CC12	1-1/4"	40		\$ 3.63
29-CC15	1-1/2"	30		\$ 4.94
29-CC20	2"	20		\$ 6.56
29-CC25	2-1/2"	10		\$ 15.59
29-CC30	3"	4		\$ 23.42
29-CC40	4"	2		\$ 31.47
29-CC60	6"	2		\$ 57.21



CPVC, Gasket Material: Nitrile Rubber
Maximum Pressure: 150 PSI @ 73°F (23°C), CTS Connection

29CTS-CC05	1/2"	20	360	\$ 4.05
29CTS-CC07	3/4"	20	240	\$ 6.17



Contact your sales rep for any further information

Toll Free: 1-800-561-3164
 boshart.com

WHITE PVC SCHEDULE 40 FITTINGS

PVC fittings come in a wide range of sizes and fitting types.

• NSF/ANSI 14 & 372



Part No.	Size	Quantity List		
		L1	L2	Price - A

List Price Effective: April 27, 2020



Adapter - Slip x FPT

435-005	1/2"	10	250	\$ 0.73
435-007	3/4"	10	250	\$ 0.92
435-010	1"	10	100	\$ 1.03
435-012	1-1/4"	5	50	\$ 1.62
435-015	1-1/2"	5	50	\$ 2.00
435-020	2"	5	25	\$ 2.48
435-025	2-1/2"	15		\$ 6.30
435-030	3"	10		\$ 8.46
435-040	4"	5		\$ 14.02
435-050	5"	5		\$ 61.75
435-074	1/2" x 3/4"	10	250	\$ 1.28
435-101	3/4" x 1/2"	10	250	\$ 1.28
435-102	3/4" x 1"	10	100	\$ 1.69
435-131	1" x 3/4"	10	100	\$ 1.69



Adapter - Insert x Slip

474-005	1/2"	50		\$ 6.19
474-007	3/4"	50		\$ 4.64
474-010	1"	50		\$ 5.26
474-012	1-1/4"	25		\$ 12.52
474-015	1-1/2"	10	50	\$ 3.37
474-020	2"	5	25	\$ 5.61



Adapter - Spigot x FPT

478-005	1/2"	10	250	\$ 0.79
478-007	3/4"	10	250	\$ 0.94
478-010	1"	10	100	\$ 1.47
478-012	1-1/4"	5	50	\$ 2.08
478-015	1-1/2"	5	50	\$ 2.58
478-020	2"	25		\$ 3.78

Part No.	Size	Quantity List		
		L1	L2	Price - A

List Price Effective: April 27, 2020



Adapter - MPT x Slip

436-005	1/2"	10	250	\$ 0.59
436-007	3/4"	10	250	\$ 0.65
436-010	1"	10	100	\$ 1.09
436-012	1-1/4"	5	50	\$ 1.51
436-015	1-1/2"	5	50	\$ 1.85
436-020	2"	5	25	\$ 2.44
436-025	2-1/2"	25		\$ 7.16
436-030	3"	16		\$ 10.53
436-040	4"	12		\$ 13.40
436-050	5"			\$ 37.50
436-060	6"	3		\$ 34.93
436-074	1/2" x 3/4"	10	250	\$ 1.11
436-101	3/4" x 1/2"	10	250	\$ 1.04
436-102	3/4" x 1"	10	100	\$ 1.62
436-131	1" x 3/4"	10	200	\$ 3.49
436-132	1" x 1-1/4"	5	50	\$ 3.76
436-168	1-1/4" x 1"	5	100	\$ 4.25
436-169	1-1/4" x 1-1/2"	5	125	\$ 4.25
436-212	1-1/2" x 1-1/4"	5	50	\$ 5.14
436-213	1-1/2" x 2"	5	50	\$ 5.14
436-251	2" x 1-1/2"	5	50	\$ 5.89



Adapter - MPT x Spigot

433-005	1/2"	10	250	\$ 1.01
433-010	1"	10	100	\$ 1.98
433-012	1-1/4"	5	50	\$ 2.43
433-020	2"	5	25	\$ 4.01



Bushing - MPT x FPT

439-052	3/8" x 1/4"	10	250	\$ 3.01
439-072	1/2" x 1/4"	10	500	\$ 3.01
439-073	1/2" x 3/8"	10	500	\$ 3.01
439-098	3/4" x 1/4"	10	500	\$ 1.85
439-099	3/4" x 3/8"	10	250	\$ 1.85
439-101	3/4" x 1/2"	10	500	\$ 1.85
439-128	1" x 1/4"	5	250	\$ 2.61
439-130	1" x 1/2"	10	250	\$ 2.61
439-131	1" x 3/4"	10	250	\$ 2.61
439-166	1-1/4" x 1/2"	5	150	\$ 3.89
439-167	1-1/4" x 3/4"	5	150	\$ 3.89
439-168	1-1/4" x 1"	5	150	\$ 3.89
439-209	1-1/2" x 1/2"	10	100	\$ 4.67
439-210	1-1/2" x 3/4"	10	100	\$ 4.67
439-211	1-1/2" x 1"	10	100	\$ 4.67
439-212	1-1/2" x 1-1/4"	10	100	\$ 4.67
439-249	2" x 1"	10	120	\$ 8.54
439-250	2" x 1-1/4"	10		\$ 8.54
439-251	2" x 1-1/2"	5	50	\$ 5.00
439-338	3" x 2"	10		\$ 37.48

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

WHITE PVC SCHEDULE 40 FITTINGS

Part No.	Size	Quantity List		
		L1	L2	Price - A

List Price Effective: April 27, 2020



Bushing - Spigot x FPT

438-071	1/2" x 1/8"	10	250	\$ 1.39
438-072	1/2" x 1/4"	10	250	\$ 1.39
438-073	1/2" x 3/8"	10	250	\$ 1.39
438-098	3/4" x 1/4"	10	250	\$ 1.39
438-101	3/4" x 1/2"	10	500	\$ 1.04
438-128	1" x 1/4"	10	250	\$ 1.69
438-130	1" x 1/2"	10	250	\$ 1.69
438-131	1" x 3/4"	10	250	\$ 1.69
438-166	1-1/4" x 1/2"	10	150	\$ 2.61
438-167	1-1/4" x 3/4"	10	150	\$ 2.81
438-168	1-1/4" x 1"	10	150	\$ 2.67
438-209	1-1/2" x 1/2"	5	100	\$ 3.01
438-210	1-1/2" x 3/4"	5	100	\$ 3.01
438-211	1-1/2" x 1"	5	100	\$ 3.01
438-212	1-1/2" x 1-1/4"	5	100	\$ 3.28
438-247	2" x 1/2"	5	50	\$ 4.01
438-248	2" x 3/4"	5	50	\$ 4.01
438-249	2" x 1"	5	50	\$ 4.01
438-250	2" x 1-1/4"	5	50	\$ 4.01
438-251	2" x 1-1/2"	5	50	\$ 4.01
438-290	2-1/2" x 1-1/4"	5	25	\$ 5.80
438-291	2-1/2" x 1-1/2"	5	25	\$ 5.80
438-292	2-1/2" x 2"	5	25	\$ 5.80
438-335	3" x 1"	5	25	\$ 6.71
438-336	3" x 1-1/4"	5	25	\$ 6.71
438-337	3" x 1-1/2"	5	25	\$ 6.71
438-338	3" x 2"	5	25	\$ 6.71
438-339	3" x 2-1/2"	5	25	\$ 6.71
438-420	4" x 2"	10		\$ 14.98
438-421	4" x 2-1/2"	10		\$ 14.98
438-422	4" x 3"	10		\$ 14.98



Bushing - Spigot x Slip

437-073	1/2" x 3/8"	10	500	\$ 1.21
437-101	3/4" x 1/2"	10	250	\$ 0.64
437-130	1" x 1/2"	10	250	\$ 1.30
437-131	1" x 3/4"	10	250	\$ 1.21
437-166	1-1/4" x 1/2"	5	150	\$ 1.75
437-167	1-1/4" x 3/4"	5	150	\$ 1.75
437-168	1-1/4" x 1"	5	150	\$ 1.75
437-209	1-1/2" x 1/2"	5	100	\$ 1.87
437-210	1-1/2" x 3/4"	5	100	\$ 1.87
437-211	1-1/2" x 1"	10	100	\$ 1.87
437-212	1-1/2" x 1-1/4"	10	100	\$ 1.87
437-247	2" x 1/2"	5	50	\$ 2.86
437-248	2" x 3/4"	5	50	\$ 2.86
437-249	2" x 1"	5	50	\$ 2.86
437-250	2" x 1-1/4"	5	50	\$ 2.86
437-251	2" x 1-1/2"	5	50	\$ 2.86
437-290	2-1/2" x 1-1/4"	5	25	\$ 4.55
437-291	2-1/2" x 1-1/2"	5	25	\$ 4.55
437-292	2-1/2" x 2"	5	25	\$ 4.55
437-335	3" x 1"	5	25	\$ 6.71
437-336	3" x 1-1/4"	5	25	\$ 6.71
437-337	3" x 1-1/2"	5	25	\$ 6.71
437-338	3" x 2"	5	25	\$ 6.71
437-339	3" x 2-1/2"	5	25	\$ 6.71
437-420	4" x 2"	10		\$ 14.99

Part No.	Size	Quantity List		
		L1	L2	Price - A

List Price Effective: April 27, 2020

437-421	4" x 2-1/2"	10		\$ 14.99
437-422	4" x 3"	10		\$ 14.99
437-488	5" x 3"	5		\$ 21.07
437-490	5" x 4"	5		\$ 21.07
437-528	6" x 2"	4		\$ 37.09
437-530	6" x 3"	4		\$ 37.09
437-532	6" x 4"	4		\$ 37.09
437-534	6" x 5"	4		\$ 37.09
437-582	8" x 4"	2		\$ 129.34
437-585	8" x 6"	2		\$ 129.34



Cap - Slip

447-005	1/2"	10	250	\$ 0.62
447-007	3/4"	10	250	\$ 0.73
447-010	1"	10	250	\$ 1.15
447-012	1-1/4"	5	125	\$ 1.59
447-015	1-1/2"	5	50	\$ 1.75
447-020	2"	5	50	\$ 1.94
447-025	2-1/2"	25		\$ 6.20
447-030	3"	15		\$ 6.77
447-040	4"	9		\$ 15.40
447-050	5"	5		\$ 25.86
447-060	6"	3		\$ 36.98
447-080	8"	2		\$ 92.85



Cap - FPT

448-005	1/2"	10	250	\$ 1.21
448-007	3/4"	10	250	\$ 1.39
448-010	1"	10	250	\$ 2.08
448-012	1-1/4"	5	125	\$ 2.48
448-015	1-1/2"	5	50	\$ 2.61
448-020	2"	5	50	\$ 4.63
448-030	3"	15		\$ 8.39
448-040	4"	9		\$ 14.73



Coupling - Slip

429-005	1/2"	10	250	\$ 0.45
429-007	3/4"	10	250	\$ 0.62
429-010	1"	10	100	\$ 1.10
429-012	1-1/4"	10	50	\$ 1.51
429-015	1-1/2"	10	50	\$ 1.59
429-020	2"	5	25	\$ 2.43
429-025	2-1/2"	25		\$ 5.00
429-030	3"	10		\$ 7.82
429-040	4"	6		\$ 11.32
429-050	5"	5		\$ 20.74
429-060	6"	4		\$ 35.81
429-080	8"	5		\$ 66.87
429-101	3/4" x 1/2"	25	100	\$ 1.04
429-131	1" x 3/4"	5	40	\$ 1.78
429-168	1-1/4" x 1"	5	20	\$ 3.01
429-212	1-1/2" x 1-1/4"	5	30	\$ 3.31
429-251	2" x 1-1/2"	30		\$ 5.06
429-338	3" x 2"	5		\$ 49.23

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

WHITE PVC SCHEDULE 40 FITTINGS

Part No. Size Quantity List
L1 L2 Price - A
List Price Effective: April 27, 2020

Coupling - FPT



430-005	1/2"	10	250	\$ 0.79
430-007	3/4"	10	250	\$ 1.47
430-010	1"	10	100	\$ 1.94
430-101	3/4" x 1/2"	10	250	\$ 1.93
430-131	1" x 3/4"	10	100	\$ 2.90

Deep Coupling - Slip



479-015	1-1/2"	25		\$ 3.89
479-020	2"	15		\$ 6.41
479-025	2-1/2"	10		\$ 8.24
479-030	3"	8		\$ 12.40
479-040	4"	6		\$ 24.94

Cross - Slip



420-005	1/2"	10	100	\$ 2.42
420-007	3/4"	10	50	\$ 4.01
420-010	1"	5	25	\$ 5.00
420-012	1-1/4"	5	25	\$ 6.61
420-015	1-1/2"	5	15	\$ 7.47
420-020	2"	10		\$ 11.05

45° Elbow - Slip



417-005	1/2"	10	250	\$ 1.15
417-007	3/4"	10	100	\$ 1.62
417-010	1"	10	100	\$ 2.10
417-012	1-1/4"	5	50	\$ 2.95
417-015	1-1/2"	10	50	\$ 3.41
417-020	2"	5	20	\$ 4.42
417-025	2-1/2"	10		\$ 11.57
417-030	3"	8		\$ 17.93
417-040	4"	3		\$ 32.15
417-060	6"	2		\$ 79.46
417-080	8"	2		\$ 191.07

90° Elbow - Slip



406-005	1/2"	10	250	\$ 0.68
406-007	3/4"	10	150	\$ 0.73
406-010	1"	10	50	\$ 1.24
406-012	1-1/4"	5	50	\$ 2.25
406-015	1-1/2"	10	50	\$ 2.42
406-020	2"	5	20	\$ 3.76
406-025	2-1/2"	10		\$ 11.55
406-030	3"	8		\$ 13.81
406-040	4"	3		\$ 24.69
406-050	5"	2		\$ 63.79

Part No. Size Quantity List
L1 L2 Price - A
List Price Effective: April 27, 2020

406-060	6"			\$ 78.51
406-080	8"	2		\$ 202.13
406-101	3/4" x 1/2"	10	200	\$ 1.28
406-130	1" x 1/2"	10	100	\$ 1.91
406-131	1" x 3/4"	10	50	\$ 2.26
406-168	1-1/4" x 1"	10	50	\$ 3.60
406-251	2" x 1-1/2"	25		\$ 9.72

90° Elbow - Slip x FPT



407-005	1/2"	10	250	\$ 0.78
407-007	3/4"	10	150	\$ 0.92
407-010	1"	10	50	\$ 1.69
407-012	1-1/4"	5	50	\$ 2.86
407-015	1-1/2"	5	25	\$ 3.14
407-020	2"	5	25	\$ 8.11
407-025	2-1/2"	10		\$ 20.04
407-030	3"	10		\$ 30.04
407-040	4"	5		\$ 45.53
407-101	3/4" x 1/2"	10	200	\$ 1.02
407-130	1" x 1/2"	10	100	\$ 2.61
407-131	1" x 3/4"	10	50	\$ 2.61
407-168	1-1/4" x 1"	5	50	\$ 3.76

90° Elbow - FPT



408-005	1/2"	10	250	\$ 1.54
408-007	3/4"	10	100	\$ 2.26
408-010	1"	10	50	\$ 4.82
408-012	1-1/4"	5	50	\$ 5.16
408-015	1-1/2"	5	25	\$ 6.52
408-020	2"	5	25	\$ 9.93

90° Side Outlet Elbow - Slip



413-005	1/2"	10	100	\$ 3.41
---------	------	----	-----	---------

90° Side Outlet Elbow - Slip x FPT



414-005	1/2"	10	100	\$ 3.35
414-130	1" x 1" x 1/2"	10	50	\$ 5.66

90° Street Elbow - MPT x FPT



412-005	1/2"	10	250	\$ 1.85
412-007	3/4"	10	200	\$ 2.26
412-010	1"	10	100	\$ 3.90
412-012	1-1/4"	5	50	\$ 4.82
412-015	1-1/2"	5	25	\$ 5.24
412-020	2"	5	20	\$ 10.02

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

WHITE PVC SCHEDULE 40 FITTINGS

Part No. Size Quantity List
L1 L2 Price - A
 List Price Effective: April 27, 2020

Part No. Size Quantity List
L1 L2 Price - A
 List Price Effective: April 27, 2020

90° Street Elbow - MPT x Slip



410-005	1/2"	10	250	\$ 1.39
410-007	3/4"	10	150	\$ 1.62
410-010	1"	10	50	\$ 2.71
410-012	1-1/4"	5	50	\$ 3.76
410-015	1-1/2"	5	25	\$ 3.96
410-020	2"	5	20	\$ 9.76
410-101	3/4" x 1/2"	10	250	\$ 1.99

90° Street Elbow - Spigot x FPT



411-005	1/2"	10	250	\$ 1.74
411-007	3/4"	10	200	\$ 2.08
411-015	1-1/2"	5	50	\$ 5.09

90° Street Elbow - Spigot x Slip



409-005	1/2"	10	250	\$ 1.78
409-007	3/4"	10	150	\$ 2.21
409-010	1"	10	50	\$ 3.76
409-012	1-1/4"	5	50	\$ 4.53
409-015	1-1/2"	5	50	\$ 5.00
409-020	2"	5	20	\$ 9.64

Plug - Spigot



449-005	1/2"	10	250	\$ 1.39
449-007	3/4"	10	250	\$ 1.62
449-010	1"	10	250	\$ 1.94
449-012	1-1/4"	5	125	\$ 2.61
449-015	1-1/2"	5	50	\$ 3.30
449-020	2"	5	50	\$ 4.11
449-025	2-1/2"	5	25	\$ 7.01
449-030	3"	5	25	\$ 9.26
449-040	4"	10		\$ 20.97

Plug - MPT



450-002	1/4"	10	500	\$ 1.16
450-003	3/8"	10	500	\$ 1.77
450-005	1/2"	10	250	\$ 1.72
450-007	3/4"	10	500	\$ 1.85
450-010	1"	10	250	\$ 3.01
450-012	1-1/4"	5	125	\$ 3.16
450-015	1-1/2"	5	125	\$ 3.37
450-020	2"	5	50	\$ 4.37
450-025	2-1/2"	5	25	\$ 6.05
450-030	3"	5	25	\$ 9.17
450-040	4"	10		\$ 20.74

Tee - Slip



401-005	1/2"	10	150	\$ 0.85
401-007	3/4"	10	100	\$ 0.99
401-010	1"	10	50	\$ 1.82
401-012	1-1/4"	5	40	\$ 2.67
401-015	1-1/2"	25		\$ 3.11
401-020	2"	15		\$ 4.67
401-025	2-1/2"	8		\$ 15.40
401-030	3"	5		\$ 20.27
401-040	4"	3		\$ 36.64
401-050	5"			\$ 88.48
401-060	6"			\$ 123.33
401-080	8"	2		\$ 286.04
401-074	1/2" x 1/2" x 3/4"	10	100	\$ 1.68
401-094	3/4" x 1/2" x 1/2"	10	100	\$ 1.54
401-095	3/4" x 1/2" x 3/4"	10	100	\$ 1.54
401-101	3/4" x 3/4" x 1/2"	10	100	\$ 1.04
401-102	3/4" x 3/4" x 1"	10	50	\$ 3.01
401-124	1" x 3/4" x 1/2"	10	50	\$ 3.01
401-125	1" x 3/4" x 3/4"	10	50	\$ 3.01
401-126	1" x 3/4" x 1"	10	50	\$ 3.01
401-130	1" x 1" x 1/2"	10	50	\$ 1.78
401-131	1" x 1" x 3/4"	10	50	\$ 1.94
401-132	1" x 1" x 1-1/4"	10	50	\$ 4.01
401-133	1" x 1" x 1-1/2"	10	40	\$ 5.16
401-166	1-1/4" x 1-1/4" x 1/2"	10	50	\$ 2.91
401-167	1-1/4" x 1-1/4" x 3/4"	10	50	\$ 2.91
401-168	1-1/4" x 1-1/4" x 1"	5	25	\$ 2.91
401-202	1-1/2" x 1-1/4" x 1"	25		\$ 5.09
401-209	1-1/2" x 1-1/2" x 1/2"	25		\$ 5.09
401-210	1-1/2" x 1-1/2" x 3/4"	25		\$ 5.48
401-211	1-1/2" x 1-1/2" x 1"	25		\$ 5.09
401-212	1-1/2" x 1-1/2" x 1-1/4"	25		\$ 5.09
401-213	1-1/2" x 1-1/2" x 2"	20		\$ 7.25
401-247	2" x 2" x 1/2"	20		\$ 5.00
401-248	2" x 2" x 3/4"	20		\$ 5.00
401-249	2" x 2" x 1"	15		\$ 5.00
401-250	2" x 2" x 1-1/4"	15		\$ 5.00
401-251	2" x 2" x 1-1/2"	10		\$ 5.00
401-335	3" x 3" x 1"	5		\$ 22.04
401-337	3" x 3" x 1-1/2"	5		\$ 22.04
401-338	3" x 3" x 2"	5		\$ 22.00
401-416	4" x 4" x 3/4"	5		\$ 36.64
401-420	4" x 4" x 2"	3		\$ 36.64
401-422	4" x 4" x 3"	3		\$ 36.64
401-528	6" x 6" x 2"	2		\$ 123.34
401-530	6" x 6" x 3"	2		\$ 124.00
401-532	6" x 6" x 4"	2		\$ 124.00

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

WHITE PVC SCHEDULE 40 FITTINGS

Part No. Size Quantity List
L1 L2 Price - A
List Price Effective: April 27, 2020

Tee - Slip x FPT



402-005	1/2"	10	150	\$ 1.15
402-007	3/4"	100	100	\$ 1.75
402-010	1"	10	50	\$ 3.01
402-012	1-1/4"	25		\$ 4.76
402-015	1-1/2"	25		\$ 6.20
402-020	2"	15		\$ 7.86
402-040	4"	3		\$ 46.60
402-071	1/2" x 1/2" x 1/8"	10	250	\$ 2.25
402-072	1/2" x 1/2" x 1/4"	10	150	\$ 2.26
402-101	3/4" x 3/4" x 1/2"	10	100	\$ 1.39
402-124	1" x 3/4" x 1/2"	5	100	\$ 3.04
402-130	1" x 1" x 1/2"	10	50	\$ 2.08
402-131	1" x 1" x 3/4"	10	50	\$ 3.01
402-166	1-1/4" x 1-1/4" x 1/2"	10	50	\$ 5.03
402-167	1-1/4" x 1-1/4" x 3/4"	10	50	\$ 5.00
402-168	1-1/4" x 1-1/4" x 1"	5	25	\$ 5.00
402-209	1-1/2" x 1-1/2" x 1/2"	50		\$ 6.20
402-210	1-1/2" x 1-1/2" x 3/4"	50		\$ 6.20
402-211	1-1/2" x 1-1/2" x 1"	25		\$ 6.20
402-247	2" x 2" x 1/2"	20		\$ 7.79
402-248	2" x 2" x 3/4"	20		\$ 7.79
402-249	2" x 2" x 1"	15		\$ 7.79
402-250	2" x 2" x 1-1/4"	15		\$ 7.79
402-251	2" x 2" x 1-1/2"	10		\$ 7.79
402-289	2-1/2" x 2-1/2" x 1"	10		\$ 16.91
402-292	2-1/2" x 2-1/2" x 2"	10		\$ 16.91
402-334	3" x 3" x 3/4"	5		\$ 24.13
402-335	3" x 3" x 1"	5		\$ 24.13
402-338	3" x 3" x 2"	5		\$ 24.13
402-420	4" x 4" x 2"	3		\$ 40.33

Part No. Size Quantity List
L1 L2 Price - A
List Price Effective: April 27, 2020

Tee - FPT



405-005	1/2"	10	100	\$ 2.87
405-007	3/4"	10	100	\$ 4.53
405-010	1"	10	50	\$ 6.28
405-012	1-1/4"	25		\$ 8.72
405-015	1-1/2"	25		\$ 8.94
405-020	2"	15		\$ 11.85

Union - Slip



457-005	1/2"	36	288	\$ 2.96
457-007	3/4"	24	144	\$ 3.88
457-010	1"	12	96	\$ 5.04
457-012	1-1/4"	12	96	\$ 8.92
457-015	1-1/2"	8	64	\$ 11.29
457-020	2"	4	48	\$ 18.71

Union - FPT



458-005	1/2"	36	288	\$ 3.09
458-007	3/4"	24	144	\$ 4.01
458-010	1"	12	96	\$ 5.39
458-012	1-1/4"	12	96	\$ 9.36
458-015	1-1/2"	8	64	\$ 11.78
458-020	2"	4	48	\$ 19.13

GRAY PVC SCHEDULE 40 FITTINGS

PVC fittings come in a wide range of sizes and fitting types.

• NSF/ANSI 14 & 372



Part No. Size Quantity List
L1 L2 Price - A
List Price Effective: April 27, 2020

Coupling - FPT



430-012-G	1-1/4"	5	50	\$ 6.53
430-015-G	1-1/2"	5	50	\$ 12.90
430-020-G	2"	5	25	\$ 15.32

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

GRAY PVC SCHEDULE 80 FITTINGS

PVC fittings come in a wide range of sizes and fitting types.
• NSF/ANSI 14 & 372



Part No.	Size	Quantity List		
		L1	L2	Price - A


List Price Effective: April 27, 2020



Adapter - Slip x FPT				
835-002	1/4"	10	250	\$ 8.52
835-005	1/2"	10	250	\$ 4.72
835-007	3/4"	10	250	\$ 7.03
835-010	1"	10	100	\$ 10.34
835-012	1-1/4"	5	50	\$ 16.75
835-015	1-1/2"	5	50	\$ 20.52
835-020	2"	5	25	\$ 35.83
835-025	2-1/2"	20		\$ 56.58
835-030	3"	30		\$ 63.70
835-040	4"	20		\$ 109.47



Adapter - MPT x Slip				
836-005	1/2"	10	250	\$ 5.90
836-007	3/4"	10	250	\$ 6.49
836-010	1"	10	100	\$ 11.27
836-012	1-1/4"	5	50	\$ 13.16
836-015	1-1/2"	5	50	\$ 18.91
836-020	2"	5	25	\$ 27.35
836-025	2-1/2"	5	25	\$ 31.09
836-030	3"	2	10	\$ 34.48
836-040	4"	2	10	\$ 61.37



Bushing - Spigot x Slip				
837-052	3/8" x 1/4"	5		\$ 8.28
837-072	1/2" x 1/4"	10	500	\$ 4.46
837-073	1/2" x 3/8"	10	500	\$ 4.46
837-101	3/4" x 1/2"	10	250	\$ 1.63
837-130	1" x 1/2"	10	250	\$ 4.67
837-131	1" x 3/4"	10	250	\$ 4.67
837-166	1-1/4" x 1/2"	10	100	\$ 7.30
837-167	1-1/4" x 3/4"	10	100	\$ 7.30
837-168	1-1/4" x 1"	10	150	\$ 7.30
837-209	1-1/2" x 1/2"	10	100	\$ 9.94
837-210	1-1/2" x 3/4"	10	100	\$ 9.94
837-211	1-1/2" x 1"	10	100	\$ 9.94
837-212	1-1/2" x 1-1/4"	10	100	\$ 9.94
837-247	2" x 1/2"	5	50	\$ 14.17
837-248	2" x 3/4"	5	50	\$ 14.17
837-249	2" x 1"	5	50	\$ 14.17
837-250	2" x 1-1/4"	5	50	\$ 14.17
837-251	2" x 1-1/2"	5	50	\$ 14.17
837-289	2-1/2" x 1"	5	25	\$ 32.94
837-291	2-1/2" x 1-1/2"	5	25	\$ 24.64
837-292	2-1/2" x 2"	5	25	\$ 24.64
837-335	3" x 1"	5	25	\$ 39.07
837-336	3" x 1-1/4"	5	25	\$ 39.07
837-338	3" x 2"	5	25	\$ 39.07
837-339	3" x 2-1/2"	5	25	\$ 39.07
837-420	4" x 2"	10		\$ 54.10

Part No.	Size	Quantity List		
		L1	L2	Price - A

List Price Effective: April 27, 2020

837-422	4" x 3"	10		\$ 54.10
837-528	6" x 2"	4		\$ 75.22
837-530	6" x 3"	4		\$ 75.22
837-532	6" x 4"	4		\$ 75.22
837-585	8" x 6"	5		\$ 306.71



Bushing - Spigot x FPT				
838-072	1/2" x 1/4"	10	500	\$ 4.46
838-101	3/4" x 1/2"	10	250	\$ 2.94
838-130	1" x 1/2"	10	250	\$ 4.67
838-131	1" x 3/4"	10	250	\$ 4.67
838-166	1-1/4" x 1/2"	10	100	\$ 9.45
838-167	1-1/4" x 3/4"	10	100	\$ 9.45
838-168	1-1/4" x 1"	10	100	\$ 9.45
838-209	1-1/2" x 1/2"	10	100	\$ 11.84
838-210	1-1/2" x 3/4"	10	100	\$ 11.84
838-211	1-1/2" x 1"	10	100	\$ 11.84
838-212	1-1/2" x 1-1/4"	10	100	\$ 11.84
838-247	2" x 1/2"	5	50	\$ 14.48
838-248	2" x 3/4"	5	50	\$ 14.48
838-249	2" x 1"	5	50	\$ 14.48
838-250	2" x 1-1/4"	5	50	\$ 14.48
838-251	2" x 1-1/2"	5	50	\$ 14.48
838-292	2-1/2" x 2"	5	25	\$ 30.68
838-338	3" x 2"	5	25	\$ 56.78
838-339	3" x 2-1/2"	5	25	\$ 56.78
838-420	4" x 2"	10		\$ 87.32
838-422	4" x 3"	10		\$ 87.23



Bushing - MPT x FPT				
839-052	3/8" x 1/4"	10	500	\$ 10.15
839-072	1/2" x 1/4"	10	500	\$ 10.15
839-073	1/2" x 3/8"	10	500	\$ 10.15
839-098	3/4" x 1/4"	10	250	\$ 7.58
839-099	3/4" x 3/8"	10	250	\$ 7.58
839-101	3/4" x 1/2"	10	250	\$ 6.26
839-128	1" x 1/4"	10	250	\$ 12.22
839-129	1" x 3/8"	10	250	\$ 9.77
839-130	1" x 1/2"	10	250	\$ 9.77
839-131	1" x 3/4"	10	250	\$ 9.77
839-166	1-1/4" x 1/2"	10	100	\$ 10.35
839-167	1-1/4" x 3/4"	10	100	\$ 10.35
839-168	1-1/4" x 1"	10	100	\$ 10.35
839-209	1-1/2" x 1/2"	10	100	\$ 12.31
839-210	1-1/2" x 3/4"	10	100	\$ 12.31
839-211	1-1/2" x 1"	10	100	\$ 12.31
839-212	1-1/2" x 1-1/4"	10	100	\$ 12.31
839-247	2" x 1/2"	10	80	\$ 18.01
839-248	2" x 3/4"	15	60	\$ 18.01
839-249	2" x 1"	15	60	\$ 18.01
839-250	2" x 1-1/4"	15	60	\$ 18.01
839-251	2" x 1-1/2"	10	50	\$ 18.01
839-338	3" x 2"	30		\$ 33.12
839-420	4" x 2"	25		\$ 70.21
839-422	4" x 3"	15		\$ 87.23

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

GRAY PVC SCHEDULE 80 FITTINGS

Part No. Size Quantity List
L1 L2 Price - A
List Price Effective: April 27, 2020

Cap - Slip



847-002	1/4"	10	500	\$ 6.41
847-005	1/2"	10	250	\$ 4.95
847-007	3/4"	10	250	\$ 5.22
847-010	1"	10	250	\$ 9.24
847-012	1-1/4"	10	100	\$ 11.14
847-015	1-1/2"	5	50	\$ 11.14
847-020	2"	5	50	\$ 22.01
847-025	2-1/2"	5	25	\$ 44.97
847-030	3"	5	25	\$ 52.65
847-040	4"	2	10	\$ 88.72
847-060	6"	5		\$ 220.73
847-080	8"	2		\$ 283.37

Cap - FPT



848-002	1/4"	10	250	\$ 6.16
848-003	3/8"	10	250	\$ 6.16
848-005	1/2"	10	250	\$ 6.16
848-007	3/4"	10	250	\$ 6.92
848-010	1"	10	100	\$ 8.71
848-012	1-1/4"	10	100	\$ 10.35
848-015	1-1/2"	5	50	\$ 11.84
848-020	2"	5	50	\$ 23.28
848-025	2-1/2"	5	25	\$ 46.54
848-030	3"	5	25	\$ 54.82
848-040	4"	2	10	\$ 96.51

Coupling - Slip



829-005	1/2"	10	250	\$ 5.03
829-007	3/4"	10	250	\$ 6.82
829-010	1"	10	100	\$ 7.03
829-012	1-1/4"	5	50	\$ 10.69
829-015	1-1/2"	5	50	\$ 11.54
829-020	2"	5	25	\$ 12.36
829-025	2-1/2"	5	25	\$ 30.45
829-030	3"	10		\$ 34.99
829-040	4"	8		\$ 43.80
829-060	6"	4		\$ 94.24
829-080	8"	5		\$ 126.79
829-101	3/4" x 1/2"	25	100	\$ 6.16
829-131	1" x 3/4"	5	40	\$ 9.01
829-168	1-1/4" x 1"	5	20	\$ 18.28
829-212	1-1/2" x 1-1/4"	20		\$ 23.63
829-251	2" x 1-1/2"	5	20	\$ 21.60
829-338	3" x 2"	25		\$ 53.00
829-422	4" x 3"	5		\$ 99.84
829-532	6" x 4"	5		\$ 203.66
829-585	8" x 6"	2		\$ 616.75

Part No. Size Quantity List
L1 L2 Price - A
List Price Effective: April 27, 2020

Coupling - FPT



830-002	1/4"	250		\$ 6.06
830-005	1/2"	10	250	\$ 5.64
830-007	3/4"	10	250	\$ 8.06
830-010	1"	10	100	\$ 8.65
830-012	1-1/4"	5	50	\$ 10.69
830-015	1-1/2"	5	50	\$ 23.76
830-020	2"	5	25	\$ 24.96
830-025	2-1/2"	20		\$ 59.58
830-030	3"	20		\$ 69.89
830-040	4"	15		\$ 121.02

45° Elbow - Slip



817-005	1/2"	10	250	\$ 5.26
817-007	3/4"	10	100	\$ 8.02
817-010	1"	10	50	\$ 12.02
817-012	1-1/4"	10	50	\$ 15.31
817-015	1-1/2"	5	50	\$ 18.11
817-020	2"	5	25	\$ 23.45
817-025	2-1/2"	10		\$ 49.26
817-030	3"	10		\$ 59.99
817-040	4"	4		\$ 108.01
817-060	6"	2		\$ 136.01
817-080	8"	2		\$ 294.89

45° Elbow - FPT



819-005	1/2"	25		\$ 10.38
819-007	3/4"	25		\$ 11.13
819-010	1"	25		\$ 13.98
819-012	1-1/4"	25		\$ 21.30
819-015	1-1/2"	15		\$ 26.77
819-020	2"	20		\$ 39.73
819-030	3"	15		\$ 126.39
819-040	4"	5		\$ 181.35

90° Elbow - Slip



806-002	1/4"	10	250	\$ 2.77
806-003	3/8"	10	250	\$ 2.77
806-005	1/2"	10	250	\$ 2.77
806-007	3/4"	10	200	\$ 3.57
806-010	1"	10	50	\$ 5.73
806-012	1-1/4"	5	50	\$ 7.69
806-015	1-1/2"	5	25	\$ 8.32
806-020	2"	5	25	\$ 9.94
806-025	2-1/2"	10		\$ 23.28
806-030	3"	10		\$ 26.15
806-040	4"	5		\$ 39.77
806-060	6"			\$ 113.18
806-080	8"	2		\$ 311.99

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

GRAY PVC SCHEDULE 80 FITTINGS

Part No. Size Quantity List
L1 L2 Price - A
List Price Effective: April 27, 2020

Tee - Slip x FPT



Part No.	Size	Quantity	L1	L2	List Price - A
802-005	1/2"	10	200		\$ 12.45
802-007	3/4"	10	100		\$ 16.07
802-010	1"	5	50		\$ 18.82
802-012	1-1/4"	5	25		\$ 20.12
802-015	1-1/2"	5	25		\$ 23.65
802-020	2"	4	20		\$ 29.16

Tee - FPT



Part No.	Size	Quantity	L1	L2	List Price - A
805-002	1/4"	10	250		\$ 9.08
805-003	3/8"	10	250		\$ 9.08
805-005	1/2"	5	125		\$ 9.08
805-007	3/4"	5	125		\$ 10.10
805-010	1"	5	50		\$ 22.32
805-012	1-1/4"	5	25		\$ 23.67
805-015	1-1/2"	5	25		\$ 28.68
805-020	2"	4	20		\$ 30.84
805-025	2-1/2"	25			\$ 112.32
805-030	3"	15			\$ 117.30
805-040	4"	5			\$ 190.58

Part No. Size Quantity List
L1 L2 Price - A
List Price Effective: April 27, 2020

Union - Slip

EPDM Rubber O-ring



Part No.	Size	Quantity	L1	L2	List Price - A
897-005	1/2"	36	288		\$ 3.67
897-007	3/4"	24	144		\$ 3.67
897-010	1"	12	96		\$ 4.76
897-012	1-1/4"	12	96		\$ 8.43
897-015	1-1/2"	8	64		\$ 10.68
897-020	2"	4	48		\$ 17.68
897-030	3"	2	12		\$ 49.61

Union - FPT

EPDM Rubber O-ring



Part No.	Size	Quantity	L1	L2	List Price - A
898-005	1/2"	36	288		\$ 2.90
898-007	3/4"	24	144		\$ 3.67
898-010	1"	12	96		\$ 5.10
898-012	1-1/4"	12	96		\$ 8.84
898-015	1-1/2"	8	64		\$ 11.14
898-020	2"	4	48		\$ 18.08
898-030	3"	2	12		\$ 52.29

GASKETS FOR SCHEDULE 80 FLANGES

Part No. Size Quantity List
L1 L2 Price - A
List Price Effective: April 27, 2020

Gasket -



Part No.	Size	Quantity	L1	L2	List Price - A
85G-005	1/2"				\$ 18.71
85G-007	3/4"				\$ 19.17
85G-010	1"				\$ 21.21
85G-012	1-1/4"				\$ 21.85
85G-015	1-1/2"				\$ 21.84
85G-020	2"				\$ 25.95
85G-025	2-1/2"				\$ 27.00
85G-030	3"				\$ 28.08
85G-040	4"				\$ 29.06
85G-050	5"				\$ 41.47
85G-060	6"				\$ 49.16
85G-080	8"				\$ 54.41
85G-100	10"				\$ 82.95
85G-120	12"				\$ 95.88



Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

PVC SCHEDULE 80 NIPPLES



• Manufactured from extruded NSF approved schedule 80 pipe



Part No.	Pipe Length	Quantity		List Price - A
		L1	L2	

List Price Effective: April 27, 2020

Pipe Size - 1/4"				
880-020	2"	50		\$ 1.59
880-030	3"	50		\$ 1.66

Pipe Size - 1/2"				
882-005	1-1/8" - Close	50		\$ 1.99
882-015	1-1/2"	50		\$ 2.48
882-020	2"	50		\$ 1.83
882-025	2-1/2"	50		\$ 2.19
882-030	3"	50		\$ 2.13
882-035	3-1/2"	50		\$ 2.04
882-040	4"	50		\$ 2.40
882-045	4-1/2"	50		\$ 1.95
882-050	5"	50		\$ 2.25
882-055	5-1/2"	25		\$ 2.20
882-060	6"	50		\$ 2.53
882-070	7"	25		\$ 4.01
882-080	8"	25		\$ 5.18
882-090	9"	25		\$ 4.23
882-100	10"	25		\$ 5.74
882-110	11"	25		\$ 4.76
882-120	12"	25		\$ 2.43

Pipe Size - 3/4"				
883-005	1-3/8" - Close	50		\$ 1.83
883-015	1-1/2"	50		\$ 1.59
883-020	2"	50		\$ 1.89
883-025	2-1/2"	50		\$ 1.94
883-030	3"	50		\$ 2.41
883-035	3-1/2"	50		\$ 2.25
883-040	4"	50		\$ 2.74
883-050	5"	25		\$ 2.59
883-055	5-1/2"	25		\$ 2.63
883-060	6"	25		\$ 3.05
883-070	7"	25		\$ 3.22
883-080	8"	25		\$ 4.00
883-090	9"	25		\$ 3.63
883-100	10"	25		\$ 5.05
883-110	11"	25		\$ 4.36
883-120	12"	25		\$ 5.40

Pipe Size - 1"				
884-005	1-1/2" - Close	50		\$ 2.46
884-020	2"	50		\$ 2.43
884-025	2-1/2"	50		\$ 2.32
884-030	3"	50		\$ 2.83
884-035	3-1/2"	50		\$ 2.80
884-040	4"	25		\$ 3.37
884-045	4-1/2"	25		\$ 3.16
884-050	5"	25		\$ 3.33
884-055	5-1/2"	25		\$ 3.53
884-060	6"	25		\$ 4.20
884-070	7"	25		\$ 4.22
884-080	8"	25		\$ 4.95
884-090	9"	25		\$ 5.37
884-100	10"	25		\$ 5.79
884-110	11"	25		\$ 5.84
884-120	12"	25		\$ 6.59

Part No.	Pipe Length	Quantity		List Price - A
		L1	L2	

List Price Effective: April 27, 2020

Pipe Size - 1-1/4"				
885-005	1-5/8" - Close	25		\$ 2.88
885-020	2"	25		\$ 3.02
885-025	2-1/2"	25		\$ 3.79
885-030	3"	25		\$ 4.30
885-035	3-1/2"	25		\$ 4.35
885-040	4"	25		\$ 5.30
885-045	4-1/2"	25		\$ 5.19
885-050	5"	25		\$ 5.46
885-055	5-1/2"	25		\$ 5.38
885-060	6"	25		\$ 5.64
885-070	7"	25		\$ 5.75
885-080	8"	25		\$ 6.76
885-090	9"	25		\$ 7.01
885-100	10"	25		\$ 8.27
885-110	11"	25		\$ 8.11
885-120	12"	25		\$ 8.94

Pipe Size - 1-1/2"				
886-005	1-3/4" - Close	25		\$ 3.45
886-020	2"	25		\$ 3.52
886-025	2-1/2"	25		\$ 4.03
886-030	3"	25		\$ 4.59
886-035	3-1/2"	25		\$ 4.70
886-040	4"	25		\$ 5.30
886-045	4-1/2"	25		\$ 5.43
886-050	5"	25		\$ 5.73
886-055	5-1/2"	25		\$ 6.15
886-060	6"	25		\$ 6.48
886-070	7"	25		\$ 6.45
886-080	8"	25		\$ 7.73
886-090	9"	25		\$ 8.02
886-100	10"	25		\$ 9.50
886-110	11"	25		\$ 9.55
886-120	12"	25		\$ 10.82

Pipe Size - 2"				
887-005	2" - Close	25		\$ 4.56
887-025	2-1/2"	25		\$ 4.39
887-030	3"	25		\$ 4.93
887-035	3-1/2"	25		\$ 5.52
887-040	4"	25		\$ 6.27
887-045	4-1/2"	25		\$ 6.93
887-050	5"	25		\$ 7.39
887-055	5-1/2"	25		\$ 7.79
887-060	6"	25		\$ 8.25
887-070	7"	25		\$ 8.38
887-080	8"	25		\$ 10.18
887-090	9"	25		\$ 10.29
887-100	10"	25		\$ 12.10
887-110	11"	25		\$ 11.99
887-120	12"	25		\$ 13.60

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com



Contact your sales rep for any further information
Toll Free: 1-800-561-3164
boshart.com

ALL STAINLESS STEEL CLAMPS - SERIES 2-67



This series of clamps contains less nickel, reducing its corrosion resistance than other clamps. They are best suited for less corrosive environments such as indoor use or shielded areas. It is best to avoid highly corrosive environments with these clamps.

- 200 Series Stainless Steel Band & Housing
- 1/2" Wide Band
- Must order L1 or L2 quantity
- cUPC Certified



Part No.	Minimum Size	Maximum Size	Quantity List		
			L1	L2	Price - A

List Price Effective: April 27, 2020

Individual					
0.25" 200 Series Stainless Steel Screw					
2-SSC6704	1/4"	5/8"	10	200	\$ 0.37
2-SSC6705	5/16"	7/8"	10	200	\$ 0.38

Individual					
0.31" 200 Series Stainless Steel Screw					
2-SSC6706	3/8"	7/8"	10	200	\$ 0.79
2-SSC6708	7/16"	1"	10	200	\$ 0.81
2-SSC6710	1/2"	1-1/16"	10	200	\$ 0.83
2-SSC6712	1/2"	1-1/4"	10	200	\$ 0.88
2-SSC6716	11/16"	1-1/2"	10	200	\$ 0.91
2-SSC6720	3/4"	1-3/4"	10	200	\$ 0.95
2-SSC6724	1"	2"	10	200	\$ 0.99
2-SSC6728	1-1/4"	2-1/4"	10	200	\$ 1.02
2-SSC6732	1-1/2"	2-1/2"	10	200	\$ 1.08
2-SSC6736	1-3/4"	2-3/4"	10	100	\$ 1.13
2-SSC6740	2"	3"	10	100	\$ 1.18
2-SSC6744	2-1/4"	3-1/4"	10	100	\$ 1.23
2-SSC6748	2-1/2"	3-1/2"	10	100	\$ 1.28
2-SSC6752	2-3/4"	3-3/4"	10	100	\$ 1.34
2-SSC6756	3"	4"	10	100	\$ 1.37
2-SSC6764	2-1/2"	4-1/2"	10	50	\$ 1.47
2-SSC6772	3"	5"	10	50	\$ 1.55
2-SSC6780	3-1/2"	5-1/2"	10	50	\$ 1.67
2-SSC6788	4"	6"	10	50	\$ 1.77
2-SSC6796	4-1/2"	6-1/2"	10	50	\$ 1.85
2-SSC67104	5"	7"	10	200	\$ 1.92
2-SSC67116	5-3/4"	7-3/4"	10	200	\$ 2.05
2-SSC67128	6-1/2"	8-1/2"	10	200	\$ 2.23
2-SSC67140	7-1/4"	9-1/4"	10	200	\$ 2.36
2-SSC67152	8"	10"	10	200	\$ 2.52
2-SSC67188	10-1/2"	12-1/4"	10	100	\$ 2.91
2-SSC67224	12-1/2"	14-1/2"	10	100	\$ 3.26
2-SSC67248	14"	16"	10	100	\$ 3.53

Boxed					
0.25" 200 Series Stainless Steel Screw					
2-SSCX6704	1/4"	5/8"	10	160	POR
2-SSCX6705	5/16"	7/8"	10	160	POR

Part No.	Minimum Size	Maximum Size	Quantity List		
			L1	L2	Price - A

List Price Effective: April 27, 2020

Boxed					
0.31" 200 Series Stainless Steel Screw					
2-SSCX6706	3/8"	7/8"	10	80	\$ 1.03
2-SSCX6708	7/16"	1"	10	80	\$ 1.05
2-SSCX6710	1/2"	1-1/16"	10	80	\$ 1.08
2-SSCX6712	1/2"	1-1/4"	10	160	\$ 1.06
2-SSCX6716	11/16"	1-1/2"	10	160	\$ 1.12
2-SSCX6720	3/4"	1-3/4"	10	160	\$ 1.13
2-SSCX6724	1"	2"	10	160	\$ 1.17
2-SSCX6728	1-1/4"	2-1/4"	10	160	\$ 1.21
2-SSCX6732	1-1/2"	2-1/2"	10	40	\$ 1.31
2-SSCX6736	1-3/4"	2-3/4"	10	40	\$ 1.35
2-SSCX6740	2"	3"	10	40	\$ 1.50
2-SSCX6744	2-1/4"	3-1/4"	10	40	\$ 1.53
2-SSCX6748	2-1/2"	3-1/2"	10		\$ 2.03
2-SSCX6752	2-3/4"	3-3/4"	10		\$ 2.09
2-SSCX6756	3"	4"	10		\$ 2.13
2-SSCX6764	2-1/2"	4-1/2"	10		\$ 2.24
2-SSCX6772	3"	5"	10		\$ 2.33
2-SSCX6780	3-1/2"	5-1/2"	10		\$ 2.42
2-SSCX6788	4"	6"	10		\$ 2.51
2-SSCX6796	4-1/2"	6-1/2"	10		\$ 2.60
2-SSCX67104	5"	7"	5		\$ 3.23
2-SSCX67128	6-1/2"	8-1/2"			\$ 3.54
2-SSCX67152	8"	12-1/4"			\$ 3.86
2-SSCX67188	10-1/2"	14-1/2"			\$ 4.20

Bulk					
0.25" 200 Series Stainless Steel Screw					
2-SSCB6704	1/4"	5/8"	200		\$ 0.37
2-SSCB6705	5/16"	7/8"	200		\$ 0.37

Bulk					
0.31" 200 Series Stainless Steel Screw					
2-SSCB6706	3/8"	7/8"	200		\$ 0.80
2-SSCB6708	7/16"	1"	200		\$ 0.81
2-SSCB6710	1/2"	1-1/16"	200		\$ 0.84
2-SSCB6712	1/2"	1-1/4"	200		\$ 0.87
2-SSCB6716	11/16"	1-1/2"	200		\$ 0.90
2-SSCB6720	3/4"	1-3/4"	200		\$ 0.95
2-SSCB6724	1"	2"	200		\$ 0.99
2-SSCB6728	1-1/4"	2-1/4"	200		\$ 1.02
2-SSCB6732	1-1/2"	2-1/2"	200		\$ 1.08
2-SSCB6736	1-3/4"	2-3/4"	100		\$ 1.12
2-SSCB6740	2"	3"	100		\$ 1.17
2-SSCB6744	2-1/4"	3-1/4"	100		\$ 1.22
2-SSCB6748	2-1/2"	3-1/2"	100		\$ 1.27
2-SSCB6752	2-3/4"	3-3/4"	100		\$ 1.33
2-SSCB6756	3"	4"	100		\$ 1.36
2-SSCB6764	2-1/2"	4-1/2"	50		\$ 1.44
2-SSCB6772	3"	5"	50		\$ 1.53
2-SSCB6780	3-1/2"	5-1/2"	50		\$ 1.65
2-SSCB6788	4"	6"	50		\$ 1.75
2-SSCB6796	4-1/2"	6-1/2"	50		\$ 1.82
2-SSCB67104	5"	7"	200		\$ 1.91
2-SSCB67116	5-3/4"	7-3/4"	200		\$ 2.04
2-SSCB67128	6-1/2"	8-1/2"	200		\$ 2.22
2-SSCB67140	7-1/4"	9-1/4"	200		\$ 2.35
2-SSCB67152	8"	10"	200		\$ 2.51
2-SSCB67224	12-1/2"	14-1/2"	100		\$ 3.25

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

ALL STAINLESS STEEL CLAMPS - SERIES 2-77



The combination of the high nickel content stainless steel and plating of the carbon screw allows this clamp to be used in above ground outdoor and indoor applications where corrosion is somewhat of an issue. This clamp can be used for all standard clamp applications.

- 200/300 Series Stainless Steel Band & Housing
- 1/2" Wide Band
- Must order L1 or L2 quantity
- cUPC Certified



Part No.	Minimum Size	Maximum Size	Quantity List		Price - A
			L1	L2	

List Price Effective: April 27, 2020

Individual

0.25" Carbon Steel Screw

2-SSC7704	1/4"	5/8"	10	200	\$ 0.29
2-SSC7705	5/16"	7/8"	10	200	\$ 0.32

Individual

0.31" Yellow Dichromate Plated Carbon Steel Screw

2-SSC7706	3/8"	7/8"	10	200	\$ 0.64
2-SSC7708	7/16"	1"	10	200	\$ 0.66
2-SSC7710	1/2"	1-1/16"	10	200	\$ 0.68
2-SSC7712	1/2"	1-1/4"	10	200	\$ 0.71
2-SSC7716	11/16"	1-1/2"	10	200	\$ 0.75
2-SSC7720	3/4"	1-3/4"	10	200	\$ 0.80
2-SSC7724	1"	2"	10	200	\$ 0.83
2-SSC7728	1-1/4"	2-1/4"	10	200	\$ 0.87
2-SSC7732	1-1/2"	2-1/2"	10	200	\$ 0.88
2-SSC7736	1-3/4"	2-3/4"	10	100	\$ 0.95
2-SSC7740	2"	3"	10	100	\$ 1.01
2-SSC7744	2-1/4"	3-1/4"	10	100	\$ 1.04
2-SSC7748	2-1/2"	3-1/2"	10	100	\$ 1.09
2-SSC7752	2-3/4"	3-3/4"	10	100	\$ 1.12
2-SSC7756	3"	4"	10	100	\$ 1.16
2-SSC7764	2-1/2"	4-1/2"	10	50	\$ 1.28
2-SSC7772	3"	5"	10	50	\$ 1.37
2-SSC7780	3-1/2"	5-1/2"	10	50	\$ 1.46
2-SSC7788	4"	6"	10	50	\$ 1.55
2-SSC7796	4-1/2"	6-1/2"	10	50	\$ 1.66
2-SSC77104	5"	7"	10	200	\$ 1.76
2-SSC77116	5-3/4"	7-3/4"	10	200	\$ 1.88
2-SSC77128	6-1/2"	8-1/2"	10	200	\$ 2.02
2-SSC77140	7-1/4"	9-1/4"	10	200	\$ 2.14
2-SSC77152	8"	10"	10	200	\$ 2.28
2-SSC77188	10-1/2"	12-1/4"	10	100	\$ 2.63
2-SSC77224	12-1/2"	14-1/2"	10	100	\$ 3.01
2-SSC77248	14"	16"	10	100	\$ 3.28

Part No.	Minimum Size	Maximum Size	Quantity List		Price - A
			L1	L2	

List Price Effective: April 27, 2020

Bulk

0.25" Carbon Steel Screw

2-SSCB7704	1/4"	5/8"	200		\$ 0.29
2-SSCB7705	5/16"	7/8"	200		\$ 0.32

Bulk

0.31" Yellow Dichromate Plated Carbon Steel Screw

2-SSCB7706	3/8"	7/8"	200		\$ 0.64
2-SSCB7708	7/16"	1"	200		\$ 0.67
2-SSCB7710	1/2"	1-1/16"	200		\$ 0.69
2-SSCB7712	1/2"	1-1/4"	200		\$ 0.72
2-SSCB7716	11/16"	1-1/2"	200		\$ 0.76
2-SSCB7720	3/4"	1-3/4"	200		\$ 0.78
2-SSCB7724	1"	2"	200		\$ 0.81
2-SSCB7728	1-1/4"	2-1/4"	200		\$ 0.86
2-SSCB7732	1-1/2"	2-1/2"	200		\$ 0.89
2-SSCB7736	1-3/4"	2-3/4"	100		\$ 0.93
2-SSCB7740	2"	3"	100		\$ 1.00
2-SSCB7744	2-1/4"	3-1/4"	100		\$ 1.03
2-SSCB7748	2-1/2"	3-1/2"	100		\$ 1.08
2-SSCB7752	2-3/4"	3-3/4"	100		\$ 1.11
2-SSCB7756	3"	4"	100		\$ 1.15
2-SSCB7764	2-1/2"	4-1/2"	50		\$ 1.26
2-SSCB7772	3"	5"	50		\$ 1.35
2-SSCB7780	3-1/2"	5-1/2"	50		\$ 1.43
2-SSCB7788	4"	6"	50		\$ 1.53
2-SSCB7796	4-1/2"	6-1/2"	50		\$ 1.63
2-SSCB77104	5"	7"	200		\$ 1.75
2-SSCB77116	5-3/4"	7-3/4"	200		\$ 1.87
2-SSCB77128	6-1/2"	8-1/2"	200		\$ 2.01
2-SSCB77140	7-1/4"	9-1/4"	200		\$ 2.13
2-SSCB77152	8"	10"	200		\$ 2.27
2-SSCB77224	12-1/2"	14-1/2"	100		\$ 2.99

Contact your sales rep for any further information

Toll Free: 1-800-561-3164

boshart.com

ALL STAINLESS STEEL CLAMPS - SERIES 2-87



This series of marine grade clamps contains a high content of nickel providing strong corrosion resistance and is suitable for outdoor use with no shielding.

- 300 Series Stainless Steel Band & Housing
- 1/2" Wide Band
- Must order L1 or L2 quantity
- cUPC Certified



Part No.	Minimum Size	Maximum Size	Quantity List		
			L1	L2	Price - A

List Price Effective: April 27, 2020

Individual 0.25" 304 Series Stainless Steel Screw					
2-SSC8704	1/4"	5/8"	10	200	\$ 0.43
2-SSC8705	5/16"	7/8"	10	200	\$ 0.45

Individual 0.31" 304 Series Stainless Steel Screw					
2-SSC8706	3/8"	7/8"	10	200	\$ 0.91
2-SSC8708	7/16"	1"	10	200	\$ 0.93
2-SSC8710	1/2"	1-1/16"	10	200	\$ 0.97
2-SSC8712	1/2"	1-1/4"	10	200	\$ 0.99
2-SSC8716	11/16"	1-1/2"	10	200	\$ 1.02
2-SSC8720	3/4"	1-3/4"	10	200	\$ 1.09
2-SSC8724	1"	2"	10	200	\$ 1.13
2-SSC8728	1-1/4"	2-1/4"	10	200	\$ 1.17
2-SSC8732	1-1/2"	2-1/2"	10	200	\$ 1.22
2-SSC8736	1-3/4"	2-3/4"	10	100	\$ 1.26
2-SSC8740	2"	3"	10	100	\$ 1.31
2-SSC8744	2-1/4"	3-1/4"	10	100	\$ 1.36
2-SSC8748	2-1/2"	3-1/2"	10	100	\$ 1.40
2-SSC8752	2-3/4"	3-3/4"	10	100	\$ 1.48
2-SSC8756	3"	4"	10	100	\$ 1.52
2-SSC8764	2-1/2"	4-1/2"	10	50	\$ 1.66
2-SSC8772	3"	5"	10	50	\$ 1.73
2-SSC8780	3-1/2"	5-1/2"	10	50	\$ 1.80
2-SSC8788	4"	6"	10	50	\$ 1.88
2-SSC8796	4-1/2"	6-1/2"	10	50	\$ 1.94
2-SSC87104	5"	7"	10	200	\$ 2.13
2-SSC87116	5-3/4"	7-3/4"	10	200	\$ 2.20
2-SSC87128	6-1/2"	8-1/2"	10	200	\$ 2.40
2-SSC87140	7-1/4"	9-1/4"	10	200	\$ 2.64
2-SSC87152	8"	10"	10	200	\$ 2.74
2-SSC87188	10-1/2"	12-1/4"	10	100	\$ 3.22
2-SSC87224	12-1/2"	14-1/2"	10	100	\$ 3.56
2-SSC87248	14"	16"	10	100	\$ 3.86

Boxed 0.25" 304 Series Stainless Steel Screw					
2-SSCX8704	1/4"	5/8"	10	160	POR
2-SSCX8705	5/16"	7/8"	10	160	POR

Boxed 0.31" 304 Series Stainless Steel Screw					
2-SSCX8706	3/8"	7/8"	10	80	\$ 1.17
2-SSCX8708	7/16"	1"	10	80	\$ 1.19
2-SSCX8710	1/2"	1-1/16"	10	80	\$ 1.23
2-SSCX8712	1/2"	1-1/4"	10	160	\$ 1.19
2-SSCX8716	11/16"	1-1/2"	10	160	\$ 1.23
2-SSCX8720	3/4"	1-3/4"	10	160	\$ 1.29
2-SSCX8724	1"	2"	10	160	\$ 1.35
2-SSCX8728	1-1/4"	2-1/4"	10	160	\$ 1.38
2-SSCX8732	1-1/2"	2-1/2"	10	40	\$ 1.46

Part No.	Minimum Size	Maximum Size	Quantity List		
			L1	L2	Price - A

List Price Effective: April 27, 2020

2-SSCX8736	1-3/4"	2-3/4"	10	80	\$ 1.50
2-SSCX8740	2"	3"	10	40	\$ 1.68
2-SSCX8744	2-1/4"	3-1/4"	10	80	\$ 1.71
2-SSCX8748	2-1/2"	3-1/2"	10		\$ 2.19
2-SSCX8752	2-3/4"	3-3/4"	10		\$ 2.27
2-SSCX8756	3"	4"	10		\$ 2.31
2-SSCX8764	2-1/2"	4-1/2"	10		\$ 2.40
2-SSCX8772	3"	5"	10		\$ 2.50
2-SSCX8780	3-1/2"	5-1/2"	10		\$ 2.58
2-SSCX8788	4"	6"	10		\$ 2.65
2-SSCX8796	4-1/2"	6-1/2"	10		\$ 2.75
2-SSCX87104	5"	7"	5		\$ 3.46
2-SSCX87128	6-1/2"	8-1/2"			\$ 3.51
2-SSCX87152	8"	10"			\$ 4.11
2-SSCX87188	10-1/2"	12-1/4"			\$ 4.53
2-SSCX87224	12-1/2"	14-1/2"			\$ 4.94

Bulk 0.25" 304 Series Stainless Steel Screw					
2-SSCB8704	1/4"	5/8"	200		\$ 0.42
2-SSCB8705	5/16"	7/8"	200		\$ 0.45

Bulk 0.31" 304 Series Stainless Steel Screw					
2-SSCB8706	3/8"	7/8"	200		\$ 0.92
2-SSCB8708	7/16"	1"	200		\$ 0.95
2-SSCB8710	1/2"	1-1/16"	200		\$ 0.98
2-SSCB8712	1/2"	1-1/4"	200		\$ 1.00
2-SSCB8716	11/16"	1-1/2"	200		\$ 1.03
2-SSCB8720	3/4"	1-3/4"	200		\$ 1.06
2-SSCB8724	1"	2"	200		\$ 1.13
2-SSCB8728	1-1/4"	2-1/4"	200		\$ 1.17
2-SSCB8732	1-1/2"	2-1/2"	200		\$ 1.22
2-SSCB8736	1-3/4"	2-3/4"	100		\$ 1.25
2-SSCB8740	2"	3"	100		\$ 1.30
2-SSCB8744	2-1/4"	3-1/4"	100		\$ 1.35
2-SSCB8748	2-1/2"	3-1/2"	100		\$ 1.39
2-SSCB8752	2-3/4"	3-3/4"	100		\$ 1.47
2-SSCB8756	3"	4"	100		\$ 1.51
2-SSCB8764	2-1/2"	4-1/2"	50		\$ 1.63
2-SSCB8772	3"	5"	50		\$ 1.71
2-SSCB8780	3-1/2"	5-1/2"	50		\$ 1.88
2-SSCB8788	4"	6"	50		\$ 1.86
2-SSCB8796	4-1/2"	6-1/2"	50		\$ 2.05
2-SSCB87104	5"	7"	200		\$ 2.24
2-SSCB87116	5-3/4"	7-3/4"	200		\$ 2.23
2-SSCB87128	6-1/2"	8-1/2"	200		\$ 2.39
2-SSCB87140	7-1/4"	9-1/4"	200		\$ 2.59
2-SSCB87152	8"	10"	200		\$ 2.78
2-SSCB87224	12-1/2"	14-1/2"	100		\$ 3.63

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

ALL STAINLESS STEEL CLAMPS - SERIES 67



The screw on this series offers no nickel content and can't be used where non-magnetic material is required. The screw rod typically will resist corrosion in only light industrial and domestic environments.

- 300 Series Stainless Steel Band & Housing
- 1/2" Wide Band
- Must order L1 or L2 quantity



Part No. **Minimum Size** **Maximum Size** **Quantity List**
L1 **L2** **Price - A**
List Price Effective:

Individual

0.25" 200/300 Series Stainless Steel Screw

SSC6704	7/32"	5/8"	10	200	\$ 0.96
SSC6705	5/16"	11/16"	10	200	\$ 0.99

Individual

0.31" 410 Series Stainless Steel Screw

SSC6706	7/16"	25/32"	10	200	\$ 1.28
SSC6708	1/2"	29/32"	10	200	\$ 1.28
SSC6710	9/16"	1-1/16"	10	200	\$ 1.28
SSC6712	11/16"	1-1/4"	10	200	\$ 1.30
SSC6716	13/16"	1-1/2"	10	200	\$ 1.30
SSC6720	1-13/16"	1-3/4"	10	200	\$ 1.32
SSC6724	1-1/16"	2"	10	200	\$ 1.32
SSC6728	1-5/16"	2-1/4"	10	200	\$ 1.32
SSC6732	1-9/16"	2-1/2"	10	200	\$ 1.32
SSC6736	1-13/16"	2-3/4"	10	100	\$ 1.37
SSC6740	2-1/16"	3"	10	100	\$ 1.52
SSC6744	2-5/16"	3-1/4"	10	100	\$ 1.86
SSC6748	2-9/16"	3-1/2"	10	100	\$ 1.86
SSC6752	2-13/16"	3-3/4"	10	100	\$ 1.94
SSC6756	3-1/16"	4"	10	100	\$ 1.94
SSC6760	3-5/16"	4-1/4"	10	100	\$ 2.00
SSC6764	3-9/16"	4-1/2"	10	50	\$ 2.01
SSC6772	1-7/8"	5"	10	50	\$ 2.18
SSC6780	2-1/2"	5-1/2"	10	50	\$ 2.25
SSC6788	3-1/8"	6"	10	50	\$ 2.50
SSC6796	3-5/8"	6-1/2"	10	50	\$ 2.56
SSC67104	4-1/8"	7"	10	200	\$ 2.65
SSC67128	5-5/8"	8-1/2"	10	100	\$ 4.21
SSC67152	7-1/8"	10"	10	10	\$ 4.62
SSC67188	9-3/8"	12-1/4"	10	10	\$ 5.13
SSC67212	10-7/8"	13-3/4"	10	10	\$ 6.56
SSC67224	11-5/8"	14-1/2"	10	10	\$ 7.56

Boxed

0.25" 200/300 Series Stainless Steel Screw

SSCX6704	7/32"	5/8"	10	160	\$ 1.09
SSCX6705	5/16"	11/16"	10	160	\$ 1.08

Part No. **Minimum Size** **Maximum Size** **Quantity List**
L1 **L2** **Price - A**
List Price Effective:

Boxed

0.31" 410 Series Stainless Steel Screw

SSCX6706	7/16"	25/32"	10	80	\$ 1.43
SSCX6708	1/2"	29/32"	10	80	\$ 1.43
SSCX6710	9/16"	1-1/16"	10	80	\$ 1.43
SSCX6712	11/16"	1-1/4"	10	160	\$ 1.39
SSCX6716	13/16"	1-1/2"	10	160	\$ 1.41
SSCX6720	1-13/16"	1-3/4"	10	160	\$ 1.44
SSCX6724	1-1/16"	2"	10	160	\$ 1.44
SSCX6728	1-5/16"	2-1/4"	10	160	\$ 1.45
SSCX6732	1-9/16"	2-1/2"	10	80	\$ 1.46
SSCX6736	1-13/16"	2-3/4"	10	80	\$ 1.51
SSCX6740	2-1/16"	3"	10	80	\$ 1.77
SSCX6744	2-5/16"	3-1/4"	10	80	\$ 2.08
SSCX6748	2-9/16"	3-1/2"	10	10	\$ 2.50
SSCX6752	2-13/16"	3-3/4"	10	10	\$ 2.59
SSCX6756	3-1/16"	4"	10	10	\$ 2.59
SSCX6760	3-5/16"	4-1/4"	10	10	\$ 2.65
SSCX6764	3-9/16"	4-1/2"	10	10	\$ 2.65
SSCX6772	1-7/8"	5"	10	10	\$ 2.80
SSCX6780	2-1/2"	5-1/2"	10	10	\$ 2.86
SSCX6788	3-1/8"	6"	10	10	\$ 3.11
SSCX6796	3-5/8"	6-1/2"	10	10	\$ 3.18
SSCX67104	4-1/8"	7"	5	5	\$ 3.71

Bulk

0.25" 200/300 Series Stainless Steel Screw

SSCB6704	7/32"	5/8"	200	\$ 0.95
SSCB6705	5/16"	11/16"	200	\$ 0.95

Bulk

0.31" 410 Series Stainless Steel Screw

SSCB6706	7/16"	25/32"	200	\$ 1.26
SSCB6708	1/2"	29/32"	200	\$ 1.26
SSCB6710	9/16"	1-1/16"	200	\$ 1.26
SSCB6712	11/16"	1-1/4"	200	\$ 1.27
SSCB6716	13/16"	1-1/2"	200	\$ 1.27
SSCB6720	1-13/16"	1-3/4"	200	\$ 1.29
SSCB6724	1-1/16"	2"	200	\$ 1.29
SSCB6728	1-5/16"	2-1/4"	200	\$ 1.31
SSCB6732	1-9/16"	2-1/2"	200	\$ 1.31
SSCB6736	1-13/16"	2-3/4"	100	\$ 1.37
SSCB6740	2-1/16"	3"	100	\$ 1.53
SSCB6744	2-5/16"	3-1/4"	100	\$ 1.88
SSCB6748	2-9/16"	3-1/2"	100	\$ 1.88
SSCB6752	2-13/16"	3-3/4"	100	\$ 1.94
SSCB6756	3-1/16"	4"	100	\$ 1.94
SSCB6760	3-5/16"	4-1/4"	100	\$ 2.01
SSCB6764	3-9/16"	4-1/2"	50	\$ 2.02
SSCB6772	1-7/8"	5"	50	\$ 2.20
SSCB6780	2-1/2"	5-1/2"	50	\$ 2.26
SSCB6788	3-1/8"	6"	50	\$ 2.52
SSCB6796	3-5/8"	6-1/2"	50	\$ 2.58
SSCB67104	4-1/8"	7"	200	\$ 2.52
SSCB67128	5-5/8"	8-1/2"	150	\$ 4.06
SSCB67152	7-1/8"	10"	100	\$ 4.47
SSCB67188	9-3/8"	12-1/4"	100	\$ 4.97
SSCB67212	10-7/8"	13-3/4"	100	\$ 6.30
SSCB67224	11-5/8"	14-1/2"	100	\$ 7.41

Contact your sales rep for any further information

Toll Free: 1-800-561-3164

boshart.com

ALL STAINLESS STEEL CLAMPS - SERIES 77



The combination of the high nickel content stainless steel and plating of the carbon screw allows this clamp to be used in above ground outdoor and indoor applications where corrosion is somewhat of an issue. This clamp can be used for all standard clamp applications.

- 300 Series Stainless Steel Band & Housing
- 1/2" Wide Band
- Must order L1 or L2 quantity



Part No. Minimum Size Maximum Size Quantity List L1 L2 Price - A
List Price Effective:

Individual

0.25" Carbon Steel Screw

SSC7704	7/32"	5/8"	10	200	\$ 0.82
SSC7705	5/16"	11/16"	10	200	\$ 0.82

Individual

0.31" Yellow Dichromate Plated Carbon Steel Screw

SSC7706	7/16"	25/32"	10	200	\$ 1.07
SSC7708	1/2"	29/32"	10	200	\$ 1.07
SSC7710	9/16"	1-1/16"	10	200	\$ 1.07
SSC7712	11/16"	1-1/4"	10	200	\$ 1.07
SSC7716	13/16"	1-1/2"	10	200	\$ 1.07
SSC7720	13/16"	1-3/4"	10	200	\$ 1.10
SSC7724	1-1/16"	2"	10	200	\$ 1.10
SSC7728	1-5/16"	2-1/4"	10	200	\$ 1.20
SSC7732	1-9/16"	2-1/2"	10	200	\$ 1.20
SSC7736	1-13/16"	2-3/4"	10	100	\$ 1.21
SSC7740	2-1/16"	3"	10	100	\$ 1.43
SSC7744	2-5/16"	3-1/4"	10	100	\$ 1.73
SSC7748	2-9/16"	3-1/2"	10	100	\$ 1.73
SSC7752	2-13/16"	3-3/4"	10	100	\$ 1.78
SSC7756	3-1/16"	4"	10	100	\$ 1.81
SSC7764	3-9/16"	4-1/2"	10	50	\$ 1.87
SSC7772	1-7/8"	5"	10	50	\$ 1.98
SSC7780	2-1/2"	5-1/2"	10	50	\$ 2.09
SSC7788	3-1/8"	6"	10	50	\$ 2.09
SSC7796	3-5/8"	6-1/2"	10	50	\$ 2.26
SSC77104	4-1/8"	7"	10		\$ 2.45
SSC77128	5-5/8"	8-1/2"	10		\$ 3.74
SSC77152	7-1/8"	10"	10		\$ 4.03
SSC77188	9-3/8"	12-1/4"	10		\$ 4.53
SSC77212	10-7/8"	13-3/4"	10		\$ 11.79
SSC77224	11-5/8"	14-1/2"	10		\$ 12.45

Boxed

0.25" Carbon Steel Screw

SSCX7704	7/32"	5/8"	10	160	POR
SSCX7705	5/16"	11/16"	10	160	POR

Part No. Minimum Size Maximum Size Quantity List L1 L2 Price - A
List Price Effective:

Boxed

0.31" Yellow Dichromate Plated Carbon Steel Screw

SSCX7706	7/16"	25/32"	10	80	\$ 1.25
SSCX7708	1/2"	29/32"	10	80	\$ 1.25
SSCX7710	9/16"	1-1/16"	10	80	\$ 1.25
SSCX7712	11/16"	1-1/4"	10	160	\$ 1.20
SSCX7716	13/16"	1-1/2"	10	160	\$ 1.21
SSCX7720	13/16"	1-3/4"	10	160	\$ 1.23
SSCX7724	1-1/16"	2"	10	160	\$ 1.23
SSCX7728	1-5/16"	2-1/4"	10	160	\$ 1.34
SSCX7732	1-9/16"	2-1/2"	10	80	\$ 1.35
SSCX7736	1-13/16"	2-3/4"	10	80	\$ 1.35
SSCX7740	2-1/16"	3"	10	80	\$ 1.67
SSCX7744	2-5/16"	3-1/4"	10	80	\$ 1.94
SSCX7748	2-9/16"	3-1/2"	10		\$ 2.38
SSCX7752	2-13/16"	3-3/4"	10		\$ 2.43
SSCX7756	3-1/16"	4"	10		\$ 2.43
SSCX7764	3-9/16"	4-1/2"	10		\$ 2.49
SSCX7772	1-7/8"	5"	10		\$ 2.58
SSCX7780	2-1/2"	5-1/2"	10		\$ 2.72
SSCX7788	3-1/8"	6"	10		\$ 2.72
SSCX7796	3-5/8"	6-1/2"	10		\$ 2.86

Bulk

0.25" Carbon Steel Screw

SSCB7704	7/32"	5/8"	200		\$ 0.81
SSCB7705	5/16"	11/16"	200		\$ 0.81

Bulk

0.31" Yellow Dichromate Plated Carbon Steel Screw

SSCB7706	7/16"	25/32"	200		\$ 1.26
SSCB7708	1/2"	29/32"	200		\$ 1.05
SSCB7710	9/16"	1-1/16"	200		\$ 1.05
SSCB7712	11/16"	1-1/4"	200		\$ 1.04
SSCB7716	13/16"	1-1/2"	200		\$ 1.04
SSCB7720	13/16"	1-3/4"	200		\$ 1.06
SSCB7724	1-1/16"	2"	200		\$ 1.06
SSCB7728	1-5/16"	2-1/4"	200		\$ 1.18
SSCB7732	1-9/16"	2-1/2"	200		\$ 1.18
SSCB7736	1-13/16"	2-3/4"	100		\$ 1.19
SSCB7740	2-1/16"	3"	100		\$ 1.43
SSCB7744	2-5/16"	3-1/4"	100		\$ 1.73
SSCB7748	2-9/16"	3-1/2"	100		\$ 1.73
SSCB7752	2-13/16"	3-3/4"	100		\$ 1.79
SSCB7756	3-1/16"	4"	100		\$ 1.77
SSCB7764	3-9/16"	4-1/2"	50		\$ 1.87
SSCB7772	1-7/8"	5"	50		\$ 1.99
SSCB7780	2-1/2"	5-1/2"	50		\$ 2.12
SSCB7788	3-1/8"	6"	50		\$ 2.12
SSCB7796	3-5/8"	6-1/2"	50		\$ 2.27
SSCB77104	4-1/8"	7"	200		\$ 2.31
SSCB77128	5-5/8"	8-1/2"	150		\$ 3.58
SSCB77152	7-1/8"	10"	100		\$ 3.88
SSCB77188	9-3/8"	12-1/4"	100		\$ 4.38
SSCB77212	10-7/8"	13-3/4"	100		\$ 11.64
SSCB77224	11-5/8"	14-1/2"	100		\$ 12.30

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

ALL STAINLESS STEEL CLAMPS - SERIES 87



This series of marine grade clamps contains a high nickel content providing strong corrosion resistance and is suitable for outdoor use with no shielding. The screw has a high content of nickel and can be used where a non-magnetic material is required. The screw rod is resistant to atmospheric corrosion, many organic chemicals and a wide variety of inorganic chemicals.

- 300 Series Stainless Steel Band & Housing
- 1/2" Wide Band
- Must order L1 or L2 quantity



Part No. **Minimum Size** **Maximum Size** **Quantity List**
L1 **L2** **Price - A**
List Price Effective:

Individual

0.25" 305 Series Stainless Steel Screw

SSC8704	7/32"	5/8"	10	200	\$ 1.03
SSC8705	5/16"	11/16"	10	200	\$ 1.03

Individual

0.31" 305 Series Stainless Steel Screw

SSC8706	7/16"	25/32"	10	200	\$ 1.34
SSC8708	1/2"	29/32"	10	200	\$ 1.34
SSC8710	9/16"	1-1/16"	10	200	\$ 1.34
SSC8712	11/16"	1-1/4"	10	200	\$ 1.35
SSC8716	13/16"	1-1/2"	10	200	\$ 1.35
SSC8720	13/16"	1-3/4"	10	200	\$ 1.37
SSC8724	1-1/16"	2"	10	200	\$ 1.37
SSC8728	1-5/16"	2-1/4"	10	200	\$ 1.37
SSC8732	1-9/16"	2-1/2"	10	200	\$ 1.37
SSC8736	1-13/16"	2-3/4"	10	100	\$ 1.44
SSC8740	2-1/16"	3"	10	100	\$ 1.60
SSC8744	2-5/16"	3-1/4"	10	100	\$ 1.95
SSC8748	2-9/16"	3-1/2"	10	100	\$ 1.95
SSC8752	2-13/16"	3-3/4"	10	100	\$ 2.03
SSC8756	3-1/16"	4"	10	100	\$ 2.03
SSC8760	3-5/16"	4-1/4"	10	100	\$ 2.10
SSC8764	3-9/16"	4-1/2"	10	50	\$ 2.14
SSC8772	1-7/8"	5"	10	50	\$ 2.29
SSC8780	2-1/2"	5-1/2"	10	50	\$ 2.35
SSC8788	3-1/8"	6"	10	50	\$ 2.62
SSC8796	3-5/8"	6-1/2"	10	50	\$ 2.69
SSC87104	4-1/8"	7"	10	200	\$ 2.78
SSC87128	5-5/8"	8-1/2"	10	150	\$ 4.39
SSC87152	7-1/8"	10"	10	100	\$ 4.86
SSC87188	9-3/8"	12-1/4"	10	100	\$ 5.38
SSC87212	10-7/8"	13-3/4"	10	100	\$ 6.78
SSC87224	11-5/8"	14-1/2"	10	100	\$ 7.67

Boxed

0.25" 305 Series Stainless Steel Screw

SSCX8704	7/32"	5/8"	10	160	\$ 1.13
SSCX8705	5/16"	11/16"	10	160	\$ 1.13

Part No. **Minimum Size** **Maximum Size** **Quantity List**
L1 **L2** **Price - A**
List Price Effective:

Boxed

0.31" 305 Series Stainless Steel Screw

SSCX8706	7/16"	25/32"	10	80	\$ 1.49
SSCX8708	1/2"	29/32"	10	80	\$ 1.49
SSCX8710	9/16"	1-1/16"	10	80	\$ 1.49
SSCX8712	11/16"	1-1/4"	10	160	\$ 1.46
SSCX8716	13/16"	1-1/2"	10	160	\$ 1.40
SSCX8720	13/16"	1-3/4"	10	160	\$ 1.50
SSCX8724	1-1/16"	2"	10	160	\$ 1.50
SSCX8728	1-5/16"	2-1/4"	10	160	\$ 1.51
SSCX8732	1-9/16"	2-1/2"	10	80	\$ 1.52
SSCX8736	1-13/16"	2-3/4"	10	80	\$ 1.64
SSCX8740	2-1/16"	3"	10	80	\$ 1.84
SSCX8744	2-5/16"	3-1/4"	10	80	\$ 2.19
SSCX8748	2-9/16"	3-1/2"	10		\$ 2.60
SSCX8752	2-13/16"	3-3/4"	10		\$ 2.70
SSCX8756	3-1/16"	4"	10		\$ 2.70
SSCX8760	3-5/16"	4-1/4"	10		\$ 2.76
SSCX8764	3-9/16"	4-1/2"	10		\$ 2.76
SSCX8772	1-7/8"	5"	10		\$ 2.91
SSCX8780	2-1/2"	5-1/2"	10		\$ 2.96
SSCX8788	3-1/8"	6"	10		\$ 3.25
SSCX8796	3-5/8"	6-1/2"	10		\$ 3.32
SSCX87104	4-1/8"	7"	5		\$ 3.85

Bulk

0.25" 305 Series Stainless Steel Screw

SSCB8704	7/32"	5/8"	200		\$ 1.01
SSCB8705	5/16"	11/16"	200		\$ 1.01

Bulk

0.31" 305 Series Stainless Steel Screw

SSCB8706	7/16"	25/32"	200		\$ 1.32
SSCB8708	1/2"	29/32"	200		\$ 1.32
SSCB8710	9/16"	1-1/16"	200		\$ 1.32
SSCB8712	11/16"	1-1/4"	200		\$ 1.33
SSCB8716	13/16"	1-1/2"	200		\$ 1.33
SSCB8720	13/16"	1-3/4"	200		\$ 1.36
SSCB8724	1-1/16"	2"	200		\$ 1.36
SSCB8728	1-5/16"	2-1/4"	200		\$ 1.37
SSCB8732	1-9/16"	2-1/2"	200		\$ 1.37
SSCB8736	1-13/16"	2-3/4"	100		\$ 1.43
SSCB8740	2-1/16"	3"	100		\$ 1.60
SSCB8744	2-5/16"	3-1/4"	100		\$ 1.95
SSCB8748	2-9/16"	3-1/2"	100		\$ 1.95
SSCB8752	2-13/16"	3-3/4"	100		\$ 2.04
SSCB8756	3-1/16"	4"	100		\$ 2.04
SSCB8760	3-5/16"	4-1/4"	100		\$ 2.10
SSCB8764	3-9/16"	4-1/2"	50		\$ 2.12
SSCB8772	1-7/8"	5"	50		\$ 2.31
SSCB8780	2-1/2"	5-1/2"	50		\$ 2.38
SSCB8788	3-1/8"	6"	50		\$ 2.64
SSCB8796	3-5/8"	6-1/2"	50		\$ 2.71
SSCB87104	4-1/8"	7"	200		\$ 2.65
SSCB87128	5-5/8"	8-1/2"	100		\$ 4.26
SSCB87152	7-1/8"	10"	100		\$ 4.69
SSCB87188	9-3/8"	12-1/4"	100		\$ 5.22
SSCB87212	10-7/8"	13-3/4"	100		\$ 6.64
SSCB87224	11-5/8"	14-1/2"	100		\$ 7.41

Contact your sales rep for any further information

Toll Free: 1-800-561-3164

boshart.com

FLEXIBLE COUPLINGS



Flexible couplings are for joining dissimilar pipe materials and/or sizes in utility, municipal and plumbing applications, including sewer, drain, waste and vent (DWV) piping applications. Couplings fit over the ends of plain-end or spigot pipe to form a positive seal against infiltration and exfiltration in non-pressure environments. Excellent dimensional flexibility with a tolerance range of approximately $\pm 5\%$ nominal diameter which allows the coupling to flex with normal earth movement and ensures leak proof seals.

- Couplings are marked with both size and pipe materials for easy identification and installation
- Clamps tighten easily with slotted screwdriver

Temperature Range: Up to 140°F (60°C), Maximum Pressure: Test: 4.3 PSI



Primary Material: Flexible Elastomeric PVC,

- Material Specifications
 - ASTM C564 Rubber Gaskets
 - ANSI/SAE J-1670 Clamps
- ASTM C1173 Flexible Transition Couplings
- CSA B602 Mechanical Couplings for Drain, Waste, and Vent & Sewer Pipe

Part No.	Size	Quantity		List Price - A
		L1	L2	
List Price Effective: April 27, 2020				

Clay

Industry Number: 1001 / 01

FRC01-40	4"	60		\$ 28.21
FRC01-5040	5" x 4"	10		\$ 52.76
FRC01-6040	6" x 4"	20		\$ 65.57
FRC01-6050	6" x 5"	20		\$ 74.48
FRC01-60	6"	20		\$ 70.03

Clay x C.I./Plastic

Industry Number: 1002 / 02

FRC02-4030	4" x 3"	60		\$ 15.75
FRC02-40 *	4"	18	720	\$ 12.52
FRC02-6040	6" x 4"	20		\$ 21.56
FRC02-60 *	6"	6		\$ 20.78
FRC02-8060	8" x 6"	10		\$ 101.15
FRC02-10080	10" x 8"	5		\$ 134.34
FRC02-120100	12" x 10"	5		\$ 168.99

Concrete

Industry Number: 1004 / 04

FRC04-40	4"	20		\$ 28.21
FRC04-60	6"	10		\$ 60.30
FRC04-80	8"	10		\$ 92.72
FRC04-100	10"	5		\$ 129.60
FRC04-120	12"	5		\$ 165.54

Concrete x C.I./Plastic

Industry Number: 1006 / 06

FRC06-40	4"	30		\$ 13.96
FRC06-6040	6" x 4"	10		\$ 63.95
FRC06-60	6"	20		\$ 31.05

Asbestos/D.I. x C.I./Plastic

Industry Number: 1051 / 51

FRC51-40	4"	25		\$ 22.03
FRC51-60	6"	20		\$ 34.77
FRC51-6040	6" x 4"	36		\$ 35.01
FRC51-6050	6" x 5"	10		\$ 72.62

Part No.	Size	Quantity		List Price - A
		L1	L2	
List Price Effective: April 27, 2020				

C.I./Plastic

Industry Number: 1056 / 56

FRC56-10	1"	100		\$ 8.56
FRC56-12	1-1/4"	100		\$ 4.55
FRC56-1512	1-1/2" x 1-1/4"	100		\$ 4.83
FRC56-15 *	1-1/2"	24	2400	\$ 4.50
FRC56-2015 *	2" x 1-1/2"	18	1440	\$ 5.00
FRC56-20 *	2"	18	900	\$ 4.99
FRC56-3015	3" x 1-1/2"	80		\$ 7.82
FRC56-3020 *	3" x 2"	24	960	\$ 7.80
FRC56-30 *	3"	15	1200	\$ 9.11
FRC56-4015	4" x 1-1/2"	50		\$ 10.21
FRC56-4020	4" x 2"	60		\$ 9.92
FRC56-4030 *	4" x 3"	15	960	\$ 11.90
FRC56-40 *	4"	24	960	\$ 12.18
FRC56-5040	5" x 4"	30		\$ 17.59
FRC56-50	5"	30		\$ 15.52
FRC56-6040 *	6" x 4"	9	360	\$ 17.07
FRC56-6050	6" x 5"	20		\$ 25.58
FRC56-60 *	6"	6	240	\$ 20.20
FRC56-8040	8" x 4"	10		\$ 37.05
FRC56-8060	8" x 6"	10		\$ 34.70
FRC56-80	8"	10		\$ 37.57
FRC56-10080	10" x 8"	8		\$ 63.66
FRC56-100	10"	4		\$ 74.02
FRC56-120	12"	2		\$ 82.48

C.I./Plastic x C.I./Plastic - Eccentric Bottom

Industry Number: 1056 / 56

FRC56-6040E	6" x 4"	10		\$ 193.71
-------------	---------	----	--	-----------



Contact your sales rep for any further information

Toll Free: 1-800-561-3164

boshart.com

FLEXIBLE END CAPS, ELBOWS AND TEES

Flexible end caps, elbows and tees are easy to install and fit pipe in drain, waste and vent plumbing applications.

- Clamps tighten easily with slotted screwdriver

Temperature Range: Up to 140°F (60°C), Maximum Pressure: Test: 4.3 PSI

- Material Specifications
 - ASTM C564 Rubber Gaskets
 - ANSI/SAE J-1670 Clamps
- IAPMO PS90 Elastomeric Test Caps & Shielded Couplings
- IAPMO IGC198 Elastomeric Elbows and Tees
- CSA B602 Mechanical Couplings for Drain, Waste, and Vent & Sewer Pipe

Part No.	Size	Quantity		List Price - A
		L1	L2	

List Price Effective: April 27, 2020

Cap - C.I./Plastic

These terminate pipe ends and cleanouts. The convex face will withstand greater pressure for testing and minimize ballooning.



FREC-15	1-1/2"	24	960	\$ 3.16
FREC-20	2"	24	600	\$ 3.69
FREC-30	3"	24	720	\$ 4.80
FREC-40	4"	24	960	\$ 7.25
FREC-60	6"	40		\$ 21.87

Cap with Hose Bibb - C.I./Plastic

These allow for filling, pressurizing and easy drainage of water in system testing.



FRTC-15	1-1/2"	12		\$ 18.03
FRTC-20	2"	12		\$ 18.46
FRTC-30	3"	12		\$ 19.89
FRTC-40	4"	12		\$ 21.98

Part No.	Size	Quantity		List Price - A
		L1	L2	

List Price Effective: April 27, 2020

90° Elbow - C.I./Plastic

These are to be used above ground. They install easily in confined spaces and will fit repair jobs where a fitting has been cut out.



FRQE-15	1-1/2"	50		\$ 8.80
FRQE-20	2"	20		\$ 9.58
FRQE-30	3"	20		\$ 22.86
FRQE-40	4"	6		\$ 31.31

Tee - C.I./Plastic

These are to be used above ground. They install easily in confined spaces and will fit repair jobs where a fitting has been cut out.



FRQT-15	1-1/2"	50		\$ 10.32
FRQT-20	2"	20		\$ 12.65
FRQT-30	3"	20		\$ 28.76
FRQT-40	4"	6		\$ 46.07



Contact your sales rep for any further information

Toll Free: 1-800-561-3164

boshart.com

FLEXIBLE PLUMBING CONNECTORS

Flexible plumbing connectors offer a quick and economical solution for 1-1/4" or 1-1/2" metal or plastic tubular drain, waste and vent (DWV) piping connections. They can be used to extend, repair or adapt tubular drain pipe to common household drain, waste and vent pipe.

Part No.	Size	Quantity		List Price - A
		L1	L2	

List Price Effective: April 27, 2020

Part No.	Size	Quantity		List Price - A
		L1	L2	

List Price Effective: April 27, 2020

Drain and Trap Connector - C.I./Plastic x Tubular



FRQDTC-15	1-1/2" x 1-1/2" or 1-1/4"	100	\$ 4.30
FRQDTC-20	2" x 1-1/4" or 1-1/2"	100	\$ 4.69

Dishwasher Drain Connector



FRQDWC-10	1" x 1/2"	80	\$ 3.45
-----------	-----------	----	---------

Coupling - Tubular



FRQTC-15	1-1/2" or 1-1/4"	100	\$ 4.20
----------	------------------	-----	---------

Flexible Trap - Tubular



FRQTR-15	1-1/2" or 1-1/4"	30	\$ 7.76
----------	------------------	----	---------

Washing Machine Hose Connector - C.I./Plastic



FRQWMC-2015	2" or 1-1/2"	160	\$ 3.94
-------------	--------------	-----	---------

NO HUB "MJ" MERCHANT JOINT COUPLINGS



Shielded couplings for joining hubless cast iron pipe and fittings in drain, waste and vent (DWV) piping applications.

- 300 Series Stainless Steel Clamps & Shield
- 1-1/2" to 4" 2 clamps, 5" & 6" have 4 clamps
- Temperature Range: Up to 140°F (60°C), Maximum Pressure: Test: 4.3 PSI
- Material Specifications
 - ASTM C564 Rubber Gaskets
- ASTM C1277 Shielded Couplings
- CSA B602 Mechanical Couplings for Drain, Waste, and Vent & Sewer Pipe

Part No.	Size	Quantity		List Price - A
		L1	L2	

List Price Effective: April 27, 2020

C.I./Plastic

NHC-15	1-1/2"	100	\$ 4.62
NHC-2015	2" x 1-1/2"	100	\$ 6.88
NHC-20	2"	100	\$ 5.24
NHC-30	3"	100	\$ 6.59
NHC-40	4"	100	\$ 7.43
NHC-50	5"	30	\$ 16.96
NHC-60	6"	30	\$ 17.57

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

SHIELDED TRANSITION COUPLINGS



Shielded couplings for joining dissimilar cast iron, copper, plastic and steel pipe and fittings in drain, waste and vent (DWV) piping applications.

- 300 Series Stainless Steel Clamps & Shield
- Temperature Range: Up to 140°F (60°C), Maximum Pressure: Test: 4.3 PSI
- Material Specifications
 - ASTM C564 Rubber Gaskets
- ASTM C1277 Shielded Couplings
- CSA B602 Mechanical Couplings for Drain, Waste, and Vent & Sewer Pipe

Part No.	Size	Quantity		List Price - A
		L1	L2	

List Price Effective: April 27, 2020

C.I./Plastic x Copper or Plastic

SC01-1512	1-1/2" x 1-1/4" or 1"	100	\$ 9.30
SC01-15	1-1/2" x 1-1/2" or 1-1/4"	100	\$ 8.72
SC01-2015	2" x 1-1/2" or 1-1/4"	100	\$ 11.07

C.I./Plastic x Copper

SC01-20	2"	100	\$ 10.57
SC01-30	3"	100	\$ 13.80

Part No.	Size	Quantity		List Price - A
		L1	L2	

List Price Effective: April 27, 2020

CxC x CxC or Plastic

SC03-15	1-1/2" x 1-1/2" or 1-1/4"	100	\$ 8.26
SC03-2015	2" x 1-1/2" or 1-1/4"	100	\$ 12.73

CxC

SC03-20	2"	100	\$ 11.70
SC03-30	3"	100	\$ 15.52

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
 boshart.com

FILTRATION

Housings, kits and
cartridges for both taste
& odor and sediment
applications



BOSHART
INDUSTRIES

INDEX

Product Line	Page
Filter Housing Kits	1
Filter Housing Kit Replacement Parts	2
Giant Filter Housings	3
Giant Filter Housing Replacement Parts	3
Giant Filter Housing Kits	4
Giant Filter Housing Kit Replacement Parts	4
Pleated Polyester Cartridges	5
Spun Polypropylene Cartridges	5
String Wound Polypropylene Cartridges	6
High Temp String Wound Cotton Cartridges	7
High Temp String Wound Natural Cotton Cartridges	7
Carbon Block Cartridges	8
Carbon Briquette 'Cyst Removal' Cartridges	8
Granular Activated Carbon Cartridges	9
Powder Activated Carbon Wrap Cartridges	9
Icemaker / In-line Taste & Odour Filters	10
Sediment Filter & Separator Housings	10
Sediment Filter & Separator Housing Kits	11
316 Stainless Steel Mesh Elements	13
Sediment Filter & Separator Replacement Parts	14

FILTER HOUSING KITS

Boshart's filter housings are great for agriculture, water well, point of use, greenhouse/ drip irrigation, whole house residential and recreational vehicle applications. They have a threaded inlet and outlet with a relief button on the inlet side. These housings fit industry standard filter cartridges (not included). The filter heads have mounting bosses molded in for installation with a mounting bracket. Each unit comes with the housing, o-rings, filter bowl wrench, and a mounting bracket with hardware.

- Head is polypropylene, blue bowl is polypropylene, clear bowl is styrene-acrylonitrile
- Threads conform to ANSI/ASME B1.20.1



Part No.	Bowl Length	Inlet & Outlet Size	Quantity List		Price - A
			L1	L2	

List Price Effective: April 27, 2020



Standard, Bowl Color: Blue, Temperature Range: 39°F to 125°F (4°C to 52°C), Maximum Pressure: 125 PSI
 • If the working pressure is consistently over 60 PSI a pressure regulator valve is recommended to extend the life span of the bowl

14FHK-SB-0503	5"	3/8" FPT	15	\$ 39.71
14FHK-SB-1007	10"	3/4" FPT	12	\$ 39.86
14FHK-SB-2007	20"	3/4" FPT	8	\$ 82.45



Standard, Bowl Color: Clear, Temperature Range: 39°F to 125°F (4°C to 52°C), Maximum Pressure: 125 PSI
 • If the working pressure is consistently over 60 PSI a pressure regulator valve is recommended to extend the life span of the bowl

14FHK-SC-1007	10"	3/4" FPT	12	\$ 45.08
14FHK-SC-2007	20"	3/4" FPT	8	\$ 109.37



Standard with Stainless Steel Inserts, Bowl Color: Clear, Temperature Range: 39°F to 125°F (4°C to 52°C), Maximum Pressure: 125 PSI
 • If the working pressure is consistently over 60 PSI a pressure regulator valve is recommended to extend the life span of the bowl

14FHK-SC-1007SS	10"	3/4" FPT	12	\$ 54.77
-----------------	-----	----------	----	----------



Standard Slim, Bowl Color: Blue, Temperature Range: 39°F to 125°F (4°C to 52°C), Maximum Pressure: 125 PSI
 • If the working pressure is consistently over 60 PSI a pressure regulator valve is recommended to extend the life span of the bowl

14FHK-SLB-1007	10"	3/4" FPT	15	\$ 33.09
14FHK-SLB-2007	20"	3/4" FPT	8	\$ 67.67



Standard Slim, Bowl Color: Clear, Temperature Range: 39°F to 125°F (4°C to 52°C), Maximum Pressure: 125 PSI
 • If the working pressure is consistently over 60 PSI a pressure regulator valve is recommended to extend the life span of the bowl

14FHK-SLC-1007	10"	3/4" FPT	15	\$ 35.17
14FHK-SLC-2007	20"	3/4" FPT	8	\$ 74.78



High Temperature, Bowl Color: Red, Temperature Range: 39°F to 165°F (4°C to 74°C), Maximum Pressure: 125 PSI

14FHK-HTR-1007	10"	3/4" FPT	12	\$ 128.47
----------------	-----	----------	----	-----------



Extreme Temperature / Pressure, Bowl Color: Stainless Steel, Temperature Range: Up to 300°F (149°C), Maximum Pressure: 300 PSI







14HK-SS10-07	10"	3/4" FPT	12	\$ 454.41
14HK-SS20-07	20"	3/4" FPT	6	\$ 668.25

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

FILTER HOUSING KIT REPLACEMENT PARTS

Replacement parts for the filter housing kits.

	Part No.	Description	Quantity		List Price - A
			L1	L2	
List Price Effective: April 27, 2020					
	Filter Head				
	14FHPT-HT-07	For red high temperature housing	24		\$ 35.16
	14FHPT-SH-03	For standard housing - 3/8" NPT	30		\$ 7.07
	14FHPT-SH-07	For standard housing - 3/4" NPT	24		\$ 19.01
	14FHPT-SLH-07	For slim housing - 3/4" NPT	30		\$ 7.14
	Filter Bowl				
	14FHPT-HT-10R	For high temperature housing - 10" Red	12		\$ 105.61
	14FHPT-SB-05B	For standard housing - 5" Blue	15		\$ 17.15
	14FHPT-SB-10B	For standard housing - 10" Blue	12		\$ 20.42
	14FHPT-SB-10C	For standard housing - 10" Clear	12		\$ 24.22
	14FHPT-SB-20B	For standard housing - 20" Blue	8		\$ 49.17
	14FHPT-SB-20C	For standard housing - 20" Clear	8		\$ 60.91
	14FHPT-SLB-10B	For slim housing - 10" Blue	12		\$ 19.08
	14FHPT-SLB-10C	For slim housing - 10" Clear	12		\$ 22.88
	14FHPT-SLB-20B	For slim housing - 20" Blue	8		\$ 53.57
	14FHPT-SLB-20C	For slim housing - 20" Clear	8		\$ 62.78
	Filter Wrench				
	14A-FWSS-03	For stainless steel housing			\$ 3.40
	14FHPT-SFW	For standard & red high temperature housing	50		\$ 4.28
	14FHPT-SLFW	For slim housing	50		\$ 2.51
	O-Ring Kit				
	14A-ORSS-03	For stainless steel housing			\$ 4.21
	14FHPT-HTOR	For red high temperature housing	100		\$ 5.54
	14FHPT-SLOR	For slim housing	100		\$ 0.93
	14FHPT-SLOR-5	For standard housing - 5" bowl	100		\$ 0.93
	14FHPT-SOR	For standard housing - 10" & 20" bowls	100		\$ 1.40
	Mounting Bracket Kit				
	14A-MBSS-03	For stainless steel housing			\$ 9.97
	14FHPT-SLMB	For slim housing	50		\$ 8.17
	14FHPT-SMB	For standard housing	50		\$ 10.23
	Gasket Seal				
	14A-TGSS-03	For stainless steel housing	100		\$ 11.63

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

GIANT FILTER HOUSINGS

Boshart's high temperature housings are great for alcohols, toluene, xylene, gasoline, hot water & liquids, photographic, salt water fisheries and vegetable oils. They are suitable for high pressure service and are an excellent alternative to stainless or carbon housings. These housings accept industry standard cartridges (not included).

- Glass reinforced nylon head & bowl
- Threads conform to ANSI/ASME B1.20.1



Part No.	Bowl Length	Inlet & Outlet Size	Quantity List		Price - A
			L1	L2	
List Price Effective: April 27, 2020					
Giant High Temperature, Bowl Color: Black, Temperature Range: Up to 180°F (82°C), Maximum Pressure: 100 PSI					
14H-GHT10BK-1015	10"	1" or 1-1/2" FPT	4		\$ 951.53
14H-GHT20BK-1015	20"	1" or 1-1/2" FPT	4		\$ 1,180.98

GIANT FILTER HOUSING REPLACEMENT PARTS

Replacement parts for the giant housings.



Part No.	Description	Quantity List		Price - A
		L1	L2	
List Price Effective: April 27, 2020				
O-Ring Kit				
14A-GOR-01	For giant high temperature housing			\$ 2.12
Filter Wrench				
14A-GFW-01	For giant high temperature housing - 10" & 20" bowls			\$ 15.16

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

GIANT FILTER HOUSING KITS

Boshart's filter housings are great for agriculture, water well, point of use, greenhouse/ drip irrigation, whole house residential and recreational vehicle applications. They have a threaded inlet and outlet with a relief button on the inlet side. These housings fit industry standard filter cartridges (not included). The filter heads have mounting bosses molded in for installation with a mounting bracket. Each unit comes with the housing, o-rings, filter bowl wrench, and a mounting bracket with hardware.



- Head is polypropylene, bowl is polypropylene
- Threads conform to ANSI/ASME B1.20.1

Part No.	Bowl Length	Inlet & Outlet Size	Quantity		List Price - A
			L1	L2	

List Price Effective: April 27, 2020



Giant, Bowl Color: Blue, Temperature Range: 39°F to 100°F (4°C to 38°C), Maximum Pressure: 90 PSI

14FHK-GB-1007	10"	3/4" FPT	6		\$ 117.61
14FHK-GB-1010	10"	1" FPT	6		\$ 120.63
14FHK-GB-1015	10"	1-1/2" FPT	6		\$ 120.48



Giant, Bowl Color: Clear, Temperature Range: 39°F to 100°F (4°C to 38°C), Maximum Pressure: 90 PSI

14FHK-GC-1007	10"	3/4" FPT	6		\$ 140.28
14FHK-GC-1010	10"	1" FPT	6		\$ 140.68
14FHK-GC-1015	10"	1-1/2" FPT	6		\$ 140.28



Giant, Bowl Color: Blue, Temperature Range: 39°F to 100°F (4°C to 38°C), Maximum Pressure: 90 PSI

14FHK-GB-2007	20"	3/4" FPT	6		\$ 195.23
14FHK-GB-2010	20"	1" FPT	6		\$ 195.38
14FHK-GB-2015	20"	1-1/2" FPT	6		\$ 194.73



Giant, Bowl Color: Clear, Temperature Range: 39°F to 100°F (4°C to 38°C), Maximum Pressure: 90 PSI

14FHK-GC-2010	20"	1" FPT	6		\$ 216.52
14FHK-GC-2015	20"	1-1/2" FPT	6		\$ 223.34

GIANT FILTER HOUSING KIT REPLACEMENT PARTS

Replacement parts for the giant filter housing kits.

Part No.	Description	Quantity		List Price - A
		L1	L2	

List Price Effective: April 27, 2020



Filter Head

14FHPT-GH-07	For giant housing - 3/4" NPT	15		\$ 46.37
14FHPT-GH-10	For giant housing - 1" NPT	15		\$ 46.37
14FHPT-GH-15	For giant housing - 1-1/2" NPT	15		\$ 46.37



Filter Bowl

14FHPT-GB-10B	For giant housing - 10" Blue	6		\$ 55.18
14FHPT-GB-10C	For giant housing - 10" Clear	6		\$ 104.28
14FHPT-GB-20B	For giant housing - 20" Blue	6		\$ 79.06
14FHPT-GB-20C	For giant housing - 20" Clear	6		\$ 178.13



Filter Wrench

14FHPT-GFW	For giant housing	50		\$ 5.60
------------	-------------------	----	--	---------



O-Ring Kit

14FHPT-GOR	For giant housing	100		\$ 3.80
------------	-------------------	-----	--	---------



Mounting Bracket Kit

14FHPT-GMB	For giant housing - with hardware	10		\$ 32.05
------------	-----------------------------------	----	--	----------

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

PLEATED POLYESTER CARTRIDGES



Boshart's polyester pleated filters are suited for a variety of uses and can be used in residential, commercial and industrial applications. The non-woven polyester filter media is pleated around a polypropylene core for added strength and stability. The pleated surface area provides greater sediment and dirt holding capacity while maintaining flow rate and reducing initial pressure drop. These cartridges can be cleaned and reused in most applications and micron ratings. The flow rates listed are based on their maximum efficiency. They can be used with flow rates above what is listed but will not filter as effectively.
Temperature Range: 40°F to 125°F (4°C to 52°C), Filter Media: Polyester



Part No.	Flow Rate	Micron Rating	Pressure Drop @ Flow Rate	Quantity		List Price - A
				L1	L2	

List Price Effective: April 27, 2020

2-1/2" x 9-7/8", Individual

14-PPE1-01	Up to: 9.2 GPM	1	1 PSI @ 10 GPM	50		\$ 10.17
14-PPE1-05	Up to: 9.2 GPM	5	1 PSI @ 10 GPM	50		\$ 10.17
14-PPE1-10	Up to: 9.2 GPM	10	1 PSI @ 10 GPM	50		\$ 10.17
14-PPE1-20	Up to: 9.2 GPM	20	1 PSI @ 10 GPM	50		\$ 10.17
14-PPE1-50	Up to: 9.2 GPM	50	1 PSI @ 10 GPM	50		\$ 10.17

2-1/2" x 9-7/8", 2 Pack

14-PPE1-05-2PK	Up to: 9.2 GPM	5	1 PSI @ 10 GPM	24		\$ 19.26
14-PPE1-20-2PK	Up to: 9.2 GPM	20	1 PSI @ 10 GPM	24		\$ 19.26

2-1/2" x 20", Individual

14-PPE2-05	Up to: 9.2 GPM	5	1 PSI @ 10 GPM	25		\$ 20.04
14-PPE2-20	Up to: 9.2 GPM	20	1 PSI @ 10 GPM	25		\$ 20.04

4-1/2" x 9-3/4", Individual

14-GPPE1-01	Up to: 9.2 GPM	1	1 PSI @ 10 GPM	20		\$ 21.23
14-GPPE1-05	Up to: 9.2 GPM	5	1 PSI @ 10 GPM	20		\$ 21.23
14-GPPE1-20	Up to: 9.2 GPM	20	1 PSI @ 10 GPM	20		\$ 21.23
14-GPPE1-50	Up to: 9.2 GPM	50	1 PSI @ 10 GPM	20		\$ 21.23

4-1/2" x 20", Individual

14-GPPE2-01	Up to: 9.2 GPM	1	1 PSI @ 20 GPM	10		\$ 42.17
14-GPPE2-05	Up to: 9.2 GPM	5	1 PSI @ 20 GPM	10		\$ 42.17
14-GPPE2-20	Up to: 9.2 GPM	20	1 PSI @ 20 GPM	10		\$ 42.17
14-GPPE2-50	Up to: 9.2 GPM	50	1 PSI @ 20 GPM	10		\$ 42.17

SPUN POLYPROPYLENE CARTRIDGES



Boshart's spun filter cartridges are manufactured with melt blown technology into a multi-layer structure to provide superior filter efficiency, reduced pressure drop and increased cartridge life. The standard specification meets most of the housings in the market. Gradient four layer (outside-in), varied micron rate filter structure to capture particles effectively and prolong cartridge life. Cartridge can achieve up to two times that of the double layers. Spun filters consist of 100% high purity polypropylene which is surfactant free, binder free and adhesive free. They have good chemical resistance and is not prone to bacterial attack. The flow rates listed are based on their maximum efficiency. They can be used with flow rates above what is listed but will not filter as effectively.



• NSF/ANSI Standard 372 & 42

Temperature Range: Up to 140°F (60°C), Filter Media: Polypropylene

Part No.	Flow Rate	Micron Rating	Pressure Drop @ Flow Rate	Quantity		List Price - A
				L1	L2	

List Price Effective: April 27, 2020

2-1/2" x 9-7/8", Individual

14-SP1-01	Up to: 5.3 GPM	1	1 PSI @ 3 GPM	20		\$ 3.41
14-SP1-05	Up to: 5.3 GPM	5	1 PSI @ 5 GPM	20		\$ 3.41
14-SP1-10	Up to: 5.3 GPM	10	1 PSI @ 10 GPM	20		\$ 3.41
14-SP1-25	Up to: 5.3 GPM	25	1 PSI @ 12 GPM	20		\$ 3.41
14-SP1-50	Up to: 5.3 GPM	50	1 PSI @ 17 GPM	20		\$ 3.41

2-1/2" x 9-7/8", 2 Pack

14-SP1-05-2PK	Up to: 5.3 GPM	5	1 PSI @ 5 GPM	10		\$ 6.47
14-SP1-25-2PK	Up to: 5.3 GPM	25	1 PSI @ 12 GPM	10		\$ 6.47

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com


SPUN POLYPROPYLENE CARTRIDGES

Part No.	Flow Rate	Micron Rating	Pressure Drop @ Flow Rate	Quantity		List Price - A
				L1	L2	
List Price Effective: April 27, 2020						
2-1/2" x 20", Individual						
14-SP2-01	Up to: 5.3 GPM	1	1 PSI @ 6 GPM	20		\$ 6.52
14-SP2-05	Up to: 5.3 GPM	5	1 PSI @ 10 GPM	20		\$ 6.52
14-SP2-10	Up to: 5.3 GPM	10	1 PSI @ 20 GPM	20		\$ 6.52
14-SP2-25	Up to: 5.3 GPM	25	1 PSI @ 30 GPM	20		\$ 6.52
14-SP2-50	Up to: 5.3 GPM	50	1 PSI @ 35 GPM	20		\$ 6.52
4-1/2" x 10", Individual						
14-GSP1-01	Up to: 10.6 GPM	1	1 PSI @ 10 GPM	8		\$ 16.15
14-GSP1-05	Up to: 10.6 GPM	5	1 PSI @ 15 GPM	8		\$ 16.15
14-GSP1-10	Up to: 10.6 GPM	10	1 PSI @ 20 GPM	8		\$ 16.15
14-GSP1-25	Up to: 10.6 GPM	25	1 PSI @ 25 GPM	8		\$ 16.15
4-1/2" x 20", Individual						
14-GSP2-01	Up to: 10.6 GPM	1	1 PSI @ 15 GPM	8		\$ 32.00
14-GSP2-05	Up to: 10.6 GPM	5	1 PSI @ 25 GPM	8		\$ 32.00
14-GSP2-10	Up to: 10.6 GPM	10	1 PSI @ 30 GPM	8		\$ 32.00
14-GSP2-25	Up to: 10.6 GPM	25	1 PSI @ 35 GPM	8		\$ 32.00

STRING WOUND POLYPROPYLENE CARTRIDGES



Boshart's string wound cartridges are for a wide range of filtering applications and are manufactured from FDA grade polypropylene. These cartridges are very suitable for potable water filtration. Ideal for removing very fine sediment right through to very coarse sediment, at ambient temperatures. The cartridges are made by diagonally winding a precise pattern of carefully selected fibers on a center core. The pattern is designed to create hundreds of identical, tapered, spiral passageways. During the winding, fibers are combed across the passage and locked in place by succeeding layers. Solid particles are removed by entrapment in this highly efficient filter media. Filtration takes place throughout the entire cartridge, not just on the surface, so large amounts of contaminant are trapped without a sudden rise in pressure caused by surface blinding. By varying the wind pattern, cartridges are fabricated to give a pre-determined micron rating.



• NSF/ANSI Standard 372 & 42

Temperature Range: Up to 120°F (49°C), Filter Media: Polypropylene

Part No.	Micron Rating	Pressure Drop @ Flow Rate	Quantity		List Price - A
			L1	L2	
List Price Effective: April 27, 2020					
2-1/2" x 9-7/8", Individual					
14-SWP1-01	1	1 PSI @ 3 GPM	30		\$ 8.15
14-SWP1-05	5	1 PSI @ 5 GPM	30		\$ 7.78
14-SWP1-10	10	1 PSI @ 10 GPM	30		\$ 7.52
14-SWP1-25	25	1 PSI @ 15 GPM	30		\$ 7.20
14-SWP1-50	50	1 PSI @ 20 GPM	30		\$ 7.09
2-1/2" x 9-7/8", 2 Pack					
14-SWP1-05-2PK	5	1 PSI @ 5 GPM	14		\$ 14.68
14-SWP1-25-2PK	25	1 PSI @ 15 GPM	14		\$ 13.58
2-1/2" x 20", Individual					
14-SWP2-01	1	1 PSI @ 6 GPM	15		\$ 15.87
14-SWP2-05	5	1 PSI @ 10 GPM	15		\$ 15.33
14-SWP2-10	10	1 PSI @ 20 GPM	15		\$ 14.79
14-SWP2-25	25	1 PSI @ 30 GPM	15		\$ 13.97
14-SWP2-50	50	1 PSI @ 50 GPM	15		\$ 13.75
4-1/2" x 10", Individual					
14-GSWP1-01	1	1 PSI @ 8 GPM	8		\$ 26.29
14-GSWP1-05	5	1 PSI @ 15 GPM	8		\$ 24.99
14-GSWP1-10	10	1 PSI @ 20 GPM	8		\$ 23.86
14-GSWP1-25	25	1 PSI @ 25 GPM	8		\$ 23.24
14-GSWP1-50	50	1 PSI @ 35 GPM	8		\$ 23.05

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

STRING WOUND POLYPROPYLENE CARTRIDGES

Part No.	Micron Rating	Pressure Drop @ Flow Rate	Quantity List		Price - A
			L1	L2	
List Price Effective: April 27, 2020					
4-1/2" x 20", Individual					
14-GSWP2-01	1	1 PSI @ 16 GPM	4		\$ 51.29
14-GSWP2-05	5	1 PSI @ 30 GPM	4		\$ 49.34
14-GSWP2-10	10	1 PSI @ 40 GPM	4		\$ 47.07
14-GSWP2-25	25	1 PSI @ 50 GPM	4		\$ 46.42
14-GSWP2-50	50	1 PSI @ 65 GPM	4		\$ 44.89

HIGH TEMP STRING WOUND COTTON CARTRIDGES



These high temperature cartridges are suitable for a wide range of filtering applications including potable water. They are for removing very fine sediment right through to very coarse sediment.

- FDA approved
- NSF/ANSI Standard 372

Temperature Range: Up to 300°F (149°C), Filter Media: Cotton



Part No.	Micron Rating	Pressure Drop @ Flow Rate	Quantity List		Price - A
			L1	L2	
List Price Effective: April 27, 2020					
2-1/2" x 9-7/8", Individual					
14-SWBC1-05	5	1 PSI @ 5 GPM	30		\$ 13.22
14-SWBC1-10	10	1 PSI @ 10 GPM	30		\$ 13.01
14-SWBC1-50	50	1 PSI @ 50 GPM	30		\$ 12.63
2-1/2" x 20", Individual					
14-SWBC2-05	5	1 PSI @ 10 GPM	15		\$ 26.34
14-SWBC2-10	10	1 PSI @ 20 GPM	15		\$ 25.27
4-1/2" x 10", Individual					
14-GSWBC1-05	5	1 PSI @ 12 GPM	8		\$ 35.03
14-GSWBC1-10	10	1 PSI @ 13 GPM	8		\$ 33.68
4-1/2" x 20", Individual					
14-GSWBC2-05	5	1 PSI @ 22 GPM	4		\$ 69.63
14-GSWBC2-10	10	1 PSI @ 24 GPM	4		\$ 66.93

HIGH TEMP STRING WOUND NATURAL COTTON CARTRIDGES



These high temperature cartridges are suitable for a wide range of filtering applications including potable water. They are for removing very fine sediment right through to very coarse sediment.

- NSF/ANSI Standard 372

Temperature Range: Up to 300°F (149°C), Filter Media: Natural Cotton



Part No.	Micron Rating	Pressure Drop @ Flow Rate	Quantity List		Price - A
			L1	L2	
List Price Effective: April 27, 2020					
2-1/2" x 9-7/8", Individual					
14-SWNC1-05	5	1 PSI @ 5 GPM	30		\$ 7.67
14-SWNC1-10	10	1 PSI @ 10 GPM	30		\$ 7.36
2-1/2" x 20", Individual					
14-SWNC2-05	5	1 PSI @ 10 GPM	15		\$ 14.71
14-SWNC2-10	10	1 PSI @ 20 GPM	15		\$ 14.47

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

CARBON BLOCK CARTRIDGES



Carbon block cartridges are ideal for point-of-use (POU) and Reverse Osmosis applications. These cartridges can be used in a wide range of applications such as residential, food service, commercial, and industrial. The carbon block series cartridges are great for displacing traditional granular activated carbon and powdered activated carbon filters in application where high chlorine reduction is needed. They are manufactured with high purity activated carbon and provide an exceptional cost-to-performance value. These cartridges have high chlorine reduction, great dirt-holding capacity, and greatly reduced carbon fines.

• NSF/ANSI Standard 372 & 42

Temperature Range: 40°F to 110°F (4°C to 43°C), Filter Media: Carbon



Part No.	Chlorine Capacity	Micron Rating	Pressure Drop @ Flow Rate	Quantity		List Price - A
				L1	L2	

List Price Effective: April 27, 2020

2-1/2" x 4-7/8", Individual

14-CB478-05	2,112 @ 1.0 GPM	5	2 PSI @ 1 GPM	50		\$ 10.51
-------------	-----------------	---	---------------	----	--	----------

2-1/2" x 9-7/8", Individual

14-CB1-05	3,696 @ 1.0 GPM	5	2 PSI @ 1 GPM	20		\$ 10.81
14-CB1-10	3,696 @ 1.0 GPM	10	2 PSI @ 1 GPM	20		\$ 11.71

2-1/2" x 20", Individual

14-CB2-05	5,808 @ 1.0 GPM	5	1 PSI @ 1 GPM	12		\$ 23.72
14-CB2-10	5,808 @ 1.0 GPM	10	1 PSI @ 1 GPM	12		\$ 23.72

4-1/2" x 9-7/8", Individual

14-GCB1-10	10,560 @ 3.0 GPM	10	4 PSI @ 3 GPM	12		\$ 36.33
------------	------------------	----	---------------	----	--	----------

4-1/2" x 20", Individual

14-GCB2-10	21,648 @ 5.0 GPM	10	4 PSI @ 5 GPM	6		\$ 72.96
------------	------------------	----	---------------	---	--	----------

CARBON BRIQUETTE 'CYST REMOVAL' CARTRIDGES



Boshart's carbon briquette cyst removal cartridges are designed for highly effective filtration of water for certain volatile organic chemicals such as toluene and xylene. They are effective for pesticides, chlorine, taste and odour and sediment reduction down to 0.5 micron, making them an excellent polishing filter or pre-filter in applications that require fine filtration. These cartridges are excellent at reducing 99.9% of giardia and cryptosporidium cysts from potable drinking water making them ideal for potable water filtration and many industrial, commercial and food service applications. Carbon briquette cyst removal cartridges are designed as a polishing filter, they are recommended to be installed in conjunction with a pre-filter to remove sediment.

Removal of sediment prior to contact with a finishing cartridge prevents the finishing cartridge from plugging

prematurely due to sediment entrapment long before the maximum utilization of the carbon has been achieved

• NSF/ANSI Standard 372 & 42

Temperature Range: 40°F to 180°F (4°C to 82°C), Filter Media: Carbon



Part No.	Chlorine Capacity	Flow Rate	Micron Rating	Pressure Drop @ Flow Rate	Quantity		List Price - A
					L1	L2	

List Price Effective: April 27, 2020

2-3/4" x 9-3/4", Individual

14-CCR1-0.5	20,000 Gal. @ 1.0 GPM	1 GPM	0.5	1.3 PSI @ 1 GPM	12		\$ 59.40
-------------	-----------------------	-------	-----	-----------------	----	--	----------

2-3/4" x 20", Individual

14-CCR2-0.5	45,000 Gal. @ 2.3 GPM	1-2.3 GPM	0.5	3 PSI @ 2 GPM	12		\$ 115.05
-------------	-----------------------	-----------	-----	---------------	----	--	-----------

4-1/2" x 10", Individual

14-GCCR1-0.5	50,000 Gal. @ 2.0 GPM	1-2 GPM	0.5	7 PSI @ 4 GPM	4		\$ 213.86
--------------	-----------------------	---------	-----	---------------	---	--	-----------

4-1/2" x 20", Individual

14-GCCR2-0.5	150,000 Gal. @ 7.0 GPM	1-7 GPM	0.5	8.5 PSI @ 4 GPM	4		\$ 402.90
--------------	------------------------	---------	-----	-----------------	---	--	-----------

Contact your sales rep for any further information

Toll Free: 1-800-561-3164

boshart.com

GRANULAR ACTIVATED CARBON CARTRIDGES



Boshart's granular activated carbon cartridges are designed to remove unpleasant tastes and odours to produce better tasting water. They have a low pressure drop, durable physical strength and steady flow to achieve reliable performance. Suitable for reverse osmosis system or water dispensing system in residential, commercial and industrial applications.

- NSF/ANSI Standard 372
- Temperature Range: Up to 110°F (43°C), Filter Media: Carbon



Part No.	Micron Rating	Quantity List	
		L1	L2 Price - A
List Price Effective: April 27, 2020			
2-1/2" x 9-7/8", Individual			
14-GAC1-05	5	25	\$ 16.81
2-1/2" x 20", Individual			
14-GAC2-05	5	12	\$ 37.23
4-1/2" x 9-7/8", Individual			
14-GGAC1-05	5	12	\$ 48.34
4-1/2" x 20", Individual			
14-GGAC2-05	5	6	\$ 105.98

POWDER ACTIVATED CARBON WRAP CARTRIDGES



Boshart's powder activated carbon wrap cartridges are a dual-purpose cartridge to reduce bad taste & odor, chlorine taste & odor, and fine particles or sediment. They have good dirt holding capacity and high flow rates making them an economical cartridge for a wide range of applications. Constructed of carbon impregnated cellulose media, with a polypropylene netting to provide additional strength.

- NSF/ANSI Standard 372
- Filter Media: Carbon



Part No.	Micron Rating	Quantity List	
		L1	L2 Price - A
List Price Effective: April 27, 2020			
2-1/2" x 4-7/8", Individual			
14-CW478-05	5	24	\$ 25.40
2-7/8" x 9-3/4", Individual			
14-CW1-05	5	24	\$ 28.05
2-1/2" x 20", Individual			
14-CW2-05	5	14	\$ 60.66
4-1/2" x 9-3/4", Individual			
14-GCW1-05	10	8	\$ 92.08
4-1/2" x 20", Individual			
14-GCW2-05	5	6	\$ 165.65

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

ICEMAKER / IN-LINE TASTE & ODOUR FILTERS



Boshart's icemaker / in-line taste and odour cartridges utilize coconut shell granular activated carbon and are designed to remove unpleasant tastes and odours as well as sediment to produce cleaner, clearer, better tasting water. They have a low pressure drop, high dirt holding capacity, durable physical strength, and steady flow to achieve reliable performance and long life usage. By packing the carbon the concerns of shifting carbon inside the filter are removed. These Granular Activated Carbon filters are easily installed on the water line to an automatic icemaker, reverse osmosis system or water dispensing system. Cartridges are manufactured in compliance with NSF and FDA requirement in material, media and processing.

- NSF/ANSI Standard 372

Temperature Range: 40°F to 110°F (4°C to 43°C), Maximum Pressure: 125 PSI, Filter Media: Carbon



Part No.	Size	Connection	Flow Rate	Service Life		Quantity		List Price - A
				Gallon	Litre	Month	L1 L2	
14-IM2.5X12-02	2-1/2" x 12"	FPT	0.8 GPM	3500	13249	10	25	\$ 17.11
14-IM2X6-02QC	2" x 6"	Quick Connect	0.4 GPM	1000	3785	5	25	\$ 13.51
14-IM2X10-02QC	2" x 10"	Quick Connect	0.4 GPM	2000	7570	6	25	\$ 15.91


List Price Effective: April 27, 2020

SEDIMENT FILTER & SEPARATOR HOUSINGS

Boshart's sediment filters and separators are great for agriculture, industrial/ commercial, pre-treatment, whole house residential and irrigation applications. They are compatible with both schedule 40& 80 PVC pipe. 1/2" MPT purge valve is installed to flush the system. These filters / separators can be installed on either the suction or pressure side of the pump. Each unit comes with a mounting bracket or clamps and hardware.

- PVC head & polycarbonate bowl.
- Gripper ribs on filter bowl (no tools required to install/remove bowl)
- NSF/ANSI Standard 372

Temperature Range: Up to 100°F (38°C) @ 40 PSI, Maximum Pressure: 150 PSI @ 73°F (23°C), Bowl Color: Clear



Part No.	Inlet & Outlet Size	Flow Rate	Quantity		List Price - A
			L1	L2	
Filter					
14SFHK-10	1" or 1-1/4" Slip or Spigot	1-25 GPM	8		\$ 52.70
Filter with MPT Adapters, • Two 1" MPT adapters included					
14SFHK-M10	1" or 1-1/4" Slip or Spigot	1-25 GPM	8		\$ 58.68
Separator					
14SFHK-S10	1" or 1-1/4" Slip or Spigot	1-25 GPM	6		\$ 68.26
Separator with MPT Adapters, • Two 1" MPT adapters included					
14SFHK-MS10	1" or 1-1/4" Slip or Spigot	1-25 GPM	6		\$ 68.47
Filter / Separator, • Same housing is used for both filter & separator					
14SFHK-15	1-1/2" Slip	10-50 GPM	6		\$ 88.70
14SFHK-20	2" Slip	18-100 GPM	4		\$ 139.39

List Price Effective: December 31, 2019



Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

SEDIMENT FILTER & SEPARATOR HOUSING KITS

Boshart's sediment filters and separators are great for agriculture, industrial/ commercial, pre-treatment, whole house residential and irrigation applications. They are compatible with both schedule 40 & 80 PVC pipe. 1/2" MPT purge valve is installed to flush the system. These filters / separators can be installed on either the suction or pressure side of the pump. Each unit comes with an element, mounting bracket or clamps and hardware.



- PVC head & polycarbonate bowl.
- Gripper ribs on filter bowl (no tools required to install/remove bowl)
- NSF/ANSI Standard 372

Temperature Range: Up to 100°F (38°C) @ 40 PSI, Maximum Pressure: 150 PSI @ 73°F (23°C), Bowl Color: Clear, Mesh Material: 316 Stainless Steel

Part No.	Mesh Size	Micron Rating	Opening Size	Quantity List		List Price - A
				L1	L2	

List Price Effective: December 31, 2019

Filter, 1" or 1-1/4" Slip or Spigot, Flow Rate: 1-25 GPM



14SFHK-10SM024	24	711	0.0280"	8		\$ 69.06
14SFHK-10SM030	30	533	0.0232"	8		\$ 69.06
14SFHK-10SM040	40	381	0.0165"	8		\$ 69.06
14SFHK-10SM060	60	254	0.0100"	8		\$ 69.06
14SFHK-10SM100	100	152	0.0060"	8		\$ 68.88
14SFHK-10SM140	140	104	0.0040"	8		\$ 71.09
14SFHK-10SM200	200	74	0.0029"	8		\$ 71.18
14SFHK-10SM250	250	61	0.0024"	8		\$ 71.71
14SFHK-10SM500	500	30	0.0012"	8		\$ 73.31
14SFHK-10SM1000	1000	15	0.0006"	8		\$ 79.29

Filter with MPT Adapters, 1" or 1-1/4" Slip or Spigot, Flow Rate: 1-25 GPM

• Two 1" MPT adapters included



14SFHK-M10SM024	24	711	0.0280"	8		\$ 76.02
14SFHK-M10SM030	30	533	0.0232"	8		\$ 76.02
14SFHK-M10SM040	40	381	0.0165"	8		\$ 76.02
14SFHK-M10SM060	60	254	0.0100"	8		\$ 76.02
14SFHK-M10SM100	100	152	0.0060"	8		\$ 75.84
14SFHK-M10SM140	140	104	0.0040"	8		\$ 78.05
14SFHK-M10SM200	200	74	0.0029"	8		\$ 78.14
14SFHK-M10SM250	250	61	0.0024"	8		\$ 78.67
14SFHK-M10SM500	500	30	0.0012"	8		\$ 80.27
14SFHK-M10SM1000	1000	15	0.0006"	8		\$ 86.25

Separator, 1" or 1-1/4" Slip or Spigot, Flow Rate: 1-25 GPM



14SFHK-S10SM024	24	711	0.0280"	6		\$ 87.17
14SFHK-S10SM030	30	533	0.0232"	6		\$ 87.17
14SFHK-S10SM040	40	381	0.0165"	6		\$ 87.17
14SFHK-S10SM060	60	254	0.0100"	6		\$ 87.17
14SFHK-S10SM100	100	152	0.0060"	6		\$ 86.99
14SFHK-S10SM140	140	104	0.0040"	6		\$ 89.20
14SFHK-S10SM200	200	74	0.0029"	6		\$ 89.29
14SFHK-S10SM250	250	61	0.0024"	6		\$ 89.82
14SFHK-S10SM500	500	30	0.0012"	6		\$ 91.42
14SFHK-S10SM1000	1000	15	0.0006"	6		\$ 97.40

Separator with MPT Adapters, 1" or 1-1/4" Slip or Spigot, Flow Rate: 1-25 GPM

• Two 1" MPT adapters included



14SFHK-MS10SM024	24	711	0.0280"	6		\$ 94.61
14SFHK-MS10SM030	30	533	0.0232"	6		\$ 94.61
14SFHK-MS10SM040	40	381	0.0165"	6		\$ 94.61
14SFHK-MS10SM060	60	254	0.0100"	6		\$ 97.71
14SFHK-MS10SM100	100	152	0.0060"	6		\$ 94.43
14SFHK-MS10SM140	140	104	0.0040"	6		\$ 96.62
14SFHK-MS10SM200	200	74	0.0029"	6		\$ 96.71
14SFHK-MS10SM250	250	61	0.0024"	6		\$ 97.23
14SFHK-MS10SM500	500	30	0.0012"	6		\$ 98.82
14SFHK-MS10SM1000	1000	15	0.0006"	6		\$ 97.84

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

SEDIMENT FILTER & SEPARATOR HOUSING KITS

Part No.	Mesh Size	Micron Rating	Opening Size	Quantity		List Price - A
				L1	L2	

List Price Effective: December 31, 2019



Filter, 1-1/2" Slip, Flow Rate: 10-50 GPM

14SFHK-15SM024	24	711	0.0280"	6		\$ 120.34
14SFHK-15SM030	30	533	0.0232"	6		\$ 122.70
14SFHK-15SM040	40	381	0.0165"	6		\$ 122.70
14SFHK-15SM060	60	254	0.0100"	6		\$ 124.78
14SFHK-15SM100	100	152	0.0060"	6		\$ 124.78
14SFHK-15SM140	140	104	0.0040"	6		\$ 124.78
14SFHK-15SM200	200	74	0.0029"	6		\$ 129.66
14SFHK-15SM250	250	61	0.0024"	6		\$ 130.33
14SFHK-15SM500	500	30	0.0012"	6		\$ 130.33
14SFHK-15SM1000	1000	15	0.0006"	6		\$ 130.33



Separator, 1-1/2" Slip, Flow Rate: 10-50 GPM

14SFHK-S15SM024	24	711	0.0280"	6		\$ 148.68
14SFHK-S15SM030	30	533	0.0232"	6		\$ 148.68
14SFHK-S15SM040	40	381	0.0165"	6		\$ 148.68
14SFHK-S15SM060	60	254	0.0100"	6		\$ 149.88
14SFHK-S15SM100	100	152	0.0060"	6		\$ 149.88
14SFHK-S15SM140	140	104	0.0040"	6		\$ 149.88
14SFHK-S15SM200	200	74	0.0029"	6		\$ 149.56
14SFHK-S15SM250	250	61	0.0024"	6		\$ 152.57
14SFHK-S15SM500	500	30	0.0012"	6		\$ 152.57
14SFHK-S15SM1000	1000	15	0.0006"	6		\$ 152.57



Filter, 2" Slip, Flow Rate: 18-100 GPM

14SFHK-20SM024	24	711	0.0280"	4		\$ 195.83
14SFHK-20SM030	30	533	0.0232"	4		\$ 195.83
14SFHK-20SM040	40	381	0.0165"	4		\$ 195.83
14SFHK-20SM060	60	254	0.0100"	4		\$ 199.65
14SFHK-20SM100	100	152	0.0060"	4		\$ 199.65
14SFHK-20SM140	140	104	0.0040"	4		\$ 199.65
14SFHK-20SM200	200	74	0.0029"	4		\$ 205.64
14SFHK-20SM250	250	61	0.0024"	4		\$ 206.92
14SFHK-20SM500	500	30	0.0012"	4		\$ 206.92
14SFHK-20SM1000	1000	15	0.0006"	4		\$ 206.92



Separator, 2" Slip, Flow Rate: 18-100 GPM

14SFHK-S20SM024	24	711	0.0280"	4		\$ 222.17
14SFHK-S20SM030	30	533	0.0232"	4		\$ 222.17
14SFHK-S20SM040	40	381	0.0165"	4		\$ 222.17
14SFHK-S20SM060	60	254	0.0100"	4		\$ 224.35
14SFHK-S20SM100	100	152	0.0060"	4		\$ 224.35
14SFHK-S20SM140	140	104	0.0040"	4		\$ 224.35
14SFHK-S20SM200	200	74	0.0029"	4		\$ 224.35
14SFHK-S20SM250	250	61	0.0024"	4		\$ 227.81
14SFHK-S20SM500	500	30	0.0012"	4		\$ 227.81
14SFHK-S20SM1000	1000	15	0.0006"	4		\$ 227.81

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

316 STAINLESS STEEL MESH ELEMENTS

Boshart's sediment filter and separator elements are great for agriculture, industrial/ commercial, pre-treatment, whole house residential and irrigation applications.

• NSF/ANSI Standard 372

Temperature Range: Up to 100°F (38°C) @ 40 PSI, Maximum Pressure: 150 PSI @ 73°F (23°C),

Mesh Material: 316 Stainless Steel



Part No.	Mesh Size	Micron Rating	Opening Size	Quantity List		Price - A
				L1	L2	

List Price Effective: December 31, 2019



Filter / Separator, 1" or 1-1/4" , Flow Rate: 1-25 GPM

• This size uses the same element for filters & separators

14SF-FE10SM024	24	711	0.0280"	200	\$ 17.50
14SF-FE10SM030	30	533	0.0232"	200	\$ 17.50
14SF-FE10SM040	40	381	0.0165"	200	\$ 17.50
14SF-FE10SM060	60	254	0.0100"	200	\$ 17.50
14SF-FE10SM100	100	152	0.0060"	200	\$ 17.22
14SF-FE10SM140	140	104	0.0040"	200	\$ 20.67
14SF-FE10SM200	200	74	0.0029"	200	\$ 20.81
14SF-FE10SM250	250	61	0.0024"	200	\$ 21.64
14SF-FE10SM500	500	30	0.0012"	200	\$ 24.14
14SF-FE10SM1000	1000	15	0.0006"	200	\$ 33.48



Filter, 1-1/2" , Flow Rate: 10-50 GPM

14SF-FE15SM024	24	711	0.0280"	75	\$ 35.30
14SF-FE15SM030	30	533	0.0232"	75	\$ 35.30
14SF-FE15SM040	40	381	0.0165"	75	\$ 35.30
14SF-FE15SM060	60	254	0.0100"	75	\$ 38.48
14SF-FE15SM100	100	152	0.0060"	75	\$ 38.48
14SF-FE15SM140	140	104	0.0040"	75	\$ 38.48
14SF-FE15SM200	200	74	0.0029"	75	\$ 42.68
14SF-FE15SM250	250	61	0.0024"	75	\$ 42.92
14SF-FE15SM500	500	30	0.0012"	75	\$ 42.92
14SF-FE15SM1000	1000	15	0.0006"	75	\$ 42.92



Separator, 1-1/2" , Flow Rate: 10-50 GPM

14SF-SE15SM024	24	711	0.0280"	75	\$ 61.28
14SF-SE15SM030	30	533	0.0232"	75	\$ 61.28
14SF-SE15SM040	40	381	0.0165"	75	\$ 61.28
14SF-SE15SM060	60	254	0.0100"	75	\$ 62.48
14SF-SE15SM100	100	152	0.0060"	75	\$ 62.48
14SF-SE15SM140	140	104	0.0040"	75	\$ 62.48
14SF-SE15SM200	200	74	0.0029"	75	\$ 62.48
14SF-SE15SM250	250	61	0.0024"	75	\$ 65.16
14SF-SE15SM500	500	30	0.0012"	75	\$ 65.16
14SF-SE15SM1000	1000	15	0.0006"	75	\$ 65.16



Filter, 2" , Flow Rate: 18-100 GPM

14SF-FE20SM024	24	711	0.0280"	55	\$ 59.09
14SF-FE20SM030	30	533	0.0232"	55	\$ 59.09
14SF-FE20SM040	40	381	0.0165"	55	\$ 59.09
14SF-FE20SM060	60	254	0.0100"	55	\$ 63.55
14SF-FE20SM100	100	152	0.0060"	55	\$ 63.55
14SF-FE20SM140	140	104	0.0040"	55	\$ 63.55
14SF-FE20SM200	200	74	0.0029"	55	\$ 69.69
14SF-FE20SM250	250	61	0.0024"	55	\$ 70.18
14SF-FE20SM500	500	30	0.0012"	55	\$ 70.18
14SF-FE20SM1000	1000	15	0.0006"	55	\$ 70.18



Separator, 2" , Flow Rate: 18-100 GPM





14SF-SE20SM024	24	711	0.0280"	50	\$ 85.42
14SF-SE20SM030	30	533	0.0232"	50	\$ 85.42
14SF-SE20SM040	40	381	0.0165"	50	\$ 85.42
14SF-SE20SM060	60	254	0.0100"	50	\$ 87.62
14SF-SE20SM100	100	152	0.0060"	50	\$ 87.62
14SF-SE20SM140	140	104	0.0040"	50	\$ 87.62
14SF-SE20SM200	200	74	0.0029"	50	\$ 87.65
14SF-SE20SM250	250	61	0.0024"	50	\$ 91.08
14SF-SE20SM500	500	30	0.0012"	50	\$ 91.08
14SF-SE20SM1000	1000	15	0.0006"	50	\$ 91.08

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

SEDIMENT FILTER & SEPARATOR REPLACEMENT PARTS

These replacement parts are for the 14SFHK series sediment filters & separators. Purge valve is available, part number 0929-05.

	Part No.	Size	Description	Quantity List		Price - A
				L1	L2	
List Price Effective: December 31, 2019						
	Filter Head					
	14SF-FH10-BII	1"	For 1" filter & separator	75		\$ 32.15
	14SF-FH15-BII	1-1/2"	For 1-1/2" filters & separators	35		\$ 34.50
	14SF-FH20-BII	2"	For 2" filter & separator	20		\$ 57.44
	Filter Bowl					
	14SF-FB10		For 1" filter			\$ 32.94
	14SF-FB10XS		For 1" Separator	60		\$ 56.74
	14SF-FB15		For 1-1/2" filter & separator	40		\$ 46.94
14SF-FB20		For 2" filter & separator	20		\$ 74.52	
	O-Ring Kit					
	14SF-ORK10		For 1" filter & separator			\$ 4.66
	14SF-ORK15		For 1-1/2" filter & separator			\$ 5.46
14SF-ORK20		For 2" filter & separator			\$ 6.02	
	Mounting Bracket Kit					
	14SF-MBK		For 1-1/2", 2" filter & separator - bracket with hardware	80		\$ 11.79
14SF-MCK10		For 1" filter & separator - 2 clamps with hardware			\$ 11.67	

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
 boshart.com

PRESSURE GAUGES & SWITCHES

Range of sizes and settings to test, control and monitor system pressures



INDEX

Product Line	Page
1-1/2" - Center Back Mount Pressure Gauges	1
2" - Center Back Mount Pressure Gauges	1
2" - Lower Mount Pressure Gauges	2
2-1/2" - Center Back Mount Pressure Gauges	3
2-1/2" - Lower Mount Pressure Gauges	4
4" - Lower Mount Pressure Gauges	6
4-1/2" - Lower Mount Pressure Gauges	7
Pressure Gauge Accessories	8
Water Test Gauges	8
Gas Test Manifolds	9
Gas Test Gauge with Manifold	9
Tridicators	10
Bi-Metal Thermometers	10
Thermowell	10
Hot Water Thermometers	10
Electrodes	11
Floatless Liquid Level Control Systems	11
Boshart Pressure Switches	12
Pulsation Plug	12
Square D Switches	13
Pressure Switch Indicator Light	19
Hubbell Switches	20
Pressure Sensors	23

1-1/2" - CENTER BACK MOUNT PRESSURE GAUGES

These pressure gauges are general purpose but are not for use with oxygen.

• No Lead Gauges: NSF/ANSI Standard 372 Certified

Dial Size: 1-1/2"

Mount: CBM



Part No.	Mount Size	Dial Range PSI	Increments	Quantity List		
				L1	L2	Price - A

List Price Effective: April 27, 2020

**Dry, Connection: Brass, Case Material: Black Steel, Accuracy: 3%-2%-3% Grade B
Temperature Range: -40°F to 140°F (-40°C to 60°C)**

PG15CBM-0-30NL	No Lead	1/8"	0-30	0.5 PSI	100	\$ 6.61
PG15CBM-0-60NL	No Lead	1/8"	0-60	1.0 PSI	100	\$ 6.73
PG15CBM-0-100		1/8"	0-100	1.0 PSI	100	\$ 5.40
PG15CBM-0-100NL	No Lead	1/8"	0-100	1.0 PSI	100	\$ 6.61
PG15CBM-0-160		1/8"	0-160	2.0 PSI	100	\$ 5.40
PG15CBM-0-160NL	No Lead	1/8"	0-160	2.0 PSI	100	\$ 6.73
PG15CBM-0-200NL	No Lead	1/8"	0-200	2.0 PSI	100	\$ 6.73

2" - CENTER BACK MOUNT PRESSURE GAUGES

These pressure gauges are general purpose but are not for use with oxygen.

• No Lead Gauges: NSF/ANSI Standard 372 Certified

Dial Size: 2"

Mount: CBM



Part No.	Mount Size	Dial Range PSI	Increments	Quantity List		
				L1	L2	Price - A

List Price Effective: April 27, 2020

**Dry, Connection: Brass, Case Material: Black Steel, Accuracy: 3%-2%-3% Grade B
Temperature Range: -40°F to 140°F (-40°C to 60°C)**

PGCBM-0-100NL	No Lead	1/8"	0-100	1.0 PSI	100	\$ 7.13
PGCBM-1-30NL	No Lead	1/4"	0-30	0.5 PSI	100	\$ 7.76
PGCBM-1-60		1/4"	0-60	1.0 PSI	100	\$ 5.96
PGCBM-1-60NL	No Lead	1/4"	0-60	1.0 PSI	100	\$ 7.48
PGCBM-1-100		1/4"	0-100	1.0 PSI	100	\$ 6.04
PGCBM-1-100NL	No Lead	1/4"	0-100	1.0 PSI	100	\$ 7.13
PGCBM-1-160		1/4"	0-160	2.0 PSI	100	\$ 6.04
PGCBM-1-160NL	No Lead	1/4"	0-160	2.0 PSI	100	\$ 7.13
PGCBM-1-200		1/4"	0-200	2.0 PSI	100	\$ 6.04
PGCBM-1-200NL	No Lead	1/4"	0-200	2.0 PSI	100	\$ 7.76



**Dry, Connection: Brass, Case Material: ABS, Accuracy: 3%-2%-3% Grade B
Temperature Range: -40°F to 140°F (-40°C to 60°C)**

PGPCBM-1-60		1/4"	0-60	1.0 PSI	100	\$ 5.66
PGPCBM-1-60NL	No Lead	1/4"	0-60	1.0 PSI	100	\$ 7.03



**Liquid, Connection: Brass, Fill: Glycerine, Case Material: Black Steel, Accuracy: +/- 1.5% Full Scale Value
Temperature Range: -4°F to 140°F (-20°C to 60°C),
Ideal for use where vibration or pressure pulsation occurs.**

PGCBM-0-100-G		1/8"	0-100	1.0 PSI	100	\$ 10.04
PGCBM-0-100-GNL	No Lead	1/8"	0-100	1.0 PSI	100	\$ 11.97
PGCBM-1-100-GNL	No Lead	1/4"	0-100	1.0 PSI	100	\$ 11.97



**Liquid, Connection: Stainless Steel, Fill: Glycerine, Case Material: 304 Stainless Steel,
Accuracy: 3%-2%-3% Grade B, Temperature Range: -4°F to 140°F (-20°C to 60°C),
Ideal for use where vibration or pressure pulsation occurs.**

PGSCBM-100-G	No Lead	1/4"	0-100	1.0 PSI	100	\$ 38.58
--------------	---------	------	-------	---------	-----	----------

Contact your sales rep for any further information

Toll Free: 1-800-561-3164

boshart.com

2" - LOWER MOUNT PRESSURE GAUGES

These pressure gauges are general purpose but are not for use with oxygen.

• No Lead Gauges: NSF/ANSI Standard 372 Certified

Dial Size: 2"

Mount: LM

Part No.	Mount Size	Dial Range PSI	Increments	Quantity List		List Price - A
				L1	L2	

List Price Effective: April 27, 2020



Dry, Connection: Brass, Case Material: Black Steel, Accuracy: 3%-2%-3% Grade B
Temperature Range: -40°F to 140°F (-40°C to 60°C)

PG-0-100NL	No Lead	1/8"	0-100	1.0 PSI	100	\$ 6.55
PG-15NL	No Lead	1/4"	0-15	0.2 PSI	100	\$ 6.55
PG-30		1/4"	0-30	0.5 PSI	100	\$ 5.56
PG-30NL	No Lead	1/4"	0-30	0.5 PSI	100	\$ 6.55
PG-60		1/4"	0-60	1.0 PSI	100	\$ 5.56
PG-60NL	No Lead	1/4"	0-60	1.0 PSI	100	\$ 6.55
PG-100		1/4"	0-100	1.0 PSI	100	\$ 5.56
PG-100NL	No Lead	1/4"	0-100	1.0 PSI	100	\$ 6.20
PG-160		1/4"	0-160	2.0 PSI	100	\$ 5.56
PG-160NL	No Lead	1/4"	0-160	2.0 PSI	100	\$ 6.55
PG-200		1/4"	0-200	2.0 PSI	100	\$ 5.56
PG-200NL	No Lead	1/4"	0-200	2.0 PSI	100	\$ 6.20
PG-300		1/4"	0-300	5.0 PSI	100	\$ 5.56
PG-300NL	No Lead	1/4"	0-300	5.0 PSI	100	\$ 6.55



Dry, Connection: Brass, Case Material: ABS, Accuracy: 3%-2%-3% Grade B
Temperature Range: -40°F to 140°F (-40°C to 60°C)

PGP-0-60		1/8"	0-60	1.0 PSI	100	\$ 5.22
PGP-30		1/4"	0-30	0.5 PSI	100	\$ 5.22
PGP-30NL	No Lead	1/4"	0-30	0.5 PSI	100	\$ 6.80
PGP-60		1/4"	0-60	1.0 PSI	100	\$ 5.22
PGP-60NL	No Lead	1/4"	0-60	1.0 PSI	100	\$ 6.80
PGP-100NL	No Lead	1/4"	0-100	1.0 PSI	100	\$ 6.39
PGP-200NL	No Lead	1/4"	0-200	2.0 PSI	100	\$ 6.72



Dry Vacuum, Connection: Brass, Case Material: Black Steel, Accuracy: 3%-2%-3% Grade B
Temperature Range: -40°F to 140°F (-40°C to 60°C)

PGV-30		1/4"	30-0Hg	0.5 PSI	100	\$ 6.15
--------	--	------	--------	---------	-----	---------



Dry Vacuum/Pressure, Connection: Brass, Case Material: Black Steel, Accuracy: 3%-2%-3% Grade B
Temperature Range: -40°F to 140°F (-40°C to 60°C)

PGC-30-150		1/4"	30Hg-0-150	1.0 PSI	100	\$ 6.15
PGC-30-30		1/4"	30Hg-0-30	0.5 PSI	100	\$ 6.15



Liquid, Connection: Brass, Fill: Glycerine, Case Material: Black Steel, Accuracy: +/- 1.5% Full Scale Value
Temperature Range: -4°F to 140°F (-20°C to 60°C),
 Ideal for use where vibration or pressure pulsation occurs.

PG-100-GNL	No Lead	1/4"	0-100	1.0 PSI	100	\$ 11.26
PG-160-GNL	No Lead	1/4"	0-160	2.0 PSI	100	\$ 11.97
PG-200-GNL	No Lead	1/4"	0-200	2.0 PSI	100	\$ 11.97
PG-30-GNL	No Lead	1/4"	0-30	0.5 PSI	100	\$ 11.97
PG-60-GNL	No Lead	1/4"	0-60	1.0 PSI	100	\$ 11.97



Liquid, Connection: Stainless Steel, Fill: Glycerine, Case Material: 304 Stainless Steel,
Accuracy: 3%-2%-3% Grade B, Temperature Range: -4°F to 140°F (-20°C to 60°C),
 Ideal for use where vibration or pressure pulsation occurs.

PGS-100-G	No Lead	1/4"	0-100	1.0 PSI	100	\$ 38.58
-----------	---------	------	-------	---------	-----	----------



Liquid Vacuum/Pressure, Connection: Brass, Fill: Glycerine, Case Material: Black Steel,
Accuracy: +/- 1.5% Full Scale Value, Temperature Range: -4°F to 140°F (-20°C to 60°C),
 Ideal for use where vibration or pressure pulsation occurs.

PGC-30-30-G		1/4"	30Hg-0-30	0.5 PSI	100	\$ 10.62
-------------	--	------	-----------	---------	-----	----------

Contact your sales rep for any further information

Toll Free: 1-800-561-3164

boshart.com

2-1/2" - CENTER BACK MOUNT PRESSURE GAUGES

These pressure gauges are general purpose but are not for use with oxygen.

• No Lead Gauges: NSF/ANSI Standard 372 Certified

Dial Size: 2-1/2"

Mount: CBM

Part No.	Mount Size	Dial Range		Increments	Quantity List		
		PSI	kPa		L1	L2	List Price - A

List Price Effective: April 27, 2020



Dry, Connection: Stainless Steel, Case Material: 304 Stainless Steel, Accuracy: +/- 1.5% Full Scale Value
Temperature Range: -40°F to 140°F (-40°C to 60°C),
 Ideal for use in corrosive environments.

PGS25CBM-15	No Lead	1/4"	0-15	0-100	0.2 PSI		POR
PGS25CBM-30	No Lead	1/4"	0-30	0-200	0.5 PSI	50	\$ 46.02
PGS25CBM-60	No Lead	1/4"	0-60	0-400	1.0 PSI	50	\$ 46.02
PGS25CBM-100	No Lead	1/4"	0-100	0-700	1.0 PSI	50	\$ 46.02
PGS25CBM-160	No Lead	1/4"	0-160	0-1100	2.0 PSI	50	\$ 46.02
PGS25CBM-200	No Lead	1/4"	0-200	0-1400	2.0 PSI	50	\$ 46.02
PGS25CBM-300	No Lead	1/4"	0-300	0-2000	5.0 PSI	50	\$ 46.02
PGS25CBM-400	No Lead	1/4"	0-400	0-2800	5.0 PSI	50	\$ 46.02
PGS25CBM-600	No Lead	1/4"	0-600	0-4000	10.0 PSI	50	\$ 46.02
PGS25CBM-1000	No Lead	1/4"	0-1000	0-7000	20.0 PSI		POR
PGS25CBM-1500	No Lead	1/4"	0-1500	0-10000	20.0 PSI		POR
PGS25CBM-2000	No Lead	1/4"	0-2000	0-14000	20.0 PSI		POR
PGS25CBM-3000	No Lead	1/4"	0-3000	0-20000	50.0 PSI		POR
PGS25CBM-5000	No Lead	1/4"	0-5000	0-35000	50.0 PSI		POR
PGS25CBM-10000	No Lead	1/4"	0-10000	0-70000	100.0 PSI		POR



Dry Vacuum/Pressure, Connection: Stainless Steel, Case Material: 304 Stainless Steel,
Accuracy: +/- 1.5% Full Scale Value, Temperature Range: -40°F to 140°F (-40°C to 60°C),
 Ideal for use in corrosive environments.

PGSC25CBM-30-30	No Lead	1/4"	30Hg-0-30			50	\$ 46.01
-----------------	---------	------	-----------	--	--	----	----------



Liquid, Connection: Brass, Fill: Glycerine, Case Material: 304 Stainless Steel,
Accuracy: +/- 1.5% Full Scale Value, Temperature Range: -4°F to 140°F (-20°C to 60°C),
 Ideal for use where vibration or pressure pulsation occurs.

PG25CBM-15-GNL	No Lead	1/4"	0-15	0-100	0.2 PSI	50	\$ 20.91
PG25CBM-30-GNL	No Lead	1/4"	0-30	0-200	0.5 PSI	50	\$ 18.91
PG25CBM-60-GNL	No Lead	1/4"	0-60	0-400	1.0 PSI	50	\$ 19.08
PG25CBM-100-GNL	No Lead	1/4"	0-100	0-700	1.0 PSI	50	\$ 18.91
PG25CBM-160-GNL	No Lead	1/4"	0-160	0-1100	2.0 PSI	50	\$ 19.08
PG25CBM-200-GNL	No Lead	1/4"	0-200	0-1400	2.0 PSI	50	\$ 18.91
PG25CBM-300-GNL	No Lead	1/4"	0-300	0-2000	5.0 PSI	50	\$ 19.08
PG25CBM-400-GNL	No Lead	1/4"	0-400	0-2800	5.0 PSI	50	\$ 20.78
PG25CBM-600-GNL	No Lead	1/4"	0-600	0-4000	10.0 PSI	50	\$ 19.08
2-PG25CBM-1000-G		1/4"	0-1000	0-7000	10.0 PSI	50	\$ 20.30
2-PG25CBM-1500-G		1/4"	0-1500	0-10000	20.0 PSI	50	\$ 20.30
2-PG25CBM-2000-G		1/4"	0-2000	0-14000	20.0 PSI	50	\$ 20.30
2-PG25CBM-3000-G		1/4"	0-3000	0-20000	50.0 PSI	50	\$ 20.30
2-PG25CBM-4000-G		1/4"	0-4000	0-28000	50.0 PSI	50	\$ 20.30
2-PG25CBM-5000-G		1/4"	0-5000	0-35000	50.0 PSI	50	\$ 21.52
2-PG25CBM-10000-G		1/4"	0-10000	0-70000	100.0 PSI	50	\$ 22.69



Liquid, Connection: Stainless Steel, Fill: Glycerine, Case Material: 304 Stainless Steel,
Accuracy: +/- 1.5% Full Scale Value, Temperature Range: -4°F to 140°F (-20°C to 60°C),
 Ideal for use in corrosive environments.

PGS25CBM-15-G	No Lead	1/4"	0-15	0-100	0.2 PSI		\$ 280.83
PGS25CBM-30-G	No Lead	1/4"	0-30	0-200	0.5 PSI	50	\$ 54.82
PGS25CBM-60-G	No Lead	1/4"	0-60	0-400	1.0 PSI	50	\$ 54.82
PGS25CBM-100-G	No Lead	1/4"	0-100	0-700	1.0 PSI	50	\$ 48.56
PGS25CBM-160-G	No Lead	1/4"	0-160	0-1100	2.0 PSI	50	\$ 54.82
PGS25CBM-200-G	No Lead	1/4"	0-200	0-1400	2.0 PSI	50	\$ 48.56
PGS25CBM-300-G	No Lead	1/4"	0-300	0-2000	5.0 PSI	50	\$ 48.56
PGS25CBM-400-G	No Lead	1/4"	0-400	0-2800	10.0 PSI	50	\$ 54.82
PGS25CBM-600-G	No Lead	1/4"	0-600	0-4000	10.0 PSI	50	\$ 54.12
PGS25CBM-1000-G	No Lead	1/4"	0-1000	0-7000	20.0 PSI		POR
PGS25CBM-1500-G	No Lead	1/4"	0-1500	0-10000	20.0 PSI		POR
PGS25CBM-2000-G	No Lead	1/4"	0-2000	0-14000	50.0 PSI		POR
PGS25CBM-3000-G	No Lead	1/4"	0-3000	0-20000	50.0 PSI		POR
PGS25CBM-5000-G	No Lead	1/4"	0-5000	0-35000	50.0 PSI		POR
PGS25CBM-10000-G	No Lead	1/4"	0-10000	0-70000	200.0 PSI		POR

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

2-1/2" - CENTER BACK MOUNT PRESSURE GAUGES

Part No.	Mount Size	Dial Range		Increments	Quantity List		
		PSI	kPa		L1	L2	Price - A

List Price Effective: April 27, 2020



Liquid Vacuum, Connection: Brass, Fill: Glycerine, Case Material: 304 Stainless Steel, Accuracy: +/- 1.5% Full Scale Value, Temperature Range: -4°F to 140°F (-20°C to 60°C), Ideal for use where vibration or pressure pulsation occurs.

2-PGV25CBM-30-G	1/4"	30-0Hg		0.5 PSI	50	\$ 20.30
-----------------	------	--------	--	---------	----	----------



Liquid Vacuum/Pressure, Connection: Brass, Fill: Glycerine, Case Material: 304 Stainless Steel, Accuracy: +/- 1.5% Full Scale Value, Temperature Range: -4°F to 140°F (-20°C to 60°C), Ideal for use where vibration or pressure pulsation occurs.

2-PGC25CBM-30-30G	1/4"	30Hg-0-30			50	\$ 20.30
2-PGC25CBM-30150G	1/4"	30Hg-0-150			50	\$ 20.30

2-1/2" - LOWER MOUNT PRESSURE GAUGES

These pressure gauges are general purpose but are not for use with oxygen.

• No Lead Gauges: NSF/ANSI Standard 372 Certified

Dial Size: 2-1/2"

Mount: LM

Part No.	Mount Size	Dial Range		Increments	Quantity List		
		PSI	kPa		L1	L2	Price - A

List Price Effective: April 27, 2020



Dry, Connection: Brass, Case Material: Black Steel, Accuracy: 3%-2%-3% Grade B Temperature Range: -40°F to 140°F (-40°C to 60°C)

PG25-15NL	No Lead	1/4"	0-15		0.5 PSI	50	\$ 8.52
PG25-30NL	No Lead	1/4"	0-30		0.5 PSI	50	\$ 7.89
PG25-60NL	No Lead	1/4"	0-60		1.0 PSI	50	\$ 7.89
PG25-100		1/4"	0-100		1.0 PSI	50	\$ 6.67
PG25-100NL	No Lead	1/4"	0-100		1.0 PSI	50	\$ 7.49
PG25-160		1/4"	0-160		2.0 PSI	50	\$ 6.67
PG25-160NL	No Lead	1/4"	0-160		2.0 PSI	50	\$ 8.07
PG25-200		1/4"	0-200		2.0 PSI	50	\$ 6.67
PG25-200NL	No Lead	1/4"	0-200		2.0 PSI	50	\$ 7.89
PG25-300NL	No Lead	1/4"	0-300		5.0 PSI	50	\$ 7.89
PG25-400NL	No Lead	1/4"	0-400		5.0 PSI	50	\$ 8.27
PG25-600NL	No Lead	1/4"	0-600		10.0 PSI	50	\$ 7.89



Dry, Connection: Stainless Steel, Case Material: 304 Stainless Steel, Accuracy: +/- 1.5% Full Scale Value Temperature Range: -40°F to 140°F (-40°C to 60°C), Ideal for use in corrosive environments.

PGS25-100	No Lead	1/4"	0-100	0-700	1.0 PSI	50	\$ 46.02
PGS25-1000	No Lead	1/4"	0-1000	0-7000	20.0 PSI	50	\$ 46.64
PGS25-10000	No Lead	1/4"	0-10000	0-70000	100.0 PSI	50	\$ 49.67
PGS25-15	No Lead	1/4"	0-15	0-100	0.2 PSI	50	\$ 46.64
PGS25-1500	No Lead	1/4"	0-1500	0-10000	20.0 PSI	50	\$ 46.64
PGS25-160	No Lead	1/4"	0-160	0-1100	2.0 PSI	50	\$ 46.02
PGS25-200	No Lead	1/4"	0-200	0-1400	2.0 PSI	50	\$ 46.02
PGS25-2000	No Lead	1/4"	0-2000	0-14000	20.0 PSI	50	\$ 46.64
PGS25-30	No Lead	1/4"	0-30	0-200	0.5 PSI	50	\$ 46.02
PGS25-300	No Lead	1/4"	0-300	0-2000	5.0 PSI	50	\$ 46.02
PGS25-3000	No Lead	1/4"	0-3000	0-20000	50.0 PSI	50	\$ 46.64
PGS25-400	No Lead	1/4"	0-400	0-2800	5.0 PSI	50	\$ 46.02
PGS25-5000	No Lead	1/4"	0-5000	0-35000	50.0 PSI	50	\$ 47.81
PGS25-60	No Lead	1/4"	0-60	0-400	1.0 PSI	50	\$ 46.02
PGS25-600	No Lead	1/4"	0-600	0-4000	10.0 PSI	50	\$ 46.02

Contact your sales rep for any further information

Toll Free: 1-800-561-3164

boshart.com

2-1/2" - LOWER MOUNT PRESSURE GAUGES

Part No.	Mount Size	Dial Range		Increments	Quantity List		List Price - A
		PSI	kPa		L1	L2	

List Price Effective: April 27, 2020



Dry Low Pressure, Connection: Brass, Case Material: Black Steel, Accuracy: +/- 1.5% Full Scale Value
Temperature Range: -4°F to 140°F (-20°C to 60°C),
 Ideal for use in low pressure pneumatic systems.

PG25-0-5PSI	1/4"	0-5		0.1 PSI		\$ 238.98
PG25-0-10PSI	1/4"	0-10		0.2 PSI		\$ 238.98
PG25-0-15IN	1/4"	0-15 in H2O		0.2 PSI		\$ 238.98
PG25-0-30IN	1/4"	0-30 in H2O		0.5 PSI		\$ 238.98
PG25-0-60IN	1/4"	0-60 in H2O		1.0 PSI		\$ 238.98
PG25-0-100IN	1/4"	0-100 in H2O		2.0 PSI		\$ 238.98
PG25-0-200IN	1/4"	0-200 in H2O		5.0 PSI		\$ 238.98



Dry Vacuum, Connection: Stainless Steel, Case Material: 304 Stainless Steel,
Accuracy: +/- 1.5% Full Scale Value, Temperature Range: -40°F to 140°F (-40°C to 60°C),
 Ideal for use in corrosive environments.

PGSV25-30	No Lead	1/4"	30-0Hg	0.5 PSI	50	\$ 46.64
-----------	---------	------	--------	---------	----	----------



Dry Vacuum/Pressure, Connection: Brass, Case Material: Black Steel, Accuracy: 3%-2%-3% Grade B
Temperature Range: -40°F to 140°F (-40°C to 60°C)

PGC25-30-0-15		1/4"	30Hg-0-15		50	\$ 7.19
---------------	--	------	-----------	--	----	---------



Dry Vacuum/Pressure, Connection: Stainless Steel, Case Material: 304 Stainless Steel,
Accuracy: +/- 1.5% Full Scale Value, Temperature Range: -40°F to 140°F (-40°C to 60°C),
 Ideal for use in corrosive environments.

PGSC25-30-30	No Lead	1/4"	30Hg-0-30		50	\$ 46.01
--------------	---------	------	-----------	--	----	----------



Liquid, Connection: Brass, Fill: Glycerine, Case Material: 304 Stainless Steel,
Accuracy: +/- 1.5% Full Scale Value, Temperature Range: -4°F to 140°F (-20°C to 60°C),
 Ideal for use where vibration or pressure pulsation occurs.

2-PG25-15-G		1/4"	0-15	0-100	0.2 PSI	50	\$ 20.18
PG25-15-GNL	No Lead	1/4"	0-15	0-100	0.2 PSI	50	\$ 19.66
PG25-30-GNL	No Lead	1/4"	0-30	0-200	0.5 PSI	50	\$ 18.79
2-PG25-60-G		1/4"	0-60	0-400	1.0 PSI	50	\$ 19.57
PG25-60-GNL	No Lead	1/4"	0-60	0-400	1.0 PSI	50	\$ 18.79
2-PG25-100-G		1/4"	0-100	0-700	1.0 PSI	50	\$ 19.57
PG25-100-GNL	No Lead	1/4"	0-100	0-700	1.0 PSI	50	\$ 17.86
2-PG25-160-G		1/4"	0-160	0-1100	2.0 PSI	50	\$ 19.57
PG25-160-GNL	No Lead	1/4"	0-160	0-1100	2.0 PSI	50	\$ 19.89
2-PG25-200-G		1/4"	0-200	0-1400	2.0 PSI	50	\$ 19.57
PG25-200-GNL	No Lead	1/4"	0-200	0-1400	2.0 PSI	50	\$ 19.89
2-PG25-300-G		1/4"	0-300	0-2000	5.0 PSI	50	\$ 19.57
PG25-300-GNL	No Lead	1/4"	0-300	0-2000	5.0 PSI	50	\$ 19.02
PG25-400-GNL	No Lead	1/4"	0-400	0-2800	5.0 PSI	50	\$ 19.08
PG25-600-GNL	No Lead	1/4"	0-600	0-4000	10.0 PSI	50	\$ 19.08
2-PG25-1000-G		1/4"	0-1000	0-7000	10.0 PSI	50	\$ 20.18
2-PG25-1500-G		1/4"	0-1500	0-10000	20.0 PSI	50	\$ 20.18
2-PG25-2000-G		1/4"	0-2000	0-14000	20.0 PSI	50	\$ 20.18
2-PG25-3000-G		1/4"	0-3000	0-20000	50.0 PSI	50	\$ 20.18
2-PG25-4000-G		1/4"	0-4000	0-28000	50.0 PSI	50	\$ 20.18
2-PG25-5000-G		1/4"	0-5000	0-35000	50.0 PSI	50	\$ 21.40
2-PG25-10000-G		1/4"	0-10000	0-70000	100.0 PSI	50	\$ 22.56

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
 boshart.com

2-1/2" - LOWER MOUNT PRESSURE GAUGES

Part No.	Mount Size	Dial Range		Increments	Quantity List		
		PSI	kPa		L1	L2	Price - A

List Price Effective: April 27, 2020



Liquid, Connection: Stainless Steel, Fill: Glycerine, Case Material: 304 Stainless Steel, Accuracy: +/- 1.5% Full Scale Value, Temperature Range: -4°F to 140°F (-20°C to 60°C), Ideal for use in corrosive environments.

PGS25-15-G	No Lead	1/4"	0-15	0-100	0.2 PSI	50	\$ 49.17
PGS25-30-G	No Lead	1/4"	0-30	0-200	0.5 PSI	50	\$ 48.56
PGS25-60-G	No Lead	1/4"	0-60	0-400	1.0 PSI	50	\$ 48.56
PGS25-100-G	No Lead	1/4"	0-100	0-700	1.0 PSI	50	\$ 48.56
PGS25-160-G	No Lead	1/4"	0-160	0-1100	2.0 PSI	50	\$ 48.56
PGS25-200-G	No Lead	1/4"	0-200	0-1400	2.0 PSI	50	\$ 48.56
PGS25-300-G	No Lead	1/4"	0-300	0-2000	5.0 PSI	50	\$ 48.56
PGS25-400-G	No Lead	1/4"	0-400	0-2800	10.0 PSI	50	\$ 54.82
PGS25-600-G	No Lead	1/4"	0-600	0-4000	10.0 PSI	50	\$ 48.56
PGS25-1000-G	No Lead	1/4"	0-1000	0-7000	20.0 PSI	50	\$ 55.44
PGS25-1500-G	No Lead	1/4"	0-1500	0-10000	20.0 PSI	50	\$ 55.44
PGS25-2000-G	No Lead	1/4"	0-2000	0-14000	50.0 PSI	50	\$ 55.44
PGS25-3000-G	No Lead	1/4"	0-3000	0-20000	50.0 PSI	50	\$ 55.44
PGS25-5000-G	No Lead	1/4"	0-5000	0-35000	50.0 PSI	50	\$ 56.63
PGS25-10000-G	No Lead	1/4"	0-10000	0-70000	200.0 PSI	50	\$ 58.51



Liquid Vacuum, Connection: Brass, Fill: Glycerine, Case Material: 304 Stainless Steel, Accuracy: +/- 1.5% Full Scale Value, Temperature Range: -4°F to 140°F (-20°C to 60°C), Ideal for use where vibration or pressure pulsation occurs.

2-PGV25-30-G		1/4"	30-0Hg		0.5 PSI	50	\$ 20.18
--------------	--	------	--------	--	---------	----	----------



Liquid Vacuum, Connection: Stainless Steel, Fill: Glycerine, Case Material: 304 Stainless Steel, Accuracy: +/- 1.5% Full Scale Value, Temperature Range: -4°F to 140°F (-20°C to 60°C), Ideal for use in corrosive environments.

PGSV25-30-G	No Lead	1/4"	30-0Hg		0.5 PSI	50	\$ 49.17
-------------	---------	------	--------	--	---------	----	----------



Liquid Vacuum/Pressure, Connection: Brass, Fill: Glycerine, Case Material: 304 Stainless Steel, Accuracy: +/- 1.5% Full Scale Value, Temperature Range: -4°F to 140°F (-20°C to 60°C), Ideal for use where vibration or pressure pulsation occurs.

2-PGC25-30-30-G		1/4"	30Hg-0-30			50	\$ 20.18
2-PGC25-30-150-G		1/4"	30Hg-0-150			50	\$ 20.18



Liquid Vacuum/Pressure, Connection: Stainless Steel, Fill: Glycerine, Case Material: 304 Stainless Steel, Accuracy: +/- 1.5% Full Scale Value, Temperature Range: -4°F to 140°F (-20°C to 60°C), Ideal for use in corrosive environments.

PGSC25-30-30-G	No Lead	1/4"	30Hg-0-30			50	\$ 54.81
----------------	---------	------	-----------	--	--	----	----------

4" - LOWER MOUNT PRESSURE GAUGES

These pressure gauges are general purpose but are not for use with oxygen.

• No Lead Gauges: NSF/ANSI Standard 372 Certified

Dial Size: 4"

Mount: LM

Part No.	Mount Size	Dial Range		Increments	Quantity List		
		PSI	kPa		L1	L2	Price - A

List Price Effective: April 27, 2020



Dry, Connection: Brass, Case Material: Black Steel, Accuracy: +/- 2.5% Full Scale Value, Temperature Range: -40°F to 140°F (-40°C to 60°C)

PG40-100NL	No Lead	1/4"	0-100	0-700	1.0 PSI	50	\$ 16.00
PG40-160NL	No Lead	1/4"	0-160	0-1100	2.0 PSI	50	\$ 16.00
PG40-200NL	No Lead	1/4"	0-200	0-1400	2.0 PSI	50	\$ 16.00
PG40-300NL	No Lead	1/4"	0-300	0-2000	5.0 PSI	50	\$ 16.00
PG40-30NL	No Lead	1/4"	0-30	0-200	0.5 PSI	50	\$ 16.00
PG40-60NL	No Lead	1/4"	0-60	0-400	1.0 PSI	50	\$ 16.00

Contact your sales rep for any further information

Toll Free: 1-800-561-3164

boshart.com

4" - LOWER MOUNT PRESSURE GAUGES



Part No.	Mount Size	Dial Range		Increments	Quantity List		
		PSI	kPa		L1	L2	Price - A

List Price Effective: April 27, 2020

Liquid, Connection: Brass, Case Material: Black Steel, Accuracy: +/- 1.5% Full Scale Value
Temperature Range: -4°F to 140°F (-20°C to 60°C),
 Ideal for use where vibration or pressure pulsation occurs.

PG40-15-GNL	No Lead	1/4"	0-15	0-100	0.2 PSI	20	\$ 54.29
PG40-30-GNL	No Lead	1/4"	0-30	0-200	0.5 PSI	20	\$ 53.71
PG40-60-GNL	No Lead	1/4"	0-60	0-400	1.0 PSI	20	\$ 53.71
PG40-100-GNL	No Lead	1/4"	0-100	0-700	1.0 PSI	20	\$ 53.71
PG40-160-GNL	No Lead	1/4"	0-160	0-1100	2.0 PSI	20	\$ 53.71
PG40-200-GNL	No Lead	1/4"	0-200	0-1400	2.0 PSI	20	\$ 53.71
PG40-300-GNL	No Lead	1/4"	0-300	0-2000	5.0 PSI	20	\$ 53.71
PG40-400-GNL	No Lead	1/4"	0-400	0-2800	5.0 PSI	20	\$ 53.71
PG40-600-GNL	No Lead	1/4"	0-600	0-4000	10.0 PSI	20	\$ 53.71
PG40-1000-G		1/4"	0-1000	0-7000	10.0 PSI	20	\$ 55.03
PG40-1500-G		1/4"	0-1500	0-10000	20.0 PSI	20	\$ 55.03
PG40-2000-G		1/4"	0-2000	0-14000	20.0 PSI	20	\$ 55.03
PG40-3000-G		1/4"	0-3000	0-20000	50.0 PSI	20	\$ 55.03
PG40-5000-G		1/4"	0-5000	0-35000	50.0 PSI	20	\$ 56.20
PG40-10000-G		1/4"	0-10000	0-70000	100.0 PSI	20	\$ 58.03

4-1/2" - LOWER MOUNT PRESSURE GAUGES

These pressure gauges are general purpose but are not for use with oxygen. These gauges feature an extra large dial face with a re adjustable pointer.

• No Lead Gauges: NSF/ANSI Standard 372 Certified

Dial Size: 4-1/2"

Mount: LM



Part No.	Mount Size	Dial Range		Increments	Quantity List		
		PSI	kPa		L1	L2	Price - A

List Price Effective: April 27, 2020

Dry, Connection: Brass, Case Material: 304 Stainless Steel, Accuracy: +/- 1% Full Scale Value
Temperature Range: -40°F to 140°F (-40°C to 60°C)

PG45-15NL	No Lead	1/4"	0-15	0-100	0.2 PSI	20	\$ 26.80
PG45-30NL	No Lead	1/4"	0-30	0-200	0.5 PSI	20	\$ 27.00
PG45-60NL	No Lead	1/4"	0-60	0-400	1.0 PSI	20	\$ 26.90
PG45-100NL	No Lead	1/4"	0-100	0-700	1.0 PSI	20	\$ 26.90
PG45-160NL	No Lead	1/4"	0-160	0-1100	2.0 PSI	20	\$ 27.00
PG45-200NL	No Lead	1/4"	0-200	0-1400	2.0 PSI	20	\$ 27.00
PG45-300NL	No Lead	1/4"	0-300	0-2000	5.0 PSI	20	\$ 27.59
PG45-400NL	No Lead	1/4"	0-400	0-2800	5.0 PSI	20	\$ 27.00
PG45-600NL	No Lead	1/4"	0-600	0-4000	10.0 PSI	20	\$ 27.00

Dry Vacuum, Connection: Brass, Case Material: 304 Stainless Steel, Accuracy: +/- 1% Full Scale Value
Temperature Range: -40°F to 140°F (-40°C to 60°C)

PGV45-30		1/4"	30-0Hg		0.5 PSI	20	\$ 28.63
----------	--	------	--------	--	---------	----	----------

Dry Vacuum/Pressure, Connection: Brass, Case Material: 304 Stainless Steel,
Accuracy: +/- 1% Full Scale Value, Temperature Range: -40°F to 140°F (-40°C to 60°C)

PGC45-30-30		1/4"	30Hg-0-30			20	\$ 28.03
-------------	--	------	-----------	--	--	----	----------

Dry Water Level, Connection: Brass, Case Material: 304 Stainless Steel, Accuracy: 3%-2%-3% Grade B







PG45-WL		1/4"	0-390 in H2O		0.2 PSI	20	\$ 31.25
---------	--	------	--------------	--	---------	----	----------

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
 boshart.com

PRESSURE GAUGE ACCESSORIES



These accessories are for pressure gauges.

	Part No.	Size	Description	Quantity List		
				L1	L2	Price - A
List Price Effective: June 24, 2019						
	Snubber					
	2-PGA-BS-D	1/4"	For heavy oils - Viscosity range: 50	100		\$ 6.58
	2-PGA-BS-E	1/4"	For gasoline, water or light oil - Viscosity range 25	100		\$ 6.79
	2-PGA-BS-G	1/4"	For air and other gases - Viscosity Range 15	100		\$ 6.58
	Front Flange					
	PG25CBM-FF		For 2-1/2" dial back mount gauges - 3 holes	100		\$ 2.54
	PG25CBM-UC		For 2-1/2" dial - u-clamp	100		\$ 2.89
	Restrictor Screw					
	2-PG25-RS		For 2- series gauges	100		\$ 1.47
	Glycerine					
	PGA-G-1L		For liquid filled gauges	6		\$ 70.64
	Steel Pig Tail Syphon					
	PGA-PTS-02		Schedule 40 steel pipe	50	100	\$ 5.67
	Brass Pig Tail Syphon					
	PGA-PTB-02		Schedule 40 red brass pipe	50	100	\$ 21.84

WATER TEST GAUGES

This gauge provides a quick and easy way to test a wide range of pressure systems for leakage. This gauge attaches to hose bibbs, boiler drains and lawn faucets. Often used in conjunction with rubber test caps offering a quick and easy way to fill and drain water used for testing in sewer, drain and waste water systems. The connection swivels to allow for easier installation.

Mount: GHT, Accuracy: 3%-2%-3% Grade B

	Part No.	Mount Size	Dial Range PSI	Quantity List		
				L1	L2	Price - A
List Price Effective: April 27, 2020						
	Water Test, Dial Size: 2-1/2", Temperature Range: -40°F to 140°F (-40°C to 60°C)					
	PG25-WTG300	3/4"	0-300	50		\$ 10.73
	Water Test with Indicator Pointer, Dial Size: 2-1/2", Temperature Range: -40°F to 140°F (-40°C to 60°C)					
	The indicator pointer is ideal for recording the maximum system pressure reached. The pointer can be reset by turning the external knob counter clockwise.					
	PG25-WTG200MP	3/4"	0-200	50		\$ 12.65
	PG25-WTG300MP	3/4"	0-300	50		\$ 12.65

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

GAS TEST MANIFOLDS

This test gauge package provides a quick and easy means of pressurizing and monitoring a gas system for leakage. Gauges sold separately.

Part No.	Size	Quantity List		
		L1	L2	Price - A

List Price Effective: April 27, 2020



Built in snifter valve.

PG-GTM	Manifold with Snifter Valve	3/4" FPT			\$ 8.53
--------	-----------------------------	----------	--	--	---------



Trouble free way to test gas systems.

PG-GTMC	Manifold	3/4" x 1/4" FPT		16	128	\$ 5.10
PG-GTMC-SV	Manifold with Snifter Valve	3/4" x 1/4" FPT		100		\$ 7.96

GAS TEST GAUGE WITH MANIFOLD

This test gauge package provides a quick and easy means of pressurizing and monitoring a gas system for leakage. Gauges are included in these packages.

Part No.	Dial Range PSI	Increments	Quantity List		
			L1	L2	Price - A

List Price Effective: April 27, 2020



**Gas Test with Malleable Manifold, Dial Size: 2", Case Material: Black Steel,
Trouble free way to test gas systems.**

PG-GTMC-15	0-15	0.2 PSI		50	\$ 15.32
PG-GTMC-30	0-30	0.5 PSI		50	\$ 14.73
PG-GTMC-60	0-60	1.0 PSI		50	\$ 14.73



**Gas Test with Chrome Plated Manifold, Dial Size: 2", Case Material: Black Steel,
Built in snifter valve.**

PG-GT15	0-15	0.2 PSI		50	\$ 14.09
PG-GT30	0-30	0.5 PSI		50	\$ 14.09
PG-GT100	0-100	1.0 PSI		50	\$ 14.09
PG-GT200	0-200	2.0 PSI		50	\$ 14.09



**Gas Test with Malleable Manifold, Dial Size: 2-1/2", Case Material: Black Steel,
Trouble free way to test gas systems.**

PG-GTMC25-15	0-15	0.2 PSI		50	\$ 16.94
PG-GTMC25-30	0-30	0.5 PSI		50	\$ 16.94
PG-GTMC25-60	0-60	1.0 PSI		50	\$ 16.94
PG-GTMC25-100	0-100	1.0 PSI		50	\$ 16.94

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

TRIDICATORS

These tridicators are for general purpose industrial use. They are a combination of a pressure gauge and a thermometer consisting of a bourdon tube and a coiled bi-metal element.

Connection: Brass, Accuracy: Pressure +/- 3% - 2% - 3% Temperature +/- 2%



Part No.	Gauge Type	Mount	Dial Range		Temperature Range	Quantity List		
			PSI	kPa		L1	L2	Price - A

List Price Effective: April 27, 2020

Dial Size: 2-1/2", Case Material: Red Steel, Connection Size: 1/4"

TR25-CB1-60/250	Standard	CBM	0-75	0-500	30°F to 250°F (0°C to 120°C)	100		\$ 22.73
TR25X1-CB1-60/250	Extended	CBM	0-75	0-500	30°F to 250°F (0°C to 120°C)	75		\$ 26.23

Dial Size: 3", Case Material: Black Steel, Connection Size: 1/2" Adjustable indicator included.

TR30-CB2-60/250	Standard	CBM	0-75	0-500	30°F to 250°F (0°C to 120°C)	50		\$ 27.39
TR30-CB2S-60/250	Short	CBM	0-75	0-500	30°F to 250°F (0°C to 120°C)	50		\$ 27.39
TR30-LM2-60/250	Standard	LM	0-75	0-500	30°F to 250°F (0°C to 120°C)	50		\$ 31.47
TR30-LM2-80/290	Standard	LM	0-200	0-1400	80°F to 290°F (26°C to 143°C)	50		\$ 31.47

BI-METAL THERMOMETERS



These are general purpose industrial thermometers. They use a coiled bi-metal element.

Temperature Range: 32°F to 250°F (0°C to 120°C), Maximum Pressure: 87 PSI

Case Material: Aluminum,

Mount: CBM, Accuracy: +/- 2% Working Range

Part No.	Mount Size	Dial Size	Quantity List		
			L1	L2	Price - A

List Price Effective: April 27, 2020

Connection: Brass

TW25-CB2-250-25	1/2"	2-1/2"	150		\$ 19.28
TW30-CB2-250-25	1/2"	3"	100		\$ 27.69

Connection: Stainless Steel

TW25-CB2-250-SS25	1/2"	2-1/2"	150		\$ 23.31
-------------------	------	--------	-----	--	----------

THERMOWELL

For use with TW25-CB2-250-25



Part No.	Description	Quantity List		
		L1	L2	Price - A

List Price Effective: April 27, 2020

TW-05/40MM	1/2" MPT	5	100	\$ 9.86
------------	----------	---	-----	---------

HOT WATER THERMOMETERS



These thermometers are general purpose for use with hot water.

Temperature Range: 40°F to 280°F (5°C to 135°C)

Part No.	Gauge Type	Mount Size	Quantity List		
			L1	L2	Price - A

List Price Effective: April 27, 2020

Connection: Brass, Fill: Red Organic Kerosene

THW8-A2-280	Angle	1/2"	50		\$ 21.90
THW8-S2-280	Straight	1/2"	50		\$ 20.69

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

ELECTRODES



These electrodes are 2" long and assembled in molded plastic insulating shields. They suspend at desired levels in the well by means of suspension wire. A system ground return circuit is required from the indicated relay terminal to the liquid in order to complete the secondary circuit of relay. Connection should be made directly to uninsulated metal tank, or to metal pipe connected to tank below normal low liquid level. In wells, or insulated tanks, use an extra common electrode extending slightly below the longest operating electrode.

Part No.	Connection Material	Quantity List		List Price Effective: April 27, 2020
		L1	L2	
ELB	Brass			\$ 117.74
ELS	Stainless Steel			\$ 124.52

FLOATLESS LIQUID LEVEL CONTROL SYSTEMS



These floatless liquid level control systems provide automatic low level cut-off protection for submersible pumps and deep well turbines. They operate from two types of electrodes suspended at desired levels. Permits efficient operation at full capacity and eliminates danger of pumping air or sand.
 LH Relay is a pump down control for sewage & sump pump and condensate return systems.
 RH Relay is a pump up control for supply pumps on elevated tanks and towers.
 DH Relay is a two way control system for pump up or pump down.

Part No.	Switch Feature	Model Number	Voltage	Quantity List		List Price - A
				L1	L2	
DH-115	Pump Up or Down - Submersible or Open System	1500-G-L1-S8-NI-X	110/120 VAC			POR
DH-230	Pump Up or Down - Submersible or Open System	1500-G-L2-S8-NI-X	208/240 VAC			POR
LH-115	Pump Down - Submersible	1500-C-L1-S8-NI-X	110/120 VAC			POR
LH-230	Pump Down - Submersible	1500-C-L2-S8-NI-X	208/240 VAC			POR
RH-115	Pump Up - Open System	1500-D-L1-S8-NI-X	110/120 VAC			POR
RH-230	Pump Up - Open System	1500-D-L2-S8-NI-X	208/240 VAC			POR

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

SMALL WATER PUMP PRESSURE SWITCHES

Boshart

These standard water pump switches are designed for the control of electrically driven water pumps of all types (Jets, Submersible, Reciprocating, etc.)

- Standard action - contacts open on rising pressure
- NSF/ANSI Standard 372 Certified
- UL Listed
- CSA Approved



Part No.	Pressure Setting	Differential	Pack Type	Quantity		List Price - A
				L1	L2	

List Price Effective: April 27, 2020



Connection: 1/4" FPT Standard Duty, Nema 1 - General Purpose

PS02-2040	20-40 PSI	15-30 PSI	Individual	20	\$ 21.12
PS02-3050	30-50 PSI	15-30 PSI	Individual	20	\$ 21.12
PS02-4060	40-60 PSI	15-30 PSI	Individual	20	\$ 21.12



Connection: 1/4" MPT Standard Duty, Nema 1 - General Purpose

PS02M-3050	30-50 PSI	15-30 PSI	Individual	20	\$ 21.30
PS02M-4060	40-60 PSI	15-30 PSI	Individual	20	\$ 21.30



Connection: 1/4" Barb Standard Duty, Nema 1 - General Purpose

PS02B-3050	30-50 PSI	15-30 PSI	Individual	20	\$ 21.12
------------	-----------	-----------	------------	----	----------



Connection: 1/4" FPT Low Level Cut Off Switch, Nema 1 - General Purpose

PS02LP-2040	20-40 PSI	15-30 PSI	Individual	20	\$ 22.93
PS02LP-3050	30-50 PSI	15-30 PSI	Individual	20	\$ 22.93
PS02LP-4060	40-60 PSI	15-30 PSI	Individual	20	\$ 22.93



Connection: 1/4" FPT Auto/Manual Off, Nema 1 - General Purpose

PS02AO-3050	30-50 PSI	15-30 PSI	Individual	20	\$ 22.93
PS02AO-4060	40-60 PSI	15-30 PSI	Individual	20	\$ 22.93



Connection: 1/4" FPT Pulsation Plug, Nema 1 - General Purpose

PS02P-3050	30-50 PSI	15-30 PSI	Individual	20	\$ 23.02
PS02P-4060	40-60 PSI	15-30 PSI	Individual	20	\$ 23.02

PULSATION PLUG

Pulsation plug for Boshart small water pump switches

Part No.	Description	Quantity		List Price - A
		L1	L2	

List Price Effective: April 27, 2020

PS02-PP	For 1/4" FPT	10	1000	\$ 0.12
---------	--------------	----	------	---------



Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

SMALL WATER PUMP PRESSURE SWITCHES

Square D

Designed for the control of electrically driven water pumps. Diaphragm actuated.

- FSG is the standard water pump switch, suitable for all types of pumps: jets, submersible, reciprocating, etc.
- FYG is designed to meet higher horsepower and pressure requirements.
- FRG is reverse acting: contacts open on falling pressure.

Sample part number: Class 9013, Type FSG2, Pressure Code J20, Form C20



Part No.	Pressure Setting	Differential	Pack Type	Quantity List		Price - A
				L1	L2	

List Price Effective: April 27, 2020



**Connection: 1/4" FPT
Standard Duty, Nema 1 - General Purpose**

9013FSG2J20	20-40 PSI	15-30 PSI	Individual	50		\$ 46.83
9013FSG2J20C20	20-40 PSI	15-30 PSI	Bulk	20		\$ 45.81
9013FSG2J21	30-50 PSI	15-30 PSI	Individual	50		\$ 46.83
9013FSG2J21C20	30-50 PSI	15-30 PSI	Bulk	20		\$ 45.81
9013FSG2J24	40-60 PSI	15-30 PSI	Individual	50		\$ 46.83
9013FSG2J24C20	40-60 PSI	15-30 PSI	Bulk	20		\$ 45.81
9013FSG42J99615	6-15 PSI	6-20 PSI	Individual			\$ 59.28
9013FSG52J25	60-80 PSI	20-30 PSI	Individual	1	20	\$ 61.26
9013FSG52J33	50-70 PSI	20-30 PSI	Individual	20		\$ 61.26



**Connection: 1/4" MPT
Standard Duty, Nema 1 - General Purpose**

9013FSG9J20	20-40 PSI	15-30 PSI	Individual			\$ 46.83
9013FSG9J21	30-50 PSI	15-30 PSI	Individual			\$ 46.83
9013FSG9J21C20	30-50 PSI	15-30 PSI	Bulk	20		\$ 45.81
9013FSG9J24	40-60 PSI	15-30 PSI	Individual			\$ 46.83



**Connection: 1/4" Barb
Standard Duty, Nema 1 - General Purpose**

9013FSG14J20	20-40 PSI	15-30 PSI	Individual			\$ 46.83
9013FSG14J21	30-50 PSI	15-30 PSI	Individual			\$ 46.83
9013FSG14J21C20	30-50 PSI	15-30 PSI	Bulk	20		\$ 45.81



**Connection: Mini Barb
Standard Duty, Nema 1 - General Purpose**

9013FSG10J20	20-40 PSI	15-30 PSI	Individual			\$ 46.83
9013FSG10J21	30-50 PSI	15-30 PSI	Individual			\$ 46.83
9013FSG10J21C20	30-50 PSI	15-30 PSI	Bulk	20		\$ 45.81



**Connection: 1/4" FPT
Medium Duty, Nema 1 - General Purpose**

9013FYG2J20C20	20-40 PSI	20-30 PSI	Bulk	20		\$ 67.08
9013FYG2J21	30-50 PSI	20-30 PSI	Individual			\$ 68.46
9013FYG2J24	40-60 PSI	20-30 PSI	Individual			\$ 68.46
9013FYG2J25	60-80 PSI	20-30 PSI	Individual			\$ 68.46
9013FYG2J33	50-70 PSI	20-30 PSI	Individual			\$ 68.46
9013FYG42J99615	6-15 PSI	6-30 PSI	Individual			\$ 81.54



**Connection: 1/4" MPT
Medium Duty, Nema 1 - General Purpose**

9013FYG29J991020	10-20 PSI	10-30 PSI	Individual			\$ 81.54
------------------	-----------	-----------	------------	--	--	----------



**Connection: 1/4" FPT
Medium Duty Low Pressure Cut Off, Nema 1 - General Purpose**

9013FYG2J21M4	30-50 PSI	20-30 PSI	Individual			\$ 83.42
9013FYG2J24M4	40-60 PSI	20-30 PSI	Individual			\$ 83.42
9013FYG2J25M4	60-80 PSI	20-30 PSI	Individual			\$ 83.42



**Connection: Mini Barb
1/2" Conduit Bushing - on Left, Nema 1 - General Purpose**

9013FSG10J20T	20-40 PSI	15-30 PSI	Individual			\$ 53.57
9013FSG10J21T	30-50 PSI	15-30 PSI	Individual			\$ 53.57
9013FSG10J21TC16	30-50 PSI	15-30 PSI	Bulk	16		\$ 52.67

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

SMALL WATER PUMP PRESSURE SWITCHES

Part No.	Pressure Setting	Differential	Pack Type	Quantity		List Price - A
				L1	L2	

List Price Effective: April 27, 2020



Connection: 1/4" FPT
Manual Cut Out Lever, Nema 1 - General Purpose

9013FSG2J20M1	20-40 PSI	15-30 PSI	Individual	40	\$ 55.47
9013FSG2J21M1	30-50 PSI	15-30 PSI	Individual	40	\$ 55.47
9013FSG2J24M1	40-60 PSI	15-30 PSI	Individual	40	\$ 55.47



Connection: 1/4" FPT
Low Pressure Cut Off, Nema 1 - General Purpose

9013FSG2J20M4	20-40 PSI	15-30 PSI	Individual	40	\$ 61.26
9013FSG2J20M4C20	20-40 PSI	15-30 PSI	Bulk	20	\$ 60.24
9013FSG2J21M4	30-50 PSI	15-30 PSI	Individual	40	\$ 61.26
9013FSG2J21M4C20	30-50 PSI	15-30 PSI	Bulk	20	\$ 60.24
9013FSG2J24M4	40-60 PSI	15-30 PSI	Individual	40	\$ 61.26
9013FSG2J24M4C20	40-60 PSI	15-30 PSI	Bulk	20	\$ 60.24



Connection: 1/4" FPT
Pulsation Plug, Nema 1 - General Purpose

9013FSG2J20P	20-40 PSI	15-30 PSI	Individual		\$ 47.73
9013FSG2J21P	30-50 PSI	15-30 PSI	Individual	1	\$ 47.73
9013FSG2J21PC20	30-50 PSI	15-30 PSI	Bulk	20	\$ 46.83
9013FSG2J24P	40-60 PSI	15-30 PSI	Individual		\$ 47.73



Connection: 1/4" MPT
Pulsation Plug, Nema 1 - General Purpose

9013FSG9J20P	20-40 PSI	15-30 PSI	Individual		\$ 47.73
9013FSG9J21P	30-50 PSI	15-30 PSI	Individual		\$ 47.73



Connection: 1/4" FPT
Reverse Action, Nema 1 - General Purpose

9013FRG2J22	22-12 PSI	6-20 PSI	Individual		\$ 94.10
9013FRG2J993520	35-20 PSI	6-20 PSI	Individual		\$ 90.46
9013FRG2J23	40-20 PSI	15-30 PSI	Individual		\$ 85.85
9013FRG2J35	50-30 PSI	15-30 PSI	Individual		\$ 85.85
9013FRG2J996040	60-40 PSI	15-30 PSI	Individual		\$ 85.85
9013FRG4J36	10-5 PSI	5 PSI	Individual		\$ 94.12



Connection: 1/4" FPT
Reverse Action - Auto On, Nema 1 - General Purpose

9013FRG2J23M5	40-20 PSI	15-30 PSI	Individual		\$ 94.50
---------------	-----------	-----------	------------	--	----------

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
 boshart.com

COMMERCIAL / LIGHT INDUSTRIAL PRESSURE SWITCHES

Square D

Class 9013 Type G Pumptrol pressure switches are designed to control electrically driven water pumps and air compressors. These devices cover higher electrical ratings for directly controlling motors in pump and compressor applications.

- Contacts open on pressure rise
- Diaphragm actuated

Sample part number: Class 9013, Type GHG2, Pressure Code J30, Form X

Part No.	Pressure Setting	Differential	Quantity List
			L1 L2 Price - A

List Price Effective: April 27, 2020



Connection: 1/4" FPT Standard Duty, Nema 1 - General Purpose			
9013GHG2J25	60-80 PSI	20-40 PSI	\$ 179.85
9013GHG2J30	80-100 PSI	20-40 PSI	\$ 179.85
9013GHG2J31	90-120 PSI	20-40 PSI	\$ 179.85
9013GHG2J33	50-70 PSI	20-40 PSI	\$ 179.85
9013GHG2J53	100-125 PSI	20-40 PSI	\$ 179.85
9013GHG2J57	120-150 PSI	20-40 PSI	\$ 179.85
9013GHG2J58	125-150 PSI	20-40 PSI	\$ 179.85
9013GHG2J62	140-175 PSI	20-40 PSI	\$ 179.85
9013GHG2J63	145-175 PSI	20-40 PSI	\$ 179.85
9013GHG5J65	215-250 PSI	25-45 PSI	\$ 179.85
9013GSG2J20	20-40 PSI	15-30 PSI	\$ 179.85
9013GSG2J21	30-50 PSI	15-30 PSI	\$ 179.85
9013GSG2J24	40-60 PSI	15-30 PSI	\$ 179.85
9013GSG2J25	60-80 PSI	15-30 PSI	\$ 179.85



Connection: 1/4" FPT Standard Duty, Nema 3R - Rainproof			
9013GSB2J24	40-60 PSI	15-30 PSI	\$ 236.75



Connection: 1/4" FPT Standard Duty, Nema 7&9 - Hazardous Location			
9013GSR2J20	20-40 PSI	20-40 PSI	\$ 956.71



Connection: 1/4" FPT Two Way Pressure Release Valve, Nema 1 - General Purpose			
9013GHG2J30X	80-100 PSI	20-40 PSI	\$ 244.46
9013GHG2J63X	145-175 PSI	20-40 PSI	\$ 244.46



Connection: 1/4" FPT Reverse Action, Nema 1 - General Purpose			
9013GHG2J51R	100-80 PSI	20-40 PSI	\$ 211.64

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

COMMERCIAL VACUUM SWITCH

Square D

The 9016GVG1 vacuum switch is a companion to the 9036GG and 9037GG float switches commonly used on vacuum heating pumps. Electrical ratings of float and vacuum switch types are equal.

Sample part number: Class 9016, Type GVG1, Pressure Code J10



Part No.	Pressure Setting	Differential	Pack Type	Quantity List		
				L1	L2	Price - A

List Price Effective: April 27, 2020

Connection: 1/4" FPT
Nema 1 - General Purpose

9016GVG1J10	16.5-25 in HG	5-10 PSI	Individual			\$ 979.93
-------------	---------------	----------	------------	--	--	-----------

SMALL COMPRESSOR PRESSURE SWITCHES

Square D

Class 9013 Type FHG pressure switches are designed for the control of small electrically driven air compressors.

- Contacts open on pressure rise
- Diaphragm actuated

Sample part number: Class 9013, Type FHG32, Pressure Code J55, Form M1

Part No.	Pressure Setting	Differential	Quantity List		
			L1	L2	Price - A

List Price Effective: April 27, 2020

Connection: 1/4" FPT
Two Way Pressure Release Valve, Nema 1 - General Purpose

9013FHG12J52X	OFF-125 PSI	30 PSI			\$ 65.11
9013FHG12J55X	OFF-150 PSI	30 PSI			\$ 65.11
9013FHG22J27X	OFF-100 PSI	20 PSI			\$ 86.33
9013FHG2J27X	OFF-100 PSI	20 PSI			\$ 65.11
9013FHG32J55X	OFF-150 PSI	30 PSI			\$ 86.33
9013FHG42J59X	OFF-175 PSI	40 PSI			\$ 65.11
9013FHG52J59X	OFF-175 PSI	40 PSI			\$ 86.33

Connection: 1/4" FPT
Contacts Open on Pressure Rise, Nema 1 - General Purpose

9013FHG2J27	OFF-100 PSI	20 PSI			\$ 47.30
-------------	-------------	--------	--	--	----------

Connection: 1/4" FPT
Manual Cut Out Lever, Nema 1 - General Purpose

9013FHG32J55M1	OFF-150 PSI	30 PSI			\$ 77.28
----------------	-------------	--------	--	--	----------

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
 boshart.com

FLOAT SWITCHES FOR CLOSED TANK - FLOAT AND ROD INCLUDED

Square D



These switches are attached to the tank by means of a 2-1/2" screw-in bushing. An external pointer indicates the float position within the tank when the unit is mounted. Switches come complete with stainless steel float and rod. A Buna N Quad-Ring® seal is used between the float rod and sealing connector.
Sample part number: Class 9037, Type HG31, Form R

Part No.	Switch Feature	Float	Water Level Change	Quantity List	
				L1	L2 Price - A
List Price Effective: April 27, 2020					
Nema 1 - General Purpose					
9037HG30	Contacts Close on Liquid Rise	Left Side - 90° Rod Angle	2" to 8-1/4"		\$ 338.54
9037HG31	Contacts Close on Liquid Rise	Right Side - 90° Rod Angle	2" to 11-1/2"		\$ 338.54
Nema 1 - General Purpose					
9037HG31R	Contacts Open on Liquid Rise	Right Side - 90° Rod Angle	2" to 11-1/2"		\$ 338.54
Nema 1 - General Purpose					
9037HG32	Contacts Close on Liquid Rise	Left Side - 90° Rod Angle	2" to 11-1/2"		\$ 338.54
9037HG33	Contacts Close on Liquid Rise	Right Side - 45° Rod Angle	2" to 5"		\$ 338.54
Nema 1 - General Purpose					
9037HG33R	Contacts Open on Liquid Rise	Right Side - 45° Rod Angle	2" to 5"		\$ 338.54
Nema 1 - General Purpose					
9037HG34	Contacts Close on Liquid Rise	Left Side - 45° Rod Angle	2" to 5"		\$ 338.54
9037HG35	Contacts Close on Liquid Rise	Right Side - 90° Rod Angle	2" to 5"		\$ 338.54
9037HG36	Contacts Close on Liquid Rise	Left Side - 90° Rod Angle	2" to 5"		\$ 338.54
9037HG37	Contacts Close on Liquid Rise	Right Side - 90° Rod Angle	2" to 7"		\$ 338.54
9037HG38	Contacts Close on Liquid Rise	Left Side - 90° Rod Angle	2" to 7"		\$ 338.54
Nema 4 - Watertight					
9037HR33	Contacts Close on Liquid Rise	Right Side - 45° Rod Angle	2" to 5"		\$ 1,016.63
Nema 7&9 - Hazardous Location					
9037HW33	Contacts Close on Liquid Rise	Right Side - 45° Rod Angle	2" to 5"		\$ 1,049.14

FLOAT SWITCHES FOR CLOSED TANK

Square D



Build up the switch to meet your exact requirements from the basic switch, float rod, and float groups below. Switch may be assembled in the field to give contacts that open on liquid rise or close on liquid rise. Consult Schneider Electric for use in media with a different specific gravity than water.
Sample part number: Class 9037, Type EG9

Part No.	Switch Feature	Quantity List	
		L1	L2 Price - A
List Price Effective: April 27, 2020			
Nema 1 - General Purpose			
9037EG8	Open/Close on Liquid Rise - Minimum Level Change		\$ 466.36
9037EG9	Open/Close on Liquid Rise - Maximum Level Change		\$ 466.36

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

FLOAT SWITCHES FOR OPEN TANK OR SUMP - ADJUSTABLE THROW

Square D



These switches are for open tank or sump applications and they feature an adjustable throw.
 Sample part number: Class 9036, Type GG2, Form R

Part No.	Switch Feature	Quantity List	
		L1	L2 Price - A
List Price Effective: April 27, 2020			
Nema 1 - General Purpose			
9036GG2	Contacts Close on Liquid Rise		\$ 240.11
9036GG2R	Contacts Open on Liquid Rise		\$ 240.11

FLOAT SWITCHES FOR OPEN TANK OR SUMP

Square D



These switches are for open tank or sump applications.
 Sample part number: Class 9036, Type DR31

Part No.	Switch Feature	Quantity List	
		L1	L2 Price - A
List Price Effective: April 27, 2020			
Temperature Range: -22°F to 220°F (-30°C to 105°C), Nema 1 - General Purpose			
9036DG2	Contacts Close on Liquid Rise		\$ 125.37
9036DG2R	Contacts Open on Liquid Rise		\$ 127.32
9036DR31	Contacts Close on Liquid Rise		\$ 797.67
9036DW31	Contacts Close on Liquid Rise		\$ 830.46

MECHANICAL ALTERNATORS - CLOSED TANK

Square D



Flange mounted with bushing for control of liquid level within a closed tank. Build up the switch to meet your requirements from the basic switch, rod kit, and float kit groups below. Type C switches are attached to the tank by means of a 2-1/2 in. screw-in bushing. An external pointer indicates the float position within the tank when the unit is mounted. Switches come complete with screw-in connector, stainless steel float and rod.
 Sample part number: Class 9038, Type CG, Pressure Code 32

Part No.	Float	Connection	Enclosure Type	Water Level Change	Quantity List	
					L1	L2 Price - A
List Price Effective: April 27, 2020						
9038CG31	Right Side	MPT	Nema 1 - General Purpose	6-1/2" to 13"		\$ 901.11
9038CG32	Left Float	MPT	Nema 1 - General Purpose	6-1/2" to 13"		\$ 901.11
9038CG36	Left Float	MPT	Nema 1 - General Purpose	4-3/4" to 9-1/4"		\$ 901.11

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
 boshart.com

MECHANICAL ALTERNATORS - OPEN TANK

Square D



Alternators are designed to provide motor alternation in the operation of two motors.
Sample part number: Class 9038, Type AG1

Part No.	Switch Feature	Enclosure Type	Quantity List		
			L1	L2	Price - A
List Price Effective: April 27, 2020					
9038AG1	Float Operated Alternator	Nema 1 - General Purpose			\$ 423.83
9038AG1N5	Float Operated Alternator - High Water Alarm Circuit	Nema 1 - General Purpose			\$ 698.54
9038AW1	Float Operated Alternator	Nema 4 - Watertight			\$ 1,495.00

SQUARE D ACCESSORIES

These accessories are for Square D switches.

Part No.	Description	Quantity List		
		L1	L2	Price - A
List Price Effective: April 27, 2020				
1530S6G1	Pulsation Plug	50		\$ 1.04
9049A13	Compensating Spring - 9036GG Series			\$ 28.81
9049A15	Compensating spring - 9038AG Series			\$ 83.74
9049A52	Mounting Bracket - 9013GHG & 9013GSG Series			\$ 23.66
9049A54	Mounting Bracket - 9036GG Series			\$ 59.53
9049A58	Form R Lever - 9036DG Series			\$ 11.35
9049A6	Float Kit - 9036 Series - 7" Tapped at top 304 S.S. Float, 5' Brass Rod, 2 Stops			\$ 318.07
9049A6A	Float Kit - 9036 Series - 7" Tapped at top 304 S.S. Float, 5' Alum Rod, 2 Stops			\$ 332.39
9049A6C	Float Kit - 9036 Series - 7" Center hole 304 S.S. Float, 5' Brass Rod, 2 Stops			\$ 372.11
9049A6CS	Float Kit - 9036 Series - 7" Center hole 304 S.S. Float, 5' S.S. Rod, 2 S.S. Stops			\$ 890.46
9049AF1	Replacement Float - 7" Center hole 304 S.S.			\$ 235.69
9049EF1	Replacement Float - 9013EG Series - 304 S.S.			\$ 67.24
9049ER1	1-3/4" S.S. Rod - 9037EG Series			\$ 27.97
9049ER12	12-1/4" S.S. Rod - 9037EG Series			\$ 27.97
9049ER2	2-1/2" S.S. Rod - 9037EG Series			\$ 27.97
9049ER3	3-1/4" S.S. Rod - 9037EG Series			\$ 27.97
9049ER5	5-1/4" S.S. Rod - 9037EG Series			\$ 27.97
9049ER7	7-1/4" S.S. Rod - 9037EG Series			\$ 27.97
9049GBR5	5" Brass Rod			\$ 27.24
9049HF3	304 S.S. Float - 9037H & 9038C Series			\$ 72.88
9049HF4	316 S.S. Float - 9037H & 9038C Series			\$ 229.09
9049T1	Rod and Connector - 9036 Series - 2-1/2" Brass			\$ 72.88
9049T1S	Rod and Connector - 9036 Series - 2-1/2" Stainless Steel			\$ 178.95
9049UMS1	Mounting Bracket - 9038A Series			\$ 95.27
9998PC205	Contact Kit - 9013G & 9036G Series - Except H or R Forms			\$ 54.53
9998PC208	Diaphragm Assembly - 9013GHG & 9013GSG Series			\$ 30.34
9998PC241	Contact Kit - 9013FSG Series			\$ 24.63
9998PC242	Contact Kit - 9036D, 9013FYG & 9013FHG Series			\$ 39.28

PRESSURE SWITCH INDICATOR LIGHT

This pump light can be used with two or three wire motors in either 115 volt or 230 volt applications. It is easy to install at the pressure switch, where it is used to indicate that the pump is running or at the control box, where it is used to indicate that current is available to the submersible pump.

Part No.	Quantity List		
	L1	L2	Price - A
List Price Effective: April 27, 2020			
FSG-PL	12		\$ 38.43



Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

AIR SYSTEM SWITCHES

Hubbell

Designed to be the most adaptable switch on the market, the 69J offers the user the flexibility to build the pressure switch around the compressor—not the other way around. The unloader can be mounted on the front or either side, and can be rotated to any of eight different positions allowing for quicker assembly and shorter tubing. Bottom cable entry is also available with unique built-in clamping strain relief for even quicker assembly. With thousands of variations right off the production line, the 69J provides maximum flexibility at minimum cost.



Part No.	Pressure Setting	Differential	Quantity List		Price - A
			L1	L2	

List Price Effective: April 27, 2020

Connection: 1/4" FPT Standard Duty

69JF6	80-100 PSI	15-25 PSI	56		\$ 86.20
69JF7	95-125 PSI	25-33 PSI	56		\$ 86.20
69JF8	115-150 PSI	25-38 PSI	56		\$ 86.20
69JG6	80-100 PSI	15-25 PSI	56		\$ 86.96
69JG7	95-125 PSI	25-33 PSI	56		\$ 86.96
69JG8	115-150 PSI	25-38 PSI	56		\$ 93.39



Connection: 1/4" FPT Lever

69JF6L	80-100 PSI	15-25 PSI	24		\$ 91.50
69JF7L	95-125 PSI	25-33 PSI	24		\$ 91.33
69JF8L	115-150 PSI	25-38 PSI	24		\$ 92.97
69JG7L	95-125 PSI	25-33 PSI	24		\$ 93.40
69JG8L	115-150 PSI	25-38 PSI	24		\$ 99.85



Connection: 1/4" FPT Lever & Unloader Valve

69JF6LY	80-100 PSI	15-25 PSI	24		\$ 108.20
69JF7LY	95-125 PSI	25-33 PSI	24		\$ 108.20
69JF8LY	115-150 PSI	25-38 PSI	24		\$ 108.20
69JG7LY	95-125 PSI	25-33 PSI	24		\$ 111.08
69JG8LY	115-150 PSI	25-38 PSI	24		\$ 111.08



Connection: 1/4" FPT Unloader Valve

69JF6Y	80-100 PSI	15-25 PSI	44		\$ 101.45
69JF7Y	95-125 PSI	25-33 PSI	44		\$ 104.85
69JF8Y	115-150 PSI	25-38 PSI	44		\$ 104.85
69JG6Y	80-100 PSI	15-25 PSI	44		\$ 107.87
69JG7Y	95-125 PSI	25-33 PSI	44		\$ 107.84
69JG8Y	115-150 PSI	25-38 PSI	44		\$ 107.84

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

HEAVY DUTY AIR SYSTEM SWITCHES

Hubbell

The rugged 69H pressure switch is designed for the demanding requirements of larger, heavy duty commercial compressors (up to 250 psi). Sturdy painted steel case and cover resists the harsh conditions encountered in industrial applications. An unloader valve is also available on the 69H.



Part No.	Pressure Setting	Differential	Quantity List		Price - A
			L1	L2	
Connection: 3/8" FPT Standard Duty					
69HA1Z115150	115-150 PSI	35-60 PSI	22		\$ 400.36
69HA2Z100125	100-125 PSI	20-35 PSI	22		\$ 407.14
Connection: 3/8" FPT Unloader Valve					
69HAU1Z115150	115-150 PSI	35-60 PSI	22		\$ 405.76
69HAU2Z100125	100-125 PSI	20-35 PSI	22		\$ 407.14
69HAU3Z3040	30-40 PSI	7-15 PSI	12		\$ 386.79
69HBU1Z115150	115-150 PSI	35-60 PSI	22		\$ 407.14

List Price Effective: April 27, 2020

HEAVY DUTY WATER SYSTEM SWITCHES

Hubbell

These pressure switches provide time tested, reliable control for automatic water systems. The switch is universally accepted for use as original equipment on water well pumps or pumping systems. Its simple design makes it easy to use for professionals and non-professionals alike.



Part No.	Pressure Setting	Quantity List		Price - A
		L1	L2	
Connection: 1/4" FPT Heavy Duty, Nema 3R - Rainproof				
69WB5WZ3050	30-50 PSI	56		\$ 321.94
69WB5WZ4060	40-60 PSI	56		\$ 321.96
Connection: 1/4" FPT Heavy Duty, Nema 1 - General Purpose				
69WB2Z37	3-7 PSI	56		\$ 119.16
69WB3Z510	5-10 PSI	56		\$ 119.16
69WB5Z3050	30-50 PSI	56		\$ 109.46
Connection: 1/4" FPT Low Pressure, Nema 1 - General Purpose				
69WECZ3050	30-50 PSI	56		\$ 115.91
69WFCZ2040	20-40 PSI	56		\$ 144.90

List Price Effective: April 27, 2020

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

WATER/AIR SYSTEM SWITCHES

Hubbell

These pressure switches provide time tested, reliable control for automatic water systems. The switch is universally accepted for use as original equipment on water well pumps or pumping systems. Its simple design makes it easy to use for professionals and non-professionals alike.



Part No.	Pressure Setting	Quantity List		Price - A
		L1	L2	

List Price Effective: April 27, 2020



Connection: 1/4" FPT
Reverse Action, Nema 1 - General Purpose

69WR2Z73	7-3 PSI	56	\$ 148.09
69WR3Z105	10-5 PSI	56	\$ 148.09
69WR5Z5030	50-30 PSI	56	\$ 148.09
69WR6Z10075	100-75 PSI	56	\$ 122.34
69WR7Z12595	125-95 PSI	56	\$ 148.09



Connection: 1/4" FPT
Reverse Action - Auto Off, Nema 1 - General Purpose

69WR5LZ5030	50-30 PSI	44	\$ 148.10
-------------	-----------	----	-----------



Connection: 1/4" FPT
Guard-It, Nema 1 - General Purpose

69WC7Z12	12 PSI	56	\$ 109.46
----------	--------	----	-----------



Connection: 1/4" FPT
Hi-Guard, Nema 1 - General Purpose

69WH6Z80	80 PSI	56	\$ 99.83
----------	--------	----	----------

WATER SYSTEM SWITCHES

Hubbell

These pressure switches answer the professional installer's need for rugged, reliable control with no cutting corners on quality. Built for direct use on all types of pumps up to 5 HP and for use in the control circuit of a magnetic starter for larger pumps. The features of PRO CONTROL make it standard equipment on some of the world's finest pumps.



Part No.	Pressure Setting	Quantity List		Price - A
		L1	L2	

List Price Effective: April 27, 2020



Connection: 1/4" FPT
Standard Duty, Nema 1 - General Purpose

69ES1Z3050	30-50 PSI	44	\$ 101.45
69ES1Z4060	40-60 PSI	44	\$ 101.42

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

PRESSURE SENSORS



These pressure sensors provide a high degree of accuracy for controlling water pressure in constant pressure pumping applications. They help to optimize motor efficiency and reduce the energy consumption of pumps. The response time is <2 ms and the accuracy is +/- 0.3% of measuring range.

- UL & CSA Listed
- Temperature Range: 32°F to 176°F (0°C to 80°C)

Part No.	Pressure Range	Quantity List
		L1 L2 Price - A

List Price Effective: April 27, 2020

Connection: 1/4" MPT, Voltage: 4-20 mA		
90-XMLK100P2D23	0-100 PSI	\$ 257.97
90-XMLK150P2D23	0-150 PSI	\$ 257.97
90-XMLK200P2D23	0-200 PSI	\$ 257.97
90-XMLK300P2D23	0-300 PSI	\$ 257.97
Connection: 1/4" MPT, Voltage: 0-10 V		
90-XMLK100P2D73	0-100 PSI	\$ 257.97
90-XMLK150P2D73	0-150 PSI	\$ 257.97
90-XMLK300P2D73	0-300 PSI	\$ 257.97

PRESSURE SENSOR CONNECTORS

Connectors for pressure sensors with a M12 connection.

Part No.	Description	Quantity List
		L1 L2 Price - A

List Price Effective: April 27, 2020



Screw Terminal Connector		
90-XZCC12FCM40B	Elbow	\$ 48.18
Straight Pre-Wired Connector		
90-XZCP1141L2	2 m (6.56')	\$ 93.09
90-XZCP1141L5	5 m (16.4')	\$ 120.59
90-XZCP1141L10	10 m (32.8')	\$ 164.98
Elbow Pre-Wired Connection		
90-XZCP1241L2	2 m (6.56')	\$ 93.09
90-XZCP1241L5	5 m (16.4')	\$ 120.59
90-XZCP1241L10	10 m (32.8')	\$ 165.04

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com



Contact your sales rep for any further information
Toll Free: 1-800-561-3164
boshart.com

RELIEF & FLOAT VALVES AIR VOLUME & FLOW CONTROLS

Variety of products to
protect systems from
pressure build up and
ensure longevity



INDEX

Product Line	Page
Relief Valves	1
Snifter & Tank Valves	2
Bleeder Orifices	2
Float Valves	3
Float Plug Adapters	3
Float Rods	4
Floats	4
Jet Pump Air Control	5
Non-Repairable Air Volume Controls	6
Repairable Air Volume Controls	6
Well Air Volume Controls	7
Flow Controls	8

RELIEF VALVES

Boshart's relief valves are recommended for all cold water system installations to protect against damage to piping and pressure tanks. Field adjustments are not recommended for these relief valves. Any changes made to the pre-set pressure is entirely at the risk of the person(s) / company who make the adjustment. Relief valves must be installed so that they drain to a floor drain, sump or other safe location with an air break. If an outlet pipe is used then it must be at least the same diameter as the relief valve outlet.
Spring Material: Stainless Steel



Part No.	Size	Inlet Connection	Outlet Connection	Factory Pre-Set	Quantity		List Price -A
					L1	L2	

List Price Effective: April 27, 2020



Brass, Temperature Range: Up to 140°F (60°C), Accuracy: +/- 15%
• NSF/ANSI Standard 372 Certified

RVNB05-075NL	1/2"	MPT	FPT	75 PSI	10	100	\$ 13.77
RVNB07-075NL	3/4" x 1/2"	MPT	FPT	75 PSI	10	100	\$ 14.87



Brass, Temperature Range: Up to 140°F (60°C), Accuracy: +/- 15%
• NSF/ANSI Standard 372 Certified

RVNB05-100NL	1/2"	MPT	FPT	100 PSI	10	100	\$ 13.77
RVNB07-100NL	3/4" x 1/2"	MPT	FPT	100 PSI	10	100	\$ 14.87



Cast Brass, Temperature Range: Up to 140°F (60°C), Accuracy: +/- 15%
• NSF/ANSI Standard 372 Certified

RVHD05NL	1/2"	MPT	FPT	75 PSI	50		\$ 120.32
RVHD07NL	3/4"	MPT	FPT	75 PSI	25		\$ 136.11
RVHD10NL	1" x 3/4"	MPT	FPT	75 PSI	20		\$ 227.30



Cast Brass, Temperature Range: Up to 140°F (60°C), Accuracy: +/- 15%
• NSF/ANSI Standard 372 Certified

RVHD12NL	1-1/4"	MPT	FPT	65 PSI	10		\$ 385.44
RVHD15NL	1-1/2"	FPT	FPT	65 PSI			\$ 1,132.02
RVHD20NL	2"	FPT	FPT	65 PSI			\$ 1,157.75



304 Stainless Steel, Accuracy: +/- 15%
• NSF/ANSI Standard 372 Certified

SSRVN05-075	1/2"	MPT	FPT	75 PSI	10	100	\$ 21.89
SSRVN07-075	3/4" x 1/2"	MPT	FPT	75 PSI	10	100	\$ 23.48



304 Stainless Steel, Accuracy: +/- 15%
• NSF/ANSI Standard 372 Certified

SSRVN05-100	1/2"	MPT	FPT	100 PSI	10	100	\$ 21.89
SSRVN07-100	3/4" x 1/2"	MPT	FPT	100 PSI	10	100	\$ 23.48



PVC, Accuracy: +/- 15%
• Adjustable to 150 PSI

PVCRVN05-75150	1/2"	MPT	FPT	75 PSI	20	120	\$ 12.61
----------------	------	-----	-----	--------	----	-----	----------

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

SNIFTER & TANK VALVES

These valves allow air into a system to prevent a vacuum.
 • NSF/ANSI Standard 372 Certified



Part No.	Size	Design	Quantity List		
			L1	L2	Price -A

List Price Effective: September 25, 2017



MPT, Temperature Range: -10°F to 165°F (-23°C to 73.9°C), Opening Pressure: 3 PSI, Pressure Range: 15-150 PSI					
SV-0-NCS	1/8"	Springless	10	100	\$ 5.41
SV-0-SC-VC	1/8"	Light Spring	10	100	\$ 4.95
SV-0NL	1/8"	Light Spring - Soft Core	10	100	\$ 3.75
SV-1-NCS	1/4"	Springless	10	100	\$ 6.45
SV-1-SC-VC	1/4"	Light Spring - Soft Core	10	100	\$ 5.89



MPT, Temperature Range: -40°F to 225°F (-40°C to 107°C), Opening Pressure: 60 PSI, Pressure Range: 0-200 PSI					
SV-1NL	1/4"	Standard	10	100	\$ 4.51

SNIFTER VALVE CAPS

These caps are for snifter valves.

Part No.	Description	Quantity List		
		L1	L2	Price -A

List Price Effective: January 07, 2019



SV-CAP	Black flexible plastic cap - has no sealing unit	10	100	\$ 0.17
SV-CAP-M	Chrome plated steel cap with rubber seal & valve core driver feature			

BLEEDER ORIFICES

Bleeder orifices allow for water to be easily drained from submersible pump applications.



Part No.	Size	Quantity List		
		L1	L2	Price - A

List Price Effective: September 25, 2017

Part No.	Size	Quantity List		
		L1	L2	Price - A

List Price Effective: September 25, 2017

Brass, MPT

Rapid opening and closing, complete closure preventing loss of pumping volume.



BOB07NL	3/4"	48	384	\$ 10.73
---------	------	----	-----	----------

Rubber, MPT

Fast bleed through its large opening.



BOR10	1"	40	600	\$ 2.89
-------	----	----	-----	---------

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
 boshart.com

FLOAT VALVES

The most common use of a float valve is to control the filling of livestock water tanks and water tower cooling tanks as well as many other automatic tank filling applications.



Part No.	Inlet Size	Inlet Connection	Outlet Size	Outlet Connection	Rod Connection	Quantity List		
						L1	L2	Price -A

List Price Effective: April 27, 2020



Brass, Temperature Range: Up to 180°F (82°C), Maximum Pressure: 125 PSI
 SMT connection is straight male thread with a gasket and nut
 • NSF/ANSI Standard 372 Certified

28-BFV-03NL	3/8"	MPT	3/8"	MPT	1/4" - 20 SAE	10	100	\$ 23.14
28-BFV-05NL	1/2"	MPT	1/2"	MPT	1/4" - 20 SAE	10	100	\$ 22.67
28-BFV-07NL	3/4"	MPT	3/4"	MPT	1/4" - 20 SAE	10	80	\$ 26.16
28-BFV-10NL	1"	MPT	1"	MPT	1/4" - 20 SAE	10	40	\$ 40.76
28-BFV-12NL	1-1/4"	FPT		Faucet	3/8" - 16 SAE	20		\$ 103.89
28-BFV-15NL	1-1/2"	FPT		Faucet	3/8" - 16 SAE	20		\$ 99.06
28-BFV-20NL	2"	FPT		Faucet	3/8" - 16 SAE	20		\$ 110.05
28-BHFV-05NL	1/2" or 3/8"	SMT or FPT	1/2"	MPT	1/4" - 20 SAE	10	100	\$ 29.04
28-BHFV-07NL	3/4" or 1/2"	SMT or FPT	3/4"	MPT	1/4" - 20 SAE	10	80	\$ 33.04



PVC, Maximum Pressure: 100 PSI

28-PFV-05	1/2"	MPT	1/2"	MPT	1/4" - 20 SAE	24	192	\$ 11.91
28-PFV-07	3/4"	MPT	3/4"	MPT	1/4" - 20 SAE	12	144	\$ 13.46
28-PFV-10	1"	MPT	1"	MPT	1/4" - 20 SAE	10	80	\$ 23.01
28-PFV-12	1-1/4"	MPT	1-1/4"	MPT	3/8" - 16 SAE	28		\$ 72.88
28-PFV-15	1-1/2"	MPT	1-1/2"	MPT	3/8" - 16 SAE	40		\$ 65.10

FLOAT VALVE PARTS

These are replacement parts for float valves.

Part No.	Description	Quantity List		
		L1	L2	Price -A

List Price Effective: June 24, 2019



Lever Assembly

28-BFVP-LA0310	For 3/8" to 1" float valve	100		\$ 21.82
28-BFVP-LA1220	For 1-1/4" to 2" float valve	50		\$ 23.70



Plunger Assembly

28-BFVP-PA0305	For 3/8" to 1/2" float valve	100		\$ 9.69
28-BFVP-PA07	For 3/4" float valve	60		\$ 15.56
28-BFVP-PA10	For 1" float valve	300		\$ 20.36
28-BFVP-PA1220	For 1-1/4" to 2" float valve	20		\$ 39.34



Replacement Seal Kit

28-BFVP-SK0305	For 3/8" to 1/2" float valve	50		\$ 0.65
28-BFVP-SK07	For 3/4" float valve	100		\$ 0.98
28-BFVP-SK10	For 1" float valve	100		\$ 1.14
28-BFVP-SK1220	For 1-1/4" to 2" float valve	100		\$ 1.22

FLOAT PLUG ADAPTERS

These float plug adapters are used to connect two different types of threads together or where the float rod is a different connection than the float valve requires.

Part No.	Size	Connection Type	Description	Quantity List		
				L1	L2	Price -A

List Price Effective: April 27, 2020



Brass


28-BFVA-R434-0	1/4" x 3/8"	Female 20 SAE x MPT	Connects 3/8" thru 1" valve to 8" float	\$ 18.94
28-BFVA-R434-11	3/8"	Female 16 SAE x MPT	Connects 1-1/4" thru 2" valve to 8" float	\$ 19.32
28-BFVA-R435-5	3/8" x 1/4"	Female 20 SAE x Male 16 SAE	Connects 1-1/4" thru 2" valve to 6" or smaller float	\$ 47.84

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
 boshart.com

FLOAT RODS

Float rods are used for connecting the float to the float valve.



Part No.	Size	Thread	Length	Quantity		List Price -A
				L1	L2	

List Price Effective: April 27, 2020

Stainless Steel,

Use to connect 3/8" thru 1" float valves with float balls up to and including 6" diameter.

28-BFVRSS-045	1/4"	Male 20 SAE	4-1/2"	500	\$ 3.22
28-BFVRSS-06	1/4"	Male 20 SAE	6"	500	\$ 3.71
28-BFVRSS-08	1/4"	Male 20 SAE	8"	400	\$ 4.07
28-BFVRSS-10	1/4"	Male 20 SAE	10"	300	\$ 4.55
28-BFVRSS-12	1/4"	Male 20 SAE	12"	200	\$ 5.11

Stainless Steel,

Use to connect 3/8" thru 1" float valves with 8" or larger float balls, or 1-1/4" thru 2" float valves with float balls up to and including 6" diameter.

28-BFVRSS3814-10	3/8" x 1/4"	Male 16 SAE x Male 20 SAE	10"	100	\$ 13.57
28-BFVRSS3814-12	3/8" x 1/4"	Male 16 SAE x Male 20 SAE	12"	100	\$ 9.79
28-BFVRSS3814-14	3/8" x 1/4"	Male 16 SAE x Male 20 SAE	14"	100	\$ 10.35
28-BFVRSS3814-16	3/8" x 1/4"	Male 16 SAE x Male 20 SAE	16"	100	\$ 17.42

Stainless Steel,

Use to connect 1-1/4" thru 2" float valves with 8" diameter and larger float balls.

28-BFVRSS38-10	3/8"	Male 16 SAE	10"	100	\$ 7.80
28-BFVRSS38-12	3/8"	Male 16 SAE	12"	100	\$ 9.52
28-BFVRSS38-14	3/8"	Male 16 SAE	14"	100	\$ 10.07
28-BFVRSS38-16	3/8"	Male 16 SAE	16"	100	\$ 11.21

FLOATS

It is not recommended to use less than an 8" diameter float with 1-1/4" to 2" valves. Due to a lack of buoyancy - 6" & smaller floats can be used where inlet pressure is very low.

Part No.	Float Diameter	Size	Thread	Buoyancy Lb/CU.FT	Quantity		List Price - A
					L1	L2	

List Price Effective: April 27, 2020

Copper,

• For open tank service only

28-BFVF-C3	3"	1/4"	Female 20 SAE	0.34		\$ 85.97
28-BFVF-C4	4"	1/4"	Female 20 SAE	0.80		\$ 62.90
28-BFVF-C5	5"	1/4"	Female 20 SAE	1.73		\$ 87.23
28-BFVF-C6	6"	1/4"	Female 20 SAE	3.26		\$ 109.95
28-BFVF-C8	8"	3/8"	Female 16 SAE	8.03		\$ 438.20

Polypropylene, Temperature Range: Up to 175°F (79°C),

• NSF/ANSI Standard 372 Certified

• For open tank service only

• Corrosion resistant

• Float rod connection is not factory threaded, the smooth hole is designed for easy self-tapping by threading the metal float rod into the blind hole

28-BFVF-P5	5"	1/4"	Female 20 SAE	1.20		\$ 11.14
28-BFVF-P6	6"	1/4"	Female 20 SAE	3.40		\$ 36.46
28-BFVF-P8	8"	1/4"	Female 20 SAE	8.40		\$ 52.70



Contact your sales rep for any further information

Toll Free: 1-800-561-3164

boshart.com

FLOATS

Part No.	Float Diameter	Size	Thread	Bouyancy Lb/CU.FT	Quantity		List Price - A
					L1	L2	

List Price Effective: April 27, 2020



Polyethylene, Temperature Range: Up to 150°F (66°C),

- Excellent corrosive resistance, good impact & abrasive resistance
- 4.5" to 6": Float rod connection is not factory threaded, the smooth hole is designed for easy self-tapping by threading the metal float rod into the blind hole
- 8" to 10": Floats have a threaded brass insert rod connection
- Not to be used in applications where they are fully submersed



28-BFVF-PL4.5	5"	1/4"	Female 20 SAE		400		\$ 2.17
28-BFVF-PL5	5"	1/4"	Female 20 SAE		200		\$ 2.43
28-BFVF-PL6	6"	1/4"	Female 20 SAE		100		\$ 5.22
28-BFVF-PL8	8"	3/8"	Female 16 SAE		50		\$ 18.15
28-BFVF-PL10	10"	3/8"	Female 16 SAE		1	30	\$ 28.10



304 Stainless Steel,

- Suitable for use in corrosive fluids where high pressure or extreme temperature may exist



28-BFVF-S3	3"	1/4"	Female 20 SAE	0.21			\$ 88.02
28-BFVF-S4	4"	1/4"	Female 20 SAE	0.65			\$ 134.78
28-BFVF-S5	5"	1/4"	Female 20 SAE	1.55			\$ 176.04
28-BFVF-S6	6"	1/4"	Female 20 SAE	2.15			\$ 266.27
28-BFVF-S8	8"	3/8"	Female 16 SAE	6.50			\$ 374.09

JET PUMP AIR CONTROL

Boshart's jet pump air controls are for jet systems that cures waterlogged tanks. They have a positive action control which is simple in construction. There is no flexing diaphragm or metal springs. Jet pump air controls will operate on as little as 5" of vacuum and fits all size tanks up to and including 82 gallon (may be easily manifolded for larger size tanks).
Primary Material: Plastic



Part No.	Maximum Tank Size	Quantity		List Price - A
		L1	L2	

List Price Effective: December 10, 2012



Air Control				
• NSF/ANSI Standard 372 Certified				
AVC-P	82 gal	25		\$ 19.62
Air Control Installation Package				
Contains 4' of poly tubing and (2) 1/4" MIP x 1/4" Barb brass adapters.				
• NSF/ANSI Standard 372 Certified				
AVC-PK	82 gal			\$ 13.24
Air Control Package				
Contains an air control and the installation package.				
• NSF/ANSI Standard 372 Certified				
AVC-PKC	82 gal			\$ 26.73

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

NON-REPAIRABLE AIR VOLUME CONTROLS

These non-repairable air volume controls prolong the pump life by reducing cycling frequency.

• NSF/ANSI Standard 372 Certified

Primary Material: Zinc Plated Steel, Maximum Pressure: 100 PSI



Part No.	Tank Connection	Pump Connection	Maximum Tank Size	Quantity List		
				L1	L2	Price -A

List Price Effective: December 04, 2015

Boshart

AVC45	1/4" MPT	1/4" Male Comp Thread	42 gal	20		\$ 11.47
AVC100	3/8" MPT	1/4" Male Comp Thread	120 gal	20		\$ 11.47



Brady

AV45F	1/4" MPT	1/8" FPT	70 gal			\$ 72.26
AV45	1/4" MPT	1/4" Male Comp Thread	70 gal			\$ 70.20
AV100F	3/8" MPT	1/8" FPT	120 gal			\$ 90.28
AV100	3/8" MPT	1/4" Male Comp Thread	120 gal			\$ 81.34



REPAIRABLE AIR VOLUME CONTROLS

Repairable air volume controls reduce cycling frequency and can be used on jet, centrifugal & rotary pumps.

Primary Material: Zinc-die Cast, Maximum Pressure: 100 PSI

Part No.	Tank Connection	Pump Connection	Maximum Tank Size	Quantity List		
				L1	L2	Price -A

List Price Effective: March 30, 2020

Brady

AV30	1/4" FPT	7/16" - 24 THD	42 gal			\$ 91.85
AV42	1/4" FPT	1/4" FPT	70 gal			\$ 139.26
AV80	1/4" FPT	1/4" FPT	120 gal			\$ 119.44
AV120	1/4" FPT	1/4" FPT	220 gal			\$ 168.38



AIR VOLUME CONTROL REPAIR KITS

These are for the repairable air volume controls. Each kit includes a diaphragm, springs, screws, nuts, ball and seal which are needed for a quick and simple repair job.

Part No.	Description	Quantity List		
		L1	L2	Price -A

List Price Effective: January 07, 2019

AV-30-3A	For AV30			\$ 43.73
AV-42-3A	For AV42			\$ 47.43
AV-80-3A	For AV80			\$ 59.87
AV-120-3A	For AV120			\$ 79.53



Contact your sales rep for any further information

Toll Free: 1-800-561-3164

boshart.com

AVC INSTALLATION KIT

A fitting attaches to suction side of pump for air volume control use and to pressure side of pump for pressure switch use or the second fitting attaches to pump side of AV42, AV80 and AV120 air volume controls for air volume control use. For pressure switch installation, it attaches to pressure switch and pressure side of pump.

Part No.	Quantity List L1 L2 Price -A
List Price Effective: January 07, 2019	

Includes:

- (2) Fitting No. 75-1/8 1/4" Barb x 1/8" MPT Plastic Fitting
- (2) Fitting No. 75-1/4 1/4" Barb x 1/4" MPT 90 Elbow Plastic Fitting
- (1) Fitting No. 78E 1/4" Barb x 7/16" Compression Elbow Plastic Fitting
- (1) 4' of Polyethylene Tubing 1/4" I.D. x 3/8" O.D.

AVC-UK1	\$ 42.90
---------	----------

WELL AIR VOLUME CONTROLS

All housings are tapped for use with a 1/4" FPT gauge.



Part No.	Brand	Housing	Tank Connection	Pressure Range	Quantity List L1 L2 Price -A
List Price Effective: September 25, 2017					



Deep Well Adjustable Air Release					
• Air release valve factory set at 25 PSI					
• NSF/ANSI Standard 372 Certified					
AVC-AE10	Boshart	Plastic	1-1/4" MPT	0-40 PSI	50 \$ 34.11
Deep Well Adjustable Air Release					
• Air release valve factory set at 25 PSI					
• NSF/ANSI Standard 372 Certified					
AVC-DW-AR	Boshart	Zinc die-cast	1-1/4" MPT	0-40 PSI	50 \$ 34.28
Deep Well Adjustable Air Release					
• Air release valve factory set at 25 PSI					
• NSF/ANSI Standard 372 Certified					
AVC-WJ	Ametek	Zinc die-cast	1-1/4" MPT	0-40 PSI	20 \$ 78.89
Deep Well Air Release					
• NSF/ANSI Standard 372 Certified					
AVC-DWP	Boshart	Plastic	1-1/4" MPT		50 \$ 24.86
Deep Well Air Release					
• NSF/ANSI Standard 372 Certified					
AVC-PENN-WJ	PENN	Plastic	1-1/4" MPT		50 \$ 49.35
Shallow Well Control					
• 48" of 1/4" poly tubing & brass mini barb adapters included					
• NSF/ANSI Standard 372 Certified					
AVC-SW	Boshart	Zinc die-cast	1-1/4" MPT		50 \$ 29.33
Shallow Well Control					
• 48" of 1/4" poly tubing & brass mini barb adapters included					
• NSF/ANSI Standard 372 Certified					
AVC-L	Ametek	Zinc die-cast	1-1/4" MPT		20 \$ 93.75

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

FLOMATIC FLOW CONTROLS

These automatic flow control valves are designed to give constant flow over a wide pressure range. The internal controlling mechanism has no moving part, consisting only of a flexible orifice that varies with applied pressure maintaining a constant flow rate.

• NSF/ANSI 61 & 372

Temperature Range: Up to 180°F (82°C)



Part No. Flow Quantity List
L1 L2 Price - A
List Price Effective: April 27, 2020

Part No. Flow Quantity List
L1 L2 Price - A
List Price Effective: April 27, 2020

3/8" FPT

Stainless Steel, Hex: 0.875" Overall Length: 1.75"



CDA.25	0.25 GPM	\$ 33.60
CDA.50	0.5 GPM	\$ 33.60
CDA.75	0.75 GPM	\$ 33.60

1/2" FPT

Stainless Steel, Hex: 1.000" Overall Length: 2.00"



CDB1.0	1 GPM	\$ 41.24
CDB1.5	1.5 GPM	\$ 41.24
CDB2.0	2 GPM	\$ 41.24
CDB2.5	2.5 GPM	\$ 41.24
CDB3.0	3 GPM	\$ 41.24
CDB3.5	3.5 GPM	\$ 41.24
CDB4.0	4 GPM	\$ 41.24
CDB5.0	5 GPM	\$ 41.24
CDB6.0	6 GPM	\$ 41.24

3/4" FPT

Stainless Steel, Hex: 1.250" Overall Length: 2.25"



CDC1.0	1 GPM	\$ 68.74
CDC1.5	1.5 GPM	\$ 68.74
CDC2.0	2 GPM	\$ 68.74
CDC2.5	2.5 GPM	\$ 68.74
CDC3.0	3 GPM	\$ 68.74
CDC3.5	3.5 GPM	\$ 68.74
CDC4.0	4 GPM	\$ 68.74
CDC4.5	4.5 GPM	\$ 68.74
CDC5.0	5 GPM	\$ 68.74
CDC6.0	6 GPM	\$ 68.74
CDC7.0	7 GPM	\$ 68.74
CDC8.0	8 GPM	\$ 68.74
CDC9.0	9 GPM	\$ 68.74
CDC10	10 GPM	\$ 68.74
CDC11.5	11.5 GPM	\$ 68.74

3/4" MPT x FPT

Stainless Steel, Hex: 1.250" Overall Length: 1.50"



CDY1.0	1 GPM	\$ 87.21
CDY1.5	1.5 GPM	\$ 87.21
CDY2.0	2 GPM	\$ 87.21
CDY2.5	2.5 GPM	\$ 87.21
CDY3.0	3 GPM	\$ 87.21
CDY4.0	4 GPM	\$ 87.21
CDY5.0	5 GPM	\$ 87.21
CDY6.0	6 GPM	\$ 87.21
CDY7.0	7 GPM	\$ 87.21
CDY8.0	8 GPM	\$ 87.21
CDY9.0	9 GPM	\$ 87.21
CDY10	10 GPM	\$ 87.21
CDY11.5	11.5 GPM	\$ 87.21

1" FPT

Stainless Steel, Hex: 1.500" Overall Length: 2.75"



CDX1.0	1 GPM	\$ 80.89
CDX1.5	1.5 GPM	\$ 80.89
CDX2.0	2 GPM	\$ 80.89
CDX2.5	2.5 GPM	\$ 80.89
CDX3.0	3 GPM	\$ 80.89
CDX3.5	3.5 GPM	\$ 80.89
CDX4.0	4 GPM	\$ 80.89
CDX4.5	4.5 GPM	\$ 80.89
CDX5.0	5 GPM	\$ 80.89
CDX5.5	5.5 GPM	\$ 80.89
CDX6.0	6 GPM	\$ 80.89
CDX7.0	7 GPM	\$ 80.89
CDX8.0	8 GPM	\$ 80.89
CDX9.0	9 GPM	\$ 80.89
CDX10	10 GPM	\$ 80.89
CDX12	12 GPM	\$ 80.89
CDX15	15 GPM	\$ 80.89
CDX20	20 GPM	\$ 80.89
CDX25	25 GPM	\$ 80.89
CDX30	30 GPM	\$ 80.89

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

FLOMATIC FLOW CONTROLS

Part No. Flow Quantity List
 L1 L2 Price - A
List Price Effective: April 27, 2020



1-1/4" MPT

Stainless Steel, Hex: 1.625" Overall Length: 3.00"

Part No.	Flow	Quantity List
		L1 L2 Price - A
CDP1.0	1 GPM	\$ 146.62
CDP1.5	1.5 GPM	\$ 146.62
CDP2.0	2 GPM	\$ 146.62
CDP2.5	2.5 GPM	\$ 146.62
CDP3.0	3 GPM	\$ 146.62
CDP3.5	3.5 GPM	\$ 146.62
CDP4.0	4 GPM	\$ 146.62
CDP5.0	5 GPM	\$ 146.62
CDP6.0	6 GPM	\$ 146.62
CDP7.0	7 GPM	\$ 146.62
CDP8.0	8 GPM	\$ 146.62
CDP9.0	9 GPM	\$ 146.62
CDP10	10 GPM	\$ 152.70
CDP12	12 GPM	\$ 152.70
CDP15	15 GPM	\$ 152.70
CDP20	20 GPM	\$ 152.70
CDP25	25 GPM	\$ 152.70
CDP30	30 GPM	\$ 152.70

Part No. Flow Quantity List
 L1 L2 Price - A
List Price Effective: April 27, 2020



1-1/2" MPT

Stainless Steel, Hex: 1.813" Overall Length: 3.00"


Part No.	Flow	Quantity List
		L1 L2 Price - A
CDT9.0	9 GPM	\$ 197.02
CDT10	10 GPM	\$ 197.02
CDT12	12 GPM	\$ 197.02
CDT15	15 GPM	\$ 197.02
CDT20	20 GPM	\$ 197.02
CDT25	25 GPM	\$ 197.02
CDT30	30 GPM	\$ 197.02

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

TANK TEES & PACKAGES

Multi-port tees to attach pressure tanks to the rest of a water system



INDEX

Product Line	Page
Solid Tank Tees	1
WellMate Tank Tees	1
Union Tank Tees	2
Constant Pressure Manifolds	2
Manifold Brackets	2
Universal Pump Mounting Bracket	3
Constant Pressure Manifold Packages	3
Tank Tee Packages	4

SOLID TANK TEES

Tank tees are a multi port fitting that is designed to connect a tank to the water system.



Part No.	Tank Connection	Centre End Length	In-Line Connection	Drain Port	Quantity		List Price - A
					L1	L2	

List Price Effective: April 27, 2020



304 Stainless Steel, Accessory Ports: (2) 1/4" FPT

Head casting with permanently installed schedule 40 pipe nipple leg.
• NSF/ANSI Standard 372

07ST-25SFH-2	1" FPT	1-11/16"	1" MPT x 3/4" FPT	(2) 1/2" FPT	5	40	\$ 52.72
07ST-25S-2	1" MPT	4-1/2"	1" MPT x 3/4" FPT	(2) 1/2" FPT	6	24	\$ 59.71
07ST-8-2	1" MPT	7-1/2"	1" MPT x 3/4" FPT	(2) 1/2" FPT	5	20	\$ 66.37
07ST-25-2	1" MPT	10"	1" MPT x 3/4" FPT	(2) 1/2" FPT	3	12	\$ 67.48
07ST-14X1-2	1" MPT	13"	1" MPT x 3/4" FPT	(2) 1/2" FPT	3	12	\$ 73.02
07ST-13S-2	1-1/4" MPT	4-1/2"	1-1/4" MPT x 1" FPT	(2) 3/4" FPT	6	24	\$ 71.08
07ST-13-2	1-1/4" MPT	13"	1-1/4" MPT x 1" FPT	(2) 3/4" FPT	2	8	\$ 89.96
07ST-16-2	1-1/4" MPT	16"	1-1/4" MPT x 1" FPT	(2) 3/4" FPT	3	12	\$ 95.77
07ST-13SFH-2	1-1/4" FPT	1-7/8"	1-1/4" MPT x 1" FPT	(2) 3/4" FPT	4	32	\$ 63.07



Brass, Accessory Ports: (2) 1/4" FPT

• NSF/ANSI Standard 372

2-07TK-25S-2NL	1" MPT	3-5/8"	1" MPT x 3/4" FPT	(2) 1/2" FPT	5	40	\$ 30.91
2-07TK-25-1NL	1" MPT	10"	1" MPT x 3/4" FPT	(1) 1/2" FPT	2	24	\$ 43.27
2-07TK-25-2NL	1" MPT	10"	1" MPT x 3/4" FPT	(2) 1/2" FPT	2	24	\$ 46.96
2-07TK-14X1-2NL	1" MPT	13"	1" MPT x 3/4" FPT	(2) 1/2" FPT	2	20	\$ 59.85
2-07TK-25SF-2NL	1" FPT	3-5/8"	1" MPT x 3/4" FPT	(2) 1/2" FPT	4	32	\$ 42.26
2-07TK-54S-2NL	1-1/4" MPT	3"	1" MPT x 3/4" FPT	(2) 1/2" FPT	5	40	\$ 45.60
2-07TK-13S-2NL	1-1/4" MPT	3-3/8"	1-1/4" MPT x 1" FPT	(2) 3/4" FPT	4	32	\$ 43.20
2-07TK-13-2NL	1-1/4" MPT	13"	1-1/4" MPT x 1" FPT	(2) 3/4" FPT	2	12	\$ 85.01
2-07TK-13SF-2NL	1-1/4" FPT	3-5/8"	1-1/4" MPT x 1" FPT	(2) 3/4" FPT	4	32	\$ 60.91



Galvanized Malleable Iron, Accessory Ports: (2) 1/4" FPT

• NSF/ANSI Standard 372

07HC100G	1" FPT	1-1/2"	1" FPT	(1) 3/4" FPT	30		\$ 19.42
07HC125G	1-1/4" FPT	2"	1-1/4" FPT	(1) 3/4" FPT	20		\$ 26.21



PVC, Accessory Ports: (2) 1/4" FPT

07PT-25-2	1" MPT	11"	1" MPT x 3/4" Socket	(2) 1/2" FPT	30		\$ 13.03
07-IC125	1-1/4" MPT x 1" FPT	3-5/8"	1" MPT x 3/4" FPT	(1) 3/4" FPT & (1) 1/2" FPT	100		\$ 20.13

WELLMATE TANK TEES

Tank tees are a multi port fitting that is designed to connect a tank to the water system. These tank tees are specially designed for the WellMate Quick Connect tank series. They have alignment tabs that interlock with the tank connection to keep the tee in perfect position. The leg length allows for the replacement of a pressure switch without hitting the tank, eliminating the need for the tee to be disassembled from the tank.



Part No.	Tank Connection	Centre End Length	In-Line Connection	Drain Port	Quantity		List Price - A
					L1	L2	

List Price Effective: April 27, 2020



Brass, Accessory Ports: (2) 1/4" FPT

• NSF/ANSI Standard 372

07TK-13S-2-WMNL	Male QC	6"	1-1/4" MPT x 1" FPT	(2) 3/4" FPT	2	24	\$ 60.93
07TK-25S-2-WMNL	Male QC	4-1/8"	1" MPT x 3/4" FPT	(2) 1/2" FPT	2	24	\$ 37.25

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

UNION TANK TEES

Boshart's tank tees provide faster installation of a water system, are compact and make a clean looking installation reducing the number of potential leak points. They come in a variety of union style tees which allow for quick and easy replacement of the tank when required. Available in various leg lengths to accommodate any size / brand of tank on the market.

O-ring Material: Nitrile Rubber



Part No.	Tank Connection	Centre End Length	In-Line Connection	Drain Port	O-Ring	Quantity		List Price - A
						L1	L2	

List Price Effective: April 27, 2020

304 Stainless Steel, Accessory Ports: (2) 1/4" FPT

• NSF/ANSI Standard 372

07ST-25S-2U	1" MPT	4-1/2"	1" MPT x 3/4" FPT	(2) 1/2" FPT	AS 568-217	6	24	\$ 83.81
07ST-8-2U	1" MPT	7-1/2"	1" MPT x 3/4" FPT	(2) 1/2" FPT	AS 568-217	6	24	\$ 88.62
07ST-25-2U	1" MPT	10"	1" MPT x 3/4" FPT	(2) 1/2" FPT	AS 568-217	3	12	\$ 92.31
07ST-14X1-2U	1" MPT	13"	1" MPT x 3/4" FPT	(2) 1/2" FPT	AS 568-217	3	12	\$ 96.56
07ST-25SF-2U	1" FPT	3"	1" MPT x 3/4" FPT	(2) 3/4" FPT	AS 568-217	4	32	\$ 70.54
07ST-13S-2U	1-1/4" MPT	4-1/2"	1-1/4" MPT x 1" FPT	(2) 3/4" FPT	AS 568-221	4	16	\$ 100.47
07ST-13-2U	1-1/4" MPT	13"	1-1/4" MPT x 1" FPT	(2) 3/4" FPT	AS 568-221	2	8	\$ 114.62
07ST-16-2U	1-1/4" MPT	16"	1-1/4" MPT x 1" FPT	(2) 3/4" FPT	AS 568-221	3	12	\$ 122.61
07ST-13SF-2U	1-1/4" FPT	3"	1-1/4" MPT x 1" FPT	(2) 3/4" FPT	AS 568-221	4	24	\$ 87.77

Brass, Accessory Ports: (2) 1/4" FPT

• NSF/ANSI Standard 372

2-07TKO-25S-2UNL	1" MPT	4-1/2"	1" MPT x 3/4" FPT	(2) 1/2" FPT	AS 568-215	4	24	\$ 44.33
2-07TKO-8-2UNL	1" MPT	7-1/2"	1" MPT x 3/4" FPT	(2) 1/2" FPT	AS 568-215	2	20	\$ 55.03
2-07TKO-25-1UNL	1" MPT	10"	1" MPT x 3/4" FPT	(1) 1/2" FPT	AS 568-215	2	20	\$ 57.41
2-07TKO-25-2UNL	1" MPT	10"	1" MPT x 3/4" FPT	(2) 1/2" FPT	AS 568-215	2	20	\$ 56.81
2-07TKO-14X1-2UNL	1" MPT	13"	1" MPT x 3/4" FPT	(2) 1/2" FPT	AS 568-215	2	16	\$ 71.67
2-07TK-25SF-2UNL	1" FPT	3"	1" MPT x 3/4" FPT	(2) 1/2" FPT	AS 568-212	4	32	\$ 46.24
2-07TKO-13S-2UNL	1-1/4" MPT	4-1/2"	1-1/4" MPT x 1" FPT	(2) 3/4" FPT	AS 568-218	4	24	\$ 60.24
2-07TKO-13-2UNL	1-1/4" MPT	13"	1-1/4" MPT x 1" FPT	(2) 3/4" FPT	AS 568-218	2	12	\$ 86.60
2-07TK-54SF-2UNL	1-1/4" FPT	3"	1" MPT x 3/4" FPT	(2) 1/2" FPT	AS 568-320	4	32	\$ 52.50
2-07TK-13SF-2UNL	1-1/4" FPT	3"	1-1/4" MPT x 1" FPT	(2) 3/4" FPT	AS 568-320	4	24	\$ 65.54

CONSTANT PRESSURE MANIFOLDS

Constant pressure manifolds are a multi port fitting that is designed to connect a tank to the water system. The MPT x FPT line connections on both ends allow for ease of installation.

Pressure gauge port: (1) 1/4"



Part No.	Tank Connection	In-Line Connection	Drain Port	Transducer Port	Quantity		List Price - A
					L1	L2	

List Price Effective: April 27, 2020

304 Stainless Steel

• NSF/ANSI Standard 372

07M-125SS	1" FPT	1-1/4" MPT x 1" FPT	(2) 3/4" FPT	(1) 1"	6	24	\$ 95.66
07M-200SS	1" FPT	2" MPT x 1-1/2" FPT	(2) 3/4" FPT	(1) 1"	3	12	\$ 202.79

Brass

• NSF/ANSI Standard 372

2-07M-125-10NL	1" FPT	1-1/4" MPT x 1" FPT	(2) 3/4" FPT	(1) 1"	16		\$ 85.48
2-07M-125NL	3/4" FPT	1-1/4" MPT x 1" FPT	(2) 3/4" FPT	(1) 3/4"	16		\$ 84.27

MANIFOLD BRACKETS

The bracket allows a manifold to be secured to the brackets with "U" bolts and a small pressure tank inserted to the manifold. This bracket is interchangeable to allow for two different mounting options. Brackets are steel with black powder coat finish and are supplied with lag screws, "U" bolts, nylon lock nuts and plastic end caps.

Part No.	Size	Quantity		List Price - A
		L1	L2	

List Price Effective: April 27, 2020

07M-125-MB	1-1/4"	20		\$ 39.64
07M-200-MB	2"	20		\$ 58.09

Contact your sales rep for any further information

Toll Free: 1-800-561-3164

boshart.com

UNIVERSAL PUMP MOUNTING BRACKET

Pump mounting bracket kit has the following components:

- (1) Zinc plated pump stand bracket
- (1) 3/8" - 16NC x 3/4" Zinc plated bolt
- (1) 3/8" - 16NC x 1" Zinc plated bolt
- (8) 3/8" Zinc plated flat washer
- (1) 1/2" - 13NC x 3/4" Long zinc plated hex bolt
- (1) 1/2" - 13NC x 1" Long zinc plated hex bolt
- (6) 1/2" Zinc plated flat washer
- (1) 5/8" - 11NC (external) x 3/8" - 16NC (internal) Insert
- (4) Blue plastic leg protectors

Note: To prevent damage to the tank it is very important to use the proper length bolts. A bolt which is too long may dent or puncture the tank dome. The length of bolt will vary on different tank styles. Always use slim washers where required.



Part No.	Quantity List		List Price - A
	L1	L2	
List Price Effective: June 24, 2019			
PMB	20		\$ 24.37

CONSTANT PRESSURE MANIFOLD PACKAGES

Boshart's constant pressure manifold packages come with a wide range of components and sizes to fit any application.

- NSF/ANSI Standard 372



Part No.	Package Includes	Quantity List		List Price - A
		L1	L2	
List Price Effective: April 27, 2020				

Brass Manifold Packages



TFP-2M125MBNL	Manifold: 07M-125NL Manifold Bracket: 07M-125-MB Pressure Gauge: PGCBM-1-100-GNL	Relief Valve: RVNB07-100NL Hose Bibb: 0852-07NL Bushing: NLBRB-0705	5	\$ 168.56
TFP-2M125NL	Manifold: 07M-125NL Pressure Gauge: PGCBM-1-100-GNL Relief Valve: RVNB07-100NL	Hose Bibb: 0852-07NL Bushing: NLBRB-0705	6	\$ 135.11

304 Stainless Steel Manifold Packages




TFP-07M125SS	Manifold: 07M-125SS Pressure Gauge: PGSCBM-100-G Relief Valve: SSRVN07-100	Hose Bibb: SSHB52-07 Bushing: 439-130, 439-131	6	\$ 188.34
TFP-07M125SS-01	Manifold: 07M-125SS Pressure Gauge: PGSCBM-100-G Relief Valve: SSRVN07-100 Hose Bibb: SSHB52-07	Bushing: SS304B-1005, SS304B-1007 Tape: TT260-SS	6	\$ 196.25
TFP-07M125SS-MB	Manifold: 07M-125SS Manifold Bracket: 07M-125-MB Pressure Gauge: PGSCBM-100-G	Relief Valve: SSRVN07-100 Hose Bibb: SSHB52-07 Bushing: 439-130, 439-131	5	\$ 222.72
TFP-07M125SSMB-01	Manifold: 07M-125SS Manifold Bracket: 07M-125-MB Pressure Gauge: PGSCBM-100-G Relief Valve: SSRVN07-100	Hose Bibb: SSHB52-07 Bushing: SS304B-1005, SS304B-1007 Tape: TT260-SS	5	\$ 230.45
TFP-07M200SS-MB	Manifold: 07M-200SS Manifold Bracket: 07M-200-MB Pressure Gauge: PGSCBM-100-G	Relief Valve: SSRVN07-100 Hose Bibb: SSHB52-07 Bushing: 439-130, 439-131	5	\$ 343.90

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

TANK TEE PACKAGES

Boshart's tank tee packages come with a wide range of components and sizes to fit any application.
 • NSF/ANSI Standard 372



Part No.	Package Includes	Quantity List	
		L1	L2 Price - A
Solid No Lead Brass			
TFP-2TK132NL	Tank Tee: 2-07TK-13-2NL Boiler Drain: 0853-07NL Pressure Gauge: PG-100NL	Pressure Switch: FSG2J21 Nipple: BRN-0230 Relief Valve: RVNB07-075NL	6 \$ 169.33
TFP-2TK132NRNL	Tank Tee: 2-07TK-13-2NL Boiler Drain: 0853-07NL Pressure Gauge: PG-100NL	Pressure Switch: FSG2J21 Nipple: BRN-0230	6 \$ 155.58
TFP-2TK13S2NL	Tank Tee: 2-07TK-13S-2NL Boiler Drain: 0853-07NL Pressure Gauge: PG-100NL	Pressure Switch: FSG2J21 Nipple: BRN-0230 Relief Valve: RVNB07-075NL	6 \$ 125.45
TFP-2TK1412M4CVNL	Tank Tee: 2-07TK-14X1-2NL Boiler Drain: 0853-05NL Pressure Gauge: PG-100NL Pressure Switch: FSG2J21M4	Nipple: BRN-0230 Relief Valve: RVNB05-075NL Check Valve: 17YBCV100NL	6 \$ 178.48
TFP-2TK1412NL	Tank Tee: 2-07TK-14X1-2NL Boiler Drain: 0853-05NL Pressure Gauge: PG-100NL	Pressure Switch: FSG2J21 Nipple: BRN-0230 Relief Valve: RVNB05-075NL	6 \$ 141.58
TFP-2TK1412P4NL	Tank Tee: 2-07TK-14X1-2NL Boiler Drain: 0853-05NL Pressure Gauge: PG-100NL	Pressure Switch: PS02-4060 Nipple: BRN-0230 Relief Valve: RVNB05-075NL	6 \$ 119.58
TFP-2TK251NRNL	Tank Tee: 2-07TK-25-1NL Boiler Drain: 0853-05NL Pressure Gauge: PG-100NL	Pressure Switch: FSG2J21 Nipple: BRN-0230	6 \$ 112.87
TFP-2TK252J24NL	Tank Tee: 2-07TK-25-2NL Boiler Drain: 0853-05NL Pressure Gauge: PG-100NL	Pressure Switch: FSG2J24 Nipple: BRN-0230 Relief Valve: RVNB05-075NL	6 \$ 127.19
TFP-2TK252M4CVNL	Tank Tee: 2-07TK-25-2NL Boiler Drain: 0853-05NL Pressure Gauge: PG-100NL Pressure Switch: FSG2J21M4	Nipple: BRN-0230 Relief Valve: RVNB05-075NL Check Valve: 17YBCV100NL	6 \$ 163.80
TFP-2TK252M4NL	Tank Tee: 2-07TK-25-2NL Boiler Drain: 0853-05NL Pressure Gauge: PG-100NL	Pressure Switch: FSG2J21M4 Nipple: BRN-0230 Relief Valve: RVNB05-075NL	6 \$ 140.72
TFP-2TK252NL	Tank Tee: 2-07TK-25-2NL Boiler Drain: 0853-05NL Pressure Gauge: PG-100NL	Pressure Switch: FSG2J21 Nipple: BRN-0230 Relief Valve: RVNB05-075NL	6 \$ 127.19
TFP-2TK252P4NL	Tank Tee: 2-07TK-25-2NL Boiler Drain: 0853-05NL Pressure Gauge: PG-100NL	Pressure Switch: PS02-4060 Nipple: BRN-0230 Relief Valve: RVNB05-075NL	6 \$ 100.82
TFP-2TK25S2M4NL	Tank Tee: 2-07TK-25S-2NL Boiler Drain: 0853-05NL Pressure Gauge: PG-100NL	Pressure Switch: FSG2J21M4 Nipple: BRN-0230 Relief Valve: RVNB05-075NL	6 \$ 124.73
TFP-2TK25S2NL	Tank Tee: 2-07TK-25S-2NL Boiler Drain: 0853-05NL Pressure Gauge: PG-100NL	Pressure Switch: FSG2J21 Nipple: BRN-0230 Relief Valve: RVNB05-075NL	6 \$ 111.19
TFP-2TK25SF2M4ANL	Tank Tee: 2-07TK-25SF-2NL Boiler Drain: 0853-05NL Pressure Gauge: PG-100NL Pressure Switch: FSG2J21M4	Nipple: BRN-0230, BRN-0715 Relief Valve: RVNB05-075NL Adapter: FA-100NL Ball Valve: 0820-07NL	6 \$ 175.25
TFP-TK25S2WMJ24NL	Tank Tee: 07TK-25S-2-WMNL Boiler Drain: 0853-05NL Pressure Gauge: PG-100NL	Pressure Switch: FSG2J24 Nipple: BRN-0230 Relief Valve: RVNB05-100NL	6 \$ 117.59
TFP-TK25S2WMNL	Tank Tee: 07TK-25S-2-WMNL Boiler Drain: 0853-05NL Pressure Gauge: PG-100NL	Pressure Switch: FSG2J21 Nipple: BRN-0230 Relief Valve: RVNB05-075NL	6 \$ 117.59

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

TANK TEE PACKAGES

Part No.	Package Includes	Quantity	List Price - A
		L1	L2

List Price Effective: April 27, 2020



Solid No Lead Brass with Female Union

TFP-2TK13SF2UNL	Tank Tee: 2-07TK-13SF-2UNL Boiler Drain: 0853-07NL Pressure Gauge: PG-100NL	Pressure Switch: FSG2J21 Nipple: BRN-0230 Relief Valve: RVNB07-075NL	6	\$ 150.18
TFP-2TK25SF2UNL	Tank Tee: 2-07TK-25SF-2UNL Boiler Drain: 0853-05NL Pressure Gauge: PG-100NL	Pressure Switch: FSG2J21 Nipple: BRN-0230 Relief Valve: RVNB05-075NL	6	\$ 127.76



Union No Lead Brass

TFP-2TK132UNL	Tank Tee: 2-07TKO-13-2UNL Boiler Drain: 0853-07NL Pressure Gauge: PG-100NL	Pressure Switch: FSG2J21 Nipple: BRN-0230 Relief Valve: RVNB07-075NL	6	\$ 177.64
TFP-2TK13S2UNL	Tank Tee: 2-07TKO-13S-2UNL Boiler Drain: 0853-07NL Pressure Gauge: PG-100NL	Pressure Switch: FSG2J21 Nipple: BRN-0230 Relief Valve: RVNB07-075NL	6	\$ 143.98
TFP-2TK1412UNL	Tank Tee: 2-07TKO-14X1-2UNL Boiler Drain: 0853-05NL Pressure Gauge: PG-100NL	Pressure Switch: FSG2J21 Nipple: BRN-0230 Relief Valve: RVNB05-075NL	6	\$ 153.58
TFP-2TK251UNRNL	Tank Tee: 2-07TKO-25-1UNL Boiler Drain: 0853-05NL Pressure Gauge: PG-100NL	Pressure Switch: FSG2J21 Nipple: BRN-0230	6	\$ 125.05
TFP-2TK252UCV02NL	Tank Tee: 2-07TKO-25-2UNL Boiler Drain: 0852-05NL Pressure Gauge: PG-100NL Pressure Switch: FSG2J21	Nipple: BRN-0230 Relief Valve: RVNB05-075NL Check Valve: 17YBCV100NL Ball Valve: 0820-10NL	6	\$ 186.37
TFP-2TK252UJ24NL	Tank Tee: 2-07TKO-25-2UNL Boiler Drain: 0853-05NL Pressure Gauge: PG-100NL	Pressure Switch: FSG2J24 Nipple: BRN-0230 Relief Valve: RVNB05-075NL	6	\$ 137.01
TFP-2TK252UM4CVNL	Tank Tee: 2-07TKO-25-2UNL Boiler Drain: 0853-05NL Pressure Gauge: PG-100NL Pressure Switch: FSG2J21M4	Nipple: BRN-0230 Relief Valve: RVNB05-075NL Check Valve: 17YBCV100NL	6	\$ 173.83
TFP-2TK252UM4NL	Tank Tee: 2-07TKO-25-2UNL Boiler Drain: 0853-05NL Pressure Gauge: PG-100NL	Pressure Switch: FSG2J21M4 Nipple: BRN-0230 Relief Valve: RVNB05-075NL	6	\$ 150.53
TFP-2TK252UNL	Tank Tee: 2-07TKO-25-2UNL Boiler Drain: 0853-05NL Pressure Gauge: PG-100NL	Pressure Switch: FSG2J21 Nipple: BRN-0230 Relief Valve: RVNB05-075NL	6	\$ 137.01
TFP-2TK252UP3NL	Tank Tee: 2-07TKO-25-2UNL Boiler Drain: 0853-05NL Pressure Gauge: PG-100NL	Pressure Switch: PS02-3050 Nipple: BRN-0230 Relief Valve: RVNB05-075NL	6	\$ 114.90
TFP-2TK252UP4NL	Tank Tee: 2-07TKO-25-2UNL Boiler Drain: 0853-05NL Pressure Gauge: PG-100NL	Pressure Switch: PS02-4060 Nipple: BRN-0230 Relief Valve: RVNB05-075NL	6	\$ 111.43
TFP-2TK25S2UNL	Tank Tee: 2-07TKO-25S-2UNL Boiler Drain: 0853-05NL Pressure Gauge: PG-100NL	Pressure Switch: FSG2J21 Nipple: BRN-0230 Relief Valve: RVNB05-075NL	6	\$ 124.55



Solid Stainless Steel

TFP-ST132J24-01	Tank Tee: 07ST-13-2 Boiler Drain: SSHB52-07 Pressure Gauge: PGS25-100 Pressure Switch: FSG2J24	Nipple: SS304N-0230 Relief Valve: SSRVN07-075 Tape: TT260-SS	6	\$ 236.78
TFP-ST162J24-01	Tank Tee: 07ST-16-2 Boiler Drain: SSHB52-07 Pressure Gauge: PGS25-100 Pressure Switch: FSG2J24	Nipple: SS304N-0230 Relief Valve: SSRVN07-075 Tape: TT260-SS	4	\$ 241.76

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

TANK TEE PACKAGES

Part No.	Package Includes	Quantity		List Price - A
		L1	L2	
List Price Effective: April 27, 2020				
TFP-ST252	Tank Tee: 07ST-25-2 Boiler Drain: SSHB52-05 Pressure Gauge: PGS25-100	Pressure Switch: FSG2J21 Nipple: SS304N-0230 Relief Valve: SSRVN05-075	6	\$ 201.77
TFP-ST252J24	Tank Tee: 07ST-25-2 Boiler Drain: SSHB52-05 Pressure Gauge: PGS25-100	Pressure Switch: FSG2J24 Nipple: SS304N-0230 Relief Valve: SSRVN05-075	6	\$ 201.77
Union Stainless Steel				
TFP-ST132U	Tank Tee: 07ST-13-2U Boiler Drain: SSHB52-07 Pressure Gauge: PGS25-100	Pressure Switch: FSG2J21 Nipple: SS304N-0230 Relief Valve: SSRVN07-075	6	\$ 255.76
TFP-ST13S2U	Tank Tee: 07ST-13S-2U Boiler Drain: SSHB52-07 Pressure Gauge: PGS25-100	Pressure Switch: FSG2J21 Nipple: SS304N-0230 Relief Valve: SSRVN07-075	6	\$ 240.21
TFP-ST14X12U	Tank Tee: 07ST-14X1-2U Boiler Drain: SSHB52-05 Pressure Gauge: PGS25-100	Pressure Switch: FSG2J21 Nipple: SS304N-0230 Relief Valve: SSRVN05-075	6	\$ 232.08
TFP-ST14X12UJ24	Tank Tee: 07ST-14X1-2U Boiler Drain: SSHB52-05 Pressure Gauge: PGS25-100	Pressure Switch: FSG2J24 Nipple: SS304N-0230 Relief Valve: SSRVN05-100	6	\$ 232.08
TFP-ST252U	Tank Tee: 07ST-25-2U Boiler Drain: SSHB52-05 Pressure Gauge: PGS25-100	Pressure Switch: FSG2J21 Nipple: SS304N-0230 Relief Valve: SSRVN05-075	6	\$ 226.31
TFP-ST252UJ24	Tank Tee: 07ST-25-2U Boiler Drain: SSHB52-05 Pressure Gauge: PGS25-100	Pressure Switch: FSG2J24 Nipple: SS304N-0230 Relief Valve: SSRVN05-075	6	\$ 226.31
TFP-ST252UJ24-04	Tank Tee: 07ST-25-2U Boiler Drain: SSHB52-05 Pressure Gauge: PGS-100-G Pressure Switch: FSG2J24 Nipple: SS304N-0230, SS304N-0720	Relief Valve: SSRVN05-100 Check Valve: 17CVSS-100 Ball Valve: SSBV304-07 Fitting: SS304SE-07	6	\$ 302.19
TFP-ST252UJ24-07	Tank Tee: 07ST-25-2U Boiler Drain: SSHB52-05 Pressure Gauge: PGSCBM-100-G Pressure Switch: FSG2J24	Nipple: SS304N-0230 Relief Valve: SSRVN05-100 Check Valve: 17CVSS-100 Ball Valve: SSBV304-10	6	\$ 306.64
TFP-ST25S2U	Tank Tee: 07ST-25S-2U Boiler Drain: SSHB52-05 Pressure Gauge: PGS25-100	Pressure Switch: FSG2J21 Nipple: SS304N-0230 Relief Valve: SSRVN05-075	6	\$ 217.91
TFP-ST25S2UJ24	Tank Tee: 07ST-25S-2U Boiler Drain: SSHB52-05 Pressure Gauge: PGS25-100	Pressure Switch: FSG2J24 Nipple: SS304N-0230 Relief Valve: SSRVN05-075	6	\$ 217.91
TFP-ST25S2UJ24-04	Tank Tee: 07ST-25S-2U Boiler Drain: SSHB52-05 Pressure Gauge: PGS-100-G Pressure Switch: FSG2J24 Nipple: SS304N-0230, SS304N-0720	Relief Valve: SSRVN05-100 Check Valve: 17CVSS-100 Ball Valve: SSBV304-07 Fitting: SS304SE-07, SS304C-10	6	\$ 299.21
TFP-ST82U	Tank Tee: 07ST-8-2U Boiler Drain: SSHB52-05 Pressure Gauge: PGS25-100	Pressure Switch: FSG2J21 Nipple: SS304N-0230 Relief Valve: SSRVN05-075	6	\$ 222.66
TFP-ST82UJ24	Tank Tee: 07ST-8-2U Boiler Drain: SSHB52-05 Pressure Gauge: PGS25-100	Pressure Switch: FSG2J24 Nipple: SS304N-0230 Relief Valve: SSRVN05-075	6	\$ 222.66



Contact your sales rep for any further information

Toll Free: 1-800-561-3164

boshart.com

INSTALLATION ACCESSORIES

Wide range of products
including splice kits,
cable ties and water well
accessories



INDEX

Product Line	Page
Fast Recovery Heat Shrink Kits	1
Deluxe Heavy Duty Heat Shrink Kits	1
Heavy Duty Heat Shrink Kits	2
Heat Shrink Tubes	3
Stakon Connectors	3
Electrical Tape	4
"All Weather" Pipe Wrap Tape	4
Cable Ties	4
Submersible Torque Arrestors	5
Spider Torque Arrestors	6
Cable Guards	6
Drop Pipe Couplings	6
Rope	7
Rope Hanger	7
Mechanical Shaft Seals	8
Circulator Coupling	8
Nut Driver	8
Pipe Cutters	9
Contractor Bin	9
Tape Measures	10

FAST RECOVERY HEAT SHRINK KITS

Boshart's fast recovery heat shrink kits are made of adhesive lined cross-linked polyolefin heat shrinkable tubing that is designed for applications up to 600 volts. The good abrasion resistance characteristics of this tubing provide excellent mechanical protection. When heated above 120°C (250°F) there is a 4:1 shrink ratio. Upon cooling the adhesive solidifies, forming a permanent, non-drying flexible and waterproof barrier. Black tubing is flame retardant, clear tubing is not flame retardant.

• RoHS Certified directive 2002/95/EC <0.1% Pb



Part No.	Number of Stakons	Number of Shrink Tubes	Tube Length	Wire Size AWG	Wall Thickness	Quantity L1 L2	List Price - A
----------	-------------------	------------------------	-------------	---------------	----------------	----------------	----------------

List Price Effective: March 30, 2020



Black, Expanded ID: 0.45", Recovered ID: 0.10"

HSKB-2	2 (#14 - #10)	2	3"	#14 to #10	0.043"	50	\$ 2.02
HSKB-3	3 (#14 - #10)	3	3"	#14 to #10	0.043"	50	\$ 2.84
HSKB-3-4	4 (#14 - #10)	3	3"	#14 to #10	0.043"	50	\$ 3.17
HSKB-4	4 (#14 - #10)	4	3"	#14 to #10	0.043"	50	\$ 3.65



Clear, Expanded ID: 0.45", Recovered ID: 0.10"

HSKC-2	2 (#14 - #10)	2	3"	#14 to #10	0.043"	50	\$ 2.07
HSKC-3	3 (#14 - #10)	3	3"	#14 to #10	0.043"	50	\$ 2.91
HSKC-3-4	4 (#14 - #10)	3	3"	#14 to #10	0.043"	50	\$ 3.24
HSKC-4	4 (#14 - #10)	4	3"	#14 to #10	0.043"	50	\$ 3.74
HSKC-12	12 (#14 - #10)	12	3"	#14 to #10	0.043"	50	\$ 10.39

DELUXE HEAVY DUTY HEAT SHRINK KITS

Boshart's deluxe heavy duty heat shrink kit series have the same heat shrink tubes as the heavy duty heat shrink kits. They have extra long stakons (butt conn) for double crimping.

• RoHS Certified directive 2002/95/EC <0.1% Pb



Part No.	Number of Stakons	Number of Shrink Tubes	Tube Length	Wire Size AWG	Wall Thickness	Quantity L1 L2	List Price - A
----------	-------------------	------------------------	-------------	---------------	----------------	----------------	----------------

List Price Effective: March 30, 2020



Black, Expanded ID: 0.75", Recovered ID: 0.24"

HS4-4XLS	3 (#4) & 1 (#6)	4	4.80"	#4	0.090"	10	\$ 42.60
----------	-----------------	---	-------	----	--------	----	----------



Clear, Expanded ID: 0.75", Recovered ID: 0.22"

HSC4-4XLS	3 (#4) & 1 (#6)	4	4.80"	#4	0.080"	10	\$ 41.28
-----------	-----------------	---	-------	----	--------	----	----------



Black, Expanded ID: 0.51", Recovered ID: 0.16"

HS6-3XLS	2 (#6) & 1 (#8)	3	4"	#6	0.090"	10	\$ 25.68
HS6-4XLS	3 (#6) & 1 (#8)	4	4"	#6	0.090"	10	\$ 34.17



Clear, Expanded ID: 0.75", Recovered ID: 0.22"

HSC6-4XLS	3 (#6) & 1 (#8)	4	4"	#6	0.080"	10	\$ 34.20
-----------	-----------------	---	----	----	--------	----	----------



Black, Expanded ID: 0.51", Recovered ID: 0.16"

HS8-3XLS	2 (#8) & 1 (#14 - #10)	3	4"	#8	0.090"	10	\$ 18.55
HS8-4XLS	3 (#8) & 1 (#14 - #10)	4	4"	#8	0.090"	10	\$ 26.01



Clear, Expanded ID: 0.75", Recovered ID: 0.22"

HSC8-4XLS	3 (#8) & 1 (#14 - #10)	4	4"	#8	0.080"	10	\$ 25.59
-----------	------------------------	---	----	----	--------	----	----------

Contact your sales rep for any further information









Toll Free: 1-800-561-3164
boshart.com

HEAVY DUTY HEAT SHRINK KITS

Boshart's heavy duty heat shrink kit series are made of flexible cross-linked polyolefin heat shrinkable tubing. This tubing is suitable for applications up to 600 volts providing excellent waterproof insulating and environmental sealing protection for splices, connections and jacket repairs. The high impact and abrasion resistance of this heavy wall tubing provides the highest level of mechanical durability. When heated above 120°C (250°F) there is a 3:1 shrink ratio.

• RoHS Certified directive 2002/95/EC <0.1% Pb



	Part No.	Number of Stakons	Number of Shrink Tubes	Tube Length	Wire Size AWG	Wall Thickness	Quantity		List Price - A
							L1	L2	
Black, Expanded ID: 0.75", Recovered ID: 0.24"									
	HS4-4	3 (#4) & 1 (#6)	4	4.80"	#4	0.090"	10		\$ 22.66
Clear, Expanded ID: 0.75", Recovered ID: 0.22"									
	HSC4-4	3 (#4) & 1 (#6)	4	4.80"	#4	0.080"	10		\$ 20.50
Black, Expanded ID: 0.51", Recovered ID: 0.16"									
	HS6-3	2 (#6) & 1 (#8)	3	4"	#6	0.090"	10		\$ 12.24
	HS6-4	3 (#6) & 1 (#8)	4	4"	#6	0.090"	10		\$ 16.24
Clear, Expanded ID: 0.75", Recovered ID: 0.22"									
	HSC6-4	3 (#6) & 1 (#8)	4	4"	#6	0.080"	10		\$ 16.25
Black, Expanded ID: 0.51", Recovered ID: 0.16"									
	HS8-3	2 (#8) & 1 (#14 - #10)	3	4"	#8	0.090"	10		\$ 10.02
	HS8-4	3 (#8) & 1 (#14 - #10)	4	4"	#8	0.090"	40		\$ 13.19
Clear, Expanded ID: 0.75", Recovered ID: 0.22"									
	HSC8-4	3 (#8) & 1 (#14 - #10)	4	4"	#8	0.080"	10		\$ 13.39
Black, Expanded ID: 0.40", Recovered ID: 0.15"									
	HS-2	2 (#14 - #10)	2	3"	#14 to #10	0.080"	50		\$ 2.34
	HS-3	3 (#14 - #10)	3	3"	#14 to #10	0.080"	50		\$ 3.30
	HS-3-4	4 (#14 - #10)	3	3"	#14 to #10	0.080"	50		\$ 3.64
	HS-4	4 (#14 - #10)	4	3"	#14 to #10	0.080"	50		\$ 4.19
Clear, Expanded ID: 0.40", Recovered ID: 0.15"									
	HSC-2	2 (#14 - #10)	2	3"	#14 to #10	0.080"	50		\$ 2.34
	HSC-3	3 (#14 - #10)	3	3"	#14 to #10	0.080"	50		\$ 3.30
	HSC-3-4	4 (#14 - #10)	3	3"	#14 to #10	0.080"	50		\$ 3.64
	HSC-4	4 (#14 - #10)	4	3"	#14 to #10	0.080"	50		\$ 4.19

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

HEAT SHRINK TUBES

These heat shrink tubes are sold in bulk rather than part of a kit.
 • RoHS Certified directive 2002/95/EC <0.1% Pb



Part No.	Tube Length	Expanded ID	Recovered ID	Wire Size AWG	Wall Thickness	Quantity		List Price - A
						L1	L2	

List Price Effective: March 30, 2020

Black

• List price is per piece



HST-HS-3-BK	3"	0.40"	0.15"	#14 to #10	0.080"	25		\$ 0.98
HST-HSK-3-BK	3"	0.45"	0.10"	#14 to #10	0.043"	25		\$ 0.79

Clear

• List price is per piece



HST-HS-3-CL	3"	0.40"	0.15"	#14 to #10	0.080"	25		\$ 0.98
-------------	----	-------	-------	------------	--------	----	--	---------

Black

• List price is per inch



HST400-48-BK	48"	0.40"	0.15"	#14 to #10	0.080"	48		\$ 0.49
HST500-48-BK	48"	0.51"	0.16"	#8 to #6	0.090"	48		\$ 0.59
HST750-48-BK	48"	0.75"	0.24"	#6 to #2	0.090"	48		\$ 0.62
HST1100-48-BK	48"	1.10"	0.35"	#1 to #3/0	0.120"	48		\$ 1.06
HST1500-48-BK	48"	1.50"	0.47"	#2/0 to #350	0.160"	48		\$ 1.27

Clear

• List price is per inch



HST400-48-CL	48"	0.40"	0.15"	#14 to #10	0.080"	48		\$ 0.49
HST750-48-CL	48"	0.75"	0.22"	#8 to #2	0.080"	48		\$ 0.50

STAKON CONNECTORS

These stakon connectors are sold in bulk rather than part of a kit.



Part No.	Wire Size AWG	Quantity		List Price - A
		L1	L2	

List Price Effective: March 30, 2020

Standard



SC-2	#2	4	100	\$ 4.85
SC-4	#4	4	200	\$ 3.48
SC-6	#6	10	200	\$ 2.12
SC-8	#8	10	200	\$ 1.48
SC-14-10	#14 to #10	25	500	\$ 0.44

Deluxe



SC-2XLS	#2	4	100	\$ 11.60
SC-4XLS	#4	4	200	\$ 9.91
SC-6XLS	#6	10	200	\$ 7.59
SC-8XLS	#8	10	200	\$ 6.40

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

ELECTRICAL TAPE

Boshart's electrical tapes are available for a wide range of applications.

- CSA Standard C22.2 No. 0 & 197 Certified
- UL Standard 570 Certified
- RoHS Certified directive 2002/95/EC <0.1% Pb



Part No.	Size	Length	Thickness	Quantity List		
				L1	L2	Price - A

List Price Effective: April 27, 2020



Electrical Tape

Temperature Range: 14°F to 176°F (-10°C to 80°C),
This vinyl tape is a general all purpose tape.

ETAWNL	3/4"	60'	0.007" (7 mils)	10	200	\$ 2.64
--------	------	-----	-----------------	----	-----	---------



Cold & Sunlight Electrical Tape

Temperature Range: 0°F to 176°F (-18°C to 80°C),
This vinyl tape is for use as electrical insulation on joints & splices in wires and cables, protective outer jacket, harness wrapping and protective conduits. It is for low temperature applications and resists abrasions, alkalis, acids, oil, solvents, corrosive chemicals, ultraviolet rays & moisture. Retardant to flames. It has a plastic backing & aggressive rubber-resin adhesive. This cold & sunlight electrical tape offers moisture tight electrical & mechanical protection.

ETCWNL	3/4"	60'	0.008" (8 mils)	10	200	\$ 2.92
--------	------	-----	-----------------	----	-----	---------



Self Bonding Electrical Tape


Temperature Range: 14°F to 176°F (-10°C to 80°C),
This tape is a self fusing rubber electrical insulating tape. It is designed for low voltage electrical insulating & moisture sealing applications. Compatible with solid dielectric cable insulation. It is recommended that this tape should be over wrapped for mechanical protection with two half lapped layers of electrical tape or cotton friction tape.

ETSBR	3/4"	22'	0.03" (30 mils)	10	50	\$ 13.86
-------	------	-----	-----------------	----	----	----------

"ALL WEATHER" PIPE WRAP TAPE

Boshart's all weather pipe wrap tape can be used on all types of pipe and fittings including steel, galvanized, electrical conduit, cast & ductile iron. It has excellent insulating capacities and superior abrasion resistance. This tape reduces corrosion problems caused by salts, salt water, solid acids, minerals, alkalis, common chemicals, vapors and protects against fungus and bacteria. It remains pliable in a wide range of temperature and working environments, resists the effects of outdoor weathering and sunlight exposure.

- IAPMO UPC Standard D100 Certified
- RoHS Certified directive 2002/95/EC <0.1% Pb



Part No.	Size	Length	Thickness	Quantity List		
				L1	L2	Price - A

List Price Effective: April 27, 2020



"All Weather" Pipe Wrap Tape

Temperature Range: 14°F to 140°F (-10°C to 60°C),

PW2-10NL	2"	100'	0.01" (10 mils)	24		\$ 13.16
----------	----	------	-----------------	----	--	----------

CABLE TIES

Boshart's cable ties are very versatile and can be used in a variety of applications. They are NEMA Type 2, 21.

- ANSI/UL 94 Mtl Flame Rating V-2
- ANSI/UL Standard 62275 Certified



Part No.	Length	Color	Quantity List		
			L1	L2	Price - A

List Price Effective:



Standard Nylon 6/6, Temperature Range: -40°F to 185°F (-40°C to 85°C),

- Carbon is added to make these UV resistant
- Suitable for indoor and outdoor use

CTW018-04	4.00"	Black	100		\$ 0.02
CTW030-05.6	5.60"	Black	100		\$ 0.06
CTW040-08.5	8.50"	Black	100		\$ 0.08
CTW040-11.5	11.50"	Black	100		\$ 0.14
CTW040-14.5	14.50"	Black	100	5000	\$ 0.18

Contact your sales rep for any further information

CABLE TIES

Part No.	Length	Color	Quantity		List Price - A
			L1	L2	

List Price Effective:



Standard Nylon 6/6, Temperature Range: -40°F to 185°F (-40°C to 85°C),
 • Not UV resistant
 • Suitable for mainly indoor use

CT018-04	4.00"	Clear	100		\$ 0.02
CT030-05.6	5.60"	Clear	100		\$ 0.06
CT040-08.5	8.50"	Clear	100		\$ 0.08
CT040-11.5	11.50"	Clear	100		\$ 0.13
CT040-14.5	14.50"	Clear	100	5000	\$ 0.17



Heavy Duty Nylon 6/6, Temperature Range: -40°F to 185°F (-40°C to 85°C),
 • Carbon is added to make these UV resistant
 • Suitable for indoor and outdoor use

CTW120-14.2	14.20"	Black	100	2000	\$ 0.35
CTW120-24.2	24.20"	Black	50	500	\$ 0.67
CTW175-36	36.00"	Black	50	500	\$ 0.80
CTW175-41	41.00"	Black	50	500	\$ 1.61

SUBMERSIBLE TORQUE ARRESTORS

Boshart's submersible torque arrestors protect submersible pumps from starting torque damage. They are field adjustable to hold the pump centered in the well and fit snug in all well casings from 4" to 8" I.D. To install securely fasten to 1" or 1-1/4" drop pipe with stainless steel clamps that are provided. There are infinite adjustments enabling the installer to obtain a proper fit.

• NSF/ANSI 372 Certified



Part No.	Drop Pipe Size	Color	Well Casing Size	Quantity		List Price - A
				L1	L2	

List Price Effective: June 24, 2019



Standard Thermo Plastic Elastomer (TPE)

TA-48-BLK	1" & 1-1/4"	Black	4" to 8"	10	560	\$ 22.35
TA-48-GREEN	1" & 1-1/4"	Green	4" to 8"	10	560	\$ 23.50

Standard PVC

TA-48-PVC	1" & 1-1/4"	Black	4" to 8"	10	560	\$ 18.57
-----------	-------------	-------	----------	----	-----	----------

Deluxe Thermo Plastic Elastomer (TPE)

TA-48D-BLK	1" & 1-1/4"	Black	4" to 8"	10	560	\$ 26.43
TA-48D-GREEN	1" & 1-1/4"	Green	4" to 8"	10	560	\$ 27.49

Three Piece Thermo Plastic Elastomer (TPE)

TA20-68D-BLK	2"	Black	6" to 8"	6		\$ 61.85
--------------	----	-------	----------	---	--	----------

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

SPIDER TORQUE ARRESTORS

Boshart's spider torque arrestors are easily secured to drop pipes with clamps (not included). They feature a unique wire guard feature and the casing size is clearly marked for ease of cutting to size. The suggested clamp for all sizes is 2-SSC8740.

Primary Material: SBR



Part No.	Drop Pipe Size	Color	Well Casing Size	Quantity		List Price - A
				L1	L2	
List Price Effective: June 24, 2019						
TAS46-10	1"	Black	4" to 6"	60		\$ 10.97
TAS46-12	1-1/4"	Black	4" to 6"	60		\$ 10.44
TAS46-15	1-1/2"	Black	4" to 6"	60		\$ 9.92
TAS46-20	2"	Black	4" to 6"	60		\$ 9.39

CABLE GUARDS

Boshart's cable guards will keep the power cable from abrading against the well casing. One should be placed at the pump and one every 15' there after. Each cable guard is 6" in size and has tabs that can be cut to fit 5" or 4" well casing.

Primary Material: Polyethylene



Part No.	Design	Drop Pipe Size	Color	Quantity		List Price - A
				L1	L2	
List Price Effective: December 04, 2015						
WG-100	Self Clamping	1"	Clear	48		\$ 3.10
WG-6	Snap In	1" & 1-1/4"	Clear	100		\$ 1.29
WG-125	Self Clamping	1-1/4"	Clear	48		\$ 9.32

DROP PIPE COUPLINGS

Boshart's drop pipe couplings are use to connect drop pipes together in well applications.



Part No.	Size	Length	Quantity		List Price - A
			L1	L2	
List Price Effective: April 27, 2020					



304 Stainless Steel,

• NSF/ANSI Standard 372 Certified

These couplings have an inside chamfer on both ends for trouble free starting of threads. They have a separate taper to ensure a proper watertight seal and flats on the sides for ease of use with a wrench.

Note: All tensile testing results consistently conclude in joint failure due to the elongation of the male threads on the drop/riser pipe. It is therefor recommended that the installer acquire the male pipe thread load capacity data of the drop/riser pipe from the pipe manufacturer. The loads must not exceed either the coupling or drop/riser pipe load capacity. The maximum load bearing weight of the pipe will vary significantly depending on the pipe material. This data is only a guide. The final responsibility for the design of the well lies with the well designer/installer.

28-SSDPC-10	1"	2-1/2"	10	50	\$ 14.79
28-SSDPC-12	1-1/4"	2-1/2"	10	50	\$ 17.34
28-SSDPC-15	1-1/2"	2-1/2"	10	50	\$ 21.91
28-SSDPC-20	2"	2-1/2"	5	25	\$ 25.86



PVC,

These couplings have a wall thickness that is 30% heavier than Schedule 120 to ensure increased strength and reliability. To be used in well depths no greater than 400'.

28-PDPC-10	1"	2-3/4"	10	100	\$ 8.51
28-PDPC-12	1-1/4"	2-3/4"	10	100	\$ 9.53
28-PDPC-15	1-1/2"	2-3/4"	10	100	\$ 9.62
28-PDPC-20	2"	3"	10	100	\$ 13.00

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

ROPE

Boshart's rope is available in different lengths and colors.



Part No.	Color	Length	Diameter	Reel Material	Tensile Strength Lbs	Quantity List		Price - A
						L1	L2	

List Price Effective: April 27, 2020



Braided Nylon,

This rope has high elasticity and working strength. It can be stored wet without damage and works well in pulleys, winches, general tie downs, tarps securing and marine use. Solid braid stays round, has a uniform diameter and will not rotate.

SRNB-1/4	White	1,000'	1/4"	Plastic	1,200			\$ 215.69
SRNB-3/8	White	1,000'	3/8"	Plywood	2,700			\$ 525.67



Braided Polypropylene,

This rope is made of 100% monofilament fibers in a hollow braid. It floats on water, retains its strength when wet and may be stored wet without damage. There is a high resistance to abrasion, mildew, oil, grease, gasoline, marine growth and other chemicals. It is best for tie-downs, utility hand lines, pulling lines, ladder lines, and marine uses.

SRPB-1/4-500	Blue & White	500'	1/4"	Plastic	975			\$ 46.88
SRPB-1/4	Blue & White	1,000'	1/4"	Plastic	975			\$ 83.10
SRPB-1/4-3000	Blue & White	3,000'	1/4"	Plywood	975			\$ 235.62



Twisted Polypropylene,

This rope is waterproof, floats and easy to handle. It resists most chemicals, oil, gasoline and is resistant to color fading, abrasion and rot.

SRPT-04-1200BLK	Black	1,200'	1/4"	Plastic	1,120			\$ 140.72
SRPT-04-600B	Blue & White	600'	1/4"	Plywood	1,120			\$ 67.71
SRPT-06-300B	Blue & White	300'	3/8"	Plywood	1,450			\$ 187.21
SRPT-06-600B	Blue & White	600'	3/8"	Plywood	1,450			\$ 154.14
SRPT-08-300B	Blue & White	300'	1/2"	Plywood	3,780			\$ 155.70
SRPT-08-600B	Blue & White	600'	1/2"	Plywood	3,780			\$ 262.10
SRPT-12-300B	Blue & White	300'	3/4"	Plywood	7,650			\$ 329.50
SRPT-1/4	Yellow	1,300'	1/4"	Plastic	1,130			\$ 135.17
SRPT-3/8	Yellow	630'	3/8"	Plastic	2,440			\$ 177.29
SRPT-5/16	Yellow	975'	5/16"	Plastic	1,710			\$ 159.76
SRPT-1/2	Yellow	335'	1/2"	Plastic	3,780			\$ 158.13

ROPE HANGER

Boshart's rope hangers provide an easy method of attaching the safety rope securely to the well casing. The installation of the well cap onto the well casing is unobstructed. They are installed at the top of the well casing and can be easily removed when the pump is serviced or replaced.

Accepts rope sizes: 1/4" to 3/8"



Part No.	Well Casing I.D.	Quantity List		Price - A
		L1	L2	

List Price Effective: April 27, 2020



STRH-6	6" or 6-1/4"	5	40	\$ 38.15
--------	--------------	---	----	----------

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

MECHANICAL SHAFT SEALS

Boshart's mechanical shaft seals are designed to provide a water tight seal between the pump housing and the motor shaft which drives the impeller.



Part No.	Seat Thickness	Shaft Size	Quantity		List Price - A
			L1	L2	
SS-1000	0.344	0.625			\$ 4.97
SS-2000	0.406	0.625			\$ 4.78
SS-2010	0.406	0.750			\$ 6.02

List Price Effective: September 25, 2017

CIRCULATOR COUPLING

Boshart's circulator couplings are easy to install and quiet when running. They have a long life and superior alignment capabilities. They are easier on the pump and motor, less rigidity puts less load on the bearings and seals.

H.P. rating 1/12 to 1/3



Part No.	Size	Quantity		List Price - A
		L1	L2	
24-15	1/2"	25	200	\$ 11.88

List Price Effective: July 13, 2009

NUT DRIVER

Boshart's nut driver has a flexible shaft and reversible socket.



Part No.	Size	Quantity		List Price - A
		L1	L2	
28-FND	1/4" or 5/16"	100		\$ 10.95





List Price Effective: April 27, 2020

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
 boshart.com


PIPE CUTTERS

Boshart's pipe cutters cut through POLY, PVC, PEX, ABS and CPVC pipe and conduit. They feature a latch for carrying in the closed position. All pipe cutters have a removable and replaceable stainless steel blade.

	Part No.	Cuts Pipe Size	Material	Replacement Blade	Quantity		List Price - A
					L1	L2	
	28-PC-0110	Up to 1"	Metal,	28-PCRB-0110	12	72	\$ 16.51
	28-PC-0112	Up to 1-1/4"	Metal,	28-PCRBA-0112	6	24	\$ 42.69
	28-PC-0120	Up to 2"	Metal,	28-PCRBA-0120	6	24	\$ 136.63
	28-PCP-0110	Up to 1"	Nylon,	28-PCPRB-0110	10	60	\$ 13.22


PIPE CUTTER REPLACEMENT BLADES

These are replacement blades for pipe cutters.

	Part No.		Quantity		List Price - A
			L1	L2	
	28-PCRB-0110	For 28-PC-0110			\$ 9.10
	28-PCRBA-0112	For 28-PC-0112			\$ 16.37
	28-PCRBA-0120	For 28-PC-0120			\$ 22.51
	28-PCPRB-0110	For 28-PCP-0110			\$ 9.10

CONTRACTOR BIN

Boshart's contractor bins are a great plastic storage tote with removable bins. They feature a clear lid with latches to secure contents.

	Part No.		Quantity		List Price - A
			L1	L2	
	28-CBD-09	The bins in this contractor bin are deep, included are: • 3 bins are 6" x 4" x 3-1/2" • 6 bins are 4" x 3" x 3-1/2"	1	10	\$ 44.81
	28-CBD-12	The bins in this contractor bin are deep, included are: • 12 bins are 4" x 3" x 3-1/2"		10	\$ 45.70
	28-CBS-30	The bins in this contractor bin are shallow, included are: • 18 bins are 3" x 2" x 1-3/4" • 12 bins are 2" x 1-1/2" x 1-3/4"		16	\$ 31.72

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

TAPE MEASURES

These tape measures have a heavy duty construction and are rubber encapsulated for durability. They have a locking feature and are imperial as well as metric. Personalization is available on orders of 2000 for the 25' and 3000 for the 6'.



Part No.		Quantity List		
		L1	L2	Price - A
List Price Effective: April 27, 2020				
28-TM06	Swivel Keychain - 6' (2 meters)	10	200	\$ 2.25
28-TM25	Belt clip - 25' (7.5 meters)	10	50	\$ 13.08

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
 boshart.com

CHECK & FOOT VALVES

One-way valves
preventing backflow
for both residential and
industrial applications



INDEX

Product Line	Page
Brass Swing Check Valves	1
Brass Check Valves	1
Control Centre Check Valves	2
Bronze Check Valves	3
Cast Iron Check Valves	3
Ductile Iron Check Valves	4
Plastic Check Valves	5
Stainless Steel Check Valves	6
Auto-drain Valve	6
Replacement Break-off Plug	7
Ball Check Valves	7
Y-Strainer	7
Brass Foot Valves	8
Bronze Foot Valves	8
Cast Iron Foot Valves	9
Plastic Foot Valves	9
Stainless Steel Foot Valves	10
Flapper Foot Valves	10

BRASS SWING CHECK VALVES

Swing check valves ensure that fluid flows in one direction only. They use a disk in the valve that closes when the pressure of the flow decreases ensuring there is no backflow.



Part No.	Size	Connection Type	Quantity List		
			L1	L2	Price - A

List Price Effective: April 27, 2020



Boshart, Temperature Range: Up to 180°F (82°C), Maximum Pressure: 200 PSI
• NSF / ANSI 372 Certified

08060311NL	1/2"	FPT	10	120	\$ 13.55
08060411NL	3/4"	FPT	10	80	\$ 17.89
08060511NL	1"	FPT	5	60	\$ 23.69
08060611NL	1-1/4"	FPT	5	40	\$ 39.97
08060711NL	1-1/2"	FPT	5	30	\$ 51.67
08060811NL	2"	FPT	2	24	\$ 85.23
08060911NL	2-1/2"	FPT	15		\$ 146.38
08061011NL	3"	FPT	6		\$ 208.04
08061111NL	4"	FPT	4		\$ 316.62



Boshart, Temperature Range: Up to 180°F (82°C), Maximum Pressure: 200 PSI
• NSF / ANSI 372 Certified

08060312NL	1/2"	CxC	10	120	\$ 13.55
08060412NL	3/4"	CxC	10	80	\$ 17.89
08060512NL	1"	CxC	5	60	\$ 23.69
08060612NL	1-1/4"	CxC	5	40	\$ 39.97
08060712NL	1-1/2"	CxC	5	30	\$ 51.67
08060812NL	2"	CxC	2	24	\$ 85.23
08060912NL	2-1/2"	CxC	15		\$ 146.38
08061012NL	3"	CxC	6		\$ 208.04

BRASS CHECK VALVES

Brass check valves ensure that fluid flows in one direction only.



Part No.	Size	Connection Type	Quantity List		
			L1	L2	Price - A

List Price Effective: April 27, 2020



Boshart, Standard, Poppet Material: Cast Brass, Seal Material: Nitrile Rubber,
Temperature Range: Up to 180°F (82°C), Maximum Pressure: 200 PSI
• NSF / ANSI 372 Certified

17YBCV050NL	1/2"	FPT	10	100	\$ 12.58
17YBCV075NL	3/4"	FPT	10	80	\$ 16.97
17YBCV100NL	1"	FPT	10	60	\$ 23.49
17YBCV125NL	1-1/4"	FPT	5	40	\$ 32.21
17YBCV150NL	1-1/2"	FPT	5	30	\$ 45.07
17YBCV200NL	2"	FPT	5	20	\$ 73.56
17YBCV300NL	3"	FPT	6		\$ 317.20
17YBCV400NL	4"	FPT	3		\$ 636.96



Flomatic Valves, Union, Poppet Material: Acetal, Seal Material: Nitrile Rubber,
Spring Material: Stainless Steel, Temperature Range: Up to 180°F (82°C), Maximum Pressure: 150 PSI
• NSF / ANSI 372 Certified

17-GF8089E	1/2"	FPT			\$ 128.37
17-GF8080E	3/4"	FPT		25	\$ 140.04
17-GF8081E	1"	FPT			\$ 165.05

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

CONTROL CENTRE CHECK VALVES

Control centre check valves have tappings for accessories such as gauges, switches and snifter valves.
Note: accessories shown are not included.



Part No.	Size	Connection Type	Inlet Tapping	Outlet Tapping	Quantity List		
					L1	L2	Price - A

List Price Effective: April 27, 2020



Boshart, Standard, Poppet Material: Cast Brass, Seal Material: Nitrile Rubber, Temperature Range: Up to 180°F (82°C), Maximum Pressure: 200 PSI
• NSF / ANSI 372 Certified

17YBCVA-100NL	1"	FPT	(1) 1/8" FPT	None	10	60	\$ 22.68
17YBCVA-125NL	1-1/4"	FPT	(1) 1/8" FPT	None	5	40	\$ 36.43



Boshart, Standard, Poppet Material: Cast Brass, Seal Material: Nitrile Rubber, Temperature Range: Up to 180°F (82°C), Maximum Pressure: 200 PSI
• NSF / ANSI 372 Certified

17YBCVB-100NL	1"	FPT	(1) 1/8" FPT	(1) 1/4" FPT	10	60	\$ 23.28
17YBCVB-125NL	1-1/4"	FPT	(1) 1/8" FPT	(1) 1/4" FPT	5	40	\$ 37.02
17YBCVB-150NL	1-1/2"	FPT	(1) 1/8" FPT	(1) 1/4" FPT	5	30	\$ 38.62
17YBCVB-200NL	2"	FPT	(1) 1/8" FPT	(1) 1/4" FPT	5	20	\$ 83.93



Boshart, Standard, Poppet Material: Cast Brass, Seal Material: Nitrile Rubber, Temperature Range: Up to 180°F (82°C), Maximum Pressure: 200 PSI
• NSF / ANSI 372 Certified

17YBCVC-100NL	1"	FPT	(1) 1/8" FPT	(1) 1/4" FPT, (1) 1/8" FPT	10	60	\$ 22.51
17YBCVC-125NL	1-1/4"	FPT	(1) 1/8" FPT	(1) 1/4" FPT, (1) 1/8" FPT	5	40	\$ 35.18

BRONZE CHECK VALVES

Bronze check valves ensure that fluid flows in one direction only.



Part No.	Size	Connection Type	Quantity List		
			L1	L2	Price - A

List Price Effective: April 27, 2020



Boshart, Standard, Poppet Material: Cast Bronze, Seal Material: Nitrile Rubber, Temperature Range: Up to 180°F (82°C), Maximum Pressure: 200 PSI
• NSF / ANSI 372 Certified

17CV050NL	1/2"	FPT			10	100	\$ 15.46
17CV075NL	3/4"	FPT			10	80	\$ 20.23
17CV100NL	1"	FPT			10	60	\$ 28.40
17CV125NL	1-1/4"	FPT			5	40	\$ 46.10
17CV150NL	1-1/2"	FPT			5	30	\$ 52.37
17CV200NL	2"	FPT			5	20	\$ 106.58



Boshart, Standard, Poppet Material: Cast Bronze, Seal Material: Nitrile Rubber, Temperature Range: Up to 180°F (82°C), Maximum Pressure: 200 PSI

17CVMF-125-100NL	1-1/4" x 1"	MPT x FPT			10	60	\$ 48.48
------------------	-------------	-----------	--	--	----	----	----------



Flomatic Valves, Standard, Poppet Material: Stainless Steel, Seal Material: Viton, Spring Material: Stainless Steel, Temperature Range: Up to 400°F (204°C), Maximum Pressure: 100 PSI
• NSF / ANSI 372 Certified

17-4030HTE	3/4"	FPT					\$ 150.04
17-4031HTE	1"	FPT					\$ 151.71
17-4032HTE	1-1/4"	FPT					\$ 208.39
17-4033HTE	1-1/2"	FPT					\$ 276.74
17-4034HTE	2"	FPT					\$ 375.10

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

BRONZE CHECK VALVES

Part No.	Size	Connection Type	Quantity List		Price - A
			L1	L2	

List Price Effective: April 27, 2020



Flomatic Valves, Hex, Poppet Material: Acetal, Seal Material: Nitrile Rubber, Spring Material: Stainless Steel, Temperature Range: Up to 180°F (82°C), Maximum Pressure: 400 PSI
 • NSF / ANSI 372 Certified

17-4201E	1"	FPT			\$ 105.65
17-4202E	1-1/4"	FPT	36		\$ 136.70



Flomatic Valves, Standard, Poppet Material: Acetal, Seal Material: Nitrile Rubber, Spring Material: Stainless Steel, Temperature Range: Up to 180°F (82°C), Maximum Pressure: 400 PSI
 • NSF / ANSI 372 Certified

17-5118E	1/4"	FPT			\$ 109.28
17-5159E	3/8"	FPT			\$ 109.85
17-4029E	1/2"	FPT	100		\$ 79.92
17-4030E	3/4"	FPT	100		\$ 80.94
17-4031E	1"	FPT	1	50	\$ 84.38
17-4032E	1-1/4"	FPT	36		\$ 117.08
17-4033E	1-1/2"	FPT	25		\$ 163.38
17-4034E	2"	FPT	16		\$ 263.41
17-4035E	2-1/2"	FPT			\$ 1,130.31
17-4036E	3"	FPT			\$ 1,363.71
17-4037E	4"	FPT			\$ 2,362.32



Flomatic Valves, Hex - Long Threads, Poppet Material: Acetal, Seal Material: Nitrile Rubber, Spring Material: Stainless Steel, Temperature Range: Up to 180°F (82°C), Maximum Pressure: 400 PSI
 • NSF / ANSI 372 Certified

17-4201XLE	1"	MPT x FPT			\$ 101.69
17-4242XLE	1-1/4"	MPT x FPT	36		\$ 131.70



Flomatic Valves, Hex, Poppet Material: Acetal, Seal Material: Nitrile Rubber, Spring Material: Stainless Steel, Temperature Range: Up to 180°F (82°C), Maximum Pressure: 400 PSI
 • NSF / ANSI 372 Certified
 • 17-4221LE has longer threads for use with PVC pipe.
 • 17-42 Series is hex shaped for easy wrenching.

17-4071E	1"	MPT x FPT			\$ 104.13
17-4221LE	1-1/4" x 1"	MPT x FPT	50		\$ 86.69
17-4242E	1-1/4"	MPT x FPT	36		\$ 115.03
17-4223E	1-1/2" x 1-1/4"	MPT x FPT	36		\$ 166.71
17-4079E	2"	MPT x FPT	16		\$ 273.41

CAST IRON CHECK VALVES

Cast iron check valves ensure that fluid flows in one direction only. They are coated with blue epoxy coating.



Part No.	Size	Connection Type	Quantity List		Price - A
			L1	L2	

List Price Effective: April 27, 2020



Boshart, Standard, Spring Material: Stainless Steel, Temperature Range: Up to 180°F (82°C), Maximum Pressure: 200 PSI
 • NSF / ANSI 372 Certified
 • 2" to 6" ANSI 125 / 250
 • 10" ANSI 125

18WSCVCI-2	2"	Wafer			\$ 713.75
18WSCVCI-2.5	2-1/2"	Wafer			\$ 788.88
18WSCVCI-3	3"	Wafer			\$ 826.44
18WSCVCI-4	4"	Wafer			\$ 1,083.62
18WSCVCI-5	5"	Wafer			\$ 2,138.35
18WSCVCI-6	6"	Wafer			\$ 1,950.52
18WSCVCI-8	8"	Flange			\$ 3,493.60
18WSCVCI-10	10"	Wafer			\$ 5,290.96

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
 boshart.com

CAST IRON CHECK VALVES

Part No.	Size	Connection Type	Quantity List	
			L1	L2 Price - A

List Price Effective: April 27, 2020



Boshart, Split Disc, Spring Material: Stainless Steel, Temperature Range: Up to 180°F (82°C), Maximum Pressure: 200 PSI
• NSF / ANSI 372 Certified

18SDCVCI-2	2"	Wafer		\$ 580.82
18SDCVCI-2.5	2-1/2"	Wafer		\$ 673.29
18SDCVCI-3	3"	Wafer		\$ 748.42
18SDCVCI-4	4"	Wafer		\$ 953.59
18SDCVCI-5	5"	Wafer		\$ 1,537.30
18SDCVCI-6	6"	Wafer		\$ 1,618.21
18SDCVCI-8	8"	Wafer		\$ 2,407.08
18SDCVCI-10	10"	Wafer		\$ 3,638.08
18SDCVCI-12	12"	Wafer		\$ 5,464.34



Boshart, Globe, Spring Material: Stainless Steel, Temperature Range: Up to 180°F (82°C), Maximum Pressure: 200 PSI
• NSF / ANSI 372 Certified

18GSCVCI-2	2"	Flange		\$ 1,031.61
18GSCVCI-2.5	2-1/2"	Flange		\$ 1,381.26
18GSCVCI-3	3"	Flange		\$ 1,514.18
18GSCVCI-4	4"	Flange		\$ 1,990.97
18GSCVCI-5	5"	Flange		\$ 3,482.04
18GSCVCI-6	6"	Flange		\$ 3,216.19
18GSCVCI-8	8"	Flange		\$ 5,059.79
18GSCVCI-10	10"	Flange		\$ 7,585.35
18GSCVCI-12	12"	Flange		\$ 15,005.99

DUCTILE IRON CHECK VALVES

Ductile iron check valves ensure that fluid flows in one direction only.



Part No.	Size	Connection Type	Quantity List	
			L1	L2 Price - A

List Price Effective: April 27, 2020



Flomatic Valves, Standard, Poppet Material: Acetal, Seal Material: Nitrile Rubber, Temperature Range: Up to 180°F (82°C), Maximum Pressure: 400 PSI
• NSF / ANSI 372 Certified

174031DI	1"	FPT	49	\$ 57.25
174032DI	1-1/4"	FPT	36	\$ 80.36
174033DI	1-1/2"	FPT	25	\$ 109.81
177937	2"	FPT	16	\$ 203.39
177936	2-1/2"	FPT		\$ 486.80
177938	3"	FPT	5	\$ 685.19
177939	4"	FPT	4	\$ 1,065.30
174088	5"	FPT		\$ 1,975.55
174089	6"	FPT		\$ 2,450.68
174090	8"	FPT		\$ 4,326.20



Flomatic Valves, VFD, Poppet Material: Ductile Iron, Seal Material: Nitrile Rubber, Temperature Range: Up to 180°F (82°C), Maximum Pressure: 600 PSI
• NSF / ANSI 372 Certified

177937VFD	2"	FPT		\$ 233.40
177936VFD	2-1/2"	FPT		\$ 621.84
177938VFD	3"	FPT		\$ 856.90
177939VFD	4"	FPT		\$ 1,267.02
174088VFD	5"	FPT		\$ 2,377.33
174089VFD	6"	FPT		\$ 2,870.80
174090VFD	8"	FPT		\$ 5,071.41

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

DUCTILE IRON CHECK VALVES

Part No.	Size	Connection Type	Quantity		List Price - A
			L1	L2	

List Price Effective: April 27, 2020



Flomatic Valves, DIX, Poppet Material: Ductile Iron, Seal Material: Nitrile Rubber, Temperature Range: Up to 180°F (82°C), Maximum Pressure: 400 PSI
 • NSF / ANSI 372 Certified

177938DIX	3"	FPT			\$ 648.51
174089DIX	6"	FPT			\$ 1,867.19
174091DIX	10"	FPT			\$ 7,335.37



Flomatic Valves, VFD, Poppet Material: Ductile Iron, Seal Material: Nitrile Rubber, Temperature Range: Up to 180°F (82°C), Maximum Pressure: 600 PSI
 • NSF / ANSI 372 Certified

174084	2"	MPT x FPT	16		\$ 420.12
174083	3"	MPT x FPT	5		\$ 721.87
174077	4"	MPT x FPT			\$ 1,016.95
174075	5"	MPT x FPT			\$ 1,785.50
174087	6" x 5"	MPT x FPT			\$ 1,800.50
174081	6"	MPT x FPT			\$ 2,055.57

PLASTIC CHECK VALVES

Plastic check valves ensure that fluid flows in one direction only.



Part No.	Size	Connection Type	Quantity		List Price - A
			L1	L2	

List Price Effective: April 27, 2020



Flomatic Valves, Primary Material: Acetal, Poppet Material: Nylon 11, Seal Material: Viton, Spring Material: Stainless Steel, Temperature Range: Up to 180°F (82°C), Maximum Pressure: 150 PSI
 • NSF / ANSI 372 Certified

175239	1/2"	FPT			\$ 63.02
175359	3/8"	FPT	10		\$ 48.15



Flomatic Valves, Primary Material: Polypropylene, Poppet Material: Polypropylene, Seal Material: Viton, Spring Material: Stainless Steel, Temperature Range: Up to 180°F (82°C), Maximum Pressure: 150 PSI
 • NSF / ANSI 372 Certified

175357	1/2"	FPT	10		\$ 64.77
175358	3/4"	FPT	10		\$ 78.77



Boshart, Primary Material: PVC, Seal Material: EPDM, Spring Material: 304 Stainless Steel, Temperature Range: Up to 140°F (60°C), Maximum Working Pressure: 100 PSI @ 73°F

1710-05	1/2"	FPT	10	120	\$ 6.09
1710-07	3/4"	FPT	120		\$ 6.67
1710-10	1"	FPT	8	80	\$ 9.75
1710-12	1-1/4"	FPT	6	60	\$ 13.03
1710-15	1-1/2"	FPT	60		\$ 13.47
1710-20	2"	FPT	40		\$ 16.29
1710-30	3"	FPT	6		\$ 181.78
1710S-05	1/2"	Socket	120		\$ 6.09
1710S-07	3/4"	Socket	120		\$ 6.67
1710S-10	1"	Socket	80		\$ 9.75
1710S-12	1-1/4"	Socket	60		\$ 13.03
1710S-15	1-1/2"	Socket	60		\$ 13.47
1710S-20	2"	Socket	40		\$ 16.29



Boshart, Primary Material: PVC, Seal Material: Nitrile Rubber, Spring Material: Stainless Steel, Maximum Working Pressure: 150 PSI @ 73°F
 • NSF / ANSI 14, 61 & 372 Certified
 • Threads: ASME / ANSI B1.20.1

17PCV075	3/4"	FPT	20		\$ 8.04
17PCV100	1"	FPT	20		\$ 8.94
17PCV125	1-1/4"	FPT	20		\$ 11.31
17PCV150	1-1/2"	FPT	20		\$ 14.44
17PCV200	2"	FPT	10		\$ 32.09



Contact your sales rep for any further information

Toll Free: 1-800-561-3164
 boshart.com

STAINLESS STEEL CHECK VALVES

Stainless steel check valves ensure that fluid flows in one direction only. They have a higher corrosion resistance.



Part No.	Size	Connection Type	Quantity List		
			L1	L2	Price - A

List Price Effective: April 27, 2020



Boshart, Standard, Poppet Material: 304 Stainless Steel, Seal Material: Viton, Temperature Range: Up to 180°F (82°C), Maximum Pressure: 200 PSI
• NSF / ANSI 372 Certified

17CVSS-050	1/2"	FPT	10	100	\$ 25.29
17CVSS-075	3/4"	FPT	10	80	\$ 33.44
17CVSS-100	1"	FPT	10	60	\$ 47.16
17CVSS-125	1-1/4"	FPT	5	40	\$ 63.23
17CVSS-150	1-1/2"	FPT	5	30	\$ 85.52
17CVSS-200	2"	FPT	5	20	\$ 144.47
17CVSS-300	3"	FPT	6		\$ 611.84
17CVSS-400	4"	FPT	3		\$ 1,149.10
17CVSSMF-125-100	1-1/4" x 1"	MPT x FPT	10	60	\$ 62.80



Flomatic Valves, Hex, Poppet Material: Delrin, Seal Material: Nitrile Rubber, Spring Material: Stainless Steel, Temperature Range: Up to 180°F (82°C), Maximum Pressure: 400 PSI
• NSF / ANSI 372 Certified

17-4201SS2	1"	FPT			\$ 79.64
17-4202SS2	1-1/4"	FPT		36	\$ 126.04



Flomatic Valves, Standard, Poppet Material: Stainless Steel, Seal Material: Viton, Spring Material: Stainless Steel, Temperature Range: Up to 400°F (204°C), Maximum Pressure: 450 PSI
• NSF / ANSI 372 Certified

17-4031S6	1"	FPT	50		\$ 158.38
17-4032S6	1-1/4"	FPT	36		\$ 243.40
17-4033S6	1-1/2"	FPT	25		\$ 308.42
17-4034S6	2"	FPT	16		\$ 450.13
17-7938S6-PLG	3"	FPT	5		\$ 1,732.15
17-7939S6-PLG	4"	FPT	4		\$ 2,587.39



Flomatic Valves, Union, Poppet Material: Acetal, Seal Material: Nitrile Rubber, Spring Material: Stainless Steel, Temperature Range: Up to 180°F (82°C), Maximum Pressure: 150 PSI
• NSF / ANSI 372 Certified

17-GF8080S6	3/4"	FPT			\$ 239.15
17-GF8081S6	1"	FPT			\$ 232.86

AUTO-DRAIN VALVE

This auto-drain valve is designed for use in domestic well water systems, irrigation and sprinkler systems, agricultural watering. It provides automatic drainage of water lines when line pressure drops below 10 PSI ((approx. 5 gpm) in a closed water system.

Stainless steel spring, fasteners & valve disc.



Part No.	Size	Connection Type	Quantity List		
			L1	L2	Price - A

List Price Effective: April 27, 2020



Flomatic Valves, Temperature Range: Up to 180°F (82°C), Maximum Pressure: 400 PSI
• NSF / ANSI 372 Certified

17-4501P	1"	MPT	12		\$ 80.02
----------	----	-----	----	--	----------

Contact your sales rep for any further information

Toll Free: 1-800-561-3164

boshart.com

REPLACEMENT BREAK-OFF PLUG

These break off plugs are used with check valves. When broken off the riser pipe is able to drain. They are threaded to install into the valve.



Part No.	Size	Quantity List		
		L1	L2	Price - A

List Price Effective: April 27, 2020

Flomatic Valves, Temperature Range: Up to 180°F (82°C), Maximum Pressure: 600 PSI
 • NSF / ANSI 372 Certified



1776098-6	3/8"	For 3" valves		\$ 115.03
1776098-7	3/8"	For 4" valves		\$ 115.03
1776098	3/8"	For 5" or 6" valves		\$ 115.03
1776098-11	1/2"	For 10" valves		\$ 166.71

BALL CHECK VALVES

Ball check valves ensure that fluid flows in one direction only. This is done by using a weighted ball to stop the flow when the pressure of the flow decreases preventing backflow.

• NSF / ANSI 372 Certified



Part No.	Size	Connection Type	Quantity List		
			L1	L2	Price - A

List Price Effective: April 27, 2020

PVC, Ball Material: Nitrile Rubber, Temperature Range: Up to 150°F (66°C), Maximum Pressure: 100 PSI
 Slip connection available. Contact inside sales for details.



172131T	1"	FPT		\$ 141.59
172132T	1-1/4"	FPT		\$ 121.52
172133T	1-1/2"	FPT		\$ 194.53
172134T	2"	FPT		\$ 198.33

Cast Iron, Ball Material: Nitrile Rubber, Temperature Range: Up to 180°F (82°C), Maximum Pressure: 150 PSI



172141	1-1/4"	FPT		\$ 274.52
172142	2"	FPT		\$ 369.88

Cast Iron, Ball Material: Phenolic, Temperature Range: Up to 180°F (82°C), Maximum Pressure: 150 PSI

Note: 3" & 4" don't have an access cover.



173232	1"	FPT		\$ 534.59
173233	1-1/4"	FPT		\$ 546.15
173234	1-1/2"	FPT	10	\$ 563.48
173235	2"	FPT		\$ 661.73
173236	2-1/2"	FPT		\$ 1,545.97
172044	3"	FPT		\$ 1,589.31
172045	4"	Flange		\$ 2,883.88

Y-STRAINER

Y-Strainers come with a clean-out plug and are not rated for steam application.

• NSF / ANSI 372 Certified



Part No.	Size	Connection Type	Quantity List		
			L1	L2	Price - A

List Price Effective: April 27, 2020

Bronze, Temperature Range: Up to 180°F (82°C), Maximum Pressure: 400 PSI




16YS-S-05	1/2"	FPT		\$ 34.27
16YS-S-07	3/4"	FPT	10	\$ 60.59
16YS-S-10	1"	FPT	6	\$ 88.01
16YS-S-12	1-1/4"	FPT	6	\$ 127.67
16YS-S-15	1-1/2"	FPT	2	\$ 186.85
16YS-S-20	2"	FPT	8	\$ 305.06

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
 boshart.com

BRASS FOOT VALVES

Brass foot valves prevent water from back flowing into the water source.



Part No.	Size	Connection Type	Quantity List		
			L1	L2	Price - A

List Price Effective: April 27, 2020



Boshart, Poppet Material: Cast Brass, Seal Material: Nitrile Rubber, Temperature Range: Up to 180°F (82°C), Maximum Pressure: 200 PSI

• NSF / ANSI 372 Certified

17YBFV050NL	1/2"	FPT	10	100	\$ 12.43
17YBFV075NL	3/4"	FPT	10	80	\$ 15.20
17YBFV100NL	1"	FPT	10	60	\$ 20.94
17YBFV125NL	1-1/4"	FPT	5	40	\$ 29.34
17YBFV150NL	1-1/2"	FPT	5	30	\$ 41.88
17YBFV200NL	2"	FPT	5	20	\$ 65.16
17YBFV300NL	3"	FPT	8		\$ 257.04
17YBFV400NL	4"	FPT	4		\$ 453.06

BRONZE FOOT VALVES

Bronze foot valves prevent water from back flowing into the water source.



Part No.	Size	Connection Type	Quantity List		
			L1	L2	Price - A

List Price Effective: April 27, 2020



Boshart, Standard, Poppet Material: Bronze, Seal Material: Nitrile Rubber, Temperature Range: Up to 180°F (82°C), Maximum Pressure: 200 PSI

• NSF / ANSI 372 Certified

17FV050NL	1/2"	FPT	10	100	\$ 16.79
17FV075NL	3/4"	FPT	10	80	\$ 19.55
17FV100NL	1"	FPT	10	60	\$ 26.73
17FV125NL	1-1/4"	FPT	5	40	\$ 35.07
17FV150NL	1-1/2"	FPT	5	30	\$ 48.69
17FV200NL	2"	FPT	5	20	\$ 84.73
17FV300NL	3"	FPT	8		\$ 378.90



Flomatic Valves, Standard, Poppet Material: Acetal, Seal Material: Nitrile Rubber, Spring Material: Stainless Steel, Temperature Range: Up to 180°F (82°C), Maximum Pressure: 250 PSI

• NSF / ANSI 372 Certified

17-4100E	3/4"	FPT	100		\$ 73.12
17-4101E	1"	FPT	49		\$ 81.44
17-4103E	1-1/4"	FPT	36		\$ 98.91
17-4104E	1-1/2"	FPT	25		\$ 158.76
17-4105E	2"	FPT	16		\$ 251.24
17-4106E	2-1/2"	FPT			\$ 831.96
17-4107E	3"	FPT			\$ 1,146.92
17-4108E	4"	FPT			\$ 1,911.53



Flomatic Valves, Slim, Poppet Material: Acetal, Seal Material: Nitrile Rubber, Spring Material: Stainless Steel, Temperature Range: Up to 180°F (82°C), Maximum Pressure: 250 PSI

• NSF / ANSI 372 Certified

• Will pass through a 2" pipe

17-4102E	1-1/4"	FPT	49		\$ 95.51
----------	--------	-----	----	--	----------

Contact your sales rep for any further information

Toll Free: 1-800-561-3164

boshart.com

CAST IRON FOOT VALVES

Cast iron foot valves prevent water from back flowing into the water source.



Part No.	Size	Connection Type	Quantity List	
			L1	L2 Price - A

List Price Effective: April 27, 2020

Flomatic Valves, Poppet Material: Acetal, Seal Material: Nitrile Rubber, Spring Material: Stainless Steel, Temperature Range: Up to 180°F (82°C), Maximum Pressure: 250 PSI
 • NSF / ANSI 372 Certified

174764	2"	FPT		\$ 329.42
174765	2-1/2"	FPT		\$ 456.57
174766	3"	FPT		\$ 569.26
174767	4"	FPT		\$ 699.30
174789	6"	FPT		\$ 2,883.88

PLASTIC FOOT VALVES

Plastic foot valves prevent water from back flowing into the water source.



Part No.	Size	Connection Type	Quantity List	
			L1	L2 Price - A

List Price Effective: April 27, 2020

Flomatic Valves, Primary Material: Acetal, Poppet Material: Nylon 11, Seal Material: Nitrile Rubber, Spring Material: Stainless Steel, Temperature Range: Up to 140°F (60°C), Maximum Working Pressure: 150 PSI @ 73°F
 • NSF / ANSI 372 Certified

175619	3/8"	FPT	10	\$ 32.46
175620	1/2"	FPT	10	\$ 55.90

Boshart, Primary Material: PVC, Poppet Material: Acetal, Seal Material: Nitrile Rubber, Spring Material: Stainless Steel, Maximum Pressure: 150 PSI
 • NSF / ANSI 372 Certified



17PFV075	3/4"	FPT	20	\$ 7.95
17PFV100	1"	FPT	20	\$ 8.55
17PFV125	1-1/4"	FPT	20	\$ 10.34
17PFV150	1-1/2"	FPT	20	\$ 13.15
17PFV200	2"	FPT	10	\$ 19.03
17PFV-250	2-1/2"	FPT	12	\$ 84.03
17PFV-300	3"	FPT	12	\$ 119.69
17PFVB100125	1" or 1-1/4"	Insert	20	\$ 13.70
17PFVM075150	3/4" - 1-1/2"	MPT	20	\$ 14.22

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
 boshart.com

STAINLESS STEEL FOOT VALVES

Stainless steel foot valves prevent water from back flowing into the water source. They have a higher corrosion resistance.



Part No.	Size	Connection Type	Quantity List		
			L1	L2	Price - A
List Price Effective: April 27, 2020					
Boshart, Poppet Material: 304 Stainless Steel, Seal Material: Viton, Temperature Range: Up to 180°F (82°C), Maximum Pressure: 200 PSI					
• NSF / ANSI 372 Certified					
17FVSS-050	1/2"	FPT	10	100	\$ 28.29
17FVSS-075	3/4"	FPT	10	80	\$ 33.08
17FVSS-100	1"	FPT	10	60	\$ 46.60
17FVSS-125	1-1/4"	FPT	5	40	\$ 59.08
17FVSS-150	1-1/2"	FPT	5	30	\$ 77.39
17FVSS-200	2"	FPT	5	20	\$ 138.55
17FVSS-300	3"	FPT	8		\$ 636.11
17FVSS-400	4"	FPT	4		\$ 1,047.16

FLAPPER FOOT VALVES

Flapper foot valves prevent water from back flowing into the water source. They use a flapper that closes when the pressure of the flow decreases ensuring there is no backflow.




Part No.	Size	Connection Type	Quantity List		
			L1	L2	Price - A
List Price Effective: April 27, 2020					
PVC, Seal Material: Nitrile Rubber, 150 PSI @ 73°F					
17PFVF-300	3"	FPT	6		\$ 119.69
17PFVF-400	4"	FPT	6		\$ 211.82
17PFVF-600	6"	FPT	2		\$ 854.59
Cast Iron, Temperature Range: Up to 80°F (27°C), Maximum Pressure: 20 PSI					
174964	2"	FPT			\$ 170.78
174966	3"	FPT			\$ 378.90
174967	4"	FPT			\$ 534.77
174969	6"	FPT			\$ 1,175.97
Cast Iron, Seal Material: EPDM, Temperature Range: Up to 180°F (82°C), Maximum Pressure: 200 PSI					
18FLFVCI-2	2"	Flange			\$ 2,970.57
18FLFVCI-2.5	2-1/2"	Flange			\$ 3,002.35
18FLFVCI-3	3"	Flange			\$ 3,031.25
18FLFVCI-4	4"	Flange			\$ 3,664.09
18FLFVCI-5	5"	Flange			\$ 4,955.76
18FLFVCI-6	6"	Flange			\$ 5,579.93
18FLFVCI-8	8"	Flange			\$ 8,070.81
18FLFVCI-10	10"	Flange			\$ 11,200.31
18FLFVCI-12	12"	Flange			\$ 16,916.06

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

PITLESS ADAPTERS WELL CAPS WELL SEALS

Major components for
industrial and residential
well assembly in a range
of sizes and materials



INDEX

Product Line	Page
Standard Pitless Adapters	1
Pressurized Pitless Adapters	1
Tapped Pitless Adapters	2
Clamp On Pitless Adapters	2
Weld On Pitless Adapters	3
Wrap Around Pitless Adapters - PVC Casing	3
Clear Way Pitless Adapters - Steel Casing	3
Concrete Tile Pitless Adapters	3
Double Drop Pipe Pitless Adapters	4
Bronze Wire Spud	4
Pitless Adapter Accessories	4
Industrial Pitless Units	4
Plain Well Caps	6
Conduit Well Caps	6
WTC Series Watertight Well Caps	7
WTMLC Series Watertight Well Caps	8
WTCC Series Watertight Well Caps	9
WTCL Series Watertight Well Caps	9
WTCL Series Premium Watertight Well Cap	9
Premium Watertight Well Cap Accessories	10
Plastic Well Seals	11
Cast Iron Well Seals	12
Steel Well Seals	13
Well Seal Accessories	14

STANDARD PITLESS ADAPTERS

Boshart's standard pitless adapters are designed to make raising a submersible pump for service or replacement easier. They feature gaskets for sealing on the casing.



Part No.	Size	Well Casing Size	Drop Pipe Size	Hole Saw Size	Maximum Load - Lbs	Quantity		List Price - A
						L1	L2	

List Price Effective: April 27, 2020



Bronze, Boshart
 • NSF/ANSI 372 Certified
 • Large gasket for more efficient sealing on casing

PA-800NL	1"	5" to 12"	1"	1-3/4"	900	16		\$ 98.66
----------	----	-----------	----	--------	-----	----	--	----------



Bronze, Boshart
 • NSF/ANSI 372 Certified
 • Water Systems Council Listed PAS-97
 • Large gasket for more efficient sealing on casing



PA-100NL	1"	5" to 12"	1"	1-3/4"	2000	16		\$ 103.45
PA-125NL	1-1/4"	5" to 12"	1-1/4"	2-1/8"	2000	10		\$ 180.40
PA-200NL	2"	5-5/8" to 12"	2"	3-1/8"	5000	4		\$ 457.24



Bronze, Sealwell
 • NSF/ANSI 372 Certified
 • Large gasket for more efficient sealing on casing

P-100NL	1"	5" to 12"	1"	1-3/4"	2000	16		\$ 124.85
---------	----	-----------	----	--------	------	----	--	-----------



Bronze, Dicken
 • NSF/ANSI 372 Certified

JR-S-10NL	1"	4-1/2" to 12"	1"	1-3/4"	1500	12		\$ 151.82
LD-S-10NL	1"	5" to 12"	1"	1-3/4"	2000	12		\$ 234.80
LD-S-12NL	1-1/4"	5" to 12"	1-1/4"	2-1/8"	2000	8		\$ 371.24
S-20NL	2"	5-5/8" to 12"	2"	3-1/8"	5000	4		\$ 738.82



304 Stainless Steel, Boshart
 • NSF/ANSI 372 Certified
 • Large gasket for more efficient sealing on casing

P-800-SS	1"	5" to 12"	1"	1-3/4"	6000	18		\$ 96.72
----------	----	-----------	----	--------	------	----	--	----------



304 Stainless Steel, Boshart
 • NSF/ANSI 372 Certified
 • Water Systems Council Listed PAS-97
 • Large gasket for more efficient sealing on casing



P-100-SS	1"	5" to 12"	1"	1-3/4"	6000	18		\$ 138.40
P-125-SS	1-1/4"	5" to 12"	1-1/4"	2-1/8"	6000	8		\$ 196.88
P-150-SS	1-1/2"	5" to 12"	1-1/2"	2-1/2"	6000	4		\$ 394.80
P-200-SS	2"	5" to 12"	2"	3-1/8"	6000	4		\$ 504.79

PRESSURIZED PITLESS ADAPTERS

For installations requiring a pressurized point of attachment. A small hole between the internal and external gaskets ensures a positive pressure and seal to the well casing. Approved for use in the state of Illinois.

Part No.	Size	Well Casing Size	Drop Pipe Size	Hole Saw Size	Maximum Load - Lbs	Quantity		List Price - A
						L1	L2	

List Price Effective: April 27, 2020



Bronze, Boshart
 • NSF/ANSI 372 Certified



PA-100-PNL	1"	5" to 12"	1"	1-3/4"	2000	16		\$ 176.36
PA-125-PNL	1-1/4"	5" to 12"	1-1/4"	2-1/8"	2000	10		\$ 257.91

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
 boshart.com

TAPPED PITLESS ADAPTERS

Boshart's tapped pitless adapters are designed for underground tanks / dirty water to make service or replacement easier. They feature gaskets for sealing on the casing and a 1/4" FPT tapping.



Part No.	Primary Material	Well Casing Size	Drop Pipe Size	Hole Saw Size	Maximum Load - Lbs	Quantity		List Price - A
						L1	L2	

List Price Effective: April 27, 2020

1"

These tapped pitless adapters are for underground water well tank installations. The tapping provides a means to connect poly tubing to the pressure switch, located near the buried tank.

P-100-SS-T	304 Stainless Steel	5" to 12"	1"	1-3/4"	6000	16		\$ 208.26
PA-800-TNL	Bronze	5" to 12"	1"	1-3/4"	900	16		\$ 168.12

1-1/4"

These are for dirty water applications. The tapping provides a means to connect a 1/4" pipe to the pitless to allow for easy removal of the pitless unit and pump. The pipe is guided by a rail / guide system (not included) that aligns the pitless elbow with the pitless slide when reinstalling.

P-125-SS-T	304 Stainless Steel	5" to 12"	1-1/4"	2-1/8"	6000	8		\$ 230.14
PA-125-TNL	Bronze	5" to 12"	1-1/4"	2-1/8"	2000	10		\$ 257.91

2"

These are for dirty water applications. The tapping provides a means to connect a 1/4" pipe to the pitless to allow for easy removal of the pitless unit and pump. The pipe is guided by a rail / guide system (not included) that aligns the pitless elbow with the pitless slide when reinstalling.

P-200-SS-T	304 Stainless Steel	5" to 12"	2"	3-1/8"	6000	4		\$ 573.69
PA-200-TNL	Bronze	5-5/8" to 12"	2"	3-1/8"	5000	4		\$ 522.77

CLAMP ON PITLESS ADAPTERS

Clamp on pitless adapters clamp around the well casing. They have a neoprene gasket for sealing the housing to the outside of the well casing and is held in place with stainless steel straps and hardware.



Part No.	Well Casing O.D.	Drop Pipe Size	Maximum Load - Lbs	Quantity		List Price - A
				L1	L2	

List Price Effective: April 27, 2020

MAASS

09-4JC1NL	4-1/2"	1"	4000			\$ 377.08
09-5ODJC1NL	4.95" to 5"	1"	4000			\$ 387.37
09-5JC1NL	5-9/16"	1"	4000			\$ 387.37
09-6ODJC1NL	5.9" to 6"	1"	4000			\$ 408.34
09-6JC1NL	6-5/8"	1"	4000			\$ 408.56
09-7JC1NL	7"	1"	4000			\$ 569.45
09-4JC1.25NL	4-1/2"	1-1/4"	4000			\$ 462.49
09-5JC1.25NL	5-9/16"	1-1/4"	4000			\$ 484.24
09-5ODJC1.25NL	4.95" to 5"	1-1/4"	4000			\$ 484.24
09-6JC1.25NL	6-5/8"	1-1/4"	4000			\$ 489.72
09-6ODJC1.25NL	5.9" to 6"	1-1/4"	4000			\$ 489.72
09-7JC1.25NL	7"	1-1/4"	4000			\$ 614.28

Contact your sales rep for any further information

Toll Free: 1-800-561-3164

boshart.com

WELD ON PITLESS ADAPTERS

Weld on pitless adapters are designed for shallow or deep settings and high working pressures. They have a 8° slip fitting for easy installation and removal of the insert. No obstruction is left in the well casing when the insert is pulled out.



Part No.	Well Casing O.D.	Drop Pipe Size	Maximum Load - Lbs	Quantity		List Price - A
				L1	L2	
MAASS						
09-4J1.25NL	4" to 5"	1-1/4"	5000			\$ 394.28
09-4J1.5NL	4" to 5"	1-1/2"	5000			\$ 523.63
09-6J1.5NL	6" or larger	1-1/2"	5000			\$ 523.63
09-5J2NL	5"	2"	6000			\$ 757.81
09-6J2NL	6" or larger	2"	5000			\$ 757.81
09-6J2.5NL	6" or larger	2-1/2"	8000			\$ 1,374.45
09-8J3NL	8" or larger	3"	10000			\$ 2,383.77
09-10J4NL	10" or larger	4"	16000			\$ 3,403.00

List Price Effective: April 27, 2020

WRAP AROUND PITLESS ADAPTERS - PVC CASING

Wrap around pitless adapters come with a strap that wraps around a PVC well casing to secure it in place.



Part No.	Well Casing O.D.	Well Casing I.D.	Drop Pipe Size	Maximum Load - Lbs	Quantity		List Price - A
					L1	L2	
Dicken							
CW-4-10-WANL	4-1/2"	4"	1"	2000	6		\$ 405.44
CW-4-5-10-WANL	5"	4-1/2"	1"	2000	6		\$ 439.60
CW-5-10-WANL	5-9/16"	5"	1"	2000	6		\$ 447.29

List Price Effective: April 27, 2020

CLEAR WAY PITLESS ADAPTERS - STEEL CASING

Clear way pitless adapters come with a strap that wraps around a steel well casing to secure it in place.



Part No.	Well Casing O.D.	Well Casing I.D.	Drop Pipe Size	Maximum Load - Lbs	Quantity		List Price - A
					L1	L2	
Dicken							
CW-4-10NL	4-1/2"	4"	1"	2000	6		\$ 356.33
CW-5-10NL	5" or 5-9/16"	4-1/2" or 5"	1"	2000	6		\$ 367.23
CW-6-10NL	6" or 6-5/8"	5-5/8" or 6"	1"	2000	6		\$ 429.20

List Price Effective: April 27, 2020

CONCRETE TILE PITLESS ADAPTERS

Concrete tile pitless adapters have an extended shank to allow the pitless slide to be installed through a cement casing with a maximum thickness of 3". The 1-1/4" adapter is ideal for sewage disconnects on grinder pumps in cement tanks.



Part No.	Size	Drop Pipe Size	Hole Saw Size	Maximum Load - Lbs	Quantity		List Price - A
					L1	L2	
Bronze, Boshart							
PA-100-CTNL	1"	1"	1-3/4"	2000	12		\$ 158.37
PA-125-CTNL	1-1/4"	1-1/4"	2-1/8"	2000	10		\$ 288.71

List Price Effective: April 27, 2020

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

DOUBLE DROP PIPE PITLESS ADAPTERS

Double drop pipe pitless adapters allow for two pipes to go down the well, generally used in jet pump applications.



Part No.	Well Casing Size	Drop Pipe Size	Hole Saw Size	Maximum Load - Lbs	Quantity		List Price - A
					L1	L2	
List Price Effective: April 27, 2020							
Dicken							
LD-2XNL	4-1/2" to 12"	1" & 1-1/4"	1-3/4" & 2-1/8"	2000	6		\$ 581.26
Boshart							
• Water System Council Listed PAS-97							
PA-2XNL	4-1/2" to 12"	1" & 1-1/4"	1-3/4" & 2-1/8"	2000	6		\$ 367.22



BRONZE WIRE SPUD

Boshart's wire spud are attached to a well casing, for many reasons including bulkhead fittings, electrical conduit and well drain. The rubber gasket prevents any ground water contamination. Provide long life and durability in aggressive well conditions.



Part No.	Size	Quantity		List Price - A
		L1	L2	
List Price Effective: August 01, 2018				
WS-100	1"	16		\$ 79.46

PITLESS ADAPTER ACCESSORIES

These accessories are for pitless adapters.



Part No.	Size	Description	Quantity		List Price - A
			L1	L2	
List Price Effective: March 30, 2020					
Hole Saw					
The high speed cutting edge is electron-beam welded to a tough alloy back. These hole saws cut clean and accurately through virtually any machinable material. Knockout holes allow for easy removal of the cores. Contact inside sales for additional sizes.					
28-HS134	1-3/4"	Use to install 1" pitless adapters			\$ 39.70
28-HS212	2-1/2"	Use to install 1-1/2" pitless adapters			\$ 51.35
28-HS218	2-1/8"	Use to install 1-1/4" pitless adapters			\$ 49.41
28-HS318	3-1/8"	Use to install 2" pitless adapters			\$ 54.36



Pilot Drill					
Replacement pilot drill for arbor and hole saws.					
28-HSPD	1/4"		10		\$ 12.80



Quick Change Arbor					
This quick change arbor provides fast interchanging of hole saws without arbor removal from chuck. The hex shank prevents slippage in chuck. For hole saws 1-1/4" to 6" in diameter.					
28-HSA	7/16"	Hex Shank			\$ 53.21




Silicone Lubricant					
This silicone lubricant retains it's paste like consistency and will not soften or flow over the temperature range listed. It is highly water repellent and resistant to oxidation. Provides a mild chemical barrier coating.					
P-LUBE	4 oz.		100		\$ 29.41

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

INDUSTRIAL PITLESS UNITS



Boshart's Industrial Pitless Units are designed and precision-machined for heavy duty municipal and industrial water well applications.

Benefits include:

- Quick Installation
- Easy to Service
- Economical
- Sanitary
- Frost Proof
- Durable
- Maximum Corrosion Protection
- Readily Available
- Certified to Industry Standards
 - NSF/ANSI/CAN Standard 61 Certified
 - NSF/ANSI Standard 372 Certified
 - ASSE Standard #1093-2019, Water System Council Standard PAS-97



Please contact inside sales for more information on our industrial pitless units and accessories. Full details are available in our Booklet, and request forms available upon request.

Part Number Convention:

P 08 D W B 6 F 4 F 4 N C

P	08	D	W	B	6	F	4	F	4	N	C
											Well Cap: C = Cast Iron, N = No Cap,
											Well / Spool Type: N = Normal Well (Open Through Passages) F = Flowing Well (Closed Spool with Tapings for Cable Seals).
											Discharge Connection Size.
											Discharge Connection Type (FPT).
											Drop Pipe Connection Size.
											Drop Pipe Connection Type (FPT).
											Bury Depth (feet) 3', 4', 5', 6', 7', 8', 9', 10'
											Upper Barrel Type: "B" = (Black Painted Steel) Standard/ Schedule 40 0.28" wall "I" = (Black Painted Steel) with Isolation Flange "S" = (304 Stainless Steel) Schedule 40 0.25" wall "H" = (304 Stainless Steel) Standard / Schedule 40 0.28" wall "P" = (PVC) Schedule 40 0.28" wall All are supplied with Hold-Down Hook / Torque Arrestor Assemblies
											Well Casing Connection = W (Weld Nipple) as standard option.
											Material: D (Ductile Iron) or S (Stainless Steel).
											Well Casing Size. 5', 6', 7', 8', 10' and 12'
											Pitless Unit (Spool Type).

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

PLAIN WELL CAPS

These heavy duty plain well caps use stainless steel screws for securing the cap to the well casing. A well log is provided inside each cap to record installation data and specifications.



Part No.	Well Casing O.D.	Well Casing I.D.	Quantity		List Price - A
			L1	L2	

List Price Effective: April 27, 2020



Aluminum, Boshart

• 3 set screws for securing

WCP-A06	6-5/8"	6"	24		\$ 25.45
---------	--------	----	----	--	----------



Aluminum, Dicken

• 1 set screw for securing

PC-4	4-1/2"	4"	36		\$ 36.83
PC-566	6" or 6-5/8"	5-5/8" or 6"	21		\$ 73.53
PC-66	7"	6-5/8"	21		\$ 78.33

CONDUIT WELL CAPS

Boshart's conduit well caps are designed to provide extra clearance for pump cable. They have three stainless steel set screws for securing the cap to the well casing and one stainless steel screw to secure the conduit pipe. A well log is provided inside each cap to record installation data and specifications.



Part No.	Well Casing O.D.	Well Casing I.D.	Conduit Connection	Quantity		List Price - A
				L1	L2	

List Price Effective: April 27, 2020



Aluminum, Standard Boshart

WCC-A04	4-1/2"	4"	1" FPT	36		\$ 21.02
WCC-A045	5"	4-1/2"	1" FPT	30		\$ 24.79
WCC-A05	5-9/16"	5"	1" FPT	30		\$ 26.08
WCC-A056	6"	5-5/8"	1" FPT	30		\$ 29.95
WCC-A06	6-5/8"	6"	1" FPT	20		\$ 28.47
WCC-A066	7"	6-5/8"	1" FPT	20		\$ 31.28
WCC-A08	8-5/8"	8"	1" FPT	16		\$ 57.96
WCC-A10	10-3/4"	10"	1" FPT	10		\$ 111.23



Aluminum, Locking Boshart

• Lock not included

WCCL-A06	6-5/8"	6"	1" FPT	20		\$ 28.61
----------	--------	----	--------	----	--	----------



Cast Iron, Powder Coat Painted Boshart

CC-6-CI	6-5/8"	6" or 6-1/4"	1" FPT	12		\$ 39.95
---------	--------	--------------	--------	----	--	----------

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

WTC SERIES WATERTIGHT WELL CAPS

Boshart's watertight well caps are easy to install and provide easy access for maintenance. They feature large screened air vents making them vermin proof. The design offers greater clearance for submersible pump cable and each well cap has a grounding terminal with a bolt. Two O-rings ensure a reliable watertight seal both between the well casing & retainer ring as well as between the seal cover & retainer ring. Stainless steel hardware is used for maximum corrosion resistance. A well log is provided inside each cap to record installation data and specifications. Each well cap has a grounding terminal with a bolt.



• Water System Council Listed PAS-97

Part No.	Well Casing O.D.	Well Casing I.D.	Conduit Connection	Air Vent	Quantity		List Price - A
					L1	L2	

List Price Effective: April 27, 2020

**For Steel or PVC Well Casings
Aluminum, Standard**



WTC-A04	4-1/2"	4"	1" FPT	(2) 3/4"	16		\$ 55.66
WTC-A05	5-9/16"	5"	1" FPT	(2) 3/4"	12		\$ 60.98
WTC-A06	6-5/8"	6"	1" FPT	(2) 3/4"	12		\$ 66.47
WTC-A06-12	6-5/8"	6"	1-1/4" FPT	(2) 3/4"	12		\$ 68.47

**For Steel or PVC Well Casings
Aluminum, Powder Coat Painted**



WTC-A06-12-BLUE	6-5/8"	6"	1-1/4" FPT	(2) 3/4"	12		\$ 78.80
WTC-A06-BLUE	6-5/8"	6"	1" FPT	(2) 3/4"	12		\$ 76.51

**For Steel or PVC Well Casings
Cast Iron, Powder Coat Painted**



WTC-C06	6-5/8"	6"	1" FPT	(2) 3/4"	6		\$ 86.27
WTC-C06-12	6-5/8"	6"	1-1/4" FPT	(2) 3/4"	6		\$ 88.86

**For Steel or PVC Well Casings
PVC & Aluminum, Standard**



WTC-PA06	6-5/8"	6"	1" FPT	(2) 3/4"	1	12	\$ 61.14
----------	--------	----	--------	----------	---	----	----------

**For PVC Well Casings
ABS, Glue-on**



• WTC-G-P0625-06 includes a casing adapter that can be glued onto the well casing for flexibility where casing sizes may vary.

WTC-G-P0625	6.9"	6-1/4"	1" FPT	(2) 3/4"	12		\$ 40.90
WTC-G-P0625-06	6-5/8" or 6.9"	6" or 6-1/4"	1" FPT	(2) 3/4"	1	12	\$ 45.24

**For PVC Well Casings
Aluminum & ABS, Glue-on**



• WTC-G-AP0625-06 includes a casing adapter that can be glued onto the well casing for flexibility where casing sizes may vary.

WTC-G-AP0625	6.9"	6-1/4"	1" FPT	(2) 3/4"	12		\$ 52.08
WTC-G-AP0625-06	6-5/8" or 6.9"	6" or 6-1/4"	1" FPT	(2) 3/4"	1	12	\$ 56.41

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

WTMLC SERIES WATERTIGHT WELL CAPS

Boshart's watertight miracle locking well caps are easy to install and provide easy access for maintenance. They feature large screened air vents making them vermin proof. The design offers greater clearance for submersible pump cable and each well cap has a grounding terminal with a bolt. Two O-rings ensure a reliable watertight seal both between the well casing & retainer ring as well as between the seal cover & retainer ring. Stainless steel hardware is used for maximum corrosion resistance. A well log is provided inside each cap to record installation data and specifications.

The locking feature provides a secure & tamper-proof installation. Lock not included.

• Water System Council Listed PAS-97



Part No.	Well Casing O.D.	Well Casing I.D.	Conduit Connection	Air Vent	Quantity		List Price - A
					L1	L2	

List Price Effective: April 27, 2020

For Steel or PVC Well Casings Aluminum, Locking



WTMLC-A04	4-1/2"	4"	1" FPT	(2) 3/4"	20		\$ 63.01
WTMLC-A045	5"	4-1/2"	1" FPT	(2) 3/4"	16		\$ 66.94
WTMLC-A05	5-9/16"	5"	1" FPT	(2) 3/4"	16		\$ 69.78
WTMLC-A06	6-5/8"	6"	1" FPT	(2) 3/4"	12		\$ 73.65
WTMLC-A06-12	6-5/8"	6"	1-1/4" FPT	(2) 3/4"	12		\$ 75.10
WTMLC-A066	7"	6-5/8"	1" FPT	(2) 3/4"	12		\$ 91.51

For Steel or PVC Well Casings Aluminum, Locking - Powder Coat Paint



WTMLC-A045-BLUE	5"	4-1/2"	1" FPT	(2) 3/4"	16		\$ 76.98
WTMLC-A056-BLUE	6"	5-5/8"	1" FPT	(2) 3/4"	16		\$ 83.92
WTMLC-A05-BLUE	5-9/16"	5"	1" FPT	(2) 3/4"	16		\$ 79.93
WTMLC-A06-BLUE	6-5/8"	6"	1" FPT	(2) 3/4"	12		\$ 85.28

For PVC Well Casings Aluminum, Locking Glue-on



• WTMLC-G-AP0625-06 includes a casing adapter that can be glued onto the well casing for flexibility where casing sizes may vary.

WTMLC-G-AP04	4-1/2"	4"	1" FPT	(2) 3/4"	20		\$ 51.25
WTMLC-G-AP045	4.95"	4-1/2"	1" FPT	(2) 3/4"	16		\$ 54.03
WTMLC-G-AP05	5.563"	5"	1" FPT	(2) 3/4"	16		\$ 55.70
WTMLC-G-AP0625	6.9"	6-1/4"	1" FPT	(2) 3/4"	12		\$ 62.88

WELL CAP CASING ADAPTER

This well cap casing adapter is glued onto a 6-5/8" PVC well casing to allow the use of a 6.9" well cap.
Primary Material: PVC



Part No.	Size	Quantity		List Price - A
		L1	L2	

List Price Effective: November 02, 2009



WCCA-G0625-G06	6.9" x 6-5/8"	12		\$ 2.89
----------------	---------------	----	--	---------

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

WTCC SERIES WATERTIGHT WELL CAPS

Boshart's watertight well caps have a wide gasket that provides a positive compression seal between the well casing and cap as well as the cap cover and retainer ring. This well cap is designed with a deep pocket for sealing unevenly cut casings as the gasket will seal as far as 1-1/2" from the top of the casing. Compression is achieved by tightening five bolts. They feature two large screened air vents making them vermin proof. This design offers increased clearance for submersible pump cable. Locking feature provides a secure/ tamper proof installation. Lock not included.



• Water System Council Listed PAS-97

Part No.	Well Casing O.D.	Well Casing I.D.	Conduit Connection	Air Vent	Quantity		List Price - A
					L1	L2	

List Price Effective: April 27, 2020



**For Steel or PVC Well Casings
Cast Iron, Locking - Powder Coat Paint**

WTCC-66-CI	7"	6-5/8"	1-1/4" FPT	(2) 3/4"	6	\$ 115.42
WTCC-6-CI	6-5/8"	6" or 6-1/4"	1" FPT	(2) 3/4"	6	\$ 92.39
WTCC-6-CI-12	6-5/8"	6" or 6-1/4"	1-1/4" FPT	(2) 3/4"	6	\$ 102.12

WTCL SERIES WATERTIGHT WELL CAPS

Boshart's watertight well caps are easy to install and easy to access for maintenance. They feature large screened air vents making them vermin proof. This design offers greater clearance for submersible pump cable and the O-ring system ensures a reliable watertight seal. Stainless steel hardware ensures maximum corrosion resistance.



Part No.	Well Casing O.D.	Well Casing I.D.	Conduit Connection	Air Vent	Quantity		List Price - A
					L1	L2	

List Price Effective: April 27, 2020



**For Steel or PVC Well Casings
Aluminum, Locking**

WTCL-A08	8-5/8"	8"	1-1/4" FPT	(2) 3/4"	8	\$ 143.37
WTCL-A10	10-3/4"	10"	1-1/4" FPT	(2) 3/4"	5	\$ 345.07
WTCL-A12	12-3/4"	12"	1-1/4" FPT	(2) 3/4"	5	\$ 429.23

WTCL SERIES PREMIUM WATERTIGHT WELL CAP

Boshart's premium watertight well cap installs fast & simply allowing for easy access to the well for maintenance. The three piece design allows the cover to be removed without disturbing the seal to the well casing, or interfering with the wiring / conduit. A blue powder coat paint is baked on to ensure superior quality.

It features a thick, heavy duty SBR gasket and a deep socket to ensure the watertight seal is down from the top of the well casing. All hardware is stainless steel for maximum corrosion resistance. This cap is supplied with a grounding terminal and the metal cap is bonded to the steel casing with set screws.

A 2" mushroom venting cap with a steel mesh makes them vermin proof and a locking feature provides a secure/ tamper proof design. Lock is not included. Cap can be personalized by means of an engraved aluminum plate which is affixed by drive rivets.

• Water Systems Council Listed PAS-97



Part No.	Well Casing O.D.	Well Casing I.D.	Conduit Connection	Air Vent	Quantity		List Price - A
					L1	L2	

List Price Effective: April 27, 2020



**For Steel or PVC Well Casings
Cast Iron**

WTCL-C08	8-5/8"	8"	2" FPT	(1) 2" MVC		\$ 872.05
----------	--------	----	--------	------------	--	-----------

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

WTCL SERIES PREMIUM WATERTIGHT WELL CAPS

Boshart's premium watertight well caps provide easy access to the well without interfering with the seal to the casing or conduit wiring. These caps have a three piece design and have a blue powder coat paint that is baked on to ensure superior quality. They feature thick, heavy duty SBR gaskets and all stainless steel hardware for maximum corrosion resistance.

The caps are supplied with a grounding terminal and the metal cap is bonded to the steel casing with set screws. Venting cap has a steel mesh to ensure they are vermin proof and two accessory ports for field installation of accessories. A locking feature provides a secure / tamper proof design.

Stop tabs allow for easy and accurate positioning of the lower assembly.

• Water Systems Council Listed PAS-97



Part No.	Well Casing O.D.	Well Casing I.D.	Conduit Connection	Quantity		List Price - A
				L1	L2	

List Price Effective: April 27, 2020

For Steel or PVC Well Casings Cast Iron

WTCL-C10	10-3/4"	10"	4" FPT			\$ 3,003.71
WTCL-C12	12-3/4"	12"	4" FPT			\$ 3,456.93
WTCL-C14	14"	13.18"	4" FPT			\$ 3,708.26

PREMIUM WATERTIGHT WELL CAP ACCESSORIES

These accessories are for the premium watertight cast iron well caps. For more information please contact inside sales.

Part No.	Description	Quantity		List Price - A
		L1	L2	

List Price Effective: April 27, 2020



Conduit Adapter Cast Iron,

These adapters convert the 4" FPT conduit connection to (1) 2" FPT and (1) 1" FPT conduit connections allowing for the separation of power cables and other sensor wiring. They are coated with a durable blue powder coat paint.

WTCL-CA40-2010		12		\$ 167.19
----------------	--	----	--	-----------



Cable Seal Assembly Stainless Steel,

These cable seal assemblies provide a watertight / vermin proof barrier between the conduit piping and the well chamber of the well cap. The plates and hardware are stainless steel for maximum corrosion resistance. Outside diameter is 4" and the gasket material is SBR rubber.

WTCL-CS40-312-4	Cable Range: 0.14" to 0.311"			\$ 478.41
WTCL-CS40-437-4	Cable Range: 0.312" to 0.437"			\$ 478.43
WTCL-CS40-563-4	Cable Range: 0.437" to 0.563"			\$ 478.43
WTCL-CS40-700-4	Cable Range: 0.563" to 0.7"			\$ 478.43



Vent Cap Cast Iron,

Vent caps are for the premium watertight well caps and feature a 60 mesh stainless steel screen. They have a 2" MPT thread and come with a cotter key to lock the vent in place. A blue powder coat paint is applied for durability.

WTCL-VC-08	For 8" Well Cap			\$ 35.82
WTCL-VC-1014	For 10", 12" or 14" Well Caps			\$ 78.66

Locking Pin

304 Stainless Steel,

This locking pin is for accessory ports on the 10", 12" or 14" WTCL-C series well caps. A 5/16" hole through the pin is for a lock.

WTCL-CLP		100		\$ 21.53
----------	--	-----	--	----------



Depth Tester Kit

Depth tester kits are for measuring the level of water that is in the well.

WCDTK				\$ 316.10
-------	--	--	--	-----------



Water Sampling Valve Kit

Water sampling valves provide a means to acquire a water sample at the well head. This water sampling valve kit has a non-freeze design which allows for sampling in all seasons. The kit comes complete with a valve, lockable cap and union connection for quick and easy installation.

WSVK05-12				\$ 802.14
-----------	--	--	--	-----------

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

PLASTIC WELL SEALS

Plastic well seals allow for larger conduit cables. Grommet kits include both a round and slotted gasket for twisted or flat jacketed pump cables.

Options for a split well seal (add S at end of part number) or stainless steel hardware (add -SH at end of part number) are available, contact inside sales for more information.



Part No.	Grommet Kit Included	Well Casing I.D.	Conduit Connection	Vent Size	Drop Pipe Size	Quantity		List Price - A
						L1	L2	

List Price Effective: March 30, 2020

Blank

• Supplied with a plug for the conduit connection



WSP40	Yes	4"	3/4" FPT	1/2"		1	16	\$ 25.54
WSP42	Yes	4-1/4"	3/4" FPT	1/2"		1	16	\$ 26.09
WSP50	Yes	5"	1" FPT	1/2"		1	8	\$ 32.35
WSP52	Yes	5-1/4"	1" FPT	1/2"		1	8	\$ 33.18
WSP60	Yes	6"	1" FPT	1/2"		1	8	\$ 36.31
WSP62	Yes	6-1/4"	1" FPT	1/2"		1	8	\$ 36.87

Single Hole



WSP4010	Yes	4"	3/4" FPT	1/2"	1"	1	16	\$ 25.44
WSP4012	Yes	4"	3/4" FPT	1/2"	1-1/4"	1	16	\$ 25.23
WSP4015	Yes	4"	3/4" FPT	1/2"	1-1/2"	1	16	\$ 25.21
WSP4210	Yes	4-1/4"	3/4" FPT	1/2"	1"	1	16	\$ 25.99
WSP4212	Yes	4-1/4"	3/4" FPT	1/2"	1-1/4"	1	16	\$ 25.80
WSP4215	Yes	4-1/4"	3/4" FPT	1/2"	1-1/2"	1	16	\$ 25.76
WSP4220	Yes	4-1/4"	3/4" FPT	1/2"	2"	1	16	\$ 24.02
WSP5010	Yes	5"	1" FPT	1/2"	1"	1	8	\$ 32.02
WSP5012	Yes	5"	1" FPT	1/2"	1-1/4"	1	8	\$ 32.15
WSP5015	Yes	5"	1" FPT	1/2"	1-1/2"	1	8	\$ 32.05
WSP5020	Yes	5"	1" FPT	1/2"	2"	1	8	\$ 31.74
WSP5210	Yes	5-1/4"	1" FPT	1/2"	1"	1	8	\$ 32.84
WSP6010	Yes	6"	1" FPT	1/2"	1"	1	8	\$ 36.25
WSP6012	Yes	6"	1" FPT	1/2"	1-1/4"	1	8	\$ 36.18
WSP6015	Yes	6"	1" FPT	1/2"	1-1/2"	1	8	\$ 36.03
WSP6020	Yes	6"	1" FPT	1/2"	2"	1	8	\$ 35.64
WSP6210	Yes	6-1/4"	1" FPT	1/2"	1"	1	8	\$ 36.78
WSP6212	Yes	6-1/4"	1" FPT	1/2"	1-1/4"	1	8	\$ 36.72
WSP6215	Yes	6-1/4"	1" FPT	1/2"	1-1/2"	1	8	\$ 36.58
WSP6220	Yes	6-1/4"	1" FPT	1/2"	2"	1	8	\$ 36.19

Raised Supports, Single Hole

• This well seal has raised supports which the drop pipe fitting rests on, this keeps the fittings above the nuts and conduit bushing making it possible to incorporate a 3/4" cable hole.



WSP4020	Yes	4"	3/4" FPT	1/2"	2"	1	16	\$ 23.51
---------	-----	----	----------	------	----	---	----	----------

Double Hole



WSP401210	Yes	4"		1/2"	1-1/4" x 1"	1	16	\$ 23.33
WSP421210	Yes	4-1/4"		1/2"	1-1/4" x 1"	1	16	\$ 23.87
WSP501210	Yes	5"		1/2"	1-1/4" x 1"	1	8	\$ 30.23
WSP601210	Yes	6"		1/2"	1-1/4" x 1"	1	8	\$ 34.13
WSP601212	Yes	6"		1/2"	1-1/4"	1	8	\$ 33.98
WSP621210	Yes	6-1/4"		1/2"	1-1/4" x 1"	1	8	\$ 34.68
WSP621212	Yes	6-1/4"		1/2"	1-1/4"	1	8	\$ 34.54

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

CAST IRON WELL SEALS

Boshart's cast iron well seals allow for larger conduit cables. Well seal modifications are available, contact inside sales for more information.



Part No.	Grommet Kit Included	Well Casing I.D.	Conduit Connection	Vent Size	Drop Pipe Size	Quantity		List Price - A
						L1	L2	

List Price Effective: April 27, 2020

Blank

- WS50 seal is not a solid plate



WS40	No	4"						\$ 95.41
WS50	Yes	5"	1" FPT	1/2"			6	\$ 100.47
WS60	Yes	6"	1" FPT	1/2"				\$ 114.97
WS62	Yes	6-1/4"	1" FPT	1/2"			6	\$ 114.97

Single Hole

- WS6030 has a solid plate



WS3010	Yes	3"	3/8" FPT	1/8"	1"		6	\$ 82.23
WS3012	Yes	3"	3/8" FPT	3/8"	1-1/4"			\$ 82.23
WS4010	Yes	4"	3/4" FPT	1/2"	1"		6	\$ 50.78
WS4012	Yes	4"	3/4" FPT	1/2"	1-1/4"		6	\$ 50.78
WS4015	Yes	4"	3/4" FPT	1/2"	1-1/2"		6	\$ 69.82
WS4020	Yes	4"	3/4" FPT	1/2"	2"		6	\$ 69.82
WS4210	Yes	4-1/4"	3/4" FPT	1/2"	1"		6	\$ 68.11
WS4212	Yes	4-1/4"	3/4" FPT	1/4"	1-1/4"		16	\$ 68.11
WS4510	Yes	4-1/2"	1/2" FPT	1/2"	1"		1	\$ 69.11
WS4512	Yes	4-1/2"	1/2" FPT	1/2"	1-1/4"		1	\$ 67.26
WS5010	Yes	5"	1" FPT	1/2"	1"		6	\$ 102.95
WS5012	Yes	5"	1" FPT	1/2"	1-1/4"		6	\$ 104.31
WS5015	Yes	5"	1" FPT	1/2"	1-1/2"		1	\$ 70.96
WS5020	Yes	5"	1" FPT	1/2"	2"		6	\$ 104.31
WS5510	Yes	5-5/8"	3/4" FPT	1/2"	1"		1	\$ 118.40
WS5512	Yes	5-5/8"	3/4" FPT	1/2"	1-1/4"			\$ 134.17
WS6010	Yes	6"	1" FPT	1/2"	1"		6	\$ 82.76
WS6012	Yes	6"	1" FPT	1/2"	1-1/4"		6	\$ 91.62
WS6015	Yes	6"	1" FPT	1/2"	1-1/2"		6	\$ 120.54
WS6020	Yes	6"	1" FPT	1/2"	2"		6	\$ 120.54
WS6030	Yes	6"	1" FPT	1/2"	3"		6	\$ 140.96
WS6210	Yes	6-1/4"	1" FPT	1/2"	1"		6	\$ 82.76
WS6212	Yes	6-1/4"	1" FPT	1/2"	1-1/4"		6	\$ 91.62
WS6215	Yes	6-1/4"	1" FPT	1/2"	1-1/2"			\$ 206.65
WS6220	Yes	6-1/4"	1" FPT	1/2"	2"		8	\$ 120.54

Double Hole



WS301007	No	3"		1/4"	1" x 3/4"			\$ 80.68
WS401210	No	4"		1/2"	1-1/4" x 1"		6	\$ 56.64
WS401212	No	4"		1/2"	1-1/4"			\$ 75.97
WS421210	No	4-1/4"		1/2"	1-1/4" x 1"		6	\$ 67.09
WS451210	No	4-1/2"		1/2"	1-1/4" x 1"			\$ 602.80
WS501210	No	5"		1/2"	1-1/4" x 1"		6	\$ 102.43
WS551210	No	5-5/8"		1/2"	1-1/4" x 1"		1	\$ 94.26
WS601210	No	6"		1/2"	1-1/4" x 1"		6	\$ 94.19
WS601212	No	6"		1/2"	1-1/4"			\$ 115.15
WS621210	No	6-1/4"		1/2"	1-1/4" x 1"		6	\$ 94.19
WS621212	No	6-1/4"		1/2"	1-1/4"		6	\$ 115.15

Clamp Over



WS2010	No	2"			1"			\$ 105.81
WS2012	Yes	2"			1-1/4"			\$ 99.83

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

STEEL WELL SEALS

Boshart's steel well seals are solid and made from hot rolled steel. They are powder coated for a durable finish and have an extra thick rubber gland for positive sealing. These seals have large pump cable / wire holes for easy installation. Eye bolt option is available by adding -EB to the end of the part number. Contact inside sales for more information.



Part No.	Grommet Kit Included	Well Casing I.D.	Conduit Connection	Vent Size	Drop Pipe Size	Maximum Load - Lbs	Quantity List		Price - A
							L1	L2	

List Price Effective: April 27, 2020

Single Hole



WSS3510	No	3-1/2"	1/2" FPT	1/2"	1"		16		\$ 91.66
WSS4010	No	4" to 4-1/4"	3/4" FPT	1/2"	1"	2100	12		\$ 47.80
WSS4012	No	4" to 4-1/4"	3/4" FPT	1/2"	1-1/4"	2100	12		\$ 57.48
WSS4015	No	4" to 4-1/4"	3/4" FPT	1/2"	1-1/2"	2100	12		\$ 57.48
WSS4510	No	4-1/4" to 4-1/2"	3/4" FPT	1/2"	1"	2100	6		\$ 121.98
WSS4512	No	4-1/4" to 4-1/2"	3/4" FPT	1/2"	1-1/4"	2100	6		\$ 121.98
WSS4515	No	4-1/4" to 4-1/2"	3/4" FPT	1/2"	1-1/2"	2100	6		\$ 121.98
WSS4520	No	4-1/4" to 4-1/2"	1/2" FPT	1/2"	2"	2100	6		\$ 148.10
WSS5010	No	5" to 5-1/4"	1" FPT	1/2"	1"	1500	12		\$ 55.04
WSS5012	No	5" to 5-1/4"	1" FPT	1/2"	1-1/4"	1500	12		\$ 55.04
WSS5015	No	5" to 5-1/4"	1" FPT	1/2"	1-1/2"	1500	12		\$ 55.04
WSS5020	No	5" to 5-1/4"	1" FPT	1/2"	2"	1500	12		\$ 55.04
WSS6010	No	6" to 6-1/4"	1" FPT	1/2"	1"	1100	8		\$ 69.29
WSS6012	No	6" to 6-1/4"	1" FPT	1/2"	1-1/4"	1100	8		\$ 69.29
WSS6015	No	6" to 6-1/4"	1" FPT	1/2"	1-1/2"	1100	8		\$ 69.29
WSS6020	No	6" to 6-1/4"	1" FPT	1/2"	2"	1100	8		\$ 69.29
WSS6210	No	6-1/4"	1" FPT	1/2"	1"	1100	8		\$ 69.29
WSS6212	No	6-1/4"	1" FPT	1/2"	1-1/4"	1100	8		\$ 69.29
WSS6215	No	6-1/4"	1" FPT	1/2"	1-1/2"	1100	8		\$ 69.29
WSS6220	No	6-1/4"	1" FPT	1/2"	2"	1100	8		\$ 69.29
WSS7010	No	7"	1-1/4" FPT	1/2"	1"	2000	6		\$ 143.24
WSS7012	No	7"	1-1/4" FPT	1/2"	1-1/4"	2000	6		\$ 143.11
WSS7015	No	7"	1-1/4" FPT	1/2"	1-1/2"	9000	6		\$ 143.11
WSS7020	No	7"	1-1/4" FPT	1/2"	2"	9000	6		\$ 142.85
WSS7030	No	7"	1-1/4" FPT	1/2"	3"	9000	6		\$ 144.30
WSS8010	No	8" to 8-1/4"	1-1/4" FPT	1/2"	1"	6900	4		\$ 142.07
WSS8012	No	8" to 8-1/4"	1-1/4" FPT	1/2"	1-1/4"	6900	4		\$ 142.07
WSS8015	No	8" to 8-1/4"	1-1/4" FPT	1/2"	1-1/2"	6900	4		\$ 141.99
WSS8020	No	8" to 8-1/4"	1-1/4" FPT	1/2"	2"	6900	4		\$ 141.86
WSS8025	No	8" to 8-1/4"	1-1/4" FPT	1/2"	2-1/2"	6900	4		\$ 173.64
WSS8030	No	8" to 8-1/4"	1-1/4" FPT	1/2"	3"	12000	4		\$ 212.33
WSS8040	No	8" to 8-1/4"	1-1/4" FPT	1/2"	4"	27000	4		\$ 252.61
WSS10010	No	10"	1-1/4" FPT	1/2"	1"	2800	3		\$ 256.56
WSS10012	No	10"	1-1/4" FPT	1/2"	1-1/4"	2800	3		\$ 256.83
WSS10015	No	10"	1-1/4" FPT	1/2"	1-1/2"	2800	3		\$ 257.95
WSS10020	No	10"	1-1/4" FPT	1/2"	2"	2800	3		\$ 252.08
WSS10025	No	10"	1-1/4" FPT	1/2"	2-1/2"	16500			\$ 439.45
WSS10030	No	10"	1-1/4" FPT	1/2"	3"	16500	3		\$ 361.38
WSS10040	No	10"	1-1/4" FPT	1/2"	4"	16500	3		\$ 354.33
WSS10050	No	10"	1" FPT	1/2"	5"	34000	3		\$ 312.53
WSS10060	No	10"	1" FPT	1/2"	6"	34000	3		\$ 370.08
WSS12012	No	12"	1-1/4" FPT	1/2"	1-1/4"	2800	2		\$ 318.07
WSS12015	No	12"	1-1/4" FPT	1/2"	1-1/2"	2800	2		\$ 318.35
WSS12020	No	12"	1-1/4" FPT	1/2"	2"	6600	2		\$ 368.04
WSS12030	No	12"	1-1/4" FPT	1/2"	3"	12000	2		\$ 442.46
WSS12040	No	12"	1-1/4" FPT	1/2"	4"	12000	2		\$ 443.19
WSS12050	No	12"	1-1/4" FPT	1/2"	5"	22000	2		\$ 453.21
WSS12060	No	12"	1-1/4" FPT	1/2"	6"	22000	2		\$ 453.40

Raised Supports, Single Hole

• This well seal has raised supports which the drop pipe fitting rests on, this keeps the fittings above the nuts and conduit bushing making it possible to incorporate a 3/4" cable hole.



WSS4020	No	4" to 4-1/4"	3/4" FPT	1/2"	2"	2100	12		\$ 74.21
---------	----	--------------	----------	------	----	------	----	--	----------

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

STEEL WELL SEALS

Part No.	Grommet Kit Included	Well Casing I.D.	Conduit Connection	Vent Size	Drop Pipe Size	Maximum Load - Lbs	Quantity		List Price - A
							L1	L2	

List Price Effective: April 27, 2020

Heavy Duty, Single Hole

• WSS6030HD has raised supports which the drop pipe fitting rests on, this keeps the fittings above the nuts and conduit bushing making it possible to incorporate a 1" cable hole.



WSS6010HD	No	6" to 6-1/4"	1" FPT	1/2"	1"	9000	8		\$ 109.49
WSS6012HD	No	6" to 6-1/4"	1" FPT	1/2"	1-1/4"	9000	8		\$ 110.09
WSS6015HD	No	6" to 6-1/4"	1" FPT	1/2"	1-1/2"	9000	8		\$ 109.70
WSS6020HD	No	6" to 6-1/4"	1" FPT	1/2"	2"	9000	8		\$ 110.02
WSS6030HD	No	6" to 6-1/4"		1/2"	3"	9000	8		\$ 147.60

Double Hole



WSS351210	No	3-1/2"		1/2"	1-1/4" x 1"		16		\$ 84.17
WSS401010	No	4"		1/2"	1"				\$ 159.55
WSS501212	No	5"		1/2"	1-1/4"				\$ 159.44
WSS601512	No	6"		1/2"	1-1/2" x 1-1/4"				\$ 130.94
WSS621512	No	6-1/4"		1/2"	1-1/2" x 1-1/4"		6		\$ 165.77

WELL SEAL ACCESSORIES

These accessories are for well seals. For more information please contact inside sales.

Part No.	Size	Description	Quantity		List Price - A
			L1	L2	

List Price Effective: April 27, 2020



Grommet Kit

Grommet kits include a bushing, round gasket and slotted gasket for twisted or flat jacketed pump cable. They create a watertight seal when the bushing is tightened to ensure no contaminated water enters the well.

WS-GK-07	3/4"	For 3/4" wire hole	300		\$ 4.74
----------	------	--------------------	-----	--	---------



PVC Air Vent

PVC,

Air vents are screwed onto well seals for water well ventilation. These vents have four 0.04" slits on each side.

WS-V05	1/2"		500		\$ 5.78
--------	------	--	-----	--	---------



Steel Air Vent

Zinc Plated Steel,

Air vents are screwed onto well seals for water well ventilation. These vents have a 40 mesh stainless steel screen making them vermin proof.


WS-V05-G	1/2"		40		\$ 19.89
----------	------	--	----	--	----------

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

YARD HYDRANTS & WELL POINTS

Products to bring water
to the surface year-round



BOSHART
INDUSTRIES

INDEX

Product Line	Page
Premium Yard Hydrants	1
Premium Yard Hydrant Replacement Parts	3
Standard Yard Hydrants	4
Standard Yard Hydrant Replacement Parts	4
Well Screens	5
Well Points	5
Drive Caps	6
Drive Couplings	6
Jet Points	6
Pump Savers	7
PVC Well Point & Screen Accessories	7
Hand Pump	8
Soft Cup Leathers	9
Valve Leathers	9

PREMIUM YARD HYDRANTS

All Boshart Yard Hydrants feature a cast iron head with a bucket hook and come with a removable 3/4" GHT brass garden connector. They have a large handle that can be firmly held in any position to regulate flow using a thumb bolt. A locking eye allows the yard hydrant to be pad-locked in the closed position.

1" stand pipe.

3/8" steel connecting rod & coupling.

Temperature Range: Up to 120°F (49°C), Maximum Pressure: 125 PSI

Part No.	Inlet Connection	Bury Length	Overall Length	Quantity		List Price - A
				L1	L2	

List Price Effective: April 27, 2020



**Galvanized Pipe, Bronze, Valve Body,
• Standard ASTM A53 Specification for Pipe**

YHP-01	3/4" FPT	1.0'	45.00"	40	\$ 150.36
YHP-015	3/4" FPT	1.5'	51.00"	40	\$ 154.41
YHP-02	3/4" FPT	2.0'	57.00"	40	\$ 158.42
YHP-03	3/4" FPT	3.0'	69.00"	40	\$ 166.69
YHP-04	3/4" FPT	4.0'	81.00"	40	\$ 176.50
YHP-05	3/4" FPT	5.0'	93.00"	40	\$ 185.09
YHP-06	3/4" FPT	6.0'	105.00"	40	\$ 193.28
YHP-07	3/4" FPT	7.0'	117.00"	40	\$ 214.55
YHP-08	3/4" FPT	8.0'	129.00"	40	\$ 224.15
YHP-10	3/4" FPT	10.0'	153.00"	40	\$ 243.36
YHPPHC-01	1" FPT	1.0'	45.00"	40	\$ 170.11
YHPPHC-015	1" FPT	1.5'	51.00"	40	\$ 174.54
YHPPHC-02	1" FPT	2.0'	57.00"	40	\$ 178.93
YHPPHC-03	1" FPT	3.0'	69.00"	40	\$ 187.97
YHPPHC-04	1" FPT	4.0'	81.00"	40	\$ 198.71
YHPPHC-05	1" FPT	5.0'	93.00"	40	\$ 208.10
YHPPHC-06	1" FPT	6.0'	105.00"	40	\$ 217.06
YHPPHC-07	1" FPT	7.0'	117.00"	40	\$ 240.32
YHPPHC-08	1" FPT	8.0'	129.00"	40	\$ 250.83
YHPPHC-10	1" FPT	10.0'	153.00"	40	\$ 271.83
YHPPHC-13	1" FPT	13.0'	189.00"	40	\$ 315.54



**Galvanized Pipe, Bronze, Valve Body,
• NSF/ANSI 372 Certified
• Standard ASTM A53 Specification for Pipe**

YHP-01NL	3/4" FPT	1.0'	45.00"	40	\$ 166.02
YHP-015NL	3/4" FPT	1.5'	51.00"	40	\$ 170.07
YHP-02NL	3/4" FPT	2.0'	57.00"	40	\$ 174.08
YHP-03NL	3/4" FPT	3.0'	69.00"	40	\$ 182.35
YHP-04NL	3/4" FPT	4.0'	81.00"	40	\$ 192.16
YHP-05NL	3/4" FPT	5.0'	93.00"	40	\$ 200.75
YHP-06NL	3/4" FPT	6.0'	105.00"	40	\$ 208.94
YHP-07NL	3/4" FPT	7.0'	117.00"	40	\$ 230.21
YHP-08NL	3/4" FPT	8.0'	129.00"	40	\$ 239.81
YHP-10NL	3/4" FPT	10.0'	153.00"	40	\$ 259.01
YHP-13NL	3/4" FPT	13.0'	189.00"	40	\$ 298.98
YHPPHC-01NL	1" FPT	1.0'	45.00"	40	\$ 183.36
YHPPHC-015NL	1" FPT	1.5'	51.00"	40	\$ 187.79
YHPPHC-02NL	1" FPT	2.0'	57.00"	40	\$ 192.18
YHPPHC-03NL	1" FPT	3.0'	69.00"	40	\$ 201.22
YHPPHC-04NL	1" FPT	4.0'	81.00"	40	\$ 211.95
YHPPHC-05NL	1" FPT	5.0'	93.00"	40	\$ 221.35
YHPPHC-06NL	1" FPT	6.0'	105.00"	40	\$ 230.31
YHPPHC-07NL	1" FPT	7.0'	117.00"	40	\$ 253.57
YHPPHC-08NL	1" FPT	8.0'	129.00"	40	\$ 264.07
YHPPHC-10NL	1" FPT	10.0'	153.00"	40	\$ 285.08
YHPPHC-13NL	1" FPT	13.0'	189.00"	40	\$ 328.79



Contact your sales rep for any further information

Toll Free: 1-800-561-3164

boshart.com

PREMIUM YARD HYDRANTS

Part No.	Inlet Connection	Bury Length	Overall Length	Quantity		List Price - A
				L1	L2	

List Price Effective: April 27, 2020



304 Stainless Steel Pipe, Bronze, Valve Body,

YHPCR-01	3/4" FPT	1.0'	45.00"	40	\$ 203.58
YHPCR-015	3/4" FPT	1.5'	51.00"	40	\$ 213.93
YHPCR-02	3/4" FPT	2.0'	57.00"	40	\$ 224.54
YHPCR-03	3/4" FPT	3.0'	69.00"	40	\$ 250.47
YHPCR-04	3/4" FPT	4.0'	81.00"	40	\$ 274.20
YHPCR-05	3/4" FPT	5.0'	93.00"	40	\$ 296.67
YHPCR-06	3/4" FPT	6.0'	105.00"	40	\$ 318.58
YHPCR-07	3/4" FPT	7.0'	117.00"	40	\$ 341.10
YHPCR-08	3/4" FPT	8.0'	129.00"	40	\$ 364.93
YHPCR-10	3/4" FPT	10.0'	153.00"	40	\$ 406.10
YHPHCCR-01	1" FPT	1.0'	45.00"	40	\$ 215.22
YHPHCCR-015	1" FPT	1.5'	51.00"	40	\$ 225.86
YHPHCCR-02	1" FPT	2.0'	57.00"	40	\$ 236.78
YHPHCCR-03	1" FPT	3.0'	69.00"	40	\$ 263.44
YHPHCCR-04	1" FPT	4.0'	81.00"	40	\$ 287.85
YHPHCCR-05	1" FPT	5.0'	93.00"	40	\$ 310.97
YHPHCCR-06	1" FPT	6.0'	105.00"	40	\$ 333.51
YHPHCCR-07	1" FPT	7.0'	117.00"	40	\$ 356.66
YHPHCCR-08	1" FPT	8.0'	129.00"	40	\$ 381.17
YHPHCCR-10	1" FPT	10.0'	153.00"	40	\$ 423.52



304 Stainless Steel Pipe, Bronze, Valve Body, • NSF/ANSI 372 Certified

YHPCR-01NL	3/4" FPT	1.0'	45.00"	40	\$ 220.71
YHPCR-015NL	3/4" FPT	1.5'	51.00"	40	\$ 234.26
YHPCR-02NL	3/4" FPT	2.0'	57.00"	40	\$ 243.26
YHPCR-03NL	3/4" FPT	3.0'	69.00"	40	\$ 275.18
YHPCR-04NL	3/4" FPT	4.0'	81.00"	40	\$ 291.32
YHPCR-05NL	3/4" FPT	5.0'	93.00"	40	\$ 313.79
YHPCR-06NL	3/4" FPT	6.0'	105.00"	40	\$ 335.71
YHPCR-07NL	3/4" FPT	7.0'	117.00"	40	\$ 358.22
YHPCR-08NL	3/4" FPT	8.0'	129.00"	40	\$ 382.05
YHPCR-10NL	3/4" FPT	10.0'	153.00"	40	\$ 423.22
YHPHCCR-01NL	1" FPT	1.0'	45.00"	40	\$ 228.85
YHPHCCR-015NL	1" FPT	1.5'	51.00"	40	\$ 239.48
YHPHCCR-02NL	1" FPT	2.0'	57.00"	40	\$ 250.41
YHPHCCR-03NL	1" FPT	3.0'	69.00"	40	\$ 277.07
YHPHCCR-04NL	1" FPT	4.0'	81.00"	40	\$ 301.48
YHPHCCR-05NL	1" FPT	5.0'	93.00"	40	\$ 324.59
YHPHCCR-06NL	1" FPT	6.0'	105.00"	40	\$ 347.13
YHPHCCR-07NL	1" FPT	7.0'	117.00"	40	\$ 370.28
YHPHCCR-08NL	1" FPT	8.0'	129.00"	40	\$ 394.80
YHPHCCR-10NL	1" FPT	10.0'	153.00"	40	\$ 437.14



Contact your sales rep for any further information

Toll Free: 1-800-561-3164

boshart.com

PREMIUM YARD HYDRANT REPLACEMENT PARTS

These are the replacement parts for premium yard hydrants that have part numbers beginning with YHP.

Part No.	Size	Description	Quantity List		
			L1	L2	Price - A

List Price Effective: April 27, 2020



**Valve Body
Bronze**

13YH-VB07	3/4"	Leaded		\$ 47.39
13YH-VB07HCNL	3/4"	No Lead		\$ 71.07
13YH-VB10	1"	Leaded		\$ 55.14



Plunger

This replacement plunger is installed in the valve body.

13YH-P01		Stainless & Rubber		\$ 13.49
----------	--	--------------------	--	----------



Components

These are the replacement components for yard hydrant assemblies.

13YH-H01		Heavy Duty Head Casting - Blue	10	\$ 36.22
13YH-H02		Heavy Duty Leaver Casting - Blue		\$ 19.32
13YH-H03	3/8"	3/8" Steel Coupling		\$ 4.95
13YH-H04	3/8"	3/8" Stainless Steel Operating Rod		\$ 7.33
13YH-H05		#204 O-ring Nitrile Buna-N (2)		\$ 3.08
13YH-H06	3/4"	3/4" Brass Packing Nut		\$ 7.28
13YH-H07	1"	1" Zinc Plated Steel Pivot Connector		\$ 7.74
13YH-H08		5/16"-18 UNC x 3/4" 18.8 Stainless Steel Set Screw		\$ 3.28
13YH-H09		Zinc Plated Steel Draw Strap-Colorized (2)		\$ 5.69
13YH-H10/11	1/4"	1/4" Stainless Steel Lever Bolt & Lock Nut		POR
13YH-H12	3/4"	3/4" - 14 NPT Brass Hose Bibb Adapter		\$ 7.81
13YH-H13		5/16" - 18 UNC x 3/4" Thumb Bolt		\$ 3.55



Head Assembly Kit

Kit includes:

13YH-H01, 13YH-H02, 13YH-H03, 13YH-H04, 13YH-H05, 13YH-H06, 13YH-H07, 13YH-H08, 13YH-H09, 13YH-H10/11, 13YH-H12, 13YH-H13

13YH-HA			10	\$ 102.69
---------	--	--	----	-----------



Repair Kit

Kit Includes:

13YH-H09, 13YH-H07, 13YH-H08, 13YH-H06, 13YH-H05, 13YH-P01

13YH-REPKIT			10	\$ 29.52
-------------	--	--	----	----------

Contact your sales rep for any further information

Toll Free: 1-800-561-3164

boshart.com

STANDARD YARD HYDRANTS

These yard hydrants feature a cast iron head with a bucket hook and come with a removable 3/4" GHT brass garden connector. They have a large handle that can be firmly held in any position to regulate flow using a thumb bolt. A locking eye allows the yard hydrant to be pad-locked in the closed position.

1" stand pipe.

3/8" steel connecting rod & coupling.

Temperature Range: Up to 120°F (49°C), Maximum Pressure: 125 PSI



Part No.	Inlet Connection	Bury Length	Overall Length	Quantity List		List Price - A
				L1	L2	

List Price Effective: April 27, 2020

**Galvanized Pipe, Brass, Valve Body,
• NSF / ANSI 372 Certified**

YHS-01NL	3/4" FPT	1.0'	39.20"	128		\$ 93.63
YHS-02NL	3/4" FPT	2.0'	51.20"	128		\$ 100.01
YHS-03NL	3/4" FPT	3.0'	63.20"	128		\$ 102.44
YHS-04NL	3/4" FPT	4.0'	75.30"	128		\$ 109.06
YHS-05NL	3/4" FPT	5.0'	87.30"	128		\$ 115.44
YHS-06NL	3/4" FPT	6.0'	99.30"	128		\$ 121.70



STANDARD YARD HYDRANT REPLACEMENT PARTS

These are the replacement parts for standard yard hydrants that have part numbers beginning with YHS.

Part No.	Size	Description	Quantity List		List Price - A
			L1	L2	

List Price Effective: April 27, 2020



**Valve Body
Brass**

2-13YH-VB07	3/4"	No Lead		50	\$ 47.00
-------------	------	---------	--	----	----------



Plunger

This replacement plunger is installed in the valve body. This kit includes one new and one old style plunger.

2-13YH-P01		Brass & Rubber			\$ 15.47
------------	--	----------------	--	--	----------

Components

These are the replacement components for standard yard hydrant assemblies.



2-13YH-H01		Head Casting - Blue		1	\$ 35.88
2-13YH-H02		Leaver Casting - Blue		1	\$ 12.56
2-13YH-H03	3/8"	3/8" Steel Coupling		1	\$ 1.27
2-13YH-H04	3/8"	3/8" Stainless Steel Operating Rod		200	\$ 9.53
2-13YH-H05		#204 O-ring Nitrile Buna-N (2)		500	\$ 0.37
2-13YH-H06	3/4"	3/4" Brass Packing Nut			\$ 3.74
2-13YH-H07	1"	1" Zinc Plated Steel Pivot Connector			\$ 6.59
2-13YH-H08		Zinc Square Head Set Screw			\$ 2.15
2-13YH-H09		Zinc Plated Steel Draw Strap-Colorized (2)		2	\$ 3.30

Head Assembly Kit

Kit includes:

2-13YH-H01, 2-13YH-H02, 2-13YH-H03, 2-13YH-H04, 2-13YH-H05, 2-13YH-H06, 2-13YH-H07, 2-13YH-H08, 2-13YH-H09, 13YH-H10/11, 2-13YH-P01, 2-13YH-VB07

2-13YH-HA				1	10	\$ 75.74
-----------	--	--	--	---	----	----------

Repair Kit

Kit includes:

2-13YH-H09, 2-13YH-H07, 2-13YH-H08, 2-13YH-H06, 2-13YH-H05, 2-13YH-P01

2-13YH-REPKIT						\$ 32.74
---------------	--	--	--	--	--	----------



Contact your sales rep for any further information

Toll Free: 1-800-561-3164

boshart.com

WELL SCREENS

Boshart's well screens are generally used when the design of the well requires attachment of the screen directly to the well casing; and where it is desired to maintain the same inside diameter throughout the full depth of the well. Smaller diameter screens may be telescoped inside larger casings with the use of K-Packers or other approved forms of sealing the void space between the screen and casing.



Part No.	Size	Pipe Length	Quantity List		
			L1	L2	Price - A
List Price Effective: April 27, 2020					
PVC, Mesh, 0.010" Slot					
PWS20-48-010	2"	4'	12		\$ 53.65
PWS20-60-010	2"	5'	12		\$ 67.04
PWS30-48-010	3"	4'	3		\$ 109.98
PWS30-60-010	3"	5'	3		\$ 137.47
PWS40-48-010	4"	4'	4		\$ 140.87
PWS40-60-010	4"	5'	4		\$ 176.11

WELL POINTS

Boshart's well points are designed for drilling into all types of conditions.



Part No.	Size	Pipe Length	Overall Length	Quantity List		
				L1	L2	Price - A
List Price Effective: April 27, 2020						
304 Stainless Steel, 60 Mesh, 0.010" Slot						
These well points feature an octagonal head to prohibit turning. They can be extended by removing the head and adding a drive coupling. They have a compact design which provides excellent screening area. Solid columns are running the entire length of the pipe ensuring structural integrity.						
• NSF/ANSI Standard 372 Certified						
WP12-24-60M	1-1/4"	24"	29.00"	4	168	\$ 65.98
WP12-30-60M	1-1/4"	30"	35.00"	4	168	\$ 74.37
WP12-36-60M	1-1/4"	36"	41.00"	4	144	\$ 83.91
WP12-48-60M	1-1/4"	48"	53.00"	4	96	\$ 108.82
WP20-36-60M	2"	36"	42.00"	4	80	\$ 137.80
WP20-48-60M	2"	48"	55.00"	4	80	\$ 167.02
304 Stainless Steel, 80 Mesh, 0.008" Slot						
These well points feature an octagonal head to prohibit turning. They can be extended by removing the head and adding a drive coupling. They have a compact design which provides excellent screening area. Solid columns are running the entire length of the pipe ensuring structural integrity.						
• NSF/ANSI Standard 372 Certified						
WP12-24-80M	1-1/4"	24"	29.00"	4	168	\$ 65.98
WP12-30-80M	1-1/4"	30"	35.00"	4	168	\$ 74.37
WP12-36-80M	1-1/4"	36"	41.00"	4	144	\$ 83.91
WP12-48-80M	1-1/4"	48"	53.00"	4	96	\$ 108.82
WP20-36-80M	2"	36"	42.00"	4	80	\$ 137.80
WP20-48-80M	2"	48"	55.00"	4	80	\$ 167.02
304 Stainless Steel, 100 Mesh, 0.006" Slot						
These well points feature an octagonal head to prohibit turning. They can be extended by removing the head and adding a drive coupling. They have a compact design which provides excellent screening area. Solid columns are running the entire length of the pipe ensuring structural integrity.						
• NSF/ANSI Standard 372 Certified						
WP12-30-100M	1-1/4"	30"	35.00"	4	168	\$ 74.37
WP12-36-100M	1-1/4"	36"	41.00"	4	144	\$ 83.91
WP12-48-100M	1-1/4"	48"	53.00"	4	96	\$ 108.82
WP20-36-100M	2"	36"	42.00"	4	80	\$ 137.80

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

WELL POINTS

Part No.	Size	Pipe Length	Overall Length	Quantity		List Price - A
				L1	L2	

List Price Effective: April 27, 2020



PVC, Mesh, 0.010" Slot

These well points are commonly used for small diameter shallow wells in residential, irrigation and water systems. They are not recommended for hard driving. Well points are washed down and then driven lightly into the water bearing sand or light gravel. Plastic well points are horizontal slots.

PWP12-36-010	1-1/4"	3'		4		\$ 17.37
PWP12-48-010	1-1/4"	4'		4		\$ 22.85
PWP12-60-010	1-1/4"	5'		4		\$ 28.27
PWP15-36-010	1-1/2"	3'		20		\$ 52.27
PWP15-48-010	1-1/2"	4'		20		\$ 53.34
PWP15-60-010	1-1/2"	5'		20		\$ 66.74
PWP20-36-010	2"	3'		4		\$ 23.33
PWP20-48-010	2"	4'		4		\$ 30.84
PWP20-60-010	2"	5'		4		\$ 38.30

DRIVE CAPS

Boshart's drive caps are used to protect the threads when the well point is being installed.



Part No.	Size	Quantity		List Price - A
		L1	L2	

List Price Effective: April 27, 2020

18-181	1-1/4"	20		\$ 7.42
18-183	2"	16		\$ 23.88

DRIVE COUPLINGS

Boshart's drive couplings have additional threads to ensure the coupling stays snug during installation.



Part No.	Size	Quantity		List Price - A
		L1	L2	

List Price Effective: April 27, 2020

18-184	1-1/4"	25	50	\$ 10.30
18-186	2"	20		\$ 19.25

JET POINTS

Boshart's jet points offer the versatility and simplicity of being attached to a well screen, eliminating the added expense of a washdown valve and additional labor and material. The unique design allows for maximum fluid circulation and forceful jetting action. For rapid installation and development of a single well or multi-well monitoring and residential applications.



Part No.	Size	Pipe Length	Quantity		List Price - A
			L1	L2	

List Price Effective: April 27, 2020



PVC, Mesh, 0.010" Slot

PWJP12-36-010	1-1/4"	3'		24		\$ 60.69
PWJP20-36-010	2"	3'		12		\$ 113.06
PWJP20-60-010	2"	5'		12		\$ 124.04

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

PUMP SAVERS

Pump savers go around a submersible pump for extra protection in abrasive environments including ponds, rivers, waterways and sand pumping wells. The discharge cone is 1-1/4".



Part No.	Slot Size	Overall Length	Quantity		List Price - A
			L1	L2	
List Price Effective: April 27, 2020					
PWPS40-60-010	0.010"	63.00"	4		\$ 337.16
PWPS40-60-040	0.040"	63.00"	4		\$ 337.16

PVC WELL POINT & SCREEN ACCESSORIES

These accessories are used with PVC well points and screens.



Part No.	Size	Quantity		List Price - A
		L1	L2	
List Price Effective: April 27, 2020				
Flush Plug				
PVC,				
For schedule 40 pipe				
PWA-PL20	2"	6		\$ 4.75
PWA-PL40	4"			\$ 21.91



Flush Coupling				
PVC,				
Used to join two pieces of PVC Schedule 40 pipe together				
PWA-FC12	1-1/4"	5	25	\$ 2.55
PWA-FC15	1-1/2"	5	25	\$ 2.73
PWA-FC20	2"	5	25	\$ 3.11



Washdown Valve				
Valve is supplied with a coupling				
PWA-WDV20	2"	12		\$ 73.24



Well Point				
PVC				
PWA-PT12	1-1/4"	12		\$ 8.58
PWA-PT20	2"	12		\$ 16.95
PWA-PT40	4"	6		\$ 41.67

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

HAND PUMP

Boshart's hand pump is recommended for shallow pump applications, ideal for installation on a barrel or holding tank. The maximum lift rating is 25', measured from the water surface to the spout. It features an open spout with leather valve and plunger cup. The cylinder barrel has a 3" I.D. and a 1-1/4" drop pipe connection.



Part No.	Quantity		List Price - A
	L1	L2	
List Price Effective: April 27, 2020			
19-HP	1	125	\$ 96.79

HAND PUMP REPLACEMENT PARTS

These replacement parts are for the hand pump.



Part No.	Size	Description	Quantity		List Price - A
			L1	L2	
List Price Effective: April 27, 2020					
19-HP-01	3"	3" Plunger Assembly	1	20	\$ 29.24
19-HP-02		Valve Leather & Weight Assembly	1	20	\$ 8.47
19-HP-06		Repair Kit, Valve & Cup Leather			\$ 12.88

PUMP ROD

This pump rod is 7/16" threaded and coupled. Length is 21' and there are 10 lengths to a bundle.



Part No.	Size	Quantity		List Price - A
		L1	L2	
List Price Effective: June 24, 2019				
19-PR716	7/16"		210	\$ 9.40

ROD COUPLINGS

These rod couplings have a female rod connection at each end.



Part No.	Size	Description	Quantity		List Price - A
			L1	L2	
List Price Effective: December 04, 2015					
19-RC720-03	7/16"	5/8" Hexagon	25		\$ 5.08
19-RC720-05	7/16" x 1/2"	11/16" Hexagon			\$ 14.16
19-RC720-07	7/16" x 5/8"	13/16" Hexagon			\$ 13.45

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

SOFT CUP LEATHERS

Boshart's soft cup leathers are soft, pliable and waterproof. They are for applications where little water absorption and swelling is desired, such as piston pumps, shallow setting brass-cylinder barrels, air pumps.



Part No.	Outer Diameter	Hole Size	Quantity List		Price - A
			L1	L2	
List Price Effective: March 30, 2020					
CLS118	1.13"	0.38"			\$ 8.55
CLS114	1.25"	0.63"			\$ 8.55
CLS114-2	1.25"	0.25"			\$ 8.55
CLS114-5	1.25"	0.50"			\$ 8.55
CLS138	1.38"	0.63"			\$ 9.40
CLS138-5	1.38"	0.50"			\$ 9.40
CLS112	1.50"	0.63"			\$ 9.32
CLS112-5	1.50"	0.50"			\$ 9.32
CLS158	1.63"	0.63"			\$ 10.24
CLS158-5	1.63"	0.50"			\$ 10.24
CLS158-L	1.63"	1.13"			\$ 10.24
CLS11116-L	1.69"	1.00"			\$ 12.83
CLS134	1.75"	0.63"			\$ 12.83
CLS134-L	1.75"	1.13"			\$ 12.83
CLS11316	1.81"	0.63"			\$ 12.83
CLS11316-L	1.81"	1.19"			\$ 12.83
CLS178	1.88"	0.63"			\$ 12.91
CLS2	2.00"	0.63"			\$ 13.13
CLS2-L	2.00"	1.25"			\$ 13.13
CLS218-L	2.13"	1.31"			\$ 13.52
CLS214	2.25"	0.63"			\$ 13.90
CLS214-L	2.25"	1.50"			\$ 13.90
CLS212	2.50"	0.63"			\$ 15.27
CLS212-L	2.50"	1.63"			\$ 15.27
CLS234-L	2.75"	1.88"			\$ 16.72
CLS278-L	2.88"	2.00"			\$ 20.54
CLS3	3.00"	0.63"			\$ 24.43
CLS3-L	3.00"	2.00"			\$ 24.43
CLS312	3.50"	0.63"			\$ 28.63
CLS312-L	3.50"	2.50"			\$ 28.63
CLS4	4.00"	0.63"			\$ 36.88
CLS4-L	4.00"	3.00"			\$ 36.88

VALVE LEATHERS

Boshart's valve leathers are for repairing pitcher pumps and cast iron flapper foot valves.



Part No.	Outer Diameter	Foot Valve Size	Quantity List		Price - A
			L1	L2	
List Price Effective: March 30, 2020					
19-VL10	10.00"				\$ 111.26
19-VL1278	12.88"	8.00"			\$ 174.14
19-VL2	2.00"				\$ 8.34
19-VL212	2.50"	1.00"			\$ 10.20
19-VL234	2.75"	1.25"			\$ 11.53
19-VL3	3.00"	1.50"			\$ 11.81
19-VL312	3.50"				\$ 12.70
19-VL4	4.00"				\$ 13.40
19-VL412	4.50"				\$ 19.30
19-VL414	4.25"	2.00"			\$ 17.50
19-VL5	5.00"	3.00"			\$ 19.71
19-VL6	6.00"				\$ 47.69
19-VL634	6.75"				\$ 51.36
19-VL714	7.25"	4.00"			\$ 67.88
19-VL934	9.75"	6.00"			\$ 103.76

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com




Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

SUMP & SEWAGE ACCESSORIES

Prevents backup and
ensure longevity of the
system



INDEX

Product Line	Page
Liquid Level Alarms	1
Float Switches	2
Control Sensor Switches	3
Cable Weights	3
Water Box	3
Swing Check Valves	4
Combination Swing/Check Valves	5
Sump Pump Check Valves	5
Sump & Sewage Check Valve	6
Backwater Valves	7
Sump Pump Discharge Kits	7



LIQUID LEVEL ALARMS

Boshart's liquid level alarms are a multipurpose alarm that can be used in a wide variety of applications such as: cisterns, residential sewage basins, septic tanks, sump basins, holding tanks, pump chambers, water tanks, and any others where detection of high or liquid level conditions is required. They use a low voltage switch circuit and have a battery (not included) backup for temporary protection during power outages.

These alarms are for indoor use. Dual rated alarms for either indoor or outdoor use are available.





• cULus Listed to ANSI/UL 2017 & CSA C22.2 No. 205 Standards

Temperature Range: 0°F to 140°F (-18°C to 60°C)

Part No.	Cord Length	Quantity List		Price - A
		L1	L2	
List Price Effective: April 27, 2020				
Pump Down, Voltage: 120 VAC				
 850H-10	10'	24		\$ 192.25
850H-20	20'	20		\$ 199.92
850H-30	30'	12		\$ 217.92
850H-50	50'	12		\$ 243.38
Pump Up, Voltage: 120 VAC				
 850L-10	10'	24		\$ 192.25
850L-20	20'	20		\$ 199.92
850L-30	30'	12		\$ 217.92
850L-50	50'	12		\$ 243.38

ACCESSORIES

These accessories are for alarms, helping with installation and to detect leaks in a variety of applications.

Part No.	Size	Description	Quantity List		Price - A
			L1	L2	
List Price Effective: April 27, 2020					
Flat Water Sensor					
		This water sensor is a reliable leak detection sensor that can be used in a wide variety of applications such as: basements, sumps, air conditioner condensate run over, water heaters, computer and utility rooms. The sensor comes standard with a 15' (4.572 M) cable that quickly connects to any 850 series alarm. Connect up to 6 sensors for complete zone protection.			
850-WSF		For floor detection	40		\$ 70.88
Probe Water Sensor					
		This water sensor is a reliable leak detection probe sensor that can be used in a wide variety of applications such as: sump basins, water tanks and drain pans. The sensor comes standard with a 15' (4.572 M) cable that quickly connects to any 850 series alarm. Connect up to 6 sensors for complete zone protection.			
850-WSP		For tank / basin overflow detection	40		\$ 83.08
Cable Clip					
		Nylon, This cable clip is used to prevent the plug from being accidentally disconnected from the electrical outlet. It is highly recommended that this clip is installed to secure the power cord of a float switch, pump or liquid level alarm to either the wall or electrical outlet using the outlet faceplate screw.			
890-CC516BK	5/16"		100	1000	\$ 0.24
Release Cable Tie					
		Nylon, Releasable cable ties are ideal for fastening the float switch cord at the tether point. It's release feature allows the tie to be re-opened for easy adjustment of the tether length to change the pumping range for either more or less distance between the turn-on and turn-off levels.			
890-CTR14BK	14" 50# Button Release UV Black		100	5000	\$ 0.88

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

FLOAT SWITCHES

Boshart's float switches feature an internal structure that contains precision molded parts with only two moving pieces. A steel ball moves through a solidly constructed housing to activate a switch arm that triggers a miniature snap action switch. The floats are supplied with jacketed cords, series (piggyback) plugs which eliminates the need for internal wiring in the pump motor. The units can also be supplied without plugs or in various lead lengths.

• cULus Listed to ANSI/UL 508 & CSA-C22.2 No. 14 Standards

Temperature Range: Up to 140°F (60°C)

	Part No.	Cord Length	Single Phase Electrical Rating	Quantity		List Price - A
				L1	L2	
Pump Down, Voltage: 120 VAC, Housing: Polypropylene						
	862D-120-10	10'	1/2hp @ 120V	10		\$ 58.08
	862D-120-15	15'	1/2hp @ 120V	10		\$ 67.22
	862D-120-20	20'	1/2hp @ 120V	10		\$ 77.90
Pump Up, Voltage: 120 VAC, Housing: Polypropylene						
	862U-120-10	10'	1/2hp @ 120V	10		\$ 58.08
	862U-120-15	15'	1/2hp @ 120V	10		\$ 67.22
	862U-120-20	20'	1/2hp @ 120V	10		\$ 77.90
Pump Down, Voltage: 120 VAC, Housing: PVC						
	860D-120-10	10'	1/2hp @ 120V	24		\$ 58.76
	860D-120-15	15'	1/2hp @ 120V	24		\$ 64.86
	860D-120-20	20'	1/2hp @ 120V	24		\$ 71.42
	860D-120-30	30'	1/2hp @ 120V	12		\$ 85.70
	860D-120-50	50'	1/2hp @ 120V	12		\$ 118.49
Pump Up, Voltage: 120 VAC, Housing: PVC						
	860U-120-10	10'	1/2hp @ 120V	24		\$ 58.76
	860U-120-15	15'	1/2hp @ 120V	24		\$ 62.15
	860U-120-20	20'	1/2hp @ 120V	24		\$ 71.42
	860U-120-30	30'	1/2hp @ 120V	12		\$ 85.70
	860U-120-50	50'	1/2hp @ 120V	12		\$ 118.49
Pump Down, Voltage: 120 VAC, Housing: PVC						
	870D-120-10	10'	1hp @ 120V	24		\$ 115.90
	870D-120-20	20'	1hp @ 120V	24		\$ 128.15
	870D-120-30	30'	1hp @ 120V	12		\$ 140.91
Pump Up, Voltage: 120 VAC, Housing: PVC						
	870U-120-10	10'	1hp @ 120V	24		\$ 115.90
	870U-120-20	20'	1hp @ 120V	24		\$ 128.15
	870U-120-30	30'	1hp @ 120V	12		\$ 136.85
Pump Down, Voltage: 240 VAC, Housing: PVC						
	860D-240-10	10'	1hp @ 240V	24		\$ 63.74
	860D-240-15	15'	1hp @ 240V	24		\$ 66.89
	860D-240-20	20'	1hp @ 240V	24		\$ 76.86
Pump Up, Voltage: 240 VAC, Housing: PVC						
	860U-240-10	10'	1hp @ 240V	24		\$ 61.08
	860U-240-15	15'	1hp @ 240V	24		\$ 66.89
	860U-240-20	20'	1hp @ 240V	24		\$ 76.86
Pump Down, Voltage: 240 VAC, Housing: PVC						
	870D-240-10	10'	2hp @ 240V	24		\$ 119.76
	870D-240-20	20'	2hp @ 240V	24		\$ 138.82
	870D-240-30	30'	2hp @ 240V	12		\$ 148.25
Pump Up, Voltage: 240 VAC, Housing: PVC						
	870U-240-10	10'	2hp @ 240V	24		\$ 119.76
	870U-240-20	20'	2hp @ 240V	24		\$ 138.82
	870U-240-30	30'	2hp @ 240V	12		\$ 152.50

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

CONTROL SENSOR SWITCHES

Boshart's control sensor switches are used for level sensing for alarms and pump control panels. The sensor switch does not have a plug, but the cord is skived to connect to terminals in a panel.

- cULus Listed to ANSI/UL 508 & CSA-C22.2 No. 14 Standards
- Temperature Range: 0°F to 140°F (-18°C to 60°C)



Part No.	Cord Length	Single Phase Electrical Rating	Quantity List		Price - A
			L1	L2	
Pump Down, Voltage: 120 VAC					
• Two wire connection					
880NO-10	10'	1/4hp @ 120V	24		\$ 52.00
880NO-15	15'	1/4hp @ 120V	24		\$ 56.53
880NO-20	20'	1/4hp @ 120V	24		\$ 61.05
880NO-30	30'	1/4hp @ 120V	12		\$ 78.13




Pump Up, Voltage: 120 VAC					
• Two wire connection					
880NC-10	10'	1/4hp @ 120V	24		\$ 52.00




Pump Up or Pump Down, Voltage: 120 VAC					
• Three wire connection					
880NOC-10	10'	1/4hp @ 120V	24		\$ 67.71
880NOC-20	20'	1/4hp @ 120V	24		\$ 76.40
880NOC-30	30'	1/4hp @ 120V	12		\$ 88.80

CABLE WEIGHTS

Boshart's cable weights allow for easy adjustment of the tether length on sensor/non-internally weighted float switches.


Part No.	Quantity List			Price - A
	L1	L2	Price - A	
List Price Effective: April 27, 2020				
PVC, • Uses a clip to hold the cord in place				
	890-AW	1	8	\$ 24.49

Part No.	Quantity List			Price - A
	L1	L2	Price - A	
List Price Effective: April 27, 2020				
Zinc Plated Cast Iron, • Two halves are held together with a bolt • Internal grip rings prevent slippage				
	890-AW-CI	40		\$ 19.38

WATER BOX

The water box instantly and economically solves waste water handling problems for laundry tubs, washing machines, wet bars, dehumidifiers or any other waste water storage and pumping applications. It accepts most submersible pumps and is constructed without seams for maximum durability. The bolt down cover allows for easy access for installation or removal of 1-1/4" or 1-1/2" sump pumps.

- 1-1/2" inlet connection is threaded
- 2" Vent Pipe can be installed if necessary



Part No.	Quantity List			Price - A
	L1	L2	Price - A	
List Price Effective: April 27, 2020				
Polypropylene				
SPWB-10	1			\$ 203.88

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

SWING CHECK VALVES

Boshart's swing check valves are an excellent choice for sump, sewage and grinder pump applications. The full port design causes less friction and allows for easier pumping. An angled seat provides quiet operation by minimizing water hammer. They are designed for vertical (solid free liquid applications) and horizontal (solid / semisolid applications) installation. If installing horizontally extra care must be taken to ensure the flow arrow points away from the pump and the check valve body is oriented as per the marking on the valve body HORIZONTAL USE THIS SIDE UP.



- Compatible with schedule 40 & 80 pipe.
 - ASTM-D1784 - PVC compounds
- , Primary Material: PVC

Part No.	Size	Quantity		List Price - A
		L1	L2	
Standard, Comp				
Maximum Working Pressure: 150 PSI @ 72°F				
17SCC-12 *	1-1/4"	12		\$ 64.35
17SCC-15	1-1/2"	12		\$ 43.95
17SCC-20	2"	12	384	\$ 61.66
17SCC-30 *	3"	2		\$ 258.50
17SPCV-1215	1-1/2" or 1-1/4"	12		\$ 26.49
Quiet, Comp				
Maximum Working Pressure: 150 PSI @ 72°F				
17QSCC-15	1-1/2"	12		\$ 55.49
17QSCC-20	2"	12		\$ 76.27
Standard, Slip				
Maximum Working Pressure: 125 PSI @ 72°F				
17SCS-05 *	1/2"	20		\$ 44.24
17SCS-07 *	3/4"	25		\$ 45.03
17SCS-10 *	1"	25		\$ 46.63
17SCS-12 *	1-1/4"	12		\$ 49.68
17SCS-15	1-1/2"	9		\$ 29.44
17SCS-20	2"	6		\$ 41.84
17SCS-30 *	3"	4		\$ 139.46
17SCS-40 *	4"			\$ 197.61
Quiet, Slip				
Maximum Working Pressure: 125 PSI @ 72°F				
17QSCS-15	1-1/2"	9		\$ 39.07
17QSCS-20	2"	6		\$ 54.45
Standard, Slip Union				
Maximum Working Pressure: 150 PSI @ 72°F				
17SCTU-15	1-1/2"	12		\$ 34.36
17SCTU-20	2"	12		\$ 49.95
Quiet, Slip Union				
Maximum Working Pressure: 150 PSI @ 72°F				
17QSCTU-15	1-1/2"	12		\$ 42.45
17QSCTU-20	2"	12		\$ 61.89

* Not manufactured by Boshart Industries

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

COMBINATION SWING/CHECK VALVES

Boshart's combination swing / check valves allow for wastewater pumping applications combining both an in-line shut off and back flow prevention. The combination check / ball valve results in a more compact installation than two separate valves. They are ideal for installation, especially where space is limited. The check valves feature an angled seat design, minimizing flow reversal and potentially damaging hydraulic shock (water hammer). Excellent choice for sump, sewage and grinder pump applications. Full port design allows for less friction and easier pumping. They are designed for vertical (solid free liquid applications) and horizontal (solid /semisolid applications) installation. If installing horizontally extra care must be taken to ensure the flow arrow points away from the pump and the check valve body is oriented as per the marking on the valve body
HORIZONTAL USE THIS SIDE UP.



- Compatible with schedule 40 & 80 pipe.
 - ASTM-D1784 - PVC compounds
- Maximum Working Pressure: 150 PSI @ 72°F, Primary Material: PVC

Part No.	Inlet	Outlet	Design	Quantity List		
				L1	L2	Price - A
List Price Effective: February 25, 2019						
Inlet: Comp, Outlet: Comp						
17QSCBV-15UC	1-1/2"	1-1/2"	Quiet	6		\$ 63.47
17QSCBV-20UC	2"	2"	Quiet	6		\$ 86.45
17SCBV-15UC	1-1/2"	1-1/2"	Standard	6		\$ 57.83
17SCBV-20UC	2"	2"	Standard	6		\$ 77.33
Inlet: Slip Union, Outlet: Slip						
17QSCBV-15SU	1-1/2"	1-1/2"	Quiet	6		\$ 52.64
17QSCBV-20SU	2"	2"	Quiet	6		\$ 81.98
17SCBV-15SU	1-1/2"	1-1/2"	Standard	6		\$ 47.81
17SCBV-20SU	2"	2"	Standard	6		\$ 72.35
Inlet: Slip Union, Outlet: Slip Union						
17QSCBV-15TU	1-1/2"	1-1/2"	Quiet	6		\$ 68.87
17QSCBV-20TU	2"	2"	Quiet	6		\$ 93.22
17SCBV-15TU	1-1/2"	1-1/2"	Standard	6		\$ 63.35
17SCBV-20TU	2"	2"	Standard	6		\$ 84.01



SUMP PUMP CHECK VALVES

Boshart's sump pump check valves feature a full port valve design. The flapper opens 100% and is seated on a 15° angle to reduce water hammer when the pump shuts off. This also prevents debris from building up or getting caught, ensuring proper seating.

Temperature Range: Up to 140°F (60°C), Primary Material: ABS



Part No.	Inlet	Outlet	Design	Quantity List		
				L1	L2	Price - A
List Price Effective: August 01, 2018						
Inlet: MPT, Outlet: Barb or Spigot						
BSC-125-B	1-1/4"	1-1/4" or 1-1/2"	Standard	20		\$ 3.89
BSC-150-B	1-1/2"	1-1/4" or 1-1/2"	Standard	20		\$ 3.92
Inlet: MPT, Outlet: Barb or Spigot						
BSC-125-B-AR	1-1/4"	1-1/4" or 1-1/2"	Air Release	20		POR
BSC-150-B-AR	1-1/2"	1-1/4" or 1-1/2"	Air Release	20		POR
Inlet: MPT, Outlet: Spigot						
BSC-125	1-1/4"	1-1/4" or 1-1/2"	Standard	20		\$ 4.02
BSC-125-150S	1-1/4"	1-1/2"	Standard	20		\$ 3.99
BSC-150	1-1/2"	1-1/4" or 1-1/2"	Standard	20		\$ 4.15
BSC-150-150S	1-1/2"	1-1/2"	Standard	20		\$ 4.02
Inlet: MPT, Outlet: Spigot						
BSC-125-150S-AR	1-1/4"	1-1/2"	Air Release	20		POR
BSC-125-AR	1-1/4"	1-1/4" or 1-1/2"	Air Release	20		POR
BSC-150-150S-AR	1-1/2"	1-1/2"	Air Release	20		POR
BSC-150-AR	1-1/2"	1-1/4" or 1-1/2"	Air Release	20		POR



Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

SUMP PUMP CHECK VALVES

Part No.	Inlet	Outlet	Design	Quantity		List Price - A
				L1	L2	
Inlet: MPT, Outlet: FRC						
BSC-125-SRS	1-1/4"	1-1/4" or 1-1/2"	Standard	10		\$ 7.37
BSC-150-SRS	1-1/2"	1-1/4" or 1-1/2"	Standard	10		\$ 7.41
Inlet: MPT, Outlet: FRC						
BSC-125-SRS-AR	1-1/4"	1-1/4" or 1-1/2"	Air Release	10		POR
BSC-150-SRS-AR	1-1/2"	1-1/4" or 1-1/2"	Air Release	10		POR
Inlet: MPT, Outlet: Barb						
BSC-150-150B	1-1/2"	1-1/2"	Standard	20		\$ 4.04
Inlet: MPT, Outlet: Barb						
BSC-150-150B-AR	1-1/2"	1-1/2"	Air Release	20		POR
Inlet: FRC, Outlet: FRC						
BSC-125-SB	1-1/4"	1-1/4"	Standard	10		\$ 9.52
BSC-125/150-DRS	1-1/4" or 1-1/2"	1-1/4" or 1-1/2"	Standard	10		\$ 10.41
BSC-150-SB	1-1/2"	1-1/2"	Standard	10		\$ 9.85
Inlet: Spigot, Outlet: Spigot						
BSC-125/150-SXS	1-1/4" or 1-1/2"	1-1/4" or 1-1/2"	Standard	10		\$ 4.23
BSC-150-SXS	1-1/2"	1-1/2"	Standard	20		\$ 4.16



SUMP & SEWAGE CHECK VALVE

Boshart's sump & sewage check valve feature a full port valve design. The flapper opens 100% and is seated on a 15° angle to reduce water hammer when the pump shuts off. This also prevents debris from building up or getting caught, ensuring proper seating. This check valve features a blow out proof nylon reinforced gasket design.

- Completely assembled with flexible rubber couplings on both inlet & outlet.
- 4 all stainless steel clamps provided

Temperature Range: Up to 140°F (60°C), Primary Material: ABS



Part No.	Inlet	Outlet	Design	Quantity		List Price - A
				L1	L2	
Inlet: FRC, Outlet: FRC						
BSC-200-SB	2"	2"	Standard	12	528	\$ 19.67



Contact your sales rep for any further information

Toll Free: 1-800-561-3164

boshart.com

BACKWATER VALVES

Boshart's backwater valves are made corrosion-free materials to ensure the inside remains smooth without flaking or pitting. The gasket on the flapper ensures a water tight seal. Used in normally horizontal drain lines and branches, the flapper design allows for unrestricted flow of effluent.
Primary Material: PVC



Part No.	Size	Quantity List		Price - A
		L1	L2	
Slip				
171530-20	2"	8		\$ 144.70
171530-30	3"	4		\$ 141.98
171530-40	4"	2		\$ 157.39

List Price Effective: June 24, 2019

SUMP PUMP DISCHARGE KITS

Boshart's sump pump discharge kits include 24 ft. of corrugated polyethylene sump pump tubing, plastic adapter(s) and one clamp 301 stainlessband and housing - carbon steel screw. There are cutting pads at 6 ft. intervals for special applications.



Part No.	Size	Tube Length	Kit Includes	Quantity List		Price - A
				L1	L2	
SPDKU125-24	1-1/4"	24'	1-1/4" Adapter & 1-1/4" x 1-1/2" Adapter	8		\$ 19.49

List Price Effective: April 27, 2020



Contact your sales rep for any further information
Toll Free: 1-800-561-3164
boshart.com

POOL & SPA

Fittings for pool and spa applications



BOSHART
INDUSTRIES

INDEX

Product Line	Page
Slice Gate Valves	1
Pipe Extenders	1

SLICE GATE VALVES

Boshart's slice gate valves are designed to allow or prevent flow. They are ideal for quickly shutting off flow in low pressure or vacuum lines.
Color: White, Primary Material: PVC



Part No.	Size	Quantity		List Price - A
		L1	L2	
List Price Effective: February 25, 2019				
Slip				
09SGS-15	1-1/2"	14	56	\$ 24.79
09SGS-20	2"	12		\$ 26.29
Slip or Spigot				
09SGSSP-15	1-1/2"	14		\$ 24.79
09SGSSP-20	2"	12		\$ 26.29

PIPE EXTENDERS

Designed to go over fittings where there is not enough pipe left for a connection.
Color: White, Primary Material: PVC




Part No.	Size	Quantity		List Price - A
		L1	L2	
List Price Effective: February 25, 2019				
17PE-05	1/2"	48		\$ 2.65
17PE-07	3/4"	48		\$ 3.34
17PE-10	1"	48		\$ 4.31
17PE-12	1-1/4"	48		\$ 5.00
17PE-15	1-1/2"	48		\$ 5.92
17PE-20	2"	48		\$ 6.85



Contact your sales rep for any further information
Toll Free: 1-800-561-3164
boshart.com

WIRE

Pump cable and wire
available in a range of
conductors



INDEX

Product Line	Page
Bare Ground Wire	1
Flat Jacketed Pump Cable	1
Irrigation Cable	1
Low Voltage Thremostat Wire	1
Non-Metallic Sheathed Cables	2
TWU Pump Cable	2
TWU Tracer Wire	3

BARE GROUND WIRE

Boshart's bare ground wire is to ground an electrical system or equipment.



Part No.	Number of Conductors	Conductors AWG	Strands Per Conductor	List Price - A
15-6-300	1	#6	(7) Stranded	POR

FLAT JACKETED PUMP CABLE

Boshart's flat jacketed pump cable is for use with submersible water pumps installed in wells, lakes, rivers, and streams. Copper conductors are wrapped in color coded PVC, then wrapped in black PVC side by side.
Temperature Range: -40°F to 140°F (-40°C to 60°C), 600 V



Part No.	Number of Conductors	Conductors AWG	Ground AWG	Strands Per Conductor	List Price - A
Wire Colors: Black, Red & Green					
TWUFJ12-3	3	#12	#12	(7) Stranded	POR
Wire Colors: Black, Red, Yellow & Green					
TWUFJ10-4	4	#10	#10	(7) Stranded	POR
TWUFJ12-4	4	#12	#12	(7) Stranded	POR
TWUFJ14-4	4	#14	#14	(7) Stranded	POR

IRRIGATION CABLE

Boshart's irrigation cable is used for electrical interconnection of outdoor sprinkler systems, for connection of solenoid valves with controllers on residential, electrically controlled irrigation systems. Constructed using a solid bare copper conductor with PVC insulation.
Temperature Range: Up to 140°F (60°C), 30 V



Part No.	Number of Conductors	Conductors AWG	Strands Per Conductor	List Price - A
TW18S-2	2	#18	(1) Solid	POR
TW18S-3	3	#18	(1) Solid	POR
TW18S-4	4	#18	(1) Solid	POR
TW18S-5	5	#18	(1) Solid	POR
TW18S-6	6	#18	(1) Solid	POR
TW18S-7	7	#18	(1) Solid	POR
TW18S-8	8	#18	(1) Solid	POR
TW18S-10	10	#18	(1) Solid	POR

LOW VOLTAGE THERMOSTAT WIRE

Boshart's low voltage thermostat wire is for use in interconnection of low voltage heating & air conditioning thermostat controls, bell and annunciator systems. For use in damp or dry locations. It is constructed from solid or stranded copper wrapped in PVC insulation.
Temperature Range: Up to 140°F (60°C), 30 V



Part No.	Number of Conductors	Conductors AWG	Strands Per Conductor	List Price - A
LVT18S-2	2	#18	(1) Solid	POR
LVT18S-3	3	#18	(1) Solid	POR
LVT18S-4	4	#18	(1) Solid	POR
LVT18S-5	5	#18	(1) Solid	POR
LVT18S-6	6	#18	(1) Solid	POR
LVT18S-8	8	#18	(1) Solid	POR

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

NON-METALLIC SHEATHED CABLES

Boshart's non-metallic sheathed cables can be used in wet locations, and in barns & other animal enclosures where not exposed to mechanical injury. This wire can be used where exposed to weather or direct earth burial (with protection as required by the inspection authority). It is a very good cable to use for supplying a garage, garden shed or lawn lights. Use for Category 1 and 2 locations (Ref. CE Code Part 1 Section 22) including barns, stables, etc. Consult the Canadian Electrical Code 1 for further information related to applications. Caution: Although NMWU is similar in appearance to NMD, it is in fact quite different.

300 V



Part No.	Number of Conductors	Conductors AWG	Ground AWG	Strands Per Conductor	List Price - A
NMWU6-2	2	#10	#6	(1) Solid	POR
NMWU8-2	2	#10	#8	(1) Solid	POR
NMWU10-2	2	#12	#10	(1) Solid	POR
NMWU12-2	2	#14	#12	(1) Solid	POR
NMWU14-2	2	#14	#14	(1) Solid	POR
NMWU6-3	3	#10	#6	(1) Solid	POR
NMWU8-3	3	#10	#8	(1) Solid	POR
NMWU10-3	3	#12	#10	(1) Solid	POR
NMWU12-3	3	#14	#12	(1) Solid	POR
NMWU14-3	3	#14	#14	(1) Solid	POR

TWU PUMP CABLE

Boshart's TWU pump cable is for use with submersible pumps and irrigation equipment. For wiring only between equipment located at water wellheads and motors of submersible pumps installed in deep wells. Cables are solid or stranded copper wrapped in PVC then twisted together.

Temperature Range: -40°F to 140°F (-40°C to 60°C), 600 V



Part No.	Number of Conductors	Conductors AWG	Ground AWG	Strands Per Conductor	List Price - A
Wire Colors: Black, Red & Green					
TWU12-3GS	3	#12	#12	(1) Solid	POR
TWU14-3GS	3	#14	#14	(1) Solid	POR
Wire Colors: Black, Red & Green					
TWU10-3G	3	#10	#10	(7) Stranded	POR
TWU12-3G	3	#12	#12	(7) Stranded	POR
TWU14-3G	3	#14	#14	(7) Stranded	POR
Wire Colors: Black, Red, Yellow & Green					
TWU12-4S	4	#12	#12	(1) Solid	POR
TWU14-4S	4	#14	#14	(1) Solid	POR
Wire Colors: Black, Red, Yellow & Green					
TWU4-4	4	#4	#6	(7) Stranded	POR
TWU6-4	4	#6	#8	(7) Stranded	POR
TWU8-4	4	#8	#10	(7) Stranded	POR
TWU10-4	4	#10	#10	(7) Stranded	POR
TWU12-4	4	#12	#12	(7) Stranded	POR
TWU14-4	4	#14	#14	(7) Stranded	POR

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com

TWU TRACER WIRE

Boshart's TWU tracer wire is used for running beside gas lines to enable detection of the lines prior to digging. It is made up of a single stranded or solid bare copper conductor with PVC insulation.
Temperature Range: -40°F to 140°F (-40°C to 60°C), 600 V



Part No.	Number of Conductors	Conductors AWG	Strands Per Conductor	List Price - A
Wire Colors: White				
TWU10S-WHI	1	#10	(1) Solid	POR
TWU12S-WHI	1	#12	(1) Solid	POR
TWU14S-WHI	1	#14	(1) Solid	POR
Wire Colors: White				
TWU10-WHI	1	#10	(7) Stranded	POR
TWU12-WHI	1	#12	(7) Stranded	POR
TWU14-WHI	1	#14	(7) Stranded	POR

Contact your sales rep for any further information

Toll Free: 1-800-561-3164
boshart.com



Contact your sales rep for any further information
Toll Free: 1-800-561-3164
boshart.com

SUMMIT BRANDS PRODUCTS

Cleaning and sanitizing
products for around the
home and septic systems



BOSHART
INDUSTRIES

INDEX

Product Line	Page
Summit Brand	1

SUMMIT BRAND

Summit brand offers a range of products for cleaning and treatment purposes.

Part No.	Quantity	List Price - A	
		L1	L2

List Price Effective: June 24, 2019



Super Iron Out Powder				
25-02	5 Lbs.	6	288	\$ 41.45
25-08	28 oz.	6	696	\$ 15.62



Super Iron Out Liquid				
25-IOL	470 ml.	6	612	\$ 10.76



Lime Out Bath & Kitchen Cleaner				
25-LO24	24 oz.	6	648	\$ 11.16



Potassium Permanganate Free Flowing				
25PPF-02	5 Lbs.	6	360	\$ 87.60



White Brite				
25-WB30	28 oz.	6	696	\$ 17.01



Automatic Toilet Bowl Cleaner				
25-TB	2 Tablets	12	2160	\$ 11.44



Washer Magic				
25-WM12	12 fl oz.	6	1800	\$ 12.37



Dishwasher Magic				
25-DW	354 ml.	6	1800	\$ 14.11



Home Dry Cleaner				
25-WDCS	6 Cloths	4		\$ 33.34



Septobac Septic Treatment				
25-SB-3M	3 Monthly Applications	6	1968	\$ 26.66
25-SB8	8 Weekly Applications	6	840	\$ 18.97
25-SBL-3M	32 fl oz. (3 Monthly Applications)	6	600	\$ 26.66

Contact your sales rep for any further information
Toll Free: 1-800-561-3164
boshart.com



Contact your sales rep for any further information
Toll Free: 1-800-561-3164
boshart.com