

Canadian Price List

Water Safety, Flow Control & Backflow Prevention Products



Effective August 6, 2018

All prices supersede previous issues, are temporary and subject to change without notice.

Index

Numerical

1L, 1XL.....	18	263A.....	8	3100 – 3200/LF.....	104	G, GH.....	85	PIPF-S, PIPF-T.....	79
2-M2-DWB.....	95	276H300.....	106	3110/3110LF.....	104	GBV, GBV-1, GBV-FL.....	62	PLT.....	20
2-M2, 2T-M2.....	95	288A/LF288A.....	24	4001E.....	103	H		PV10M/T, PV20M/T.....	14
3L/LF3L.....	16	289.....	24	5300A.....	16	H560, H560G.....	9	Q	
05/LF05.....	93	315-M1.....	19	A		Handle Options.....	55,61	QF.....	84
6.....	64	340.....	17	A2C.....	95	HAV.....	81	R	
7/LF7/LF7R.....	26	342.....	18	ACV Features.....	14	HBV.....	88	RA.....	87
07S.....	26	374A.....	15	AirGaps.....	48-49	HP-BHM.....	81	RBFF.....	71
007/LF007.....	27	375.....	98	AS, AS-T, AS-B.....	78	HP30Pro.....	81	RK-EZ-STD.....	50
007DCDA.....	40	403RT-RW.....	65	AS-MB.....	78	HWA.....	88	RK-TC.....	49
8.....	22	405RW.....	65	B		I		RL600.....	99
008PCQT/LF008PCQT.....	25	408RW.....	66	LFB6000.....	57	ICV-125-2-2-T.....	63	RPV.....	81
9BD/LF9BD, 9D.....	22-23	411.....	66	LFB6001,.....	57	ICVF-125.....	63	S	
009/LF009.....	33	415-M1.....	19	B6780, B6781.....	57	ICVW-125.....	63	S8, S8C.....	22
10L.....	18	500.....	98	B6800, B6801.....	56	ILHK.....	61	SAE-TC.....	49
15M2/LF15.....	94	530C/LF530C.....	16	B680G2, B6081G2.....	58	INS-Kit.....	104	S-FBV-1.....	62
17.....	74	560.....	9	BD.....	96	IPF.....	79	S777, S777S.....	69
25AUB/LF25AUB.....	3	600 Z3.....	64	BD-QT.....	96	IT6300, IS6301.....	57	SAN50, SAN50S.....	82
26A/LF26A.....	8	600/LF600.....	63	BP30A.....	16	IWTG.....	106	SAN89.....	82
27-40.....	74	601/LF601.....	64	Bronze Safety Valves.....	19	J		SC.....	97
30L.....	16	709/LF709.....	29	BRV, BRVP.....	21	Jumper Kits.....	7	SCV.....	81
40L, 40XL/LF40XL.....	17	709DCDA.....	40	BRVT, BRVS.....	21	L		SD2, SD3.....	23
53, 53L.....	16	719/LF719.....	28	C		L70A.....	90	SS 07F.....	64
65.....	87	740.....	15	Cast Iron Safety Valves.....	19	L100XL.....	18	SS263AP/LFSS263AP.....	8
70A/LF70A, L70A/LF70A.....	90	745.....	74	C-FBV-1.....	62	LL100XL, LLL100XL.....	18	ST375.....	99
77F-BI.....	70	750.....	98	CSM-61.....	75	L210.....	19	SV, SVA, SVS.....	88
77F-CSI.....	71	757.....	32	CSM-81F.....	75	LL40XL, LL100XL.....	17	T	
77F-CSSI.....	72	757DCDA.....	42	CSM-91.....	75	M		T156B.....	77
77F-DI, 77F-DI-FDA.....	67	774.....	31	D		MG, MGH.....	86	TB, TBC, TBP, TBR.....	107
77F-SS.....	72	774DCDA.....	41	DETA.....	20	MGF.....	86	TDV.....	75
77G-SS.....	72	777.....	68	DPG.....	105	MMV-M1/LFMMV-M1.....	89	Terms & Conditions.....	2
77S/77SI.....	67	777SI.....	70	DPTG.....	105	N		TK-7.....	48
87SI.....	71	800M4FR/LF800M4FR.....	25	DuoVents.....	81	N9/LFN9.....	22	TK-9A.....	48
88CSI.....	71	800M4QT/LF800M4QT.....	24	E		N30, N30L.....	16	TK-99E.....	48
88S.....	72	909/LF909.....	35	Elbows.....	49	N36, N360.....	20	TK-DL.....	48
97FB.....	73	909RPDA.....	45	EMVII-6400SS.....	54	N45B/LF45B.....	5	TP300.....	97
100DT, 100DT-A.....	20	911.....	77	ETA, ETRA.....	80	N50S.....	82	TR.....	49
100XL/LF100XL.....	18	912HP.....	23	ETX, ETSX.....	80	N55B/LFN55B.....	6	TWH.....	21
110/LF110 (ACV).....	12	919/LF919.....	35	F		N170/LFN170.....	90	TWS.....	22
113/LF113 (ACV).....	13	957.....	38	F-127SS.....	11	N223F, N223B.....	4	U	
123LP.....	9	957RPDA.....	46	FBV.....	57	N240X.....	17	UL-1, UL-2.....	88
127SS.....	11	994.....	37	FBV-PEX/LFFBV-PEX.....	60	N241X.....	17	USG-B.....	89
127W.....	4	994RPDA.....	45	FBV-3C/LFFBV-3C.....	58	N250, N250B.....	8	U5B/LFU5B.....	3
140.....	17	1000.....	98	FBVS-3C/LFFBV-3C.....	59	N256.....	77	W	
142.....	82	1100W.....	82	FBV-3C-QC/LFFBV-3C-QC.....	60	NF8.....	22	WAS.....	97
144.....	82	1156.....	77	FBV-3-Press, XLC.....	60	NLF9.....	22	WB.....	51
150A.....	94	1170/LF1170.....	89	FBV-4, FBVS-4.....	60	N360.....	20	WDS.....	21
152A, 152SS.....	10	1250.....	98	FH, FHB.....	92	O		WFT.....	83
174A.....	15	1450F.....	77	FHB-1-PEX.....	92	OEM.....	82	WFTC, WFTK.....	83
188A.....	23	1500.....	98	Fig. 10, 31, 41, 41A.....	19	OTV.....	88	WIB.....	84
210/LF210.....	19	2000.....	98	Float Valve Components.....	98	P		WPHR.....	53
215.....	9	2000 M5.....	77	FP53L.....	16	P60.....	9	WPLR, WPLRN.....	53
LF223, LF223S.....	4	2300.....	4	FS204W.....	82	P777-100.....	74	WTD 600.....	84
240.....	17	3001 – 3004/LF.....	102	FV-4M1.....	81	PG.....	76	WWS.....	50
252A.....	10	3005.....	102	G					
		3008/LF.....	103	G-4000.....	62				

Table of Contents

Terms & Conditions		2
Section 1	Pressure Regulators & Automatic Control Valves	3 – 14
Section 2	Relief Valves	15 – 19
Section 3	Water Heater Installation Products (<i>Drain Lines, Expansion Tanks</i>)	20 – 21
Section 4	Backflow Preventers & Accessories	22 – 53
Section 5	Ball Valves	54 – 62
Section 6	Gate/Check Valves	63 – 66
Section 7	Strainers	67 – 74
Section 8	Balancing & Flow Measurement	75 – 76
Section 9	Hydronics/Steam Heating Products	77 – 88
Section 10	Mixing Valves	89 – 91
Section 11	Plumbing Specialties (<i>Wall Hydrants, Water Hammer Arrestors, Float Valves, Evaporative Cooler Kits</i>)	92 – 101
Section 12	Dielectric Unions	102 – 104
Section 13	Gauges (<i>Dial Pressure, Combination Pressure/Temperature, Hose Connection, Temperature Gauges</i>)	105 – 107

Throughout this book you will see products highlighted with **LEAD FREE***. These are Watts products that comply with Lead Free laws. For more information on our Lead Free products, please visit our Lead Free informational web site at WeAreLeadFree.net.

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Your Discount

Terms and Conditions

FREIGHT TERMS:

All shipments are F.O.B. shipping point. Shipments from the factory of less than 500 lbs or \$3,500.00 net are F.O.B. factory. Factory shipments over 500 lbs, \$7,000.00 list or \$3,500.00 net will be prepaid and allowed within Canada when made at the lowest motor carrier transportation rate. Short-shipments and/or damaged goods must be reported within 72 hours.

PAYMENT TERMS:

Invoices are due and payable 30 days from the date of invoice.

STOCKING WHOLESALE MINIMUM CHARGE:

A minimum billing charge of \$75.00 applies to shipments F.O.B. factory. Stocking Wholesaler Customers are encouraged to order sufficient material to avoid this charge which is necessitated by increased costs of processing small orders.

SPECIAL PRODUCTS:

Orders for special or modified products are non-cancellable and non-returnable. **In the event that an order for such products is cancelled, the Watts Water Technologies (Canada), Inc. shall charge an amount equal to the Company's costs and expenses incurred in performing the purchase order prior to receipt of notice of cancellation.**

LIMITED WARRANTY:

This limited warranty is provided by WATTS Water Technologies (Canada) Inc., 5435 North Service Road Burlington, Ontario, Canada L7L 5H7 (the "Company"). The Company warrants each product to be free from defects in material and workmanship under normal usage for a period of one year from the date of original shipment. In the event of such defects within the warranty period, the Company will, at its option, replace or recondition the product without charge.

This warranty may be transferred to subsequent product owners.

Subject to applicable laws, including consumer protection legislation, the limited warranty set forth above is given expressly and is the only warranty given by the Company with respect to the product. The Company makes no other warranties, express or implied. The Company hereby specifically disclaims all other representations, warranties or conditions, express or implied, including but not limited to the implied representations, conditions and warranties of merchantability and fitness for a particular purpose.

Subject to applicable laws, including consumer protection legislation, the remedy described in the first paragraph of this warranty shall constitute the sole and exclusive remedy for breach of warranty, and the Company shall not be responsible for any incidental, special or consequential damages, including without limitation, lost profits or the cost of repairing or replacing other property which is damaged if this product does not work properly, other costs resulting from labour charges, delays, vandalism, negligence, fouling caused by foreign material, damage from adverse water conditions, chemical, or any other circumstances over which the Company has no control. The Company shall not be responsible for shipping or freight changes associated with warranty claims.

The warranty set forth above shall be invalidated by any abuse, misuse, misapplication, improper installation or improper maintenance or alteration of the product.

For claims within the warranty period, contact the Company at 1-888-208-8927.

THE COMPANY MAKES NO OTHER WARRANTIES EXPRESS OR IMPLIED EXCEPT AS PROVIDED IN THIS LIMITED WARRANTY.

RETURNED GOODS RESTOCKING CHARGE:

No material shall be returned without authorization. When credit is issued it will be at the price charged, or prevailing price if lower, less handling charges based on costs of reconditioning, boxing, etc. However, a minimum 25% handling charge will apply. A minimum handling charge of \$20.00 is applied whenever the 25% handling deduction does not total \$20.00. Products which are obsolete or made to special order are not returnable.

NOTE:

Prices and terms are subject to change without notice and supersede all previous quotations. The right is reserved to change or modify product design or construction without prior notice and without incurring any obligation to make such changes and modifications on products previously or subsequently sold.

WATTS Water Technologies (Canada) Inc. reserves the right to modify or change product design or construction without prior notice and without incurring any obligation to make similar changes and modifications to products previously or subsequently sold.

See your WATTS representative for any clarification.

Water Pressure Reducing Valves

Unless noted, all pressure reducing valves on this page are factory set at 50psi. Adjustable range is 25 – 75psi, Max. inlet 300psi.



U5B-Z3



25AUB-QC-Z3

SERIES U5B-Z3, 25AUB-Z3: Standard Features

Z3 – Sealed spring cage and stainless steel corrosion resistant adjusting & cage screws for accessible outdoor or pit installations

Options

G – Gauge tapping

GG – Gauge tapping and 160psi gauge

HP – High pressure range U5B-Z3 75 – 100psi; 25AUB-Z3 75 – 125psi

LP – Low pressure range 10 – 35psi

Z7 – 400psi initial pressure 1/2", 3/4" and 1" (25AUB-Z3 only)

Unless noted, all pressure reducing valves on this page are factory set at 50psi. Adjustable range is 25 – 100psi, Max. inlet 300psi.

Series U5B/LFU5B

With Built In Bypass Check Valve

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
LFU5B-Z3	0009100	1/2	098268327335	6	23	\$ 477.74
LFU5B-Z3	0009118	3/4	098268327533	6	32	560.94
LFU5B-Z3	0009154	1	098268327991	6	40	890.36
LFU5B-Z3	0009180	1 1/4	098268328462	6	40	1,809.22
LFU5B-Z3	0009192	1 1/2	098268328677	1	15	2,037.84
LFU5B-Z3	0009204	2	098268329001	1	24	3,558.17

For Low Pressure with Bypass Feature

LFU5B-LP-Z3	0009108	1/2	098268327427	6	23	477.60
LFU5B-LP-Z3	0009128	3/4	098268327670	6	32	560.94
LFU5B-LP-Z3	0009162	1	098268328073	6	40	890.27
LFU5B-LP-Z3	0009188	1 1/4	098268328608	6	40	1,808.61
LFU5B-LP-Z3	0009200	1 1/2	098268328769	1	15	2,037.77
LFU5B-LP-Z3	0009214	2	098268329100	1	24	2,964.98

SPECIAL MODELS: Model 5M3-Z6 – with water meter threaded connections and 7 1/2" lay length for new or existing meter box installations. For 5/8" or 3/4" meter setters or resetters, ordering code 0049809, list price \$330.45

Series 25AUB/LF25AUB

Threaded Female Union Inlet x NPT Threaded Female Outlet – Bypass – Max. Inlet 300psi

25AUB-Z3	0070322	1 1/2	098268008265	4	41	741.63
LF25AUB-Z3	0009217	1/2	098268329162	6	21	322.54
LF25AUB-Z3	0009257	3/4	098268329704	6	17	320.79
LF25AUB-Z3	0009309	1	098268330427	6	33	525.20
LF25AUB-Z3	0009392	1 1/4	098268331431	4	40	769.27
LF25AUB-Z3	0009431	1 1/2	098268331868	4	41	857.59
LF25AUB-Z3	0009465	2	098268332247	1	22	1,608.23

Solder Union Inlet x NPT Threaded Female Outlet

LF25AUB-S-Z3	0009237	1/2	098268329421	6	21	322.68
LF25AUB-S-Z3	0009282	3/4	098268330083	6	23	322.68
LF25AUB-S-Z3	0009331	1	098268330724	6	33	525.20
LF25AUB-S-Z3	0009391	1 1/4	098268331424	4	40	769.24
LF25AUB-S-Z3	0009430	1 1/2	098268331851	4	41	857.55
LF25AUB-S-Z3	0009464	2	098268332230	1	22	1,609.32

Threaded Female Union Inlet x Threaded Female Union Outlet

LF25AUB-DU-Z3	0009228	1/2	098268329315	6	25	501.60
LF25AUB-DU-Z3	0009258	3/4	098268329711	6	25	501.60
LF25AUB-DU-Z3	0009322	1	098268330588	6	50	654.31
LF25AUB-DU-Z3	0009353	1 1/4	098268330984	1	11	1,253.22
LF25AUB-DU-Z3	0009393	1 1/2	098268331448	1	13	1,190.72
LF25AUB-DU-Z3	0009442	2	098268331981	1	17	1,688.38

Solder Union Inlet x Solder Union Outlet

LF25AUB-S-DU-Z3	0009246	1/2	098268329513	6	25	322.61
LF25AUB-S-DU-Z3	0009283	3/4	098268330090	6	19	383.09
LF25AUB-S-DU-Z3	0009337	1	098268330786	6	50	489.43
LF25AUB-S-DU-Z3	0009382	1 1/4	098268331332	1	11	1,159.99
LF25AUB-S-DU-Z3	0009421	1 1/2	098268331752	1	13	1,296.09
LF25AUB-S-DU-Z3	0009455	2	098268332131	1	17	2,110.92

Threaded Female Union Inlet x Threaded Female Union Outlet – Less Fittings

LF25AUB-DU-LF-Z3	0009298	3/4	098268330298	6	3	404.65
LF25AUB-DU-LF-Z3	0009320	1	098268330564	6	7	623.08
LF25AUB-DU-LF-Z3	0009364	1 1/4	098268331134	4	40	1,104.76

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Water Pressure Reducing Valves



2300

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Direct Operated Water Pressure Reducing Valves

Series 2300

2300	0681040	3	098268086850	1	108	\$ 21,640.49
2300	0681060	4	098268086867	1	198	30,893.24

Model	Ordering Code	Size (in.)	Body	UPC	Carton Qty	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	------	-----	------------	--------------------------	-------------------

High Performance and High Capacity

Series LF127W - Max Pressure 175psi

Pressure Range 25-100psi; Max. Pressure 175psi.

LEAD FREE*	LF127W-206	0009904	3	Bronze	098268430592	1	39	\$ 9,283.91
	LFF127W-206	0009905	3	Iron	098268430608	1	47	10,168.14
	LFF127W-206	0009906	4	Iron	098268430615	1	81	12,375.96

*Model N223B - 3" size can be used as an alternative to 127W. †Max. pressure 175psi.

Series 223/LF223

Without Strainer - Threaded Female Connections

LEAD FREE*	LF223	0298500	1/2	Bronze	098268349375	6	23	708.24
	LF223	0298514	3/4	Bronze	098268349511	6	32	721.39
	LF223	0298533	1	Bronze	098268349702	6	45	1,118.00
	LF223	0298553	1 1/4	Bronze	098268349917	6	59	1,996.30
	LF223	0298568	1 1/2	Bronze	098268350401	1	20	3,010.49
	LF223	0298585	2	Bronze	098268350623	1	33	4,473.74
	LF223	0298601	2 1/2	Bronze	098268350784	1	76	4,843.46
	LFN223-B-M2	0298602	2 1/2	Bronze	098268350791	1	76	5,509.58
	LFN223-B-M1	0298615	3	Bronze	098268350944	1	70	6,404.11
	LFN223F M2 (flanged)	0298620	3	Iron	098268350999	1	83	5,932.96
	LFN223FM2-S (flanged)	0298621	3	Iron	098268351002	1	125	8,489.87

With Bronze Strainer

LEAD FREE*	LF223-S	0298510	1/2	Bronze	098268349474	6	27	838.82
	LF223-S	0298524	3/4	Bronze	098268349610	6	34	868.92
	LF223-S	0298546	1	Bronze	098268349832	1	9	1,237.79
	LF223-S	0298561	1 1/4	Bronze	098268350272	1	11	2,294.99
	LF223-S	0298574	1 1/2	Bronze	098268350463	1	20	3,461.88
	LF223-S	0298594	2	Bronze	098268350715	1	34	5,144.30

†Max. pressure 175psi.

SERIES 223, 223S, N223B:

Options

- B** - Built-in bypass feature
- HP** - High pressure range
75 - 125psi
- LP** - Low pressure range
10 - 35psi
- Z3** - Sealed spring cage and stainless steel corrosion resistant adjusting & cage screws for accessible out-door or pit installations



N223F-M2

223S

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Water Pressure Reducing Valves

SERIES N45B:

Standard Features

Corrosion-resistant adjusting screw and sealed cage for waterworks pit installations



N45BU



N45BDU

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Bypass - Max. inlet 400psi

Series N45B/LFN45B -

Threaded Female Inlet x NPT Threaded Female Outlet

LEAD FREE*	LFN45BM1	0009470	1/2	098268332308	12	24	\$ 259.04
	LFN45BM1	0009477	3/4	098268332391	12	24	284.78
	LFN45BM1	0009489	1	098268332575	12	32	382.20
	LFN45B	0009503	1 1/4	098268332728	1	7	873.18
	LFN45B	0009514	1 1/2	098268332827	1	8	1,447.32
	LFN45B	0009523	2	098268332926	1	9	1,943.66

Threaded Female Union Inlet x NPT Threaded Female Outlet

LEAD FREE*	LFN45BM1-U	0009471	1/2	098268332315	12	24	215.82
	LFN45BM1-U	0009478	3/4	098268332407	12	24	306.51
	LFN45BM1-U	0009490	1	098268332582	12	33	406.96
	LFN45BU	0009504	1 1/4	098268332735	1	7	1,024.11
	LFN45BU	0009516	1 1/2	098268332858	1	8	1,648.29
	LFN45BU	0009526	2	098268332940	1	9	2,115.38

Solder Union Inlet x NPT Threaded Female Outlet

LEAD FREE*	LFN45BM1-U-S	0009473	1/2	098268332339	12	2	125.82
	LFN45BM1-U-S	0009480	3/4	098268332438	12	24	176.62
	LFN45BM1-U-S	0009492	1	098268332605	12	33	406.96
	LFN45BU-S	0009505	1 1/4	098268332742	1	7	1,024.11
	LFN45BU-S	0009517	1 1/2	098268332872	1	7	1,637.73

Bypass

Series N45B/LFN45B

Double Union/Threaded Female Union Inlet x Threaded Female Union Outlet

LEAD FREE*	LFN45BM1-DU	0009472	1/2	098268332322	12	31	285.46
	LFN45BM1-DU	0009479	3/4	098268332414	12	27	183.57
	LFN45BM1-DU	0009491	1	098268332599	6	35	406.96
	LFN45BDU	0009512	1 1/4	098268332803	1	8	914.38
	LFN45BDU	0009520	1 1/2	098268527605	1	9	1,648.22
	LFN45BDU	0009530	2	098268333015	1	10	1,888.72

Double Union/Solder Union Inlet x Solder Union Outlet

LEAD FREE*	LFN45BM1-DU-S	0009474	1/2	098268332346	12	2	316.87
	LFN45BM1-DU-S	0009481	3/4	098268332469	12	30	320.78
	LFN45BM1-DU-S	0009493	1	098268332612	6	35	362.05
	LFN45BDU-S	0009801	1 1/4	098268428612	1	8	1,075.17
	LFN45BDU-S	0009800	1 1/2	098268428605	1	9	1,730.47
	LFN45BDU-S	0009533	2	098268333046	1	11	2,220.88

Double Union PEX Union Inlet x PEX Union Outlet

LEAD FREE*	LFN45BM1-DU-PEXxPEX	0009485	3/4	098268332520	12	2	348.97
------------	---------------------	---------	-----	--------------	----	---	--------

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Water Pressure Reducing Valves

SERIES N55:

Standard Features


Corrosion-resistant adjusting screw and sealed cage for waterworks pit installations

Options

G – 1/4" Gauge port tapped and plugged.

GG – 1/2" Gauge port and Gauge (160psi)

LP – Low Pressure range (10–35psi, set pressure 30psi) up to 1" only



N55BDU

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Bypass

Series N55B/LFN55B

Threaded Female Inlet x NPT Threaded Female Outlet

LEAD FREE*	LFN55BM1	0009538	1/2	098268333084	12	26	\$ 286.52
	LFN55BM1	0009588	3/4	098268333688	12	26	313.64
	LFN55BM1	0009638	1	098268334265	12	34	221.52
	LFN55B	0009673	1 1/4	098268334630	1	9	935.90
	LFN55B	0009682	1 1/2	098268334685	1	7	1,474.56
	LFN55B	0009690	2	098268334739	1	11	1,971.29

Threaded Female Union Inlet x NPT Threaded Female Outlet

LEAD FREE*	LFN55M1-BU	0009539	1/2	098268333091	12	25	190.37
	LFN55BM1-U	0009589	3/4	098268333701	12	26	320.11
	LFN55BM1-U	0009639	1	098268334272	12	34	363.95
	LFN55BU	0009674	1 1/4	098268334647	4	9	1,496.52
	LFN55BU	0009683	1 1/2	098268334692	1	10	1,937.99
	LFN55BU	0009691	2	098268334746	1	11	1,794.43

Solder Union Inlet x NPT Threaded Female Outlet

LEAD FREE*	LFN55BM1-US	0009540	1/2	098268333107	12	24	281.53
	LFN55BM1-US	0009590	3/4	098268333718	12	26	301.91
	LFN55BM1-US	0009640	1	098268334289	12	34	384.42
	LFN55BU-S	0009675	1 1/4	098268334654	1	7	961.93
	LFN55BU-S	0009684	1 1/2	098268334708	1	8	1,525.52
	LFN55BU-S	0009692	2	098268334753	1	10	1,990.99

Double Union/Threaded Female Inlet x Threaded Female Outlet

LEAD FREE*	LFN55BM1-DU	0009536	1/2	098268333060	12	33	308.76
	LFN55BM1-DU	0009585	3/4	098268333633	12	29	233.42
	LFN55BM1-DU	0009635	1	098268334234	12	37	427.96
	LFN55BDU	0009671	1 1/4	098268334616	1	10	1,040.80
	LFN55BDU	0009680	1 1/2	098268334661	1	11	951.68
	LFN55BDU	0009688	2	098268334715	1	13	2,121.64

Double Union/Solder Union Inlet x Solder Union Outlet

LEAD FREE*	LFN55BM1-DU-S	0009537	1/2	098268333077	12	32	152.62
	LFN55BM1-DU-S	0009586	3/4	098268333640	12	32	230.52
	LFN55BM1-DU-S	0009636	1	098268334241	12	37	278.28
	LFN55BDU-S	0009672	1 1/4	098268334623	1	10	1,040.80
	LFN55BDU-S	0009681	1 1/2	098268334678	1	11	1,659.02
	LFN55BDU-S	0009689	2	098268334722	1	13	2,121.64

Double Union PEX Union Inlet x PEX Union Outlet

LEAD FREE*	LFN55BM1-DU-PEX	0009587	3/4	098268333657	12	26	263.75
	LFN55BM1-DU-PEX	0009637	1	098268334258	12	3	450.75

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Water Pressure Reducing Valves

How To Order Jumper Kits

Example: 3/4" JK P-345 S

Size: _____
 1/2", 3/4", 1", 1 1/4", 1 1/2", 2"

Jumper Kit Designation: _____

Nipple Type: _____
 B = Brass P = Plastic

Fits Valve Model: _____
 25 = 25AUB-Z3 345 = N45, N55 (1/2" - 1") 55 = N45, N55 (1 1/4" - 2")

Connection: _____
 M = Male brass solder S = Female copper solder

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Jumper Kits

Complete Kits With Plastic Nipple

Female x Female Copper Sweat Tailpiece

JK-P-25 S	0006944	1 1/4	098268554175	6	19	\$100.49
JK-P-55 S	0007721	1 1/4	098268200133	6	19	100.49

Female Copper Sweat x Male Brass Sweat Tailpiece

JK-P-345-FM S	0006943	1	098268554168	12	12	69.45
---------------	---------	---	--------------	----	----	-------

Jumper Kits Include:

Jumper Nipple, strainer screen, 2 fiber washers, 2 union nuts and tailpieces as described above.

Jumper Kits are the correct lay length for the water pressure reducing valves.

When removing Jumper Nipple and inserting the water pressure reducing valve, two O-rings (ordered separately) are required.



Jumper Kit

Water Pressure Reducing Valves

Model	Ordering Code	Size (in.)	Pressure Range (psi)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	----------------------	-----	-----------------	--------------------------	-------------------

Series LFN250/LFN250B - Max. Pressure 250psi

Iron Body Water Pressure Regulators

LEAD FREE*	LFN250B	0121241	1/2	25-75	098268580501	12	44	\$ 218.96
	LFN250B	0121243	3/4	25-75	098268581348	6	22	308.76
	LFN250	0121242	3/4	25-75	098268581331	6	22	229.91

Suffix B - bypass feature



26A

Series 26A/LF26A

Standard Capacity - Water, No. 2 Fuel Oil - Max. initial pressure 300psi

Pressure range: "A" 1-25, "B" 3-50†, "C" 10-125, "D" 50-175psi

LEAD FREE*	LF26A	0009810	1/4	1-25	098268428674	25	25	238.93
	LF26A 1-25	0009814	3/8	1-25	098268428711	25	25	256.19
	LF26A 1-25	0009818	1/2	1-25	098268428759	12	14	331.72
	LF26A 3-50	0009811	1/4	3-50	098268428681	25	25	239.00
	LF26A 3-50	0009815	3/8	3-50	098268428728	25	25	256.19
	LF26A 3-50	0009819	1/2	3-50	098268428766	12	14	332.90
	LF26A 10-125	0009812	1/4	10-125	098268428698	25	25	238.93
	LF26A 10-125	0009816	3/8	10-125	098268428735	25	25	223.00
	LF26A 10-125	0009820	1/2	10-125	098268428773	12	14	332.93
	LF26A 50-175	0009817	3/8	50-175	098268428742	25	25	222.48

Series 263A/LF263A

Compact Water Pressure Regulators

LEAD FREE*	LF263A 3-50	0009821	1/4	3-50	098268428780	25	25	256.19
	LF263A 3-50	0009827	3/8	3-50	098268428841	25	25	256.19
	LF263A 3-50	0009835	1/2	3-50	098268428926	12	14	366.08
	LF263A 10-125	0009823	1/4	10-125	098268428803	25	25	239.53
	LF263A 10-125	0009828	3/8	10-125	098268428858	25	25	239.35
	LF263A 10-125	0009836	1/2	10-125	098268428933	12	14	366.08
	LF263A 1-25	0009826	3/8	1-25	098268428834	25	25	239.53
	LF263A 1-25	0009834	1/2	1-25	098268428919	12	14	342.50
	LF263A 50-175	0009837	1/2	50-175	098268428940	12	14	366.08
	LF263AP 20-175	0009898	1/2	20-175	098268430530	12	15	366.08

Compact Water Pressure Regulator - Stainless Steel Body

"A" 1-25, "B" 3-50, "C" 10-125, "D" 50-175, "E" 100-300psi

LEAD FREE*	SS263AP-M1 "A"	0335115	1/2	1-25	098268081046	12	25	1,402.34
	SS263AP-M1 "B"	0335077	1/2	3-50	098268197617	12	25	1,402.34
	SS263AP-M1 "C"	0335078	1/2	10-125	098268197624	12	25	1,402.34
	SS263AP-M1 "D"	0335079	1/2	20-175	098268197631	12	25	1,402.34
	SS263AP-M1 "E"	0335080	1/2	100-300	098268197648	12	25	1,402.34




263A 3-way

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Water Pressure Reducing Valves

Model	Ordering Code	Size (in.)	Pressure Range (psi)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	----------------------	-----	-----------------	--------------------------	-------------------



123LP

High Performance Low Pressure Water Regulators Series LF123LP

Max. Pressure 200psi; Factory Set at 30psi

LEAD FREE*	LF123-LP	0121224	1/2	10-30	098268580235	12	23	\$ 519.14
	LF123-LP	0121225	3/4	10-30	098268580242	6	19	599.54



H560G

Water Pressure Fill Valves Series LFH560

Max. Pressure 150psi; Factory Preset to 40psi

LEAD FREE*	LFH560	0121264	3/4 HT	10-60	098268582079	24	22	203.07
	LFH560-G	0121265	3/4 HT	10-60	098268582086	24	23	270.54
	LFH560-G	0121265	3/4 HT	10-60	098268582086	24	23	270.54

Compact Water Pressure Regulators Series LF560

Max Pressure 300psi

LEAD FREE*	LF560 0-60	0121250	1/8	0-60	098268581508	50	45	192.14
	LF560-G 0-60	0121253	1/8	0-60	098268581553	24	24	181.55
	LF560 0-60	0121257	1/4	0-60	098268581591	50	28	181.55
	LF560-G 0-60	0121256	1/4	0-60	098268581584	24	19	296.29

0-25 and 0-125psi pressure ranges also available. Consult factory for ordering codes.

Ordering Code reflects 0-60 setting.



215

Precision High Capacity Brass Pressure Regulators Series LF215

Max Pressure 300psi - Water, No. 2 Fuel Oil

LEAD FREE*	LF215M1 0-50	0009840	1/4	0-50	098268428971	6	14	629.71
	LF215M1 0-50	0009842	3/8	0-50	098268428995	6	14	652.28

0-8 and 0-20psi pressure ranges also available. Consult factory for ordering codes.



P60M5

Compact Plastic Pressure Fluid Regulator Series P60M5

For general purpose, OEM and irrigation applications - Max. inlet 300psi

Pressure range: "A" 0-25,"B" 0-60, "C" 0-125†psi

LEAD FREE*	P60M5	†0363003	1/4		098268243918	50	8.5	127.29
------------	-------	----------	-----	--	--------------	----	-----	--------

† Indicates ordering code numbers for the pressure range shown with (†).

Water Pressure Reducing Valves



152A

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Medium Capacity Process Pressure Regulators

Series 152A

**Max. pressure 200psi - Stainless Steel Disc, Seat and Strainer -
For Steam or Liquid Service - Iron Body**

152A 3-15	†0830886	1/2	098268095692	4	44	\$ 998.24
152A 10-50	†0830910	1/2	098268095784	4	44	998.24
152A 30-140	†0830905	1/2	098268095760	4	44	998.24
152A 3-15	†0830918	3/4	098268095821	4	44	1,201.89
152A 10-50	†0830920	3/4	098268095845	4	44	1,201.89
152A 30-140	†0830928	3/4	098268095869	4	44	1,201.89
152A 3-15	†0830946	1	098268095968	1	20	1,571.81
152A 10-30	†0830945	1	098268095951	1	20	1,571.81
152A 30-140	†0830950	1	098268095999	1	20	1,571.81
152A 3-15	†0830957	1 1/4	098268096026	1	20	2,167.41
152A 10-30	†0830960	1 1/4	098268096040	1	20	2,167.41
152A 30-140	†0830965	1 1/4	098268096057	1	20	2,167.41
152A 5-40	†0830985	1 1/2	098268096064	1	40	2,433.15
152A 30-100	†0830988	1 1/2	098268096071	1	40	2,433.15
152A 5-40	†0831010	2	098268096088	1	40	3,532.23
152A 30-100	†0831015	2	098268096118	1	40	3,532.23

†152AT for extra tight seating in liquid service. Available in these sizes. List Price 10% extra.

Series 252A

Max. Pressure 300psi - Bronze Body

252A 3-15	†0839720	1/2	098268102758	4	48	1,283.30
252A 10-50	†0839721	1/2	098268102765	4	48	1,442.27
252A 30-140	†0839740	1/2	098268102802	4	48	1,442.27
252A 3-15	†0839828	3/4	098268102895	4	48	1,713.37
252A 10-50	†0839831	3/4	098268102925	4	48	1,713.37
252A 30-140	†0839827	3/4	098268102888	4	48	1,713.37
252A 3-15	†0839982	1	098268199178	1	21	2,256.81
252A 10-50	†0839981	1	098268103052	1	21	2,256.81
252A 30-140	†0840000	1	098268103069	1	21	2,256.81

†252AT for extra tight seating in liquid service. List Price 10% extra.

Series 152SS


Stainless Steel Body - 152SS (Up to 300psi @ 420°F),

152SST (300psi @ 300°F - 200psi @ 400°F)

152SS 3-15	†0842076	1/2	098268234817	4	44	6,545.46
152SS 10-50	†0842072	1/2	098268103090	4	44	7,697.45
152SS 30-140	†0842073	1/2	098268213263	4	44	10,255.27
152SS 3-15	†0842087	3/4	098268234824	4	44	8,507.76
152SS 10-50	†0842086	3/4	098268103137	4	44	8,508.08
152SS 30-140	†0842088	3/4	098268234831	4	44	8,507.76
152SS 3-15	†0842107	1	098268234848	1	20	8,911.05
152SS 10-50	†0842106	1	098268103205	1	20	8,911.36
152SS 30-140	†0842108	1	098268307559	1	20	8,911.36

†152SST for extra tight seating in liquid service. List Price 10% extra. For Specification Table on 152A and 252A Series, send for F-127.

Water Pressure Reducing Valves



F127SS

Model	Ordering Code	Size (in.)	Body	UPC	Carton Qty	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	------	-----	------------	--------------------------	-------------------

Process Steam Pressure Regulators High Capacity Diaphragm Operated Steam Pressure Regulators Series 127

Threaded Connections

127SS-206	0826229	1/2	Bronze	098268094589	26		\$ 4,571.04
127SS-206	0826543	3/4	Bronze	098268094633	25		4,068.94
127SS-206	0826861	1	Bronze	098268094688	25		4,547.15
127SS-208	0827187	1 1/4	Bronze	098268094763	29		5,023.91
127SS-208	0827314	1 1/2	Bronze	098268094817	28		6,161.49
127SS-208	0827334	2	Bronze	098268094879	30		7,037.51
127SS-208	0828250	2 1/2	Bronze	098268094923	38		8,820.25
127SS-208	0828290	3	Bronze	098268095012	40		11,296.05

Series F127

Flange Connections

F127SS-208	0828292	3	Iron	098268095029	51		12,372.81
F127SS-208	0828330	4	Iron	098268095098	84		13,880.53

Standardly furnished with stainless steel valve disc.

For reduced pressure below 10psi, prices subject to \$85.85 list extra, whenever special extra large diaphragm is required.

When ordering Series 127, be sure to specify initial pressure and reduced pressure setting or range required.

Automatic Control Valves

Model	Size† (in.)	Qty Per Carton	Estimated Weight Per Carton (lbs.)	Threaded List Price	Iron Body 150#FLG. List Price	Iron Body 300#FLG. List Price
-------	----------------	----------------------	--	------------------------	-------------------------------------	-------------------------------------

Automatic Control Valve Features – Classic Series

ACV110-10 Globe / 1110-10 Angle

Float Control - Modulating (Constant Level)

110-10/1110-10	1 1/4"	1	25		\$2,557.26	
110-10/1110-10	1 1/2"	1	25		2,557.26	
110-10/1110-10	2"	1	25		2,584.14	
110-10/1110-10	2 1/2"	1	60		2,744.15	
110-10/1110-10	3"	1	60		3,252.38	
110-10/1110-10	4"	1	100		4,595.55	
110-10/1110-10	6"	1	195		7,027.77	
110-10/1110-10	8"	1	415		9,755.78	

Brass Isolation Cocks for valves 1 1/4" - 3" ...add \$217.00



ACV110-14 Globe / 1110-14 Angle On/Off (open/closed)

LFF110-14 or LFM110-14 Globe / LFF1110-14 or LFM1110-14 Angle

Float Control Valve (Adjustable Hi/Lo level) On/Off Float Valve

110-14/1110-14	1 1/4"	1	30		\$3,185.14	
110-14/1110-14	1 1/2"	1	30		3,185.14	
110-14/1110-14	2"	1	30		3,185.14	
110-14/1110-14	2 1/2"	1	65		3,413.71	
110-14/1110-14	3"	1	65		4,185.47	
110-14/1110-14	4"	1	115		4,813.35	
110-14/1110-14	6"	1	215		7,576.33	
110-14/1110-14	8"	1	430		11,617.94	
LFF110-14 / LFM110-14 / LFF1110-14 / LFM1110-14	1 1/4"	1	40		3,686.39	
LFF110-14 / LFM110-14 / LFF1110-14 / LFM1110-14	1 1/2"	1	40		3,686.39	
LFF110-14 / LFM110-14 / LFF1110-14 / LFM1110-14	2"	1	40		3,686.39	
LFF110-14 / LFM110-14 / LFF1110-14 / LFM1110-14	2 1/2"	1	80		3,949.64	
LFF110-14 / LFM110-14 / LFF1110-14 / LFM1110-14	3"	1	80		4,843.46	
LFF110-14 / LFM110-14 / LFF1110-14 / LFM1110-14	4"	1	130		5,569.90	
LFF110-14 / LFM110-14 / LFF1110-14 / LFM1110-14	6"	1	230		8,767.57	
LFF110-14 / LFM110-14 / LFF1110-14 / LFM1110-14	8"	1	450		13,446.47	

Valve standard with brass rods/plastic float. Size 2" - 6" std. with (2) 12" brass rods. Sizes 8" - 16" std. with (4) 12" brass rods.

Brass Isolation Cocks for valves 1 1/4" - 3" ...add \$217.00

Additional Rods: Brass 12" ...add \$36.00 each; Stn. Stl. 12" ...add \$60.00 each. Note: Specify if valve mounted pilot is required.

Specify discharge: horizontal or vertical.

Additional Rods: LF Series Stainless Steel 12" ...add \$60.00 each.

Option: LF Series Stainless Steel Isolation Cocks for valves 1 1/4" - 3" ... add \$378.00.

Standard Production Valves:

Globe pattern 1 1/4" – 24",

Angle pattern 1 1/4" – 12",

Ductile Iron body and cover with NSF Approved heat fusion bonded epoxy coated 100% (inside & out), Exclusive "Quad Seal" seat disc for positive, drip-tight closure, Long life non-edged stainless steel seat, FDA Approved Buna-N diaphragm, Top and bottom guided stem. Consult factory for specifications and ordering codes.

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Automatic Control Valves

Model	Size (in.)	Qty Per Carton	Estimated Weight Per Carton (lbs.)	Threaded List Price	Iron Body 150#FLG. List Price	Iron Body 300#FLG. List Price
-------	------------	----------------	------------------------------------	---------------------	-------------------------------	-------------------------------



ACV113-12 Globe / 1113-12 Angle

LFF113-12 or LFM113-12 Globe / LFF1113-12 or LFM1113-12 Angle

Solenoid On/Off (open/closed) sizes: 1 1/4" - 4"

	113-12/1113-12	1 1/4"	1	30		\$2,234.58
	113-12/1113-12	1 1/2"	1	30		2,234.58
	113-12/1113-12	2"	1	30		2,234.58
	113-12/1113-12	2 1/2"	1	65		2,865.16
	113-12/1113-12	3"	1	65		2,865.16
	113-12/1113-12	4"	1	110		4,764.95
LEAD FREE*	LFF113-12 / LFM113-12 / LFF1113-12 / LFM1113-12	1 1/4"	1	40		2,585.24
	LFF113-12 / LFM113-12 / LFF1113-12 / LFM1113-12	1 1/2"	1	40		2,585.24
	LFF113-12 / LFM113-12 / LFF1113-12 / LFM1113-12	2"	1	40		2,585.24
	LFF113-12 / LFM113-12 / LFF1113-12 / LFM1113-12	2 1/2"	1	80		3,315.97
	LFF113-12 / LFM113-12 / LFF1113-12 / LFM1113-12	3"	1	80		3,315.97
	LFF113-12 / LFM113-12 / LFF1113-12 / LFM1113-12	4"	1	130		5,515.06

Brass Isolation Cocks for valves 1 1/4" - 3" ...add \$217.00. Brass Isolation cocks standard 4".

Option: LF Series Stainless Steel Isolation Cocks for valves 1 1/4" - 3" ... add \$378.00.

Note: Manual Operator Standard, specify voltage, specify energize to open or close main valve.

ACV113-6RFP Globe / 1113-6RFP Angle


Flood Prevention Solenoid On/Off valve

Available in sizes 1 1/4" - 10". Price includes Classic Series Basic Valve with anti-scale trim (Xylan coated seat and stem), Single

Limit Switch, JB113 junction box and FS99 flow sensor. 110-120 VAC - Power to Solenoid closes valve.

	113-6RFP/1113-6RFP	1 1/4"	1	55		\$10,816.61
	113-6RFP/1113-6RFP	1 1/2"	1	55		10,816.61
	113-6RFP/1113-6RFP	2"	1	60		11,092.22
	113-6RFP/1113-6RFP	2 1/2"	1	90		12,341.90
	113-6RFP/1113-6RFP	3"	1	90		12,600.76
	113-6RFP/1113-6RFP	4"	1	140		13,379.25
	113-6RFP/1113-6RFP	6"	1	240		15,703.89
	113-6RFP/1113-6RFP	8"	1	460		16,015.83

Brass Isolation Cocks for valves 1 1/4" - 3" ...add \$217.00. Isolation cocks standard 4" - 10".




*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Automatic Control Valves

AUTOMATIC CONTROL VALVE FEATURES – CLASSIC “A” SERIES

Standard Production Valves: Globe pattern 1-1/4" – 24", Angle pattern 1-1/4" – 12", Cast Iron body and cover with NSF Approved heat fusion bonded epoxy coated 100% (inside & out), Exclusive "Quad Seal" seat disc for positive, drip-tight closure, Long life non-edged seat*, FDA Approved Buna-N diaphragm, Top and bottom guided stem. Consult factory for specifications.



Standard Production Valves:

Globe pattern 1 1/4" – 24",

Angle pattern 1 1/4" – 12",

Ductile Iron body and cover with NSF Approved heat fusion bonded epoxy coated 100% (inside & out), Exclusive "Quad Seal" seat disc for positive, drip-tight closure, Long life non-edged stainless steel seat, FDA Approved Buna-N diaphragm, Top and bottom guided stem. Consult factory for specifications and ordering codes.

Model	Size† (in.)	Qty Per Carton	Estimated Weight Per Carton (lbs.)	List Price (Each)
-------	----------------	----------------------	--	----------------------

Pressure Reducing With Opening Speed Control

PV10M/T THD	1 1/4"	1	30	\$3,138.08
PV10M/T THD	1 1/2"	1	30	3,138.08
PV10M/T THD	2"	1	30	3,138.08
PV10M/T THD	2 1/2"	1	60	4,303.79
PV10M/T THD	3"	1	60	4,303.79
PV10M/T 125#	2"	1	30	3,269.85
PV10M/T 125#	2 1/2"	1	60	4,356.22
PV10M/T 125#	3"	1	60	4,356.22
PV10M/T 125#	4"	1	150	6,182.06
PV10M/T 125#	6"	1	290	10,175.27
PV10M/T 125#	8"	1	495	17,848.39
PV10M/T 250#	2"	1	30	3,736.40
PV10M/T 250#	2 1/2"	1	60	5,060.74
PV10M/T 250#	3"	1	60	5,060.74
PV10M/T 250#	4"	1	150	6,733.31
PV10M/T 250#	6"	1	290	11,326.16
PV10M/T 250#	8"	1	495	19,967.36

Pressure Reducing With Opening Speed Control & Low Flow Bypass

PV10M/T-06 THD	1 1/4"	1	38	\$3,904.47
PV10M/T-06 THD	1 1/2"	1	38	3,904.47
PV10M/T-06 THD	2"	1	59	3,790.17
PV10M/T-06 THD	2 1/2"	1	75	4,849.66
PV10M/T-06 THD	3"	1	75	4,189.50
PV10M/T-06 125#	2"	1	38	3,819.76
PV10M/T-06 125#	2 1/2"	1	75	5,091.67
PV10M/T-06 125#	3"	1	75	5,091.67
PV10M/T-06 125#	4"	1	165	6,909.44
PV10M/T-06 125#	6"	1	305	11,425.66
PV10M/T-06 250#	2"	1	38	4,782.42
PV10M/T-06 250#	2 1/2"	1	75	5,786.78
PV10M/T-06 250#	3"	1	75	5,786.78
PV10M/T-06 250#	4"	1	165	7,479.52
PV10M/T-06 250#	6"	1	305	12,368.16

Pressure Relief, Pressure Sustaining or Backpressure Control

PV20M/T THD	1 1/4"	1	30	\$4,149.17
PV20M/T THD	1 1/2"	1	30	4,149.17
PV20M/T THD	2"	1	30	5,125.28
PV20M/T THD	2 1/2"	1	60	5,125.28
PV20M/T THD	3"	1	60	4,745.19
PV20M/T 125#	2"	1	30	4,056.39
PV20M/T 125#	2 1/2"	1	60	5,244.95
PV20M/T 125#	3"	1	60	5,244.95
PV20M/T 125#	4"	1	150	7,552.13
PV20M/T 125#	6"	1	290	11,463.31
PV20M/T 125#	8"	1	500	20,132.72
PV20M/T 250#	2"	1	30	4,397.90
PV20M/T 250#	2 1/2"	1	60	6,112.17
PV20M/T 250#	3"	1	60	6,112.17
PV20M/T 250#	4"	1	150	8,306.59
PV20M/T 250#	6"	1	290	12,801.11
PV20M/T 250#	8"	1	500	22,300.08

Notes: 10" thru 16" sizes also available – consult factory.

Grooved end available – consult factory.

Cast iron valve bodies fused epoxy coated (inside & out) / Full 316 stainless steel seat).

Available in Globe or Angle pattern. Pressure range 20-175 psig.

Water Pressure Relief Valves



740

High Capacity Water Pressure Relief Valves

Series 740

For Hot Water Space Heating Boiler - ASME RATED - Female inlet NPTF

For Low Pressure Hot Water Heating Boilers - Iron Body -

(† Standard settings 30, 50, 75psi.)

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
740 **	0382330	3/4		12	21	\$ 154.25
740 **	0382540	1		6	22	319.83
740 **	0383015	1 1/4		6	34	486.76
740 **	0383500	1 1/2		6	50	692.43
740 **	0384010	2		1	16	1,013.60

†Also available in 5psi increments 30 – 75psi, add 10% to list price. Contact factory for ordering codes.

** Ordering code for 30psi set pressure.



174A

ASME Rated - Water Pressure Relief Valves -

For Hot Water Supply Boilers

Series 374 and Series 174A

For Hot Water Supply Boilers - Bronze body -

Female inlet NPTF - († Standard setting 30psi)

374A	0358553	3/4		25	28	\$ 89.47
174A	† 0274431	3/4		25	35	154.25
174A	† 0274840	1		12	26	293.80
174A	† 0275584	1 1/4		6	34	495.45
174A	† 0276255	1 1/2		6	47	681.07
174A	† 0278010	2		1	14	1,026.95

• Setting 30psi only.

† Also available in 5psi increments 30-150psi, add 10% to list price. Contact factory for ordering codes.

740, 374A, 174A Steam Discharge Ratings

Model	Size	30 BTU/Hr.	125 BTU/Hr.	150 BTU/Hr.	Model	Size	30 BTU/Hr.	50 BTU/Hr.	75 BTU/Hr.
374A	3/4"	550,000	—	—	740	3/4" x 1"	925,000	1,352,000	1,886,000
174A	3/4"	650,000	2,070,000	2,445,000	740	1" x 1 1/4"	1,300,000	1,899,000	2,649,000
174A	1"	1,005,000	3,215,000	3,795,000	740	1 1/4" x 1 1/2"	2,105,000	3,075,000	4,285,000
174A	1 1/4"	1,682,000	5,370,000	6,340,000	740	1 1/2" x 2"	2,900,000	4,237,000	5,909,000
174A	1 1/2"	2,020,000	6,460,000	7,630,000	740	2" x 2 1/2"	5,250,000	7,672,000	10,700,000
174A	2"	3,815,000	12,170,000	14,370,000					



530C

Series 530

Specialty Relief Valves

Poppet Type - Pressure Relief Valves

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
530C ▲	0371271	1/2	098268018233	50	26	\$ 47.73
530C ▲	0372271	3/4	098268018240	50	28	51.08
LF530-C	0556035	1/2	098268435191	50	26	55.26
LF530-C	0556036	3/4	098268435207	50	28	58.88
530FP ●	0371270	1/2	098268221657	50	26	60.77

Series 53

53 ■	0185131	1/2	098268010138	50	28	35.39
53 ■	0185643	3/4	098268010190	50	28	37.73
FP53L ✕	0190893	1/2	098268329278	50	28	57.42

▲ Model 530C sizes 1/2" and 3/4" adjustments are between 50 and 175psi. For 100 – 300psi adjustments, 3/4" only, specify ordering code 0372273.

■ Set at 75, Available in 125 and 150psi settings. For other settings, specify 1/2" 53L and 3/4" 3L ASME Relief Valves.

✕ Fire line thermal expansion relief valve. Set at 175psi – UL Listed.

● Fire line thermal expansion valve – Set at 150psi, adjustable range between 50 – 175psi.

□ Hose connection thermal expansion relief valve.

Series 53L, 3L, and LF3L

Poppet Type - Pressure Relief Valves

53L ■	0004621	1/2	098268010244	50	31	39.73
3L **■	0004619	3/4	098268001402	50	33	39.73
LF3L-075	0556032	3/4	098268435160	50	25.6	45.68
LF3L-125	0556033	3/4	098268435177	50	26.0	45.68
LF3L-150	0556034	3/4	098268435184	50	25.2	45.68

**For Solar, specify Model 3L-Z9 with stainless steel lever and pin for outside solar applications.

■ Set at 125psi, available in 75 and 150psi settings.



N30L

Series 30L and N30

Diaphragm Type - Water Pressure Relief Valves

N30 (adj.5-25)	0109265	1/2	098268009187	25	29	256.40
LFN30	0121397	1/2	098268583892	25	34	475.86

■ Set at 75psi, available in 100, 125 or 150psi.

† Set at 30psi, available in 45psi.

Bypass Control Valves

Series 5300A and BP30A

For Pumping Equipment - Bronze Body

5300A	0391600	1/2	098268025699	25	14	69.45
BP30A	**0114039	1/2	098268009347	12	15	257.74

**Furnished with special Teflon disc.

Standard pressure range 10-50psi.

Available in 45 – 100psi and 75 – 175psi ranges.



5300A

Temperature & Pressure Relief Valves



40XL,
40XL-8



LF340

PLEASE NOTE: Temperature and pressure safety relief valves constructed of standard materials (non-lead free) are permitted to be used as a component part of a water heater that meets the definition of lead free under Section 1417 of the Safe Drinking Water Act.

Temperature & Pressure Relief Valves

T&P Relief Valves on this page are certified by CSA and meet current F.H.A. requirements and American National Standard Z21.22.

Standard Relief Valve Settings:

Due to excessive costs of producing non-standard "special" settings in small quantities, we find it necessary to limit available pressure relief settings to 75,100,125,150psi. Temperature 210°F.

If "special" settings are necessary for large quantity requirements, we will approve pricing at little or no extra cost, depending on type of valve, setting and quantity. Please consult factory.

Model	Ordering Code	Size (in.)	Thermostat Length (in.)	CSA Temp. Steam BTU/Hr	ASME Pressure Steam Rating BTU/Hr @75psi set pres.	ASME Pressure Steam Rating BTU/Hr @150psi set pres.	UPC	Qty. Per Carton	Per Carton Wgt. (lbs.)	List Price (Each)
		Inlet Outlet								

ASME Self-Closing T&P Relief Valves

Series 40, LL40, LLL40, 140, 240, 340, LF40, LFL40, LFL40, LF140, LF240, LF340

	40L 150/210	0153614	3/4 M	3/4 F	3	180,000	777,600	1,437,600	098268009620	12	20	\$ 232.81
	40XL 150/210	0156731	3/4 M	3/4 F	5	205,000	777,600	1,437,600	098268009767	12	18	262.74
	40XL8 150/210	0158774	3/4 M	3/4 F	8	205,000	777,600	1,437,600	098268009835	12	21	287.92
	LL40XL 150/210	0163801	3/4 M	3/4 F	3 1/2	205,000	777,600	1,437,600	098268921328	12	35	343.07
	LLL40XL 150/210	0163803	3/4 M	3/4 F	5	205,000	777,600	1,437,600	098268921342	12	35	438.35
LEAD FREE*	LF40L 150/210	0121406	3/4 M	3/4 F	3	180,000	777,600	1,437,600	098268584080	12	20	269.42
	LF40L 125/210	0556013	3/4 M	3/4 F	3	180,000	777,600	1,437,600	098268432480	12	35	315.57
	LF40XL 125/210	0556015	3/4 M	3/4 F	5	205,000	777,600	1,437,600	098268432503	12	20	496.85
	LF40XL 150/210	0556016	3/4 M	3/4 F	5	205,000	777,600	1,437,600	098268432510	12	20	302.90
	LF40XL8 150/210	0121421	3/4 M	3/4 F	8	205,000	777,600	1,437,600	098268584516	12	21	333.12
	LFL40XL 150/210	0121429	3/4 M	3/4 F	3 1/2	205,000	777,600	1,437,600	098268584622	12	35	396.84
	LFL40XL 150/210	0121430	3/4 M	3/4 F	5	205,000	777,600	1,437,600	098268584660	12	35	364.16
	140S3 150/210	0254702	3/4 F	3/4 F	3	180,000	777,600	1,437,600	098268012347	12	21	262.75
	140X5 150/210	0257564	3/4 F	3/4 F	5	205,000	777,600	1,437,600	098268012422	12	21	286.58
	140X8 150/210	0259850	3/4 F	3/4 F	8	205,000	777,600	1,437,600	098268012538	12	25	307.67
LEAD FREE*	LF140S3 150/210	0121449	3/4 F	3/4 F	3	180,000	777,600	1,437,600	098268585254	12	21	304.26
	LF140X5 150/210	0121453	3/4 F	3/4 F	5	205,000	777,600	1,437,600	098268585346	12	21	542.36
	LF140X8 150/210	0121459	3/4 F	3/4 F	8	205,000	777,600	1,437,600	098268585445	12	25	355.98
	40L 150/210	0154830	1 M	1 F	2	450,000	1,155,000	2,134,000	098268009675	12	21	379.80
	40XL 150/210	0163725	1 M	1 F	4	500,000	1,155,000	2,134,000	098268009897	12	23	403.63
	40XL7 150/210	0163765	1 M	1 F	7	500,000	1,155,000	2,134,000	098268009989	12	26	422.70
	LL40XL 150/210	0163805	1 M	1 F	3	500,000	1,155,000	2,134,000	098268921366	12	36	351.92
LEAD FREE*	LF40L 150/210	0121409	1 M	1 F	2	450,000	1,155,000	2,134,000	098268584110	12	38	727.52
	LF40XL 100/210	0556006	1 M	1 F	4	450,000	1,155,000	2,134,000	098268432411	12	23	332.56
	LF40XL 125/210	0556007	1 M	1 F	4	500,000	1,155,000	2,134,000	098268432428	12	24	384.57
	LF40XL 150/210	0556008	1 M	1 F	4	500,000	1,155,000	2,134,000	098268432435	12	23	402.95
	LF40XL7 150/210	0121428	1 M	1 F	7	500,000	1,155,000	2,134,000	098268584615	12	26	489.41
	LFL40XL 150/210	0121431	1 M	1 F	3	500,000	1,155,000	2,134,000	098268584677	12	36	629.46
	140S3 150/210 **	0256661	1 F	1 F	3	570,000	1,670,000	3,085,000	098268012385	6	14	415.89
	140X6 150/210 **	0259705	1 F	1 F	6	670,000	1,670,000	3,085,000	098268012477	12	28	457.43
	140X9 150/210 **	0259930	1 F	1 F	9	670,000	1,670,000	3,085,000	098268012576	12	30	491.46
	N240X-6 150/210**	0315130	1 F	1 F	6	730,000	2,195,000	4,059,000	098268016345	12	35	670.27
	N240X-9 150/210**	0315180	1 F	1 F	9	730,000	2,195,000	4,059,000	098268016383	12	34	782.58
LEAD FREE*	LF140S3 150/210 **	0121451	1 F	1 F	3	570,000	1,670,000	3,085,000	098268585322	6	14	790.45
	LF140X6 150/210 **	0121457	1 F	1 F	6	670,000	1,670,000	3,085,000	098268585384	12	28	529.57
	LF140X9 150/210 **	0121460	1 F	1 F	9	670,000	1,670,000	3,085,000	098268585476	12	30	568.80
	LFN240X 150/210 **	0556019	1 F	1 F	6	730,000	2,195,000	4,059,000	098268432541	12	35	717.80
	LFN240X9 150/210 **	0121589	1 F	1 F	9	730,000	2,195,000	4,059,000	098268587227	12	49	906.05
	N241X5 150/210 **	0318825	1 1/4 M	1 F	5	730,000	2,195,000	4,059,000	098268016437	12	39	761.87
	N241X8 150/210**	0318861	1 1/4 M	1 F	8	730,000	2,195,000	4,059,000	098268016475	12	44	872.05

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Relief Valves

PLEASE NOTE: Temperature and pressure safety relief valves constructed of standard materials (non-lead free) are permitted to be used as a component part of a water heater that meets the definition of lead free under Section 1417 of the Safe Drinking Water Act.

Model	Ordering Code	Size (in.)	Thermostat Length (in.)	CSA Temp. Steam BTU/Hr	ASME Pressure Steam Rating BTU/Hr @75psi set pres.	ASME Pressure Steam Rating BTU/Hr @150psi set pres.	UPC	Qty. Per Carton	Per Carton Wgt. (lbs.)	List Price (Each)
		Inlet Outlet								

ASME Self-Closing T&P Relief Valves (cont.)

Series 40, LL40, LLL40, 140, 240, 340, LF40, LFLL40, LFLLL40, LF140, LF240, LF340

LEAD FREE	LFN241X5 150/210 **	0121592	1 1/4 M	1 F	5	730,000	2,195,000	4,059,000	098268587258	12	39	\$ 850.55
	LFN241X8 150/210 **	0121595	1 1/4 M	1 F	8	730,000	2,195,000	4,059,000	098268587302	12	44	2,078.83
	340 150/210 **	0344276	1 1/2 F	1 1/2 F	3	1,150,000	3,450,000	6,379,000	098268017571	6	44	1,455.63
	340X8 150/210 **	0348470	1 1/2 F	1 1/2 F	8	1,150,000	5,403,000	6,379,000	098268017625	6	39	1,546.44
LEAD FREE	LF340 150/210 **	0121602	1 1/2 F	1 1/2 F	3	1,150,000	3,450,000	6,379,000	098268587487	6	44	1,683.99
	LF340X8 150/210 **	0121605	1 1/2 F	1 1/2 F	8	1,150,000	5,403,000	6,379,000	098268587517	6	39	1,772.05
	342-3 150/210 **	0352478	2 M	1 1/2 F	3	1,150,000	3,450,000	6,379,000	098268017663	6	40	1,589.16
	342X-8 150/210 **	0352620	2M	1 1/2 F	8	1,150,000	3,450,000	6,379,000	098268017700	6	37	1,686.66
LEAD FREE	LF342 150/210 **	0121608	2 M	1 1/2 F	3	1,150,000	3,450,000	6,379,000	098268587548	6	40	1,838.82
	LF342X8 150/210 **	0121610	2M	1 1/2 F	8	1,150,000	3,450,000	6,379,000	098268587586	6	37	1,952.34

340X-8 M4Z, Temperature Relief 210°F, 175psi, Certified CSA only, Ordering code 0348475 List Price \$2065.00.

**Standardly furnished with stainless steel thermostat tube.

Model	Ordering Code	Size (in.)	CSA Temp. Steam BTU/Hr	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	------------------------	-----	-----------------	--------------------------	-------------------

Standard Self-Closing T&P Relief Valves -

Series 1, 1XL

Thermo-bonded (non-metallic) protective coating on thermostat

1L-2	† 0004611	1/2	15,000	098268000313	50	32	\$ 33.71
1XL-4	† 0004615	1/2	15,000	098268000429	25	17	33.71
1XL-8	† 0004618	1/2	15,000	098268000443	25	20	39.83

† Set @ 150psi pressure relief. Consult factory for additional pressure settings.

ASME Self-Closing T&P Relief Valves

Series 10L, 100XL

Thermo-bonded (non-metallic) protective coating on thermostat

10L-2 150	0004266	3/4	80,000	098268006988	50	35	\$ 33.06
100XL-4 150	0066166	3/4	105,000	098268000016	50	37	31.38
100XL-8 150	0066168	3/4	105,000	098268007237	50	40	42.87
L100XL-3 150	0066133	3/4	105,000	098268214673	50	41	43.56
LL100XL-2.5 150	0066171	3/4	105,000	098268214666	50	41	52.07
LLL100XL-Z5 150	0066446	3/4	105,000	098268739787	50	46	77.95
LF100XL 150/210	0556000	3/4	105,000	098268432350	50	37	39.89
LF100XL8 150/210	0556001	3/4	105,000	098268432367	50	40	39.12
LFL100XL3M7 150/210	0556003	3/4	105,000	098268432381	50	41	50.37
LFLL100XL-2 1/2 M7	0556002	3/4	105,000	098268432374	50	41	61.12
LFLLL100XLZ5 150/210	0556004	3/4	105,000	098268432398	50	46	89.86

Set @ 150psi pressure relief. Consult factory for additional pressure settings.

OPTION: SOLAR – Model 100XL/1XL, specify Suffix Z9 stainless steel lever and pin for outside solar applications. Net price \$1.70 extra.

Suffix Z11 for 180°F thermostat. Net price \$2.00 extra. Consult factory for additional pressure settings and ordering codes.



100XL

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Model	Ordering Code	Size (in.)	CSA Temp. Steam BTU/Hr	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	------------------------	-----	-----------------	--------------------------	-------------------

Temperature Gas Shutoff Valves

Series 210

Design Certified to ANSI Z21.87 - Automatic Gas Shutoff devices for hot water supply systems

210-5	0295395	3/4 x 1/2	150,000 (natural gas) 243,000 (LP gas)	098268014891	25	28	\$ 285.11
L210	0295396	3/4 x 1/2	150,000 (natural gas) 243,000 (LP gas)	098268288094	25	28	331.18
LL210	0295397	3/4 x 1/2	150,000 (natural gas) 243,000 (LP gas)	098268288100	25	29	359.89
LLL210	0295398	3/4 x 1/2	150,000 (natural gas) 243,000 (LP gas)	098268288117	25	29	370.58
LF210-5 M2	0556025	3/4	150,000 (natural gas) 243,000 (LP gas)	098268432602	25	28	330.24
LFL210-5 M2	0556026	3/4	150,000 (natural gas) 243,000 (LP gas)	098268432619	25	28	330.24
LFL210-5 M2	0556027	3/4	150,000 (natural gas) 243,000 (LP gas)	098268432626	25	29	355.88

LEAD FREE



315-M1



Figure 31, 41, 41A
Bronze



Figure 31, 41, 41A
Cast Iron

Steam Safety Valves - ASME Section IV

Series 315 and Series 415

For Low Pressure Steam Heating Boilers Furnished with special Teflon® disc. (Set at 15psi)

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
315-M1	0342615	3/4 x 3/4	098268609325	25	17	\$ 49.75
415-M1	0346045	3/4 x 3/4	098268609332	25	27	85.13
415-M1	0346044	1 x 1	098268699203	25	29	102.49
415	0364195	1 1/4 x 1 1/2	098268903034	6	13	142.88
415	0364200	1 1/2 x 2	098268903041	6	19	192.97

FIGURE 31/ 41/41A Bronze Safety Valves

Inlet	Valve Size Orifice	Outlet	Pipe Connection NPT X Outlet	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
1/2"	D	3/4"	NPT x NPT	1	3	\$646.31
3/4"	E	1"	NPT x NPT	1	4	729.59
1"	F	1 1/4"	NPT x NPT	1	6	835.75
1 1/4"	G	1 1/2"	NPT x NPT	1	8	1,086.34
1 1/2"	H	2"	NPT x NPT	1	17	1,306.56
2"	J	2 1/2"	NPT x NPT	1	22	1,813.67
2 1/2"	J	2 1/2"	NPT x NPT	1	22	2,416.33

FIGURE 31/ 41/41A Cast Iron Safety Valves

1 1/2"	J	2 1/2"	250 FLG x NPT	1	24	\$4,361.86
1 1/2"	J	2 1/2"	NPT x NPT	1	20	4,361.86
2"	J	3"	250 FLG x NPT	1	42	4,203.59
2"	K	3"	250 FLG x NPT	1	42	5,048.51
2"	K	3"	NPT x NPT	1	36	5,048.51
2 1/2"	K	3"	250 FLG x NPT	1	45	5,701.45
2 1/2"	L	4"	250 FLG x NPT	1	105	6,777.74
2 1/2"	L	4"	NPT x NPT	1	97	6,777.74
3"	K	3"	250 FLG x NPT	1	48	5,853.91
3"	L	4"	250 FLG x NPT	1	107	7,496.06
3"	M	4"	250 FLG x NPT	1	107	8,676.11
3"	M	4"	NPT x NPT	1	99	8,676.11
4"	N	6"	250 FLG/125 FLG	1	212	15,032.33
4"	P	6"	250 FLG/125 FLG	1	212	19,837.73
6"	Q	8"	250 FLG/125 FLG	1	675	30,866.50
6"	R	8"	250 FLG/125 FLG	1	675	39,727.57

Model	Ordering Code	Size (in.)	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----------------	--------------------------	-------------------

High Capacity Safety Valves

ASME Section IV - for steam heating boiler

Fig 10	630015	3/4" X 1"	1	1	\$ 1,161.81
Fig 10	0216011	1" X 1 1/4"	1	2	1,230.06
Fig 10	630055	1 1/4" X 1 1/2"	1	3	1,247.95
Fig 10	630075	1 1/2" X 2"	1	4	1,268.66
Fig 10	630095	2" X 2 1/2"	1	8	1,299.38
Fig 10	0630115	2 1/2" X 3"	1	14	1,861.61
Fig 10	630135	3" X 3"	1	22	1,999.67

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Water Heater Installation Products

3

Water Heater Installation Products



N36

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Vacuum Relief Valves - CSA/ANSI Z21.22 -

Series N36, N36M1, N360, N360I

Water and Steam Service

N36	0138515	1/2	098268695717	24	35	\$ 46.62
N36	0138516	3/4	098268695724	24	38	84.75
LFN36M1	0556030	1/2	098268450408	24	35	52.74
LFN36M1	0556031	3/4	098268450415	24	38	96.15

LEAD FREE*

Drain Line For T&P Relief Valves -

Series 100DT, 100DTA-60

For use on water heaters up to 100,000 BTU/Hr

		Conn. Size	Drop Length			
100DT	0066125	3/4	48	098268007329	75	\$ 15.44
100DTA-60	0066129	3/4	60	098268026665	12	77.36
100DTA-60-12	0066060	3/4	60	098268902006	12	66.44

100DT



PLT-12

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Potable Water Expansion Tanks

Series PLT

Max. temp. 160° - Max. pressure 150psi - Precharge 20psi

PLT-5	†0067370	—	098268095739	1	5.5	\$ 202.99
PLT-12	†0067371	—	098268095753	1	11	269.76
PLT-20	0067372	—	098268483161	1	21	533.51
PLT-35	0067373	—	098268483178	1	25	681.07

†Available in pallet quantities (PLT-5-M1, 180), (PLT-12-M1, 70).

LEAD FREE*

ASME Pressurized Expansion Tanks For Potable Hot Water

Series DETA

DETA-5	0212026	—	098268913484	1	22	\$ 2,855.16
DETA-12	0212027	—	098268913491	1	28	3,286.52
DETA-20	0212028	—	098268913507	1	34	3,656.43
DETA-30	0212029	—	098268913514	1	64	4,122.49
DETA-42	0212030	—	098268913521	1	88	4,404.27
DETA-60	0212031	—	098268913538	1	93	4,946.46
DETA-80	0212032	—	098268913545	1	109	5,691.63
DETA-100	0212033	—	098268913552	1	148	6,439.47
DETA-125	0212034	—	098268913569	1	175	7,185.98
DETA-160	0212035	—	098268913576	1	259	7,933.83
DETA-180	0212036	—	098268913583	1	268	8,676.32
DETA-210	0212037	—	098268913590	1	283	8,817.89

LEAD FREE*



DETA

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Water Detector Shutoffs Series WDS and LFWDS

Complete Valves

LEAD FREE*	LFWDS-SP-L	0121577	3/4	098268587029	1	5.3	\$ 642.37
	LFWDS-SP-R	0121578	3/4	098268587050	1	5.3	630.04
	LFWDS-SI	0121579	3/4	098268587067	1	5.2	559.50
	LFWDS-E220	0121580	3/4	098268587074	1	7.0	727.79
	LFWDS-SP-L	0301015	1	098268460056	1	5.5	663.16
	LFWDS-SP-R	0121581	1	098268587081	1	5.5	659.78
	LFWDS-SI	0301017	1	098268460070	1	5.4	563.33
	LFWDS-E220	0121582	1	098268587098	1	7.2	762.36

Components

LEAD FREE*	WDS- L Therm.	0301009		098268356236	12	3.2	90.88
	WDS- R Therm.	0301010		098268356243	12	3.2	90.88

Tankless Water Heater Valves Series LFTWH

LEAD FREE*	LFTWH-UT-HC-RV	0120001	3/4	098268442854	5	25	294.47
	LFTWH-UT-HCN-RV	0125110	3/4	098268849035	5	28	346.92
	LFTWH-FT-HCN	0100155	3/4	098268483475	5	19	175.75
	LFTWH-FT-HCN-RV	0100156	3/4	098268483482	5	22	269.76
	LFTWH-UTS-HCN-RV	0120003	3/4	098268454765	5	28	290.87
	LFTWH-QC-HCN-RV	0120005	3/4	098268454789	5	28	299.81
	LFTWH-FT-CN	0100150	3/4	098268465686	5	7.7	164.93
	LFTWH-UTS-HCN Valve Set	0100165	1	098268548952	5	29	446.03
	LFTWH-FS-HCN-RV	0120006	3/4	098268542516	5	22	349.89

Combination Ball Valve and Relief Valve

Series LFBRV

Sweat Ends - BRVSxSxC

LEAD FREE*	LFBRV-125	0556028	3/4	098268432633	32	33	\$ 140.57
------------	-----------	---------	-----	--------------	----	----	-----------

Threaded Ends - BRVTxTxC

LEAD FREE*	LFBRT-125	0125272	3/4	098268853834	24	34	121.22
	LFBRT-80	0125273	3/4	098268853841	24	34	154.39

PEX x PEX Ends - BRVPxPxP

LEAD FREE*	LFBVP-125	0125274	3/4	98268088656	24	27	171.23
------------	-----------	---------	-----	-------------	----	----	--------

PEX x PEX x PEX Ends - BRVPxPxP

LEAD FREE*	LFBVPxPxP-125	0125275	3/4	098268853865	24	27	195.62
------------	---------------	---------	-----	--------------	----	----	--------

PEX x PEX x PEX Ends - BRVPxPxP

LEAD FREE*	LFBVPxPxP-125	0125275	3/4	098268853865	24	27	195.62
------------	---------------	---------	-----	--------------	----	----	--------

Sweat x Sweat x PEX Ends - BRVSxSxP

LEAD FREE*	LFBVSxSxP-80	0125276	3/4	098268853872	24	29	140.57
------------	--------------	---------	-----	--------------	----	----	--------

NOTE: Standard relief drain connection is 3/8" Compression, P = 1/2" PEX

For Ordering Example:

LFBRV x **S** x **C**
 Inlet Outlet Relief

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.



8A



8FR



TWS



NLF9

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Hose Connection Atmospheric Vacuum Breaker Series 8/LF8

			Inlet	Outlet			
8	0061982	3/4 f	3/4 m	098268308006	72	20	\$ 23.26
8P	0061868	3/4 f	3/4 m	098268004137	72	18	27.97
8B	0061983	3/4 f	3/4 m	098268308020	72	14	29.66
8BC †	0065986	3/4 f	3/4 m	098268307993	72	14	97.08
8C †	0061985	3/4 f	3/4 m	098268307986	72	20	35.40
8A	0061877	3/4 f	3/4 m	098268004212	72	22	35.06
8AC †	0063055	3/4 f	3/4 m	098268006681	72	22	39.77
S8 **	0061853	1/2 f	1/2 m	098268003994	50	25	49.56
S8C **†	0061852	1/2 f	1/2 m	098268003987	72	22	61.36
S8C **†	0061867	3/8 f	1/2 m	098268004120	50	25	77.21
8FR †	0062029	3/4 f	3/4 m	098268920413	50	25	75.85
LF8	0792085	3/4 f	3/4 m	98268434729	72	19	55.63
LF8B	0792086	3/4 f	3/4 m	98268434736	72	19	34.04
LF8BC	0792090	3/4 f	3/4 m	98268434774	72	19	27.77
LF8C	0792087	3/4 f	3/4 m	98268434743	72	19	74.42
LF8A	0792091	3/4 f	3/4 m	98268434781	72	22	77.00
LF8AC	0792092	3/4 f	3/4 m	98268434798	72	22	45.84
LF8FR	0792094	3/4 f	3/4 m	98268434811	50	23	87.64

†Chrome plated. **Female threaded inlet x male NPT outlet connection.

Series NF8/LFNF8

With Manual Draining For Freezing Conditions

LFNF8	0792093	3/4 f	3/4 m	098268434804	50	16.85	\$ 58.66
-------	---------	-------	-------	--------------	----	-------	----------

Series TWS

Through The Wall Shutoff For Use With PVB, DC and RP - Key Operated

		Size	Length				
TWS-8	0722050	3/4	8	098268611977	4	32	\$ 657.32
TWS-10	0722051	3/4	10	098268611984	4	32	736.89
TWS-12	0722052	3/4	12	098268611991	4	36	789.50
TWS-8	0722045	1	8	098268569278	4	32	656.67
TWS-10	0722046	1	10	098268569285	4	32	736.87
TWS-12	0722047	1	12	098268569292	4	36	789.50

Series NLF9/LFNLF9

Lab Faucet Vacuum Breaker - Chrome Finish

LFNLF9	0792095	3/8 m	3/8 f	098268434828	50	21	122.97
--------	---------	-------	-------	--------------	----	----	--------

Series N9/LFN9

In-Line, Continuous Pressure Backflow Preventer


LFN9	0792097	3/8 f	3/8 f	098268434842	50	24	136.20
LFN9C	0792098	3/8 f	3/8 f	098268434859	50	24	144.95

Series 9BD

Vented Triple Check - For Carbonated Beverage Vending Machines

9BD	0061894	3/8 FCT	3/8 FCT	098268004328	50	22	402.50
9BD	0061911	1/4 NPT	1/4 NPT	098268004496	50	22	402.50
9BD	0061913	3/8 NPT	3/8 NPT	098268004519	50	22	402.50

†C = Chrome plated ♦ Solder Ends Suffix SC - Satin chrome finish. Consult factory.



9D

Series 9D

Dual Check With Atmospheric Port

9D M3	0062025	1/2 f	1/2 f	098268221794	12	24	\$ 161.13
9DS M3 ♦	0061600	1/2 f	1/2 f	098268290417	12	24	161.13
9D M2	0066026	3/4 f	3/4 f	098268004281	12	22	161.13
9DS M2 ♦	0061601	3/4 f	3/4 f	098268195347	12	22	161.13

†C = Chrome plated ♦ Solder Ends Suffix SC – Satin chrome finish. Consult factory.



912HP

Series 912HP

High Pressure Hose Drop Backflow Preventer

Model	Ordering Code	Size	Material	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
912HP	0386447	3/4	Bronze	098268873306	1	3	557.56
912HP	0386448	1	Bronze	098268873313	1	4	592.62



SD2

Series SD2

Stainless Steel Dual Check For Carbonated Beverage Machines

Model	Ordering Code	Size	Material	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
SD2-MF	0061651	1/4 FCT	1/4 FCT	098268848892	50	15	193.10
SD2-MF	0061655	3/8 FCT	3/8 FCT	098268848939	50	15	201.01

LEAD FREE



SD3

Series SD3

Stainless Steel Vented Dual Check For Carbonated Beverage Machines

Model	Ordering Code	Size	Material	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
SD3-MF	0061653	1/4 FCT	1/4 FCT	098268848915	25	18	278.39
SD3-MF	0061657	3/8 FCT	3/8 FCT	098268848953	25	18	257.22

LEAD FREE

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Irrigation Vacuum Breakers

Series 188A

Brass Body

Model	Ordering Code	Size	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
188A	0340971	3/4	098268209808	24	20	98.44
188A	0340972	1	098268209815	12	20	174.62
188A	0340973	1 1/4	098268209822	12	24	275.08
188A	0340974	1 1/2	098268209839	6	20	313.81
188A	0340975	2	098268209846	6	34	481.37

Pressure Vacuum Breakers

4

Backflow Preventers & Accessories

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Anti-Siphon Vacuum Breakers (cont.)

Series 288A/LF288A

LEAD FREE*	LF288A	0792036	1/4	098268434224	50	22	\$ 88.83
	LF288A	0792037	3/8	098268434231	50	20	108.41
	LF288A	0792038	1/2	098268434248	50	31	113.13
	LF288A	0792039	3/4	098268434255	24	20	116.97
	LF288AM4	0792040	1	098268434262	12	20	202.11
	LF288AM2	0792041	1 1/4"	098268434279	12	12	327.85
	LF288AM2	0792042	1 1/2"	098268434286	6	11	382.45
	LF288AM2	0792043	2"	098268434293	6	29	573.07
	LF288AM2	0792044	2 1/2"	098268434309	1	12	2,312.31
	LF288AM2	0122748	3"	098268646245	1	15	2,914.57

Chrome Body

LEAD FREE*	LF288AC	0792051	1/4	098268434378	50	19	203.47
	LF288AC	0792053	3/8	098268434408	50	17	146.84
	LF288AC	0792052	1/2	098268434385	50	24	156.08
	LF288AC	0792054	3/4	098268434415	24	17	172.05
	LF288ACM4	0792055	1	098268434422	24	22	274.06

**Satin chrome model available, specify Suffix SC.

Spill-Resistant Atmospheric Vacuum Breakers

Series LF289

LEAD FREE*	LF289	0792047	1/2	098268434330	24	28	211.37
	LF289	0792048	3/4	098268434347	1	3.4	537.20



289

Pressure Vacuum Breakers

Series 800M4QT

With Quarter-Turn Shutoffs

800M4QT	0387096	1/2	098268279351	1	4	393.06
800M4QT	0388001	3/4	098268279375	1	4	393.06
800M4QT	0388002	1	098268279399	1	6	405.88
800M4QT	0387126	1 1/4	098268235951	1	11	697.13
800M4QT	0387114	1 1/2	098268208894	1	14	848.15
800M4QT	0387122	2	098268208931	1	19	927.70

Bronze Body

LEAD FREE*	LF800M4-QT	0792010	1/2	098268433807	1	4	454.28
	LF800M4-QT	0792011	3/4	098268433814	1	4	454.42
	LF800M4-QT	0792012	1	098268433821	1	7	469.79

With Union Connections and Quarter-Turn Shutoffs


U800M4QT	0388005	3/4	098268300833	1	4	400.47
U800M4QT	0388006	1	098268300840	1	6	414.62



800M4QT

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.



800M

Pressure Vacuum Breakers

Series 800M4QT (cont.)

With Stainless Steel Handles

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
800M4QT SH	0388100	1/2	098268875409	1	4	\$ 425.41
800M4QT SH	0388101	3/4	098268875416	1	4	425.41
800M4QT SH	0388102	1	098268875423	1	6	436.86
800M4QT SH	0388103	1 1/4	098268875430	1	11	734.86
800M4QT SH	0388104	1 1/2	098268875447	1	14	917.55
800M4QT SH	0388105	2	098268875454	1	19	1,011.95



800M4FR

Freeze Protection Pressure Vacuum Breakers -

Series 800M4FR

Designed to be left out in the cold.

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
800M4FR	0388013	1/2	098268823578	1	4	\$ 393.06
800M4FR	0388014	3/4	098268823585	1	4	393.06
800M4FR	0388015	1	098268597059	1	7	405.88
800M4FR	0388016	1 1/4	098268798647	1	11	697.13
800M4FR	0388017	1 1/2	098268798654	1	14	848.15
800M4FR	0388018	2	098268798661	1	19	927.70
LF800M4-FR	0792016	1/2	098268433883	1	4	436.93
LF800M4-FR	0792017	3/4	098268433890	1	4	386.30
LF800M4-FR	0792018	1	098268433906	1	7	469.77

With Stainless Steel Handles

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
800M4FR SH	0388120	1/2	098268876437	1	4	431.49
800M4FR SH	0388121	3/4	098268876444	1	4	431.49
800M4FR SH	0388122	1	098268876451	1	7	444.28
800M4FR SH	0388123	1 1/4	098268876468	1	11	519.12
800M4FR SH	0388124	1 1/2	098268876475	1	14	937.10
800M4FR SH	0388125	2	098268876482	1	19	1,017.32

With Union Connections and Quarter-Turn Shutoffs

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
U800M4FR	0388007	3/4	098268349313	1	4	467.20
U800M4FR	0388008	1	098268349320	1	6	483.40



LF008PCQT

Spill-Resistant, Anti-Siphon Vacuum Breakers

Series 008PCQT

With Polymer Coating

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
LF008PC-QT	0792023	3/8	098268434064	1	2	\$ 401.40
LF008PC-QT	0792024	1/2	098268434071	1	2	418.69
LF008PC-QT	0792025	3/4	098268434088	1	4	515.50
LF008PC-QT	0792026	1	098268434095	1	5	553.64

With Satin Chrome Finish

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
LF008PCSC-QT	0792027	3/8	098268434101	1	2	1,638.44
LF008PCSC-QT	0792028	1/2	098268434118	1	2	845.71

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Backflow Preventers

4

Backflow Preventers & Accessories



LF7R

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Dual Check Valves

Series 7

			Size Inlet	Size Outlet				
LEAD FREE	LF7	0792076	3/8		098268434637	12	20	\$ 290.09
	LF7C	†0792077	3/8		098268434644	12	20	207.93

† C = Chrome plated

Series LF7R

LEAD FREE*	LF7RU2-2	0072203	1/2	1/2	098268533576	25	19	99.92
	LF7RU2-2	0072204	3/4	3/4	098268533583	25	19	107.19
	LF7RU2-2	0072205	1	1	098268533590	25	20	129.45
	LF7RU2-U2	0072206	1/2	1/2	098268533606	25	24	108.01
	LF7R10-U2	0072207	1	3/4	098268533613	25	41	118.93
	LF7R10-U3	0072208	1	3/4	098268533620	25	41	125.14


Residential Fire Line Dual Check Valves

LEAD FREE*	LF07S	0122588	1"	1"	098268638646	6	19	329.34
	LF07S	0061943	1 1/2"	1 1/2"	098268572247	1	3.9	523.71
	LF07S	0061945	1 1/4"	1 1/4"	098268572254	1	4.3	782.07

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Double Check Valve Assemblies



007QT

Series 007

With Quarter-Turn Shutoff Valves

Model	Ordering Code	Size (in.)	Body	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
007QT	0062131	1/2	Bronze	098268302004	1	3	\$ 350.58
007M3QT	0062020	3/4	Bronze	098268802153	1	7	398.46
007M1QT	0062306	1	Bronze	098268005080	1	10	450.37
007M2QT	0062681	1 1/4	Bronze	098268739091	1	23	819.16
007M2QT	0062616	1 1/2	Bronze	098268279337	1	25	819.16
007M1QT	0062427	2	Bronze	098268295573	1	26	901.41
LF007-QT	0063230	1/2	Bronze	098268209723	1	5	404.52
LF007M3-QT	0063231	3/4	Bronze	098268209730	1	10	688.62
LF007M1-QT	0063232	1	Bronze	098268209747	1	12	738.90
LF007M2-QT	0063233	1 1/4	Bronze	098268209754	1	28	946.18
LF007M2-QT	0063234	1 1/2	Bronze	098268209761	1	29	947.79
LF007M1-QT	0063235	2	Bronze	098268209778	1	32	1,102.73
LF007-QT	0063236	2 1/2	**Iron	098268507522	1	150	3,227.10
LF007-QT	0063237	3	**Iron	098268507539	1	158	7,946.61

LEAD FREE*

With Polymer Coating and Quarter-Turn Shutoff Valves

007PCQT	0062559	1/2	Bronze	098268556889	1	3	435.52
007M2PCQT	0062560	3/4	Bronze	098268556896	1	9	477.99
007M1PCQT	0062561	1	Bronze	098268556902	1	10	603.38
007M2PCQT	0062682	1 1/4	Bronze	098268739107	1	23	982.95
007M2PCQT	0062562	1 1/2	Bronze	098268556919	1	25	982.95
007M1PCQT	0062563	2	Bronze	098268556926	1	26	1,143.41

With Quarter-Turn Shutoff Valves and Bronze Strainer

007QT-S	0062132	1/2	Bronze	098268383485	1	5	635.74
007M3QT-S	0062021	3/4	Bronze	098268846713	1	9	765.20
007M1QT-S	0062308	1	Bronze	098268198850	1	13	887.22
007M2QT-S	0062450	1 1/4	Bronze	098268738254	1	26	942.28
007M2QT-S	0062436	1 1/2	Bronze	098268471205	1	29	1,599.14
007M1QT-S	0062428	2	Bronze	098268350128	1	34	1,903.87

With Quarter-Turn Shutoff Valves-Inlet/Outlet Fire Hydrant Fittings (2.5" Inlet Female Hose Thread Swivel x 2.5" Outlet Male NST)

007M1QT HC	0063210	2	Bronze	098268914771	1	31	2,031.59
------------	---------	---	--------	--------------	---	----	----------



007M1QT HC

With Stainless Steel Handles

007QT SH	0063200	1/2	Bronze	098268875263	1	3	421.39
007M3QT SH	0063206	3/4	Bronze	098268875324	1	9	458.45
007M1QT SH	0063202	1	Bronze	098268875287	1	10	517.09
007M2QT SH	0063203	1 1/4	Bronze	098268875294	1	23	941.82
007M2QT SH	0063204	1 1/2	Bronze	098268875300	1	25	897.36
007M1QT SH	0063205	2	Bronze	098268875317	1	26	1,043.66

With Union Connections and Quarter-Turn Shutoffs

U007M2QT	0062120	3/4	Bronze	098268325997	1	10	580.48
U007M1QT	0062311	1	Bronze	098268307764	1	11	674.21
U007M2QT	0062683	1 1/4	Bronze	098268739114	1	26	1,245.25
U007M2QT	0062141	1 1/2	Bronze	098268350531	1	28	1,238.52
U007M1QT	0062430	2	Bronze	098268350142	1	31	1,460.32

**FDA fused epoxy coated cast iron body.

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Double Check Valve Assemblies

4

Backflow Preventers & Accessories

Model	Ordering Code	Size (in.)	Body	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	------	-----	-----------------	--------------------------	-------------------

Series 007 (cont.)

With Union Connections, Quarter-Turn Shutoffs and Bronze Strainer

U007M2QT-S	0062121	3/4	Bronze	098268567304	1	11	\$ 682.27
U007M1QT-S	0062565	1	Bronze	098268554694	1	13	831.94
U007M2QT-S	0062685	1 1/4	Bronze	098268739121	1	27	2,503.90
U007M2QT-S	0062437	1 1/2	Bronze	098268471199	1	29	1,573.53
U007M1QT-S	0062431	2	Bronze	098268350159	1	34	2,000.96
LFU007M2-QT	0122597	3/4	Silicon Bronze	098268638783	1	7.2	574.22
LFU007M1-QT	0122611	1	Silicon Bronze	098268639643	1	11	593.95
LFU007M2-QT	0124326	1 1/4	Silicon Bronze	098268829990	1	19	993.73
LFU007M2-QT	0122603	1 1/2	Silicon Bronze	098268639094	1	21	1,222.59
LFU007M1-QT	0122618	2	Silicon Bronze	098268639728	1	31	1,460.32

LEAD FREE*



SS007QT

Stainless Steel Body with Quarter-Turn Shutoff

SS007M3QT	0062695	1/2	S.S.	098268817119	1	3	2,032.03
SS007M3QT	0062696	3/4	S.S.	098268817126	1	9	2,122.38
SS007M1QT	0062692	1	S.S.	098268572056	1	10	2,838.38

LEAD FREE*

Less Shutoff Valves

007LF	0062130	1/2	Bronze	098268383478	1	2	297.99
007M3LF	0062022	3/4	Bronze	098268924862	1	7	318.22
007M1LF	0062299	1	Bronze	098268211481	1	8	366.74
007M2LF	0062680	1 1/4	Bronze	098268739084	1	18	680.91
007M2LF	0062435	1 1/2	Bronze	098268471212	1	20	848.11
007M1LF	0062426	2	Bronze	098268350111	1	21	865.67



007NRS

With NRS Resilient Seated Shutoff Valves

LF007-NRS	0792150	2 1/2	**Iron	098268437324	1	203	3,844.52
LF007-NRS	0792151	3	**Iron	098268437331	1	225	4,142.75

LEAD FREE*

With OSY Resilient Seated Shutoff Valves

LF007-OSY	0792148	2 1/2	**Iron	098268437300	1	207	4,604.65
LF007-OSY	0792149	3	**Iron	098268437317	1	225	4,850.24

LEAD FREE*

Series 719

With Quarter-Turn Shutoff Valves

719QT	0062760	1/2	Bronze	098268068740	1	4	\$ 643.19
719QT	0062761	3/4	Bronze	098268068801	1	6	726.12
719QT	0062762	1	Bronze	098268068832	1	9	823.88
719QT	0062763	1 1/4	Bronze	098268068856	1	16	1,209.51
719QT	0062764	1 1/2	Bronze	098268068863	1	19	1,525.04
719QT	0062765	2	Bronze	098268068986	1	28	1,709.78
LF719-QT	0065301	1/2	Bronze	098268236613	1	4	802.43
LF719-QT	0065302	3/4	Bronze	098268236620	1	6	839.79
LF719-QT	0065303	1	Bronze	098268236637	1	9	941.85
LF719-QT	0065304	1 1/4	Bronze	098268236644	1	16	1,399.72
LF719-QT	0065305	1 1/2	Bronze	098268236651	1	19	1,764.79
LF719-QT	0065306	2	Bronze	098268236668	1	28	1,976.34

LEAD FREE*



719QT

**FDA fused epoxy coated cast iron body.

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Double Check Valve Assemblies

Model	Ordering Code	Size (in.)	Body	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	------	-----	-----------------	--------------------------	-------------------

Series 719 (cont.)

With Quarter-Turn Shutoff Valves and Bronze Strainer

719QT-S	0062766	1/2	Bronze	098268069006	1	5	\$ 716.65
719QT-S	0062767	3/4	Bronze	098268069013	1	7	820.48
719QT-S	0062768	1	Bronze	098268069044	1	10	962.04
719QT-S	0062769	1 1/4	Bronze	098268069136	1	18	1,384.76
719QT-S	0062770	1 1/2	Bronze	098268069143	1	27	1,831.07
719QT-S	0062771	2	Bronze	098268069150	1	36	2,220.74
LF719-QT	0065301	1/2	Silicon Bronze	098268236613	1	3.7	802.43
LF719-QT	0065302	3/4	Silicon Bronze	098268236620	1	5.3	839.79
LF719-QT	0065303	1	Silicon Bronze	098268236637	1	8.2	941.85
LF719-QT	0065304	1 1/4	Silicon Bronze	098268236644	1	14	1,399.72
LF719-QT	0065305	1 1/2	Silicon Bronze	098268236651	1	16	1,764.79
LF719-QT	0065306	2	Silicon Bronze	098268236668	1	24	1,976.34

With Stainless Steel Handles

719QT SH	0064282	1/2	Bronze	098268207576	1	4	742.95
719QT SH	0064283	3/4	Bronze	098268207583	1	6	830.62
719QT SH	0064284	1	Bronze	098268207590	1	9	951.26
719QT SH	0064285	1 1/4	Bronze	098268207606	1	16	1,396.89
719QT SH	0064286	1 1/2	Bronze	098268207613	1	19	1,762.30
719QT SH	0064287	2	Bronze	098268207620	1	28	1,975.34


With Quarter-Turn Shutoff Valves-Inlet/Outlet Fire Hydrant Fittings (2.5" inlet female hose thread swivel x 2.5" outlet male NST)

719QT HC	0064288	2	Bronze	098268207637	1	30	2,150.63
----------	---------	---	--------	--------------	---	----	----------

Series 709

With NRS Resilient Seated Shutoff Valves

LF709-DNRS	0792172	2 1/2	**Iron	098268437546	1	167	\$ 4,036.95
LF709-DNRS	0792173	3	**Iron	098268437553	1	167	4,350.18
LF709-DNRS	0792174	4	**Iron	098268437560	1	368	5,630.57
LF709-DNRS	0792175	6	**Iron	098268437577	1	627	9,447.20
LF709-DNRS	0792176	8	**Iron	098268437584	1	1201	17,415.85
LF709-DNRS	0792177	10	**Iron	098268437591	1	2003	25,366.82



719QT



LEAD FREE*

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Double Check Valve Assemblies

4

Backflow Preventers & Accessories



7090SY

Model	Ordering Code	Size (in.)	Body	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	------	-----	-----------------	--------------------------	-------------------

Series 709 (cont.)

With OSY Resilient Seated Shutoff Valves

LEAD FREE*	LF709-DOSY	0792166	2 1/2	**Iron	098268437485	1	170	\$ 4,834.69
	LF709-DOSY	0792167	3	**Iron	098268437492	1	170	5,092.76
	LF709-DOSY	0792168	4	**Iron	098268437508	1	383	6,578.58
	LF709-DOSY	0792169	6	**Iron	098268437515	1	707	10,287.20
	LF709-DOSY	0792170	8	**Iron	098268437522	1	1307	18,835.64
	LF709-DOSY	0792171	10	**Iron	098268437539	1	2073	27,614.14

With FDA Fused Epoxy-Coated Quarter-Turn Ball Valve Shutoffs

LEAD FREE*	LF709-QT-FDA	0124334	2 1/2	**Iron	098268830682	1	210	5,859.15
	LF709-QT-FDA	0124327	3	**Iron	098268830002	1	236	5,857.52
	LF709-QT-FDA	0124329	4	**Iron	098268830545	1	368	8,031.80
	LF709-QT-FDA	0124331	6	**Iron	098268830651	1	785	11,267.80
	LF709-QT-FDA	0122826	8	**Iron	098268647235	1	2269	24,005.37

With FDA Fused Epoxy-Coated Strainer and Fused Epoxy-Coated Ball Valve Shutoffs

LEAD FREE*	LF709-QT-S-FDA	0124335	2 1/2	**Iron	098268830712	1	250	6,451.84
	LF709-QT-S-FDA	0124328	3	**Iron	098268830538	1	288	7,060.48
	LF709-QT-S-FDA	0124330	4	**Iron	098268830606	1	400	7,803.34
	LF709-QT-S-FDA	0124332	6	**Iron	098268830668	1	950	12,802.67
	LF709-QT-S-FDA	0122829	8	**Iron	098268647266	1	2544	26,237.93

Less Shutoff Valves

LEAD FREE*	LF709LF	0792160	2 1/2	**Iron	098268437423	1	130	3,291.06
	LF709LF	0792161	3	**Iron	098268437430	1	132	3,614.49
	LF709LF	0792162	4	**Iron	098268437447	1	298	4,894.94
	LF709LF	0792163	6	**Iron	098268437454	1	597	7,225.52
	LF709LF	0792164	8	**Iron	098268437461	1	928	12,502.34
	LF709LF	0792165	10	**Iron	098268437478	1	1573	17,115.42

*FDA fused epoxy coated cast iron body.

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Double Check Valve Assemblies

Model	Ordering Code	Size (in.)	Body	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	------	-----	-----------------	--------------------------	-------------------

Series 774

With NRS Resilient Seated Shutoff Valves

LEAD FREE*	774NRS	0437700	2 1/2	S.S.	098268877991	1	140	\$ 3,606.38
	774NRS	0437708	3	S.S.	098268878073	1	215	3,631.52
	774NRS	0438000	4	S.S.	098268795417	1	225	5,497.51
	774NRS	0438008	6	S.S.	098268795516	1	375	8,838.07
	774NRS	0438024	8	S.S.	098268795493	1	680	17,721.11
	774NRS	0438040	10	S.S.	098268795615	1	763	23,582.30
	774NRS	0438080	12	S.S.	098268877335	1	1033	33,709.78

With OSY Resilient Seated Shutoff Valves

LEAD FREE*	774OSY	0437701	2 1/2	S.S.	098268878004	1	140	4,534.75
	774OSY	0437709	3	S.S.	098268878172	1	215	4,772.80
	774OSY	0438001	4	S.S.	098268795424	1	265	6,099.24
	774OSY	0438009	6	S.S.	098268795523	1	420	9,536.34
	774OSY	0438025	8	S.S.	098268795486	1	745	18,853.15
	774OSY	0438041	10	S.S.	098268795608	1	773	24,732.84
	774OSY	0438081	12	S.S.	098268877342	1	1033	34,279.78

With OSY Resilient Seated Shutoff Valves (Grooved Inlet x Flanged Outlet)


LEAD FREE*	774 OSY GxF	0439501	2 1/2	S.S.	098268264111	1	140	4,402.36
	774 OSY GxF	0439504	3	S.S.	098268264159	1	215	4,633.78
	774 OSY GxF	0439507	4	S.S.	098268264180	1	265	5,921.81
	774 OSY GxF	0439510	6	S.S.	098268264210	1	420	9,258.28
	774 OSY GxF	0439513	8	S.S.	098268264241	1	745	18,303.67
	774 OSY GxF	0439516	10	S.S.	098268264272	1	773	24,011.24

With OSY Resilient Seated Shutoff Valves (Flanged Inlet x Grooved Outlet)

LEAD FREE*	774 OSY FxG	0439502	2 1/2	S.S.	098268264128	1	140	4,534.59
	774 OSY FxG	0439505	3	S.S.	098268264166	1	215	4,772.63
	774 OSY FxG	0439508	4	S.S.	098268264197	1	265	6,099.23
	774 OSY FxG	0439511	6	S.S.	098268264227	1	420	9,536.00
	774 OSY FxG	0439514	8	S.S.	098268264258	1	745	18,853.15
	774 OSY FxG	0439517	10	S.S.	098268264289	1	773	25,968.42

Less Shutoff Valves

LEAD FREE*	774LF	0437702	2 1/2	S.S.	098268878011	1	53	3,269.04
	774LF	0437710	3	S.S.	098268878080	1	53	3,631.52
	774LF	0438002	4	S.S.	098268795370	1	58	4,156.37
	774LF	0438010	6	S.S.	098268795585	1	105	7,881.93
	774LF	0438026	8	S.S.	098268795509	1	169	14,697.42
	774LF	0438042	10	S.S.	098268795660	1	179	18,558.90
	774LF	0438082	12	S.S.	098268877359	1	209	21,550.21




*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Double Check Valve Assemblies

4

Backflow Preventers & Accessories



7570SY

Model	Ordering Code	Size (in.)	Body	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	------	-----	-----------------	--------------------------	-------------------

Series 757

With OSY Resilient Seated Shutoff Valves

LEAD FREE*	757 OSY	0111510	2 1/2	S.S.	098268117639	1	125	\$ 4,885.21
	757 OSY	0111511	3	S.S.	098268117646	1	145	4,969.85
	757 OSY	0111512	4	S.S.	098268117653	1	161	6,099.24
	757 OSY	0111513	6	S.S.	098268117684	1	295	9,082.73
	757 OSY	0111514	8	S.S.	098268117691	1	480	17,956.51
	757 OSY	0111515	10	S.S.	098268118117	1	781	24,732.84

N-Pattern with OSY Resilient Seated Shutoff Valves

LEAD FREE*	757N OSY	0111516	2 1/2	S.S.	098268118858	1	133	6,924.47
	757N OSY	0111517	3	S.S.	098268118865	1	158	7,045.89
	757N OSY	0111518	4	S.S.	098268118902	1	184	8,233.71
	757N OSY	0111519	6	S.S.	098268118940	1	336	12,874.26
	757N OSY	0111520	8	S.S.	098268118995	1	555	25,452.28
	757N OSY	0111521	10	S.S.	098268119008	1	951	35,057.45

With NRS Resilient Seated Shutoff Valves

LEAD FREE*	757 NRS	0111522	2 1/2	S.S.	098268119022	1	115	4,497.73
	757 NRS	0111523	3	S.S.	098268119039	1	131	4,651.13
	757 NRS	0111524	4	S.S.	098268119091	1	161	5,772.59
	757 NRS	0111525	6	S.S.	098268119428	1	273	9,279.77
	757 NRS	0111526	8	S.S.	098268119602	1	438	18,605.84
	757 NRS	0111527	10	S.S.	098268119664	1	721	24,760.62

N-Pattern with NRS Resilient Seated Shutoff Valves

LEAD FREE*	757N NRS	0111528	2 1/2	S.S.	098268119732	1	123	6,071.26
	757N NRS	0111529	3	S.S.	098268120295	1	144	6,279.09
	757N NRS	0111530	4	S.S.	098268120301	1	184	7,793.32
	757N NRS	0111531	6	S.S.	098268120318	1	314	12,526.44
	757N NRS	0111532	8	S.S.	098268120325	1	513	25,116.79
	757N NRS	0111533	10	S.S.	098268120332	1	891	33,426.90

With UL/FM Butterfly Valve Shutoffs (Gear operated)

LEAD FREE*	757 BFG	0111534	2 1/2	S.S.	098268120349	1	56	5,274.01
	757 BFG	0111535	3	S.S.	098268120356	1	54	5,365.26
	757 BFG	0111536	4	S.S.	098268120363	1	61	6,268.51
	757 BFG	0111537	6	S.S.	098268120370	1	117	9,803.47
	757 BFG	0111538	8	S.S.	098268120547	1	261	19,382.13

N-Pattern with UL/FM Butterfly Valve Shutoffs (Gear operated)


LEAD FREE*	757N BFG	0111540	2 1/2	S.S.	098268120578	1	64	6,778.75
	757N BFG	0111541	3	S.S.	098268120608	1	67	6,897.77
	757N BFG	0111542	4	S.S.	098268120622	1	84	8,060.46
	757N BFG	0111543	6	S.S.	098268120776	1	157	12,604.47
	757N BFG	0111746	8	S.S.	098268125764	1	337	26,971.80

With Quarter-turn Ball Valve Shutoffs

LEAD FREE*	757 QT	0111757	2 1/2	S.S.	098268300628	1	35	4,003.11
	757 QT	0111758	3	S.S.	098268231861	1	45	4,139.33

N-Pattern with Quarter-Turn Ball Valve Shutoffs

LEAD FREE*	757N QT	0111765	2 1/2	S.S.	098268126129	1	43	5,051.67
	757N QT	0111766	3	S.S.	098268126136	1	53	4,924.08



757N BFG




757 QT

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Reduced Pressure Zone Assemblies



009QT

Series 009

With Quarter-Turn Shutoff Valves

Model	Ordering Code	Size (in.)	Body	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
009QT	0062098	1/4	Bronze	098268080988	1	5	\$ 489.47
009QT	0062096	3/8	Bronze	098268080971	1	5	489.47
009QT	0062094	1/2	Bronze	098268080964	1	5	533.30
009M3QT	0063030	3/4	Bronze	098268802214	1	10	639.14
009M2QT	0063020	1	Bronze	098268647525	1	12	751.74
009M2QT	0062920	1 1/4	Bronze	098268240511	1	28	1,115.80
009M2QT	0062921	1 1/2	Bronze	098268240528	1	29	1,250.64
009M2QT	0063010	2	Bronze	098268591781	1	32	1,400.98
LF009-QT	0391002	1/2	Bronze	098268051100	1	4.7	666.78
LF009M3-QT	0391003	3/4	Bronze	098268051117	1	6.4	798.92
LF009M2-QT	0391004	1	Bronze	098268051131	1	12	939.83
LF009M2-QT	0391005	1 1/4	Bronze	098268051148	1	17	1,395.60
LF009M2-QT	0391006	1 1/2	Bronze	098268051155	1	18	1,395.60
LF009M2-QT	0391007	2	Bronze	098268051162	1	28	1,751.57

LEAD FREE



009M2QT HC


With Inlet/Outlet Fire Hydrant Fittings

(2.5" Inlet Female Hose Thread Swivel x 2.5" Outlet Male NST)

009M2QT HC	0436020	2	Bronze	098268914788	1	37	3,197.07
------------	---------	---	--------	--------------	---	----	----------

Stainless Steel Body - with Quarter-Turn Shutoff Valve

SS009M3QT	0062967	1/2	S.S.	098268817096	1	5	2,830.29
SS009M3QT	0062968	3/4	S.S.	098268817102	1	11	3,033.90
SS009QT	0062962	1	S.S.	098268572087	1	12	3,205.15



SS009QT

With Quarter-Turn Shutoff Valves and Bronze Strainer

009QT-S	0062181	1/4	Bronze	098268587296	1	7	593.27
009QT-S	0062180	3/8	Bronze	098268587289	1	7	593.27
009QT-S	0062095	1/2	Bronze	098268237320	1	7	612.82
009M3QT-S	0063031	3/4	Bronze	098268846706	1	13	744.98
009M2QT-S	0063021	1	Bronze	098268647532	1	15	913.51
009M2QT-S	0062950	1 1/4	Bronze	098268489224	1	31	1,334.88
009M2QT-S	0062952	1 1/2	Bronze	098268489248	1	33	1,588.36
009M2QT-S	0063011	2	Bronze	098268591798	1	39	1,959.15
LF909-QT-S	0122774	3/4	Bronze	098268646665	1	13	849.31
LF909-QT-S	0122775	1	Bronze	098268646672	1	15	1,041.99
LF909M1-QT-S	0122765	1 1/4	Bronze	098268646566	1	31	1,522.26
LF909M1-QT-S	0122766	1 1/2	Bronze	098268646573	1	33	1,810.50
LF909M1-QT-S	0122767	2	Bronze	098268646580	1	39	4,241.02

LEAD FREE

With Union Connections and Quarter-Turn Shutoffs

U009QT	0062085	1/2	Bronze	098268256918	1	9	692.40
U009M2QT	0062288	3/4	Bronze	098268325331	1	11	767.24
U009M2QT	0437012	1	Bronze	098268875683	1	12	974.22
U009M2QT	0062922	1 1/4	Bronze	098268271003	1	28	1,585.66
U009M2QT	0062923	1 1/2	Bronze	098268271010	1	29	1,295.89
U009M2QT	0436073	2	Bronze	098268824339	1	34	2,206.00

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Reduced Pressure Zone Assemblies

4

Model	Ordering Code	Size (in.)	Body	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	------	-----	-----------------	--------------------------	-------------------

Series 009 (cont.)

With Union Connections, Quarter-Turn Shutoffs and Bronze Strainer

U009QT-S	0062086	1/2	Bronze	098268260649	1	10	\$ 768.57
U009M2QT-S	0062287	3/4	Bronze	098268325348	1	13	908.79
U009M2QT-S	0437013	1	Bronze	098268875690	1	15	1,131.94
U009M2QT-S	0062951	1 1/4	Bronze	098268489231	1	31	1,878.26
U009M2QT-S	0062953	1 1/2	Bronze	098268489262	1	33	1,988.83
U009M2QT-S	0436074	2	Bronze	098268827408	1	38	2,747.94
LFU009-QT	0122594	1/2	Silicon Bronze	098268638714	1	6.0	555.51
LFU009M2-QT	0122607	3/4	Silicon Bronze	098268639605	1	7.8	728.13
LFU009M2-QT	0122847	1	Silicon Bronze	098268647440	1	13	983.96
LFU009M2-QT	0122686	1 1/4	Silicon Bronze	098268643022	1	20	1,283.53
LFU009M2-QT	0122687	1 1/2	Silicon Bronze	098268643039	1	23	1,619.90
LFU009M2-QT	0122841	2	Silicon Bronze	098268647389	1	36	1,770.45

LEAD FREE*

With Polymer Coating and Quarter-Turn Shutoffs

009PCQT	0062170	1/2	Bronze	098268493610	1	6	908.79
009M2PCQT	0436040	3/4	Bronze	098268420197	1	6	989.69
009M2PCQT	0436076	1	Bronze	098268874419	1	12	1,169.03
009M2PCQT	0436042	1 1/4	Bronze	098268420210	1	28	1,835.11
009M2PCQT	0436043	1 1/2	Bronze	098268420227	1	29	1,982.07
009M2PCQT	0436039	2	Bronze	098268741803	1	30	2,281.42
LF009PC-QT	0122604	1/2	Silicon Bronze	098268639162	1	5	681.60
LF009M2-PC-QT	0122837	3/4	Silicon Bronze	098268647341	1	6	743.62

LEAD FREE*

With Union Connections, Polymer Coating and Quarter-Turn Shutoffs

U009M2PCQT	0436077	1	Bronze	098268874426	1	13	1,303.86
U009M2PCQT	0436070	2	Bronze	098268824315	1	31	2,640.08

With Union Angle Inlet x Union Angle Outlet

U009AQT	0062451	3/4	Bronze	098268322088	1	8	744.98
U009M2AQT	0437014	1	Bronze	098268875706	1	13	1,223.63
U009M2AQT	0062465	1 1/2	Bronze	098268350555	1	37	1,961.85
U009M2AQT	0436072	2	Bronze	098268824322	1	44	2,553.87

With Stainless Steel Handles

009QT SH	0436010	1/2	Bronze	098268875331	1	5	579.79
009M3QT SH	0436016	3/4	Bronze	098268875393	1	10	689.02
009M2QT SH	0436012	1	Bronze	098268875355	1	12	856.23
009M2QT SH	0436013	1 1/4	Bronze	098268875362	1	28	1,235.08
009M2QT SH	0436014	1 1/2	Bronze	098268875379	1	29	1,400.94
009M2QT SH	0436015	2	Bronze	098268875386	1	32	1,467.02

Less Shutoff Valves

009LF	0062087	1/2	Bronze	098268648591	1	4.5	459.80
009M3LF	0062973	3/4	Bronze	098268924879	1	6	569.00
009M2LF	0437010	1	Bronze	098268875669	1	12	664.74
009M2LF	0062956	1 1/4	Bronze	098268744699	1	25	1,027.49
009M2LF	0062954	1 1/2	Bronze	098268639391	1	28	1,159.63
009M2LF	0063022	2	Bronze	098268783209	1	30	1,258.74

With NRS Resilient Seated Shutoff Valves

LF009-NRS	0122612	2 1/2	**Iron	098268639650	1	185	5,415.17
LF009-NRS	0122613	3	**Iron	098268639667	1	225	6,085.61

LEAD FREE*

With OSY Resilient Seated Shutoff Valves

LF009-DOSY	0792156	2 1/2	Bronze	098268437409	1	203	5,995.37
LF009-DOSY	0792157	3	Bronze	098268437416	1	225	6,510.97

LEAD FREE*



009PCQT



U009AQT



009NRS

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.


Reduced Pressure Zone Assemblies

Model	Ordering Code	Size (in.)	Body	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	------	-----	-----------------	--------------------------	-------------------

Series 009 (cont.)

With Quarter-Turn Resilient Seated Ball Shutoff Valves

LEAD FREE*	LF009-QT-FDA	0122645	2 1/2	**Iron	098268642544	1	150	\$ 5,335.74
	LF009-QT-FDA	0122653	3	**Iron	098268642667	1	158	7,459.82



919QT


Series 919

With Quarter-Turn Shutoff Valves

LEAD FREE*	919QT	0062773	3/4	Bronze	098268069525	1	8	\$ 1,235.14
	919QT	0062774	1	Bronze	098268069686	1	12	1,461.66
	919QT	0062775	1 1/4	Bronze	098268069754	1	22	1,109.05
	919QT	0062776	1 1/2	Bronze	098268069761	1	28	2,398.81
	919QT	0062777	2	Bronze	098268069778	1	37	2,846.49
	LF919QT	0065372	3/4	Bronze	098268238518	1	8	1,426.61
	LF919QT	0065373	1	Bronze	098268238556	1	12	1,689.56
	LF919QT	0065374	1 1/4	Bronze	098268238631	1	22	2,549.28
	LF919QT	0065375	1 1/2	Bronze	098268238648	1	28	1,433.25
	LF919QT	0065376	2	Bronze	098268238709	1	37	3,294.56

With Quarter-Turn Shutoff Valves and Bronze Strainer

919QT-S	0062779	3/4	Bronze	098268069792	1	10	1,336.89
919QT-S	0062780	1	Bronze	098268069808	1	15	1,628.81
919QT-S	0062781	1 1/4	Bronze	098268069860	1	25	2,503.90
919QT-S	0062782	1 1/2	Bronze	098268069877	1	37	2,726.38
919QT-S	0062783	2	Bronze	098268069884	1	46	3,388.41



909QT

Series 909

With Quarter-Turn Shutoff Valves

LEAD FREE*	LF909-QT	0391008	3/4	Bronze	098268051179	1	15	1,557.53
	LF909-QT	0391009	1	Bronze	098268051186	1	17	1,881.80
	LF909M1-QT	0391010	1 1/4	Bronze	098268051193	1	37	2,734.99
	LF909M1-QT	0391011	1 1/2	Bronze	098268051209	1	39	3,027.36
	LF909M1-QT	0391012	2	Bronze	098268051230	1	43	3,792.83

With Quarter-Turn Shutoff Valves and Bronze Strainer

LEAD FREE*	LF909-QT-S	0122774	3/4		098268646665	x	x	849.31
	LF909-QT-S	0122775	1		098268646672	x	x	1,041.99
	LF909M1-QT-S	0122765	1 1/4		098268646566	x	x	1,522.26
	LF909M1-QT-S	0122766	1 1/2		098268646573	x	x	1,810.50
	LF909M1-QT-S	0122767	2		098268646580	x	x	4,241.02

With Quarter-Turn Shutoff Valves and Stainless Steel Check Modules

LEAD FREE*	LF909HW-QT	0792031	3/4	Bronze	098268434149	1	16	1,976.82
	LF909HW-QT	0792032	1	Bronze	098268434156	1	17	2,465.20
	LF909HWM1-QT	0792033	1 1/4	Bronze	098268434163	1	38	3,504.45
	LF909HWM1-QT	0792034	1 1/2	Bronze	098268434170	1	401	4,334.12
	LF909HWM1-QT	0792035	2	Bronze	098268434187	1	44	5,543.46

*FDA fused epoxy coated cast iron body.


*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Reduced Pressure Zone Assemblies

4

Backflow Preventers & Accessories



909QT

Series 909 (cont.)

With NRS Resilient Seated Shutoff Valves

LEAD FREE*	LF909-DNRS	0792200	2 1/2	**Iron	098268437829	1	195	\$ 5,689.85
	LF909-DNRS	0792201	3	**Iron	098268437836	1	225	6,390.57
	LF909-DNRS	0792202	4	**Iron	098268437843	1	455	8,841.20
	LF909-DNRS	0792203	6	**Iron	098268437850	1	718	13,319.63
	LF909M1-DNRS	0792204	8	**Iron	098268437867	1	1350	28,373.21
	LF909M1-DNRS	0792205	10	**Iron	098268437874	1	2160	38,019.07

With OSY Resilient Seated Shutoff Valves


LEAD FREE*	LF909-DOSY	0792194	2 1/2	**Iron	098268437768	1	198	6,302.87
	LF909-DOSY	0792195	3	**Iron	098268437775	1	230	6,839.08
	LF909-DOSY	0792196	4	**Iron	098268437782	1	470	9,498.22
	LF909-DOSY	0792197	6	**Iron	098268437799	1	798	14,695.43
	LF909M1-DOSY	0792198	8	**Iron	098268437805	1	1456	29,507.43
	LF909M1-DOSY	0792199	10	**Iron	098268437812	1	2230	39,662.27

Iron Body With FDA Epoxy-Coated Quarter-Turn Ball Valve Shutoffs

LEAD FREE*	LF909-QT-FDA	0122777	2 1/2	**Iron	098268646696	1	227	11,350.06
	LF909-QT-FDA	0122779	3	**Iron	098268646719	1	250	11,252.25
	LF909-QT-FDA	0122781	4	**Iron	098268646733	1	477	12,409.36
	LF909-QT-FDA	0122783	6	**Iron	098268646757	1	864	26,551.68
	LF909M1-QT-FDA	0122808	8	**Iron	098268647051	1	2160	32,481.12

Less Shutoff Valves

LEAD FREE*	LF909LF	0792188	2 1/2	**Iron	098268437706	1	114	4,053.30
	LF909LF	0792189	3	**Iron	098268437713	1	114	5,442.47
	LF909LF	0792190	4	**Iron	098268437720	1	246	6,295.59
	LF909LF	0792191	6	**Iron	098268437737	1	466	9,487.39
	LF909M1LF	0792192	8	**Iron	098268437744	1	836	22,140.06
	LF909M1LF	0792193	10	**Iron	098268437751	1	1246	28,523.81



9090SY



909QT-S-FDA

*FDA fused epoxy coated cast iron body.

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Reduced Pressure Zone Assemblies

Model	Ordering Code	Size (in.)	Body	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	------	-----	-----------------	--------------------------	-------------------

Uses smaller enclosures and minimizes space requirements for retrofit installations.

Series 994

With NRS Resilient Seated Shutoff Valves

LEAD FREE*	994NRS	0437800	2 1/2	S.S.	098268882926	1	148	\$ 5,177.47
	994NRS	0437804	3	S.S.	098268882964	1	226	5,814.90
	994NRS	0438048	4	S.S.	098268795936	1	235	7,815.80
	994NRS	0438056	6	S.S.	098268795707	1	380	12,120.44
	994NRS	0438064	8	S.S.	098268795790	1	571	25,815.03
	994NRS	0438072	10	S.S.	098268795844	1	773	33,921.46

With OSY Resilient Seated Shutoff Valves

LEAD FREE*	994OSY	0437801	2 1/2	S.S.	098268882933	1	148	5,567.60
	994OSY	0437805	3	S.S.	098268882971	1	226	6,042.37
	994OSY	0438049	4	S.S.	098268795981	1	235	8,391.09
	994OSY	0438057	6	S.S.	098268795677	1	380	12,981.38
	994OSY	0438065	8	S.S.	098268795783	1	571	26,065.90
	994OSY	0438073	10	S.S.	098268795868	1	773	36,086.26

With OSY Resilient Seated Shutoff Valves (Grooved Inlet x Flanged Outlet)

LEAD FREE*	994 OSY Gx F	0438601	2 1/2	S.S.	098268263558	1	148	5,567.40
	994 OSY Gx F	0438604	3	S.S.	098268263589	1	226	6,042.16
	994 OSY Gx F	0438607	4	S.S.	098268263619	1	235	8,390.78
	994 OSY Gx F	0438610	6	S.S.	098268263640	1	380	12,980.92
	994 OSY Gx F	0438613	8	S.S.	098268263671	1	571	26,064.97
	994 OSY Gx F	0438616	10	S.S.	098268263701	1	773	35,034.97

With OSY Resilient Seated Shutoff Valves (Flanged Inlet x Grooved Outlet)

LEAD FREE*	994 OSY Fx G	0438602	2 1/2	S.S.	098268263565	1	148	5,567.40
	994 OSY Fx G	0438605	3	S.S.	098268263596	1	226	6,042.16
	994 OSY Fx G	0438608	4	S.S.	098268263626	1	235	8,390.78
	994 OSY Fx G	0438611	6	S.S.	098268263657	1	380	12,980.92
	994 OSY Fx G	0438614	8	S.S.	098268263688	1	571	26,064.97
	994 OSY Fx G	0438617	10	S.S.	098268263718	1	773	35,034.97

Less Shutoff Valves


LEAD FREE*	994LF	0437802	2 1/2	S.S.	098268882940	1	60	3,950.23
	994LF	0437806	3	S.S.	098268882988	1	62	4,436.89
	994LF	0438050	4	S.S.	098268795929	1	65	6,137.59
	994LF	0438058	6	S.S.	098268795684	1	110	9,248.04
	994LF	0438066	8	S.S.	098268795820	1	179	19,696.88
	994LF	0438074	10	S.S.	098268795899	1	189	26,390.29

Portable Hydrant Backflow

994 BLT	0437815	2 1/2 – 3	S.S.	098268262230	1	211	9,110.49
---------	---------	-----------	------	--------------	---	-----	----------

Hydrant Meter Backflow


994 HMB-GPM	0437808	3	S.S.	098268923391	1	120	10,283.54
994 HMB-CFM	0437809	3	S.S.	098268262223	1	120	10,283.54



994OSY



994BLT



994HMB

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Reduced Pressure Zone Assemblies

4

Backflow Preventers & Accessories



Model	Ordering Code	Size (in.)	Body	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	------	-----	-----------------	--------------------------	-------------------

Uses smaller enclosures and minimizes space requirements for retrofit installations.

Series 957

With OSY Resilient Seated Shutoff Valves

LEAD FREE*	957 OSY	0111584	2 1/2	S.S.	098268121971	1	128	\$ 5,735.56
	957 OSY	0111585	3	S.S.	098268121988	1	148	6,223.55
	957 OSY	0111586	4	S.S.	098268122008	1	164	8,642.35
	957 OSY	0111587	6	S.S.	098268122152	1	298	13,371.51
	957 OSY	0111588	8	S.S.	098268122169	1	483	26,848.80
	957 OSY	0111589	10	S.S.	098268122176	1	783	36,086.26

N-Pattern with OSY Resilient Seated Shutoff Valves

LEAD FREE*	957N OSY	0111590	2 1/2	S.S.	098268122183	1	136	7,516.66
	957N OSY	0111591	3	S.S.	098268122190	1	151	8,157.01
	957N OSY	0111592	4	S.S.	098268122220	1	187	11,646.58
	957N OSY	0111593	6	S.S.	098268122237	1	339	17,524.76
	957N OSY	0111594	8	S.S.	098268122244	1	558	36,370.61
	957N OSY	0111595	10	S.S.	098268122251	1	950	42,230.51

Z-Pattern with OSY Resilient Seated Shutoff Valves

LEAD FREE*	957Z OSY	0111596	2 1/2	S.S.	098268122268	1	136	7,516.92
	957Z OSY	0111597	3	S.S.	098268122275	1	151	8,156.72
	957Z OSY	0111598	4	S.S.	098268122282	1	187	11,647.00
	957Z OSY	0111599	6	S.S.	098268122299	1	339	15,647.67
	957Z OSY	0111600	8	S.S.	098268122367	1	558	36,371.92
	957Z OSY	0111601	10	S.S.	098268122435	1	950	47,296.48

With NRS Resilient Seated Shutoff Valves

LEAD FREE*	957 NRS	0111602	2 1/2	S.S.	098268122459	1	118	5,177.47
	957 NRS	0111603	3	S.S.	098268122534	1	134	5,814.90
	957 NRS	0111604	4	S.S.	098268122541	1	164	7,815.80
	957 NRS	0111605	6	S.S.	098268122626	1	276	12,120.44
	957 NRS	0111606	8	S.S.	098268122657	1	441	25,815.96
	957 NRS	0111607	10	S.S.	098268122701	1	723	34,601.12

N-Pattern with NRS Resilient Seated Shutoff Valves

LEAD FREE*	957N NRS	0111608	2 1/2	S.S.	098268122732	1	126	6,400.53
	957N NRS	0111609	3	S.S.	098268122749	1	147	7,449.48
	957N NRS	0111610	4	S.S.	098268122985	1	187	9,954.24
	957N NRS	0111611	6	S.S.	098268123319	1	317	13,031.62
	957N NRS	0111612	8	S.S.	098268123449	1	516	32,879.27
	957N NRS	0111613	10	S.S.	098268123494	1	893	42,784.58

Z-Pattern with NRS Resilient Seated Shutoff Valves

LEAD FREE*	957Z NRS	0111614	2 1/2	S.S.	098268123531	1	126	6,989.26
	957Z NRS	0111615	3	S.S.	098268123548	1	147	7,666.09
	957Z NRS	0111616	4	S.S.	098268123555	1	187	10,552.00
	957Z NRS	0111617	6	S.S.	098268123562	1	317	15,886.84
	957Z NRS	0111618	8	S.S.	098268123579	1	516	33,835.54
	957Z NRS	0111619	10	S.S.	098268123586	1	893	45,349.88

With NRS Resilient Seated Shutoff Valves and Cast Iron Strainer

LEAD FREE*	957 NRS-S	0111825	2 1/2	S.S.	098268260137	1	146	5,960.16
	957 NRS-S	0111826	3	S.S.	098268260144	1	168	6,838.25
	957 NRS-S	0111827	4	S.S.	098268260175	1	224	9,398.48
	957 NRS-S	0111828	6	S.S.	098268260182	1	426	15,099.43
	957 NRS-S	0111829	8	S.S.	098268260199	1	711	29,981.99
	957 NRS-S	0111830	10	S.S.	098268260212	1	1093	34,667.34

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Reduced Pressure Zone Assemblies

Model	Ordering Code	Size (in.)	Body	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	------	-----	-----------------	--------------------------	-------------------

Uses smaller enclosures and minimizes space requirements for retrofit installations.

Series 957 (cont.)

With Quarter-Turn Ball Valve Shutoffs

LEAD FREE*	957 QT	0111760	2 1/2	S.S.	098268300635	1	46	\$ 5,461.80
	957 QT	0111761	3	S.S.	098268336689	1	56	5,927.31

N-Pattern with Quarter-Turn Ball Valve Shutoffs

LEAD FREE*	957N QT	0111668	2 1/2	S.S.	098268124750	1	54	5,302.92
	957N QT	0111669	3	S.S.	098268124767	1	64	6,207.52

Z-Pattern with Quarter-Turn Ball Valve Shutoffs


LEAD FREE*	957Z QT	0111777	2 1/2	S.S.	098268126211	1	54	5,302.92
	957Z QT	0111778	3	S.S.	098268126228	1	64	5,927.09

N-Pattern with UL/FM Butterfly Valve Shutoffs (Gear Operated)


LEAD FREE*	957N BFG	0111780	2 1/2	S.S.	098268126242	1	85	8,670.12
	957N BFG	0111781	3	S.S.	098268126259	1	90	7,106.96
	957N BFG	0111782	4	S.S.	098268126266	1	200	17,317.76
	957N BFG	0111783	6	S.S.	098268126273	1	300	19,253.85

Z-Pattern with UL/FM Butterfly Valve Shutoffs (Gear Operated)

LEAD FREE*	957Z BFG	0111784	2 1/2	S.S.	098268126280	1	90	13,031.62
	957Z BFG	0111785	3	S.S.	098268126297	1	93	12,667.95
	957Z BFG	0111786	4	S.S.	098268126303	1	205	17,317.76
	957Z BFG	0111787	6	S.S.	098268126310	1	305	19,253.85



957 QT



957Z BFG

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Double Check Detector Assemblies

4

Backflow Preventers & Accessories

Model	Ordering Code	Size (in.)	Body	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	------	-----	-----------------	--------------------------	-------------------

DCDA - Standard shutoffs are resilient seated outside stem and yoke (OSY), UL/FM listed

Series 007DCDA

Less Shutoffs — CFM/GPM Meter

007DCDA-LF-CFM	0062516	2 1/2	**Iron	098268489279	1	170	\$ 6,163.82
007DCDA-LF-CFM	0062518	3	**Iron	098268489293	1	200	6,760.24
007DCDA-LF-GPM	0062515	2 1/2	**Iron	098268488104	1	170	6,163.82
007DCDA-LF-GPM	0062517	3	**Iron	098268489286	1	200	6,760.24

With OSY Shutoffs — CFM/GPM Meter

007DCDAOSY-CFM	0062511	2 1/2	**Iron	098268316827	1	179	7,604.71
007DCDAOSY-CFM	0062513	3	**Iron	098268316803	1	211	7,840.46
007DCDAOSY-GPM	0062510	2 1/2	**Iron	098268316834	1	179	7,984.95
007DCDAOSY-GPM	0062512	3	**Iron	098268316810	1	211	8,440.70

Series 709DCDA

Less Shutoffs — CFM/GPM Meter

709DCDA-LF-CFM	0384741	3	**Iron	098268278187	1	150	7,334.24
709DCDA-LF-CFM	0384815	4	**Iron	098268021394	1	320	5,596.23
709DCDA-LF-CFM	0384816	6	**Iron	098268021400	1	450	7,347.78
709DCDA-LF-CFM	0384817	8	**Iron	098268021417	1	946	13,612.47
709DCDA-LF-CFM	0384818	10	**Iron	098268021424	1	1332	17,112.32
709DCDA-LF-GPM	0384740	3	**Iron	098268278170	1	150	7,334.24
709DCDA-LF-GPM	0384662	4	**Iron	098268021035	1	320	8,447.86
709DCDA-LF-GPM	0384666	6	**Iron	098268021042	1	450	9,730.26
709DCDA-LF-GPM	0387064	8	**Iron	098268023824	1	946	18,192.72
709DCDA-LF-GPM	0387068	10	**Iron	098268023862	1	1332	24,790.73

With OSY Shutoffs — CFM/GPM Meter

709DCDAOSY-CFM	0387052	3	**Iron	098268023725	1	240	9,613.64
709DCDAOSY-CFM	0387058	4	**Iron	098268023770	1	522	9,836.91
709DCDAOSY-CFM	0387069	6	**Iron	098268023879	1	785	12,773.90
709DCDAOSY-CFM	0387088	8	**Iron	098268024005	1	1439	23,087.90
709DCDAOSY-CFM	0387090	10	**Iron	098268024029	1	2353	31,553.35
709DCDAOSY-GPM	0387745	3	**Iron	098268025408	1	240	10,313.64
709DCDAOSY-GPM	0385680	4	**Iron	098268022216	1	522	10,956.82
709DCDAOSY-GPM	0387082	6	**Iron	098268023961	1	785	15,416.64
709DCDAOSY-GPM	0387070	8	**Iron	098268023886	1	1439	23,087.10
709DCDAOSY-GPM	0387092	10	**Iron	098268080940	1	2353	31,553.35



709DCDA OSY

**FDA fused epoxy coated cast iron body.

† Bronze body with epoxy coated cast iron OSY gate valves.

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Double Check Detector Assemblies

Model	Ordering Code	Size (in.)	Body	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	------	-----	-----------------	--------------------------	-------------------

Standard shutoffs are resilient seated outside stem and yoke (OSY), UL/FM listed

Series 774DCDA

Less Shutoffs — CFM/GPM Meter

774DCDA-LF-CFM	0437706	2 1/2	S.S.	098268878059	1	68	\$ 5,514.51
774DCDA-LF-CFM	0437714	3	S.S.	098268878127	1	70	5,878.17
774DCDA-LF-CFM	0438006	4	S.S.	098268795387	1	73	4,561.20
774DCDA-LF-CFM	0438014	6	S.S.	098268795547	1	120	8,037.98
774DCDA-LF-CFM	0438030	8	S.S.	098268795479	1	180	14,964.55
774DCDA-LF-CFM	0438046	10	S.S.	098268795622	1	190	19,258.46
774DCDA-LF-CFM	0438086	12	S.S.	098268877397	1	220	25,619.32
774DCDA-LF-GPM	0437707	2 1/2	S.S.	098268878066	1	68	5,514.51
774DCDA-LF-GPM	0437715	3	S.S.	098268878134	1	70	5,878.17
774DCDA-LF-GPM	0438007	4	S.S.	098268795356	1	73	6,380.69
774DCDA-LF-GPM	0438015	6	S.S.	098268795554	1	120	8,037.70
774DCDA-LF-GPM	0438031	8	S.S.	098268795455	1	180	14,964.55
774DCDA-LF-GPM	0438047	10	S.S.	098268795639	1	190	19,258.46
774DCDA-LF-GPM	0438087	12	S.S.	098268877403	1	220	25,619.32

With OSY Shutoffs — CFM/GPM Meter


774DCDAOSY-CFM	0437704	2 1/2	S.S.	098268878035	1	155	7,020.75
774DCDAOSY-CFM	0437712	3	S.S.	098268878103	1	230	7,592.03
774DCDAOSY-CFM	0438004	4	S.S.	098268795394	1	280	11,834.78
774DCDAOSY-CFM	0438012	6	S.S.	098268795530	1	435	11,805.70
774DCDAOSY-CFM	0438028	8	S.S.	098268795448	1	760	21,143.66
774DCDAOSY-CFM	0438044	10	S.S.	098268795592	1	774	30,289.88
774DCDAOSY-CFM	0438084	12	S.S.	098268877373	1	1044	38,577.81
774DCDAOSY-GPM	0437705	2 1/2	S.S.	098268878042	1	155	7,020.75
774DCDAOSY-GPM	0437713	3	S.S.	098268878110	1	230	10,878.25
774DCDAOSY-GPM	0438005	4	S.S.	098268795363	1	280	8,390.78
774DCDAOSY-GPM	0438013	6	S.S.	098268795578	1	435	12,880.40
774DCDAOSY-GPM	0438029	8	S.S.	098268795462	1	760	18,820.08
774DCDAOSY-GPM	0438045	10	S.S.	098268795646	1	774	30,288.79
774DCDAOSY-GPM	0438085	12	S.S.	098268877380	1	1044	40,505.83

Less Shutoffs and Less Meter

774DCDA-LF-LM	0438130	2 1/2	S.S.	098268262247	1	66	4,147.11
774DCDA-LF-LM	0438131	3	S.S.	098268262254	1	68	4,461.86
774DCDA-LF-LM	0438132	4	S.S.	098268262261	1	71	5,868.92
774DCDA-LF-LM	0438133	6	S.S.	098268262278	1	118	7,313.00
774DCDA-LF-LM	0438134	8	S.S.	098268262285	1	178	7,313.00
774DCDA-LF-LM	0438135	10	S.S.	098268262292	1	188	18,254.74
774DCDA-LF-LM	0438136	12	S.S.	098268262308	1	218	24,429.12

With OSY Shutoffs and Less Meter

774DCDAOSY-LM	0438137	2 1/2	S.S.	098268262315	1	155	8,127.61
774DCDAOSY-LM	0438138	3	S.S.	098268262322	1	230	9,828.25
774DCDAOSY-LM	0438139	4	S.S.	098268262339	1	350	10,734.12
774DCDAOSY-LM	0438140	6	S.S.	098268262346	1	535	11,727.26
774DCDAOSY-LM	0438141	8	S.S.	098268262353	1	765	19,481.94
774DCDAOSY-LM	0438142	10	S.S.	098268262360	1	1156	26,682.54
774DCDAOSY-LM	0438143	12	S.S.	098268262377	1	1520	38,864.70



774DCDA OSY

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Double Check Detector Assemblies

4

Backflow Preventers & Accessories

Model	Ordering Code	Size (in.)	Body	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	------	-----	-----------------	--------------------------	-------------------

Series 774DCDA

With OSY Resilient Seated Shutoff Valves (Grooved Inlet x Flanged Outlet) — CFM/GPM Meter

774DCDA OSY GxG CFM	0439521	2 1/2	S.S.	098268264302	1	155	\$ 8,680.39
774DCDA OSY GxG CFM	0439527	3	S.S.	098268264371	1	230	10,562.20
774DCDA OSY GxG CFM	0439533	4	S.S.	098268264432	1	280	11,489.22
774DCDA OSY GxG CFM	0439539	6	S.S.	098268264494	1	435	12,504.84
774DCDA OSY GxG CFM	0439545	8	S.S.	098268264555	1	760	20,527.98
774DCDA OSY GxG CFM	0439551	10	S.S.	098268264616	1	774	28,781.22
774DCDA OSY GxG GPM	0439524	2 1/2	S.S.	098268264340	1	155	8,680.39
774DCDA OSY GxG GPM	0439530	3	S.S.	098268264401	1	230	10,562.20
774DCDA OSY GxG GPM	0439536	4	S.S.	098268264463	1	280	11,489.22
774DCDA OSY GxG GPM	0439542	6	S.S.	098268264524	1	435	12,504.84
774DCDA OSY GxG GPM	0439548	8	S.S.	098268264586	1	760	20,527.98
774DCDA OSY GxG GPM	0439554	10	S.S.	098268264647	1	774	27,942.81


With OSY Resilient Seated Shutoff Valves (Flanged Inlet x Grooved Outlet) — CFM/GPM Meter

774DCDA OSY FxG CFM	0439522	2 1/2	S.S.	098268264319	1	155	8,680.39
774DCDA OSY FxG CFM	0439528	3	S.S.	098268264388	1	230	10,562.20
774DCDA OSY FxG CFM	0439534	4	S.S.	098268264449	1	280	11,489.22
774DCDA OSY FxG CFM	0439540	6	S.S.	098268264500	1	435	12,504.84
774DCDA OSY FxG CFM	0439546	8	S.S.	098268264562	1	760	20,527.98
774DCDA OSY FxG CFM	0439552	10	S.S.	098268264623	1	774	27,942.81
774DCDA OSY FxG GPM	0439525	2 1/2	S.S.	098268264357	1	155	8,680.39
774DCDA OSY FxG GPM	0439531	3	S.S.	098268264418	1	230	10,562.20
774DCDA OSY FxG GPM	0439537	4	S.S.	098268264470	1	280	11,489.22
774DCDA OSY FxG GPM	0439543	6	S.S.	098268264531	1	435	12,504.84
774DCDA OSY FxG GPM	0439549	8	S.S.	098268264593	1	760	20,527.98
774DCDA OSY FxG GPM	0439555	10	S.S.	098268264654	1	774	27,942.81

Series 757DCDA

With OSY Resilient Seated Shutoff Valves — CFM/GPM Meter

757DCDA OSY CFM	0111544	2 1/2	S.S.	098268120783	1	139	7,762.91
757DCDA OSY CFM	0111545	3	S.S.	098268120790	1	159	8,436.05
757DCDA OSY CFM	0111546	4	S.S.	098268120806	1	175	8,391.09
757DCDA OSY CFM	0111547	6	S.S.	098268120813	1	309	11,805.70
757DCDA OSY CFM	0111548	8	S.S.	098268120936	1	494	21,143.66
757DCDA OSY CFM	0111549	10	S.S.	098268121193	1	795	30,289.88
757DCDA OSY GPM	0111550	2 1/2	S.S.	098268121247	1	139	7,762.63
757DCDA OSY GPM	0111551	3	S.S.	098268121254	1	159	7,897.51
757DCDA OSY GPM	0111552	4	S.S.	098268121261	1	175	8,390.78
757DCDA OSY GPM	0111553	6	S.S.	098268121278	1	309	11,805.27
757DCDA OSY GPM	0111554	8	S.S.	098268121360	1	494	20,610.71
757DCDA OSY GPM	0111555	10	S.S.	098268121377	1	795	30,288.79



757DCDA OSY

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Double Check Detector Assemblies

Model	Ordering Code	Size (in.)	Body	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	------	-----	-----------------	--------------------------	-------------------

Series 757DCDA

N-Pattern with OSY Resilient Seated Shutoff Valves — CFM/GPM Meter


757N DCDA OSY CFM	0111556	2 1/2	S.S.	098268121407	1	147	\$ 10,087.43
757N DCDA OSY CFM	0111557	3	S.S.	098268121414	1	172	10,263.33
757N DCDA OSY CFM	0111558	4	S.S.	098268121421	1	198	10,903.38
757N DCDA OSY CFM	0111559	6	S.S.	098268121438	1	350	11,343.57
757N DCDA OSY CFM	0111560	8	S.S.	098268121445	1	569	27,475.99
757N DCDA OSY CFM	0111561	10	S.S.	098268121452	1	965	35,144.67
757N DCDA OSY GPM	0111562	2 1/2	S.S.	098268121469	1	147	10,087.43
757N DCDA OSY GPM	0111563	3	S.S.	098268121490	1	172	10,263.33
757N DCDA OSY GPM	0111564	4	S.S.	098268121506	1	198	10,903.38
757N DCDA OSY GPM	0111565	6	S.S.	098268121513	1	350	15,341.43
757N DCDA OSY GPM	0111566	8	S.S.	098268121520	1	569	27,475.99
757N DCDA OSY GPM	0111567	10	S.S.	098268121568	1	965	39,360.62

With UL/FM Butterfly Valves Shutoffs — CFM/GPM Meter

757DCDA BFG CFM	0111568	2 1/2	S.S.	098268121575	1	70	7,827.71
757DCDA BFG CFM	0111569	3	S.S.	098268121582	1	68	8,436.05
757DCDA BFG CFM	0111570	4	S.S.	098268121773	1	75	8,885.68
757DCDA BFG CFM	0111571	6	S.S.	098268121780	1	131	12,501.32
757DCDA BFG CFM	0111747	8	S.S.	098268125771	1	275	20,610.71
757DCDA BFG GPM	0111572	2 1/2	S.S.	098268121810	1	70	11,096.45
757DCDA BFG GPM	0111573	3	S.S.	098268121827	1	68	11,289.54
757DCDA BFG GPM	0111574	4	S.S.	098268121834	1	75	11,986.45
757DCDA BFG GPM	0111575	6	S.S.	098268121841	1	131	16,875.44
757DCDA BFG GPM	0111748	8	S.S.	098268125788	1	275	24,463.52

N-Pattern with UL/FM Butterfly Valves Shutoffs — CFM/GPM Meter

757N DCDA BFG CFM	0111576	2 1/2	S.S.	098268121858	1	78	11,810.56
757N DCDA BFG CFM	0111577	3	S.S.	098268121889	1	81	12,146.45
757N DCDA BFG CFM	0111578	4	S.S.	098268121919	1	98	12,914.79
757N DCDA BFG CFM	0111579	6	S.S.	098268121926	1	171	15,488.78
757N DCDA BFG CFM	0111749	8	S.S.	098268125917	1	351	25,878.11
757N DCDA BFG GPM	0111580	2 1/2	S.S.	098268121933	1	78	11,810.56
757N DCDA BFG GPM	0111581	3	S.S.	098268121940	1	81	12,146.45
757N DCDA BFG GPM	0111582	4	S.S.	098268121957	1	98	12,914.79
757N DCDA BFG GPM	0111583	6	S.S.	098268121964	1	171	18,018.02
757N DCDA BFG GPM	0111750	8	S.S.	098268125924	1	351	25,877.19



757DCDA BFG

Double Check Detector Assemblies

4

Backflow Preventers & Accessories



Model	Ordering Code	Size (in.)	Body	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	------	-----	-----------------	--------------------------	-------------------

Standard shutoffs are resilient seated outside stem and yoke (OSY), UL/FM listed

Series 757DCDA

With OSY Resilient Seated Shutoff Valves - Less Meter

757DCDA OSY LM	0111837	2 1/2	S.S.	098268260304	1	137	\$ 7,014.13
757DCDA OSY LM	0111838	3	S.S.	098268260311	1	157	7,145.06
757DCDA OSY LM	0111839	4	S.S.	098268260328	1	173	7,728.25
757DCDA OSY LM	0111840	6	S.S.	098268260335	1	307	11,010.50
757DCDA OSY LM	0111841	8	S.S.	098268260342	1	492	20,004.30
757DCDA OSY LM	0111842	10	S.S.	098268260359	1	793	28,865.87

N-Pattern with OSY Resilient Seated Shutoff Valves - Less Meter

757N DCDA OSY LM	0111843	2 1/2	S.S.	098268260366	1	145	9,364.09
757N DCDA OSY LM	0111844	3	S.S.	098268260472	1	170	9,529.38
757N DCDA OSY LM	0111845	4	S.S.	098268260489	1	196	101,706.28
757N DCDA OSY LM	0111846	6	S.S.	098268260496	1	348	14,436.90
757N DCDA OSY LM	0111847	8	S.S.	098268260502	1	567	26,139.03
757N DCDA OSY LM	0111848	10	S.S.	098268260519	1	963	23,438.64

With UL/FM Butterfly Valves Shutoffs - Less Meter

757DCDA BFG LM	0111849	2 1/2	S.S.	098268260526	1	68	10,344.01
757DCDA BFG LM	0111850	3	S.S.	098268260533	1	66	10,443.18
757DCDA BFG LM	0111851	4	S.S.	098268260540	1	73	11,186.39
757DCDA BFG LM	0111852	6	S.S.	098268260557	1	129	15,859.82
757DCDA BFG LM	0111853	8	S.S.	098268260564	1	273	24,109.10


N-Pattern with UL/FM Butterfly Valves Shutoffs - Less Meter

757N DCDA BFG LM	0111854	2 1/2	S.S.	098268260571	1	76	11,285.57
757N DCDA BFG LM	0111855	3	S.S.	098268260588	1	79	11,718.00
757N DCDA BFG LM	0111856	4	S.S.	098268260595	1	96	12,454.59
757N DCDA BFG LM	0111857	6	S.S.	098268260601	1	169	17,569.72
757N DCDA BFG LM	0111858	8	S.S.	098268260618	1	349	25,435.50

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Reduced Pressure Detector Assemblies



909RPDA

Series 909RPDA

Standard shutoffs are resilient seated outside stem and yoke (OSY), UL/FM listed

Model	Ordering Code	Size (in.)	Body	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
909RPDAO-SY-CFM	0387453	2 1/2	**Iron	098268590227	1	250	\$ 9,868.81
909RPDAO-SY-CFM	0387456	3	**Iron	098268025064	1	250	10,399.06
909RPDAO-SY-CFM	0387461	4	**Iron	098268025088	1	490	12,140.00
909RPDAO-SY-CFM	0387466	6	**Iron	098268025101	1	820	17,878.41
909RPDAO-SY-CFM	0385610	8	**Iron	098268199703	1	1656	32,668.34
909RPDAO-SY-CFM	0385629	10	**Iron	098268199895	1	2250	45,395.72
909RPDAO-SY-GPM	0387454	2 1/2	**Iron	098268590579	1	250	9,137.08
909RPDAO-SY-GPM	0387480	3	**Iron	098268025156	1	250	10,095.71
909RPDAO-SY-GPM	0387486	4	**Iron	098268025170	1	490	14,792.18
909RPDAO-SY-GPM	0387491	6	**Iron	098268025194	1	820	17,441.55
909RPDAO-SY-GPM-M1	0385612	8	**Iron	098268199727	1	1656	31,715.68
909RPDAO-SY-GPM-M1	0385630	10	**Iron	098268199901	1	2250	44,071.84


Less Shutoffs

909RPDA-LF-CFM	0384743	3	**Iron	098268271461	1	162	8,531.58
909RPDA-LF-CFM	0387211	4	**Iron	098268024609	1	385	9,334.24
909RPDA-LF-CFM	0387212	6	**Iron	098268024616	1	819	14,613.88
909RPDA-LF-CFM	0385607	8	**Iron	098268199673	1	919	23,261.18
909RPDA-LF-CFM	0385624	10	**Iron	098268199840	1	1784	34,075.81
909RPDA-LF-GPM	0384742	3	**Iron	098268271478	1	162	7,898.90
909RPDA-LF-GPM	0387209	4	**Iron	098268024593	1	385	9,334.24
909RPDA-LF-GPM	0387216	6	**Iron	098268024647	1	819	13,750.19
909RPDA-LF-GPM-M1	0385598	8	**Iron	098268199581	1	919	25,134.92
909RPDA-LF-GPM-M1	0385626	10	**Iron	098268199864	1	1784	34,075.81

Series 994RPDA

Less Shutoffs

994RPDA-LF-CFM	0438246	2 1/2	S.S.	098268262421	1	61	\$ 5,841.14
994RPDA-LF-CFM	0438248	3	S.S.	098268262445	1	65	6,621.37
994RPDA-LF-CFM	0438054	4	S.S.	098268795974	1	67	7,758.67
994RPDA-LF-CFM	0438062	6	S.S.	098268795714	1	105	11,114.96
994RPDAO-SY-CFM	0438250	2 1/2	S.S.	098268262469	1	170	7,983.47
994RPDAO-SY-CFM	0438252	3	S.S.	098268262483	1	205	8,869.50
994RPDAO-SY-CFM	0438052	4	S.S.	098268795967	1	270	10,455.46
994RPDAO-SY-CFM	0438060	6	S.S.	098268795738	1	405	14,628.65
994RPDA-LF-GPM	0438247	2 1/2	S.S.	098268262438	1	61	5,841.14
994RPDA-LF-GPM	0438249	3	S.S.	098268262452	1	65	6,621.37
994RPDA-LF-GPM	0438055	4	S.S.	098268795943	1	67	7,758.67
994RPDA-LF-GPM	0438063	6	S.S.	098268795721	1	105	11,114.96
994RPDAO-SY-GPM	0438251	2 1/2	S.S.	098268262476	1	170	7,983.47
994RPDAO-SY-GPM	0438253	3	S.S.	098268262490	1	205	8,869.50
994RPDAO-SY-GPM	0438053	4	S.S.	098268795912	1	270	10,150.92
994RPDAO-SY-GPM	0438061	6	S.S.	098268795745	1	405	15,066.37



994RPDA

**FDA fused epoxy coated cast iron body.

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Reduced Pressure Detector Assemblies

4

Backflow Preventers & Accessories

Model	Ordering Code	Size (in.)	Body	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	------	-----	-----------------	--------------------------	-------------------

Series 994RPDA

With OSY Resilient Seated Shutoff Valves (Grooved Inlet x Flanged Outlet)

994RPDA OSY GxG CFM	0438619	2 1/2	S.S.	098268263732	1	170	\$ 7,983.47
994RPDA OSY GxG CFM	0438625	3	S.S.	098268263794	1	205	9,012.33
994RPDA OSY GxG CFM	0438631	4	S.S.	098268263954	1	270	10,150.92
994RPDA OSY GxG CFM	0438637	6	S.S.	098268264050	1	405	14,628.65
994RPDA OSY GxG GPM	0438622	2 1/2	S.S.	098268263763	1	170	7,983.47
994RPDA OSY GxG GPM	0438628	3	S.S.	098268263824	1	205	9,012.33
994RPDA OSY GxG GPM	0438634	4	S.S.	098268264029	1	270	10,150.92
994RPDA OSY GxG GPM	0438640	6	S.S.	098268264081	1	405	14,628.65

With OSY Resilient Seated Shutoff Valves (Flanged Inlet x Grooved Outlet)

994RPDA OSY FxG CFM	0438620	2 1/2	S.S.	098268263749	1	170	7,983.47
994RPDA OSY FxG CFM	0438626	3	S.S.	098268263800	1	205	9,012.33
994RPDA OSY FxG CFM	0438632	4	S.S.	098268263961	1	270	10,150.92
994RPDA OSY FxG CFM	0438638	6	S.S.	098268264067	1	405	14,628.65
994RPDA OSY FxG GPM	0438623	2 1/2	S.S.	098268263770	1	170	7,983.47
994RPDA OSY FxG GPM	0438629	3	S.S.	098268263831	1	205	9,012.33
994RPDA OSY FxG GPM	0438635	4	S.S.	098268264036	1	270	10,150.92
994RPDA OSY FxG GPM	0438641	6	S.S.	098268264098	1	405	14,628.65

Series 957RPDA

With OSY Resilient Seated Shutoff Valves

957RPDA OSY CFM	0111620	2 1/2	S.S.	098268123593	1	142	\$ 7,983.47
957RPDA OSY CFM	0111621	3	S.S.	098268123609	1	162	8,869.50
957RPDA OSY CFM	0111622	4	S.S.	098268123616	1	178	10,455.46
957RPDA OSY CFM	0111623	6	S.S.	098268123623	1	312	15,066.91
957RPDA OSY CFM	0111624	8	S.S.	098268123777	1	497	29,258.33
957RPDA OSY CFM	0111625	10	S.S.	098268123814	1	797	39,471.78
957RPDA OSY GPM	0111626	2 1/2	S.S.	098268123913	1	142	7,983.47
957RPDA OSY GPM	0111627	3	S.S.	098268124170	1	162	8,869.50
957RPDA OSY GPM	0111628	4	S.S.	098268124187	1	178	10,150.92
957RPDA OSY GPM	0111629	6	S.S.	098268124194	1	312	14,628.65
957RPDA OSY GPM	0111630	8	S.S.	098268124217	1	497	28,405.66
957RPDA OSY GPM	0111631	10	S.S.	098268124293	1	797	39,470.38

N-Pattern with OSY Resilient Seated Shutoff Valves

957N RPDA OSY CFM	0111632	2 1/2	S.S.	098268124309	1	150	10,377.07
957N RPDA OSY CFM	0111633	3	S.S.	098268124316	1	175	11,530.22
957N RPDA OSY CFM	0111634	4	S.S.	098268124323	1	201	13,195.15
957N RPDA OSY CFM	0111635	6	S.S.	098268124385	1	353	19,016.45
957N RPDA OSY CFM	0111636	8	S.S.	098268124392	1	572	36,927.36
957N RPDA OSY CFM	0111637	10	S.S.	098268124408	1	964	21,158.41
957N RPDA OSY GPM	0111638	2 1/2	S.S.	098268124415	1	150	10,377.07
957N RPDA OSY GPM	0111639	3	S.S.	098268124422	1	175	11,530.22
957N RPDA OSY GPM	0111640	4	S.S.	098268124439	1	201	13,195.15
957N RPDA OSY GPM	0111641	6	S.S.	098268124446	1	353	19,016.45
957N RPDA OSY GPM	0111642	8	S.S.	098268124453	1	572	36,927.36
957N RPDA OSY GPM	0111643	10	S.S.	098268124484	1	964	51,311.37

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Reduced Pressure Detector Assemblies



957N RPDA OSY

Standard shutoffs are resilient seated outside stem and yoke (OSY), UL/FM listed

Series 957 RPDA

Z-Pattern with OSY Resilient Seated Shutoff Valves

Model	Ordering Code	Size (in.)	Body	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
957Z RPDA OSY CFM	0111644	2 1/2	S.S.	098268124491	1	150	\$ 10,377.07
957Z RPDA OSY CFM	0111645	3	S.S.	098268124507	1	175	11,530.22
957Z RPDA OSY CFM	0111646	4	S.S.	098268124514	1	201	13,195.15
957Z RPDA OSY CFM	0111647	6	S.S.	098268124521	1	353	19,016.45
957Z RPDA OSY CFM	0111648	8	S.S.	098268124552	1	572	36,927.36
957Z RPDA OSY CFM	0111649	10	S.S.	098268124569	1	964	51,311.37
957Z RPDA OSY GPM	0111650	2 1/2	S.S.	098268124576	1	150	10,377.07
957Z RPDA OSY GPM	0111651	3	S.S.	098268124583	1	175	11,530.22
957Z RPDA OSY GPM	0111652	4	S.S.	098268124590	1	201	13,195.15
957Z RPDA OSY GPM	0111653	6	S.S.	098268124606	1	353	19,016.45
957Z RPDA OSY GPM	0111654	8	S.S.	098268124613	1	572	36,927.36
957Z RPDA OSY GPM	0111655	10	S.S.	098268124620	1	964	51,311.37

N-Pattern with UL/FM Butterfly Valve Shutoffs

957N RPDA BFG CFM	0111656	2 1/2	S.S.	098268124637	1	132	10,589.96
957N RPDA BFG CFM	0111657	3	S.S.	098268124644	1	134	11,695.52
957N RPDA BFG CFM	0111658	4	S.S.	098268124651	1	166	13,499.30
957N RPDA BFG CFM	0111659	6	S.S.	098268124668	1	285	15,066.37
957N RPDA BFG GPM	0111662	2 1/2	S.S.	098268124699	1	132	10,589.96
957N RPDA BFG GPM	0111663	3	S.S.	098268124705	1	134	11,695.52
957N RPDA BFG GPM	0111664	4	S.S.	098268124712	1	166	13,499.30
957N RPDA BFG GPM	0111665	6	S.S.	098268124729	1	285	20,042.65

Z-Pattern with UL/FM Butterfly Valve Shutoffs

957Z RPDA BFG CFM	0111800	2 1/2	S.S.	098268126402	1	132	10,589.96
957Z RPDA BFG CFM	0111801	3	S.S.	098268126419	1	134	11,695.52
957Z RPDA BFG CFM	0111802	4	S.S.	098268126426	1	166	13,499.30
957Z RPDA BFG CFM	0111803	6	S.S.	098268126433	1	285	20,043.37
957Z RPDA BFG GPM	0111806	2 1/2	S.S.	098268126464	1	132	10,589.96
957Z RPDA BFG GPM	0111807	3	S.S.	098268126471	1	134	11,695.52
957Z RPDA BFG GPM	0111808	4	S.S.	098268126488	1	166	13,499.30
957Z RPDA BFG GPM	0111809	6	S.S.	098268126495	1	285	20,043.37

Series 957RPDA

With OSY Resilient Seated Shutoff Valves - Less Meter

957RPDA OSY LM	0111875	2 1/2	S.S.	098268260830	1	140	7,555.00
957RPDA OSY LM	0111876	3	S.S.	098268260847	1	160	8,430.46
957RPDA OSY LM	0111877	4	S.S.	098268260854	1	176	9,722.46
957RPDA OSY LM	0111878	6	S.S.	098268260861	1	310	14,198.86
957RPDA OSY LM	0111879	8	S.S.	098268260878	1	495	27,977.19
957RPDA OSY LM	0111880	10	S.S.	098268260885	1	795	50,882.90

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Reduced Pressure Detector Assemblies

4

Backflow Preventers & Accessories



Model	Ordering Code	Size (in.)	Body	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	------	-----	-----------------	--------------------------	-------------------

Standard shutoffs are resilient seated outside stem and yoke (OSY), UL/FM listed

N-Pattern with OSY Resilient Seated Shutoff Valves- Less Meter

957N RPDA OSY LM	0111881	2 1/2	S.S.	098268260892	1	148	\$ 9,948.59
957N RPDA OSY LM	0111882	3	S.S.	098268260908	1	173	11,002.56
957N RPDA OSY LM	0111883	4	S.S.	098268260915	1	199	12,766.67
957N RPDA OSY LM	0111884	6	S.S.	098268260922	1	351	18,587.98
957N RPDA OSY LM	0111885	8	S.S.	098268260939	1	570	36,498.90
957N RPDA OSY LM	0111886	10	S.S.	098268260946	1	962	50,882.90

Z-Pattern with OSY Resilient Seated Shutoff Valves- Less Meter

957Z RPDA OSY LM	0111887	2 1/2	S.S.	098268260953	1	148	9,948.59
957Z RPDA OSY LM	0111888	3	S.S.	098268260960	1	173	11,002.56
957Z RPDA OSY LM	0111889	4	S.S.	098268260977	1	199	12,766.67
957Z RPDA OSY LM	0111890	6	S.S.	098268361599	1	351	18,587.98
957Z RPDA OSY LM	0111891	8	S.S.	098268260984	1	570	36,498.90
957Z RPDA OSY LM	0111892	10	S.S.	098268260991	1	962	50,882.90

N-Pattern with UL/FM Butterfly Valves Shutoffs- Less Meter

957N RPDA BFG LM	0111893	2 1/2	S.S.	098268261011	1	130	10,161.50
957N RPDA BFG LM	0111894	3	S.S.	098268261028	1	132	11,267.05
957N RPDA BFG LM	0111895	4	S.S.	098268261035	1	164	13,070.83
957N RPDA BFG LM	0111896	6	S.S.	098268261059	1	283	19,570.54

Z-Pattern with UL/FM Butterfly Valves Shutoffs- Less Meter

957Z RPDA BFG LM	0111899	2 1/2	S.S.	098268261103	1	130	10,161.50
957Z RPDA BFG LM	0111900	3	S.S.	098268261127	1	132	11,267.05
957Z RPDA BFG LM	0111901	4	S.S.	098268261134	1	164	13,070.83
957Z RPDA BFG LM	0111902	6	S.S.	098268261141	1	283	19,570.54

Model	Ordering Code	Type	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------	-----	-----------------	--------------------------	-------------------

Test Kits and Accessories

TK-9A	0385496	Analog	098268022049	1	8	\$ 3,103.83
TK-99E	0385511	Analog	098268399806	1	8	4,188.26
TK-DL	0385515	Print out & Computer Download	098268509519	1	15	15,331.41
TK-7	0061792	Sight Glass	098268003437	1	3	1,212.71

Air Gaps

909-AGA	0881399	1/4 - 1/2 009, 1/2 - 1 995, 3/4 009M2/M3	098268235319	1	1	98.52
909-AGC	0881376	3/4, 1 009/909, 1-1 1/2 009M2, 1/4-2 995	098268104950	1	2	115.72
909-AGF	0881378	1 1/4 - 2 009M1, 2 009M2, 1 1/4 - 3 009/909	098268104967	1	3	193.74
909-AGK •	0881385	4 - 6 909, 8 - 10 909M1	098268104998	1	6	323.35
909-AGM •	0881387	8 - 10 909	098268105018	1	16	368.18

•Vertical



AG Series

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.



909EL


SAE-TC
with RK-SAE-TC


Adapter



TR

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	---------------	-----	--------------------	-----------------------------	----------------------

Air Gaps

919AGC	0881576	3/4 – 1 919	098268213560	1	2	\$ 89.80
919AGF	0881577	1 1/4 – 2 919	098268213577	1	3	368.18
957-AG	0111764	2 1/2 – 10 957	098268126112	1	10	327.31
957-AG Splash Guard	0111815		098268126525			97.21
994-AGKP	0881397	2 1/2 – 10 994	098268265132	1	10	182.76
995-AG	0439190	3 – 6 995	098268920529	1	2	284.32

Elbows

909-ELA	0881370	1/4 – 1/2 009, 3/4 009M2/M3	098268310764	1	1/4	49.99
909-ELC	0881380	3/4 – 1 009/909, 1 – 1 1/2 009M2	098268104974	1	3/8	65.46
909-ELF •	0881382	1 1/4 – 2 009M1, 1 1/4 – 2 009/909, 2 009M2, 4 – 6 993	098268104981	1	2	107.12
909-ELH •	0881384	2 1/2 – 3 009/909	098268276336	1	7	290.41
919-ELC	0881578	3/4 – 1 919	098268336047	1	1	61.49
919-ELF	0881579	1 1/4 – 2 919	098268335378	1	2	103.82
994-ELF	0881396	2 1/2 – 10 994	098268796278	1	–	503.99

•Vertical

Test Cocks – All Bronze

		Size	-			
RK-SAE-TC Brass Cap & Tether	0888845	1/8 SAE	098268914764	1	1	22.34
SAE-TC Brass Cap Only	0006902	1/8 SAE	098268133219	1	1/8	11.24
SAE-TC Plastic Cap Only	0888847	1/8 SAE	098268288346	1	1/8	2.06
RK-TC-P Plastic Cap & Tether	0888846	1/8, 1/4 NPT	098268047165	1	1/8	1.97

• Epoxy coated, For 3/4" test cocks, use 3/4" B-6002.

Adapter

SAE-TC Adapter	0006903	1/4	098268059977	1	1	72.88
SAE-TC Brass Cap	0006902	–	098268133219	–	–	11.24

Transition Risers

For Connection of the Main Fire Supply to the Building Overhead Fire System

LEAD FREE	TR	0777500	4	098268264838	7	71	2,219.55
	TR	0777501	6	098268264845	5	98	2,933.85
	TR	0777502	8	098268264852	2	129	4,563.95
	TR	0777503	10	098268264876	1	202	8,019.81

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Valve Setters

Flange x Flange

WVS-C FxF	0107210	3	098268381238	1	134	\$ 859.57
WVS-C FxF	0107211	4	098268381245	1	161	1,081.09
WVS-C FxF	0107212	6	098268381252	1	274	1,469.21
WVS-C FxF	0107213	8	098268381269	1	379	2,082.83
WVS-C FxF	0107214	10	098268381276	1	491	2,877.59

Flange x Mechanical Joint

WVS-C FxMJ	0107215	3	098268381283	1	130	859.57
WVS-C FxMJ	0107216	4	098268381290	1	157	1,081.09
WVS-C FxMJ	0107217	6	098268381306	1	282	1,420.28
WVS-C FxMJ	0107218	8	098268381313	1	367	2,082.83
WVS-C FxMJ	0107219	10	098268381320	1	469	2,877.59
WVS-C MJxMJ	0107220	3	098268381337	1	130	859.57
WVS-C MJxMJ	0107221	4	098268381344	1	157	1,081.09
WVS-C MJxMJ	0107222	6	098268381351	1	282	1,469.21
WVS-C MJxMJ	0107223	8	098268381368	1	367	2,082.83
WVS-C MJxMJ	0107224	10	098268381375	1	469	2,877.59

Flange x Flange (RP-BFG)

WVS-C FxF RP BFG	0107231	3	098268381443	1	134	1,067.20
WVS-C FxF RP BFG	0107225	4	098268381382	1	161	1,469.21
WVS-C FxF RP BFG	0107226	6	098268381399	1	274	2,082.83

Flange x Mechanical Joint (RP-BFG)

WVS-C FxMJ RP BFG	0107232	3	098268381450	1	130	1,067.20
WVS-C FxMJ RP BFG	0107227	4	098268381405	1	157	1,469.21
WVS-C FxMJ RP BFG	0107228	6	098268381412	1	282	2,082.83

Mechanical Joint x Mechanical Joint (RP-BFG)

WVS-C MJxMJ RP BFG	0107233	3	098268381467	1	130	1,067.20
WVS-C MJxMJ RP BFG	0107229	4	098268381429	1	157	1,469.21
WVS-C MJxMJ RP BFG	0107230	6	098268381436	1	282	2,082.83




Valve Stand

Valve Stand

RK-EZ-STD	0777237		098268357868	1	43	367.25
-----------	---------	--	--------------	---	----	--------

Wattsbox Enclosures



Wattsbox Enclosures

Fiberglass

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
WB-75	0888600	Thru 3/4	098268733310	1	35	\$ 1,288.08
WB-1	0888601	Thru 1	098268733327	1	38	1,504.09
WB-1.5	0888603	Thru 1 1/2	098268733341	1	65	1,721.85
WB-2	0888604	Thru 2	098268733358	1	75	2,517.98
WB-N3	0888789	**	098268823646	1	250	9,732.06
WB-E3	0888790	**	098268823653	1	285	12,692.62

Fiberglass - Less Heat

WB-75-LH	0889330	Thru 3/4	098268832112	1	35	1,250.35
WB-1-LH	0889331	Thru 1	098268832105	1	38	1,515.49
WB-1.5-LH	0889332	Thru 1 1/2	098268832099	1	65	1,932.14
WB-2-LH	0889333	Thru 2	098268832129	1	75	2,221.75
WB-N3-LH	0889300	**	098268823974	1	250	8,356.39
WB-E3-LH	0889301	**	098268823981	1	285	11,001.25

Fiberglass, Strainer Models

WB-2S	0888800	Thru 2	098268823752	1	85	2,941.17
WB-N3S	0888801	2 1/2 - 3 NRS	098268823769	1	275	13,327.40

Fiberglass, Strainer Models - Less Heat

WB-2S-LH	0889311	Thru 2	098268824094	1	85	2,644.86
WB-N3S-LH	0889312	2 1/2 - 3 NRS	098268824100	1	275	11,634.68
WB-E3S-LH	0889313	2 1/2 - 3 OSY	098268824117	1	295	13,327.40

Aluminum

WB-N4	0888793	**	098268823684	1	325	11,149.75
WB-E4	0888857		098268830101	1	375	11,149.75
WB-N6	0888794	**	098268823691	1	500	15,549.62
WB-E6	0888795	**	098268823707	1	540	18,827.34
WB-N8	0888796	8 NRS	098268823714	1	550	16,057.17
WB-E8	0888797	**	098268823721	1	625	22,742.53
WB-N10	0888798	10 NRS	098268823738	1	650	23,905.46
WB-E10	0888799	10	098268823745	1	800	28,241.68

Aluminum Stucco

WB 3000	0889334		098268940237	1	150	8,145.09
WB 4000	0889335		098268940244	1	300	11,318.63
WB 4000AN	0889336		098268940251	1	275	9,837.51
WB 4000AE	0889337		098268940268	1	300	10,895.83
WB 6000AN	0889338		098268940275	1	325	11,846.27
WB 6000AE	0889339		098268940282	1	375	13,475.97
WB 2000A	0889350		098268214833	1	160	5,895.36
WB 2.5	0889352		098268214864	1	200	6,769.49
WB 2.75	0889354		098268214888	1	260	7,827.41
WB 6 ET	0889356		098268214901	1	790	20,731.63
WB 8000ANT	0889358		098268214925	1	530	15,761.96
WB 8000AET	0889360		098268214970	1	530	15,002.16

**See literature ES-WB for sizing information

(LH) = Less Heater
(S) = Strainer

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.



Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Wattsbox Enclosures

Aluminum – Less Heat

WB-N4-LH	0889304	**	098268824025	1	325	\$ 10,789.65
WB-N6-LH	0889305	**	098268824032	1	500	12,731.63
WB-E6-LH	0889306	**	098268824049	1	540	15,443.25
WB-N8-LH	0889307	8 NRS	098268824056	1	550	16,712.79
WB-E8-LH	0889308	**	098268824063	1	625	19,356.30
WB-N10-LH	0889309	10 NRS	098268824070	1	650	20,520.05
WB-E10-LH	0889310	10	098268824087	1	800	24,646.00

**See literature ES-WB for sizing information

Aluminum Stucco – Less Heat

WB 2000A LH	0889351		098268214857	1	160	4,210.74
WB 2.5 LH	0889353		098268214871	1	200	5,395.50
WB 2.75 LH	0889355		098268214895	1	260	6,452.09
WB 6 ET LH	0889357		098268214918	1	790	17,982.31
WB 8000ANT LH	0889359		098268214963	1	530	14,385.32
WB 8000AET LH	0889361		098268214994	1	530	17,453.34

Aluminum, Strainer Models

WB-N4S	0888803	4 NRS	098268823783	1	375	14,067.94
WB-E4S	0888804	4 OSY	098268823790	1	400	13,883.58
WB-N6S	0888805	6 NRS	098268823806	1	540	18,509.96
WB-E6S	0888806	6 OSY	098268823813	1	575	20,943.23
WB-N8S	0888807	8 NRS	098268823820	1	625	23,377.32
WB-E8S	0888808	8 OSY	098268823943	1	650	26,126.73
WB-N10S	0888809	10 NRS	098268823950	1	800	27,818.50
WB-E10S	0888810	10 OSY	098268823967	1	850	32,155.87

Aluminum, Strainer Models – Less Heat

WB-N4S-LH	0889314	4 NRS	098268824124	1	375	12,270.78
WB-E4S-LH	0889315	4 OSY	098268824131	1	400	13,750.56
WB-N6S-LH	0889316	6 NRS	098268824148	1	540	15,125.88
WB-E6S-LH	0889317	6 OSY	098268824155	1	575	17,559.14
WB-N8S-LH	0889318	8 NRS	098268824162	1	625	19,991.09
WB-E8S-LH	0889319	8 OSY	098268824179	1	650	22,530.13
WB-N10S-LH	0889320	10 NRS	098268824186	1	800	24,222.84
WB-E10S-LH	0889321	10 OSY	098268824193	1	850	28,559.07

For Pressure Vacuum Breakers

WB-PVB1	0888664	3/4 – 1	098268733952	1	17	1,079.10
WB-PVB-T1	0888665	3/4 – 1	098268733969	1	21	1,269.53
WB-PVB2	0888666	1 1/4 – 2	098268733976	1	39	1,333.05
WB-PVB-T2	0888667	1 1/4 – 2	098268733983	1	120	1,608.06

For Pressure Vacuum Breakers – Less Heat

WB-PVB2-LH	0888716	1 1/4 – 2	098268744149	1	35	1,166.37
WB-PVBT1-LH	0888675	3/4 – 1	098268244335	1	25	1,143.90
WB-PVBT2-LH	0888676	1 1/4 – 2	098268244342	1	35	1,458.64

Watts Rock & Pre-Engineered Valve Stations



Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	---------------	-----	--------------------	-----------------------------	----------------------

Watts Rock

Shell Only

WPLRN-1 Brown	0888985	3/4 – 1	098268133189	1	21	571.28
WPLRN-1 Grey	0888988	3/4 – 1	098268151862	1	21	553.47
WPLRN-2 Brown	0888991	1 1/4 – 2	098268185911	1	35	901.23
WPLRN-2 Grey	0888992	1 1/4 – 2	098268185928	1	35	858.25

With Insulation – Less Heat

WPLR-1 Brown	0888986	3/4 – 1	098268133196	1	25	676.44
WPLR-1 Grey	0888989	3/4 – 1	098268151879	1	25	1,471.38
WPLR-2 Brown	0888993	1 1/4 – 2	098268185935	1	40	1,163.80
WPLR-2 Grey	0888994	1 1/4 – 2	098268185942	1	40	1,073.18

With Heat and Insulation

WPHR-1 Brown	0888987	3/4 – 1	098268133202	1	25	930.98
WPHR-1 Grey	0888990	3/4 – 1	098268151886	1	25	930.98
WPHR-2 Brown	0888995	1 1/4 – 2	098268185973	1	40	1,502.26
WPHR-2 Grey	0888996	1 1/4 – 2	098268185980	1	40	1,502.33

*See ES-WB literature for sizing information

Electric Motor Valves



LFEMVII-6400SS

5

Ball Valves

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Electric Motor Valves

2-Piece, Standard Port, Bronze Electric Motor Valves – Fully Assembled – 316 Stainless Steel Ball & Stem Threaded Ends – 100 WSP/600 WOG

LEAD FREE*	LFEMVII6400SS 115-8	0123439	1/4	098268694482	1	10	\$ 1,995.57
	LFEMVII6400SS 115-8	0123301	3/8	098268691214	1	10	1,995.57
	LFEMVII6400SS 115-8	0123410	1/2	098268694024	1	10	1,995.57
	LFEMVII6400SS 115-35	0123411	1/2	098268694031	1	8.8	1,995.57
	LFEMVII6400SS 24-18	0123414	1/2	098268694093	1	9.0	1,995.57
	LFEMVII6400SS 24-40	0123415	1/2	098268694123	1	9.0	1,995.57
	LFEMVII6400SS 115-8	0123416	3/4	098268694130	1	11	2,018.64
	LFEMVII6400SS 115-35	0123417	3/4	098268694147	1	10	2,019.16
	LFEMVII6400SS 24-18	0123418	3/4	098268694154	1	10	2,014.44
	LFEMVII6400SS 24-40	0123419	3/4	098268694161	1	9.4	2,014.44
	LFEMVII6400SS 115-8	0123420	1	098268694178	1	11	2,426.79
	LFEMVII6400SS 115-35	0123421	1	098268694192	1	10	2,231.69
	LFEMVII6400SS 24-18	0123423	1	098268694215	1	12	2,096.69
	LFEMVII6400SS 24-40	0123424	1	098268694239	1	10	2,096.69
	LFEMVII6400SS 115-8	0123425	1 1/4	098268694246	1	12	2,005.62
	LFEMVII6400SS 115-35	0123426	1 1/4	098268694253	1	11	2,206.92
	LFEMVII6400SS 24-18	0123427	1 1/4	098268694277	1	11	2,184.34
	LFEMVII6400SS 24-40	0123428	1 1/4	098268694284	1	11	2,184.34
	LFEMVII6400SS 115-8	0123429	1 1/2	098268694291	1	13	2,605.11
	LFEMVII6400SS 115-35	0123432	1 1/2	098268694321	1	12	2,419.06
	LFEMVII6400SS 24-18	0123430	1 1/2	098268694307	1	13	2,243.66
	LFEMVII6400SS 24-40	0123431	1 1/2	098268694314	1	12	2,600.72
	LFEMVII6400SS350 115-8	0123413	2	098268694055	1	15	2,992.10
	LFEMVII6400SS350 115-40	0123437	2	098268694376	1	15	3,323.54
	LFEMVII6400SS350 24-18	0123436	2	098268694369	1	15	2,992.00
	LFEMVII6400SS350 24-40	0123412	2	098268694048	1	6.4	2,739.94

Available in 115 VAC or 24VAC motor with various operator cycles.

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Ball Valve Options / Handle Options



Tee Handle



Extended Handle

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	---------------	-----	--------------------	-----------------------------	----------------------

Handle Options

LC	Latch Lock Lever Handle-Closed Positions (without lock)	LFB6400	1/4 – 2	LL-HK	See PL-RP-GP
LH	Locking Lever Handle (without lock)	LFB6400	1/2 – 2 1/4 – 2 1/2 – 2	LH-HK	See PL-RP-GP
LL	Latch Lock Lever Handle (without lock)	LFB6400 LFB6800/LFB6801	1/4 – 2 1/2 – 2	LL-HK	See PL-RP-GP
SH	Stainless Steel Lever Handle & Nut	LFFBV-3C	1/4 – 2	SH-HK	See PL-RP-GP
TH	Tee Handle	LFFBV-3C	All	TH-HK	See PL-RP-GP
XH	Extended Lever Handle	LFFBV-3C	1/4 – 2	XHK-LH	See PL-RP-GP

Ball Valve options only refer to ball valve literature PL-RP-GP for required kit information.



LFB6800

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Bronze Ball Valves — Full Port — 3 Piece

Series LFB6800

Threaded Ends - 316 Stainless Steel Ball and Stem - 150 WSP/600 WOG

LEAD FREE*	LFB6800	0123219	1/4	098268689099	32	32	\$ 109.89
	LFB6800	0123221	3/8	098268689136	32	32	98.12
	LFB6800	0123222	1/2	098268689143	32	35	119.67
	LFB6800	0123227	3/4	098268689365	16	36	165.46
	LFB6800	0123231	1	098268689440	8	33	240.70
	LFB6800	0123234	1 1/4	098268689471	6	36	366.07
	LFB6800	0123239	1 1/2	098268689723	4	36	478.67
	LFB6800	0123242	2	098268689938	2	30	885.57


Threaded Ends - Latch-Lok - Open and Closed Position - 150 WSP/600 WOG

LEAD FREE*	LFB6800-LL	0123243	1/4	098268689945	32	32	162.81
	LFB6800-LL	0123244	3/8	098268689952	32	32	144.95
	LFB6800-LL	0123245	1/2	098268689969	32	35	159.79
	LFB6800-LL	0123246	3/4	098268689976	16	48	187.43
	LFB6800-LL	0123247	1	098268689983	8	31	277.77
	LFB6800-LL	0123248	1 1/4	098268689990	6	36	415.98
	LFB6800-LL	0123249	1 1/2	098268690118	4	36	517.79
	LFB6800-LL	0123250	2	098268690194	2	28	792.19

Series LFB6801

Solder Ends - 316 Stainless Steel Ball and Stem - 150 WSP/600 WOG

LEAD FREE*	LFB6801	0123275	1/2	098268690958	32	35	146.31
	LFB6801	0123276	3/4	098268690965	16	34	179.33
	LFB6801	0123277	1	098268690972	8	31	292.59
	LFB6801	0123278	1 1/4	098268690989	6	37	422.71
	LFB6801	0123279	1 1/2	098268690996	4	33	619.31
	LFB6801	0123280	2	098268691009	4	65	815.08



LFB6801

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Bronze Ball Valves - Standard Port - 2 Piece

Series LFB6000

Threaded Ends - 316 Stainless Steel Ball and Stem - 125 WSP/400 WOG

LEAD FREE*	LFB6000	0555192	2 1/2	098268433029	1	15	\$ 893.28
	LFB6000	0555193	3	098268433036	1	19	1,626.30
	LFB6000	0555194	4	098268433043	1	30	2,148.27

Series LFB6001

Solder Ends - 316 Stainless Steel Ball and Stem - 125 WSP/400 WOG

LEAD FREE*	LFB6001	0555202	2 1/2	098268433159	1	14	964.07
	LFB6001	0555203	3	098268433166	1	17	1,085.43

Series LFB6780

Threaded Ends - Three-Way Diverter - 125 WSP/400 WOG

LEAD FREE*	LFB6780M1	0123394	1/4	098268693287	24	16	102.00
	LFB6780M1	0123395	3/8	098268693294	24	16	102.00
	LFB6780M1	0555219	1/2	098268433326	24	16	102.00
	LFB6780M1	0555220	3/4	098268433333	24	26	139.22
	LFB6780M1	0555221	1	098268433340	16	30	264.30
	LFB6780M1	0555222	1 1/4	098268433357	12	48	405.06
	LFB6780M1	0555223	1 1/2	098268433364	8	52	487.79
	LFB6780M1	0555224	2	098268433371	2	20	731.92

Series LFB6781

Solder Ends - Three-Way Diverter - 125 WSP/ 400 WOG

LEAD FREE*	LFB6781	0123358	1/2	098268692556	24	16	84.58
	LFB6781	0555225	3/4	098268433388	32	19	131.88
	LFB6781	0123360	1	098268692570	16	30	146.97

Series FBV and LFFBV

Threaded Ends - 600 WOG

LEAD FREE*	LFFBV	0125026	1/2	098268846423	108	60	44.16
	LFFBV	0125027	3/4	098268846430	72	50	65.76
	LFFBV	0125028	1	098268846447	36	58	60.66
	LFFBV	0792509	1 1/4	098268500431	6	11	221.06
	LFFBV	0792510	1 1/2	098268500448	6	19	269.80
	LFFBV	0792511	2	098268500455	6	31	172.87

Brass Ball Valves - Full Port - 2 Piece

Series LFIT6300

Threaded Ends - Brass Ball and Waste Feature - 600 WOG

LEAD FREE*	LFIT6300	0123625	1/2	098268701432	120	48	\$ 25.62
	LFIT6300	0123626	3/4	098268701449	60	54	38.76
	LFIT6300	0123627	1	098268701456	36	50	47.52

Series LFIS6301

Solder Ends - 600 WOG

LEAD FREE*	LFIS6301	0123628	1/2	098268701470	120	24	100.81
	LFIS6301	0123629	3/4	098268701494	60	44	104.83
	LFIS6301	0123630	1	098268701500	36	36	48.85



LFB6780M1



FBV



LFIT6300

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Bronze Ball Valves - Full Port - 2 Piece

Series LFB6080G2

Full Port - Threaded Ends - (150 WSP/600 WOG)

LEAD FREE*	LFB6080G2	0450100	1/4	098268763294	48	21	\$ 36.97
	LFB6080G2	0450101	3/8	098268763355	48	22	36.97
	LFB6080G2	0450102	1/2	098268763362	40	20	44.67
	LFB6080G2	0450103	3/4	098268763379	40	36	71.63
	LFB6080G2	0450104	1	098268763386	24	34	118.48
	LFB6080G2	0450105	1 1/4	098268763461	12	25	170.28
	LFB6080G2	0450106	1 1/2	098268763478	6	19	228.99
	LFB6080G2	0450107	2	098268763485	6	30	400.55

Series LFB6081G2

Full Port - Solder Ends - (150 WSP/600 WOG)

LEAD FREE*	LFB6081G2	0450108	3/8	098268763492	48	21	36.97
	LFB6081G2	0450109	1/2	098268763508	48	22	36.97
	LFB6081G2	0450110	3/4	098268763539	40	20	36.97
	LFB6081G2	0450111	1	098268763546	40	36	80.27
	LFB6081G2	0450112	1 1/4	098268763560	24	34	93.45
	LFB6081G2	0450113	1 1/2	098268763652	12	25	180.60
	LFB6081G2	0450114	2	098268763669	6	19	220.47



FBV-3C

Series FBV-3C and LFFBV-3C - 2 Piece

Threaded Ends - 150 WSP/600 WOG

LEAD FREE*	FBV-3C	0547100	1/4	098268335811	120	45	\$ 22.24
	FBV-3C	0547101	3/8	098268335941	120	44	22.24
	FBV-3C	0547102	1/2	098268335958	120	46	22.24
	FBV-3C	0547103	3/4	098268335996	60	46	33.02
	FBV-3C	0547104	1	098268335972	30	36	53.95
	FBV-3C	0547105	1 1/4	098268335873	20	37	83.24
	FBV-3C	0547106	1 1/2	098268335880	16	41	105.20
	FBV-3C	0547107	2	098268335897	6	22	163.17
LEAD FREE*	LFFBV-3C	0555100	1/4	098268447699	120	45	26.70
	LFFBV-3C	0555101	3/8	098268447705	120	44	16.18
	LFFBV-3C †	0555102	1/2	098268447712	120	46	16.18
	LFFBV-3C †	0555103	3/4	098268447729	60	46	39.51
	LFFBV-3C †	0555104	1	098268447736	30	36	40.69
	LFFBV-3C †	0555105	1 1/4	098268447743	20	37	80.28
	LFFBV-3C †	0555106	1 1/2	098268447750	16	41	126.62
	LFFBV-3C †	0555107	2	098268447767	6	22	149.73

Threaded Ends - 125 WSP/400 WOG

LEAD FREE*	FBV-3C	0547108	2 1/2	098268335903	5	36	500.26
	FBV-3C	0547109	3	098268335910	5	57	704.53
	FBV-3C	0546845	4	098268335295	1	18	819.13
	LFFBV-3C ▼	0555108	2 1/2	098268447774	5	36	390.44
	LFFBV-3C ▼	0555109	3	098268447781	5	57	483.03
	LFFBV-3C	0555096	4	098268810066	1	18	948.11



LFFBV-3C

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Brass Ball Valves - Full Port - 2 Piece

Series FBVS-3C and LFFBVS-3C

Solder Ends - 150 WSP/600 WOG

FBVS-3C	0547110	1/2	098268335828	120	46	\$ 22.24
FBVS-3C	0547111	3/4	098268335965	60	46	33.02
FBVS-3C	0547112	1	098268335835	30	36	53.95
FBVS-3C	0547113	1 1/4	098268335842	20	37	83.24
FBVS-3C	0547114	1 1/2	098268335859	16	41	105.20
FBVS-3C	0547115	2	098268335866	6	22	163.17

Solder Ends - 150 WSP/600 WOG

LEAD FREE*	LFFBVS-3C	0555110	1/2	098268447798	120	42	26.70
	LFFBVS-3C	0555111	3/4	098268447804	60	41	39.51
	LFFBVS-3C	0555112	1	098268447811	30	33	64.72
	LFFBVS-3C	0555113	1 1/4	098268447828	20	34	99.92
	LFFBVS-3C	0555114	1 1/2	098268447835	16	38	80.66
	LFFBVS-3C	0555115	2	098268447842	6	23	124.01

Solder Ends - 125 WSP/400 WOG

LEAD FREE*	FBVS-3C	0547116	2 1/2	098268335827	5	33	500.26
	FBVS-3C	0547117	3	098268335934	5	47	819.13
	LFFBVS-3C	0555116	2 1/2	098268447859	5	33	390.44
	LFFBVS-3C	0555117	3	098268447866	5	47	535.12

Series FBV-3C, LFFBV-3C, LFFBVS-3C

Threaded Ends - 150 WSP/600 WOG

LEAD FREE*	LFFBV-3C-TH	0123489	3/4	098268696950	60	46	25.97
	LFFBV-3C-TH	0123490	1	098268696967	30	36	37.78

Solder Ends - 150 WSP/600 WOG

LEAD FREE*	LFFBVS-3C-TH	0123491	1/2	098268696998	100	35	18.24
	LFFBVS-3C-TH	0123492	3/4	098268697001	60	41	25.97
	LFFBVS-3C-TH	0123493	1	098268697018	30	33	37.78

Threaded Ends - 300psi UL/FM Trim & Drain

FBV-3C - UL/FM	0547125	1/4	098268340952	120	45	24.60
FBV-3C - UL/FM	0547127	1/2	098268340891	120	46	27.65
FBV-3C - UL/FM	0547128	3/4	098268340907	60	51	33.03
FBV-3C - UL/FM	0547129	1	098268340914	30	41	74.16
FBV-3C - UL/FM	0547130	1 1/4	098268340921	20	37	88.66
FBV-3C - UL/FM	0547131	1 1/2	098268340938	16	41	107.87
FBV-3C - UL/FM	0547132	2	098268340945	6	27	165.18

Threaded Ends - Stainless Steel Ball & Stem - 150 WSP/600 WOG

LEAD FREE*	LFFBV-3C-SS	0123462	1/2	098268695847	120	60	117.54
	LFFBV-3C-SS	0123463	3/4	098268695854	60	54	166.26
	LFFBV-3C-SS	0123464	1	098268695861	30	40	197.80
	LFFBV-3C-SS	0123465	1 1/4	098268695878	20	45	309.02
	LFFBV-3C-SS	0123466	1 1/2	098268695908	16	48	371.50
	LFFBV-3C-SS	0123467	2	098268695915	6	33	556.68

Solder Ends - Stainless Steel Ball & Stem - 150 WSP/600 WOG

LEAD FREE*	LFFBVS-3C-SS	0123468	1/2	098268695939	120	60	117.54
	LFFBVS-3C-SS	0123469	3/4	098268695953	60	54	210.80
	LFFBVS-3C-SS	0123470	1	098268695960	30	40	197.80
	LFFBVS-3C-SS	0123471	1 1/4	098268695977	20	45	309.02
	LFFBVS-3C-SS	0123472	1 1/2	098268696080	16	48	371.50
	LFFBVS-3C-SS	0123473	2	098268696097	6	33	556.68

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Ball Valves



LFFBV-3C-QC

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Brass Ball Valves - Full Port - 2 Piece (cont.)

Series LFFBV-3

Quick-Connect End Connection - 200 CWP

LEAD FREE*	LFFBV-3C-QC	0555269	1/2	098268450316	96	54	\$ 35.40
	LFFBV-3C-QC	0555270	3/4	098268450323	48	50	55.63
	LFFBV-3C-QC	0555271	1	098268450330	24	37	83.94

Threaded End - Cap and Chain

LEAD FREE*	LFFBV-3C-CC	0123474	1/2	098268696103	48	32	31.24
	Cap and Chain						
LEAD FREE*	LFFBV-3C-CC	0123475	3/4	098268696110	48	55	42.66
	Cap and Chain						

Soldered End - Cap and Chain

LEAD FREE*	LFFBVS-3C-CC	0123476	1/2	098268696127	48	23	27.65
	Cap and Chain						
LEAD FREE*	LFFBVS-3C-CC	0123477	3/4	098268696134	48	41	29.40
	Cap and Chain						

Integral Press Fitting End Connection - 200CWP NSF/ANSI 61 1/2" - 2"

LEAD FREE*	LFFBV-3-PRESS-XLC	0125084	2 1/2	098268848076	2	22	811.06
	LFFBV-3-PRESS-XLC	0125085	3	098268848335	2	35	1,818.73
	LFFBV-3-PRESS-XLC	0125086	4	098268848342	1	24	2,401.63



LFFBV-3-Press



LFFBV-4

Series LFFBV-4

Threaded Ends - 150 WSP/600 WOG for Sizes 1/4-2 & 125WSP/400 WOG for sizes 2 1/2-3

LEAD FREE*	LFFBV-4	0555118	1/4	098268805444	120	35	14.35
	LFFBV-4	0555119	3/8	098268805451	120	31	14.35
	LFFBV-4	0555120	1/2	098268805468	120	48	13.93
	LFFBV-4	0555121	3/4	098268805475	60	48	22.32
	LFFBV-4	0555122	1	098268805482	30	38	29.05
	LFFBV-4	0555123	1 1/4	098268805499	20	29	45.06
	LFFBV-4	0555124	1 1/2	098268805505	16	37	69.37
	LFFBV-4	0555125	2	098268805512	6	22	91.42
	LFFBV-4	0555126	2 1/2	098268805529	5	40	303.14
	LFFBV-4	0555127	3	098268805536	5	60	431.33

Series LFFBVS-4

Solder Ends - 150 WSP/600 WOG for Sizes 1/4-2 & 125WSP/400 WOG for sizes 2 1/2-3

LEAD FREE*	LFFBVS-4	0555128	1/2	098268805543	120	43	15.48
	LFFBVS-4	0555129	3/4	098268805727	60	44	21.88
	LFFBVS-4	0555130	1	098268805734	30	35	31.31
	LFFBVS-4	0555131	1 1/4	098268805789	20	28	50.03
	LFFBVS-4	0555132	1 1/2	098268806120	16	39	77.03
	LFFBVS-4	0555133	2	098268455113	6	23	107.50
	LFFBVS-4	0555134	2 1/2	098268806175	5	36	303.14
	LFFBVS-4	0555135	3	098268806182	5	55	431.33

Series LFFBV-PEX

PEX Ends - 400 WOG

LEAD FREE*	LFFBV-PEX	0555272	1/2	098268450347	40	12	24.65
	LFFBV-PEX	0555273	3/4	098268450354	40	18	29.81
	LFFBV-PEX	0555274	1	098268450361	40	28	44.26

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Ball Valves

Handle Options

The handle kits on this page will only fit Series FBV-3C ball valves manufactured in our WNV facility. If the ball valve has the NSF logo shown to right on the lever handle, use these kits.



Stem Extension

FBV-3C/FBVS-3C Stem Extension Kits

Kit No.	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
#5 SXI-HK	0548517	1/4 - 1/2	098268454987	20	4.3	\$ 22.70
#6 SXI-HK	0548518	3/4	098268454994	20	4.7	45.64
#7 SXI-HK	0548519	1 - 1 1/4	098268455007	20	7.2	40.39
#8 SXI-HK	0548520	1 1/2	098268455014	20	8.2	51.75
#9 SXI-HK	0548521	2	098268455021	20	8.8	79.55

FBV-3C/FBVS-3C Memory Stop Kits

Kit No.	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
#5 MSI-HK	0548522	1/4 - 1/2	098268455038	10	5.0	4.34
#6 MSI-HK	0548523	3/4	098268455045	10	5.0	3.66
#7 MSI-HK	0548524	1 - 1 1/4	098268455052	10	5.0	5.01
#8 MSI-HK	0548525	1 1/2	098268455069	10	5.0	5.07
#9 MSI-HK	0548526	2	098268455076	10	7.0	7.34

Stainless Steel Lever Handle Kits

Kit No.	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
ILHK-SS	0548493	1/4 - 1/2	098268539882	10	0.9	15.51
ILHK-SS	0548494	3/4	098268539879	10	1.3	17.86
ILHK-SS	0548495	1 - 1 1/4	098268539868	10	1.8	20.91
ILHK-SS	0548496	1 1/2	098268539855	10	3.1	28.65
ILHK-SS	0548497	2	098268539848	10	4.0	31.02
ILHK-SS	0548498	2 1/2	098268539831	10	5.0	66.41
ILHK-SS	0548499	3	098268539820	10	6.0	82.59

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.



C-FBV-1



S-FBV-1



GBV



GBV-1



G-4000-M1

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Carbon/Stainless Steel Ball Valves

Series C-FBV-1

Carbon - Full Port - Threaded Ends - 125 WSP/1000 WOG

C-FBV-1	0548000	1/4	098268386660	80	48	\$ 95.89
C-FBV-1	0548001	3/8	098268386677	80	44	95.88
C-FBV-1	0548002	1/2	098268386684	80	64	118.99
C-FBV-1	0548003	3/4	098268386691	60	71	138.48
C-FBV-1	0548004	1	098268386707	36	73	192.72
C-FBV-1	0548006	1 1/2	098268386721	12	53	349.88
C-FBV-1	0548007	2	098268386738	8	48	489.97
C-FBV-1	0548008	2 1/2	098268386745	1	16	1,057.13
C-FBV-1	0548009	3	098268386752	1	21	1,917.83

Series S-FBV-1

316 Stainless Steel - Full Port - Threaded Ends - 125 WSP/1000 WOG

S-FBV-1	0548010	1/4	098268386769	80	62	95.48
S-FBV-1	0548011	3/8	098268386776	80	62	95.48
S-FBV-1	0548012	1/2	098268386783	80	62	118.85
S-FBV-1	0548013	3/4	098268386790	60	64	138.22
S-FBV-1	0548014	1	098268386806	36	66	192.30
S-FBV-1	0548015	1 1/4	098268386813	24	79	253.32
S-FBV-1	0548016	1 1/2	098268386820	12	59	349.48
S-FBV-1	0548017	2	098268386837	8	53	489.44
S-FBV-1	0548018	2 1/2	098268386844	1	59	1,042.71
S-FBV-1	0548019	3	098268386851	1	42	1,475.65

Gas Ball Valves

Series GBV

Two-Piece - Brass - CSA/UL

GBV	0545001	3/8	098268074352	144	44	23.76
GBV	0545003	1/2	098268074376	144	50	23.76
GBV	0545005	3/4	098268074390	72	37	26.00
GBV	0545007	1	098268074413	60	72	47.20
†GBV-FL	0545002	1/2 x 3/8	098268074369	144	54	26.00
†GBV-FL	0545004	1/2 x 1/2	098268074383	144	27	26.00
†GBV-FL	0545006	3/4 x 15/16	098268074406	72	42	32.71

†FL = NPT x Flare.

One-Piece - Brass - CSA/UL

GBV-1	0544999	1/2	098268792362	144	65	25.62
GBV-1	0545000	3/4	098268792379	96	67	32.36

Cast Iron Ball Valves - The Gate Valve Alternative - Quarter-Turn operation, available with manual gear operator.

Series G4000

Flanged, Full Port Ball Valves - 125 WSP, 200 CWP

G4000M1	0822650	2	098268908831	1	32	648.36
G4000M1	0822651	2 1/2	098268908848	1	50	882.06
G4000M1	0822652	3	098268908855	1	59	1,071.02
G4000M1	0822653	4	098268908862	1	89	1,494.35
G4000M1	0822654	6	098268908879	1	155	3,310.55

Silent Check Valves

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Silent Check Valves

Series ICV


Cast Iron, Wafer Style, Double Disc - Fits ANSI Class 125 or 150 Flanges - API 594, 200psi CWP



ICV-125-2-2-T

ICV-125-2-2-T	0625500	2	098268878738	1	7	\$ 161.60
ICV-125-2-2-T	0625501	2 1/2	098268878837	1	9	189.63
ICV-125-2-2-T	0625502	3	098268878745	1	11	235.70
ICV-125-2-2-T	0625503	4	098268878752	1	13	374.59
ICV-125-2-2-T	0625504	5	098268878769	1	20	483.43
ICV-125-2-2-T	0625505	6	098268878776	1	22	639.02
ICV-125-2-2-T	0625506	8	098268878783	1	42	1,333.44
ICV-125-2-2-T	0625507	10	098268878790	1	68	1,965.69
ICV-125-2-2-T	0625508	12	098268878806	1	123	3,277.17


Cast Iron, Wafer - Fits ANSI Class 125 or 250 Flanges - (200psi CWP)



ICVW-125

ICVW-125	0625570	2	098268887419	1	5	578.25
ICVW-125	0625571	2 1/2	098268887426	1	7	689.08
ICVW-125	0625572	3	098268887433	1	11	778.56
ICVW-125	0625573	4	098268887440	1	18	1,044.31
ICVW-125	0625574	5	098268887457	1	25	1,410.22
ICVW-125	0625575	6	098268887471	1	36	1,800.17
ICVW-125	0625576	8	098268887488	1	80	3,281.05
ICVW-125	0625577	10	098268887495	1	129	5,009.05

Cast Iron, Flanged, Wafer Style - Fits ANSI Class 125 Flanges - (200psi CWP)



ICVF-125

ICVF-125	0625555	2	098268887273	1	18	970.86
ICVF-125	0625556	2 1/2	098268887280	1	24	1,141.12
ICVF-125	0625557	3	098268887303	1	28	1,460.97
ICVF-125	0625558	4	098268887310	1	43	1,745.42
ICVF-125	0625559	5	098268887334	1	55	2,280.84
ICVF-125	0625560	6	098268887341	1	71	2,863.17

Bronze Silent Check Valves -

Warning: Not to be used for reciprocating air compressor service.

Series 600 and LF600

Maxi-flo Check Valves - PTFE Seat - Threaded Ends - (400 WOG/15 WSP)



600

LF600	0555174	3/8	098268432848	40	20	\$ 70.79
LF600	0555175	1/2	098268432855	40	20	67.96
LF600	0555176	3/4	098268432862	40	30	90.75
LF600	0555177	1	098268432879	32	42	115.42
LF600	0555178	1 1/4	098268432886	12	25	148.84
LF600	0555179	1 1/2	098268432893	6	18	174.62
LF600	0555180	2	098268432909	6	28	269.68

LEAD FREE*

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Silent Check Valves and Detector Check

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Bronze Silent Check Valves (cont.)

Series 601

Solder Ends - Bronze Seat, Viton® Disc, (400 WOG)



601S

LF601S	0555181	1/2	098268432916	40	20	\$ 66.41
LF601S	0555182	3/4	098268432923	40	30	86.15
LF601S	0555183	1	098268432930	32	42	96.14

Threaded Ends Steam Check Valves (400 WOG/125 WSP)

600-Z3	0376361	3/4	098268478174	40	30	196.20
600-Z3	0376362	1 1/2	098268478181	12	36	417.33

Series LF6

Midi Check Valves - Threaded Ends

LF6	0123066	1/4	098268653151	50	17	67.10
LF6	0123067	3/8	098268653168	50	15	65.06
LF6	0123068	1/2	098268653175	50	14	72.47
LF6	0123069	3/4	098268653182	50	25	126.88
LF6	0123070	1	098268653311	50	41	145.36

Stainless Steel Single Detector Checks Valves

Series SS07F

Drilled, tapped and plugged for right or left bypass line.

125# Flanged Connection, Less Bypass Assembly. UL/FM

SS 07F	0065130	4	098268920697	1	30	2,420.03
SS 07F	0065131	6	098268920703	1	65	3,626.71
SS 07F	0065132	8	098268920710	1	143	6,276.65
SS 07F	0065133	10	098268920727	1	163	9,006.32



SS07F

Series SS 07F

Optional By-Pass Valves - 3/4" Bypass with GPM/CFM Meter

SS 07F-CFM	0065135	4	098268920734	1	35	4,007.98
SS 07F-GPM	0065136	4	098268920741	1	35	4,007.98
SS 07F-CFM	0065137	6	098268920758	1	70	5,044.71
SS 07F-GPM	0065138	6	098268920765	1	70	4,804.49
SS 07F-CFM	0065139	8	098268920772	1	153	7,807.60
SS 07F-GPM	0065140	8	098268920789	1	153	10,383.11
SS 07F-CFM	0065141	10	098268920796	1	173	11,528.67
SS 07F-GPM	0065142	10	098268920802	1	173	11,528.25

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Cast Iron Gate Valves



403RT-RW

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Cast Iron Gate Valves

Series 403

NRS Ring Tite Gate Valves - ASTM A126 Class B Iron - 200 WOG - Resilient Wedge, Epoxy Coated


403RT-RW	0700040	2	098268212099	1	22	\$ 568.90
403RT-RW	0700041	2 1/2	098268212105	1	25	679.74
403RT-RW	0700042	3	098268212112	1	36	845.33
403RT-RW	0700043	4	098268212129	1	49	1,157.15
403RT-RW	0700044	6	098268212136	1	97	1,838.90

Series 405

Flanged Gate Valves - ANSI 125 - 200 WOG - Resilient Wedge, Epoxy Coated, NRS

405RW	0700102	2	098268087109	1	22	845.17
405RW	0700103	2 1/2	098268087116	1	29	1,227.05
405RW	0700104	3	098268087123	1	40	930.05
405RW	0700105	4	098268087130	1	62	1,185.91
405RW	0700106	6	098268087147	1	111	1,700.34
405RW	0700107	8	098268087154	1	194	2,908.50
405RW	0700108	10	098268087161	1	272	4,863.68
405RW	0700109	12	098268087178	1	383	8,574.52

Gate and Check Valves



408-OSY-RW

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Cast Iron Gate Valves

Series 408

Resilient Wedge, Epoxy Coated, OSY - UL/FM Listed

408-OSY-RW-C	702341	2 1/2	098268089134	1	54	\$ 1,243.97
408-OSY-RW-C	702342	3	098268089141	1	64	1,327.43
408-OSY-RW-C	702343	4	098268089158	1	99	1,439.62
408-OSY-RW-C	702344	6	098268089165	1	165	2,023.19
408-OSY-RW-C	702345	8	098268089172	1	279	3,628.39
408-OSY-RW-C	702346	10	098268089189	1	445	5,305.69
408-OSY-RW-C	702347	12	098268089196	1	706	10,902.49

Model	Ordering Code	Size (in.)	UPC	Watts No.	Mark On Nut	List Price (each)
-------	---------------	------------	-----	-----------	-------------	-------------------

Operating Nut Selection

Series 405

405RW	1065470	2, 2 1/2	098268167320	OPN-G	A	\$ 43.66
406E	1065471	2, 2 1/2	098268167337	OPN-H	B	147.63
405RW	1065471	3	098268167337	OPN-H	B	147.63
406E	1065472	3	098268167344	OPN-J	C	43.66
405RW	1065472	4	098268167344	OPN-J	C	43.66
406E	1065473	4	098268167351	OPN-O	D	57.75
405RW/406E	1065474	6	098268167368	OPN-K	E	64.37
405RW/406E	1065475	8	098268167375	OPN-L	F	64.37
405RW/406E	1065476	10	098268167382	OPN-M	G	64.37
406NRSRW	1065478	2 - 4	098268167405	OPN-P	I	47.42
406NRSRW	1065479	6, 8	098268167412	OPN-R	J	47.42
406NRSRW	1065480	10, 12	098268167429	OPN-S	K	69.78

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Cast Iron Check Valves

Series 411

ANSI 125 Flanged Swing Checks - UL/FM Listed Except 2" - (200 WOG)

**Non UL/FM listed.

411	0390010	**2	098268025606	1	20	\$ 742.51
411	0390015	2 1/2	098268025613	1	43	842.66
411	0390020	3	098268025620	1	61	1,096.40
411	0390025	4	098268025637	1	89	1,611.87
411	0390030	6	098268025644	1	166	2,867.17
411	0390035	8	098268025651	1	310	5,441.90
411	0390040	10	098268025668	1	525	8,021.96



411

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Cast Iron Strainers

Series 77

Wye Type - Threaded Connections, - (250 WSP/400 WOG)

20 Mesh Screen (3" has 3/64" Perforated Screen), Tapped Blowdown



77SM1

77SM1	0220201	1/4	098268643138	12	32	\$ 52.42
77SM1	0220200	3/8	098268643121	12	32	68.78
77SM1	0220202	1/2	098268643145	12	32	54.09
77SM1	0220203	3/4	098268643152	12	60	60.77
77SM1	0220204	1	098268643169	6	29	72.78
77SM1	0220205	1 1/4	098268643176	6	41	94.83
77SM1	0220206	1 1/2	098268643183	3	33	123.20
77SM1	0220208	2	098268643190	3	47	170.27
77SM1	0220209	2 1/2	098268643206	1	27	342.52
77SM1	0220210	3	098268643275	1	27	490.09

Wye Type - Threaded Connections - (250 WSP/400 WOG)

20 Mesh Screen (2 1/2" and 3" has 3/64" Perforated Screen)- Tapped



77SI

77SCI	5600000	3/8	098268011784	12	32	21.63
77SCI	5600001	1/2	098268011685	12	32	23.85
77SCI	0220073	3/4	098268011708	12	60	36.41
77SCI	5600003	1	098268011722	6	29	47.12
77SCI	5600004	1 1/4	098268011739	6	41	62.11
77SI	0220079	1 1/2	098268011753	3	33	84.06
77SI	0220081	2	098268011760	3	47	152.48
77SI	0220084	2 1/2	098268011791	1	27	319.24
77SI	0220085	3	098268011807	1	27	456.74

Flanged Connections - ANSI 125 Flanged Ends - with Tapped Closure Plug (125 WSP/200 WOG)



77F-DI-125

LEAD FREE*

77F-DI-125	0825200	2	098268996623	1	17	362.57
77F-DI-125	0825201	2 1/2	098268051711	1	28	403.31
77F-DI-125	0825202	3	098268051728	1	34	464.73
77F-DI-125	0825203	4	098268996654	1	60	738.51
77F-DI-125	0825204	5	098268996661	1	95	1,222.55
77F-DI-125	0825205	6	098268051759	1	150	1,515.73
77F-DI-125	0825206	8	098268051803	1	270	2,601.43
77F-DI-125	0825207	10	098268051810	1	370	4,667.36
77F-DI-125	0825208	12	098268051827	1	605	5,936.02

Flanged Connections - Epoxy Coated FDA Approved - ANSI 125 Flanged Ends - with Tapped Closure Plug (200 WOG)



77F-DI-FDA-125

LEAD FREE*

77F-DI-FDA-125	0825209	2	098268051834	1	20	949.50
77F-DI-FDA-125	0825210	2 1/2	098268051841	1	40	972.88
77F-DI-FDA-125	0825211	3	098268051858	1	52	1,239.29
77F-DI-FDA-125	0825212	4	098268051872	1	63	1,885.64
77F-DI-FDA-125	0825213	5	098268051889	1	113	2,011.17
77F-DI-FDA-125	0825214	6	098268051896	1	150	3,465.46
77F-DI-FDA-125	0825215	8	098268051902	1	275	5,117.39
77F-DI-FDA-125	0825216	10	098268051919	1	450	8,357.16
77F-DI-FDA-125	0825217	12	098268051940	1	605	10,449.79

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Ductile Iron Strainers

Series 77 (cont.)

Flanged Connections - ANSI 250 Flanged Ends - Tapped with Closure Plug - (250 WSP/500 WOG)


77F-DI-250	0823039	2	098268880786	1	28	\$ 674.39
77F-DI-250	0823040	2 1/2	098268880793	1	38	821.29
77F-DI-250	0823041	3	098268880809	1	54	1,067.68
77F-DI-250	0823042	4	098268880816	1	110	1,697.35
77F-DI-250	0823043	5	098268880823	1	160	2,869.85
77F-DI-250	0823044	6	098268880830	1	224	3,353.29
77F-DI-250	0823045	8	098268880847	1	468	5,029.07
77F-DI-250	0823046	10	098268880854	1	590	8,775.17
77F-DI-250	0823047	12	098268880861	1	890	14,412.86

Bronze Strainers

Series 777 and Series LF777

Wye Type - Threaded Connections - Not Tapped - 1/4" - 3" (400 WOG/125 WSP) 4" (300 WOG/125 WSP)

LF777M1-20	0123075	1/4	098268653366	12	6.5	95.13
LF777M1-20	0123076	3/8	098268653373	12	6.1	140.57
LF777M1-20	0123080	1/2	098268653410	12	9.0	141.90
LF777M1-20	0123086	3/4	098268653489	12	14	170.30
LF777M120	0123095	1	098268653878	6	12	177.11
LF777M1-20	0123106	1 1/4	098268654257	6	15	255.27
LF777M1-20	0123113	1 1/2	098268657951	4	16	405.81
LF777M3-20	0123162	2	098268664966	3	21	672.11
LF777-20	0123126	2 1/2	098268664560	2	22	1,211.57
LF777-04	0123129	3	098268664607	1	23	1,675.30
LF777-12	0123146	4	098268664799	1	36	3,187.89



LF777

LEAD FREE*

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Strainers

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Bronze Strainers

Wye Type - Solder End Connections -

Not Tapped for Closure Plug - 125 WSP/400 WOG



LFS777

LFS777M1-20	0123147	1/2	098268664805	12	12	\$ 90.71
LFS777M1-20	0123148	3/4	098268664812	12	15	121.34
LFS777M1-20	0123149	1	098268664829	6	17	186.50
LFS777M1-20	0123150	1 1/4	098268664836	12	34	287.66
LFS777M1-20	0123151	1 1/2	098268664843	6	26	394.46
LFS777M3-20	0123122	2	098268664522	6	46	434.95

Wye Type - Threaded Connections - with Tapped Retainer Cap (closure plug not provided) - 125 WSP/400 WOG (4" - 125 WSP/300 WOG)



LF777S

LF777SM1-20	0123081	1/2	098268653427	12	8.4	84.54
LF777SM1-20	0124002	3/4	098268769951	12	13	121.34
LF777SM1-20	0124003	1	098268769968	6	11	188.96
LF777SM1-20	0124004	1 1/4	098268770193	6	14	256.13
LF777SM1-20	0124005	1 1/2	098268770223	4	14	392.07
LF777SM3-20	0124006	2	098268770285	3	18	650.74
LF777S-20	0124007	2 1/2	098268770698	2	22	1,334.14
LF777S-04	0124008	3	098268771374	1	23	1,626.84
LF777S-12	0124009	4	098268771435	1	43	2,842.43

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Bronze Strainers

Series LF777

Wye Type - Threaded Connections - with Tapped Retainer Cap and Closure Plug - (400 WOG/125 WSP) † 2 1/2" & 3" Tapped Retainer Cap with Plug - (300 WOG/125 WSP)

LEAD FREE*	LF777SI	0379111	1/2	098268285598	96	60	\$ 73.11
	LF777SI	0379112	3/4	098268285604	72	60	109.45
	LF777SI	0379113	1	098268285611	36	66	167.72
	LF777SI	0379114	1 1/4	098268285628	18	57	226.40
	LF777SI	0379115	1 1/2	098268285635	18	58	347.96
	LF777SI	0379116	2	098268285642	8	70	576.28
	LF777SI	†0379117	2 1/2	098268285659	5	55	576.28
	LF777SI	†0379118	3	098268285666	3	69	1,424.66


Wye Type - Solder Connections - with Tapped Retainer Cap and Closure Plug - (400 WOG/125 WSP)

LFS777SI	0379119	1/2	098268285673	96	46	79.15
LFS777SI	0379120	3/4	098268285680	72	60	109.43
LFS777SI	0379121	1	098268285697	36	53	167.58
LFS777SI	0379122	1 1/4	098268285703	18	44	202.15
LFS777SI	0379123	1 1/2	098268285734	18	48	347.01
LFS777SI	0379124	2	098268285758	8	52	576.20

Bronze flanged - Class 150 - with Tapped Closure Plug - (150 WSP/225 WOG)

LEAD FREE*	77F-BI	0823048	2*	098268880878	1	20	2,023.18
	77F-BI	0823049	2 1/2**	098268880885	1	32	3,116.90
	77F-BI	0823050	3*	098268880892	1	36	3,844.72
	77F-BI	0823051	4*	098268880908	1	61	5,835.86
	77F-BI	0823052	6	098268880915	1	160	11,136.20
	77F-BI	0823053	8	098268880922	1	210	15,601.34

**UL Listed



77F-BI

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Carbon Steel Strainers

Series 88CSI

T = Threaded, SW = Socket Weld, Class 600 - with Tapped Closure Plug - (600 WSP/1480 WOG)




88CSI-T

LEAD FREE*	88CSI-T	0823000	1/2	098268874457	1	1	\$ 156.91
	88CSI-T	0823001	3/4	098268879377	1	1	190.29
	88CSI-T	0823002	1	098268879384	1	2	248.39
	88CSI-T	0823003	1 1/4	098268879391	1	2	354.56
	88CSI-T	0823004	1 1/2	098268879407	1	3	413.32
LEAD FREE*	88CSI-T	0823005	2	098268879414	1	4	695.10
	88CSI-SW	0823008	1/2	098268879421	1	1	161.60
	88CSI-SW	0823009	3/4	098268879438	1	1	190.29
	88CSI-SW	0823010	1	098268879445	1	2	248.39
	88CSI-SW	0823011	1 1/4	098268879452	1	2	354.54
	88CSI-SW	0823012	1 1/2	098268879469	1	3	413.30
	88CSI-SW	0823013	2	098268879476	1	4	695.07

Series 77F

Flanged, Class 150 - with Tapped Closure Plug - (150 WSP/285 WOG)




77F-CSI

LEAD FREE*	77F-CSI	0823016	1/2	098268879483	1	6	647.60
	77F-CSI	0823017	3/4	098268879490	1	7	695.77
	77F-CSI	0823018	1	098268879506	1	9	725.12
	77F-CSI	0823019	1 1/2	098268879513	1	12	872.01
	77F-CSI	0823020	2	098268879520	1	20	952.16
	77F-CSI	0823021	2 1/2	098268879537	1	32	1,259.32
	77F-CSI	0823022	3	098268879544	1	36	1,638.58
	77F-CSI	0823023	4	098268879551	1	61	2,614.69
	77F-CSI	0823024	5	098268879568	1	160	4,141.21
	77F-CSI	0823025	6	098268879575	1	160	5,151.93

Stainless Steel Strainers

Series 87SI

T = Threaded, SW = Socket Weld, Class 300 - with Tapped Closure Plug - (300 WSP/720 WOG)



87SI

LEAD FREE*	87SI-T	0823073	1/2	098268881110	1	1	209.66
	87SI-T	0823074	3/4	098268881127	1	1	247.73
	87SI-T	0823075	1	098268881134	1	2	322.51
	87SI-T	0823076	1 1/4	098268881141	1	2	1,151.82
	87SI-T	0823077	1 1/2	098268881158	1	3	536.84
	87SI-T	0823078	2	098268881165	1	4	902.76
	87SI-T	0823079	2 1/2	098268881172	1	13	1,646.54
	87SI-T	0823080	3	098268881189	1	18	2,454.44
LEAD FREE*	87SI-SW	0823081	1/2	098268881196	1	1	209.65
	87SI-SW	0823082	3/4	098268881202	1	1	247.72
	87SI-SW	0823083	1	098268881219	1	1	322.50
	87SI-SW	0823084	1 1/4	098268881226	1	2	460.06
	87SI-SW	0823085	1 1/2	098268881233	1	2	536.82
	87SI-SW	0823086	2	098268881240	1	4	902.72
	87SI-SW	0823087	2 1/2	098268881257	1	13	1,646.54
	87SI-SW	0823088	3	098268881264	1	18	2,454.44

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Stainless Steel Strainers – (cont.)

Series 88S

Wye Type – Threaded Connections – ANSI 600 – with Tapped Closure Plug – (600 WSP/1440 WOG)



88S

88S	0701000	1/4	098268088373	12	32	\$ 983.86
88S	0701002	3/8	098268088380	12	32	891.38
88S	0701004	1/2	098268088403	12	32	1,028.41
88S	0701006	3/4	098268088427	12	60	1,081.71
88S	0701008	1	098268088441	6	29	1,637.25
88S	0701010	1 1/4	098268088465	6	41	1,979.05
88S	0701012	1 1/2	098268088489	3	33	2,693.49
88S	0701014	2	098268088502	3	47	3,749.91

Series 77


Flanged, Class 150 – with Tapped Closure Plug – (150 WSP/275 WOG)



77F-CSSI

77F-CSSI	0823089	1/2	098268881271	1	6	1,079.66
77F-CSSI	0823090	3/4	098268881288	1	7	1,309.35
77F-CSSI	0823091	1	098268881295	1	9	1,853.52
77F-CSSI	0823092	1 1/2	098268881301	1	12	2,207.38
77F-CSSI	0823093	2	098268881318	1	20	2,535.99
77F-CSSI	0823094	2 1/2	098268881325	1	32	2,935.29
77F-CSSI	0823095	3	098268881332	1	36	3,589.65
77F-CSSI	0823096	4	098268881349	1	61	5,866.56
77F-CSSI	0823097	6	098268881356	1	160	13,024.52

Flanged Connections – ANSI 125 Flanged Ends – (200 WOG)



77F-SS

77F-SS	0821110	2 1/2	098268802160	1	21	1,016.27
77F-SS	0821111	3	098268802177	1	26	1,284.70
77F-SS	0821112	4	098268802184	1	33	1,951.08
77F-SS	0821114	6	098268802207	1	70	3,625.70
77F-SS	0821115	8	098268802221	1	91	5,388.30
77F-SS	0821116	10	098268802238	1	134	8,127.47
77F-SS	0821117	12	098268802245	1	225	11,973.09

Grooved Connections – ANSI 125 Grooved Ends – (200 WOG)



77G-SS

77G-SS	0821160	2 1/2	098268264920	1	21	1,016.27
77G-SS	0821161	3	098268264937	1	26	1,284.70
77G-SS	0821162	4	098268264944	1	33	1,951.08
77G-SS	0821164	6	098268264968	1	70	3,625.70
77G-SS	0821165	8	098268264975	1	91	5,388.48
77G-SS	0821166	10	098268264982	1	134	8,534.46
77G-SS	0821167	12	098268264999	1	225	11,973.09

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Cast Iron Simplex Basket Strainers

Series 97FB

Flanged - Class 125 - Bolted Cover - (125 WSP/200 WOG)



97FB-CIB

97FB-CIB	0823054	2	098268880939	1	22	\$ 607.94
97FB-CIB	0823055	2 1/2	098268880946	1	31	718.59
97FB-CIB	0823056	3	098268880953	1	42	1,102.42
97FB-CIB	0823057	4	098268880960	1	70	1,326.54
97FB-CIB	0823058	5	098268880977	1	90	2,005.29
97FB-CIB	0823059	6	098268880984	1	124	2,154.50
97FB-CIB	0823060	8	098268880991	1	270	4,362.42
97FB-CIB	0823061	10	098268881004	1	384	6,377.83
97FB-CIB	0823062	12	098268881011	1	670	10,480.13

Cast 316SS Simplex Basket Strainers

Flanged - Class 150 - Bolted Screen Retainer Cover

97FB-CSSIB	0823235	2	098268894325	1	22	3,680.71
97FB-CSSIB	0823236	2 1/2	098268894332	1	31	4,694.38
97FB-CSSIB	0823237	3	098268894356	1	42	5,881.00
97FB-CSSIB	0823238	4	098268894363	1	70	10,187.47
97FB-CSSIB	0823239	6	098268894370	1	124	13,984.18

UL/FM Basket Strainer

Flanged - Class 150 - (175 WOG)



97FB-FSFE

97FB-FSFE	0823255	3	098268920550	1	70	7,025.74
97FB-FSFE	0823256	4	098268920567	1	120	7,340.89
97FB-FSFE	0823257	6	098268920574	1	232	8,813.88
97FB-FSFE	0823258	8	098268920581	1	560	13,414.46
97FB-FSFE	0823259	10	098268920598	1	570	18,255.42

Bronze Strainers

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Bronze Strainers (cont.)

Series LF27

Threaded Connections - "V" Type, Water Strainers - 250 CWP

LEAD FREE*	LF27-40	0555157	1/8	098268432824	50	13	\$ 70.11
	LF27-40	0123053	1/4	098268652949	50	23	101.61
	LF27-40	0123064	3/8	098268653137	50	45	132.05
	LF27-40	0555156	1/2	098268432817	25	25	152.82




LF27

Series LF745

45° Wye Type with Hand Removable Clean-Out Plug - 250 WOG

LEAD FREE*	LF745	0555155	3/4	098268432800	12	2.8	210.85
------------	-------	---------	-----	--------------	----	-----	--------



LF745

Series LF17

Union End In-line Strainer - 250 WOG

LEAD FREE*	LF17	0125079	3/4	098268847987	12	20	231.61
	LF17	0125080	1	098268847994	12	20	256.06

Plastic Strainers

Series P777

Wye Type

P777-100	0384765	1/4	098268235272	50	5.0	16.34
P777-100	0384766	3/8	098268235289	50	4.0	16.68

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Flow Measurement Valves

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Series CSM

Threaded Ends



CSM-61-M1

CSM-61-M1-T	0856736	1/2	098268631470	24	18	\$ 202.84
CSM-61-M1-T	0856738	3/4	098268631500	24	23	213.05
CSM-61-M1-T	0856740	1	098268631531	12	17	235.52
CSM-61-M1-T	0856742	1 1/4	098268631395	12	26	354.64
CSM-61-M1-T	0856744	1 1/2	098268631425	6	15	426.10
CSM-61-M1-T	0856746	2	098268631449	6	43	517.31
CSM-61-M1-T	0856734	2 1/2	098268782134	1	13	1,273.57
CSM-61-M1-T	0856729	3	098268782141	1	17	2,021.63

Flanged Ends



CSM-81-F

CSM-81-F	0036540	2 1/2	098268832372	1	30	2,144.15
CSM-81-F	0036541	3	098268832389	1	40	2,402.81
CSM-81-F	0036535	4	098268410051	1	62	2,794.89
CSM-81-F	0036542	5	098268832396	1	89	4,112.55
CSM-81-F	0036543	6	098268832402	1	101	5,547.57
CSM-81-F	0036544	8	098268832419	1	173	12,329.90

Flow Balancing Valves

Grooved Connections



CSM-91

CSM-91	0036600	2 1/2	098268633689	1	20	2,084.63
CSM-91	0036601	3	098268633696	1	25	2,214.16
CSM-91	0036602	4	098268633702	1	45	4,336.15
CSM-91	0036604	6	098268633726	1	125	6,407.19
CSM-91	0036605	8	098268633733	1	315	10,852.71
CSM-91	0036606	10	098268633740	1	465	16,363.85

Triple Duty Valves -

Series TDV

Grooved Connections



TDV

TDV	0036610	2 1/2	098268633764	1	20	2,084.63
TDV	0036611	3	098268633771	1	25	2,214.16
TDV	0036612	4	098268633788	1	45	4,336.02
TDV	0036613	5	098268633795	1	85	5,377.61
TDV	0036614	6	098268633801	1	125	6,407.19
TDV	0036615	8	098268633818	1	315	9,709.61
TDV	0036616	10	098268633825	1	465	15,494.52

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Flow Measurement Valves

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)	Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------	--------------

Flange Adapter Kit

Series CSM

ANSI 125 - For CSM-91 and TDV Valves

CSM-91 FLG ADPT	0036620	2 1/2	098268633849	1	8	\$ 148.24	
CSM-91 FLG ADPT	0036621	3	098268633856	1	8	205.00	
CSM-91 FLG ADPT	0036622	4	098268633863	1	10	194.31	
CSM-91 FLG ADPT	0036623	5	098268633870	1	11	327.18	
CSM-91 FLG ADPT	0036624	6	098268633887	1	12	667.70	
CSM-91 FLG ADPT	0036625	8	098268633894	1	14	966.15	
CSM-91 FLG ADPT	0036626	10	098268633900	1	17	1,179.81	

Kit consists of two (2) flange halves and one gasket. One kit required for each valve end to be flanged.

Insulation Wrap

for CSM-91-M1 Series

CSM-91-IK	0036630	2 1/2	098268633924	1	2	10.02	
CSM-91-IK	0036631	3	098268633931	1	3	10.35	
CSM-91-IK	0036632	4	098268633948	1	4	10.69	

Differential Pressure Gauge Kits

Series PG

for use with CSM's and FMO's

PG3-0-35-FT	0036516		098268394818	1	10	7,503.81	
PG4-0-100IN	0036517		098268394825	1	10	7,503.55	
PG5-0-200IN	0036518		098268394832	1	10	7,503.81	
PG6-0-50IN	0036519		098268394849	1	10	7,503.55	
PG8-0-135IN	0036520		098268394856	1	8	3,429.41	



PG-8

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Hydronics/Steam Heating Products

Model	Ordering Code	Size (in.)	Body	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	------	-----	-----------------	--------------------------	-------------------


Series 1156

Highest Purging Capacity Feed Water Pressure Regulators

1156F	0386425	Threaded	1/2 Iron	098268023107	12	25	\$ 118.10
1156F-A	0386427	Threaded	1/2 Iron	098268023121	12	25	186.51
T1156F	0386500	Threaded union	1/2 Iron	098268023169	12	26	144.98
S1156F	0386450	Union solder	1/2 Iron	098268023152	12	27	144.98
B1156F	0386423	Threaded	1/2 Bronze	098268023084	12	25	131.03
SB1156F	0386422	Union solder	1/2 Bronze	098268023077	12	26	144.98
TB1156F	0386421	Threaded union	1/2 Bronze	098268023060	12	27	144.98
N256	0322825	Threaded	3/4 Bronze	098268016536	12	42	211.01



1156F



1450F

Series 1450 and 145B

Dual Controls - Regulator and Relief Valve

1450F	0388798	Threaded	1/2 Iron	098268025545	10	33	256.62
T1450F	0388805	Threaded Union	1/2 Iron	098268025569	10	33	294.06
S1450F	0388800	Union Solder	1/2 Iron	098268025552	10	35	294.06

Series T156B


Feed Water Pressure Regulator - With Separate Strainer

T156B	0270105	Threaded Union	1/2	098268012804	12	30	322.64
-------	---------	----------------	-----	--------------	----	----	--------

Series 911

Combination 1156F Feedwater Regulator and 9D Backflow Preventer For hydronic Heating †Solder ends

911-M3	0386460	Threaded Union	1/2 Iron	098268918502	6	25	258.04
911S-M3	†0386461	Union Solder	1/2 Iron	098268918519	6	25	354.63



911

Combination B1156 Feedwater Regulator and 9D Backflow Preventer

B911-M3	0386463	Threaded Union	1/2 Bronze	098268918533	6	25	449.69
B911S-M3	†0386462	Union Solder	1/2 Bronze	098268918526	6	25	400.47



RBFF

Residential Boiler Fill Fitting

Series RBFF

RBFF	0386466	1/2		098268461596	5	9.5	\$ 120.82
------	---------	-----	--	--------------	---	-----	-----------

Series 2000

Iron Body Two-Way Universal Flow Checks

2000-M5	0856760	3/4		098268263848	12	38	215.79
2000-M5	0856761	1		098268263862	12	36	223.94
2000-M5	0856762	1 1/4		098268263886	12	56	242.33
2000-M5	0856769	1 1/2		098268300437	5	40	451.29
2000-M5	0856770	2		098268300444	3	36	534.33
2000-M5	0856771	2 1/2		098268300451	1	22	1,136.06
2000-M5	0856772	3		098268300468	1	24	1,223.82

Bronze Solder Flow Check - Straight Pattern

2000S-M5	0856763	3/4		098268263855	24	24	296.09
2000S-M5	0856764	1		098268263879	12	22	318.56



2000-M5

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Hydronics/Steam Heating Products

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Air Separators

Series AS

Cast Iron



AS-M1-T

AS-M1	0858535	1	098268215359	6	23	\$ 81.68
AS-M1	0858536	1 1/4	098268215366	6	23	85.42
AS-M1	0858537	1 1/2	098268872095	1	8	100.40
AS-M1	0858538	2	098268872101	1	8	105.51
AS-M1	0858539	2 1/2	098268872118	1	15	232.12
AS-M1	0858529	3	098268872125	1	15	232.12

Cast Iron with 1/2" Feed Water Tapping

AS-M1-T	0858557	1	098268039573	6	23	88.16
AS-M1-T	0858558	1 1/4	098268039580	6	23	89.51

AS-MB

Micro-Bubble Air Separator



AS-MB 75

AS-MB 75	0858546	3/4	098268476194	6	15	239.61
AS-MB 100	0858547	1	098268476224	6	16	279.76
AS-MB 125	0858548	1 1/4	098268476231	6	17	299.50
AS-MB FL	0858549	Flanged	098268476248	6	18	311.76
AS-MB-S-75	0858550	3/4	098268537314	6	15	239.61
AS-MB-S-100	0858551	1	098268537321	6	16	279.76
AS-MB-S-125	0858552	1 1/4	098268537352	6	17	299.50

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Isolation Pump Flange

Series IPF

Threaded

IPF-T-M1	0068090	3/4	098268344325	20	26	42.47
IPF-T-M1	0068091	1	098268344332	20	32	51.91
IPF-T-M1	0068092	1 1/4	098268344349	20	42	69.44
IPF-T-M1	0068093	1 1/2	098268344356	20	50	85.63
IPF-T-M1	0068094	2	098268344363	20	55	136.20

Solder

IPF-S-M1	0068095	3/4	098268344370	20	26	42.47
IPF-S-M1	0068096	1	098268344387	20	32	52.25
IPF-S-M1	0068097	1 1/4	098268344394	20	42	69.44
IPF-S-M1	0068098	1 1/2	098268344301	20	50	85.63
IPF-S-M1	0068099	2	098268344318	20	55	136.20

Isolation Pump Flange with Purge Port and Swivel Flange

Series PIPF

Threaded

PIPFM1-T	0067771	3/4	098268554755	18	39	77.21
PIPFM1-T	0067772	1	098268554762	12	30.	90.34
PIPFM1-T	0067773	1 1/4	098268554779	9	27	106.19

Solder

PIPFM1-S	0067774	3/4	098268554786	18	38	77.21
PIPFM1-S	0067775	1	098268554793	12	29	90.34
PIPFM1-S	0067776	1 1/4	098268554809	9	26	106.19

Threaded

PIPF-T	0067790	3/4	098268302141	24	45	69.78
PIPF-T	0067791	1	098268302165	16	36	82.26
PIPF-T	0067792	1 1/4	098268302172	12	34	98.44

Solder

PIPF-S	0067793	3/4	098268302189	24	41	69.78
PIPF-S	0067794	1	098268302196	16	32	82.26
PIPF-S	0067795	1 1/4	098268302202	12	30	98.44



IPF-T-M1



PIPF-T

Hydronics/Steam Heating Products

Model	Ordering Code	Connection Size (in.)	Volume (gals.)	Accept Volume (gals.)	UPC	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	-----------------------	----------------	-----------------------	-----	--------------------------	-------------------

Expansion Tanks - For hot water heating systems

Series ETX

Pipe Mount - Max. temp. 240°F - Max pressure 75psi, ETX-90 100psi

ETX-15	0066605	2.1	1.0	1/2 MNPT	098268219340	5	\$ 103.50
ETX-30	0066606	4.5	2.5	1/2 MNPT	098268219357	10	128.54
ETX-60	0066607	6.0	3.0	1/2 MNPT	098268219364	11	260.41
ETX-90	0066608	15.0	6.0	3/4 MNPT	098268219470	28	383.94



ETX



ETX



ETA



ETRA

Series ETSX

Free Standing - Max. temp. 240°F - Max pressure 100psi

ETX-30	0066609	15.0	6.0	1 FNPT	098268219487	32	584.92
ETX-40	0066610	20.0	8.0	1 FNPT	098268219494	39	627.66
ETX-60	0066611	33.0	13.3	1 FNPT	098268219500	57	883.39
ETX-90	0066612	44.0	17.7	1 1/4 FNPT	098268219562	72	1,618.55
ETX-110	0066613	62.0	24.9	1 1/4 FNPT	098268219593	112	1,911.01
ETX-160	0066614	81.0	32.6	1 1/4 FNPT	098268219609	123	2,021.84

Series ETA

ASME Pressurized Expansion Tanks for Heating and Cooling Systems with Fixed Bladder

ETA-15	0212000	7.8	2.5	3/4	098268913224	42	1,943.06
ETA-20	0212001	10.9	2.5	3/4	098268913231	52	1,991.06
ETA-40	0212002	25	10	1	098268913248	84	3,078.18
ETA-60	0212003	35	10	1	098268913255	97	3,556.27
ETA-80	0212004	45	21	1	098268913262	148	4,584.55
ETA-100	0212005	60	21	1	098268913279	175	4,806.23
ETA-120	0212006	70	48	1 1/2	098268913286	259	5,922.66
ETA-144	0212007	80	48	1 1/2	098268913293	268	6,359.35
ETA-180	0212008	90	48	1 1/2	098268913309	283	7,308.84
ETA-200	0212009	115	48	1 1/2	098268913316	325	7,143.96
ETA-240	0212010	140	52	1 1/2	098268913323	362	8,443.96

Series ETRA

ASME Pressurized Expansion Tanks for Heating and Cooling Systems with Removable Bladder

ETRA-35	0212011	3/4	10	-	098268913330	40	6,433.91
ETRA-50	0212012	3/4	13	-	098268913347	50	6,866.56
ETRA-85	0212013	1	23	-	098268913354	90	7,052.44
ETRA-130	0212014	1	35	-	098268913361	125	7,501.15
ETRA-200	0212015	1 1/2	53	-	098268913378	210	8,680.34
ETRA-300	0212016	1 1/2	79	-	098268913385	225	9,063.19
ETRA-400	0212017	1 1/2	105	-	098268913392	300	9,716.28
ETRA-500	0212018	1 1/2	132	-	098268913408	335	10,250.44
ETRA-600	0212019	1 1/2	158	-	098268913415	360	9,957.85
ETRA-800	0212020	1 1/2	211	-	098268913422	475	16,223.03
ETRA-1000	0212021	1 1/2	264	-	098268913439	710	20,490.20
ETRA-1200	0212022	1 1/2	317	-	098268913446	720	19,816.07
ETRA-1400	0212023	1 1/2	370	-	098268913453	875	23,320.72
ETRA-1600	0212024	1 1/2	422	-	098268913460	1100	32,104.08
ETRA-2000	0212025	1 1/2	528	-	098268913477	1280	35,236.90

Expansion Tank Package: Contains one ET, one AS and one FV-4M1

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Hydronics/Steam Heating Products



HP-BHM-75



HP-30PRO-P100



SCV



RPV-S



HAV

Model	Ordering Code	Connection Size (in.)	Volume (gals.)	Accept Volume (gals.)	UPC	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	-----------------------	----------------	-----------------------	-----	--------------------------	-------------------

Boiler Header Module includes AS-MB-FL, RBFF and PIPF-T

HP-BHM-75	0235093	3/4	098268524277	1	7.5	\$ 422.71
HP-BHM-100	0235094	1	098268524284	1	8	435.65
HP-BHM-125	0235095	1 1/4	098268524291	1	8.5	449.24

HP-30Pro P's includes AS-MB-FL, RBFF, PIPF-T, B911S M3, ETX-30

HP-30PRO-P100	0235098	1	098268524321	1	19.3	853.58
HP-30PRO-P125	0235099	1 1/4	098268524338	1	19.8	894.41

HP-30Pro includes AS-MB, RBFF, B911S, ETX-30

HP-30PRO-100	0235096	1	098268524307	1	15.6	764.41
HP-30PRO-125	0235097	1 1/4	098268524314	1	16.7	788.24

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Service Check Valves

Series SCV

SCV	0376455	1/8	098268472059	50	5	\$ 18.36
SCV	0376458	1/2	098268472080	50	15	44.07

Residential Purge and Balancing Valve

Series RPV-M1

RPV-M1-S	0207532	3/4	098268502107	24	26	58.55
RPV-M1-ST	0207535	3/4	098268572210	24	26	60.59
RPV-M1-S	0207533	1	098268502118	18	28	101.08
RPV-M1-ST	0207536	1	098268572223	18	29	102.10
RPV-M1-S	0207534	1 1/4	098268502121	12	24	116.05

Duovent Automatic Air Vent With Inline Testing Feature

For Automatic Air Venting - Max. Temperature 240°F - Max. Pressure 150psi

DuoVent	0590719	1/8	098268861884	10	5	30.04
---------	---------	-----	--------------	----	---	-------

Automatic Air Vent

Series FV

For Automatic Air Venting, Max. Temperature 240°F - Max. Pressure 150psi

FV-4M1	0590715	1/8	098268373622	144	40	31.05
FV-4M1	0590716	1/4	098268373615	144	40	31.05
FV-4M1	0590722	1/2	098268066708	24	120	41.74
FV-4M1	0590723	3/4	098268066715	24	120	45.74
FV-4M1	0590721	1	098268066692	24	120	47.07

Automatic Air Vent With Manual Override

Series HAV

Max. Pressure 125psi - Max. Temperature 240°F - Steam Rating 10psi

HAV	0590712	1/8	098268106527	25	2	24.72
HAV	0590713	1/4	098268106534	25	2	24.72

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Hydronics/Steam Heating Products

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Series SAN89S and N50S, and SAN50S

Low Water Cut-Offs - Single Switch Assembly - Single Pole, Single Throw Switch

SAN89S	0226080	15	098268012217	6	12	\$ 669.72
N50S	0183801	50	098268010053	4	29	1,073.69
SAN50S	0183821	50	098268010077	6	12	780.56


Dual Switch Assembly for independent line voltage and low (or high) voltage alarm, feed valve or pump starter service. Switch actuates just before the burner switch cuts the firing.

SAN89D	0226060	15	098268012200	6	12	697.10
N50D	0182405	50	098268010022	4	29	1,101.73
SAN50D	0182421	50	098268010039	6	12	843.32

Series 142 and 144

Process Boiler Water Feeders

142	0267687	100	098268012583	4	51	1,097.05
142S	0268499	100	098268012613	4	55	1,245.92
144	0268905	100	098268012637	4	52	1,138.46
144S	0269311	100	098268012668	4	56	1,275.37



142

Series FS204W

NEMA IV

FS204W	0067101	1	098268968149	12	27	536.71
--------	---------	---	--------------	----	----	--------



1100W

Probe Type - Low Water Cut Off - 120 V.A.C.

OEM-170	999900	n/a	098268999778	6	4	431.56
650	999912	n/a	098268999792	6	4	636.46
750	999922	n/a	098268999808	6	4	819.55
550	999932	n/a	098268999815	6	4	714.02
1100W	999901	n/a		1	1	249.82

Probe Type - Low Water Cut Off - 120 V.A.C.

OEM-24	999902	n/a	098268999785	6	4	558.15
OEM-24C	999903	n/a		6	4	601.97



OEM-170

Manifold

FOEM-2	999980	n/a		6	1	257.28
--------	--------	-----	--	---	---	--------

Notes:

Max. Boiler Pressure

50 Series - 50 psig

89 Series - 15 psig

142 Series - 100 psig

170 Series - 160 psig

550 Series - 160 psig

650 Series - 160 psig

750 Series - 160 psig

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Hydronics/Steam Heating Products

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Float & Thermostatic Steam Traps Series WFT



WFT

WFT-15	0037100	3/4	098268478488	1	9	\$ 624.32
WFT-15	0037105	1	098268478495	1	9	624.32
WFT-15	0037106	1 1/4	098268502534	1	9	716.46
WFT-15	0037107	1 1/2	098268502558	1	18	1,247.30
WFT-15	0037108	2	098268502565	1	26	1,594.51
WFT-30	0037109	3/4	098268502572	1	9	624.32
WFT-30	0037110	1	098268502589	1	9	624.32
WFT-30	0037111	1 1/4	098268502527	1	9	716.46
WFT-30	0037112	1 1/2	098268502596	1	18	1,247.30
WFT-30	0037113	2	098268502602	1	26	1,594.51
WFT-75	0037114	3/4	098268502497	1	9	624.32
WFT-75	0037115	1	098268502510	1	9	624.32
WFT-75	0037116	1 1/4	098268502657	1	18	944.82
WFT-75	0037117	1 1/2	098268502619	1	18	1,247.30
WFT-75	0037118	2	098268502626	1	26	1,594.51
WFT-125	0037119	3/4	098268535044	1	9	624.32
WFT-125	0037120	1	098268502503	1	9	624.32
WFT-125	0037121	1 1/4	098268502541	1	18	716.46
WFT-125	0037122	1 1/2	098268502633	1	18	1,247.30
WFT-125	0037123	2	098268502640	1	26	1,594.51

Model	Ordering Code	Spirax Sarco No.	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------------	------------	-----	-----------------	--------------------------	-------------------

Float & Thermostatic Steam Trap Repair Kits

Replacement Steam Trap Cover Assemblies For Spirax Sarco FT Series and Watts



WFTC



WFTK

WFTC-15	0038100	FT-15	3/4	098268488128	6	3	\$ 315.17
WFTC-15	0038101	FT-15	1	098268488135	6	3	315.17
WFTC-15	0038102	FT-15	1 1/4	098268488142	1	3	488.78
WFTC-30	0038105	FT-30	3/4	098268488173	6	3	393.96
WFTC-30	0038106	FT-30	1	098268488180	6	3	364.57
WFTC-30	0038107	FT-30	1 1/4	098268488197	1	3	582.24
WFTC-75	0038110	FT-75	3/4	098268488227	1	3	441.35
WFTC-75	0038111	FT-75	1	098268488234	1	3	376.64
WFTC-125	0038115	FT-125	3/4	098268488272	1	3	551.53
WFTC-125	0038116	FT-125	1	098268488289	1	3	567.56
WFTK-15	0038103	FT-15	1 1/2	098268488159	1	3	717.80
WFTK-15	0038104	FT-15	2	098268488166	1	3	1,092.39
WFTK-30	0038108	FT-30	1 1/2	098268488203	6	3	833.28
WFTK-30	0038109	FT-30	2	098268488210	6	3	1,266.00
WFTK-75	0038112	FT-75	1 1/4	098268488241	6	3	976.16
WFTK-75	0038113	FT-75	1 1/2	098268488258	6	3	1,093.02
WFTK-75	0038114	FT-75	2	098268488265	6	3	1,499.69
WFTK-125	0038117	FT-125	1 1/4	098268488296	6	3	1,042.27
WFTK-125	0038119	FT-125	1 1/2	098268488302	6	3	1,171.85
WFTK-125	0038120	FT-125	2	098268488319	6	3	1,853.99

WFTC Includes cover and cover gasket, condensate valve assembly, float & linkage, thermostatic vent.

WFTK – Includes float linkage, thermostatic air vent, valve head & seat, and gasket.

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Hydronics/Steam Heating Products

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------



WIB 80

Series WIB

Inverted Bucket Steam Traps

WIB 80-20	0039500	1/2	098268592900		5.5	\$ 592.94
WIB 80-80	0039501	1/2	098268592467		5.5	592.94
WIB 80-150	0039502	1/2	098268592474		5.5	592.94
WIB 80-20	0039504	3/4	098268592481		5.5	666.37
WIB 80-80	0039505	3/4	098268592498		5.5	592.94
WIB 80-150	0039506	3/4	098268592504		5.5	666.37
WIB 81-15	0039508	1/2	098268592511		6.0	886.06
WIB 81-70	0039509	1/2	098268592528		6.0	788.55
WIB 81-125	0039510	1/2	098268592535		6.0	886.06
WIB 81-250	0039511	1/2	098268592542		6.0	788.55
WIB 81-15	0039514	3/4	098268592559		6.0	886.06
WIB 81-70	0039515	3/4	098268592566		6.0	788.55
WIB 81-125	0039516	3/4	098268592573		6.0	886.06
WIB 81-250	0039517	3/4	098268592580		6.0	788.57
WIB 81-15	0039520	1	098268592597		6.0	788.57
WIB 81-70	0039521	1	098268592603		6.0	788.57
WIB 81-125	0039522	1	098268592610		6.0	788.57
WIB 81-250	0039523	1	098268592627		6.0	788.55

Quick Fix™ Steam Trap Replacement Kits

QF-1	0800001	–	098268218657	6	1.5	97.29
QF-2	0800002	–	098268218664	6	1.5	97.29
QF-3	0800003	–	098268218671	6	1.5	86.36
QF-4	0800004	–	098268218688	6	1.5	90.66
QF-5	0800005	–	098268218695	6	1.5	97.29
QF-6	0800006	–	098268218701	6	1.5	102.15
QF-7	0800007	–	098268218718	6	1.5	97.29
QF-8	0800008	–	098268218725	6	1.5	92.60
QF-9	0800009	–	098268218732	6	1.5	86.36
QF-10	0800110	–	098268407402	6	1.5	102.15
QF-11	0800111	–	098268422917	6	1.5	90.66
QF-12	0800112	–	098268422900	6	1.5	86.36
QF-13	0800113	–	098268422894	6	1.5	86.36
QF-14	0800114	–	098268587616	6	1.5	110.18
QF-15	0800115	–	098268575163	6	1.5	90.66
QF-16	0800116	–	098268582055	6	1.5	97.29
QF-25	0800125	–	098268587623	6	1.5	90.66
QF-26	0800126	–	098268587630	6	1.5	97.04
QFC-10	0800010	–	098268218749	6	1	90.66




QF

Series WTD

Thermo Dynamic Steam Traps

WTD 600	0038200	3/8	098268634358	1	0.8	535.02
WTD 600	0038201	1/2	098268634365	1	1.5	773.94
WTD 600	0038202	3/4	098268634372	1	2.0	977.47
WTD 600	0038203	1	098268634389	1	3.0	1,285.13



WTD 600

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Hydronics/Steam Heating Products

Model	Ordering Code	Size (in.)	Pattern	Pressure Range	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	---------	----------------	-----	-----------------	--------------------------	-------------------

Series G, GH, MG and MGH

Thermostatic/Radiator Steam Traps



1 GAP

1 GAP	0036040	1/2	Angle	25" Hg to 25 psig	098268395419	6	8.4	\$ 243.68
1 GSW	0036041	1/2	Straightway	25" Hg to 25 psig	098268395426	6	8.4	264.81
1 GRHC	0036042	1/2	Right Hand Corner	25" Hg to 25 psig	098268395433	1	1.2	320.61
1 GLHC	0036043	1/2	Left Hand Corner	25" Hg to 25 psig	098268395440	1	1.2	315.82
1 VG	0036044	1/2	Vertical	25" Hg to 25 psig	098268395457	1	1.4	411.14
1 VGDU	0036045	1/2	Vertical Dbl. Union	25" Hg to 25 psig	098268395464	1	1.7	468.31
3 GHAP	0036046	3/4	Angle	25" Hg to 25 psig	098268395471	6	12.6	345.79
3 GHSW	0036047		Straightway		098268395488	1	2.1	347.14
1 MGAP	0036048	1/2	Angle	25" Hg to 65 psig	098268395495	1	1.2	249.82
1 MGSW	0036049		Straightway		098268395501	1	1.2	321.28
3 MGHAP	0036050	3/4	Angle	25" Hg to 65 psig	098268395518	1	2.1	365.54
3 MGHWS	0036051		Straightway		098268395525	1	2.1	383.22
5 MGHAP	0036052	1	Angle	25" Hg to 65 psig	098268395532	1	3.4	561.57

Model	Ordering Code	Size (in.)	Pattern	Trap Being Replaced	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	---------	---------------------	-----	-----------------	--------------------------	-------------------

SERIES G

Replacement Steam Traps

1GT/MON25A	0036068	1/2	Angle (Outboard only)	Illinois 1T, 2T/ Monash 35A (3)	098268395600	1	1.3	\$ 468.30
------------	---------	-----	-----------------------	------------------------------------	--------------	---	-----	-----------

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Hydronics/Steam Heating Products



6G-15

Series G and MG

Float and Thermostatic (F&T) Steam Traps

Model	Ordering Code	Size (in.)	Pressure Range	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
6G-15	0036096	3/4		098268395822	1	6	\$ 713.79
7G-15	0036097	1		098268395846	1	9	1,024.24
8G-15	0036098	1 1/4	25" Hg to 15 psig	098268395877	1	12	1,073.65
91G-15	0036099	1 1/2		098268395921	1	37	1,916.29
101G-15	0036100	2		098268395952	1	59	3,124.82
111MG-15	0036101	2		098268395969	1	85	4,394.76
8MG-30	0036104	1 1/4		098268395983	1	12	1,245.25
91MG-30	0036105	1 1/2	25" Hg to 30 psig	098268395990	1	37	2,180.68
111MG-30	0036107	2		098268396010	1	85	4,826.10
6MG-50	0036109	3/4		098268396027	1	6	849.96
7MG-50	0036110	1		098268396034	1	9	1,040.93
91MG-50	0036112	1 1/2		098268396058	1	37	2,450.44
101MG-50	0036113	2		098268396065	1	59	3,482.70

Model	Ordering Code	Size (in.)	Pressure Range	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	----------------	-----	-----------------	--------------------------	-------------------

Series GF and MGF

Float Traps

6GF-15	0036142	3/4		098268396140	1	6	\$ 74.05
7GF-15	0036143	1		098268396164	1	9	126.15
8GF-15	0036144	1 1/4	25" Hg to 15 psig	098268396195	1	12	1,261.27
91GF-15	0036145	1 1/2		098268396225	1	37	2,390.36
101GF-15	0036146	2		098268396256	1	59	3,406.58
111MGF-15	0036147	2		098268396263	1	85	4,735.29
8MGF-30	0036150	1 1/4		098268396287	1	12	1,261.27
91MGF-30	0036151	1 1/2	25" Hg to 30 psig	098268396294	1	37	2,390.36
101MGF-30	0036152	2		098268396300	1	59	3,406.58
111MGF-30	0036153	2		098268396317	1	85	4,735.29
6MGF-50	0036155	3/4		098268396324	1	6	885.36
7MGF-50	0036156	1		098268396331	1	9	1,047.62
91MGF-50	0036158	1 1/2		098268396355	1	37	2,390.36
101MGF-50	0036159	2		098268396362	1	59	3,406.58
111MGF-50	0036160	2		098268396379	1	85	4,729.96



Series GF and MGF

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Hydronics/Steam Heating Products

Model	Ordering Code	Size (in.)	End Pattern	Connections	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-------------	-------------	-----	-----------------	--------------------------	-------------------

Radiator Supply Valves (1)

Series 65



Series 65

AP-65	0036001	1/2	Angle	Thread-Male Union	098268395051	6	8	\$ 260.68
SW-65	0036002		Straightway	Thread-Male Union	098268395068	6	8	303.79
AP-65	0036003	3/4	Angle	Thread-Male Union	098268395075	6	10	306.99
SW-65	0036004		Straightway	Thread-Male Union	098268395082	6	10	360.07
AP-65	0036005	1	Angle	Thread-Male Union	098268395099	1	3	559.50
SW-65	0036006		Straightway	Thread-Male Union	098268395105	1	3	600.74

NOTES: (1) Series 65 Radiator Supply Valves are suited only for two pipe steam or two pipe forced circulation hot/chilled water systems and are not applicable to one pipe steam or one pipe gravity water systems.

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Heating Valves and Fittings

Series RA



RA-1-AP

Steam Angle Radiator Valve - Bronze - FIP x Male Union

RA-1-AP	0067450	1/2	098268394863	60	52	\$ 59.23
RA-1-AP	0067451	3/4	098268394870	48	59	71.47
RA-1-AP	0067452	1	098268394887	36	59	85.42
RA-1-AP	0067453	1 1/4	098268394894	24	54	107.89
RA-1-AP	0067454	1 1/2	098268394900	18	54	161.33
RA-1-AP	0067600	2	098268589511	16	66	251.17

Steam Angle Radiator Valve - Brass - FIP x Male Union

RA-2-AP	0067545	1/2	098268815733	60	52	63.65
RA-2-AP	0067455	3/4	098268401554	48	59	65.69
RA-2-AP	0067456	1	098268401561	36	59	82.37
RA-2-AP	0067457	1 1/4	098268401578	24	54	95.94

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Hydronics/Steam Heating Products

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Heating Valves and Fittings

Series RA (cont.)

Steam Angle Convector Valve - Bronze - Female Union x FIP


RA-CV	0067615	1	098268589580	36	75	\$ 107.89
RA-CV	0067616	1 1/4	098268589603	24	66	132.05

Steam Radiator Gate Valve - Bronze - FIP x Male Union

RA-1-SW	0067605	1/2	098268589528	60	52	74.54
RA-1-SW	0067606	3/4	098268589542	48	59	85.42
RA-1-SW	0067607	1	098268589559	36	59	125.59
RA-1-SW	0067608	1 1/4	098268589566	24	54	167.44
RA-1-SW	0067609	1 1/2	098268589573	18	54	203.52



RA-1-SW



OTV-FL

Series OTV-M1

Oil Tank Valves

OTV-FL-M1	0067652	1/2 M X 3/8 FL	098268560909	72	63	68.19
OTV-M-M1	0067653	1/2 M X 3/8 M	098268560916	72	68	46.97

Series HBV

Hydronic Balancing (Ball) Valve - Solder x Solder 600 WOG

HBV	0067642	1	098268589702	60	47	49.35
-----	---------	---	--------------	----	----	-------



HBV

Series HWA

Hot Water Angle Valve - Bronze - FIP x Male Union

HWA	0067620	1/2	098268589610	70	56	55.48
HWA	0067621	3/4	098268589627	70	56	64.66
HWA	0067622	1	098268589634	36	59	90.20
HWA	0067623	1 1/4	098268589641	24	54	121.15

Hot Water Angle Valve - Bronze - Solder x Male Union

HWA	0067458	1/2	098268394917	70	53	58.55
HWA	0067459	3/4	098268394924	70	60	66.71



HWA

Series UL

Union Elbow - Bronze - FIP x Male Union

UL-1	0067460	1/2	098268394931	150	68	29.61
UL-1	0067461	3/4	098268394948	100	66	38.13
UL-1	0067630	1	098268589665	70	71	61.95
UL-1	0067631	1 1/4	098268589672	50	64	95.63

Union Elbow - Bronze - Solder x Male Union

UL-2	0067462	1/2	098268394955	150	68	29.61
UL-2	0067463	3/4	098268394962	100	66	38.13



UL-1

Series SV, SVA, SVS

Steam Air Vents

SV	0841000	1/8 angle non-adjustable	098268543506	144	29	32.75
SVA	0841005	1/8 angle adjustable	098268543513	144	29	39.43
SVS-1	0841010	1/8 straight, non-adjustable	098268543520	144	29	38.16
SVS-2	0841015	1/4 straight, non-adjustable	098268543537	144	29	39.43
SVS-3	0841020	3/4 MIP or 1/2 FIP, straight non-adjustable	098268543544	144	29	41.34



SVA

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Mixing Valves



LFUSG-B-M2

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Thermostatic Tempering Valves - ASSE 1070 80°F - 120°F Series USG

LEAD FREE*	LFUSGM1-B-M2	0204143	3/8" compression brass body	6	10	\$ 235.29
	LFUSG-B-SC M2	0204144	3/8" compression brass body satin chrome	6	10	371.37
	LF USG-B-QC-M2	0204146	3/8" compression bronze body	6	10	258.18
	LF USG-B-QC-SC-M2	0204139	3/8" quick connect bronze body satin chrome	6	10	391.09

Thermostatic Tempering Valves - ASSE 1017, 1069, 1070 - Maximum Temperature 80°F - 120°F

Series MMV and LFMMV

Union Threaded Ends

LEAD FREE*	MMV-UT M1	0206004	3/4	098268241211	12	34	\$ 224.35
	LFMMVM1-UT	0559116	1/2	098268451795	12	25	271.62
	LFMMVM1-UT	0559119	3/4	098268451825	12	34	271.62
	LFMMVM1-UT	0559122	1	098268451856	6	22	300.33

Union Solder Ends

LEAD FREE*	LFMMVM1-US	0559115	1/2	098268451788	12	25	271.62
	LFMMVM1-US	0559118	3/4	098268451818	12	31	271.62
	LFMMVM1-US	0559121	1	098268451849	6	16	300.33

Union PEX Ends

LEAD FREE*	LFMMVM1-PEX	0559114	1/2	098268451771	12	24	271.62
	LFMMVM1-PEX	0559117	3/4	098268451801	12	28	271.62
	LFMMVM1-PEX	0559120	1	098268451832	6	21	300.33

Union CPVC Ends

LEAD FREE*	LFMMVM1-CPVC	0559161	1/2	098268452396	12	23	271.62
	LFMMVM1-CPVC	0559162	3/4	098268452402	12	28	271.62
	LFMMVM1-CPVC	0559163	1	098268452419	6	16	300.33

Union Quick-Connect Ends

LEAD FREE*	LFMMVM1-QC	0559164	1/2	098268452426	12	28	279.90
	LFMMVM1-QC	0559165	3/4	098268452433	6	20	308.35
	LFMMVM1-QC	0559166	1	098268452440	6	24	340.14



LFMMV-UT-M1



LFMMV-QC-M1

Thermostatic Tempering Valves - ASSE 1017 - Maximum Temperature Listed 90°F - 160°F

Series 1170 and LF1170

Union Threaded Ends

LEAD FREE*	LF1170M2-UT	0559101	1/2	098268451641	12	28	\$ 271.62
	LF1170M2-UT	0559104	3/4	098268451672	12	36	271.62
	LF1170M2-UT	0559106	1	098268451696	6	23	458.18

Union Solder Ends

LEAD FREE*	LF1170M2-US	0559100	1/2	098268451634	12	24	271.62
	LF1170M2-US	0559103	3/4	098268451665	12	35	271.62
	LF1170M2-US	0559105	1	098268451689	6	20	300.33

Union PEX Ends

LEAD FREE*	LF1170M2-PEX	0559143	1/2	098268452211	12	24	271.62
	LF1170M2-PEX	0559102	3/4	098268451658	12	35	271.62
	LF1170M2-PEX	0559144	1	098268452228	6	19	300.33

Union CPVC Ends

LEAD FREE*	LF1170M2-CPVC	0559145	1/2	098268452235	12	23	271.62
	LF1170M2-CPVC	0559146	3/4	098268452242	12	28	271.62
	LF1170M2-CPVC	0559147	1	098268452259	6	16	300.33



1170-UT-M2

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Mixing Valves

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Thermostatic Tempering Valves (cont.) - ASSE 1017 - Maximum Temperature Listed 90°F - 160°F

Series 1170 and LF1170 (cont.)

Union Quick-Connect Ends

LEAD FREE*	LF1170M2-QC	0559148	1/2	098268452266	12	28	\$ 279.90
	LF1170M2-QC	0559149	3/4	098268452273	6	20	308.35
	LF1170M2-QC	0559150	1	098268452280	6	24	340.14

Hot Water Extender Tempering Valves

Series 70A

Hot Water Extender Tempering Valves - 120°-160°F - For Residential Installations

LEAD FREE*	LF70A-F	**0559129	1/2	098268451870	25	16	194.31
	LF70A-T	0559130	1/2	098268451887	25	28	194.31
	LF70A	**0559133	3/4	098268451917	25	21	222.21
	LF70A T	0559134	3/4	098268451924	25	23	254.53

Series L70A

Low Temperature Hot Water Extender Tempering Valves - 100°- 130°F - For Residential Installations

LEAD FREE*	LFL70A	**0559135	3/4	098268451931	25	28	222.21
------------	--------	-----------	-----	--------------	----	----	--------

** Solder Connection



LF70A



LFN170-M3

Master Tempering Valves

Series N170 and LFN170

Master Tempering Valves - ASSE 1017 90° -180°F - For Commercial Installations

LEAD FREE*	LFN170M3	0559124	3/4	686408611972	6	29	1,095.19
	LFN170M3	0559125	1	686408611989	6	29	1,175.72
	LFN170M3	0559126	1 1/4	686408611996	6	57	1,850.60
	LFN170M3	0559127	1 1/2	686408612009	4	36	1,999.96
	LFN170M3	0559128	2	686408612016	3	31	3,046.80

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Mixing Valves

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Master Tempering Valves Series N170 and LFN170

Master Tempering Valves with Check Stops- ASSE 1017 90° -180°F -
For Commercial Installations



LEAD FREE*	LFN170M3-CSUT	0559167	3/4	686408612177	1	10	\$ 1,247.44
	LFN170M3-CSUT	0559168	1	686408612184	1	10	1,375.31
	LFN170M3-CSUT	0559169	1 1/4	686408612191	1	10	2,236.86
	LFN170M3-CSUT	0559170	1 1/2	686408612207	1	10	2,410.65
	LFN170M3-CSUT	0559171	2	686408612214	1	11	3,672.50

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.
Consult factory for ordering code numbers of special models/options.

Wall Hydrants

Model	Ordering Code	Wall Thickness Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	---------------------------	-----	-----------------	--------------------------	-------------------

Freezeless Wall Hydrants

Series FH

Less Vacuum Breaker - Inlet 1/2" Solder or 1/2" Male I.P.S.

FH-1-M1	0723160	4	098268493184	20	26	\$ 61.36
FH-1-M1	0723161	6	098268493177	20	31	67.10
FH-1-M1	0723162	8	098268493160	20	33	67.10
FH-1-M1	0723163	10	098268493191	20	37	67.10
FH-1-M1	0723164	12	098268493207	20	40	72.15
FH-1-M1	0723165	14	098268493214	20	44	75.17

Series FHB

With Vacuum Breaker - Inlet 1/2" Solder or 1/2" Male I.P.S.-

ASSE Std. 1019, IAPMO Listed

FHB-1	0723010	4	098268678109	20	30	\$ 85.28
FHB-1	0723011	6	098268678123	20	30	87.98
FHB-1	0723012	8	098268678130	20	42	72.47
FHB-1	0723013	10	098268678147	20	44	67.85
FHB-1	0723014	12	098268678154	20	46	77.21
FHB-1	0723015	14	098268678161	20	48	80.57

With Vacuum Breaker - Inlet 1/2" PEX - ASSE 1019, IAPMO

FHB-1-PEX	0723025	4	098268324532	20	30	77.21
FHB-1-PEX	0723026	6	098268324549	20	30	79.55
FHB-1-PEX	0723027	8	098268324556	20	42	74.43
FHB-1-PEX	0723028	10	098268324273	20	44	76.05
FHB-1-PEX	0723029	12	098268324280	20	46	86.64
FHB-1-PEX	0723030	14	098268324358	20	48	104.24

Inlet 3/4" Male I.P.S. or 1/2" Female I.P.S.

FHB-2	0723016	4	098268678178	20	30	85.63
FHB-2	0723017	6	098268678185	20	30	87.98
FHB-2	0723018	8	098268678192	20	42	89.00
FHB-2	0723019	10	098268678208	20	44	91.35
FHB-2	0723020	12	098268678222	20	46	95.75
FHB-2	0723021	14	098268678239	20	48	99.11

Inlet 3/4" Solder or 3/4" Male I.P.S

FHB-2-3/4"	0723022	12	098268701913	20	62	115.63
------------	---------	----	--------------	----	----	--------



FHB



FHB-1-PEX

Water Hammer Arrestors

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Water Hammer Arrestors


Series LF05

Mini Water Hammer Arrestors - ASSE Std 1010, IAPMO Listed

Straight Models		Inlet Size				
LF05 (NPT)	0009850	3/8	098268430110	30	13	\$ 66.02
LF05 (NPT)	0009851	1/2	098268430127	30	13	83.57
LF05H (Hose)	0009852	3/4	098268430134	12	7.3	80.85
LF05H-M1 (Hose)	0009853	3/4	098268430141	12	6.6	87.29
LF05-S (Solder)	0009854	1/2	098268430158	30	11	66.37
LF05-S (Solder)	0009856	3/4	098268430172	24	18	78.96
LF05A-CH (NPT)	0009855	3/4	098268430165	12	10	91.57

Tee Models

LEAD FREE*	LF05-C-T (Compression)	0121272	3/8	098268582222	30	13	88.16
	LF05-CXT (Comp x Rrvs Comp Nut)	0121273	3/8	098268582239	30	20	95.39



LF05H

LF05H-M1

LF05-C-T

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Water Hammer Arrestors

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Series LF15

Water Hammer Arrestors - Stops Banging Pipes -

P.D.I. approved, ASSE Std. 1010, IAPMO Listed



LEAD FREE*

LF15M2-AS	0750150	1/2	098268499384	30	13	\$ 29.95
LF15M2-BS	0750151	3/4	098268499391	24	13	34.85
LF15M2-CS	0750152	1	098268499407	12	11	91.63
LF15M2-DS	0750153	1	098268499414	6	9.9	116.14
LF15M2-ES	0750154	1	098268499421	4	8.1	156.14
LF15M2-FS	0750155	1	098268499438	4	9.5	252.27
LF15M2-A	0750160	1/2	098268526127	30	14	34.18
LF15M2-B	0750161	3/4	098268526134	24	21	45.06
LF15M2-C	0750162	1	098268526141	12	14	101.57
LF15M2-D	0750163	1	098268526158	6	12	125.78
LF15M2-E	0750164	1	098268526165	4	9.4	170.71
LF15M2-F	0750165	1	098268526172	4	11	265.88

Series LF150

Water Hammer Arrestor For Washing Machines



LEAD FREE*

LF150A	0121227	1/2	098268580266	12	8	105.51
--------	---------	-----	--------------	----	---	--------

Fitting For 1/2" Shock Arrestor For Washing Machines

LEAD FREE*

LF150HA	0121229	3/4 H.T.	098268580280	50	17	26.74
---------	---------	----------	--------------	----	----	-------

Water Hammer Arrestor and Fitting For Washing Machines

LEAD FREE*

LF150A-HA	0121231	3/4 H.T.	098268580303	12	12	167.44
-----------	---------	----------	--------------	----	----	--------

Model	Ordering Code	Size (in.)	Adapter Fitting/Description	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----------------------------	-----	-----------------	--------------------------	-------------------

IntelliFlow® Automatic Water Shutoff Valves For Washing Machines

Series A2



A2C-M1

A2C-M1	0004640	1/2	surface mount – solder; with leak sensor	098268910537	8	16	\$ 541.14
A2C-WB-M1**	0004646	1/2	with wall box-solder and/or thread; with leak sensor	098268910544	6	21	601.72
A2C-LS	0004647	1/2	leak sensor for A2C-M1, A2C-WB-M1	098268923506	12	4	141.58
A2-Intellitimer	0004650		allows A2 to be used with 220VAC appliance	098268183085	6	10	430.87
KA2-BD	0004800	1/2	retrofit kit for straight or angle shutoffs	098268922769	12	17	141.58
KA2-A	0004804	1/2	retrofit kit for 2, A2, A2C, A2C-M	098268922806	12	10	141.58
KA2-R	0004805	1/2	retrofit kit for 2, A2-WB, A2C-WB, A2C-WB-M	098268922813	12	8	143.62

** With wall mount box

Decorative Wall Box With Duo-Cloz™

Series 2M2



2M2 DWB

2M2 DWB	0006625	–	Decorative Wall Box	098268858389	–	12	257.37
2M2 DWB	0006626	–	Finish Kit	098268253146	–	12	186.06
2M2 DWB	0006627	–	Rough-In Kit	098268253153	–	12	86.22

DUO-CLOZ™ Water Shutoff Valves For Washing Machines

Series 2

Plain Brass Body



2M2

2-M2	0006644	1/2	Solder Copper Ell	098268302417	24	32	129.34
2T-M2	0006643	1/2	Male Threaded Brass †Satin Chrome Body	098268302400	24	32	129.34
2-M2-SC	0006364	1/2	Solder Copper Ell	098268371741	24	32	138.73
2T-M2-SC	0006363	1/2	Male Threaded Brass	098268371734	24	32	138.73

† For "Satin Chrome Fittings". Specify 2-M2-SCF, 2T-M2-SCF, List Price \$1.30 extra.

Model	Ordering Code	Size (in.)	Adapter Fitting/Description	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----------------------------	-----	-----------------	--------------------------	-------------------

Boiler Drains

Series BD

BD1C	0820901		1/2 M.I.P. or Solder inlet, angle	098268260441	100	70	\$ 15.51
BD2	0820905		3/4 M.I.P. inlet, angle	098268092806	144	60	17.86
BD2C	0820902		3/4 M.I.P. inlet, angle	098268260458	100	75	17.86
BD3F	0820906		1/2 F.I.P. inlet, angle pattern	098268092813	100	55	16.86
BD4F	0820908		3/4 F.I.P. inlet, angle pattern	098268092820	144	55	19.22
BD5	0820903		1/2 M.I.P. or Solder inlet, straight pattern	098268650464	144	55	11.47
BD6	0820904		3/4 M.I.P. inlet, straight pattern	098268650471	144	55	12.13

Quarter-Turn Boiler Drains

BD-QT	0820955		1/2 Dual Pattern, MIP or Solder with 3/4 hose connection	098268919875	120	55	13.15
BD-QT	0820956		3/4 M.I.P. x 3/4 hose connection	098268919882	80	60	20.56



BD-QT

Plumbing Specialties

Model	Ordering Code	Size (in.)	Adapter Fitting/Description	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----------------------------	-----	-----------------	--------------------------	-------------------

No-Kink Hose Bibb With Tee Handle

Series SC



SC8

No-Kink Hose Bibb With Tee Handle and Vacuum Breaker

SC8-1	0611150	1/2	Male I.P. or Solder	098268308563	24	18	\$ 45.17
SC8-2	0611250	3/4	Solder	098268308570	24	18	60.35

Lawn Faucet (Sillcock With Cast Iron Handwheel and Vacuum Breaker)

SC8-3	0611350	1/2	Solder	098268308587	24	18	56.19
SC8-4	0611450	3/4	Female I.P.	098268308495	24	18	57.14

Hose Bibb, Hex Shoulder With Tee Handle and Vacuum Breaker

SC8-5	0611550	1/2	Male I.P. or solder inlet	098268308488	24	18	52.33
SC8-6	0611650	3/4	Male I.P. inlet, hose end	098268308471	24	18	54.89

Trap Primer - Ensures Trap Seal

Series TP300 and LFTP300

LEAD FREE*	LFTP300T	0121238	1/2	Threaded Connections	098268580433	24	25	305.99
	LFTP300S	0121239	1/2	Union Solder Ends	098268580440	24	23	311.82
	TP300-DU	0295137	1/2	Distribution Unit	098268560619	24	20	68.07



WAS

Anti-Sweat Valve For Toilet Tanks - Adjustable

Series WAS

WAS	0215476	1/2	IPS and/or compression	098268633337	100	66	126.61
-----	---------	-----	------------------------	--------------	-----	----	--------

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.



Float Valves and Components

Heavy Duty Float Valves

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
375	0780001	3/8	098268090840	40	-	\$ 83.62
500	0780003	1/2	098268090864	40	-	88.17
750	0780007	3/4	098268090901	40	-	113.13

Heavy Duty Float Valves Plus Locknut and Gasket

375-12	0780002	3/8	098268090857	40	-	89.79
500-12	0780004	1/2	098268090871	40	-	92.69
750-12	0780008	3/4	098268090918	40	-	119.93

Heavy Duty Float Valves

1000	0780011	1	098268090949	10	-	188.00
1250	0780012	1 1/4	098268090956	10	-	336.45
1500	0780013	1 1/2	098268090963	10	-	339.05
2000	0780014	2	098268090970	10	-	345.52

Heavy Duty Float Valves with Threaded Outlet Valve

500TO	0780005	1/2	098268090888	40	-	91.73
750TO	0780009	3/4	098268090925	40	-	114.74

Valve Plus Locknut and Gasket

500TO-12	0780006	1/2	098268090895	40	-	94.97
750TO-12	0780010	3/4	098268090932	40	-	119.93

Stems

11	0780318	10	098268702965	50	-	14.39
11.5	0780319	12	098268702972	50	-	25.80
11-12	0780322	12	098268703009	50	-	25.80
12	0780320	12	098268702989	50	-	25.80
12.5	0780349	12	098268818321	50	-	26.06
13	0780321	12	098268702996	50	-	28.27

Nuzzle Assemblies

N1	0780021	10	098268091045	50	-	15.56
N1-7	0780022	10	098268091052	50	-	40.83
N5	0780023	12	098268091069	50	-	27.87
N5-1	0780024	12	098268091076	50	-	47.45
N5-3	0780025	12	098268091083	50	-	51.54
N8	0780026	12	098268091090	50	-	30.80
N8-7	0780027	12	098268091106	50	-	56.49

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.



Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Float Valves and Components

Copper Floats

CX	0780351	4x 5	098268818291	8	-	\$ 112.15
C4	0780352	4	098268818307	8	-	121.81
C5	0780329	5	098268703078	12	-	131.47
C6	0780330	6	098268703085	8	-	132.50
C6-3	0780032	6	098268091151	24	-	143.27
C6-7	0780331	6	098268703092	8	-	132.50
C7	0780332	7	098268703108	12	-	257.49
C8	0780333	8	098268703115	8	-	266.70
C10	0780036	10	098268091199	4	-	599.00
C12	0780037	12	098268091205	4	-	1,096.23

Plastic Floats

PX	0780325	4x 5	098268703030	10	-	23.09
P6	0780326	6	098268703047	10	-	36.31
P6-7	0780327	6	098268703054	10	-	36.31
P8	0780328	8	098268703061	10	-	45.38
P8-1	0780357	8	098268818314	10	-	41.88
P8-7	0780356	8	098268818338	10	-	45.38
P12***	0780221	2 x 6	098268474527	1	-	83.62
P16**	0780044	2 x 8	098268091274	1	-	128.04

**Assembly of two P8's

***Assembly of two P6's

Standard Duty Float Valves

ST375	0770179	3/8	098268194487	80	-	35.33
ST500	0770180	1/2	098268194494	80	-	38.24
ST750	0770181	3/4	098268194500	80	-	50.56
ST1000	0770182	1	098268225938	54	-	70.65
ST1250	0780282	1 1/4	098268475135	1	-	153.11
ST1500	0780283	1 1/2	098268475142	1	-	276.29
ST2000	0780284	2	098268475159	1	-	299.11

Automatic Livestock Watering Kits

		Weight (lbs.)				
RL600	0780105	1.1	098268240450	12	-	87.19
RL600A	0780173	.1	098268474046	N/A	-	22.69
RL600V	0780174	.2	098268474053	10	-	41.49
RL600-SC	0780365	.2	098268824933	50	-	29.04
UA600	0780245	1.4	098268474763	12	-	69.69
AP112	0780242	.1	098268474732	N/A	-	17.69

Thread Adapters for Floats

		Male Thread	Female Thread			
AD1	0780045	3/8 NPT	5/16-18	098268091281	100	63.29
AD2	0780046	3/8 NPT	3/8-16	098268091298	100	60.28
AD3	0780047	1/2 NPT	3/8-16	098268091304	100	90.88
AD10	0780049	1/4-20	5/16-18	098268091328	100	79.74
AD11	0780050	1/4-20	3/8-16	098268091335	100	79.74
AD12	0780051	5/16-18	1/4-20	098268091342	100	79.74
AD13	0780052	3/8	5/16-18	098268091359	100	86.22
AD14	0780053	3/8-16	1/4-20	098268091366	100	86.22
AD15	0780054	5/16-18	3/8-16	098268091373	100	86.22

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.



Float Valves and Components Replacement Parts

Valve Arms

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
1MN	0780337	For valve sizes 3/8, 1/2 and 3/4.	098268703153	100	-	\$ 13.73
2MN-1	0780334		098268703122	100	-	16.34
2MN-7	0780064		098268091472	100	-	17.83
2MN 3	0780065		098268091489	100	-	17.83
1JB	0780338	For valve sizes 1 and larger.	098268703160	100	-	24.38
2JB-1	0780072		098268091557	100	-	27.92
2JB-7	0780335		098268703139	100	-	25.54
2JB-3	0780336		098268703146	100	-	27.62
2JB-9	0780070		098268091533	100	-	25.94
2JB-4	0780071		098268091540	100	-	27.24

Valve Arm Sets

A1214	0780073	For 3/8, 1/2, 3/4	098268091564	100	-	40.83
A1210	0780074	1 & larger	098268091571	100	-	69.04

Plunger Assembly

375A785	0780075	3/8	098268091588	100	-	27.24
500A785	0780076	1/2	098268091595	100	-	26.59
750A785	0780077	3/4	098268091601	100	-	34.68
1000A785	0780078	1	098268091618	100	-	60.93
JA785	0780079	1 1/4-2	098268091625		-	99.83

Lock Nuts

375-6	0780080	3/8	098268091632	100	-	6.80
750-6	0780082	3/4	098268091656	100	-	10.37

Plunger End Discs

375-5	0780341	3/8	098268703191	100	-	8.03
500-5	0780342	1/2	098268703207	100	-	8.03
750-5	0780343	3/4	098268703214	100	-	8.03
1000-5	0780344	1	098268703221	100	-	8.17
J-5	0780345	1 1/4-2	098268703238	100	-	8.82

Leather Rings

375-8	0780346	3/8	098268703245	100	-	7.78
500-8	0780347	1/2, 1-2	098268703252	100	-	8.68
750-8	0780348	3/4	098268703269	100	-	8.68

Machine Screws

10	0780339	For 1 – 2	098268703177	100	-	7.53
----	---------	-----------	--------------	-----	---	------

Thumb Screws

15	0780340	For 3/8 – 3/4	098268703184	100	-	9.47
----	---------	---------------	--------------	-----	---	------

Stainless Steel Nut and Bolt Assembly

3B	0780095	For 3/8, 1/2, 3/4	098268091786	100	-	7.49
4B	0780096	For 1- 2	098268091793	100	-	7.78

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Evaporative Cooler Valve Kits

Bronze body, machined in-seat, Buna-N seals, adjustable brass arms, polyethylene float. – 3 GPM @ 100psi Capacity.

3/8" MIP OD x 1/8" FIP ID pipe connection

STD-CA3/8x1/8	0770178	8 x 3/4	098268194470	100	-	\$ 26.59
---------------	---------	---------	--------------	-----	---	----------

3/8" Copper Tube Connection

C3/8TF	0780274	12 x 3/4	098268475050	100	-	25.67
--------	---------	----------	--------------	-----	---	-------

1/4" Copper Tube Connection

C1/4TF	0780269	12 x 3/4	098268475005	100	-	25.28
--------	---------	----------	--------------	-----	---	-------

1/4" Copper Tube Connection

C1/4TFAEA	0780270	11 x 3/4	098268475012	100	-	25.28
-----------	---------	----------	--------------	-----	---	-------

Dielectric Unions

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Series LF3001A

Female Iron Pipe Thread to Copper Solder Joint



LF3001A

LEAD FREE*	LF3001A	0009864	1/2	098268430196	24	8.6	\$ 25.86
	LF3001A	0009865	3/4	098268430202	24	10	25.86
	LF3001A	0009866	1	098268430219	12	7.1	50.89
	LF3001A	0009867	1 1/4	098268430226	12	11	81.87
	LF3001A	0009868	1 1/2	098268430233	12	16	130.14
	LF3001A	0009869	2	098268430240	6	16	163.20

Series LF3002

Female Iron Pipe Thread to Reduced Copper Solder Joint



LF3002

LEAD FREE*	LF3002	0121292	1/2 x 3/8	098268582444	25	8.7	25.86
	LF3002	0009872	3/4 x 1/2	098268430271	24	11	27.92
	LF3002	0009873	1 x 3/4	098268430288	12	7.6	57.36

Series LF3003

Female Iron Pipe Thread to Female Brass Pipe Thread



LF3003

LEAD FREE*	LF3003	0009874	1/2	098268430295	24	12	39.48
	LF3003	0009875	3/4	098268430301	12	8.5	48.33
	LF3003	0009876	1	098268430318	12	12	74.18
	LF3003	0009877	1 1/4	098268430325	12	18	124.75
	LF3003	0009878	1 1/2	098268430332	6	18	152.48
	LF3003	0009879	2	098268430349	6	26	202.84

Series LF3004

Female Iron Pipe Thread to Female Iron Pipe Thread - Galvanized

LEAD FREE*	LF3004	0821930	1/2	098268461480	24	12	32.18
	LF3004	0821931	3/4	098268461497	12	8	42.20
	LF3004	0821932	1	098268461503	12	12	59.40
	LF3004	0821933	1 1/4	098268461510	12	18	65.70
	LF3004	0821934	1 1/2	098268461527	6	17	138.37
	LF3004	0821935	2	098268461534	6	25	175.28

Series LF3005

Male Iron Pipe Thread to Copper Solder Joint



LF3005A

LEAD FREE*	LF3005A	0009870	1/2	098268430257	12	5.6	26.54
	LF3005A	0009871	3/4	098268430264	24	13	31.99

Series LF3006

Female Iron Pipe Thread to Female Iron Pipe Thread - Black - Gas Service



LF3006

LEAD FREE*	LF3006	0821786	1/2	098268786231	24	11	28.93
	LF3006	0821787	3/4	098268786255	12	8	43.42
	LF3006	0821788	1	098268786262	12	8	59.23
	LF3006	0821789	1 1/4	098268786279	12	17	83.85
	LF3006	0821790	1 1/2	098268786286	6	16	126.95
	LF3006	0821791	2	098268786293	6	16	180.73

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Dielectric Unions

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Series LF3007

Male Iron Pipe Thread to Reduced Solder Connection

LEAD FREE*	LF3007	0821937	3/4 x 1/2	098268461558	24	14	\$ 41.18
------------	--------	---------	-----------	--------------	----	----	----------

Series LF3008

Female Brass Pipe Thread to Female Solder Connection

LEAD FREE*	LF3008	0009880	1/2	098268430356	25	9.6	50.91
	LF3008	0009881	3/4	098268430363	24	11	53.09
	LF3008	0009882	1	098268430370	12	7.8	81.39

Series LF4001E

Iron Pipe Thread to Copper Solder Joint

LEAD FREE*	LF4001E	0821460	1/2	098268570915	24	4.9	20.42
	LF4001E	0821461	3/4	098268570922	24	10	20.42
	LF4001E	0821462	1	098268570939	12	7.1	45.61
	LF4001E	0821463	1 1/4	098268570977	12	10	74.88
	LF4001E	0821464	1 1/2	098268570984	12	16	109.24
	LF4001E	0821465	2	098268570991	6	15	211.01

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.
Consult factory for ordering code numbers of special models/options.

Dielectric Unions


Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
-------	---------------	------------	-----	-----------------	--------------------------	-------------------

Flanged Fittings

Series LF3100

Iron Pipe Thread to Copper Solder Joint

LEAD FREE*	LF3100M3	0821747	2 1/2	098268430394	1	13	\$ 440.93
	LF3100M3	0821748	3	098268430400	1	16	558.35
	LF3100M3	0821749	4	098268430417	1	33	1,175.54



LF3100/3200

Series 3200

Iron Pipe Thread to Iron Pipe Thread

LEAD FREE*	3200	0822400	2	098268094305	1	8.5	295.42
	3200	0822420	2 1/2	098268094312	1	15	343.75
	3200	0822440	3	098268094329	1	18	425.43
	3200	0822460	4	098268094336	1	32	673.18

Series LF3110

Bronze Solder Copper - Class 125 - Flange, Insulators, gasket, Bolts & Nuts

LEAD FREE*	LF3110	0009887	2 1/2	098268430424	1	7.7	587.78
	LF3110	0009888	3	098268430431	1	9.3	672.70
	LF3110	0121304	4	098268582604	1	15	920.93



LF3110

Series LF3110-LF

Flange Only

LEAD FREE*	LF3110-LF	0121303	2 1/2	098268582598	1	6.2	371.64
	LF3110-LF	0009889	3	098268430448	1	8.3	532.95
	LF3110-LF	0121305	4	098268582611	1	13	765.06

Series INS-KIT

Bolt Insulators - For Insulating Flange Bolts

INS-KIT	0889142	1/2	098268267792	100	1.1	4.83
INS-KIT	0889144	5/8	098268267785	100	1.6	5.47
INS-KIT	0889146	3/4	098268267778	100	2	6.23
INS-KIT	0889148	7/8	098268267761	100	2	6.87

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

Dial Pressure Gauges



DPG1-2

Bottom Entry Series DPG1

Dial Size: 2 1/2"

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
0 - 30	0615608	1/4 NPT	098268045239	24	7	\$ 17.69



DPG3-1 1/2

Center Back Entry Series DPG3

Dial Size: 2"

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
0 - 15	0615700	1/4 NPT	098268066357	100	21	17.02

Center Back Entry Series DPG3

Dial Size: 3"

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
0 - 15	0615714	1/4 NPT	098268066500	50	22	25.03
0 - 100	0615717	1/4 NPT	098268066531	50	22	25.03



DPG5

Top Entry Series DPG5

Dial Size: 2 1/2"

Model	Ordering Code	Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
0 - 30	0615686	1/4 NPT	098268063295	24	9	30.04



DPTG-1

Bottom Entry Series DPTG-1

Dial Size: 3"

Model	Ordering Code	Connection Size (in.)	Temperature Range (°F)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
0 - 75	0615634	1/2 NPT	60 - 320	098268045512	50	26	\$ 39.39

Center Back Entry - Includes 1/4" x 1/2" DPG-VR Retaining Valve

Series DPTG3L

Dial Size: 3" *

Model	Ordering Code	Connection Size (in.)	Temperature Range (°F)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
0 - 75	0615743	1/4 NPT	60 - 320	098268186352	40	20	109.69

*Do not include DPG-VR Retaining Valve

Dial Pressure Gauges



Hose Connection Gauges

Series 276H300

Dial Size: 2 1/2"

Model	Ordering Code	Connection Size (in.)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
0 - 300	0069721	3/4 H.T.	098268007947	24	9	\$ 33.72

Series IWTG

Dial Size: 2 1/2"

0 - 200	0069770	3/4 H.T.	098268847444	8	24	31.05
---------	---------	----------	--------------	---	----	-------



Air Test Assembly Gauges

Series IWTG-Gas-2

0 - 15	0069779	3/4	098268208047	5	4	36.39
0 - 30	0069780	3/4	098268182842	5	4	17.69
0 - 60	0069781	3/4	098268182859	5	4	17.69
0 - 100	0069782	3/4	098268182866	5	4	33.65



Series IWTG-NYC

Dial Size: 2 1/2", 2% Accuracy

0-5	0069786	3/4	098268258561	50	1	171.62
0-10	0069785	3/4	098268258585	50	1	185.62



Series IWTG-HTX

Dial Size: 4", 1% Accuracy

0-5	0069788	3/4	098268258028	50	1	277.78
0-10	0069787	3/4	098268258578	50	1	277.76

Temperature Gauges



TB

Center Back Entry - Includes 1/2" NPT Thermowell With Set Screw Series TB

Dial Size: 3"

Model	Ordering Code	Probe Length Size (in.)	Temperature Range (°F)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
TB-3-4	0615644	4	32 - 140	098268045666	4	3	\$ 31.05



TBR

Bottom Entry - includes 1/2" NPT snap in thermowell Series TBR

Dial Size: 3"

Model	Ordering Code	Probe Length Size (in.)	Temperature Range (°F)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
TBR-3-3	0615735	3	-22 - 122	098268080841	4	4	50.09

Pipe Mount Series TBP-M

Spring Mount - Dial Size: 2 1/2"

Model	Ordering Code	Probe Length Size (in.)	Temperature Range (°F)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
TBP-M-21/2	0615658	-	32 - 248	098268045857	12	5	19.36

Series TBP-F

Strap Mount - Dial Size: 2 1/2"

Model	Ordering Code	Probe Length Size (in.)	Temperature Range (°F)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
TBP-F-21/2	0615659	-	32 - 248	098268045864	14	5	26.71



TBP-M

Series TBC

Chimney Mount - Dial Size: 2 1/2"

Model	Ordering Code	Probe Length Size (in.)	Temperature Range (°F)	UPC	Qty. Per Carton	Weight Per Carton (lbs.)	List Price (each)
TBC-21/2-12	0615663	12	32 - 932	098268045901	6	4	35.72



TBC

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Consult factory for ordering code numbers of special models/options.

It Pays to Buy and Sell the Whole Watts Line!

The Watts line offers tremendous leverage to the stocking wholesaler because of its breadth and versatility. Plus, with a continuous stream of new and innovative products, you have the opportunity to profit from the creative engineering and manufacturing expertise for which Watts has been known since 1874.

To locate your nearest Watts representative, please click on our *find a sales rep* locator on watts.ca.

Represented by:

